Ontario

Ministry of Transportation | Highway Standards Branch | Traffic Office

Provincial Highways

Traffic Volumes 1988-2019

King's Highways / Secondary Highways / Tertiary Roads

Ministry Contact:
Provincial Traffic Office (905)-704-2960

Abstract:
This annual publication contains averaged traffic volume information for each of the sections of highway under MTO jurisdiction.

Key Words:
Annual Average Daily Traffic volume (AADT), Summer Average Daily Traffic volume (SADT), Summer Average Weekday Traffic volume (SAWDT), Winter Average Daily Traffic volume (WADT)

PREFACE

Traffic volume information is used by many people to assist them in assessing the viability of business proposals, land use options, marketing, advertising, and a host of other activities. This publication, **Provincial Highways Traffic Volumes 1988-2019**, provides traffic volumes on an annual and seasonal average basis for selected links in the provincial highway network. The traffic pattern type and accident rates on the selected links are also indicated.

Some highway routes which have not yet been assigned an official highway number, are included under the title Selected 7000 Series Highways. **The Highway 407 ETR is maintained by 407 ETR Concession Company Ltd. and is not included in this publication. For information contact the 407 ETR Traffic Department at (905) 265-4070.** Site or time specific information not contained herein may be obtained from the Ministry of Transportation's Regional Traffic Sections, located in London, Toronto, Kingston, North Bay and Thunder Bay. Contact MTO INFO at 1-800-268-4686 for the appropriate regional phone number.

The statistics contained herein have been prepared based on data (both electronic and otherwise) obtained from sources considered to be reliable. The Ministry makes no representation or warranty, expressed or implied with respect to its accuracy or completeness. This publication also supersedes any previously published publications.

TABLE OF CONTENTS PAGE NO.

Introduction II
Definitions III

TRAFFIC VOLUME INFORMATION

The King's Highways	- Queen Elizabeth Way (QEW)	1
	- Highway 2 to Highway 148	50
	- The 400 series (Highways 400 to Highway 427)	941
The Secondary Highways	- Highway 502 to Highway 673	1250
The Tertiary Roads	- Highway 802 to Highway 811	1484
Selected 7000 Series Highways	- Highway 7025 to Highway 7910	1489

INTRODUCTION

This publication contains information pertaining to traffic volumes on roads under Provincial jurisdiction as of December 31, 2019. The publication is divided into two parts.

OVERALL SYSTEM SUMMARIES

The information in this section is included for policy analysis and program planning purposes. It includes summaries about the overall Provincial Highways system. The system indicators are developed from travel experience, accident data and highway geometrics.

TRAFFIC VOLUME INFORMATION

A detailed listing outlining the 31 year history (1988-2019) of traffic volumes on Provincial Highways (King's, Secondary, Tertiary Roads and the 7000 series highways) is provided.

The highway network is divided into approximately 1873 sections for reporting purposes. Seasonal traffic volume variations are estimated for each section reported. Although local conditions cause variations in the volume within the sections, the volumes shown are considered to adequately represent the section.

On highways that overlap another highway, for instance Highway 35 and Highway 115, the volume information is referenced to the lower number highway. When an overlap occurs between a freeway and non-freeway, reference is made to the freeway number. The freeways are Highway 400 to Highway 427 and the QEW.

The following are definitions to reading the listings:

Location Description: A statement identifying the start or ending point of a section. Some frequently used abbreviations include:

BDY	boundary
BR	bridge
C	concession
C/L	connecting link
CTY	county
DIST	district
KM	kilometres
AVE	avenue
REG	regional
HWY	highway
IC	interchange
JCT	junction
L	lot
LN	line
LTS	limits
NA	non assumed*
OH	overhead
OP	overpass
PKWY	parkway
R	river
RD	road
ST	street
TWP	township
UP	underpass

*Non Assumed – indicates that the roadway is not under provincial jurisdiction therefore contact the corresponding regional municipality for traffic volume information.

Distance (KM)

The length of the section in kilometres reported to one decimal place.

Pattern Type

One of 14 pattern types that represent the seasonal variation of the traffic flow on the section indicated. A graphical presentation of these pattern types has been included on the following page.

The 14 pattern types represent the traffic flow variation on the whole network. They include:

Variation Types

	UC	urban commuter
LOW	**SC**	suburban commuter
	C	commuter
	IC	intermediate commuter
	CR	commuter recreation
INTER	**IR**	intermediate recreation
	CTR	commuter tourist recreation
	IT	intermediate tourist
	LT	low tourist
	T	tourist
HIGH	**HT**	high tourist
	LR	low recreation
	R	recreation
	HR	high recreation
	UNKN	unknown
	UNCL	unclassified
	NEW	new volume section

The first three are generally referred to as Low Variation Curves (or commuter travel); the next five as Intermediate Variation Curves (a blend of all types of traffic); and the last six as High Variation Curves. For the last group, the first three represent tourist travel and the second three, recreational travel; this sub-grouping is distinguished by the relationship of weekend to weekday traffic.

There are two additional codes in the pattern type column. "UNC" indicates that the AADT was calculated using adjustment factors from an unclassified (i.e. new) permanent counting station. "NEW" indicates that this is a new volume section and there is insufficient data to assign a pattern type.

AADT

Annual Average Daily Traffic; defined as the average twenty four hour, two way traffic for the period January 1st to December 31st.

SADT

Summer Average Daily Traffic; defined as the average twenty four hour, two way traffic for the period July 1st to August 31st including weekends.

SAWDT

Summer Average Weekday Traffic; defined as the average twenty four hour, two way traffic for the period July 1st to August 31st, excluding weekends.

WADT

Winter Average Daily Traffic; defined as the average twenty four hour, two way traffic for the period January 1st to March 31st, plus December 1st to December 31st, including weekends.

NOTES:

(a) The user of this publication should realize that the reported data are 'estimated values'. Since traffic volumes are not static, direct field measurements are accurate only for the time of the count. Also, the size of the Provincial Highway network makes it impractical to measure each section annually. Thus, approximately one third of the reported sections are counted each year. The following three methods of measuring traffic volumes are employed:

1. Permanent Counting Stations: At designated locations across the Province counts are taken for each hour of the year.
2. Inventory Counting Stations: Each unique volume section has a set location where traffic volumes are sampled on a cyclical basis by season and year.
3. Request Counting Stations: Traffic volumes are measured at random locations as needed to address operational or planning concerns.

Using the available traffic volume information and historical trends, estimates are made for each highway section.

(b) The abbreviation "N/A" (Not Available) refers to a new volume section or where no data is available. Data for these sections should be available in future publication once collected.

(c) There may be some missing or incorrect traffic sections, and distances, due to highway realignment, highway transfers, renumbering, or sections which have been recently built.

CR

Collision Rate is defined as the number of reportable collisions occurring annually on a particular highway section for every million vehicle kilometres (MVKM) travelled on that section during the same period. "Reportable Collisions" are those causing any death, injury or property damage exceeding a certain established amount.

The collision rate is calculated as follows:

CR = the number of collisions for a given year divided by the MVKM, noting the following:

The MVKM is calculated as follows:

$$= \frac{\text{AADT} \times \#\text{ of Days in year} \times \text{Section Length (DIST-km)}}{1{,}000{,}000}$$

Notes:

(a) Multiple vehicle collisions (i.e., chain reactions are generally considered as one collision unless the reporting police officer decides otherwise).
(b) Collisions on freeway ramps are totally excluded from sectional and total system accident rate calculations. After 1996, highway ramps have also been excluded.
(c) If no collisions have occurred on a given section, the collision rate is shown as zero.

TRAFFIC VOLUME INFORMATION

The King's Highways	- Queen Elizabeth Way (Q.E.W.)
	- Highway 2 to Highway 148
	- The 400 series (Highway 400 to Highway 427)
The Secondary Highways	- Highway 502 to Highway 673
The Tertiary Roads	- Highway 802 to Highway 811
Selected 7000 Series Highways	- Highway 7025 to Highway 7910

NOTE:

Highway 407 ETR is maintained by 407 ETR Concession Company Ltd. For information contact the 407 ETR Traffic Department at (905) 265-4070.

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW	FORT ERIE GODERICH ST PEACE BRIDGE PLAZA	0.2	1988	CTR	14000	18200	17100	11800
QEW			1989	CTR	14500	18400	17500	12500
QEW			1990	CTR	15100	18900	17800	13100
QEW			1991	CTR	15300	19300	19100	13300
QEW			1992	CTR	22200	27300	26400	19300
QEW			1993	CTR	21500	27100	26000	18300
QEW			1994	CTR	20800	26600	25400	17500
QEW			1995	CTR	21100	27100	26000	17700
QEW			1996	CTR	20700	26500	25500	17400
QEW			1997	CTR	21100	27000	26000	17700
QEW			1998	CTR	20900	26500	25500	17600
QEW			1999	CTR	21900	27600	26500	18400
QEW			2000	CTR	22500	28400	27200	18900
QEW			2001	CTR	22000	27800	26600	18600
QEW			2002	CTR	22100	27900	26700	18700
QEW			2003	CTR	19900	24700	23800	16900
QEW			2004	CTR	19000	24000	23000	16000
QEW			2005	CTR	19000	23500	22600	16100
QEW			2006	CTR	18800	23300	22300	16000
QEW			2007	CTR	18200	22500	22300	15400
QEW			2008	CTR	17400	21500	21100	14800
QEW			2009	CTR	16200	19800	19100	13800
QEW			2010	CTR	16400	20000	19200	13900
QEW			2011	CTR	16600	20200	19400	14100
QEW			2012	CTR	16500	20000	19800	14000
QEW			2013	CTR	16300	19800	20500	13800
QEW			2014	CTR	15300	18700	18800	13000
QEW			2015	CTR	14800	18100	18200	12600
QEW			2016	CTR	14600	17800	18000	12400
QEW			2017	CTR	14400	19200	19100	11700
QEW			2018	CTR	14300	19100	19000	11600
QEW			2019	CTR	14000	18700	18600	11400
QEW	CENTRAL AV IC	0.9	1988	CTR	13400	17400	16300	11300
QEW			1989	CTR	14000	17800	16900	12000
QEW			1990	CTR	14000	17500	16500	12200
QEW			1991	CTR	14200	17900	17800	12400
QEW			1992	CTR	14200	17500	16900	12400
QEW			1993	CTR	14600	18400	17700	12400
QEW			1994	CTR	15000	19200	18300	12600
QEW			1995	CTR	15500	19900	19100	13000
QEW			1996	CTR	16000	20500	19700	13400
QEW			1997	CTR	16600	21200	20400	13900
QEW			1998	CTR	17000	21600	20700	14300
QEW			1999	CTR	18000	22700	21800	15100
QEW			2000	CTR	18700	23600	22600	15700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2001	CTR	19600	24700	23700	16500
QEW			2002	CTR	22000	27800	26600	18600
QEW			2003	CTR	21500	26700	25700	18200
QEW			2004	CTR	22300	28100	27000	18800
QEW			2005	CTR	20000	24800	23800	17000
QEW			2006	CTR	18400	22800	21800	15600
QEW			2007	CTR	18100	22400	22200	15300
QEW			2008	CTR	17800	22000	21600	15100
QEW			2009	CTR	16400	20000	19400	13900
QEW			2010	CTR	16800	20400	19700	14300
QEW			2011	CTR	17000	20700	19900	14400
QEW			2012	CTR	19100	23200	22900	16300
QEW			2013	CTR	16500	20100	20700	14000
QEW			2014	CTR	17700	21600	21800	15000
QEW			2015	CTR	18600	22700	22900	15800
QEW			2016	CTR	18700	22800	23000	15900
QEW			2017	CTR	18700	25000	24900	15200
QEW			2018	CTR	18800	25100	25000	15300
QEW			2019	CTR	18800	25000	24900	15300
QEW	CONCESSION RD IC-1	1.0	1988	CTR	13400	17400	16300	11300
QEW			1989	CTR	14000	17800	16900	12000
QEW			1990	CTR	14000	17500	16500	12200
QEW			1991	CTR	14100	17800	17600	12300
QEW			1992	CTR	14100	17300	16800	12300
QEW			1993	CTR	14200	17900	17200	12100
QEW			1994	LT	14100	20700	19900	10200
QEW			1995	LT	14600	21000	20400	10700
QEW			1996	LT	15200	21500	20900	11200
QEW			1997	IR	15800	19800	17700	13400
QEW			1998	IR	16200	20100	18100	13600
QEW			1999	IR	16800	20800	18600	14100
QEW			2000	IR	17300	21200	19200	14600
QEW			2001	IR	17900	22100	19800	15100
QEW			2002	IR	17400	21500	19300	14800
QEW			2003	IR	17700	21500	19500	15000
QEW			2004	IR	18000	22200	19900	15200
QEW			2005	IR	17800	21500	19500	15200
QEW			2006	IR	18600	22400	20300	15800
QEW			2007	IR	18400	22300	22200	15600
QEW			2008	IR	19300	23400	22900	16500
QEW			2009	IR	19600	23500	21400	16700
QEW			2010	IR	19900	23700	21700	16900
QEW			2011	IR	15800	18800	18500	13500
QEW			2012	IR	19600	23300	22700	16800
QEW			2013	CTR	16300	19800	20500	13800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2014	CTR	19400	23700	23900	16500
QEW			2015	IC	17100	18900	18800	15200
QEW			2016	IC	15500	17200	17100	13700
QEW			2017	IC	18800	20600	20700	17100
QEW			2018	IC	19000	20900	21000	17200
QEW			2019	IC	19100	21000	21100	17200
QEW	THOMPSON RD IC-2	2.5	1988	CTR	11900	15500	14500	10000
QEW			1989	CTR	12300	15600	14900	10600
QEW			1990	CTR	12900	16100	15200	11200
QEW			1991	CTR	13100	16500	16400	11400
QEW			1992	CTR	13000	16000	15500	11300
QEW			1993	CTR	13200	16600	16000	11200
QEW			1994	IR	13300	16400	14600	11100
QEW			1995	IR	14600	18000	16100	12400
QEW			1996	IR	16500	20500	18400	14100
QEW			1997	CTR	17100	21900	21000	14400
QEW			1998	CTR	17300	22000	21100	14500
QEW			1999	CTR	16700	21000	20200	14000
QEW			2000	CTR	17100	21500	20700	14400
QEW			2001	CTR	18000	22700	21800	15200
QEW			2002	CTR	17800	22500	21500	15000
QEW			2003	CTR	18100	22500	21600	15300
QEW			2004	CTR	18800	23700	22700	15900
QEW			2005	CTR	18600	23000	22100	15800
QEW			2006	CTR	18900	23400	22400	16000
QEW			2007	CTR	19200	23800	23600	16300
QEW			2008	CTR	19900	24600	24100	16900
QEW			2009	IC	18200	20200	20400	16200
QEW			2010	IC	20100	22200	22400	17800
QEW			2011	IC	20400	22400	23300	18300
QEW			2012	IC	20700	22900	22200	18400
QEW			2013	CTR	21100	25700	26500	17900
QEW			2014	CTR	21400	26100	26300	18200
QEW			2015	CTR	18300	22300	22500	15600
QEW			2016	CTR	17700	21600	21800	15000
QEW			2017	CTR	21000	28100	27900	17100
QEW			2018	CTR	21200	28300	28200	17300
QEW			2019	CTR	21500	28600	28500	17500
QEW	GILMORE RD IC-5	2.1	1988	CTR	13400	17400	16300	11300
QEW			1989	CTR	13900	17700	16800	12000
QEW			1990	CTR	14500	18100	17100	12600
QEW			1991	CTR	15300	19300	19100	13300
QEW			1992	CTR	15100	18600	18000	13100
QEW			1993	CTR	15300	19300	18500	13000
QEW			1994	CTR	15400	19700	18800	12900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1995	CTR	16800	21600	20700	14100
QEW			1996	CTR	18200	23300	22400	15300
QEW			1997	IR	19500	24400	21800	16600
QEW			1998	IR	19500	24200	21800	16400
QEW			1999	IR	19600	24300	21800	16500
QEW			2000	IR	19600	24000	21700	16600
QEW			2001	IR	20100	24800	22300	17000
QEW			2002	IR	20500	25300	22700	17400
QEW			2003	IR	21000	25500	23100	17800
QEW			2004	IR	21500	26600	23800	18200
QEW			2005	IR	21200	25600	23200	18100
QEW			2006	IR	21800	26300	23800	18500
QEW			2007	IC	22900	25400	26200	20200
QEW			2008	IC	22500	24900	24100	19800
QEW			2009	IC	22900	25400	25600	20400
QEW			2010	IC	21500	23800	24000	19100
QEW			2011	IC	21600	23800	24600	19400
QEW			2012	IC	20600	22800	22100	18300
QEW			2013	IC	23300	25800	25600	20700
QEW			2014	IC	23600	26100	26000	20900
QEW			2015	IC	23900	26500	26300	21200
QEW			2016	IC	24200	26800	26700	21500
QEW			2017	CR	23300	27000	27200	21000
QEW			2018	CR	24600	28600	28800	22100
QEW			2019	CR	24900	28900	29100	22300
QEW	BOWEN RD IC-7	5.5	1988	CTR	13700	17800	16700	11500
QEW			1989	CTR	14500	18400	17500	12500
QEW			1990	CTR	15400	19200	18200	13400
QEW			1991	CTR	16000	20200	20000	13900
QEW			1992	CTR	15800	19400	18800	13700
QEW			1993	CTR	16400	20700	19800	13900
QEW			1994	CTR	16500	21100	20100	13900
QEW			1995	CTR	17800	22800	21900	14900
QEW			1996	CTR	19300	24700	23800	16200
QEW			1997	CTR	20500	26200	25200	17200
QEW			1998	CTR	21100	26800	25700	17700
QEW			1999	CTR	21200	26700	25700	17800
QEW			2000	CTR	21500	27100	26000	18100
QEW			2001	IR	21900	27100	24300	18500
QEW			2002	IR	22100	27300	24500	18800
QEW			2003	IR	22400	27200	24600	19000
QEW			2004	IR	22600	27900	25000	19100
QEW			2005	IR	23100	27900	25300	19700
QEW			2006	CTR	23300	28800	27700	19800
QEW			2007	CTR	24000	29700	29500	20300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2008	CTR	24400	30200	29600	20700
QEW			2009	CTR	23700	28900	28000	20100
QEW			2010	CTR	23800	29000	27800	20200
QEW			2011	CTR	23900	29100	28000	20300
QEW			2012	CTR	24200	29400	29000	20600
QEW			2013	CTR	24500	29800	30800	20800
QEW			2014	CTR	22500	27400	27700	19100
QEW			2015	CTR	25400	31000	31200	21600
QEW			2016	CTR	25700	31400	31600	21800
QEW			2017	CTR	26000	34700	34600	21200
QEW			2018	CTR	26300	35100	35000	21400
QEW			2019	CTR	26600	35400	35300	21600
QEW	NETHERBY RD IC-12 NIAGARA FALLS LTS	3.3	1988	CTR	13300	17300	16200	11200
QEW			1989	CTR	13800	17500	16700	11900
QEW			1990	CTR	14400	18000	17000	12500
QEW			1991	CTR	15300	19300	19100	13300
QEW			1992	CTR	15100	18600	18000	13100
QEW			1993	CTR	15700	19800	19000	13300
QEW			1994	CTR	15600	20000	19000	13100
QEW			1995	CTR	16800	21600	20700	14100
QEW			1996	CTR	18000	23000	22200	15100
QEW			1997	CTR	19500	25000	24000	16400
QEW			1998	CTR	19900	25300	24300	16700
QEW			1999	CTR	20200	25500	24400	17000
QEW			2000	CTR	20900	26300	25300	17600
QEW			2001	CTR	21000	26500	25400	17700
QEW			2002	CTR	22500	28400	27200	19000
QEW			2003	CTR	21600	26800	25800	18300
QEW			2004	CTR	22100	27900	26700	18600
QEW			2005	CTR	22600	28000	26900	19200
QEW			2006	CTR	21300	26400	25300	18100
QEW			2007	CTR	21600	26800	26500	18300
QEW			2008	CTR	20500	25400	24900	17400
QEW			2009	CTR	19700	24000	23200	16700
QEW			2010	CTR	18800	22900	22000	16000
QEW			2011	CTR	19800	24100	23200	16800
QEW			2012	CTR	21800	26400	26100	18600
QEW			2013	UC	19800	19900	19900	18800
QEW			2014	UC	21700	21800	20900	20600
QEW			2015	UC	21700	21800	20900	20600
QEW			2016	UC	22000	22100	21200	20900
QEW			2017	UC	22100	22000	22200	21200
QEW			2018	UC	22200	22000	22400	21300
QEW			2019	C	22400	24500	24300	20300
QEW	SODOM RD IC-16	6.6	1988	CTR	15200	19800	18500	12800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1989	CTR	15800	20100	19100	13600
QEW			1990	CTR	16400	20500	19400	14300
QEW			1991	CTR	17500	22000	21900	15200
QEW			1992	CTR	17400	21400	20700	15100
QEW			1993	CTR	17900	22600	21700	15200
QEW			1994	SC	18400	19100	21200	16900
QEW			1995	SC	19600	20500	22800	17800
QEW			1996	SC	20700	22000	24200	18500
QEW			1997	C	21900	24700	25000	19700
QEW			1998	C	22400	25300	25300	20200
QEW			1999	C	22100	24800	25000	19900
QEW			2000	C	22600	25500	25500	20300
QEW			2001	C	23200	26100	26200	20900
QEW			2002	C	23700	26500	26700	21300
QEW			2003	C	24200	27000	27200	21800
QEW			2004	C	24600	27700	27800	22200
QEW			2005	C	25000	27800	28100	22500
QEW			2006	CTR	25500	31600	30300	21600
QEW			2007	CTR	25900	32100	31800	22000
QEW			2008	CTR	25600	31700	31100	21800
QEW			2009	CTR	26900	32800	31700	22900
QEW			2010	CTR	27400	33400	32100	23300
QEW			2011	CTR	27900	34000	32600	23700
QEW			2012	CTR	28400	34500	34000	24200
QEW			2013	CTR	26200	31900	32900	22300
QEW			2014	CTR	28800	35100	35400	24500
QEW			2015	CTR	25500	31100	31400	21700
QEW			2016	CTR	29200	35600	35900	24800
QEW			2017	CTR	29600	39600	39400	24100
QEW			2018	CTR	30100	40200	40000	24500
QEW			2019	CTR	31300	41700	41500	25500
QEW	LYONS CREEK RD IC-21	4.5	1988	CTR	18800	24400	22900	15800
QEW			1989	CTR	20100	25500	24300	17300
QEW			1990	CTR	21100	26400	24900	18400
QEW			1991	CTR	21400	27000	26800	18600
QEW			1992	CTR	21300	26200	25300	18500
QEW			1993	CTR	21800	27500	26400	18500
QEW			1994	UC	22100	23400	25300	20600
QEW			1995	UC	23700	25000	27100	22100
QEW			1996	UC	25200	26700	29500	24000
QEW			1997	UC	26000	27300	30400	24400
QEW			1998	UC	26600	28200	31100	25300
QEW			1999	UC	26100	27700	30500	24800
QEW			2000	UC	26600	28200	31400	25000
QEW			2001	UC	27100	29000	31900	25500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2002	UC	27700	29500	32600	25900
QEW			2003	UC	27400	29000	32100	25900
QEW			2004	UC	28700	30700	33800	27000
QEW			2005	C	29300	32600	32900	26300
QEW			2006	C	29800	33100	33400	26800
QEW			2007	C	30300	33700	34100	27200
QEW			2008	C	30800	34000	33500	27600
QEW			2009	C	31400	34500	34900	28300
QEW			2010	C	31900	35200	35500	28700
QEW			2011	C	27700	30500	30800	24900
QEW			2012	C	28500	31400	30700	25700
QEW			2013	UC	29000	29100	29200	27500
QEW			2014	UC	31500	31600	30300	29900
QEW			2015	C	33200	36500	35500	29900
QEW			2016	C	36700	40400	39300	33000
QEW			2017	C	33500	36600	36600	30400
QEW			2018	C	34000	37300	37100	30700
QEW			2019	C	34400	37600	37400	31100
QEW	MCLEOD RD IC-27	3.0	1988	CTR	24500	31800	29900	20600
QEW			1989	CTR	25900	32900	31300	22300
QEW			1990	CTR	27100	33900	32000	23600
QEW			1991	CTR	27900	35200	34900	24300
QEW			1992	CTR	27900	34300	33200	24300
QEW			1993	CTR	28300	35700	34200	24100
QEW			1994	IC	28900	32400	32400	25700
QEW			1995	IC	29200	32700	32900	26200
QEW			1996	IC	29600	33200	33400	26400
QEW			1997	IC	29900	33500	33800	26300
QEW			1998	IC	30200	33800	33800	26900
QEW			1999	IC	31100	34800	34800	27700
QEW			2000	IC	31700	35500	35500	28200
QEW			2001	SC	30100	32100	35200	26500
QEW			2002	SC	32800	34800	38400	28900
QEW			2003	SC	33300	35200	38900	29500
QEW			2004	SC	33900	36200	39700	29900
QEW			2005	UC	35900	38000	42000	33700
QEW			2006	UC	35000	37000	40900	32900
QEW			2007	UC	35600	37800	41200	33400
QEW			2008	UC	36100	38100	35800	33800
QEW			2009	LT	38100	51400	50300	28200
QEW			2010	LT	43800	58800	57700	32300
QEW			2011	LT	45000	57600	58800	37000
QEW			2012	IC	46000	51000	49400	40800
QEW			2013	IC	43300	47900	47700	38400
QEW			2014	IC	40000	44300	44100	35500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2015	IC	44300	49000	48800	39300
QEW			2016	IC	45100	49900	49700	40000
QEW			2017	IC	45900	50300	50700	41700
QEW			2018	IC	46700	51400	51700	42300
QEW			2019	IC	47500	52200	52400	42900
QEW	HWY 420 IC-30	2.0	1988	CTR	40000	52000	48800	33600
QEW			1989	CTR	41500	52700	50200	35700
QEW			1990	CTR	43400	54200	51200	37800
QEW			1991	CTR	42200	53200	52800	36700
QEW			1992	CTR	42200	51900	50200	36700
QEW			1993	CTR	42600	53700	51500	36200
QEW			1994	C	41700	45700	46500	37700
QEW			1995	C	43800	47800	49100	40100
QEW			1996	C	46100	52300	52400	41600
QEW			1997	CTR	48200	61700	59300	40500
QEW			1998	CTR	51200	65000	62500	43000
QEW			1999	CTR	50200	63300	60700	42200
QEW			2000	CTR	51600	65000	62400	43300
QEW			2001	C	51300	57800	57900	46200
QEW			2002	C	54500	61000	61500	49000
QEW			2003	C	56000	62600	63000	50500
QEW			2004	C	57400	64600	64800	51700
QEW			2005	C	56200	62600	63100	50500
QEW			2006	C	57500	63900	64400	51700
QEW			2007	C	58800	65300	66200	52800
QEW			2008	C	60200	66400	65500	54000
QEW			2009	C	61500	67600	68300	55400
QEW			2010	C	62800	69200	69800	56500
QEW			2011	C	64300	70900	71500	57900
QEW			2012	C	66000	72700	71200	59400
QEW			2013	C	66800	73600	72700	60100
QEW			2014	UC	68100	68300	65500	64600
QEW			2015	UC	69200	69400	66600	65700
QEW			2016	UC	70400	70600	67700	66800
QEW			2017	UC	71600	71100	71800	68600
QEW			2018	UC	72800	72200	73400	69900
QEW			2019	UC	74000	72900	74000	71300
QEW	THOROLD STONE RD IC-32	2.5	1988	CTR	39200	51000	47800	32900
QEW			1989	CTR	41100	52200	49700	35300
QEW			1990	CTR	43000	53800	50700	37400
QEW			1991	CTR	40400	50900	50500	35100
QEW			1992	CTR	40300	49600	48000	35100
QEW			1993	CTR	40800	51400	49400	34700
QEW			1994	CTR	40500	51800	49400	34000
QEW			1995	CTR	44500	57100	54700	37300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1996	CTR	45500	58200	56000	38200
QEW			1997	CTR	46500	59500	57200	39100
QEW			1998	CTR	47500	60300	58000	39900
QEW			1999	CTR	48700	61400	58900	40900
QEW			2000	CTR	50100	63100	60600	42100
QEW			2001	CTR	50800	64100	61500	42800
QEW			2002	CTR	52700	66500	63800	44500
QEW			2003	CTR	53500	66500	63900	45400
QEW			2004	CTR	55300	69800	66900	46600
QEW			2005	CTR	54900	68000	65300	46600
QEW			2006	CTR	57300	70900	68000	48600
QEW			2007	CTR	58500	72500	71800	49600
QEW			2008	CTR	59700	73900	72400	50700
QEW			2009	CTR	61000	74400	72000	51800
QEW			2010	CTR	62200	75700	72800	52800
QEW			2011	CTR	56400	68600	66000	47900
QEW			2012	CTR	63100	76600	75600	53700
QEW			2013	UC	63500	63700	63900	60300
QEW			2014	UC	65200	65400	62700	61900
QEW			2015	UC	66300	66500	63800	62900
QEW			2016	UC	67400	67600	64800	64000
QEW			2017	UC	68500	68100	68700	65600
QEW			2018	UC	69600	69000	70100	66800
QEW			2019	C	70700	77300	76800	64000
QEW	MOUNTAIN RD IC-34	2.5	1988	CTR	39900	51900	48700	33500
QEW			1989	CTR	42000	53300	50800	36100
QEW			1990	CTR	44100	55100	52000	38400
QEW			1991	CTR	44300	55800	55400	38500
QEW			1992	CTR	44200	54400	52600	38500
QEW			1993	CTR	44800	56400	54200	38100
QEW			1994	CTR	43200	55300	52700	36300
QEW			1995	CTR	58000	74400	71300	48600
QEW			1996	CTR	61800	79100	76100	51900
QEW			1997	CTR	62100	79500	76400	52200
QEW			1998	CTR	63900	81200	78000	53700
QEW			1999	CTR	65900	83000	79700	55400
QEW			2000	CTR	67900	85600	82200	57000
QEW			2001	CTR	73500	92800	88900	62000
QEW			2002	CTR	76800	96900	92900	64800
QEW			2003	CTR	80100	99600	95700	67900
QEW			2004	CTR	83400	105300	100900	70300
QEW			2005	CTR	86700	107400	103100	73500
QEW			2006	CTR	56700	70200	67300	48100
QEW			2007	CTR	57600	71400	70700	48800
QEW			2008	CTR	58500	72400	71000	49700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2009	CTR	59400	72500	70100	50500
QEW			2010	CTR	60300	73400	70500	51200
QEW			2011	CTR	69500	84600	81300	59000
QEW			2012	CTR	69900	84800	83700	59500
QEW			2013	CTR	70400	85700	88500	59800
QEW			2014	IC	67500	74700	74400	59900
QEW			2015	IC	70600	78100	77800	62600
QEW			2016	IC	71000	78600	78200	63000
QEW			2017	IC	71400	78200	78800	64800
QEW			2018	IC	71800	79000	79500	65000
QEW			2019	IC	72200	79300	79700	65200
QEW	HWY 405(WBL) IC-37	1.3	1988	CTR	50000	65000	61000	42000
QEW			1989	CTR	52500	66700	63500	45200
QEW			1990	CTR	55000	68800	64900	47800
QEW			1991	CTR	55700	70200	69600	48500
QEW			1992	CTR	55600	68400	66200	48400
QEW			1993	CTR	56200	70800	68000	47800
QEW			1994	CTR	60800	77800	74200	51100
QEW			1995	CTR	62800	80600	77200	52700
QEW			1996	CTR	64800	82900	79700	54400
QEW			1997	CTR	66800	85500	82200	56100
QEW			1998	CTR	68800	87400	83900	57800
QEW			1999	CTR	74700	94100	90400	62700
QEW			2000	CTR	74700	94100	90400	62700
QEW			2001	IR	74800	92400	82900	63200
QEW			2002	IR	74900	92400	83000	63700
QEW			2003	IR	74900	90900	82400	63600
QEW			2004	IR	75000	92700	83100	63400
QEW			2005	IR	79600	96100	87200	67900
QEW			2006	IR	77400	93400	84600	65700
QEW			2007	IR	78500	95100	94800	66500
QEW			2008	IR	79500	96300	94500	67900
QEW			2009	IR	80600	96700	87900	68500
QEW			2010	IR	75000	89300	81700	63800
QEW			2011	IR	82700	98700	96600	70600
QEW			2012	IC	83800	92800	90000	74400
QEW			2013	IC	84900	94000	93400	75300
QEW			2014	IC	85900	95100	94600	76200
QEW			2015	CR	87000	102500	101900	74100
QEW			2016	CR	88100	103800	103200	75000
QEW			2017	CR	89100	103300	103900	80200
QEW			2018	CR	90200	104800	105500	81000
QEW			2019	CR	91300	105900	106600	81900
QEW	GLENDALE AV IC-38	4.9	1988	CTR	49800	64700	60800	41800
QEW			1989	CTR	52300	66400	63300	45000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1990	CTR	54700	68400	64500	47600
QEW			1991	CTR	55400	69800	69200	48200
QEW			1992	CTR	55300	68000	65800	48100
QEW			1993	CTR	55900	70400	67600	47500
QEW			1994	CTR	57000	73000	69500	47900
QEW			1995	CTR	58200	74700	71600	48800
QEW			1996	CTR	59300	75900	73000	49800
QEW			1997	CTR	62500	80000	76900	52500
QEW			1998	CTR	65100	82700	79400	54700
QEW			1999	CTR	67200	84700	81300	56400
QEW			2000	CTR	70300	88600	85100	59100
QEW			2001	IR	72000	89000	79800	60900
QEW			2002	IR	73700	90900	81700	62700
QEW			2003	IR	75300	91400	82800	63900
QEW			2004	IR	78100	96500	86500	66000
QEW			2005	IR	75200	90800	82400	64100
QEW			2006	IR	76700	92500	83800	65100
QEW			2007	IR	78100	94600	94300	66200
QEW			2008	IR	79600	96400	94600	68000
QEW			2009	CTR	73000	89100	86100	62000
QEW			2010	CTR	82500	100400	96500	70100
QEW			2011	CTR	84000	102200	98300	71300
QEW			2012	IC	82800	91700	88900	73500
QEW			2013	IC	85800	95000	94400	76100
QEW			2014	IC	87500	96900	96400	77600
QEW			2015	IC	88500	98000	97500	78500
QEW			2016	IC	89900	99500	99100	79700
QEW			2017	IR	89200	108200	107500	76000
QEW			2018	IR	92700	112500	111900	78800
QEW			2019	IR	94000	114300	113800	80100
QEW	NIAGARA ST SERVICE RDS	1.2	1988	CTR	38900	50600	47500	32700
QEW			1989	CTR	40800	51800	49400	35100
QEW			1990	CTR	42400	53000	50000	36900
QEW			1991	CTR	43300	54600	54100	37700
QEW			1992	CTR	43200	53100	51400	37600
QEW			1993	CTR	43800	55200	53000	37200
QEW			1994	CTR	45000	57600	54900	37800
QEW			1995	CTR	47100	60400	57900	39500
QEW			1996	CTR	49200	62900	60500	41300
QEW			1997	CTR	51300	65700	63100	43100
QEW			1998	CTR	53300	67700	65000	44800
QEW			1999	CTR	54100	68200	65500	45400
QEW			2000	CTR	55800	70300	67500	46900
QEW			2001	CTR	56700	71600	68600	47800
QEW			2002	CTR	57900	73000	70100	48900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2003	CTR	59400	73800	70900	50400
QEW			2004	CTR	60800	76700	73600	51300
QEW			2005	CTR	61500	76200	73100	52200
QEW			2006	CTR	63900	79100	75800	54200
QEW			2007	CTR	65400	81000	80300	55400
QEW			2008	CTR	66900	82800	81200	56900
QEW			2009	CTR	68300	83300	80600	58100
QEW			2010	CTR	69800	85000	81700	59300
QEW			2011	CTR	71300	86800	83400	60500
QEW			2012	CTR	72700	88200	87100	61900
QEW			2013	CTR	74200	90300	93300	63000
QEW			2014	CTR	75700	92400	93100	64300
QEW			2015	CTR	77200	94200	95000	65600
QEW			2016	CTR	78600	95900	96700	66800
QEW			2017	CTR	80100	107000	106500	65300
QEW			2018	CTR	81600	109000	108500	66500
QEW			2019	CTR	83100	110700	110200	67600
QEW	NIAGARA ST IC-44	1.7	1988	CTR	52000	67600	63400	43700
QEW			1989	CTR	54000	68600	65300	46400
QEW			1990	CTR	56200	70200	66300	48900
QEW			1991	CTR	57300	72200	71600	49900
QEW			1992	CTR	57200	70400	68100	49800
QEW			1993	CTR	57800	72800	69900	49100
QEW			1994	C	58100	63600	64800	52600
QEW			1995	CTR	63700	81800	78400	53400
QEW			1996	CTR	65700	84000	80900	55100
QEW			1997	CTR	66200	84700	81400	55600
QEW			1998	CTR	67200	85300	82000	56400
QEW			1999	CTR	66600	83900	80600	55900
QEW			2000	CTR	67500	85000	81700	56700
QEW			2001	CTR	68400	86300	82800	57700
QEW			2002	CTR	69300	87400	83800	58500
QEW			2003	CTR	70200	87200	83800	59500
QEW			2004	CTR	71100	89700	86000	60000
QEW			2005	CTR	72000	89200	85600	61100
QEW			2006	CTR	71700	88800	85100	60800
QEW			2007	CTR	73800	91400	90600	62500
QEW			2008	CTR	74700	92400	90700	63500
QEW			2009	CTR	75600	92200	89200	64300
QEW			2010	CTR	76500	93100	89500	65000
QEW			2011	CTR	77400	94200	90600	65700
QEW			2012	CTR	78300	95000	93800	66700
QEW			2013	CTR	79200	96400	99600	67300
QEW			2014	CTR	80100	97700	98500	68100
QEW			2015	CTR	81000	98800	99600	68800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2016	CTR	81900	99900	100700	69600
QEW			2017	CTR	82800	110700	110100	67500
QEW			2018	CTR	83700	111800	111300	68200
QEW			2019	CTR	84600	112700	112200	68800
QEW	LAKE ST IC-46	1.3	1988	CTR	47900	62300	58400	40200
QEW			1989	CTR	50800	64500	61500	43700
QEW			1990	CTR	53700	67100	63400	46700
QEW			1991	CTR	57600	72600	72000	50100
QEW			1992	CTR	58000	71300	69000	50500
QEW			1993	CTR	58300	73500	70500	49600
QEW			1994	CTR	58700	75100	71600	49300
QEW			1995	CTR	61700	79200	75900	51800
QEW			1996	CTR	64700	82800	79600	54300
QEW			1997	CTR	67700	86700	83300	56900
QEW			1998	CTR	70300	89300	85800	59100
QEW			1999	CTR	71000	89500	85900	59600
QEW			2000	CTR	74000	93200	89500	62200
QEW			2001	CTR	77000	97200	93200	64900
QEW			2002	CTR	80000	100900	96800	67500
QEW			2003	CTR	83000	103200	99100	70400
QEW			2004	CTR	86000	108500	104100	72500
QEW			2005	CTR	88000	109000	104600	74600
QEW			2006	CTR	90600	112200	107500	76900
QEW			2007	CTR	93300	115600	114600	79100
QEW			2008	CTR	95900	118700	116400	81500
QEW			2009	CTR	98500	120200	116200	83700
QEW			2010	CTR	101200	123200	118400	85900
QEW			2011	CTR	103800	126300	121400	88100
QEW			2012	CTR	106400	129100	127500	90600
QEW			2013	CTR	109100	132800	137200	92700
QEW			2014	CTR	111700	136300	137400	94900
QEW			2015	CTR	114300	139400	140600	97200
QEW			2016	CTR	117000	142700	143900	99400
QEW			2017	CTR	119600	159800	159000	97500
QEW			2018	CTR	122200	163200	162500	99500
QEW			2019	CTR	124900	166400	165700	101600
QEW	ONTARIO ST IC-47	0.8	1988	CTR	51800	67300	63200	43500
QEW			1989	CTR	53800	68300	65100	46300
QEW			1990	CTR	55900	69900	66000	48600
QEW			1991	CTR	58700	74000	73400	51100
QEW			1992	CTR	58700	72200	69900	51100
QEW			1993	CTR	59300	74700	71800	50400
QEW			1994	CTR	61800	79100	75400	51900
QEW			1995	CTR	63700	81800	78400	53400
QEW			1996	CTR	65600	83900	80700	55100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1997	CTR	67300	86100	82800	56500
QEW			1998	CTR	70500	89500	86000	59200
QEW			1999	CTR	70400	88700	85200	59100
QEW			2000	CTR	72000	90700	87100	60500
QEW			2001	CTR	73600	92900	89100	62100
QEW			2002	CTR	75200	94900	91000	63500
QEW			2003	CTR	76800	95500	91700	65100
QEW			2004	CTR	78400	99000	94900	66100
QEW			2005	CTR	80000	99100	95100	67900
QEW			2006	CTR	81000	100300	96100	68700
QEW			2007	CTR	83100	102900	102000	70400
QEW			2008	CTR	84700	104800	102800	72000
QEW			2009	CTR	86300	105300	101800	73400
QEW			2010	CTR	87900	107000	102800	74700
QEW			2011	CTR	89500	108900	104700	76000
QEW			2012	CTR	91100	110500	109100	77600
QEW			2013	CTR	92700	112800	116600	78700
QEW			2014	CTR	94300	115000	116000	80200
QEW			2015	CTR	95800	116900	117800	81400
QEW			2016	CTR	97400	118800	119800	82800
QEW			2017	CTR	99000	132300	131600	80700
QEW			2018	CTR	100600	134400	133800	81900
QEW			2019	CTR	102200	136200	135600	83200
QEW	MARTINDALE RD IC-48	0.7	1988	CTR	49800	64700	60800	41800
QEW			1989	CTR	51800	65800	62700	44500
QEW			1990	CTR	53800	67200	63500	46800
QEW			1991	CTR	56500	71200	70600	49200
QEW			1992	CTR	56400	69400	67100	49100
QEW			1993	CTR	57000	71800	69000	48400
QEW			1994	CTR	57100	73100	69700	48000
QEW			1995	CTR	57400	73700	70600	48100
QEW			1996	CTR	57600	73700	70900	48300
QEW			1997	CTR	57900	74100	71200	48600
QEW			1998	CTR	63000	80000	76900	52900
QEW			1999	CTR	60900	76700	73700	51200
QEW			2000	CTR	61700	77700	74700	51800
QEW			2001	CTR	62400	78800	75500	52600
QEW			2002	CTR	63200	79700	76500	53400
QEW			2003	CTR	64000	79500	76400	54300
QEW			2004	CTR	64800	81800	78400	54600
QEW			2005	CTR	65100	80700	77400	55200
QEW			2006	CTR	66400	82200	78800	56300
QEW			2007	CTR	67200	83200	82500	57000
QEW			2008	CTR	68000	84200	82500	57800
QEW			2009	CTR	68800	83900	81200	58500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2010	CTR	69600	84700	81400	59100
QEW			2011	CTR	70400	85700	82400	59800
QEW			2012	CTR	71200	86400	85300	60600
QEW			2013	CTR	72000	87600	90500	61100
QEW			2014	CTR	72800	88800	89500	61900
QEW			2015	CTR	73600	89800	90500	62600
QEW			2016	CTR	74400	90800	91500	63200
QEW			2017	CTR	75200	100500	100000	61300
QEW			2018	CTR	76000	101500	101100	61900
QEW			2019	CTR	76800	102300	101900	62500
QEW	HWY 406 IC-49	2.0	1988	CTR	52500	68200	64000	44100
QEW			1989	CTR	54500	69200	65900	46900
QEW			1990	CTR	56700	70900	66900	49300
QEW			1991	CTR	59500	75000	74400	51800
QEW			1992	CTR	59300	72900	70600	51600
QEW			1993	CTR	59900	75500	72500	50900
QEW			1994	CTR	65200	83500	79500	54800
QEW			1995	CTR	67600	86800	83200	56700
QEW			1996	CTR	69900	89400	86000	58700
QEW			1997	CTR	72500	92800	89200	60900
QEW			1998	CTR	74600	94700	91000	62700
QEW			1999	CTR	74400	93700	90000	62500
QEW			2000	CTR	76000	95800	92000	63800
QEW			2001	CR	77700	95600	91100	65600
QEW			2002	CR	78000	95800	91500	65700
QEW			2003	CTR	79300	98600	94700	67200
QEW			2004	CTR	80700	101900	97600	68000
QEW			2005	CTR	80300	99500	95500	68100
QEW			2006	CTR	83500	103400	99100	70900
QEW			2007	CTR	84900	105200	104200	72000
QEW			2008	CTR	86200	106700	104600	73300
QEW			2009	CTR	87600	106900	103400	74500
QEW			2010	CTR	88900	108200	104000	75500
QEW			2011	CTR	90300	109900	105700	76700
QEW			2012	CTR	91600	111100	109700	78000
QEW			2013	CTR	93000	113200	116900	79000
QEW			2014	CTR	94400	115200	116100	80200
QEW			2015	CTR	95700	116800	117700	81300
QEW			2016	CTR	97100	118500	119400	82500
QEW			2017	CTR	98400	131500	130800	80200
QEW			2018	CTR	99800	133300	132700	81300
QEW			2019	CTR	101100	134700	134100	82300
QEW	SEVENTH ST IC-51	4.3	1988	CTR	51800	67300	63200	43500
QEW			1989	CTR	53800	68300	65100	46300
QEW			1990	CTR	55900	69900	66000	48600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1991	CTR	58800	74100	73500	51200
QEW			1992	CTR	58600	72100	69700	51000
QEW			1993	CTR	59200	74600	71600	50300
QEW			1994	CTR	64200	82200	78300	53900
QEW			1995	CTR	66500	85300	81800	55800
QEW			1996	CTR	68800	88000	84700	57700
QEW			1997	CTR	71100	91000	87500	59700
QEW			1998	CTR	73400	93200	89500	61700
QEW			1999	CTR	74000	93200	89500	62200
QEW			2000	CTR	75700	95400	91600	63600
QEW			2001	CTR	80300	101400	97200	67700
QEW			2002	CTR	79000	99700	95600	66700
QEW			2003	CTR	80700	100300	96400	68400
QEW			2004	CTR	80800	102000	97800	68100
QEW			2005	CTR	81600	101100	97000	69200
QEW			2006	CTR	83600	103500	99200	70900
QEW			2007	CTR	85200	105500	104600	72200
QEW			2008	CTR	83500	103300	101300	71000
QEW			2009	CTR	88000	107400	103800	74800
QEW			2010	CTR	89500	108900	104700	76000
QEW			2011	CTR	90900	110600	106400	77200
QEW			2012	IC	92400	102400	99300	82000
QEW			2013	IC	93800	103800	103200	83200
QEW			2014	IC	95200	105400	104900	84400
QEW			2015	IC	96700	107000	106500	85700
QEW			2016	IC	98100	108600	108100	87000
QEW			2017	IC	99500	109000	109800	90300
QEW			2018	IC	101000	111200	111800	91400
QEW			2019	IC	102400	112500	113100	92400
QEW	JORDAN RD IC-55	2.9	1988	CTR	53000	68900	64700	44500
QEW			1989	CTR	55200	70100	66800	47500
QEW			1990	CTR	57400	71800	67700	49900
QEW			1991	CTR	59000	74300	73800	51300
QEW			1992	CTR	58800	72300	70000	51200
QEW			1993	CTR	59400	74800	71900	50500
QEW			1994	CTR	65500	83800	79900	55000
QEW			1995	CTR	68100	87400	83800	57100
QEW			1996	CTR	70700	90400	87000	59300
QEW			1997	CTR	73300	93800	90200	61600
QEW			1998	CTR	75900	96400	92600	63800
QEW			1999	CTR	76700	96600	92800	64400
QEW			2000	CTR	78700	99200	95200	66100
QEW			2001	CTR	79700	100600	96400	67200
QEW			2002	CTR	82800	104500	100200	69900
QEW			2003	CTR	84900	105500	101400	72000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2004	CTR	86900	109700	105100	73300
QEW			2005	CTR	83800	103800	99700	71100
QEW			2006	CTR	85400	105700	101300	72500
QEW			2007	CTR	87400	108300	107300	74100
QEW			2008	CTR	89300	110500	108400	75900
QEW			2009	CTR	91300	111400	107700	77600
QEW			2010	CTR	96700	117700	113100	82100
QEW			2011	CTR	96000	116800	112300	81500
QEW			2012	CTR	97600	118400	116900	83100
QEW			2013	CTR	99600	121200	125200	84600
QEW			2014	IC	101000	111800	111300	89600
QEW			2015	IC	102600	113600	113000	91000
QEW			2016	IC	104300	115400	114900	92500
QEW			2017	IC	106000	116100	117000	96200
QEW			2018	IC	107600	118400	119100	97400
QEW			2019	IC	109300	120100	120700	98700
QEW	VICTORIA AV IC-57	6.7	1988	CTR	51700	67200	63100	43400
QEW			1989	CTR	53800	68300	65100	46300
QEW			1990	CTR	56100	70100	66200	48800
QEW			1991	CTR	58200	73300	72800	50600
QEW			1992	CTR	58000	71300	69000	50500
QEW			1993	CTR	58600	73800	70900	49800
QEW			1994	CTR	59400	76000	72500	49900
QEW			1995	CTR	66200	85000	81400	55500
QEW			1996	CTR	68700	87900	84500	57700
QEW			1997	CTR	71200	91100	87600	59800
QEW			1998	CTR	73700	93600	89900	61900
QEW			1999	CTR	72100	90800	87200	60600
QEW			2000	CTR	73700	92900	89200	61900
QEW			2001	CTR	75200	94900	91000	63400
QEW			2002	CTR	76800	96900	92900	64800
QEW			2003	IC	76800	85600	86400	68000
QEW			2004	IC	79200	88600	89000	70000
QEW			2005	IC	81900	91100	91900	72200
QEW			2006	IC	83100	92300	93200	73600
QEW			2007	IC	90000	100000	103100	79500
QEW			2008	IC	95400	105700	102300	84100
QEW			2009	IC	91600	101700	102600	81500
QEW			2010	IC	93500	103500	104400	82900
QEW			2011	IC	95500	105000	108900	85700
QEW			2012	IC	97400	107900	104600	86400
QEW			2013	IC	99300	109900	109300	88100
QEW			2014	IC	101200	112000	111500	89700
QEW			2015	IC	103200	114200	113700	91500
QEW			2016	IC	105100	116300	115800	93200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2017	IR	107000	125500	125500	95400
QEW			2018	IR	108900	128000	128000	97400
QEW			2019	IR	110800	130000	130000	99300
QEW	ONTARIO ST IC-64	3.8	1988	CTR	50300	65400	61400	42300
QEW			1989	CTR	52400	66500	63400	45100
QEW			1990	CTR	55500	69400	65500	48300
QEW			1991	CTR	57200	72100	71500	49800
QEW			1992	CTR	57000	70100	67800	49600
QEW			1993	CTR	57600	72600	69700	49000
QEW			1994	CTR	63900	81800	78000	53700
QEW			1995	CTR	66700	85600	82000	55900
QEW			1996	CTR	69500	88900	85500	58300
QEW			1997	CTR	72200	92400	88800	60600
QEW			1998	CTR	75000	95200	91500	63000
QEW			1999	CTR	73400	92500	88800	61700
QEW			2000	CTR	74900	94400	90600	62900
QEW			2001	CTR	76400	96400	92400	64400
QEW			2002	CTR	77900	98300	94300	65800
QEW			2003	CTR	78300	97300	93500	66400
QEW			2004	CTR	81100	102400	98100	68400
QEW			2005	CTR	83100	103000	98800	70500
QEW			2006	CTR	84400	104500	100200	71600
QEW			2007	CTR	85600	106000	105100	72600
QEW			2008	CTR	87800	108700	106500	74600
QEW			2009	CTR	89500	109200	105600	76100
QEW			2010	CTR	90300	109900	105600	76700
QEW			2011	CTR	92100	112100	107800	78200
QEW			2012	CTR	93600	113600	112100	79700
QEW			2013	CTR	95200	115900	119700	80900
QEW			2014	IC	96700	107000	106500	85700
QEW			2015	IC	98300	108800	108300	87200
QEW			2016	IC	99800	110500	110000	88500
QEW			2017	IR	103100	120900	121000	92000
QEW			2018	IR	103200	121300	121300	92300
QEW			2019	IR	104700	122800	122900	93800
QEW	BARTLETT AV IC-68	2.5	1988	CTR	52600	68400	64200	44200
QEW			1989	CTR	54900	69700	66400	47200
QEW			1990	CTR	57100	71400	67400	49700
QEW			1991	CTR	58800	74100	73500	51200
QEW			1992	CTR	57600	70800	68500	50100
QEW			1993	CTR	58200	73300	70400	49500
QEW			1994	CTR	58500	74900	71400	49100
QEW			1995	CTR	63800	81900	78500	53500
QEW			1996	CTR	70200	89800	86400	58900
QEW			1997	CTR	70500	90200	86700	59200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1998	CTR	73900	93900	90200	62100
QEW			1999	CTR	75900	95600	91800	63800
QEW			2000	CTR	76400	96300	92400	64200
QEW			2001	CTR	78700	99300	95200	66400
QEW			2002	CTR	80100	101100	96900	67600
QEW			2003	CTR	81800	101700	97700	69400
QEW			2004	CTR	85100	107400	103000	71800
QEW			2005	CTR	84900	105200	101000	72000
QEW			2006	CTR	84100	104100	99800	71400
QEW			2007	CTR	87900	108900	107900	74500
QEW			2008	CTR	87400	108200	106100	74300
QEW			2009	CTR	91500	111600	108000	77800
QEW			2010	CTR	91100	110900	106600	77400
QEW			2011	CTR	95100	115700	111300	80700
QEW			2012	IC	86500	95800	92900	76800
QEW			2013	IC	96500	106800	106200	85600
QEW			2014	IC	98100	108600	108100	87000
QEW			2015	CTR	88400	107800	108700	75100
QEW			2016	CTR	99300	121100	122100	84400
QEW			2017	CTR	100800	134700	134000	82100
QEW			2018	CTR	102300	136600	136100	83300
QEW			2019	CTR	103800	138300	137700	84500
QEW	MAPLE AV IC-71	3.6	1988	CTR	47300	61500	57700	39700
QEW			1989	CTR	49300	62600	59700	42400
QEW			1990	CTR	51300	64100	60500	44600
QEW			1991	CTR	52900	66700	66100	46000
QEW			1992	CTR	52800	64900	62800	45900
QEW			1993	CTR	53400	67300	64600	45400
QEW			1994	CTR	60300	77200	73600	50700
QEW			1995	CTR	60300	77400	74200	50600
QEW			1996	CTR	62500	80000	76900	52400
QEW			1997	CTR	64600	82700	79500	54300
QEW			1998	CTR	66700	84700	81400	56000
QEW			1999	CTR	68000	85700	82300	57100
QEW			2000	CTR	69700	87800	84300	58500
QEW			2001	CTR	71400	90100	86400	60200
QEW			2002	CTR	73100	92200	88400	61700
QEW			2003	CTR	74900	93100	89500	63500
QEW			2004	CTR	76600	96700	92700	64600
QEW			2005	CTR	81600	101100	97000	69200
QEW			2006	CTR	85700	106100	101700	72700
QEW			2007	CTR	81700	101200	100300	69200
QEW			2008	CTR	90100	111500	109300	76600
QEW			2009	CTR	89200	108800	105300	75800
QEW			2010	CTR	94400	114900	110400	80200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2011	CTR	95000	115600	111200	80700
QEW			2012	CTR	96100	116600	115100	81800
QEW			2013	CTR	108400	131900	136300	92100
QEW			2014	CTR	102400	124900	126000	87000
QEW			2015	IC	105300	116600	116000	93400
QEW			2016	IC	107100	118500	118000	95000
QEW			2017	IC	109400	119900	120700	99300
QEW			2018	IC	111600	122800	123500	101000
QEW			2019	IC	113900	125100	125800	102800
QEW	CASABLANCA BV IC-74	3.6	1988	IC	56300	65300	63600	49500
QEW			1989	IC	58600	67400	66200	52200
QEW			1990	IC	60900	69400	68200	54200
QEW			1991	CTR	63200	79600	79000	55000
QEW			1992	CTR	63100	77600	75100	54900
QEW			1993	CTR	62300	78500	75400	53000
QEW			1994	C	61500	67300	68600	55700
QEW			1995	C	64300	70200	72100	58800
QEW			1996	C	67100	76100	76300	60600
QEW			1997	CTR	70000	89600	86100	58800
QEW			1998	CTR	71700	91100	87500	60200
QEW			1999	CTR	71100	89600	86000	59700
QEW			2000	CTR	72500	91400	87700	60900
QEW			2001	CTR	74000	93400	89500	62400
QEW			2002	CTR	75500	95300	91400	63700
QEW			2003	CTR	75400	93700	90100	63900
QEW			2004	IC	78500	87800	88200	69400
QEW			2005	IC	81300	90400	91300	71700
QEW			2006	IC	81500	90500	91400	72200
QEW			2007	IC	91200	101300	104400	80600
QEW			2008	IC	99600	110300	106800	87800
QEW			2009	IC	100100	111100	112100	89100
QEW			2010	IC	104200	115300	116300	92400
QEW			2011	IC	100300	110300	114400	90000
QEW			2012	IC	102700	113800	110300	91100
QEW			2013	IC	105100	116300	115700	93200
QEW			2014	IC	107500	119000	118400	95300
QEW			2015	IC	109900	121600	121100	97500
QEW			2016	IC	112300	124300	123700	99600
QEW			2017	IR	114700	139200	138300	97800
QEW			2018	IR	117100	142100	141400	99500
QEW			2019	IR	119500	145400	144600	101800
QEW	FIFTY RD IC-78	5.1	1988	IC	59200	68700	66900	52100
QEW			1989	IC	61600	70800	69600	54800
QEW			1990	IC	64100	73100	71800	57000
QEW			1991	CTR	66300	83500	82900	57700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1992	CTR	65200	80200	77600	56700
QEW			1993	CTR	64100	80800	77600	54500
QEW			1994	C	63000	69000	70200	57000
QEW			1995	C	71600	78200	80200	65500
QEW			1996	C	73900	83800	84100	66700
QEW			1997	C	76300	86200	87000	68700
QEW			1998	C	78600	88800	88800	70700
QEW			1999	C	81900	91700	92500	73700
QEW			2000	C	84900	95900	95900	76400
QEW			2001	C	90600	102000	102200	81600
QEW			2002	C	91000	101900	102700	81900
QEW			2003	C	94400	105400	106100	85200
QEW			2004	C	91800	103400	103600	82700
QEW			2005	C	93700	104300	105200	84200
QEW			2006	C	100900	112100	113000	90800
QEW			2007	C	84600	94000	95300	76000
QEW			2008	C	100100	110500	109000	89800
QEW			2009	CTR	101000	123200	119200	85800
QEW			2010	CTR	104400	127100	122100	88700
QEW			2011	CR	114800	133700	135300	102100
QEW			2012	CR	118500	142000	139700	100200
QEW			2013	CTR	110900	135000	139500	94200
QEW			2014	CTR	116200	141800	142900	98800
QEW			2015	CTR	115200	140500	141700	97900
QEW			2016	CTR	120300	146800	148000	102300
QEW			2017	CTR	122700	164000	163100	100000
QEW			2018	CTR	125000	166900	166300	101800
QEW			2019	CTR	127300	169600	168900	103600
QEW	FRUITLAND RD IC-83	5.2	1988	CTR	59500	77400	72600	50000
QEW			1989	CTR	62300	79100	75400	53600
QEW			1990	CTR	65200	81500	76900	56700
QEW			1991	CTR	67900	85600	84900	59100
QEW			1992	CTR	70700	87000	84100	61500
QEW			1993	CTR	73500	92600	88900	62500
QEW			1994	CTR	76300	97700	93100	64100
QEW			1995	CTR	79100	101500	97300	66300
QEW			1996	CTR	81900	104800	100800	68700
QEW			1997	CTR	84000	107500	103300	70600
QEW			1998	CTR	88800	112800	108300	74600
QEW			1999	CTR	85700	108000	103700	72000
QEW			2000	CTR	87100	109700	105400	73200
QEW			2001	CTR	87800	110800	106200	74000
QEW			2002	CTR	89800	113300	108700	75800
QEW			2003	CTR	91100	113200	108800	77200
QEW			2004	CTR	93000	117400	112500	78400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2005	CTR	93800	116200	111500	79600
QEW			2006	CTR	93400	115600	110800	79300
QEW			2007	CTR	96500	119500	118500	81800
QEW			2008	CTR	97900	121200	118800	83200
QEW			2009	CTR	99200	121000	117100	84300
QEW			2010	CTR	105900	128900	123900	89900
QEW			2011	CTR	115000	140000	134600	97600
QEW			2012	IC	116500	129100	125100	103400
QEW			2013	IC	112500	124500	123800	99800
QEW			2014	CTR	117700	143600	144800	100000
QEW			2015	CTR	116400	142000	143200	98900
QEW			2016	CTR	118300	144300	145500	100600
QEW			2017	IR	123200	139100	140100	106300
QEW			2018	IR	122200	138200	139400	105800
QEW			2019	IR	124200	140700	141900	108000
QEW	HAMILTON 20 IC-88 CENTENNIAL PKWY	1.7	1988	IC	77000	89300	87000	67800
QEW			1989	IC	80200	92200	90600	71400
QEW			1990	IC	83400	95100	93400	74200
QEW			1991	IC	86300	97500	95800	76800
QEW			1992	IC	86800	96300	95500	79000
QEW			1993	IC	87400	98800	97900	77800
QEW			1994	IC	90000	100800	100800	80100
QEW			1995	IC	92000	102900	103800	82600
QEW			1996	IC	92500	103900	104300	82400
QEW			1997	IC	93000	104200	105100	81800
QEW			1998	IC	93500	104700	104700	83200
QEW			1999	IC	94000	105300	105300	83700
QEW			2000	IC	94500	105800	105800	84100
QEW			2001	IC	95000	106200	106700	84000
QEW			2002	IC	95500	106500	107300	84100
QEW			2003	IC	96000	107000	108000	85100
QEW			2004	IC	97000	108500	109000	85800
QEW			2005	IC	97500	108400	109500	85900
QEW			2006	IC	98000	108900	109900	86800
QEW			2007	IC	98500	109400	112800	87100
QEW			2008	IC	99000	109700	106100	87300
QEW			2009	IC	100500	111600	112600	89400
QEW			2010	IC	105500	116800	117800	93500
QEW			2011	IC	119000	130900	135700	106800
QEW			2012	IC	120000	133000	128900	106500
QEW			2013	IC	110500	122300	121600	98000
QEW			2014	IC	120000	132800	132200	106400
QEW			2015	IC	125000	138400	137700	110800
QEW			2016	IC	130000	143900	143200	115300
QEW			2017	IC	121300	132900	133900	110100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2018	IC	122800	135200	135900	111100
QEW			2019	IC	124400	136600	137400	112300
QEW	NIKOLA TESLA BLVD IC-89	4.0	1988	IC	76000	88200	85900	66900
QEW			1989	IC	79100	91000	89400	70400
QEW			1990	IC	82300	93800	92200	73200
QEW			1991	IC	85100	96200	94500	75700
QEW			1992	IC	85800	95200	94400	78100
QEW			1993	IC	86400	97600	96800	76900
QEW			1994	IC	86700	97100	97100	77200
QEW			1995	IC	91900	102800	103600	82500
QEW			1996	IC	98200	110300	110700	87400
QEW			1997	IC	99800	111800	112800	87800
QEW			1998	IC	101300	113500	113500	90200
QEW			1999	IC	103000	115400	115400	91700
QEW			2000	IC	114400	128100	128100	101800
QEW			2001	IC	118900	133000	133600	105100
QEW			2002	IC	129200	144000	145100	113800
QEW			2003	IC	128700	143400	144800	114000
QEW			2004	IC	133500	149300	150000	118100
QEW			2005	IC	138300	153800	155300	121900
QEW			2006	IC	129400	143700	145100	114600
QEW			2007	IC	127500	141600	146000	112700
QEW			2008	IC	135400	150000	145100	119400
QEW			2009	IC	138400	153600	155000	123200
QEW			2010	IC	120800	133700	134800	107100
QEW			2011	IC	123000	135300	140300	110300
QEW			2012	IC	142700	158100	153300	126600
QEW			2013	IC	130000	143900	143100	115300
QEW			2014	IC	122000	135000	134400	108200
QEW			2015	IC	131000	145000	144300	116200
QEW			2016	IC	135000	149400	148700	119700
QEW			2017	IC	143500	157200	158400	130200
QEW			2018	IC	145400	160000	160900	131600
QEW			2019	IC	147300	161800	162600	133000
QEW	EASTPORT RD IC-93 (HWY 7189)	0.9	1989	IC	76300	87700	86200	67900
QEW			1990	IC	80300	91500	89900	71500
QEW			1991	IC	84400	95400	93700	75100
QEW			1992	IC	88400	98100	97200	80400
QEW			1993	IC	92500	104500	103600	82300
QEW			1994	IC	96500	108100	108100	85900
QEW			1995	IC	100600	112600	113500	90300
QEW			1996	IC	104600	117500	117900	93100
QEW			1997	IC	108700	121700	122800	95700
QEW			1998	IC	112700	126200	126200	100300
QEW			1999	IC	113700	127300	127300	101200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2000	IC	115200	129000	129000	102500
QEW			2001	IC	120300	134500	135100	106400
QEW			2002	IC	123600	137800	138900	108900
QEW			2003	IC	126800	141300	142700	112300
QEW			2004	IC	130000	145400	146000	115000
QEW			2005	IC	133200	148100	149500	117400
QEW			2006	IC	136500	151600	153100	120900
QEW			2007	IC	126100	140100	144400	111500
QEW			2008	IC	124400	137800	133400	109700
QEW			2009	CTR	128600	156900	151700	109300
QEW			2010	CTR	135500	164900	158500	115100
QEW			2011	CTR	142500	173400	166700	121000
QEW			2012	CTR	142600	173000	170800	121400
QEW			2013	CTR	135000	164300	169800	114700
QEW			2014	CTR	145100	177000	178500	123300
QEW			2015	CTR	147300	179700	181200	125200
QEW			2016	CTR	149400	182300	183800	127000
QEW			2017	CTR	151500	202500	201400	123500
QEW			2018	CTR	153600	205100	204300	125100
QEW			2019	CTR	155700	207400	206500	126700
QEW	HAMILTON HARBOUR ENTRANCE	2.4	2009	CTR	135600	165400	160000	115300
QEW			2010	CTR	139100	169300	162700	118100
QEW			2011	CTR	142600	173500	166800	121100
QEW			2012	CTR	147600	179100	176800	125700
QEW			2013	CTR	140000	170400	176000	118900
QEW			2014	CTR	150200	183200	184700	127700
QEW			2015	CTR	152800	186400	187900	129900
QEW			2016	CTR	155400	189600	191100	132100
QEW			2017	CTR	157900	211000	209900	128700
QEW			2018	CTR	160200	214000	213100	130500
QEW			2019	CTR	162900	217000	216100	132500
QEW	NORTH SHORE BLVD IC-97	2.4	1988	IC	68300	79200	77200	60100
QEW			1989	IC	72200	83000	81600	64300
QEW			1990	IC	76100	86800	85200	67700
QEW			1991	IC	80000	90400	88800	71200
QEW			1992	IC	83900	93100	92300	76300
QEW			1993	IC	87800	99200	98300	78100
QEW			1994	IC	91700	102700	102700	81600
QEW			1995	IC	95600	107000	107800	85800
QEW			1996	IC	99500	111700	112200	88600
QEW			1997	IC	103400	115800	116800	91000
QEW			1998	IC	107300	120200	120200	95500
QEW			1999	IC	111000	124300	124300	98800
QEW			2000	IC	112000	125400	125400	99700
QEW			2001	IC	117400	131300	131900	103800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2002	IC	122100	136100	137200	107600
QEW			2003	CR	124000	151000	145100	104900
QEW			2004	CR	128200	157700	150300	108300
QEW			2005	CR	131800	159900	153700	111000
QEW			2006	CR	135400	164200	157500	114300
QEW			2007	CR	139000	168200	168200	117100
QEW			2008	CR	142600	172600	171200	120200
QEW			2009	CR	142600	171100	165400	121200
QEW			2010	CR	142600	170900	164900	120600
QEW			2011	CR	142600	166100	168100	126900
QEW			2012	CR	144000	172500	169700	121700
QEW			2013	CR	145000	173800	178300	122600
QEW			2014	CR	155300	183000	181900	132300
QEW			2015	CR	158300	186600	185400	134800
QEW			2016	CR	161300	190100	188900	137400
QEW			2017	CR	164300	190500	191500	147900
QEW			2018	CR	167300	194400	195700	150200
QEW			2019	CR	170300	197600	198900	152800
QEW	FAIRVIEW ST IC-99	1.0	1988	IC	68000	78900	76800	59800
QEW			1989	IC	76600	88100	86600	68200
QEW			1990	IC	80500	91800	90200	71600
QEW			1991	IC	82900	93700	92000	73800
QEW			1992	IC	83500	92700	91900	76000
QEW			1993	IC	84100	95000	94200	74800
QEW			1994	IC	92100	103200	103200	82000
QEW			1995	IC	95900	107300	108200	86100
QEW			1996	IC	99700	112000	112400	88800
QEW			1997	IC	103600	116000	117100	91200
QEW			1998	IC	107400	120300	120300	95600
QEW			1999	IC	111300	124700	124700	99100
QEW			2000	IC	115100	128900	128900	102400
QEW			2001	IC	118900	133000	133600	105100
QEW			2002	IC	122800	136900	138000	108200
QEW			2003	IC	126600	141100	142500	112200
QEW			2004	IC	130400	145800	146500	115300
QEW			2005	IC	134300	149300	150800	118400
QEW			2006	IC	138100	153400	154900	122300
QEW			2007	IC	141900	157600	162500	125400
QEW			2008	IC	145800	161500	156300	128600
QEW			2009	IC	149600	166100	167600	133100
QEW			2010	IC	153400	169800	171200	136000
QEW			2011	IC	157300	173000	179400	141100
QEW			2012	IC	157200	174200	168900	139500
QEW			2013	IC	153000	169400	168400	135700
QEW			2014	IC	165700	183400	182600	146900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2015	IC	169300	187400	186500	150100
QEW			2016	IC	172900	191400	190500	153300
QEW			2017	IC	176500	193400	194800	160200
QEW			2018	IC	180100	198200	199300	162900
QEW			2019	IC	183700	201800	202800	165800
QEW	HWY 403/407 IC-100	0.8	1988	C	90800	100800	100800	81700
QEW			1989	C	93800	104100	105100	84400
QEW			1990	C	96700	107300	107300	87000
QEW			1991	C	99700	109700	110700	90700
QEW			1992	C	102600	110800	113900	94400
QEW			1993	C	105600	115100	116900	97200
QEW			1994	C	108500	118800	121000	98200
QEW			1995	C	111500	121700	124900	102000
QEW			1996	C	114400	129700	130100	103300
QEW			1997	C	117400	132700	133800	105700
QEW			1998	C	120300	135900	135900	108300
QEW			1999	C	123300	138100	139300	111000
QEW			2000	C	126200	142600	142600	113600
QEW			2001	C	129200	145500	145800	116400
QEW			2002	C	132100	147900	149100	118900
QEW			2003	C	135000	150800	151800	121900
QEW			2004	C	136000	153200	153500	122500
QEW			2005	C	137000	152500	153800	123100
QEW			2006	C	138000	153300	154500	124200
QEW			2007	C	139000	154500	156600	124900
QEW			2008	C	147000	162200	160000	131900
QEW			2009	C	148000	162800	164300	133200
QEW			2010	C	149000	164200	165700	134100
QEW			2011	C	150000	165300	166800	135000
QEW			2012	C	154500	170200	166600	139100
QEW			2013	C	157000	173000	170800	141300
QEW			2014	C	159400	175300	170600	143500
QEW			2015	C	161900	178100	173200	145700
QEW			2016	C	164300	180700	175800	147900
QEW			2017	C	166800	182500	182100	151400
QEW			2018	C	169200	185500	184400	152700
QEW			2019	C	171700	187700	186600	155400
QEW	BRANT ST IC-101	1.9	1989	C	93000	103200	104200	83700
QEW			1990	C	96200	106800	106800	86600
QEW			1991	C	99000	108900	109900	90100
QEW			1992	C	101900	110100	113100	93700
QEW			1993	C	104700	114100	115900	96300
QEW			1994	C	107600	117800	120000	97400
QEW			1995	C	110400	120500	123700	101000
QEW			1996	C	113300	128400	128900	102300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1997	C	116100	131200	132400	104500
QEW			1998	C	118900	134400	134400	107000
QEW			1999	C	121300	135900	137100	109200
QEW			2000	C	123600	139700	139700	111200
QEW			2001	C	126000	141900	142200	113500
QEW			2002	C	128300	143700	144800	115500
QEW			2003	C	130700	146000	146900	118000
QEW			2004	C	133000	149800	150100	119800
QEW			2005	C	135400	150700	152000	121600
QEW			2006	C	137700	153000	154200	123900
QEW			2007	C	140100	155700	157800	125900
QEW			2008	C	142400	157200	155000	127800
QEW			2009	C	144800	159300	160700	130300
QEW			2010	C	147100	162100	163600	132400
QEW			2011	C	150000	165300	166800	135000
QEW			2012	C	152400	167900	164400	137200
QEW			2013	C	154800	170600	168400	139400
QEW			2014	C	157200	172900	168200	141500
QEW			2015	C	159700	175700	170900	143700
QEW			2016	C	162100	178300	173400	145900
QEW			2017	C	164500	180000	179500	149300
QEW			2018	C	167000	183100	182000	150700
QEW			2019	C	169400	185200	184100	153300
QEW	GUELPH LINE IC-102	2.0	1988	C	91600	101700	101700	82400
QEW			1989	C	95300	105800	106700	85800
QEW			1990	C	99100	110000	110000	89200
QEW			1991	C	101800	112000	113000	92600
QEW			1992	C	103300	111600	114700	95000
QEW			1993	C	110500	120400	122300	101700
QEW			1994	C	108800	119100	121300	98500
QEW			1995	C	111500	121700	124900	102000
QEW			1996	C	114200	129400	129900	103100
QEW			1997	C	117000	132200	133400	105300
QEW			1998	C	119700	135300	135300	107700
QEW			1999	C	136100	152400	153800	122500
QEW			2000	C	141800	160200	160200	127600
QEW			2001	C	154000	173400	173800	138700
QEW			2002	C	157500	176400	177700	141700
QEW			2003	C	160600	179400	180600	145000
QEW			2004	C	163800	184500	184800	147500
QEW			2005	C	162400	180800	182300	145900
QEW			2006	C	170300	189200	190700	153200
QEW			2007	C	175500	195000	197700	157700
QEW			2008	C	187700	207200	204300	168400
QEW			2009	C	168800	185700	187400	151900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2010	C	169000	186200	187900	152100
QEW			2011	C	170000	187300	189000	153000
QEW			2012	C	171000	188400	184400	154000
QEW			2013	C	170000	187400	185000	153000
QEW			2014	C	175000	192500	187200	157500
QEW			2015	C	193000	212300	206500	173700
QEW			2016	C	195000	214500	208600	175500
QEW			2017	C	199100	217800	217300	180700
QEW			2018	C	202700	222200	220900	182900
QEW			2019	C	206300	225500	224100	186700
QEW	WALKERS LINE IC-105	2.1	1988	C	92500	102700	102700	83200
QEW			1989	C	95400	105900	106800	85900
QEW			1990	C	99200	110100	110100	89300
QEW			1991	C	101700	111900	112900	92500
QEW			1992	C	103200	111500	114600	94900
QEW			1993	C	108000	117700	119500	99400
QEW			1994	C	109800	120200	122400	99400
QEW			1995	C	112600	122900	126200	103000
QEW			1996	C	115500	130900	131400	104300
QEW			1997	C	118300	133700	134900	106500
QEW			1998	C	121100	136800	136800	109000
QEW			1999	C	135100	151300	152700	121600
QEW			2000	C	141200	159600	159600	127100
QEW			2001	C	153100	172400	172800	137900
QEW			2002	C	155700	174400	175700	140100
QEW			2003	C	157900	176400	177500	142500
QEW			2004	C	160000	180200	180600	144100
QEW			2005	C	165000	183700	185200	148200
QEW			2006	C	166500	185000	186500	149800
QEW			2007	C	168000	186700	189300	150900
QEW			2008	T	187100	283300	278500	118500
QEW			2009	LT	156800	211700	207000	116000
QEW			2010	LT	184800	248200	243300	136400
QEW			2011	LT	189500	242700	247600	155800
QEW			2012	LT	185000	241300	230000	140100
QEW			2013	LT	172000	224600	224300	129900
QEW			2014	LT	185000	241600	245700	139700
QEW			2015	LT	188000	245500	249700	141900
QEW			2016	LT	190000	248100	252300	143400
QEW			2017	LT	202600	257400	257600	169500
QEW			2018	LT	206400	262600	263000	173100
QEW			2019	LT	210100	266900	267200	175500
QEW	APPLEBY LINE IC-107	2.0	1988	C	93100	103300	103300	83800
QEW			1989	C	96600	107200	108200	86900
QEW			1990	C	99900	110900	110900	89900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1991	C	103000	113300	114300	93700
QEW			1992	C	105500	113900	117100	97100
QEW			1993	C	109000	118800	120600	100300
QEW			1994	C	111400	122000	124200	100800
QEW			1995	C	114300	124800	128100	104500
QEW			1996	C	117200	132800	133300	105800
QEW			1997	C	120100	135700	136900	108100
QEW			1998	C	123000	139000	139000	110700
QEW			1999	C	140100	156900	158300	126100
QEW			2000	C	143300	161900	161900	129000
QEW			2001	C	136500	153700	154000	122900
QEW			2002	C	140300	157100	158300	126300
QEW			2003	C	152900	170800	171900	138000
QEW			2004	C	145400	163800	164100	131000
QEW			2005	C	145500	162000	163300	130700
QEW			2006	C	147000	163300	164600	132300
QEW			2007	C	149500	166100	168400	134300
QEW			2008	C	151900	167600	165300	136300
QEW			2009	C	146100	160700	162200	131500
QEW			2010	C	147900	163000	164500	133100
QEW			2011	C	185000	203900	205700	166500
QEW			2012	C	184000	202700	198400	165700
QEW			2013	C	173900	191600	189200	156500
QEW			2014	C	177000	194700	189400	159300
QEW			2015	C	190000	209000	203300	171000
QEW			2016	C	195000	214500	208600	175500
QEW			2017	C	190200	208100	207600	172600
QEW			2018	C	193600	212200	211000	174700
QEW			2019	C	197000	215300	214000	178300
QEW	BURLOAK DR IC-109	1.6	1988	C	96200	106800	106800	86600
QEW			1989	C	99600	110600	111600	89600
QEW			1990	C	102000	113200	113200	91800
QEW			1991	C	105100	115600	116700	95600
QEW			1992	C	108000	116600	119900	99400
QEW			1993	C	110900	120900	122700	102000
QEW			1994	C	113800	124600	126900	103000
QEW			1995	C	116700	127400	130800	106700
QEW			1996	C	119600	135600	136000	108000
QEW			1997	C	122500	138400	139600	110200
QEW			1998	C	125400	141700	141700	112900
QEW			1999	C	132500	148400	149700	119200
QEW			2000	C	136700	154500	154500	123000
QEW			2001	C	140800	158600	158900	126800
QEW			2002	C	147100	164700	166000	132400
QEW			2003	C	149200	166700	167700	134700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2004	C	151300	170400	170700	136300
QEW			2005	C	148900	165800	167200	133700
QEW			2006	C	151500	168300	169700	136300
QEW			2007	C	150700	167500	169800	135400
QEW			2008	C	150000	165500	163300	134600
QEW			2009	C	150000	165000	166500	135000
QEW			2010	C	155400	171300	172800	139900
QEW			2011	C	170000	187300	189000	153000
QEW			2012	C	182000	200500	196300	163900
QEW			2013	C	173000	190700	188200	155700
QEW			2014	C	196000	215600	209700	176400
QEW			2015	C	200000	220000	214000	180000
QEW			2016	C	204000	224400	218300	183600
QEW			2017	C	195300	213700	213200	177200
QEW			2018	C	198900	218000	216800	179500
QEW			2019	C	202500	221300	220000	183300
QEW	BRONTE SERVICE RD IC-110	0.4	1988	C	97000	107700	107700	87300
QEW			1989	C	101900	113100	114100	91700
QEW			1990	C	106200	117900	117900	95600
QEW			1991	C	107900	118700	119800	98200
QEW			1992	C	109300	118000	121300	100600
QEW			1993	C	117500	128100	130000	108100
QEW			1994	C	117900	129100	131500	106700
QEW			1995	C	121100	132200	135700	110800
QEW			1996	C	124300	140900	141400	112200
QEW			1997	C	127500	144100	145400	114800
QEW			1998	C	130800	147800	147800	117700
QEW			1999	C	134000	150100	151400	120600
QEW			2000	C	137200	155000	155000	123500
QEW			2001	C	146000	164400	164800	131500
QEW			2002	C	152400	170700	172000	137100
QEW			2003	C	157100	175500	176600	141800
QEW			2004	C	161800	182200	182600	145700
QEW			2005	C	164100	182700	184200	147400
QEW			2006	C	168500	187200	188700	151600
QEW			2007	C	173000	192200	194900	155400
QEW			2008	C	177500	195900	193200	159300
QEW			2009	C	181900	200100	201900	163700
QEW			2010	C	186400	205400	207300	167800
QEW			2011	C	170000	187300	189000	153000
QEW			2012	C	180000	198300	194100	162100
QEW			2013	C	183000	201700	199100	164700
QEW			2014	C	194600	214100	208200	175100
QEW			2015	C	198400	218200	212300	178600
QEW			2016	C	202200	222400	216400	182000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2017	C	206000	225400	224800	186900
QEW			2018	C	209800	230000	228700	189400
QEW			2019	C	213600	233500	232100	193300
QEW	REG. RD 25 (N) BRONTE RD (S) IC-111	2.1	1988	C	95500	106000	106000	86000
QEW			1989	C	98800	109700	110700	88900
QEW			1990	C	102700	114000	114000	92400
QEW			1991	C	104200	114600	115700	94800
QEW			1992	C	107700	116300	119500	99100
QEW			1993	C	110900	120900	122700	102000
QEW			1994	C	114200	125000	127300	103400
QEW			1995	C	116800	127500	130900	106800
QEW			1996	C	119700	135700	136200	108100
QEW			1997	C	122600	138500	139800	110300
QEW			1998	C	125500	141800	141800	113000
QEW			1999	C	136100	152400	153800	122500
QEW			2000	C	140200	158400	158400	126200
QEW			2001	C	151100	170200	170500	136100
QEW			2002	C	151600	169800	171100	136400
QEW			2003	C	156800	175100	176300	141500
QEW			2004	C	160000	180200	180600	144100
QEW			2005	C	146700	163300	164700	131800
QEW			2006	C	158200	175800	177200	142300
QEW			2007	C	159900	177700	180100	143700
QEW			2008	C	161600	178400	175900	145000
QEW			2009	C	163200	179500	181200	146900
QEW			2010	C	164900	181700	183400	148400
QEW			2011	C	174400	192200	193900	157000
QEW			2012	C	177800	195900	191800	160100
QEW			2013	C	181200	199700	197200	163100
QEW			2014	C	184500	203000	197400	166000
QEW			2015	C	187900	206700	201100	169100
QEW			2016	C	191300	210400	204700	172200
QEW			2017	C	194700	213000	212500	176700
QEW			2018	C	198000	217000	215800	178700
QEW			2019	C	201400	220100	218800	182300
QEW	THIRD LINE RD IC-113	3.1	1990	C	102700	114000	114000	92400
QEW			1991	C	105000	115500	116600	95600
QEW			1992	C	108100	116700	120000	99500
QEW			1993	C	115000	125400	127300	105800
QEW			1994	C	114300	125200	127400	103400
QEW			1995	C	117300	128100	131400	107300
QEW			1996	C	120300	136400	136800	108600
QEW			1997	C	123200	139200	140400	110900
QEW			1998	C	126200	142600	142600	113600
QEW			1999	C	144400	161700	163200	130000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2000	SC	147500	156400	172600	129800
QEW			2001	SC	150700	160700	176400	132800
QEW			2002	SC	153800	163200	180100	135600
QEW			2003	SC	157000	165800	183200	138900
QEW			2004	SC	164900	175900	193100	145300
QEW			2005	SC	170300	180300	198900	149900
QEW			2006	SC	175600	185800	205300	154900
QEW			2007	SC	181000	191300	209300	159200
QEW			2008	SC	186300	195400	184300	163900
QEW			2009	SC	191700	203200	224300	168700
QEW			2010	SC	197000	208400	230600	173700
QEW			2011	SC	202400	259000	236500	161100
QEW			2012	SC	200000	211800	199200	176500
QEW			2013	SC	202000	213700	194700	178200
QEW			2014	SC	205000	216800	211700	180800
QEW			2015	SC	209000	221100	215800	184300
QEW			2016	SC	212000	224200	218900	187000
QEW			2017	SC	224600	238800	239000	199300
QEW			2018	SC	229400	245000	243800	201800
QEW			2019	SC	234100	248500	247000	206900
QEW	DORVAL RD KERR ST IC-116	2.1	1988	C	112000	124300	124300	100800
QEW			1989	C	115800	128500	129700	104200
QEW			1990	C	120400	133600	133600	108400
QEW			1991	C	121900	134100	135300	110900
QEW			1992	C	123800	133700	137400	113900
QEW			1993	C	130000	141700	143900	119600
QEW			1994	C	131500	144000	146600	119000
QEW			1995	C	134500	146800	150700	123000
QEW			1996	C	137500	155800	156400	124100
QEW			1997	C	140600	158900	160300	126500
QEW			1998	C	143600	162300	162300	129200
QEW			1999	C	144400	161700	163200	130000
QEW			2000	C	147500	166700	166700	132800
QEW			2001	C	150700	169700	170100	135700
QEW			2002	C	153800	172200	173600	138400
QEW			2003	C	157000	175400	176500	141700
QEW			2004	C	159200	179300	179600	143400
QEW			2005	C	161900	180300	181800	145400
QEW			2006	C	164700	183000	184400	148200
QEW			2007	C	167400	186000	188600	150400
QEW			2008	C	170100	187700	185100	152600
QEW			2009	C	172900	190200	191900	155600
QEW			2010	C	175600	193500	195300	158100
QEW			2011	C	178400	196600	198400	160600
QEW			2012	C	181100	199500	195300	163100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2013	C	187000	206100	203500	168300
QEW			2014	C	206000	226600	220400	185400
QEW			2015	C	210000	231000	224700	189000
QEW			2016	C	215000	236500	230000	193500
QEW			2017	C	205500	224800	224300	186500
QEW			2018	C	208900	229000	227700	188500
QEW			2019	C	212300	232100	230700	192200
QEW	TRAFALGAR RD IC-118	1.4	1988	C	111500	123800	123800	100400
QEW			1989	C	115300	128000	129100	103800
QEW			1990	C	120100	133300	133300	108100
QEW			1991	C	121300	133400	134600	110400
QEW			1992	C	123300	133200	136900	113400
QEW			1993	C	129500	141200	143300	119100
QEW			1994	C	130800	143200	145800	118400
QEW			1995	C	133800	146100	149900	122400
QEW			1996	C	136800	155100	155600	123500
QEW			1997	C	139800	158000	159400	125800
QEW			1998	C	142700	161300	161300	128400
QEW			1999	C	143400	160600	162000	129100
QEW			2000	C	146500	165500	165500	131800
QEW			2001	C	149700	168600	168900	134800
QEW			2002	C	152800	171100	172400	137500
QEW			2003	C	156000	174300	175400	140800
QEW			2004	C	158100	178100	178400	142400
QEW			2005	C	160800	179000	180500	144400
QEW			2006	C	163500	181700	183100	147100
QEW			2007	C	166200	184700	187200	149300
QEW			2008	C	168900	186400	183800	151500
QEW			2009	C	171600	188800	190500	154400
QEW			2010	C	174300	192100	193800	156900
QEW			2011	C	177000	195100	196800	159300
QEW			2012	C	179700	198000	193800	161800
QEW			2013	C	195000	214900	212200	175500
QEW			2014	C	200000	220000	214000	180000
QEW			2015	C	210000	231000	224700	189000
QEW			2016	C	215000	236500	230000	193500
QEW			2017	C	205000	224300	223800	186000
QEW			2018	C	208500	228500	227200	188200
QEW			2019	C	211900	231600	230200	191800
QEW	ROYAL WINDSOR DR (WBL) IC 119	3.1	1988	C	96000	106600	106600	86400
QEW			1989	C	99300	110200	111200	89400
QEW			1990	C	103200	114600	114600	92900
QEW			1991	C	103900	114300	115300	94500
QEW			1992	C	105400	113800	117000	97000
QEW			1993	C	106000	115500	117300	97500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1994	C	109600	120000	122200	99200
QEW			1995	C	111800	122100	125300	102300
QEW			1996	C	113900	129100	129600	102800
QEW			1997	C	116100	131200	132400	104500
QEW			1998	C	118200	133600	133600	106400
QEW			1999	C	136900	153300	154700	123200
QEW			2000	C	140000	158200	158200	126000
QEW			2001	C	143200	161300	161600	129000
QEW			2002	C	146300	163800	165100	131700
QEW			2003	C	149500	167000	168100	134900
QEW			2004	C	156500	176300	176600	141000
QEW			2005	C	161600	179900	181400	145200
QEW			2006	C	166600	185100	186600	149900
QEW			2007	C	171700	190800	193400	154300
QEW			2008	C	176800	195100	192400	158600
QEW			2009	C	181900	200100	201900	163700
QEW			2010	C	187000	206100	207900	168300
QEW			2011	C	192000	211600	213500	172800
QEW			2012	C	197100	217200	212600	177500
QEW			2013	C	202200	222800	220000	182000
QEW			2014	C	187000	205700	200100	168300
QEW			2015	C	195000	214500	208600	175500
QEW			2016	C	198000	217800	211900	178200
QEW			2017	C	213300	233300	232800	193500
QEW			2018	C	217800	238700	237400	196600
QEW			2019	C	222300	243000	241500	201200
QEW	HWY 403 FORD DR IC-123	1.4	1988	C	75800	84100	84100	68200
QEW			1989	C	76900	85400	86100	69200
QEW			1990	C	78800	87500	87500	70900
QEW			1991	C	79200	87100	87900	72100
QEW			1992	C	79200	85500	87900	72900
QEW			1993	C	84700	92300	93700	77900
QEW			1994	C	90600	99200	101000	82000
QEW			1995	C	96900	105800	108600	88600
QEW			1996	C	101400	114900	115300	91500
QEW			1997	C	104000	117500	118600	93600
QEW			1998	C	106500	120300	120300	95800
QEW			1999	C	107100	120000	121000	96400
QEW			2000	C	109700	124000	124000	98700
QEW			2001	C	113600	127900	128200	102300
QEW			2002	C	114000	127700	128600	102600
QEW			2003	C	115000	128500	129300	103800
QEW			2004	C	116400	131100	131400	104800
QEW			2005	C	115400	128500	129600	103700
QEW			2006	C	116900	129900	130900	105200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2007	C	118500	131700	133500	106500
QEW			2008	C	120100	132600	130700	107800
QEW			2009	C	112600	123900	125000	101300
QEW			2010	C	123200	135800	137000	110900
QEW			2011	C	124700	137400	138700	112200
QEW			2012	C	126300	139200	136200	113700
QEW			2013	C	127900	141000	139200	115100
QEW			2014	C	129400	142300	138500	116500
QEW			2015	C	131000	144100	140200	117900
QEW			2016	C	132500	145800	141800	119200
QEW			2017	C	134100	146700	146400	121700
QEW			2018	C	135700	148700	147900	122500
QEW			2019	C	137200	150000	149100	124200
QEW	WINSTON CHURCHILL BV IC-124	2.1	1988	C	82000	91000	91000	73800
QEW			1989	C	84800	94100	95000	76300
QEW			1990	C	87400	97000	97000	78700
QEW			1991	C	86600	95300	96100	78800
QEW			1992	C	87100	94100	96700	80100
QEW			1993	C	93700	102100	103700	86200
QEW			1994	C	97200	106400	108400	88000
QEW			1995	C	100800	110000	113000	92200
QEW			1996	C	104400	118300	118800	94200
QEW			1997	C	108000	122000	123100	97200
QEW			1998	C	111600	126100	126100	100400
QEW			1999	C	115200	129000	130200	103700
QEW			2000	C	117600	132900	132900	105800
QEW			2001	C	122400	137900	138100	110200
QEW			2002	C	124000	138900	139900	111600
QEW			2003	C	126000	140700	141700	113700
QEW			2004	C	121500	136800	137100	109400
QEW			2005	C	123400	137400	138500	110800
QEW			2006	C	125200	139100	140200	112600
QEW			2007	C	115900	128800	130600	104100
QEW			2008	IR	126400	153100	150300	108000
QEW			2009	IR	130800	157000	142600	111200
QEW			2010	IR	132600	157900	144400	112900
QEW			2011	IR	134500	160400	157100	114900
QEW			2012	IR	136300	162100	157800	116500
QEW			2013	IR	138200	164500	176400	117600
QEW			2014	IR	128000	152400	152700	108900
QEW			2015	IR	130000	154800	155100	110700
QEW			2016	IR	132000	157100	157500	112400
QEW			2017	IR	139800	157900	158900	120600
QEW			2018	IR	141300	159800	161200	122300
QEW			2019	IR	142800	161700	163100	124200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW	ERIN MILLS PKWY IC-126	4.1	1988	C	95800	106300	106300	86200
QEW			1989	C	99100	110000	111000	89200
QEW			1990	C	102000	113200	113200	91800
QEW			1991	C	101000	111100	112100	91900
QEW			1992	C	101700	109800	112900	93600
QEW			1993	C	104800	114200	116000	96400
QEW			1994	C	105400	115400	117500	95400
QEW			1995	C	106800	116600	119700	97700
QEW			1996	C	108100	122500	123000	97600
QEW			1997	UC	109500	115000	128100	102900
QEW			1998	UC	110800	117400	129600	105300
QEW			1999	UC	117100	124100	137000	111200
QEW			2000	C	122800	138800	138800	110500
QEW			2001	C	125600	141500	141700	113100
QEW			2002	C	118000	132200	133200	106200
QEW			2003	C	120800	134900	135800	109000
QEW			2004	C	126200	142100	142400	113700
QEW			2005	C	126400	140700	141900	113500
QEW			2006	C	125200	139100	140200	112600
QEW			2007	C	131900	146600	148600	118500
QEW			2008	C	120400	132900	131000	108000
QEW			2009	C	126600	139300	140500	113900
QEW			2010	C	128300	141400	142700	115500
QEW			2011	C	132500	146000	147300	119200
QEW			2012	C	134000	147600	144500	120700
QEW			2013	C	135500	149300	147400	122000
QEW			2014	C	136900	150600	146500	123200
QEW			2015	C	138400	152200	148100	124600
QEW			2016	C	139800	153800	149600	125800
QEW			2017	C	141300	154600	154200	128200
QEW			2018	C	142700	156400	155500	128800
QEW			2019	C	144200	157600	156700	130500
QEW	MISSISSAUGA RD IC-130	2.0	1988	C	114000	126500	126500	102600
QEW			1989	C	118000	131000	132200	106200
QEW			1990	C	121600	135000	135000	109400
QEW			1991	C	120100	132100	133300	109300
QEW			1992	C	120900	130600	134200	111200
QEW			1993	C	123300	134400	136500	113400
QEW			1994	C	125800	137800	140300	113800
QEW			1995	C	128300	140100	143800	117300
QEW			1996	C	131900	149500	150000	119100
QEW			1997	UC	138200	145100	161700	129900
QEW			1998	UC	144100	152700	168600	136900
QEW			1999	UC	147600	156500	172700	140200
QEW			2000	C	146000	165000	165000	131400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2001	C	148000	166700	167000	133300
QEW			2002	C	150000	168000	169300	135000
QEW			2003	C	154800	172900	174000	139700
QEW			2004	C	158800	178800	179200	143000
QEW			2005	C	162000	180400	181900	145500
QEW			2006	C	152500	169400	170800	137200
QEW			2007	C	154500	171700	174100	138800
QEW			2008	C	137200	151400	149300	123100
QEW			2009	C	149200	164100	165600	134300
QEW			2010	C	158700	174900	176500	142900
QEW			2011	C	160300	176700	178300	144300
QEW			2012	C	161800	178300	174500	145700
QEW			2013	C	150000	165300	163200	135000
QEW			2014	C	162200	178400	173600	146000
QEW			2015	C	163600	180000	175100	147200
QEW			2016	C	164900	181400	176400	148400
QEW			2017	C	166300	181900	181500	150900
QEW			2018	C	167700	183800	182800	151400
QEW			2019	C	169000	184700	183600	153000
QEW	HWY 10 HURONTARIO ST IC-132	2.2	1988	UC	122500	128600	138400	115200
QEW			1989	UC	126800	133100	143300	120500
QEW			1990	UC	130900	140100	151800	124400
QEW			1991	UC	128900	136600	148200	125000
QEW			1992	UC	129800	137600	149300	124600
QEW			1993	UC	137900	145300	156700	129200
QEW			1994	UC	143700	152300	164300	133600
QEW			1995	UC	144600	152600	165300	134800
QEW			1996	UC	148100	156700	173300	140800
QEW			1997	UC	151600	159200	177400	142500
QEW			1998	UC	155100	164400	181500	147300
QEW			1999	UC	157600	167100	184400	149700
QEW			2000	UC	160500	170100	189400	150900
QEW			2001	UC	163500	175100	192300	153600
QEW			2002	UC	166500	177400	195900	155900
QEW			2003	UC	169500	179100	198600	160100
QEW			2004	UC	186500	199800	219400	175300
QEW			2005	UC	175400	185600	205100	164500
QEW			2006	UC	167500	177100	195700	157600
QEW			2007	UC	169000	179200	195600	158600
QEW			2008	C	142000	156700	154600	127400
QEW			2009	C	142500	156800	158200	128200
QEW			2010	C	165900	182800	184500	149300
QEW			2011	C	170000	187300	189000	153000
QEW			2012	C	169100	186300	182400	152300
QEW			2013	C	170000	187400	185000	153000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2014	C	171000	188100	183000	153900
QEW			2015	C	171900	189100	183900	154700
QEW			2016	C	172900	190200	185000	155600
QEW			2017	C	173900	190200	189800	157800
QEW			2018	C	174800	191600	190500	157800
QEW			2019	C	175800	192200	191000	159100
QEW	CAWTHRA RD IC-134	1.8	1988	UC	124500	130700	140700	117000
QEW			1989	UC	128800	135200	145500	122400
QEW			1990	UC	132900	142200	154200	126300
QEW			1991	UC	130900	138800	150500	127000
QEW			1992	UC	131900	139800	151700	126600
QEW			1993	UC	137400	144700	156200	128700
QEW			1994	UC	137700	146000	157400	128100
QEW			1995	UC	139600	147300	159600	130200
QEW			1996	UC	141500	149700	165500	134600
QEW			1997	UC	143400	150600	167800	134800
QEW			1998	UC	152100	161200	178000	144500
QEW			1999	UC	152600	161800	178500	145000
QEW			2000	UC	155900	165300	184000	146500
QEW			2001	UC	159200	170500	187300	149600
QEW			2002	UC	162500	173100	191200	152100
QEW			2003	UC	165700	175100	194100	156500
QEW			2004	UC	166000	177800	195300	156000
QEW			2005	UC	163300	172800	191000	153200
QEW			2006	UC	165000	174500	192800	155300
QEW			2007	UC	167000	177100	193300	156700
QEW			2008	UC	168900	178400	167500	158000
QEW			2009	UC	163400	173200	191200	153600
QEW			2010	C	167800	184900	186600	151100
QEW			2011	C	170000	187300	189000	153000
QEW			2012	C	175700	193600	189500	158200
QEW			2013	C	177600	195700	193300	159900
QEW			2014	C	179500	197500	192100	161600
QEW			2015	C	181300	199400	194000	163200
QEW			2016	C	183200	201500	196000	164900
QEW			2017	C	185100	202500	202000	168000
QEW			2018	C	187000	205000	203800	168800
QEW			2019	C	188800	206400	205100	170900
QEW	DIXIE RD(WBL) IC-136	1.8	1988	UC	155000	162800	175100	145700
QEW			1989	UC	160300	168300	181100	152300
QEW			1990	UC	165100	176700	191500	156800
QEW			1991	UC	162200	171900	186500	157300
QEW			1992	UC	163200	173000	187700	156700
QEW			1993	UC	163800	172500	186200	153400
QEW			1994	UC	164500	174400	188100	153000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			1995	UC	165000	174100	188600	153900
QEW			1996	UC	165500	175100	193600	157400
QEW			1997	UC	166100	174400	194300	156100
QEW			1998	UC	166600	176600	194900	158300
QEW			1999	IR	170000	210800	188700	142800
QEW			2000	UC	174200	184700	205600	163700
QEW			2001	UC	168500	180500	198200	158300
QEW			2002	UC	168900	180000	198700	158100
QEW			2003	UC	169300	178900	198300	159900
QEW			2004	UC	165800	177600	195000	155800
QEW			2005	UC	170200	180100	199100	159600
QEW			2006	UC	168100	177800	196400	158200
QEW			2007	UC	168200	178400	194700	157800
QEW			2008	UC	168300	177800	166900	157500
QEW			2009	UC	163600	173400	191400	153800
QEW			2010	UC	168500	178100	196100	158400
QEW			2011	UC	168600	169100	175000	160000
QEW			2012	UC	168700	169700	180600	160300
QEW			2013	UC	168800	169300	169700	160200
QEW			2014	UC	168900	169400	162400	160300
QEW			2015	UC	169000	169500	162500	160400
QEW			2016	UC	169100	169600	162600	160500
QEW			2017	UC	169200	168100	169700	162200
QEW			2018	UC	169300	167900	170600	162500
QEW			2019	UC	169400	166900	169500	163200
QEW	EVANS AV IC-138	0.6	1988	UC	140000	147000	158200	131600
QEW			1989	UC	144800	152000	163600	137600
QEW			1990	UC	149500	160000	173400	142000
QEW			1991	UC	146500	155300	168500	142100
QEW			1992	UC	147500	156400	169600	141600
QEW			1993	UC	148100	156000	168300	138700
QEW			1994	UC	148400	157300	169700	138000
QEW			1995	UC	148700	156900	170000	138700
QEW			1996	UC	151000	159800	176700	143600
QEW			1997	UC	154200	161900	180400	144900
QEW			1998	UC	159100	168600	186100	151100
QEW			1999	UC	160400	170000	187700	152400
QEW			2000	UC	163000	172800	192300	153200
QEW			2001	UC	165700	177500	194900	155700
QEW			2002	UC	168400	179400	198100	157700
QEW			2003	UC	166100	175500	194600	156900
QEW			2004	UC	171800	184000	202100	161400
QEW			2005	UC	170200	180100	199100	159600
QEW			2006	UC	172000	181900	201000	161900
QEW			2007	UC	173900	184400	201300	163200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
QEW			2008	UC	175700	185600	174200	164400
QEW			2009	UC	171300	181600	200400	161000
QEW			2010	UC	171500	181300	199600	161300
QEW			2011	UC	172000	172600	178500	163200
QEW			2012	UC	179400	180500	192000	170400
QEW			2013	UC	175000	175600	176000	166100
QEW			2014	UC	165000	165500	158700	156600
QEW			2015	UC	165500	166000	159200	157100
QEW			2016	UC	166000	166500	159600	157500
QEW			2017	UC	177300	176200	177900	169900
QEW			2018	UC	178300	176900	179700	171100
QEW			2019	UC	179200	176600	179300	172700
QEW	HWY 427 IC-139 ETOBICOKE START OF NA	6.2	9999					
QEW	ETOBICOKE END OF NA END OF HWY		9999					
2	HWY 401 M/C FRWY IC-648	0.9	1988	CTR	3750	4900	4600	3150
2			1989	CTR	3800	4850	4600	3250
2			1990	IT	3850	4900	4750	3250
2			1991	IT	3750	4900	4600	3200
2			1992	IT	3750	4900	4650	3200
2			1993	IT	4150	5100	5150	3550
2			1994	IT	4250	5500	5250	3600
2			1995	IT	4350	5550	5300	3700
2			1996	IT	4450	5850	5700	3650
2			1997	IT	4400	5750	5700	3650
2			1998	IT	4450	5750	5700	3600
2			1999	IT	4500	5800	5700	3650
2			2000	IT	4600	5950	5850	3750
2			2001	IT	4650	6050	5900	3800
2			2002	IT	4700	6100	6000	3850
2			2003	IT	4750	6050	6050	3900
2			2004	IT	4800	6250	6100	3900
2			2005	IT	4850	6150	6150	4050
2			2006	IT	4900	6250	6200	4000
2			2007	IT	4950	6350	6600	4050
2			2008	IT	5000	6450	6100	4200
2			2009	IT	5050	6350	6350	4200
2			2010	IT	5100	6400	6400	4200
2			2011	IT	5150	6900	6900	4250
2			2012	IT	5200	6500	6250	4300
2			2013	IT	5250	6600	6650	4350
2			2014	IT	5300	6650	6550	4400
2			2015	IT	5350	6700	6600	4400
2			2016	IT	5400	6750	6650	4450
2			2017	IT	5450	7200	7200	4600
2			2018	IT	5500	7250	7250	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
2			2019	IT	5550	7350	7350	4700
2	TOWN OF GANANOQUE (E LTS) START OF NA	29.8	9999					
3	FORT ERIE NIAGARA BLVD START OF NA	5.6	9999					
3	ROSE HILL RD END OF NA	5.2	1988	T	9000	16500	15800	5500
3			1989	T	9300	16800	16300	5850
3			1990	T	9600	17500	16700	5950
3			1991	CTR	11300	14200	14100	9850
3			1992	CTR	10600	13000	12600	9200
3			1993	CTR	10600	13400	12800	9000
3			1994	CTR	10800	13800	13200	9050
3			1995	CTR	10800	13900	13300	9050
3			1996	CTR	10900	13900	13400	9150
3			1997	CTR	11000	14100	13500	9250
3			1998	CTR	11100	14100	13500	9300
3			1999	CTR	11200	14100	13600	9400
3			2000	CTR	11200	14100	13600	9400
3			2001	CTR	11300	14300	13700	9550
3			2002	CTR	11400	14400	13800	9650
3			2003	CTR	11500	14300	13700	9750
3			2004	CTR	11500	14500	13900	9700
3			2005	CTR	11600	14400	13800	9850
3			2006	CTR	11600	14400	13800	9850
3			2007	CTR	11800	14600	14500	10000
3			2008	CTR	11700	14500	14200	9950
3			2009	CTR	11500	14000	13600	9800
3			2010	CTR	11900	14500	13900	10100
3			2011	CTR	10400	12700	12200	8850
3			2012	CTR	10500	12700	12600	8950
3			2013	CTR	10500	12800	13200	8900
3			2014	CTR	10800	13200	13300	9200
3			2015	CTR	11200	13700	13800	9500
3			2016	CTR	11200	13700	13800	9500
3			2017	CTR	11200	15000	14900	9150
3			2018	CTR	11200	15000	14900	9100
3			2019	CTR	11200	14900	14900	9100
3	RIDGE RD	1.1	1988	T	7000	12800	12200	4250
3			1989	T	7250	13100	12700	4550
3			1990	T	7500	13600	13000	4650
3			1991	CTR	8300	10500	10400	7200
3			1992	CTR	8200	10100	9750	7150
3			1993	CTR	8100	10200	9800	6900
3			1994	CTR	8000	10200	9750	6700
3			1995	CTR	8000	10300	9850	6700
3			1996	CTR	8100	10400	9950	6800
3			1997	CTR	8350	10700	10300	7000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1998	CTR	8600	10900	10500	7200
3			1999	CTR	8700	11000	10500	7300
3			2000	CTR	8850	11200	10700	7450
3			2001	CTR	9000	11400	10900	7600
3			2002	CTR	9150	11500	11100	7750
3			2003	CTR	9300	11600	11100	7900
3			2004	CTR	9450	11900	11400	7950
3			2005	CTR	8700	10800	10300	7400
3			2006	CTR	9450	11700	11200	8000
3			2007	CTR	9600	11900	11800	8150
3			2008	CTR	9700	12000	11800	8250
3			2009	CTR	9850	12000	11600	8350
3			2010	CTR	9950	12100	11600	8450
3			2011	CTR	10100	12300	11800	8550
3			2012	T	8700	12600	12700	5600
3			2013	T	9500	13900	13600	6050
3			2014	T	10000	14600	14500	6400
3			2015	T	10100	14800	14600	6450
3			2016	T	10200	14900	14800	6500
3			2017	T	10300	14100	14200	8150
3			2018	T	10400	14200	14300	8250
3			2019	T	10500	14400	14500	8350
3	REG RD 116 GORHAM RD (S) VICTORIA RD (N)	7.4	1988	T	5300	9700	9300	3250
3			1989	T	5500	9950	9600	3450
3			1990	T	5700	10400	9900	3550
3			1991	CTR	5500	6950	6900	4800
3			1992	CTR	5400	6650	6450	4700
3			1993	CTR	5600	7050	6800	4750
3			1994	CTR	5700	7300	6950	4800
3			1995	CTR	6000	7700	7400	5050
3			1996	CTR	6300	8050	7750	5300
3			1997	CTR	6650	8500	8200	5600
3			1998	CTR	7000	8900	8550	5900
3			1999	CTR	7200	9050	8700	6050
3			2000	CTR	7750	9750	9400	6500
3			2001	CTR	7350	9300	8900	6200
3			2002	CTR	6900	8700	8350	5850
3			2003	CTR	7800	9700	9300	6600
3			2004	CTR	8350	10500	10100	7050
3			2005	CTR	7700	9550	9150	6550
3			2006	CTR	8150	10100	9650	6900
3			2007	CTR	7850	9700	9650	6650
3			2008	CTR	8500	10500	10300	7200
3			2009	CTR	8650	10600	10200	7350
3			2010	IC	8550	9450	9550	7600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2011	IC	8500	9350	9700	7650
3			2012	IC	9000	9950	9650	8000
3			2013	CTR	9350	11400	11800	7950
3			2014	CTR	7700	9400	9450	6550
3			2015	CTR	8000	9750	9850	6800
3			2016	CTR	8200	10000	10100	6950
3			2017	CTR	9100	12200	12100	7400
3			2018	CTR	9200	12300	12200	7500
3			2019	CTR	9350	12500	12400	7600
3	NEFF RD (N) SHERKSTON RD (S)	3.1	1988	CTR	6800	8850	8300	5700
3			1989	CTR	7050	8950	8550	6050
3			1990	CTR	7300	9100	8600	6350
3			1991	CTR	6700	8450	8400	5850
3			1992	CTR	6500	8000	7750	5650
3			1993	CTR	6600	8300	8000	5600
3			1994	CTR	6750	8650	8250	5650
3			1995	CTR	6800	8750	8350	5700
3			1996	CTR	6900	8850	8500	5800
3			1997	CTR	7000	8950	8600	5900
3			1998	CTR	7100	9000	8650	5950
3			1999	CTR	7200	9050	8700	6050
3			2000	CTR	7250	9150	8750	6100
3			2001	CTR	7350	9300	8900	6200
3			2002	CTR	7450	9400	9000	6300
3			2003	CTR	7550	9400	9000	6400
3			2004	CTR	7600	9600	9200	6400
3			2005	CTR	7700	9550	9150	6550
3			2006	CTR	7800	9650	9250	6600
3			2007	CTR	7900	9800	9700	6700
3			2008	CTR	7950	9850	9650	6750
3			2009	CTR	8050	9800	9500	6850
3			2010	CTR	8150	9900	9550	6900
3			2011	CTR	8250	10000	9650	7000
3			2012	CTR	8300	10100	9950	7050
3			2013	CTR	8400	10200	10600	7150
3			2014	CTR	8500	10400	10500	7200
3			2015	CTR	7050	8600	8650	6000
3			2016	CTR	8400	10200	10300	7150
3			2017	CTR	8450	11300	11200	6900
3			2018	CTR	8550	11400	11400	6950
3			2019	CTR	8600	11500	11400	7000
3	NIAGARA RD 5 (S) E JCT KILLALY ST	4.4	1988	CTR	5800	7550	7100	4850
3			1989	CTR	6000	7600	7250	5150
3			1990	CTR	6200	7750	7300	5400
3			1991	CTR	5650	7100	7050	4900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1992	CTR	5600	6900	6650	4850
3			1993	CTR	5800	7300	7000	4950
3			1994	CTR	5950	7600	7250	5000
3			1995	CTR	6100	7850	7500	5100
3			1996	CTR	6300	8050	7750	5300
3			1997	CTR	6450	8250	7950	5400
3			1998	CTR	6600	8400	8050	5550
3			1999	CTR	6350	8000	7700	5350
3			2000	CTR	6400	8050	7750	5400
3			2001	CTR	6150	7750	7450	5200
3			2002	CTR	6450	8150	7800	5450
3			2003	CTR	6550	8150	7800	5550
3			2004	CTR	6550	8250	7950	5500
3			2005	CTR	6550	8100	7800	5550
3			2006	CTR	6650	8250	7900	5650
3			2007	CTR	6800	8400	8350	5750
3			2008	CTR	6750	8350	8200	5750
3			2009	CTR	6800	8300	8000	5800
3			2010	CTR	6850	8350	8000	5800
3			2011	CTR	6900	8400	8050	5850
3			2012	CTR	6950	8450	8350	5900
3			2013	CTR	7000	8500	8800	5950
3			2014	CTR	6350	7750	7800	5400
3			2015	CTR	6950	8500	8550	5900
3			2016	CTR	7000	8550	8600	5950
3			2017	CTR	7000	9350	9300	5700
3			2018	CTR	7050	9400	9400	5750
3			2019	CTR	7100	9450	9400	5800
3	HWY 140 PORT COLBORNE START OF NA	3.4	9999					
3	0.1 KM E OF TOWNLINE RD END OF NA	4.7	1988	CTR	5850	7600	7150	4900
3			1989	CTR	6050	7700	7300	5200
3			1990	CTR	6250	7800	7400	5450
3			1991	CTR	6000	7550	7500	5200
3			1992	CTR	5900	7250	7000	5150
3			1993	CTR	6000	7550	7250	5100
3			1994	CTR	6050	7750	7400	5100
3			1995	CTR	6150	7900	7550	5150
3			1996	CTR	6300	8050	7750	5300
3			1997	CTR	6400	8200	7850	5400
3			1998	CTR	6450	8200	7850	5400
3			1999	CTR	6350	8000	7700	5350
3			2000	CTR	6400	8050	7750	5400
3			2001	CTR	6300	7950	7600	5300
3			2002	CTR	6250	7900	7550	5300
3			2003	CTR	6300	7850	7500	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2004	CTR	6300	7950	7600	5300
3			2005	CTR	6100	7550	7250	5150
3			2006	CTR	6200	7700	7350	5250
3			2007	CTR	6300	7800	7750	5350
3			2008	CTR	6200	7650	7500	5250
3			2009	T	5950	8750	8450	3800
3			2010	T	6200	9050	8700	3950
3			2011	T	3600	4900	4850	2800
3			2012	T	4000	5800	5850	2550
3			2013	T	5200	7600	7450	3300
3			2014	T	5150	7500	7450	3300
3			2015	LT	5450	7100	7250	4100
3			2016	LT	5050	6600	6700	3800
3			2017	LT	4950	6300	6300	4150
3			2018	LT	4900	6250	6250	4100
3			2019	LT	4800	6100	6100	4000
3	GOLF COURSE RD. 30 (S)	8.8	1988	CTR	3850	5000	4700	3250
3			1989	CTR	4000	5100	4850	3450
3			1990	CTR	4150	5200	4900	3600
3			1991	CTR	3700	4650	4600	3200
3			1992	CTR	3650	4500	4350	3200
3			1993	CTR	3800	4800	4600	3250
3			1994	CTR	3900	5000	4750	3300
3			1995	CTR	3950	5050	4850	3300
3			1996	CTR	4000	5100	4900	3350
3			1997	CTR	4150	5300	5100	3500
3			1998	CTR	4200	5350	5100	3550
3			1999	CTR	4050	5100	4900	3400
3			2000	CTR	3900	4900	4700	3300
3			2001	IR	3750	4650	4150	3150
3			2002	IR	3850	4750	4250	3250
3			2003	IR	3850	4650	4250	3250
3			2004	CTR	3700	4650	4500	3100
3			2005	CTR	4000	4950	4750	3400
3			2006	CTR	3900	4850	4650	3300
3			2007	CTR	3900	4850	4800	3300
3			2008	CTR	4250	5250	5150	3600
3			2009	CTR	3850	4700	4550	3250
3			2010	CTR	3700	4500	4350	3150
3			2011	CTR	3850	4700	4500	3250
3			2012	CTR	3850	4650	4600	3300
3			2013	CTR	3850	4700	4850	3250
3			2014	CTR	3850	4700	4750	3250
3			2015	CTR	3500	4250	4300	3000
3			2016	CTR	3750	4600	4600	3200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2017	CTR	3750	5000	5000	3050
3			2018	CTR	3750	5000	5000	3050
3			2019	CTR	3700	4950	4900	3000
3	NIAGARA RDS 23/24 CHAMBERS CORS	9.6	1994	CTR	3900	5000	4750	3300
3			1995	CTR	3950	5050	4850	3300
3			1996	CTR	4000	5100	4900	3350
3			1997	CTR	4150	5300	5100	3500
3			1998	CTR	4200	5350	5100	3550
3			1999	CTR	4350	5500	5250	3650
3			2000	CTR	4450	5600	5400	3750
3			2001	CTR	4550	5750	5500	3850
3			2002	CTR	4600	5800	5550	3900
3			2003	CTR	4700	5850	5600	4000
3			2004	CTR	4800	6050	5800	4050
3			2005	CR	4900	5950	5700	4150
3			2006	CR	4800	5800	5600	4050
3			2007	CR	5100	6150	6150	4300
3			2008	CR	3700	4500	4450	3100
3			2009	CR	2750	3300	3200	2350
3			2010	CR	4350	5200	5050	3700
3			2011	IC	4600	5050	5250	4150
3			2012	IC	4450	4950	4800	3950
3			2013	IC	4450	4950	4900	3950
3			2014	IC	4450	4950	4900	3950
3			2015	IC	4450	4950	4900	3950
3			2016	IC	4500	5000	4950	4000
3			2017	IC	4500	4950	4950	4100
3			2018	IC	4500	4950	5000	4050
3			2019	IC	4500	4950	4950	4050
3	TORONTO LONDON MTO DIST BDY	8.6	1988	IC	4500	5200	5100	3950
3			1989	IC	4700	5400	5300	4200
3			1990	IC	4900	5600	5500	4350
3			1991	IC	4850	5500	5400	4300
3			1992	IC	5000	5550	5500	4550
3			1993	CTR	5150	6500	6250	4400
3			1994	CTR	5300	6800	6450	4450
3			1995	CTR	5300	6800	6500	4450
3			1996	CTR	5350	6850	6600	4500
3			1997	CTR	5350	6850	6600	4500
3			1998	CTR	5500	7000	6700	4600
3			1999	CTR	5550	7000	6700	4650
3			2000	IC	5750	6450	6450	5100
3			2001	IC	5500	6150	6200	4850
3			2002	IC	5450	6100	6100	4800
3			2003	IC	4950	5500	5550	4400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2004	IC	4900	5500	5500	4350
3			2005	IC	4950	5500	5550	4350
3			2006	IC	4800	5350	5400	4250
3			2007	CTR	4700	5800	5750	4000
3			2008	CTR	4550	5650	5500	3850
3			2009	IC	4350	4850	4850	3850
3			2010	IC	4350	4800	4850	3850
3			2011	IC	4300	4750	4900	3850
3			2012	IC	4350	4800	4650	3850
3			2013	IC	3900	4300	4300	3450
3			2014	IC	4150	4600	4550	3700
3			2015	IC	4200	4650	4650	3700
3			2016	IC	4250	4700	4700	3750
3			2017	IC	3950	4350	4350	3600
3			2018	IC	3900	4300	4300	3550
3			2019	IC	3800	4150	4200	3450
3	LOGAN RD (N) INMAN RD (S) START OF NA	4.7	9999					
3	HALDIMAND RD 15 ROBINSON RD(N)	1.3	1988	CTR	5800	7550	7100	4850
3			1989	CTR	6000	7600	7250	5150
3			1990	CTR	6200	7750	7300	5400
3			1991	CTR	6350	8000	7950	5500
3			1992	CTR	6450	7950	7700	5600
3			1993	CTR	6550	8250	7950	5550
3			1994	CTR	6650	8500	8100	5600
3			1995	CTR	6750	8650	8300	5650
3			1996	CTR	6850	8750	8450	5750
3			1997	CR	6900	8550	8150	5850
3			1998	CR	7050	8650	8250	6000
3			1999	CR	7200	8850	8400	6100
3			2000	CTR	7400	9300	8950	6200
3			2001	CTR	7200	9100	8700	6050
3			2002	CTR	7250	9150	8750	6100
3			2003	CTR	7700	9550	9200	6550
3			2004	CTR	6900	8700	8350	5800
3			2005	CTR	6950	8600	8250	5900
3			2006	CTR	7000	8650	8300	5950
3			2007	CTR	7100	8800	8700	6000
3			2008	CTR	7100	8800	8600	6050
3			2009	IC	7150	7950	8000	6350
3			2010	IC	7150	7900	8000	6350
3			2011	IC	6200	6800	7050	5550
3			2012	IC	6200	6850	6650	5500
3			2013	IC	6300	6950	6950	5600
3			2014	IC	6300	6950	6950	5600
3			2015	IC	6300	6950	6950	5600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2016	IC	6350	7050	7000	5650
3			2017	IC	6500	7100	7150	5900
3			2018	IC	6450	7100	7150	5850
3			2019	IC	6400	7050	7050	5800
3	E JCT HALDIMAND RD 17 (W)	17.2	1988	CTR	2400	3100	2950	2000
3			1989	CTR	2500	3200	3000	2150
3			1990	CTR	2600	3250	3050	2250
3			1991	CTR	2550	3200	3200	2200
3			1992	CTR	2600	3200	3100	2250
3			1993	CTR	2650	3350	3200	2250
3			1994	CTR	2700	3450	3300	2250
3			1995	CTR	2750	3550	3400	2300
3			1996	CTR	2800	3600	3450	2350
3			1997	CTR	2850	3650	3500	2400
3			1998	CTR	3100	3950	3800	2600
3			1999	CTR	3000	3800	3650	2500
3			2000	IR	3550	4350	3950	3000
3			2001	IR	2950	3650	3250	2500
3			2002	IR	2950	3650	3250	2500
3			2003	IR	2750	3350	3050	2350
3			2004	IR	2750	3400	3050	2300
3			2005	IR	2800	3400	3050	2400
3			2006	IR	2800	3400	3050	2400
3			2007	IR	2800	3400	3400	2350
3			2008	IR	2700	3250	3200	2300
3			2009	IR	2650	3200	2900	2250
3			2010	IR	2650	3150	2900	2250
3			2011	IR	2550	3050	3000	2200
3			2012	IR	2600	3100	3000	2200
3			2013	IC	2400	2650	2650	2150
3			2014	IC	2600	2900	2850	2300
3			2015	IC	2550	2800	2800	2250
3			2016	IC	2550	2800	2800	2250
3			2017	IC	2500	2750	2750	2250
3			2018	IC	2500	2750	2750	2250
3			2019	IC	2450	2700	2700	2200
3	HALDIMAND RD HWY 56 (N)/HALDMAND RD 32 (S)	6.5	1988	CTR	3350	4350	4100	2800
3			1989	CTR	3450	4400	4150	2950
3			1990	CTR	3550	4450	4200	3100
3			1991	CTR	3800	4800	4750	3300
3			1992	CTR	3850	4750	4600	3350
3			1993	CTR	3900	4900	4700	3300
3			1994	CTR	3950	5050	4800	3300
3			1995	CTR	4000	5150	4900	3350
3			1996	CTR	4050	5200	5000	3400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1997	CTR	4100	5250	5050	3450
3			1998	CTR	3950	5000	4800	3300
3			1999	CTR	3550	4450	4300	3000
3			2000	CTR	3650	4600	4400	3050
3			2001	CTR	3650	4600	4400	3100
3			2002	CTR	3700	4650	4500	3100
3			2003	CTR	3650	4550	4350	3100
3			2004	CTR	3700	4650	4500	3100
3			2005	CTR	3800	4700	4500	3200
3			2006	CTR	3600	4450	4250	3050
3			2007	CTR	3550	4400	4350	3000
3			2008	CTR	3500	4350	4250	2950
3			2009	IC	3500	3900	3900	3100
3			2010	IC	3450	3800	3850	3050
3			2011	IR	3400	4050	3950	2900
3			2012	IR	3400	4050	3950	2900
3			2013	IC	3350	3700	3700	2950
3			2014	IC	3300	3650	3650	2950
3			2015	IC	3300	3650	3650	2950
3			2016	IC	3250	3600	3600	2900
3			2017	IC	3200	3500	3550	2900
3			2018	IC	3200	3500	3550	2900
3			2019	IC	3150	3450	3500	2850
3	0.114 M (E) OF MONTURE ST START OF NA	1.3	9999					
3	OUSE ST END OF NA	8.1	1988	C	4500	5000	5000	4050
3			1989	C	4650	5150	5200	4200
3			1990	C	4800	5350	5350	4300
3			1991	C	5400	5950	6000	4900
3			1992	C	5450	5900	6050	5000
3			1993	C	5500	6000	6100	5050
3			1994	C	5000	5500	5600	4500
3			1995	C	5100	5550	5700	4650
3			1996	C	5150	5850	5850	4650
3			1997	C	4850	5500	5550	4350
3			1998	C	4850	5500	5500	4350
3			1999	C	4900	5500	5550	4400
3			2000	C	4900	5550	5550	4400
3			2001	C	4800	5400	5400	4300
3			2002	C	4800	5400	5400	4300
3			2003	C	4750	5300	5350	4300
3			2004	C	4750	5350	5350	4300
3			2005	C	4700	5250	5300	4200
3			2006	C	4700	5200	5250	4250
3			2007	C	4700	5200	5300	4200
3			2008	C	4600	5100	5000	4150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2009	C	4600	5050	5100	4150
3			2010	C	4550	5000	5050	4100
3			2011	C	4550	5000	5050	4100
3			2012	C	4500	4950	4850	4050
3			2013	IC	4050	4500	4450	3600
3			2014	IC	4350	4800	4800	3850
3			2015	IC	4300	4750	4750	3800
3			2016	IC	4300	4750	4750	3800
3			2017	IC	4250	4650	4700	3850
3			2018	IC	4200	4600	4650	3800
3			2019	IC	4150	4550	4600	3750
3	HALDIMAND RD 20	13.3	1988	C	3300	3650	3650	2950
3			1989	C	3450	3850	3850	3100
3			1990	C	3550	3950	3950	3200
3			1991	C	3550	3900	3950	3250
3			1992	C	3550	3850	3950	3250
3			1993	C	3550	3850	3950	3250
3			1994	C	3550	3900	3950	3200
3			1995	C	3550	3900	4000	3250
3			1996	C	3550	4000	4050	3200
3			1997	LT	3550	5000	4900	2650
3			1998	LT	3400	4750	4650	2500
3			1999	LT	3400	4750	4600	2500
3			2000	C	3350	3800	3800	3000
3			2001	C	3350	3750	3800	3000
3			2002	C	3300	3700	3700	2950
3			2003	C	3250	3650	3650	2950
3			2004	C	3250	3650	3650	2950
3			2005	C	3200	3550	3600	2850
3			2006	C	3200	3550	3600	2900
3			2007	C	3200	3550	3600	2900
3			2008	C	3100	3400	3350	2800
3			2009	C	3100	3400	3450	2800
3			2010	C	3050	3350	3400	2750
3			2011	IC	3050	3350	3500	2750
3			2012	IC	3000	3300	3200	2650
3			2013	IC	2950	3250	3250	2600
3			2014	IC	2950	3250	3250	2600
3			2015	IC	2900	3200	3200	2550
3			2016	IC	2850	3150	3150	2550
3			2017	IC	2850	3100	3150	2600
3			2018	IC	2800	3100	3100	2550
3			2019	IC	2750	3000	3050	2500
3	NANTICOKE L5 6 JARVIS START OF NA	1.7	9999					
3	NANTICOKE LN 3 END OF NA	9.0	1988	C	5000	5550	5550	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1989	C	5100	5650	5700	4600
3			1990	C	5200	5750	5750	4700
3			1991	C	5300	5850	5900	4800
3			1992	C	5300	5700	5900	4900
3			1993	C	5300	5800	5850	4900
3			1994	CTR	5350	6850	6550	4500
3			1995	CTR	5350	6850	6600	4500
3			1996	CTR	5450	6950	6700	4550
3			1997	CR	5350	6650	6300	4550
3			1998	CR	5300	6500	6200	4500
3			1999	CR	5300	6500	6200	4500
3			2000	IC	5250	5900	5900	4650
3			2001	IC	5250	5850	5900	4650
3			2002	IC	5250	5850	5900	4650
3			2003	IC	5200	5800	5850	4600
3			2004	IC	5200	5800	5850	4600
3			2005	IC	5150	5750	5800	4550
3			2006	IC	5150	5700	5750	4550
3			2007	IC	5200	5800	5950	4600
3			2008	IC	5150	5700	5500	4550
3			2009	IC	5100	5650	5700	4550
3			2010	IC	5100	5650	5700	4500
3			2011	IC	5100	5600	5800	4600
3			2012	IC	5100	5650	5500	4550
3			2013	IC	5050	5600	5550	4500
3			2014	IC	5050	5600	5550	4500
3			2015	IC	5000	5550	5500	4450
3			2016	IC	5000	5550	5500	4450
3			2017	IC	5000	5500	5500	4550
3			2018	IC	4950	5450	5500	4500
3			2019	IC	4950	5450	5450	4450
3	COCKSHUTT RD NORFOLK RD 5	5.5	1988	UC	7300	7650	8250	6850
3			1989	UC	7500	7900	8500	7100
3			1990	UC	7700	8250	8950	7300
3			1991	IC	7900	8950	8750	7050
3			1992	IC	8100	9000	8900	7350
3			1993	IC	8250	9300	9250	7350
3			1994	IC	8450	9450	9450	7500
3			1995	IC	8650	9700	9750	7750
3			1996	IC	8800	9900	9900	7850
3			1997	IC	9000	10100	10200	7900
3			1998	IC	9300	10400	10400	8300
3			1999	IC	9400	10500	10500	8350
3			2000	CTR	9900	12500	12000	8300
3			2001	CTR	9800	12400	11900	8250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2002	CTR	9950	12600	12000	8400
3			2003	CTR	9950	12400	11900	8450
3			2004	CTR	10800	13600	13100	9100
3			2005	IC	10500	11700	11800	9250
3			2006	IC	10200	11300	11400	9050
3			2007	IC	9600	10700	11000	8500
3			2008	IC	10200	11300	10900	9000
3			2009	IC	10300	11400	11500	9150
3			2010	IC	10300	11400	11500	9150
3			2011	IC	10300	11300	11700	9250
3			2012	IC	10300	11400	11100	9150
3			2013	IC	10900	12100	12000	9650
3			2014	IC	10900	12100	12000	9650
3			2015	IC	11100	12300	12200	9850
3			2016	IC	11100	12300	12200	9850
3			2017	IC	11200	12300	12400	10200
3			2018	IC	11300	12400	12500	10200
3			2019	IC	11400	12500	12600	10300
3	NANTICOKE LTS IRELAND RD START OF NA	4.1	9999					
3	SIMCOE END OF NA	5.0	1988	IC	5600	6500	6350	4950
3			1989	IC	5750	6600	6500	5100
3			1990	IC	5900	6750	6600	5250
3			1991	IC	6100	6900	6750	5450
3			1992	IC	6250	6950	6900	5700
3			1993	IC	6450	7300	7200	5750
3			1994	IC	6500	7300	7300	5800
3			1995	IC	6550	7350	7400	5900
3			1996	IC	6650	7450	7500	5900
3			1997	IC	6700	7500	7550	5900
3			1998	IC	6850	7650	7650	6100
3			1999	IC	6750	7550	7550	6000
3			2000	IC	6800	7600	7600	6050
3			2001	IC	6850	7650	7700	6050
3			2002	IC	6900	7700	7750	6100
3			2003	IC	6850	7650	7700	6050
3			2004	IC	7100	7950	8000	6300
3			2005	IC	7000	7800	7850	6150
3			2006	IC	6900	7650	7750	6100
3			2007	IC	6700	7450	7650	5900
3			2008	IC	6800	7550	7300	6000
3			2009	IC	6800	7550	7600	6050
3			2010	IC	6800	7550	7600	6050
3			2011	IC	6650	7300	7600	5950
3			2012	IC	6800	7550	7300	6050
3			2013	IC	5700	6300	6250	5050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2014	IC	6650	7350	7350	5900
3			2015	IC	6600	7300	7250	5850
3			2016	IC	6650	7350	7350	5900
3			2017	IC	6650	7300	7350	6050
3			2018	IC	6600	7250	7300	5950
3			2019	IC	6600	7250	7300	5950
3	NIXON RD NORFOLK RD 25 (N)	7.2	1988	IC	5850	6800	6600	5150
3			1989	IC	6000	6900	6800	5350
3			1990	IC	6100	6950	6850	5450
3			1991	IC	6150	6950	6850	5450
3			1992	IC	6250	6950	6900	5700
3			1993	IC	6450	7300	7200	5750
3			1994	IC	6600	7400	7400	5850
3			1995	IC	6600	7400	7450	5900
3			1996	IC	6550	7350	7400	5850
3			1997	IC	6650	7450	7500	5850
3			1998	IC	6950	7800	7800	6200
3			1999	IC	6850	7650	7650	6100
3			2000	IC	7150	8000	8000	6350
3			2001	IC	6950	7750	7800	6150
3			2002	IC	7000	7800	7850	6150
3			2003	IC	7000	7800	7900	6200
3			2004	IC	7050	7900	7900	6250
3			2005	IC	6800	7550	7650	6000
3			2006	IC	6450	7150	7250	5700
3			2007	IC	6550	7300	7500	5800
3			2008	IC	6450	7150	6900	5700
3			2009	IC	6500	7200	7300	5800
3			2010	IC	6550	7250	7300	5800
3			2011	IC	6650	7300	7600	5950
3			2012	IC	6650	7350	7150	5900
3			2013	IC	6650	7350	7300	5900
3			2014	IC	6600	7300	7250	5850
3			2015	IC	6600	7300	7250	5850
3			2016	IC	6600	7300	7250	5850
3			2017	IC	6600	7250	7300	6000
3			2018	IC	6600	7250	7300	5950
3			2019	IC	6550	7200	7250	5900
3	PINEGROVE RD NORFOLK RD 46 (W)	1.8	1988	IC	8050	9350	9100	7100
3			1989	IC	8200	9450	9250	7300
3			1990	IC	8450	9650	9450	7500
3			1991	IC	8750	9900	9700	7800
3			1992	IC	8900	9900	9800	8100
3			1993	IC	9100	10300	10200	8100
3			1994	IC	9300	10400	10400	8300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1995	IC	9450	10600	10700	8500
3			1996	IC	9550	10700	10800	8500
3			1997	IC	9700	10900	11000	8550
3			1998	IC	9650	10800	10800	8600
3			1999	IC	9550	10700	10700	8500
3			2000	IC	9550	10700	10700	8500
3			2001	IC	9600	10700	10800	8500
3			2002	IC	9600	10700	10800	8450
3			2003	IC	9500	10600	10700	8400
3			2004	IC	9850	11000	11100	8700
3			2005	IC	9650	10700	10800	8500
3			2006	IC	9400	10400	10500	8350
3			2007	IC	8950	9950	10200	7900
3			2008	IC	9300	10300	9950	8200
3			2009	IC	9300	10300	10400	8300
3			2010	IC	9300	10300	10400	8250
3			2011	IC	8850	9750	10100	7950
3			2012	IC	8850	9800	9500	7850
3			2013	UC	8200	8250	8250	7800
3			2014	UC	8900	8950	8550	8450
3			2015	UC	8900	8950	8550	8450
3			2016	UC	8800	8850	8450	8350
3			2017	UC	8750	8700	8800	8400
3			2018	UC	8750	8700	8800	8400
3			2019	UC	8700	8550	8700	8400
3	DELHI S LTS WILSON AVE START OF NA	2.1	9999					
3	TALBOT RD(DELHI) END OF NA	0.6	1988	C	8350	9250	9250	7500
3			1989	C	8450	9400	9450	7600
3			1990	C	8500	9450	9450	7650
3			1991	IC	8450	9550	9400	7500
3			1992	IC	8900	9900	9800	8100
3			1993	IC	9500	10700	10600	8450
3			1994	IC	10100	11300	11300	9000
3			1995	IC	10200	11400	11500	9150
3			1996	IC	10300	11600	11600	9150
3			1997	IC	10500	11800	11900	9250
3			1998	IC	10900	12200	12200	9700
3			1999	IC	10700	12000	12000	9500
3			2000	CTR	10400	13100	12600	8750
3			2001	CTR	9850	12400	11900	8300
3			2002	CTR	9750	12300	11800	8250
3			2003	CTR	9650	12000	11500	8200
3			2004	CTR	8950	11300	10800	7550
3			2005	IC	8950	9950	10000	7900
3			2006	IC	8900	9900	10000	7900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2007	IC	9000	10000	10300	7950
3			2008	IC	8550	9450	9150	7550
3			2009	IC	8250	9150	9250	7350
3			2010	IC	8250	9150	9200	7300
3			2011	IC	8300	9150	9450	7450
3			2012	IC	8100	8950	8700	7200
3			2013	UC	7950	8000	8000	7550
3			2014	UC	8200	8250	7900	7800
3			2015	UC	8500	8550	8150	8050
3			2016	UC	8600	8650	8250	8150
3			2017	UC	7750	7700	7750	7450
3			2018	UC	7600	7550	7650	7300
3			2019	UC	7450	7350	7450	7200
3	E JCT NORFOLK HWY 59 (N) BIG CREEK DR (S)	10.1	1988	C	5500	6100	6100	4950
3			1989	C	5800	6450	6500	5200
3			1990	C	6100	6750	6750	5500
3			1991	C	6350	7000	7050	5800
3			1992	C	6400	6900	7100	5900
3			1993	C	6500	7100	7200	6000
3			1994	C	6600	7250	7350	5950
3			1995	C	6700	7300	7500	6150
3			1996	C	6750	7650	7700	6100
3			1997	SC	6850	7250	8000	6100
3			1998	SC	6950	7350	8150	6200
3			1999	SC	6800	7200	7950	6050
3			2000	C	6750	7650	7650	6100
3			2001	C	6500	7300	7350	5850
3			2002	C	6450	7200	7300	5800
3			2003	C	6750	7550	7600	6100
3			2004	C	5950	6700	6700	5350
3			2005	C	5950	6600	6700	5350
3			2006	C	5900	6550	6600	5300
3			2007	C	5900	6550	6650	5300
3			2008	C	5650	6250	6150	5050
3			2009	C	5450	6000	6050	4900
3			2010	C	5450	6000	6050	4900
3			2011	C	5000	5500	5550	4500
3			2012	C	5000	5500	5400	4500
3			2013	UC	5200	5200	5250	4950
3			2014	UC	5400	5400	5200	5100
3			2015	UC	5650	5650	5450	5350
3			2016	UC	5700	5700	5500	5400
3			2017	UC	5050	5000	5050	4850
3			2018	UC	4950	4900	5000	4750
3			2019	UC	4900	4850	4900	4700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3	TALBOT STREET NORFOLK RD 38 (S)	1.2	1988	IC	6400	7400	7250	5650
3			1989	IC	6600	7600	7450	5850
3			1990	IC	6700	7650	7500	5950
3			1991	IC	6850	7750	7600	6100
3			1992	IC	7000	7750	7700	6350
3			1993	IC	7150	8100	8000	6350
3			1994	IC	7250	8100	8100	6450
3			1995	IC	7300	8150	8250	6550
3			1996	IC	7350	8250	8300	6550
3			1997	IC	7450	8350	8400	6550
3			1998	IC	7550	8450	8450	6700
3			1999	IC	7550	8450	8450	6700
3			2000	IC	7550	8450	8450	6700
3			2001	IC	7450	8350	8350	6600
3			2002	IC	7500	8350	8450	6600
3			2003	IC	7900	8800	8900	7000
3			2004	IC	7300	8150	8200	6450
3			2005	IC	7150	7950	8050	6300
3			2006	IC	6950	7700	7800	6150
3			2007	IC	6700	7450	7650	5900
3			2008	IC	6550	7250	7000	5800
3			2009	IC	6300	7000	7050	5600
3			2010	IC	6300	6950	7050	5600
3			2011	IC	5800	6400	6600	5200
3			2012	IC	5800	6450	6250	5150
3			2013	UC	6350	6350	6400	6050
3			2014	UC	6100	6100	5850	5800
3			2015	UC	6150	6150	5900	5850
3			2016	UC	5950	5950	5700	5650
3			2017	UC	5850	5800	5850	5600
3			2018	UC	5800	5750	5850	5550
3			2019	UC	5700	5600	5700	5500
3	W JCT NORFOLK HWY 59 (S)/NORFOLK RD 13 (N)	3.8	1988	IC	7650	8850	8650	6750
3			1989	IC	7900	9100	8950	7050
3			1990	IC	8000	9100	8950	7100
3			1991	IC	7550	8550	8400	6700
3			1992	IC	7700	8550	8450	7000
3			1993	IC	7900	8950	8850	7050
3			1994	IC	8050	9000	9000	7150
3			1995	IC	8100	9050	9150	7250
3			1996	IC	8150	9150	9200	7250
3			1997	IC	8250	9250	9300	7250
3			1998	IC	8300	9300	9300	7400
3			1999	IC	8400	9400	9400	7500
3			2000	IC	8500	9500	9500	7550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2001	IC	8500	9500	9550	7500
3			2002	IC	8600	9600	9650	7600
3			2003	IC	8700	9700	9800	7700
3			2004	IC	8650	9650	9700	7650
3			2005	IC	8700	9650	9750	7650
3			2006	IC	8800	9800	9850	7800
3			2007	IC	8900	9900	10200	7850
3			2008	IC	8900	9850	9550	7850
3			2009	IC	9000	10000	10100	8000
3			2010	IC	9000	9950	10000	8000
3			2011	IC	8000	8800	9150	7200
3			2012	IC	8000	8850	8600	7100
3			2013	UC	8150	8200	8200	7750
3			2014	UC	8700	8750	8350	8250
3			2015	UC	8700	8750	8350	8250
3			2016	UC	8700	8750	8350	8250
3			2017	UC	8750	8700	8800	8400
3			2018	UC	8750	8700	8800	8400
3			2019	UC	8750	8600	8750	8450
3	SIMCOE ST(TO TILLSONBURG)	4.4	1988	SC	2700	2900	3200	2450
3			1989	SC	2850	3150	3450	2550
3			1990	SC	3000	3300	3600	2650
3			1991	C	3050	3350	3400	2800
3			1992	C	3250	3500	3600	3000
3			1993	C	3450	3750	3800	3150
3			1994	IC	3650	4100	4100	3250
3			1995	IC	3700	4150	4150	3300
3			1996	IC	3750	4200	4250	3350
3			1997	UC	3550	3750	4150	3350
3			1998	UC	3700	3900	4350	3500
3			1999	UC	3800	4050	4450	3600
3			2000	UC	4000	4250	4700	3750
3			2001	UC	3800	4050	4450	3550
3			2002	UC	3850	4100	4550	3600
3			2003	UC	3800	4000	4450	3600
3			2004	UC	3900	4200	4600	3650
3			2005	UC	3900	4150	4550	3650
3			2006	UC	3900	4100	4550	3650
3			2007	UC	3950	4200	4550	3700
3			2008	UC	3650	3850	3600	3400
3			2009	UC	3400	3600	4000	3200
3			2010	UC	3400	3600	3950	3200
3			2011	UC	3400	3400	3550	3250
3			2012	UC	3850	3850	4100	3650
3			2013	CTR	3800	4650	4800	3250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2014	CTR	3700	4500	4550	3150
3			2015	IC	3750	4150	4150	3350
3			2016	IC	3700	4100	4100	3300
3			2017	IC	3700	4050	4100	3350
3			2018	IC	3700	4050	4100	3350
3			2019	IC	3700	4050	4100	3350
3	CNR S CAYUGA 09554	8.0	1988	C	3500	3900	3900	3150
3			1989	C	3650	4050	4100	3300
3			1990	C	3650	4050	4050	3300
3			1991	C	3700	4050	4100	3350
3			1992	C	3850	4150	4250	3550
3			1993	C	4000	4350	4450	3700
3			1994	C	4150	4550	4650	3750
3			1995	C	4400	4800	4950	4000
3			1996	C	4650	5250	5300	4200
3			1997	SC	4900	5200	5750	4350
3			1998	SC	5000	5300	5850	4450
3			1999	SC	5150	5450	6050	4600
3			2000	C	5000	5650	5650	4500
3			2001	C	4950	5550	5600	4450
3			2002	C	4850	5450	5450	4350
3			2003	C	4850	5400	5450	4400
3			2004	C	4550	5100	5150	4100
3			2005	C	4450	4950	5000	4000
3			2006	C	4300	4800	4800	3850
3			2007	C	4100	4550	4600	3700
3			2008	C	4100	4550	4450	3700
3			2009	C	4000	4400	4450	3600
3			2010	C	4000	4400	4450	3600
3			2011	C	4000	4400	4450	3600
3			2012	C	4200	4650	4550	3800
3			2013	CTR	4100	5000	5150	3500
3			2014	CTR	4050	4950	5000	3450
3			2015	CTR	4000	4900	4900	3400
3			2016	CTR	3950	4800	4850	3350
3			2017	CTR	3900	5200	5200	3200
3			2018	CTR	3850	5150	5100	3150
3			2019	CTR	3800	5050	5050	3100
3	ELGIN RD 44 EDEN LINE	9.0	1988	C	4350	4850	4850	3900
3			1989	C	4500	5000	5050	4050
3			1990	C	4600	5100	5100	4150
3			1991	IC	4700	5300	5200	4200
3			1992	IC	4900	5450	5400	4450
3			1993	IC	5100	5750	5700	4550
3			1994	IC	5250	5900	5900	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1995	IC	5500	6150	6200	4950
3			1996	IC	5750	6450	6500	5100
3			1997	SC	6000	6350	7000	5350
3			1998	SC	6350	6750	7450	5650
3			1999	SC	7100	7550	8300	6300
3			2000	IC	7000	7850	7850	6250
3			2001	IC	6650	7450	7450	5900
3			2002	IC	6400	7150	7200	5650
3			2003	IC	5900	6550	6650	5250
3			2004	IC	5500	6150	6200	4850
3			2005	IC	6000	6650	6750	5300
3			2006	IC	5800	6450	6500	5150
3			2007	IC	5500	6100	6300	4850
3			2008	IC	5650	6250	6050	5000
3			2009	IC	5600	6200	6250	5000
3			2010	IC	5600	6200	6250	4950
3			2011	IC	5250	5750	6000	4700
3			2012	IC	5300	5850	5700	4700
3			2013	CTR	5650	6900	7100	4800
3			2014	CTR	5500	6700	6750	4700
3			2015	CTR	5500	6700	6750	4700
3			2016	CTR	5450	6650	6700	4650
3			2017	CTR	5400	7200	7200	4400
3			2018	CTR	5400	7200	7200	4400
3			2019	CTR	5350	7150	7100	4350
3	CARTER RD	5.1	1988	C	6250	6950	6950	5600
3			1989	C	6500	7200	7300	5850
3			1990	C	6700	7450	7450	6050
3			1991	IC	6800	7700	7550	6050
3			1992	IC	7000	7750	7700	6350
3			1993	IC	7200	8150	8050	6400
3			1994	IC	7400	8300	8300	6600
3			1995	IC	7500	8400	8450	6750
3			1996	IC	7600	8550	8550	6750
3			1997	IC	7750	8700	8750	6800
3			1998	IC	7900	8850	8850	7050
3			1999	IC	8400	9400	9400	7500
3			2000	IC	8250	9250	9250	7350
3			2001	IC	8150	9100	9150	7200
3			2002	IC	8050	8950	9050	7100
3			2003	IC	8050	8950	9050	7150
3			2004	IC	7450	8350	8350	6600
3			2005	IC	7500	8350	8400	6600
3			2006	IC	7850	8700	8800	6950
3			2007	IC	7600	8450	8700	6700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2008	IC	7850	8700	8400	6900
3			2009	IC	7900	8750	8850	7050
3			2010	IC	7900	8750	8800	7000
3			2011	IC	7450	8200	8500	6700
3			2012	IC	7450	8250	8000	6600
3			2013	CTR	7800	9500	9800	6600
3			2014	CTR	7750	9450	9550	6600
3			2015	IC	7800	8650	8600	6900
3			2016	IC	7750	8600	8550	6850
3			2017	IC	7750	8500	8550	7050
3			2018	IC	7750	8550	8600	7000
3			2019	IC	7750	8500	8550	7000
3	AYLMER E LTS ELK ST START OF NA	2.3	9999					
3	"AYLMER W LTS ""A"" ST END OF NA	7.1	1988	UC	8050	8450	9100	7550
3			1989	UC	8350	8750	9450	7950
3			1990	UC	8350	8950	9700	7950
3			1991	C	8000	8800	8900	7300
3			1992	C	8100	8750	9000	7450
3			1993	C	8200	8950	9050	7550
3			1994	C	8250	9050	9200	7450
3			1995	C	8450	9250	9450	7750
3			1996	C	8600	9750	9800	7750
3			1997	SC	8800	9350	10300	7850
3			1998	SC	8950	9500	10500	7950
3			1999	SC	8950	9500	10500	7950
3			2000	SC	9200	9750	10800	8100
3			2001	SC	9000	9600	10500	7950
3			2002	SC	9100	9650	10700	8000
3			2003	SC	9200	9700	10700	8150
3			2004	SC	9150	9750	10700	8050
3			2005	SC	9100	9650	10600	8000
3			2006	SC	9150	9700	10700	8050
3			2007	SC	9150	9650	10600	8050
3			2008	SC	9200	9650	9100	8100
3			2009	SC	9250	9800	10800	8150
3			2010	SC	9250	9800	10800	8150
3			2011	IC	8900	9800	10200	8000
3			2012	IC	8900	9850	9550	7900
3			2013	CTR	9400	11400	11800	8000
3			2014	CTR	9350	11400	11500	7950
3			2015	IC	9500	10500	10500	8400
3			2016	IC	9450	10500	10400	8400
3			2017	IC	9500	10400	10500	8600
3			2018	IC	9500	10500	10500	8600
3			2019	IC	9550	10500	10500	8600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3	ELGIN RD 74 BELMONT RD (N)	5.1	1988	UC	9000	9450	10200	8450
3			1989	UC	9300	9750	10500	8850
3			1990	UC	9350	10000	10800	8900
3			1991	C	8900	9800	9900	8100
3			1992	C	9000	9700	10000	8300
3			1993	C	9100	9900	10100	8350
3			1994	IC	9250	10400	10400	8250
3			1995	IC	9300	10400	10500	8350
3			1996	IC	9350	10500	10500	8300
3			1997	IC	9500	10600	10700	8350
3			1998	IC	9600	10800	10800	8550
3			1999	IC	9700	10900	10900	8650
3			2000	IC	9850	11000	11000	8750
3			2001	IC	9900	11100	11100	8750
3			2002	IC	10000	11100	11200	8800
3			2003	IC	10100	11300	11400	8950
3			2004	IC	10400	11600	11700	9200
3			2005	IC	10300	11500	11600	9100
3			2006	IC	10100	11200	11300	8950
3			2007	IC	9800	10900	11200	8650
3			2008	IC	10300	11400	11000	9100
3			2009	IC	10500	11700	11800	9350
3			2010	IC	10500	11600	11700	9300
3			2011	IC	10100	11100	11500	9050
3			2012	IC	10500	11600	11300	9300
3			2013	CTR	10600	12900	13300	9000
3			2014	CTR	10300	12600	12700	8750
3			2015	IC	10000	11100	11000	8850
3			2016	IC	10100	11200	11100	8950
3			2017	IC	10600	11600	11700	9600
3			2018	IC	10600	11700	11700	9600
3			2019	IC	10700	11800	11800	9650
3	E JCT CENTENNIAL RD (N)/ELGIN RD 28 (S)	1.2	1988	UC	4100	4300	4650	3850
3			1989	UC	4350	4550	4900	4150
3			1990	UC	4400	4700	5100	4200
3			1991	C	4200	4600	4650	3800
3			1992	C	4300	4650	4750	3950
3			1993	C	4300	4700	4750	3950
3			1994	C	4350	4750	4850	3950
3			1995	C	4750	5200	5300	4350
3			1996	C	5200	5900	5900	4700
3			1997	SC	5600	5950	6550	5000
3			1998	SC	6400	6800	7500	5700
3			1999	SC	6800	7200	7950	6050
3			2000	SC	8000	8500	9350	7050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2001	SC	7700	8200	9000	6800
3			2002	SC	8200	8700	9600	7250
3			2003	SC	8300	8750	9700	7350
3			2004	SC	9200	9800	10800	8100
3			2005	SC	9500	10100	11100	8350
3			2006	SC	9800	10400	11500	8650
3			2007	SC	10600	11200	12300	9300
3			2008	SC	9300	9750	9200	8200
3			2009	SC	8650	9150	10100	7600
3			2010	SC	8650	9150	10100	7650
3			2011	C	8450	9300	9400	7600
3			2012	C	8450	9300	9100	7600
3			2013	CTR	9750	11900	12300	8300
3			2014	CTR	9550	11700	11700	8100
3			2015	IC	9350	10300	10300	8300
3			2016	IC	9400	10400	10400	8350
3			2017	IC	10600	11600	11700	9600
3			2018	IC	10800	11900	12000	9750
3			2019	IC	11000	12100	12100	9950
3	ST THOMAS E LTS W JCT CENTENNIAL RD	2.3	1988	UC	2300	2400	2600	2150
3			1989	UC	2500	2600	2800	2400
3			1990	UC	2400	2550	2800	2300
3			1991	C	2000	2200	2200	1800
3			1992	C	2100	2250	2350	1950
3			1993	C	2100	2300	2300	1950
3			1994	C	2200	2400	2450	2000
3			1995	C	2250	2450	2500	2050
3			1996	C	2350	2650	2650	2100
3			1997	SC	2450	2600	2850	2200
3			1998	SC	2550	2700	3000	2250
3			1999	SC	2550	2700	3000	2250
3			2000	C	2750	3100	3100	2500
3			2001	C	2650	3000	3000	2400
3			2002	C	2700	3000	3050	2450
3			2003	C	2750	3050	3100	2500
3			2004	C	2800	3150	3150	2500
3			2005	C	2700	3000	3050	2450
3			2006	C	2900	3200	3250	2600
3			2007	C	2950	3300	3300	2650
3			2008	C	3000	3300	3250	2700
3			2009	C	3050	3350	3400	2750
3			2010	C	3100	3400	3450	2800
3			2011	IC	2950	3250	3350	2650
3			2012	IC	2950	3250	3150	2600
3			2013	CTR	2700	3300	3400	2300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2014	CTR	3100	3800	3800	2650
3			2015	IC	3200	3550	3550	2850
3			2016	IC	3200	3550	3550	2850
3			2017	IC	3250	3550	3600	2950
3			2018	IC	3300	3650	3650	3000
3			2019	IC	3300	3600	3650	3000
3	FIRST AV IC	3.6	1988	UC	7250	7600	8200	6800
3			1989	UC	7700	8100	8700	7300
3			1990	UC	7700	8250	8950	7300
3			1991	C	7050	7750	7850	6400
3			1992	C	7100	7650	7900	6550
3			1993	C	7150	7800	7900	6600
3			1994	UC	7200	7650	8250	6700
3			1995	UC	7250	7650	8300	6750
3			1996	UC	7300	7750	8550	6950
3			1997	UC	7400	7750	8650	6950
3			1998	UC	7900	8350	9250	7500
3			1999	UC	7750	8200	9050	7350
3			2000	UC	7850	8300	9250	7400
3			2001	UC	8000	8550	9400	7500
3			2002	UC	8100	8650	9550	7600
3			2003	UC	8150	8600	9550	7700
3			2004	UC	8350	8950	9800	7850
3			2005	UC	8450	8950	9900	7900
3			2006	UC	8600	9100	10000	8100
3			2007	UC	8700	9250	10100	8150
3			2008	UC	8800	9300	8750	8250
3			2009	UC	8950	9500	10500	8400
3			2010	UC	8950	9450	10400	8400
3			2011	UC	9200	9250	9550	8750
3			2012	UC	9200	9250	9850	8750
3			2013	UC	9350	9400	9400	8850
3			2014	UC	8850	8900	8500	8400
3			2015	C	8350	9200	8950	7500
3			2016	C	8400	9250	9000	7550
3			2017	C	9300	10200	10200	8450
3			2018	C	9400	10300	10200	8500
3			2019	C	9450	10300	10300	8550
3	WELLINGTON RD	3.7	1988	UC	4400	4600	4950	4150
3			1989	UC	4500	4700	5100	4300
3			1990	UC	4500	4800	5200	4300
3			1991	C	4600	5050	5100	4200
3			1992	C	4700	5100	5200	4300
3			1993	C	4800	5250	5300	4400
3			1994	UC	4850	5150	5550	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1995	UC	4950	5200	5650	4600
3			1996	UC	5050	5350	5900	4800
3			1997	UC	5150	5400	6050	4850
3			1998	UC	5850	6200	6850	5550
3			1999	UC	5400	5700	6300	5150
3			2000	UC	5500	5850	6500	5150
3			2001	UC	5550	5950	6550	5200
3			2002	UC	5650	6000	6650	5300
3			2003	UC	5550	5850	6500	5250
3			2004	UC	5800	6200	6800	5450
3			2005	UC	5900	6250	6900	5550
3			2006	UC	6000	6350	7000	5650
3			2007	UC	6100	6450	7050	5700
3			2008	UC	6150	6500	6100	5750
3			2009	C	6250	6900	6950	5600
3			2010	C	6250	6900	6950	5650
3			2011	IC	5150	5650	5850	4600
3			2012	IC	5150	5700	5550	4550
3			2013	CTR	5150	6250	6500	4350
3			2014	CTR	5900	7200	7250	5000
3			2015	CTR	6100	7450	7500	5200
3			2016	CTR	6000	7300	7400	5100
3			2017	CTR	6050	8100	8050	4950
3			2018	CTR	6050	8100	8050	4950
3			2019	CTR	6100	8150	8100	4950
3	HWY4 TALBOTVILLE ROYAL START OF NA	145.0	9999					
3	HWY 77	3.7	1999	IC	8400	9400	9400	7500
3			2000	IC	7500	8400	8400	6700
3			2001	IC	7000	7850	7850	6200
3			2002	IC	6300	7000	7100	5550
3			2003	IC	5600	6250	6300	4950
3			2004	IC	5100	5700	5750	4500
3			2005	IC	5250	5850	5900	4650
3			2006	IC	5400	6000	6050	4800
3			2007	IC	5800	6450	6650	5150
3			2008	IC	5250	5800	5650	4650
3			2009	IC	4950	5500	5550	4400
3			2010	IC	5100	5650	5700	4500
3			2011	IC	6400	7050	7300	5750
3			2012	IC	6400	7100	6850	5700
3			2013	C	7000	7700	7600	6300
3			2014	C	6700	7350	7150	6050
3			2015	UC	6450	6450	6200	6100
3			2016	UC	6500	6500	6250	6150
3			2017	UC	5850	5800	5850	5600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2018	UC	5850	5800	5900	5600
3			2019	UC	5800	5700	5800	5600
3	ESSEX RD 31	2.3	2000	IC	7500	8400	8400	6700
3			2001	IC	7750	8650	8700	6850
3			2002	IC	7800	8700	8750	6850
3			2003	IC	8300	9250	9350	7350
3			2004	IC	7900	8850	8850	7000
3			2005	IC	7850	8750	8800	6900
3			2006	IC	8100	9000	9100	7200
3			2007	IC	8200	9100	9400	7250
3			2008	IC	8250	9150	8850	7250
3			2009	IC	8350	9250	9350	7450
3			2010	IC	8400	9300	9400	7450
3			2011	IC	8500	9350	9700	7650
3			2012	IC	8550	9450	9200	7600
3			2013	C	8650	9550	9400	7800
3			2014	C	8700	9550	9300	7850
3			2015	UC	8800	8850	8450	8350
3			2016	UC	8850	8900	8500	8400
3			2017	UC	8950	8900	9000	8600
3			2018	UC	9000	8950	9050	8650
3			2019	UC	9100	8950	9100	8750
3	E JCT ESSEX RD 34	3.3	1988	C	5500	6100	6100	4950
3			1989	C	5650	6250	6350	5100
3			1990	C	5650	6250	6250	5100
3			1991	C	5500	6050	6100	5000
3			1992	C	5600	6050	6200	5150
3			1993	C	5700	6200	6300	5250
3			1994	C	5850	6400	6500	5300
3			1995	C	5950	6500	6650	5450
3			1996	C	6050	6850	6900	5450
3			1997	IC	6200	6950	7000	5450
3			1998	IC	6900	7750	7750	6150
3			1999	IC	8200	9200	9200	7300
3			2000	C	8300	9400	9400	7450
3			2001	C	8550	9650	9650	7700
3			2002	C	8750	9800	9850	7850
3			2003	C	9100	10200	10200	8200
3			2004	C	9350	10500	10600	8400
3			2005	C	9250	10300	10400	8300
3			2006	C	9150	10200	10200	8250
3			2007	C	8900	9900	10000	8000
3			2008	C	9200	10200	10000	8250
3			2009	C	9350	10300	10400	8400
3			2010	C	9350	10300	10400	8400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2011	C	9300	10200	10300	8350
3			2012	C	9300	10200	10000	8350
3			2013	UC	9600	9650	9650	9100
3			2014	UC	10400	10400	10000	9850
3			2015	UC	10600	10600	10200	10100
3			2016	UC	10800	10800	10400	10200
3			2017	UC	11000	10900	11000	10500
3			2018	UC	11200	11100	11300	10800
3			2019	UC	11400	11200	11400	11000
3	ESSEX RD 18	3.3	1988	C	5650	6250	6250	5100
3			1989	C	5800	6450	6500	5200
3			1990	C	5950	6600	6600	5350
3			1991	C	6100	6700	6750	5550
3			1992	C	6200	6700	6900	5700
3			1993	C	6350	6900	7050	5850
3			1994	C	6500	7100	7250	5900
3			1995	C	6600	7200	7400	6050
3			1996	C	6700	7600	7600	6050
3			1997	IC	6850	7650	7750	6050
3			1998	IC	7200	8050	8050	6400
3			1999	IC	7500	8400	8400	6700
3			2000	IC	7850	8800	8800	7000
3			2001	IC	7950	8900	8950	7050
3			2002	IC	8150	9100	9150	7200
3			2003	IC	8400	9350	9450	7450
3			2004	IC	8600	9600	9650	7600
3			2005	IC	8750	9750	9800	7700
3			2006	IC	8900	9900	10000	7900
3			2007	IC	9000	10000	10300	7950
3			2008	IC	9300	10300	9950	8200
3			2009	IC	9600	10700	10800	8550
3			2010	IC	9600	10600	10700	8500
3			2011	IC	9300	10200	10600	8350
3			2012	IC	9300	10300	10000	8250
3			2013	UC	10200	10200	10300	9700
3			2014	UC	10300	10300	9900	9750
3			2015	UC	10500	10500	10100	9950
3			2016	UC	10700	10700	10300	10200
3			2017	UC	10900	10800	10900	10400
3			2018	UC	11000	10900	11100	10600
3			2019	UC	11200	11000	11200	10800
3	ESSEX RD 29 DIVISION RD	3.0	1988	C	9000	10000	10000	8100
3			1989	C	9250	10300	10400	8300
3			1990	C	9300	10300	10300	8350
3			1991	C	9150	10100	10200	8350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1992	C	9400	10200	10400	8650
3			1993	C	9700	10600	10700	8900
3			1994	UC	10000	10600	11400	9300
3			1995	UC	10300	10900	11800	9600
3			1996	UC	10600	11200	12400	10100
3			1997	UC	10900	11400	12800	10200
3			1998	UC	11100	11800	13000	10500
3			1999	UC	11300	12000	13200	10700
3			2000	UC	11400	12100	13500	10700
3			2001	UC	11700	12500	13800	11000
3			2002	UC	12000	12800	14100	11200
3			2003	UC	12200	12900	14300	11500
3			2004	UC	13000	13900	15300	12200
3			2005	UC	12700	13400	14900	11900
3			2006	UC	12600	13300	14700	11900
3			2007	UC	11700	12400	13500	11000
3			2008	UC	13000	13700	12900	12200
3			2009	IC	13200	14700	14800	11700
3			2010	IC	13400	14800	15000	11900
3			2011	IC	13400	14700	15300	12000
3			2012	IC	13400	14800	14400	11900
3			2013	UC	14000	14000	14100	13300
3			2014	UC	14100	14100	13600	13400
3			2015	UC	14300	14300	13800	13600
3			2016	UC	14500	14500	13900	13800
3			2017	UC	14700	14600	14700	14100
3			2018	UC	14900	14800	15000	14300
3			2019	UC	15100	14900	15100	14500
3	ESSEX RD 27 COTTOM SIDEROAD	6.2	1988	C	8800	9750	9750	7900
3			1989	C	9050	10000	10100	8150
3			1990	C	9250	10300	10300	8300
3			1991	C	9200	10100	10200	8350
3			1992	C	9400	10200	10400	8650
3			1993	C	9700	10600	10700	8900
3			1994	UC	10000	10600	11400	9300
3			1995	UC	10300	10900	11800	9600
3			1996	UC	10600	11200	12400	10100
3			1997	UC	10900	11400	12800	10200
3			1998	UC	11100	11800	13000	10500
3			1999	UC	11400	12100	13300	10800
3			2000	UC	11600	12300	13700	10900
3			2001	UC	11900	12700	14000	11200
3			2002	UC	12100	12900	14200	11300
3			2003	UC	12400	13100	14500	11700
3			2004	UC	13200	14100	15500	12400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2005	UC	12900	13700	15100	12100
3			2006	UC	12600	13300	14700	11900
3			2007	UC	12000	12700	13900	11300
3			2008	UC	12800	13500	12700	12000
3			2009	C	13100	14400	14500	11800
3			2010	C	13100	14400	14600	11800
3			2011	C	12600	13900	14000	11300
3			2012	C	13600	15000	14700	12200
3			2013	UC	13800	13800	13900	13100
3			2014	UC	13900	13900	13400	13200
3			2015	UC	14100	14100	13600	13400
3			2016	UC	14300	14300	13800	13600
3			2017	UC	14400	14300	14400	13800
3			2018	UC	14600	14500	14700	14000
3			2019	UC	14800	14600	14800	14300
3	ESSEX RD 23 ARNER TOWNLINE RD	5.1	1988	C	10200	11300	11300	9200
3			1989	C	10600	11800	11900	9550
3			1990	C	11300	12500	12500	10200
3			1991	C	11700	12900	13000	10600
3			1992	C	12000	13000	13300	11000
3			1993	C	12600	13700	13900	11600
3			1994	UC	13200	14000	15100	12300
3			1995	UC	13700	14500	15700	12800
3			1996	UC	14100	14900	16500	13400
3			1997	C	14600	16500	16600	13100
3			1998	C	15000	17000	17000	13500
3			1999	C	15200	17000	17200	13700
3			2000	C	16000	18100	18100	14400
3			2001	C	15900	17900	17900	14300
3			2002	C	16300	18300	18400	14700
3			2003	C	16300	18200	18300	14700
3			2004	C	17900	20200	20200	16100
3			2005	C	17400	19400	19500	15600
3			2006	C	16900	18800	18900	15200
3			2007	C	15800	17600	17800	14200
3			2008	C	17400	19200	18900	15600
3			2009	C	18100	19900	20100	16300
3			2010	C	18100	19900	20100	16300
3			2011	IC	16800	18500	19200	15100
3			2012	IC	16800	18600	18000	14900
3			2013	UC	18600	18700	18700	17700
3			2014	UC	17900	18000	17200	17000
3			2015	UC	17200	17300	16500	16300
3			2016	UC	17300	17400	16600	16400
3			2017	UC	18600	18500	18700	17800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2018	UC	18800	18600	18900	18000
3			2019	UC	19000	18700	19000	18300
3	ESSEX RD 19 MANNING ROAD	4.6	1988	C	9900	11000	11000	8900
3			1989	C	10400	11500	11600	9350
3			1990	C	10800	12000	12000	9700
3			1991	C	11300	12400	12500	10300
3			1992	C	11900	12900	13200	10900
3			1993	C	12500	13600	13800	11500
3			1994	UC	13100	13900	15000	12200
3			1995	UC	13700	14500	15700	12800
3			1996	UC	14300	15100	16700	13600
3			1997	UC	14900	15600	17400	14000
3			1998	UC	15400	16300	18000	14600
3			1999	UC	15200	16100	17800	14400
3			2000	UC	14500	15400	17100	13600
3			2001	UC	15900	17000	18700	14900
3			2002	UC	16200	17300	19100	15200
3			2003	UC	16800	17800	19700	15900
3			2004	UC	17500	18700	20600	16400
3			2005	UC	17200	18200	20100	16100
3			2006	UC	17400	18400	20300	16400
3			2007	UC	17600	18700	20400	16500
3			2008	UC	17700	18700	17600	16600
3			2009	UC	18000	19100	21100	16900
3			2010	UC	18000	19000	20900	16900
3			2011	UC	16400	16500	17000	15600
3			2012	UC	16400	16500	17600	15600
3			2013	UC	16600	16700	16700	15800
3			2014	UC	18200	18300	17500	17300
3			2015	UC	18800	18900	18100	17800
3			2016	UC	18700	18800	18000	17700
3			2017	UC	18900	18800	19000	18100
3			2018	UC	19100	18900	19200	18300
3			2019	UC	19300	19000	19300	18600
3	W JCT ESSEX RD 34 TALBOT RD (N)	5.3	1988	C	10200	11300	11300	9200
3			1989	C	10600	11800	11900	9550
3			1990	C	11000	12200	12200	9900
3			1991	C	10000	11000	11100	9100
3			1992	C	10600	11400	11800	9750
3			1993	C	11100	12100	12300	10200
3			1994	UC	11700	12400	13400	10900
3			1995	UC	11900	12600	13600	11100
3			1996	UC	12200	12900	14300	11600
3			1997	UC	12400	13000	14500	11700
3			1998	UC	12700	13500	14900	12100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1999	UC	12900	13700	15100	12300
3			2000	UC	13200	14000	15600	12400
3			2001	UC	13400	14400	15800	12600
3			2002	UC	13700	14600	16100	12800
3			2003	UC	14000	14800	16400	13200
3			2004	UC	14800	15900	17400	13900
3			2005	UC	14500	15300	17000	13600
3			2006	UC	14200	15000	16600	13400
3			2007	UC	13600	14400	15700	12800
3			2008	UC	14600	15400	14500	13700
3			2009	C	15100	16600	16800	13600
3			2010	C	15100	16600	16800	13600
3			2011	C	15400	17000	17100	13900
3			2012	C	15000	16500	16200	13500
3			2013	UC	13900	13900	14000	13200
3			2014	UC	15500	15500	14900	14700
3			2015	UC	15700	15800	15100	14900
3			2016	UC	13500	13500	13000	12800
3			2017	UC	15600	15500	15600	15000
3			2018	UC	15800	15700	15900	15200
3			2019	UC	15900	15700	15900	15300
3	ESSEX RD 11 WALKER RD (S)	2.4	1988	C	8050	8950	8950	7250
3			1989	C	8400	9300	9400	7550
3			1990	C	8800	9750	9750	7900
3			1991	C	8450	9300	9400	7700
3			1992	C	8900	9600	9900	8200
3			1993	C	9400	10200	10400	8650
3			1994	UC	9900	10500	11300	9200
3			1995	UC	10200	10800	11700	9500
3			1996	UC	10600	11200	12400	10100
3			1997	UC	11000	11600	12900	10300
3			1998	UC	11300	12000	13200	10700
3			1999	UC	11100	11800	13000	10500
3			2000	UC	11100	11800	13100	10400
3			2001	UC	11300	12100	13300	10600
3			2002	UC	11400	12100	13400	10700
3			2003	UC	11700	12400	13700	11100
3			2004	UC	11800	12600	13900	11100
3			2005	UC	11500	12200	13400	10800
3			2006	UC	11200	11800	13100	10500
3			2007	UC	10400	11000	12000	9750
3			2008	UC	11400	12000	11300	10700
3			2009	SC	11800	12500	13800	10400
3			2010	SC	11800	12500	13800	10400
3			2011	SC	11800	15100	13800	9400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2012	SC	11900	12600	11900	10500
3			2013	UC	10600	10600	10700	10100
3			2014	UC	11800	11800	11300	11200
3			2015	UC	11800	11800	11300	11200
3			2016	UC	12900	12900	12400	12200
3			2017	UC	12100	12000	12100	11600
3			2018	UC	12200	12100	12300	11700
3			2019	UC	12200	12000	12200	11800
3	ESSEX RD 9 (HWY 7908) ROUNDABOUT	0.7	1988	UC	17300	18200	19500	16300
3			1989	UC	17900	18800	20200	17000
3			1990	UC	18500	19800	21500	17600
3			1991	UC	19300	20500	22200	18700
3			1992	C	19800	21400	22000	18200
3			1993	C	20400	22200	22600	18800
3			1994	UC	21200	22500	24200	19700
3			1995	UC	21900	23100	25000	20400
3			1996	UC	22700	24000	26600	21600
3			1997	UC	24200	25400	28300	22700
3			1998	UC	25200	26700	29500	23900
3			1999	UC	25900	27500	30300	24600
3			2000	UC	26700	28300	31500	25100
3			2001	UC	27600	29600	32500	25900
3			2002	UC	28400	30300	33400	26600
3			2003	UC	29300	31000	34300	27700
3			2004	UC	30100	32200	35400	28300
3			2005	UC	27000	28600	31600	25300
3			2006	UC	27600	29200	32300	26000
3			2007	UC	28100	29800	32500	26400
3			2008	UC	28700	30300	28500	26900
3			2009	UC	29300	31100	34300	27500
3			2010	UC	29300	31000	34100	27600
3			2011	UC	30900	31000	32100	29300
3			2012	UC	30900	31100	33100	29400
3			2013	UC	31800	31900	32000	30200
3			2014	UC	32200	32300	31000	30600
3			2015	UC	32700	32800	31400	31000
3			2016	UC	7800	7850	7500	7400
3			2017	UC	7950	7900	7950	7600
3			2018	UC	25900	25700	26100	24900
3			2019	UC	25800	25400	25800	24900
3	HOWARD AV ESSEX RD 9	0.8	1988	UC	14600	15300	16500	13700
3			1989	UC	15300	16100	17300	14500
3			1990	UC	16100	17200	18700	15300
3			1991	UC	17200	18200	19800	16700
3			1992	C	17500	18900	19400	16100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			1993	C	18000	19600	19900	16600
3			1994	UC	18500	19600	21200	17200
3			1995	UC	19000	20000	21700	17700
3			1996	UC	19500	20600	22800	18500
3			1997	UC	21100	22200	24700	19800
3			1998	UC	22300	23600	26100	21200
3			1999	UC	23000	24400	26900	21800
3			2000	UC	24200	25700	28600	22700
3			2001	UC	24000	25700	28200	22600
3			2002	UC	24800	26400	29200	23200
3			2003	UC	25600	27100	30000	24200
3			2004	UC	25800	27600	30400	24200
3			2005	LT	26500	36300	35500	19500
3			2006	LT	27100	37100	36200	20000
3			2007	LT	27700	38000	39100	20400
3			2008	LT	28400	38900	37200	20900
3			2009	LT	29000	39200	38300	21500
3			2010	LT	29600	39800	39000	21800
3			2011	LT	30600	39200	40000	25200
3			2012	LT	30600	39900	38000	23200
3			2013	LT	31900	41700	41600	24100
3			2014	LT	32500	42400	43200	24500
3			2015	LT	33200	43300	44100	25100
3			2016	UC	7800	7850	7500	7400
3			2017	UC	7950	7900	7950	7600
3			2018	UC	26700	26500	26900	25600
3			2019	UC	26900	26500	26900	25900
3	MONTGOMERY DR (S)	0.7	2015	UNCL	N/A			
3			2016	UC	6100	6100	5850	5800
3			2017	UC	6200	6150	6200	5950
3			2018	UC	6350	6300	6400	6100
3			2019	UC	6450	6350	6450	6200
3	SANDWICH WEST PARKWAY (S)/COUSINEAU RD (N)	0.5	2015	UNCL	N/A			
3			2016	UC	8450	8500	8150	8000
3			2017	UC	8600	8550	8650	8250
3			2018	UC	8800	8750	8850	8450
3			2019	UC	8950	8800	8950	8600
3	2.000 KM W OF HOWARD AV ESSEX RD 9	1.1	2015	UNCL	N/A			
3			2016	UC	6050	6050	5800	5750
3			2017	UC	6150	6100	6150	5900
3			2018	UC	6300	6250	6350	6050
3			2019	UC	6400	6300	6400	6150
3	ESSEX RD 7 HURON CHURCH LINE (S)	0.5	2015	UNCL	N/A			
3			2016	UC	11900	11900	11400	11300
3			2017	UC	12100	12000	12100	11600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
3			2018	UC	12400	12300	12500	11900
3			2019	UC	12600	12400	12600	12100
3	TODD LANE (S)/CABANA RD(N)	0.8	2014	UC	32500	32600	31300	30800
3			2015	UC	33100	33200	31800	31400
3			2016	UC	9700	9750	9350	9200
3			2017	UC	9900	9850	9950	9500
3			2018	UC	10100	10000	10200	9700
3			2019	UC	10300	10100	10300	9900
3	PULFORD ST (N)	0.6	2015	UNCL	N/A			
3			2016	UC	9250	9300	8900	8800
3			2017	UC	9450	9400	9500	9050
3			2018	UC	9600	9500	9650	9200
3			2019	UC	9800	9650	9800	9450
3	LAMBTON ST (S)/GRAND MARAIS RD WEST (N)	0.6	2015	UNCL	N/A			
3			2016	UC	9450	9500	9100	8950
3			2017	UC	9650	9600	9700	9250
3			2018	UC	9850	9750	9950	9450
3			2019	UC	10000	9850	10000	9650
3	WESTBOUND BETHLEHEM AV (S)/LABELLE ST (N)	0.6	2015	UNCL	N/A			
3			2016	UC	34500	34600	33200	32700
3			2017	UC	35200	35000	35300	33700
3			2018	UC	35900	35600	36200	34500
3			2019	UC	36600	36100	36600	35300
3	HWY 7087 IC (EC ROW EXPWY)	0.5	2015	UNCL	N/A			
3			2016	UC	32900	33000	31600	31200
3			2017	UC	33600	33400	33700	32200
3			2018	UC	34200	33900	34500	32800
3			2019	UC	34900	34400	34900	33600
3	START OF NA WINDSOR E LTS	4.1	9999					
3	SANDWICH ST W/RIVERSIDE DR WEST END OF HWY		9999					
4	PORT STANLEY START OF NA	19.2	9999					
4	HWY 3 TALBOTVILLE ROYAL	3.7	1988	C	9500	10500	10500	8550
4			1989	C	9700	10800	10900	8750
4			1990	C	10000	11100	11100	9000
4			1991	C	9900	10900	11000	9000
4			1992	C	9900	10700	11000	9100
4			1993	C	9900	10800	11000	9100
4			1994	C	9700	10600	10800	8800
4			1995	C	10600	11600	11900	9700
4			1996	C	10900	12400	12400	9850
4			1997	SC	10100	10700	11800	9000
4			1998	SC	10500	11100	12300	9350
4			1999	SC	10300	10900	12100	9150
4			2000	SC	10300	10900	12100	9050
4			2001	SC	10300	11000	12100	9100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			2002	SC	10300	10900	12100	9100
4			2003	SC	10200	10800	11900	9000
4			2004	SC	10200	10900	11900	9000
4			2005	SC	10300	10900	12000	9050
4			2006	SC	10300	10900	12000	9100
4			2007	SC	10300	10900	11900	9050
4			2008	SC	10300	10800	10200	9050
4			2009	SC	10300	10900	12100	9050
4			2010	SC	10300	10900	12100	9100
4			2011	CR	10300	12000	12100	9150
4			2012	CR	10300	12300	12100	8700
4			2013	CTR	10300	12500	13000	8750
4			2014	CTR	10300	12600	12700	8750
4			2015	CTR	10300	12600	12700	8750
4			2016	CTR	10300	12600	12700	8750
4			2017	CTR	10300	13800	13700	8400
4			2018	CTR	10300	13800	13700	8400
4			2019	CTR	10300	13700	13700	8400
4	ELGIN CTY RD 18 (W)	2.3	1988	C	11000	12200	12200	9900
4			1989	C	11800	13100	13200	10600
4			1990	C	11800	13100	13100	10600
4			1991	C	11400	12500	12700	10400
4			1992	C	11700	12600	13000	10800
4			1993	C	11900	13000	13200	10900
4			1994	UC	12400	13100	14200	11500
4			1995	UC	12900	13600	14700	12000
4			1996	UC	13400	14200	15700	12700
4			1997	UC	13200	13900	15400	12400
4			1998	UC	13500	14300	15800	12800
4			1999	UC	13600	14400	15900	12900
4			2000	UC	13800	14600	16300	13000
4			2001	UC	14000	15000	16500	13200
4			2002	UC	14200	15100	16700	13300
4			2003	UC	14500	15300	17000	13700
4			2004	UC	14400	15400	16900	13500
4			2005	UC	14100	14900	16500	13200
4			2006	UC	14100	14900	16500	13300
4			2007	C	14200	15800	16000	12800
4			2008	C	13800	15200	15000	12400
4			2009	C	13500	14900	15000	12200
4			2010	C	13500	14900	15000	12200
4			2011	CR	13200	15400	15600	11700
4			2012	CR	11000	13200	13000	9300
4			2013	CTR	12700	15500	16000	10800
4			2014	CTR	13300	16200	16400	11300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			2015	CTR	13300	16200	16400	11300
4			2016	CTR	13300	16200	16400	11300
4			2017	CTR	13300	17800	17700	10800
4			2018	CTR	13300	17800	17700	10800
4			2019	CTR	13400	17900	17800	10900
4	HWY 401 IC-180 START OF NA	21.6	9999					
4	LONDON N LTS END OF NA	6.3	1988	C	10000	11100	11100	9000
4			1989	C	11000	12200	12300	9900
4			1990	C	11500	12800	12800	10400
4			1991	C	10300	11300	11400	9350
4			1992	C	9900	10700	11000	9100
4			1993	C	9550	10400	10600	8800
4			1994	C	10800	11800	12000	9750
4			1995	C	11100	12100	12400	10200
4			1996	C	11300	12800	12900	10200
4			1997	C	11500	13000	13100	10400
4			1998	C	11700	13200	13200	10500
4			1999	C	11900	13300	13400	10700
4			2000	C	12100	13700	13700	10900
4			2001	C	12300	13900	13900	11100
4			2002	C	12500	14000	14100	11200
4			2003	C	12700	14200	14300	11500
4			2004	C	12900	14500	14600	11600
4			2005	C	13100	14600	14700	11800
4			2006	C	13200	14700	14800	11900
4			2007	C	13400	14900	15100	12000
4			2008	C	13500	14900	14700	12100
4			2009	C	13700	15100	15200	12300
4			2010	C	13800	15200	15300	12400
4			2011	C	13000	14300	14500	11700
4			2012	C	13000	14300	14000	11700
4			2013	C	13000	14300	14100	11700
4			2014	C	13000	14300	13900	11700
4			2015	C	13000	14300	13900	11700
4			2016	C	13100	14400	14000	11800
4			2017	C	13800	15100	15100	12500
4			2018	C	13900	15200	15100	12500
4			2019	C	13900	15200	15100	12600
4	MIDDLESEX RD 28 MEDWAY RD (E)	5.6	1988	C	8900	9900	9900	8000
4			1989	C	9350	10400	10500	8400
4			1990	C	9150	10200	10200	8250
4			1991	C	8900	9800	9900	8100
4			1992	C	8650	9350	9600	7950
4			1993	C	8650	9450	9550	7950
4			1994	C	9100	9950	10100	8250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			1995	C	9150	10000	10300	8350
4			1996	C	9150	10400	10400	8250
4			1997	C	9200	10400	10500	8300
4			1998	C	9250	10500	10500	8300
4			1999	C	9150	10200	10300	8250
4			2000	C	9150	10300	10300	8250
4			2001	C	8900	10000	10000	8000
4			2002	C	9150	10200	10300	8250
4			2003	C	9200	10300	10300	8300
4			2004	C	9200	10400	10400	8300
4			2005	C	9100	10100	10200	8150
4			2006	C	9100	10100	10200	8200
4			2007	C	9200	10200	10400	8250
4			2008	C	9000	9950	9800	8050
4			2009	C	9100	10000	10100	8200
4			2010	C	9100	10000	10100	8200
4			2011	C	9100	10000	10100	8200
4			2012	C	9100	10000	9800	8200
4			2013	C	9100	10000	9900	8200
4			2014	C	9100	10000	9750	8200
4			2015	C	9100	10000	9750	8200
4			2016	C	9100	10000	9750	8200
4			2017	C	9100	9950	9950	8250
4			2018	C	9100	9950	9900	8200
4			2019	C	9100	9950	9900	8250
4	MIDDLESEX RD 16 ILDERTON RD	8.2	1988	C	7450	8250	8250	6700
4			1989	C	7900	8750	8850	7100
4			1990	C	8000	8900	8900	7200
4			1991	C	7900	8700	8750	7200
4			1992	C	7800	8400	8650	7200
4			1993	C	7850	8550	8700	7200
4			1994	C	8100	8850	9050	7350
4			1995	C	8150	8900	9150	7450
4			1996	C	8200	9300	9350	7400
4			1997	C	8300	9400	9450	7450
4			1998	C	8250	9300	9300	7400
4			1999	C	7650	8550	8650	6900
4			2000	C	7700	8700	8700	6950
4			2001	C	7700	8650	8700	6950
4			2002	C	7750	8700	8750	6950
4			2003	C	7750	8650	8700	7000
4			2004	C	7900	8900	8900	7100
4			2005	C	7650	8500	8600	6850
4			2006	C	7550	8400	8450	6800
4			2007	C	7500	8350	8450	6750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			2008	C	7450	8200	8100	6700
4			2009	C	7550	8300	8400	6800
4			2010	C	7600	8400	8450	6850
4			2011	C	7400	8150	8250	6650
4			2012	C	7300	8050	7850	6550
4			2013	C	7300	8050	7950	6550
4			2014	C	7250	8000	7750	6500
4			2015	C	7200	7900	7700	6500
4			2016	C	7150	7850	7650	6450
4			2017	C	7100	7750	7750	6450
4			2018	C	7050	7750	7700	6350
4			2019	C	7000	7650	7600	6350
4	HWY 7 (E)/MIDDLESEX RD 7 ELGINFIELD RD (W)	4.0	1988	C	6850	7600	7600	6150
4			1989	C	7100	7900	7950	6400
4			1990	C	7450	8250	8250	6700
4			1991	C	7300	8050	8100	6650
4			1992	IC	7300	8100	8050	6650
4			1993	IC	7350	8300	8250	6550
4			1994	IC	7400	8300	8300	6600
4			1995	C	7500	8200	8400	6850
4			1996	C	7600	8600	8650	6850
4			1997	C	7700	8700	8800	6950
4			1998	C	7750	8750	8750	7000
4			1999	C	7500	8400	8500	6750
4			2000	C	7450	8400	8400	6700
4			2001	C	7300	8200	8250	6550
4			2002	C	7400	8300	8350	6650
4			2003	C	7400	8250	8300	6700
4			2004	C	7300	8200	8250	6550
4			2005	C	7350	8200	8250	6600
4			2006	C	7300	8100	8150	6550
4			2007	C	7300	8100	8200	6550
4			2008	C	7250	8000	7900	6500
4			2009	C	7450	8200	8250	6700
4			2010	C	7600	8400	8450	6850
4			2011	C	7600	8400	8450	6850
4			2012	C	7550	8300	8150	6800
4			2013	C	7600	8400	8250	6850
4			2014	C	7300	8050	7800	6550
4			2015	C	7400	8150	7900	6650
4			2016	C	7400	8150	7900	6650
4			2017	C	7400	8100	8100	6700
4			2018	C	7400	8100	8050	6700
4			2019	C	7400	8100	8050	6700
4	SAINTBURY LINE (W) START OF NA	2.0	9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4	FORMER LUCAN N LTS END OF NA	2.9	1988	IC	5300	6150	6000	4650
4			1989	IC	5650	6500	6400	5050
4			1990	IC	5950	6800	6650	5300
4			1991	IC	5850	6600	6500	5200
4			1992	CTR	5450	6700	6500	4750
4			1993	CTR	5500	6950	6650	4700
4			1994	CTR	5650	7250	6900	4750
4			1995	CTR	5700	7300	7000	4800
4			1996	CTR	5800	7400	7150	4850
4			1997	CTR	5900	7550	7250	4950
4			1998	CTR	5700	7250	6950	4800
4			1999	CTR	6150	7750	7450	5150
4			2000	CTR	6050	7600	7300	5100
4			2001	CR	6150	7550	7200	5200
4			2002	CR	6200	7600	7250	5200
4			2003	CR	6250	7600	7300	5300
4			2004	CR	6100	7500	7150	5150
4			2005	CR	5900	7150	6900	4950
4			2006	CR	5850	7100	6800	4950
4			2007	CTR	5500	6800	6750	4650
4			2008	CTR	5400	6700	6550	4600
4			2009	CTR	5700	6950	6750	4850
4			2010	CTR	5850	7100	6850	4950
4			2011	CTR	5850	7100	6850	4950
4			2012	CTR	5400	6550	6450	4600
4			2013	CTR	5700	6950	7150	4850
4			2014	CTR	5800	7100	7150	4950
4			2015	CTR	5700	6950	7000	4850
4			2016	CTR	5700	6950	7000	4850
4			2017	CTR	5700	7600	7600	4650
4			2018	CTR	5700	7600	7600	4650
4			2019	CTR	5650	7550	7500	4600
4	MIDDLESEX RD 20 DENFIELD RD (W)	3.8	1988	IC	5750	6650	6500	5050
4			1989	IC	6100	7000	6900	5450
4			1990	IC	6500	7400	7300	5800
4			1991	IC	6400	7250	7100	5700
4			1992	CTR	6300	7750	7500	5500
4			1993	CTR	6350	8000	7700	5400
4			1994	CTR	6500	8300	7950	5450
4			1995	CR	6600	8200	7800	5700
4			1996	CR	6750	8350	7900	5750
4			1997	CR	6850	8500	8100	5800
4			1998	CR	6700	8250	7850	5700
4			1999	CR	6850	8450	8000	5800
4			2000	CR	6950	8550	8150	5900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			2001	CR	7000	8600	8200	5900
4			2002	CR	7050	8650	8250	5950
4			2003	CR	7150	8700	8350	6050
4			2004	CR	7200	8850	8450	6100
4			2005	CR	6900	8350	8050	5800
4			2006	CR	6800	8250	7900	5750
4			2007	CTR	6200	7700	7600	5250
4			2008	CTR	6400	7900	7750	5450
4			2009	CTR	6800	8300	8000	5800
4			2010	CTR	6800	8300	7950	5800
4			2011	CTR	6800	8300	7950	5750
4			2012	CTR	6800	8250	8150	5800
4			2013	CTR	6800	8300	8550	5800
4			2014	CTR	6800	8300	8350	5800
4			2015	CTR	6800	8300	8350	5800
4			2016	CTR	6800	8300	8350	5800
4			2017	CTR	6800	9100	9050	5550
4			2018	CTR	6800	9100	9050	5550
4			2019	IR	6800	8400	8350	5800
4	MOORESVILLE DR	6.1	1988	IC	5700	6600	6450	5000
4			1989	IC	5900	6800	6650	5250
4			1990	IC	6100	6950	6850	5450
4			1991	IC	6000	6800	6650	5350
4			1992	CTR	5700	7000	6800	4950
4			1993	CTR	5750	7250	6950	4900
4			1994	CTR	6000	7700	7300	5050
4			1995	CR	6050	7500	7150	5200
4			1996	CR	6150	7600	7200	5250
4			1997	IR	6200	7750	6950	5250
4			1998	IR	6200	7700	6950	5200
4			1999	IR	6300	7800	7000	5300
4			2000	IR	6350	7800	7050	5350
4			2001	CR	6400	7850	7500	5400
4			2002	CR	6450	7900	7550	5450
4			2003	CR	6400	7800	7500	5400
4			2004	IC	6550	7300	7350	5800
4			2005	IC	6450	7150	7250	5700
4			2006	IC	6350	7050	7100	5600
4			2007	CTR	6300	7800	7750	5350
4			2008	CTR	5900	7300	7150	5000
4			2009	CTR	6400	7800	7550	5450
4			2010	CTR	6400	7800	7500	5450
4			2011	CTR	6000	7300	7000	5100
4			2012	C	5950	6550	6400	5350
4			2013	C	6250	6900	6800	5650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			2014	C	6350	7000	6800	5700
4			2015	C	6300	6950	6750	5650
4			2016	C	6300	6950	6750	5650
4			2017	C	6300	6900	6900	5700
4			2018	C	6300	6900	6850	5700
4			2019	C	6300	6900	6850	5700
4	WHALEN LINE (E) HURON PARK (W)	5.2	1988	IC	6700	7750	7550	5900
4			1989	IC	6750	7750	7650	6000
4			1990	IC	6800	7750	7600	6050
4			1991	IC	6700	7550	7450	5950
4			1992	C	6400	6900	7100	5900
4			1993	C	6450	7050	7150	5950
4			1994	C	6600	7250	7350	5950
4			1995	C	6550	7150	7350	6000
4			1996	C	6600	7500	7500	5950
4			1997	C	6600	7450	7500	5950
4			1998	C	6700	7550	7550	6050
4			1999	C	7000	7850	7900	6300
4			2000	C	7150	8100	8100	6450
4			2001	C	7300	8200	8250	6550
4			2002	C	7400	8300	8350	6650
4			2003	C	7550	8450	8500	6800
4			2004	C	7600	8550	8600	6850
4			2005	C	7600	8450	8550	6850
4			2006	C	7600	8450	8500	6850
4			2007	C	7500	8350	8450	6750
4			2008	C	7700	8500	8400	6900
4			2009	C	7950	8750	8800	7150
4			2010	C	8000	8800	8900	7200
4			2011	C	7600	8400	8450	6850
4			2012	C	7500	8250	8100	6750
4			2013	C	8050	8850	8750	7250
4			2014	C	7400	8150	7900	6650
4			2015	C	8100	8900	8650	7300
4			2016	C	8200	9000	8750	7400
4			2017	C	8250	9050	9000	7500
4			2018	C	8350	9150	9100	7550
4			2019	C	8600	9400	9350	7800
4	FORMER TOWN OF EXETER START OF NA	3.2	9999					
4	FORMER EXETER N LTS END OF NA	7.8	1988	C	5650	6250	6250	5100
4			1989	C	5750	6400	6450	5200
4			1990	C	5850	6500	6500	5250
4			1991	C	5700	6250	6350	5200
4			1992	C	6100	6600	6750	5600
4			1993	C	6150	6700	6800	5650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			1994	C	6150	6750	6850	5550
4			1995	C	6300	6900	7050	5750
4			1996	C	6350	7200	7200	5750
4			1997	C	6450	7300	7350	5800
4			1998	C	6400	7250	7250	5750
4			1999	C	6400	7150	7250	5750
4			2000	C	6450	7300	7300	5800
4			2001	C	6400	7200	7200	5750
4			2002	C	6500	7300	7350	5850
4			2003	C	6550	7300	7350	5900
4			2004	C	6550	7400	7400	5900
4			2005	C	6600	7350	7400	5950
4			2006	C	6600	7350	7400	5950
4			2007	C	6650	7400	7500	5950
4			2008	C	6700	7400	7300	6000
4			2009	C	6700	7350	7450	6050
4			2010	C	6750	7450	7500	6100
4			2011	C	6700	7400	7450	6050
4			2012	C	6600	7250	7100	5950
4			2013	C	6800	7500	7400	6100
4			2014	C	6850	7550	7350	6150
4			2015	C	6850	7550	7350	6150
4			2016	C	6850	7550	7350	6150
4			2017	C	6900	7550	7550	6250
4			2018	C	6900	7550	7500	6250
4			2019	C	6950	7600	7550	6300
4	HURON RD 84 KING ST	4.0	1988	C	5100	5650	5650	4600
4			1989	C	5150	5700	5750	4650
4			1990	C	5200	5750	5750	4700
4			1991	C	5100	5600	5650	4650
4			1992	C	4900	5300	5450	4500
4			1993	C	4850	5300	5350	4450
4			1994	C	5050	5550	5650	4550
4			1995	C	5000	5450	5600	4550
4			1996	C	5100	5800	5800	4600
4			1997	C	5100	5750	5800	4600
4			1998	C	5100	5750	5750	4600
4			1999	C	5050	5650	5700	4550
4			2000	C	5050	5700	5700	4550
4			2001	C	5000	5650	5650	4500
4			2002	C	5050	5650	5700	4550
4			2003	C	5050	5650	5700	4550
4			2004	C	5050	5700	5700	4550
4			2005	C	5050	5600	5650	4550
4			2006	C	5050	5600	5650	4550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4			2007	C	5050	5600	5700	4550
4			2008	C	5050	5550	5500	4550
4			2009	C	5050	5550	5600	4550
4			2010	C	5050	5550	5600	4550
4			2011	C	5050	5550	5600	4550
4			2012	C	5050	5550	5450	4550
4			2013	C	5050	5550	5500	4550
4			2014	C	5050	5550	5400	4550
4			2015	C	5050	5550	5400	4550
4			2016	C	5050	5550	5400	4550
4			2017	C	5050	5500	5500	4600
4			2018	C	5050	5550	5500	4550
4			2019	C	5050	5500	5500	4550
4	HURON RD 12 KIPPEN RD	15.2	1988	C	3750	4150	4150	3400
4			1989	C	3850	4250	4300	3450
4			1990	C	3950	4400	4400	3550
4			1991	C	3900	4300	4350	3550
4			1992	C	3700	4000	4100	3400
4			1993	C	3700	4050	4100	3400
4			1994	C	3850	4200	4300	3500
4			1995	C	3850	4200	4300	3500
4			1996	C	3900	4400	4450	3500
4			1997	C	3950	4450	4500	3550
4			1998	C	3950	4450	4450	3550
4			1999	C	3850	4300	4350	3450
4			2000	C	3800	4300	4300	3400
4			2001	C	3700	4150	4200	3350
4			2002	C	3800	4250	4300	3400
4			2003	C	3800	4250	4250	3450
4			2004	C	3750	4200	4250	3400
4			2005	C	3800	4250	4250	3400
4			2006	C	3800	4200	4250	3400
4			2007	C	3850	4300	4350	3450
4			2008	C	3750	4150	4100	3350
4			2009	C	3750	4100	4150	3400
4			2010	C	3750	4150	4150	3400
4			2011	C	3750	4150	4150	3400
4			2012	C	3750	4150	4050	3400
4			2013	C	3700	4100	4050	3350
4			2014	C	3700	4050	3950	3350
4			2015	C	3700	4050	3950	3350
4			2016	C	3700	4050	3950	3350
4			2017	C	3700	4050	4050	3350
4			2018	C	3700	4050	4050	3350
4			2019	C	3650	4000	3950	3300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
4	CLINTON S LT BAYFIELD R BR START OF NA	1.3	9999					
4	HWY 8 END OF NA END OF HWY		9999					
5	HWY 2 KINGSTON RD START OF NA	43.5	9999					
5	AT HWY 403 RAMPS END OF NA	0.5	1988	UC	16300	17100	18400	15300
5			1989	UC	17400	18300	19700	16500
5			1990	SC	18300	20100	22000	16300
5			1991	SC	19500	21400	23600	17400
5			1992	SC	21000	22000	24600	19300
5			1993	UC	23000	24200	26100	21500
5			1994	UC	25000	26500	28600	23200
5			1995	UC	27000	28500	30900	25200
5			1996	UC	29400	31100	34400	28000
5			1997	UC	30100	31600	35200	28300
5			1998	UC	30700	32500	35900	29200
5			1999	UC	31400	33300	36700	29800
5			2000	UC	32200	34100	38000	30300
5			2001	UC	33900	36300	39900	31900
5			2002	UC	35000	37300	41200	32800
5			2003	UC	36200	38300	42400	34200
5			2004	UC	37300	40000	43900	35100
5			2005	UC	14600	15400	17100	13700
5			2006	UC	17000	18000	19900	16000
5			2007	UC	16000	17000	18500	15000
5			2008	UC	15000	15800	14900	14000
5			2009	UC	13900	14700	16300	13100
5			2010	UC	12900	13600	15000	12100
5			2011	UC	16100	16200	16700	15300
5			2012	UC	15000	15100	16100	14300
5			2013	UC	13900	13900	14000	13200
5			2014	UC	12800	12800	12300	12100
5			2015	UC	11800	11800	11300	11200
5			2016	UC	10700	10700	10300	10200
5			2017	UC	10100	10000	10100	9700
5			2018	UC	9450	9350	9500	9050
5			2019	UC	8900	8750	8900	8600
5	AT RAMPS 34 63 (N) 53 (S) START OF NA	17.2	9999					
5	600M EAST OF HWY 407 END OF NA	1.2	1988	UC	17600	18500	19900	16500
5			1989	UC	19000	20000	21500	18000
5			1990	SC	20500	22600	24600	18200
5			1991	SC	20800	22900	25200	18500
5			1992	SC	21700	22800	25400	20000
5			1993	UC	22600	23800	25700	21200
5			1994	UC	22900	24300	26200	21300
5			1995	UC	23300	24600	26600	21700
5			1996	UC	23800	25200	27800	22600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
5			1997	UC	24400	25600	28500	22900
5			1998	UC	25000	26500	29200	23800
5			1999	UC	25500	27000	29800	24200
5			2000	UC	26100	27700	30800	24500
5			2001	UC	26600	28500	31300	25000
5			2002	UC	27100	28900	31900	25400
5			2003	UC	27700	29300	32400	26200
5			2004	UC	28200	30200	33200	26500
5			2005	UC	13900	14700	16300	13000
5			2006	UC	16600	17600	19400	15600
5			2007	UC	16000	17000	18500	15000
5			2008	UC	15400	16300	15300	14400
5			2009	UC	14800	15700	17300	13900
5			2010	UC	14200	15000	16500	13400
5			2011	UC	15600	15700	16200	14800
5			2012	UC	14900	15000	15900	14200
5			2013	UC	14200	14200	14300	13500
5			2014	UC	13500	13500	13000	12800
5			2015	UC	12800	12800	12300	12100
5			2016	UC	12100	12100	11600	11500
5			2017	UC	11400	11300	11400	10900
5			2018	UC	10700	10600	10800	10300
5			2019	UC	10000	9850	10000	9650
5	600M WEST OF HWY 407 START OF NA	9.6	9999					
5	HWY 6 CLAPPISON'S CORS	3.0	1988	C	13200	14700	14700	11900
5			1989	C	13900	15400	15600	12500
5			1990	C	14600	16200	16200	13100
5			1991	C	13900	15300	15400	12600
5			1992	C	14000	15100	15500	12900
5			1993	C	14200	15500	15700	13100
5			1994	C	14400	15800	16100	13000
5			1995	C	14600	15900	16400	13400
5			1996	C	14900	16900	16900	13500
5			1997	C	14900	16800	17000	13400
5			1998	C	14800	16700	16700	13300
5			1999	C	15100	16900	17100	13600
5			2000	C	15200	17200	17200	13700
5			2001	C	15300	17200	17300	13800
5			2002	C	15400	17200	17400	13900
5			2003	C	15500	17300	17400	14000
5			2004	C	15600	17600	17600	14100
5			2005	C	15400	17100	17300	13800
5			2006	C	15800	17600	17700	14200
5			2007	C	15900	17700	17900	14300
5			2008	C	16100	17800	17500	14400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
5			2009	C	16100	17700	17900	14500
5			2010	C	16200	17900	18000	14600
5			2011	C	16300	18000	18100	14700
5			2012	C	16400	18100	17700	14800
5			2013	UC	16500	16600	16600	15700
5			2014	UC	16600	16700	16000	15800
5			2015	UC	16700	16800	16100	15800
5			2016	UC	16800	16900	16200	15900
5			2017	UC	16900	16800	17000	16200
5			2018	UC	17000	16900	17100	16300
5			2019	UC	17100	16800	17100	16500
5	SYDENHAM RD (S)	9.4	1988	IC	6200	7200	7000	5450
5			1989	IC	6400	7350	7250	5700
5			1990	IC	6900	7850	7750	6150
5			1991	C	7400	8150	8200	6750
5			1992	C	7600	8200	8450	7000
5			1993	C	7600	8300	8400	7000
5			1994	C	7850	8600	8750	7100
5			1995	C	8000	8750	8950	7300
5			1996	C	8150	9250	9250	7350
5			1997	C	10100	11400	11500	9100
5			1998	C	12000	13600	13600	10800
5			1999	C	9500	10600	10700	8550
5			2000	C	9700	11000	11000	8750
5			2001	C	9350	10500	10600	8400
5			2002	C	9450	10600	10700	8500
5			2003	C	8950	10000	10100	8100
5			2004	C	9650	10900	10900	8700
5			2005	C	9050	10100	10200	8150
5			2006	C	9750	10800	10900	8750
5			2007	C	9900	11000	11200	8900
5			2008	C	9900	10900	10800	8900
5			2009	C	9750	10700	10800	8800
5			2010	C	10000	11000	11100	9000
5			2011	C	10100	11100	11200	9100
5			2012	C	10200	11200	11000	9200
5			2013	UC	10400	10400	10500	9850
5			2014	UC	9150	9200	8800	8700
5			2015	C	10100	11100	10800	9100
5			2016	C	10200	11200	10900	9200
5			2017	C	10300	11300	11200	9350
5			2018	C	10300	11300	11200	9300
5			2019	C	10400	11400	11300	9400
5	HWY 5 AND HWY 8 EAST OF ROUNDABOUT	0.3	2012	C	10200	11200	11000	9200
5			2013	UC	10400	10400	10500	9850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
5			2014	UC	10200	10200	9800	9700
5			2015	C	10300	11300	11000	9250
5			2016	C	10300	11300	11000	9250
5			2017	C	10500	11500	11500	9550
5			2018	C	10500	11500	11400	9500
5			2019	C	10500	11500	11400	9500
5	HWY 8 PETERS CORNERS END OF HWY		9999					
6	HWY 24 NANTICOKE START OF NA	7.7	9999					
6	ST PATRICK ST BRIDGE ST END OF NA	0.6	1988	CR	6300	8050	7550	5250
6			1989	CR	6600	8450	7850	5550
6			1990	CR	6700	8300	7700	6050
6			1991	IR	6800	8550	7550	5650
6			1992	IR	6900	8500	7600	5850
6			1993	IR	6900	8500	7150	5650
6			1994	IR	7000	8600	7700	5850
6			1995	IR	7350	9050	8100	6250
6			1996	IR	7500	9300	8350	6400
6			1997	CTR	7800	10000	9600	6550
6			1998	CTR	7850	9950	9600	6600
6			1999	CTR	8250	10400	10000	6950
6			2000	CTR	8300	10500	10000	6950
6			2001	CTR	8500	10700	10300	7150
6			2002	CTR	8650	10900	10500	7300
6			2003	CTR	8900	11100	10600	7550
6			2004	CTR	9050	11400	11000	7650
6			2005	CTR	9000	11200	10700	7650
6			2006	CTR	9000	11100	10700	7650
6			2007	CTR	8800	10900	10800	7450
6			2008	CTR	9500	11800	11500	8050
6			2009	LR	9650	14700	12000	6550
6			2010	LR	9650	14500	11800	6550
6			2011	LR	8800	13600	12800	6150
6			2012	LR	8800	13100	12800	6050
6			2013	CTR	8750	10700	11000	7450
6			2014	CTR	8750	10700	10800	7450
6			2015	CTR	8750	10700	10800	7450
6			2016	CTR	8750	10700	10800	7450
6			2017	CTR	9500	12700	12600	7750
6			2018	CTR	9550	12800	12700	7800
6			2019	CTR	9650	12900	12800	7850
6	SCOTT DR (N)	12.0	1988	CR	2700	3450	3250	2250
6			1989	CR	2700	3450	3200	2250
6			1990	CR	2700	3350	3100	2450
6			1991	IR	2650	3350	2950	2200
6			1992	IR	2600	3200	2850	2200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1993	IR	2550	3150	2650	2100
6			1994	IR	2550	3150	2800	2150
6			1995	IR	2850	3500	3150	2450
6			1996	IR	2900	3600	3250	2450
6			1997	IR	2750	3450	3100	2350
6			1998	IR	3000	3700	3350	2500
6			1999	IR	3150	3900	3500	2650
6			2000	IR	3300	4050	3650	2800
6			2001	IR	3350	4150	3700	2850
6			2002	IR	3450	4250	3800	2950
6			2003	IR	3550	4300	3900	3000
6			2004	IR	3650	4500	4050	3100
6			2005	IR	3750	4550	4100	3200
6			2006	IR	3850	4650	4200	3250
6			2007	IR	3950	4800	4750	3350
6			2008	IR	4100	4950	4850	3500
6			2009	LR	4150	6300	5150	2800
6			2010	LR	4150	6200	5100	2800
6			2011	LR	3700	5700	5350	2600
6			2012	LR	3800	5650	5500	2600
6			2013	CTR	4400	5350	5550	3750
6			2014	CTR	4400	5350	5400	3750
6			2015	CTR	4550	5550	5600	3850
6			2016	CTR	4550	5550	5600	3850
6			2017	CTR	4650	6200	6200	3800
6			2018	CTR	4750	6350	6300	3850
6			2019	CTR	4800	6400	6350	3900
6	FORMER JARVIS LTS L3 START OF NA	2.4	9999					
6	N JCT HALDIMAND RD 69 (E) NANTICOKE CREEK PKWY 69 (W)	1.3	1988	IC	4900	5700	5550	4300
6			1989	IC	5100	5850	5750	4550
6			1990	IC	5600	6400	6250	5000
6			1991	IC	5650	6400	6250	5050
6			1992	IC	5700	6350	6250	5200
6			1993	CTR	5850	7350	7100	4950
6			1994	CTR	5600	7150	6850	4700
6			1995	CTR	5850	7500	7200	4900
6			1996	CTR	5950	7600	7300	5000
6			1997	IC	5850	6550	6600	5150
6			1998	IC	5900	6600	6600	5250
6			1999	IC	6050	6800	6800	5400
6			2000	CTR	6150	7750	7450	5150
6			2001	CTR	6200	7850	7500	5250
6			2002	CTR	6250	7900	7550	5300
6			2003	CTR	6350	7900	7600	5400
6			2004	CTR	6400	8100	7750	5400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2005	CTR	6500	8050	7750	5500
6			2006	CTR	6550	8100	7750	5550
6			2007	CTR	6650	8250	8150	5650
6			2008	CTR	6700	8300	8150	5700
6			2009	CTR	6800	8300	8000	5800
6			2010	CTR	6850	8350	8000	5800
6			2011	CTR	6950	8450	8150	5900
6			2012	CTR	7000	8500	8400	5950
6			2013	CTR	7050	8600	8850	6000
6			2014	CTR	7150	8700	8800	6100
6			2015	CTR	7200	8800	8850	6100
6			2016	CTR	7300	8900	9000	6200
6			2017	CTR	7350	9800	9750	6000
6			2018	CTR	7450	9950	9900	6050
6			2019	IR	7500	8500	8550	6500
6	HALDIMAND RD 55	4.8	1988	IC	6700	7750	7550	5900
6			1989	IC	7100	8150	8000	6300
6			1990	IC	7400	8450	8300	6600
6			1991	IC	7450	8400	8250	6650
6			1992	IC	7500	8300	8250	6800
6			1993	IC	7600	8600	8500	6750
6			1994	IC	7300	8200	8200	6500
6			1995	IC	7450	8350	8400	6700
6			1996	IC	7600	8550	8550	6750
6			1997	IC	6800	7600	7700	6000
6			1998	IC	6900	7750	7750	6150
6			1999	IC	7300	8200	8200	6500
6			2000	IC	7700	8600	8600	6850
6			2001	IC	7350	8200	8250	6500
6			2002	IC	7350	8200	8250	6500
6			2003	IC	7350	8200	8250	6500
6			2004	IC	7450	8350	8350	6600
6			2005	IC	7500	8350	8400	6600
6			2006	IC	7500	8350	8400	6650
6			2007	IC	7700	8550	8800	6800
6			2008	IC	7550	8350	8100	6650
6			2009	CTR	7600	9250	8950	6450
6			2010	CTR	7600	9250	8900	6450
6			2011	CTR	7650	9300	8950	6500
6			2012	CTR	7650	9300	9150	6500
6			2013	UC	7700	7700	7750	7300
6			2014	UC	7700	7700	7400	7300
6			2015	UC	7750	7750	7450	7350
6			2016	UC	7750	7750	7450	7350
6			2017	UC	7800	7750	7800	7500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2018	UC	7800	7750	7850	7500
6			2019	UC	7850	7750	7850	7550
6	HALDIMAND RD 18 SANDUSK RD	1.6	1988	IC	8500	9850	9600	7500
6			1989	IC	8800	10100	9950	7850
6			1990	IC	9100	10400	10200	8100
6			1991	IC	9150	10300	10200	8150
6			1992	IC	9200	10200	10100	8350
6			1993	IC	9300	10500	10400	8300
6			1994	IC	8850	9900	9900	7900
6			1995	IC	8850	9900	10000	7950
6			1996	IC	8850	9950	10000	7900
6			1997	IC	7800	8750	8800	6850
6			1998	IC	8000	8950	8950	7100
6			1999	IC	8150	9150	9150	7250
6			2000	IC	8500	9500	9500	7550
6			2001	IC	8850	9900	9950	7850
6			2002	IC	9150	10200	10300	8050
6			2003	IC	11000	12300	12400	9750
6			2004	IC	10400	11600	11700	9200
6			2005	IC	10200	11300	11500	9000
6			2006	IC	10000	11100	11200	8850
6			2007	IC	9600	10700	11000	8500
6			2008	IC	10100	11200	10800	8900
6			2009	CTR	10200	12400	12000	8650
6			2010	CTR	10200	12400	11900	8650
6			2011	CTR	9700	11800	11300	8250
6			2012	CTR	9700	11800	11600	8250
6			2013	IC	9500	10500	10500	8400
6			2014	IC	9500	10500	10500	8400
6			2015	IC	9500	10500	10500	8400
6			2016	IC	9500	10500	10500	8400
6			2017	IC	10200	11200	11300	9250
6			2018	IC	10300	11300	11400	9300
6			2019	IC	10300	11300	11400	9300
6	HALD RD 9 PARKVIEW RD (W) START OF NA	1.6	9999					
6	F HAGERSVILLE LN 28 29 END OF NA	11.1	1988	IC	9300	10800	10500	8200
6			1989	IC	9400	10800	10600	8350
6			1990	UC	9500	10200	11000	9000
6			1991	UC	9200	9750	10600	8900
6			1992	UC	9200	9750	10600	8850
6			1993	UC	9300	9800	10600	8700
6			1994	C	8700	9550	9700	7850
6			1995	C	9600	10500	10800	8800
6			1996	C	9700	11000	11000	8750
6			1997	C	9750	11000	11100	8800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1998	C	9950	11200	11200	8950
6			1999	C	10100	11300	11400	9100
6			2000	C	10100	11400	11400	9100
6			2001	C	10500	11800	11800	9450
6			2002	C	10700	12000	12100	9650
6			2003	C	10900	12200	12300	9850
6			2004	C	11100	12500	12500	10000
6			2005	C	11300	12600	12700	10100
6			2006	C	11500	12800	12900	10300
6			2007	C	11700	13000	13200	10500
6			2008	C	11800	13000	12800	10600
6			2009	IC	12100	13400	13600	10800
6			2010	IC	12100	13400	13500	10700
6			2011	IC	12500	13700	14300	11200
6			2012	IC	12500	13800	13400	11100
6			2013	UC	12900	12900	13000	12200
6			2014	UC	12400	12400	11900	11800
6			2015	UC	12000	12000	11500	11400
6			2016	UC	12000	12000	11500	11400
6			2017	UC	13100	13000	13100	12600
6			2018	UC	13200	13100	13300	12700
6			2019	UC	13400	13200	13400	12900
6	S JCT ARGYLE ST SOUTH	6.5	1988	CR	2850	3650	3400	2350
6			1989	CR	4000	5100	4750	3350
6			1990	UC	5100	5450	5900	4850
6			1991	UC	4950	5250	5700	4800
6			1992	UC	5000	5300	5750	4800
6			1993	UC	5100	5350	5800	4800
6			1994	UC	5750	6100	6550	5350
6			1995	UC	5800	6100	6650	5400
6			1996	UC	6150	6500	7200	5850
6			1997	C	6100	6900	6950	5500
6			1998	C	6600	7450	7450	5950
6			1999	C	7100	7950	8000	6400
6			2000	C	7450	8400	8400	6700
6			2001	C	7550	8500	8500	6800
6			2002	C	7800	8750	8800	7000
6			2003	C	8650	9650	9750	7800
6			2004	C	8300	9350	9350	7500
6			2005	C	8300	9250	9300	7450
6			2006	C	8350	9300	9350	7500
6			2007	C	8250	9150	9300	7400
6			2008	C	8600	9500	9350	7700
6			2009	CTR	8850	10800	10400	7500
6			2010	CTR	8850	10800	10400	7500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2011	CTR	8800	10700	10300	7450
6			2012	CTR	8800	10700	10500	7500
6			2013	C	9750	10700	10600	8800
6			2014	C	9750	10700	10400	8800
6			2015	C	9600	10600	10300	8650
6			2016	C	9700	10700	10400	8750
6			2017	C	10200	11200	11100	9250
6			2018	C	10400	11400	11300	9400
6			2019	C	10600	11600	11500	9600
6	N JCT ARGYLE ST NORTH (S)	2.9	1988	IC	13300	15400	15000	11700
6			1989	IC	14000	16100	15800	12500
6			1990	UC	15000	16100	17400	14200
6			1991	UC	15000	15900	17200	14600
6			1992	UC	15000	15900	17200	14400
6			1993	UC	15000	15800	17100	14100
6			1994	C	15500	17000	17300	14000
6			1995	C	15800	17200	17700	14500
6			1996	C	16200	18400	18400	14600
6			1997	IC	15700	17600	17700	13800
6			1998	IC	16900	18900	18900	15000
6			1999	IC	17300	19400	19400	15400
6			2000	IC	18100	20300	20300	16100
6			2001	IC	18900	21100	21200	16700
6			2002	IC	19700	22000	22100	17400
6			2003	IC	22000	24500	24800	19500
6			2004	IC	22100	24700	24800	19500
6			2005	IC	22100	24600	24800	19500
6			2006	IC	22200	24700	24900	19700
6			2007	IC	22200	24700	25400	19600
6			2008	IC	22300	24700	23900	19700
6			2009	IC	22400	24900	25100	19900
6			2010	IC	22400	24800	25000	19900
6			2011	IC	22200	24400	25300	19900
6			2012	IC	22200	24600	23800	19700
6			2013	UC	23400	23500	23500	22200
6			2014	UC	23400	23500	22500	22200
6			2015	C	23500	25900	25100	21200
6			2016	C	25100	27600	26900	22600
6			2017	C	25500	27900	27800	23100
6			2018	C	25900	28400	28200	23400
6			2019	C	26300	28700	28600	23800
6	HALDIBROOK RD	3.2	1988	IC	14300	16600	16200	12600
6			1989	IC	15100	17400	17100	13400
6			1990	UC	16000	17100	18600	15200
6			1991	UC	17000	18000	19600	16500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1992	UC	17900	19000	20600	17200
6			1993	IC	18700	21100	20900	16600
6			1994	IC	17000	19000	19000	15100
6			1995	IC	17500	19600	19700	15700
6			1996	IR	17700	22000	19700	15100
6			1997	IC	18300	20500	20700	16100
6			1998	IC	18700	20900	20900	16600
6			1999	IC	18500	20700	20700	16500
6			2000	IC	17700	19800	19800	15800
6			2001	IC	18600	20800	20900	16400
6			2002	IC	18800	21000	21100	16600
6			2003	IC	19700	22000	22200	17500
6			2004	IC	20000	22400	22500	17700
6			2005	IC	20400	22700	22900	18000
6			2006	IC	20700	23000	23200	18300
6			2007	IC	21900	24300	25100	19400
6			2008	IC	21300	23600	22800	18800
6			2009	IC	21600	24000	24200	19200
6			2010	IC	21900	24200	24400	19400
6			2011	IC	22200	24400	25300	19900
6			2012	IC	22500	24900	24200	20000
6			2013	CTR	26600	32400	33400	22600
6			2014	CTR	23900	29200	29400	20300
6			2015	CTR	24300	29600	29900	20700
6			2016	CTR	24600	30000	30300	20900
6			2017	CTR	25000	33400	33200	20400
6			2018	CTR	25400	33900	33800	20700
6			2019	CTR	25700	34200	34100	20900
6	HWY 6/7273 (OLD HWY 6)	0.9	2004	IC	23000	25700	25800	20300
6			2005	IC	20200	22500	22700	17800
6			2006	IC	17300	19200	19400	15300
6			2007	IC	21100	23400	24200	18700
6			2008	IC	21300	23600	22800	18800
6			2009	IC	21600	24000	24200	19200
6			2010	IC	21900	24200	24400	19400
6			2011	IC	22200	24400	25300	19900
6			2012	IC	21900	24300	23500	19400
6			2013	IC	22100	24500	24300	19600
6			2014	IC	22300	24700	24600	19800
6			2015	IC	22500	24900	24800	20000
6			2016	IC	22700	25100	25000	20100
6			2017	IC	22900	25100	25300	20800
6			2018	IC	23100	25400	25600	20900
6			2019	IC	23300	25600	25700	21000
6	WHITE CHURCH RD UP	1.1	2005	IC	8700	9650	9750	7650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2006	IC	8900	9900	10000	7900
6			2007	IC	9050	10100	10400	8000
6			2008	IC	8550	9450	9150	7550
6			2009	IC	8500	9450	9500	7550
6			2010	IC	9150	10100	10200	8100
6			2011	IC	9300	10200	10600	8350
6			2012	IC	9250	10200	9950	8200
6			2013	IC	9600	10600	10600	8500
6			2014	IC	9250	10200	10200	8200
6			2015	CTR	9300	11300	11400	7900
6			2016	CTR	9300	11300	11400	7900
6			2017	CTR	9500	12700	12600	7750
6			2018	CTR	9550	12800	12700	7800
6			2019	CTR	9650	12900	12800	7850
6	AIRPORT RD CONNECTION (HWY 7274)	2.8	2004	UNCL	N/A			
6			2005	IC	9500	10600	10700	8350
6			2006	IC	9200	10200	10300	8150
6			2007	IC	9050	10100	10400	8000
6			2008	IC	8550	9450	9150	7550
6			2009	IC	8500	9450	9500	7550
6			2010	IC	9150	10100	10200	8100
6			2011	IC	9300	10200	10600	8350
6			2012	IC	9250	10200	9950	8200
6			2013	IC	9600	10600	10600	8500
6			2014	IC	9250	10200	10200	8200
6			2015	CTR	9300	11300	11400	7900
6			2016	CTR	9300	11300	11400	7900
6			2017	CTR	9700	13000	12900	7900
6			2018	CTR	10100	13500	13400	8250
6			2019	CTR	10200	13600	13500	8300
6	BUTTER RD UP	2.0	2005	UC	9500	10100	11100	8900
6			2006	UC	9900	10500	11600	9300
6			2007	UC	10200	10800	11800	9550
6			2008	UC	10500	11100	10400	9800
6			2009	UC	9900	10500	11600	9300
6			2010	UC	11600	12300	13500	10900
6			2011	UC	11800	11800	12200	11200
6			2012	UC	11900	12000	12700	11300
6			2013	UC	12900	12900	13000	12200
6			2014	UC	12500	12500	12000	11900
6			2015	UC	13100	13100	12600	12400
6			2016	UC	13500	13500	13000	12800
6			2017	UC	13900	13800	13900	13300
6			2018	UC	14300	14200	14400	13700
6			2019	UC	14600	14400	14600	14100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6	BOOK RD	2.7	2005	C	9200	10200	10300	8250
6			2006	C	9500	10600	10600	8550
6			2007	C	10900	12100	12300	9800
6			2008	C	11400	12600	12400	10200
6			2009	C	11500	12700	12800	10400
6			2010	C	12500	13800	13900	11300
6			2011	C	12900	14200	14300	11600
6			2012	C	13600	15000	14700	12200
6			2013	C	14400	15900	15700	13000
6			2014	C	14900	16400	15900	13400
6			2015	C	14200	15600	15200	12800
6			2016	C	15700	17300	16800	14100
6			2017	C	16300	17800	17800	14800
6			2018	C	16900	18500	18400	15300
6			2019	C	17400	19000	18900	15700
6	LINC. AX PKY/ ROUSSEAUX ST IC OVERLAP HWY 403 (48315)	12.8	9999					
6	E JCT HWY 403 IC	0.7	2004	IC	48200	53900	54100	42600
6			2005	IC	43200	48000	48500	38100
6			2006	IR	42400	51100	46300	36000
6			2007	IR	40400	48900	48800	34200
6			2008	IR	44600	54000	53000	38100
6			2009	IR	45700	54800	49800	38800
6			2010	IC	48000	53100	53600	42600
6			2011	IC	45600	50100	52000	40900
6			2012	IC	45500	50400	48900	40400
6			2013	IC	48000	53100	52800	42600
6			2014	IC	50000	55300	55100	44300
6			2015	IC	49200	54500	54200	43600
6			2016	IC	49700	55000	54800	44100
6			2017	IR	51700	58400	58800	44600
6			2018	IR	50900	57600	58100	44100
6			2019	IR	51400	58200	58700	44700
6	PLAINS RD (E) NORTHCLIFFE AV (W)	2.3	1988	IC	31000	36000	35000	27300
6			1989	IC	33000	38000	37300	29400
6			1990	C	33900	37600	37600	30500
6			1991	C	34500	38000	38300	31400
6			1992	C	35000	37800	38800	32200
6			1993	C	35500	38700	39300	32700
6			1994	C	35200	38500	39200	31900
6			1995	C	36000	39300	40300	32900
6			1996	C	33600	38100	38200	30300
6			1997	C	37700	42600	43000	33900
6			1998	C	38500	43500	43500	34600
6			1999	C	38500	43100	43500	34600
6			2000	IC	39200	43900	43900	34900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2001	IC	40100	44800	45000	35500
6			2002	IC	40900	45600	45900	36000
6			2003	IC	41700	46500	46900	36900
6			2004	IC	42500	47500	47700	37600
6			2005	IC	43300	48100	48600	38200
6			2006	IC	44100	49000	49500	39100
6			2007	IC	44900	49900	51400	39700
6			2008	IC	45600	50500	48900	40200
6			2009	IC	46400	51500	52000	41300
6			2010	IC	47200	52200	52700	41900
6			2011	IC	48000	52800	54800	43100
6			2012	UC	43300	43600	46400	41100
6			2013	UC	48400	48600	48700	45900
6			2014	UC	48900	49100	47000	46400
6			2015	UC	49800	50000	47900	47300
6			2016	UC	50500	50700	48600	47900
6			2017	UC	51200	50900	51400	49100
6			2018	UC	51900	51500	52300	49800
6			2019	UC	52600	51800	52600	50700
6	HWY 5 CLAPPISON'S CORS	3.9	1988	C	19700	21900	21900	17700
6			1989	C	21500	23900	24100	19400
6			1990	C	23500	26100	26100	21200
6			1991	C	23900	26300	26500	21700
6			1992	C	24000	25900	26600	22100
6			1993	C	24100	26300	26700	22200
6			1994	C	24400	26700	27200	22100
6			1995	C	25200	27500	28200	23000
6			1996	C	25100	28400	28600	22700
6			1997	C	26900	30400	30700	24200
6			1998	C	27700	31300	31300	24900
6			1999	C	27500	30800	31100	24800
6			2000	C	27400	31000	31000	24700
6			2001	C	28600	32200	32300	25800
6			2002	C	29200	32700	33000	26300
6			2003	C	29800	33300	33500	26900
6			2004	C	30400	34200	34300	27400
6			2005	C	30400	33800	34100	27300
6			2006	C	31500	35000	35300	28300
6			2007	C	31400	34900	35400	28200
6			2008	C	31900	35200	34700	28600
6			2009	C	31200	34300	34600	28100
6			2010	C	32900	36300	36600	29600
6			2011	C	33400	36800	37100	30100
6			2012	C	33900	37400	36600	30500
6			2013	CTR	34400	41900	43300	29200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2014	CTR	34900	42600	42900	29700
6			2015	CTR	35400	43200	43500	30100
6			2016	CTR	35900	43800	44200	30500
6			2017	CTR	36400	48600	48400	29700
6			2018	CTR	36900	49300	49100	30100
6			2019	CTR	37400	49800	49600	30400
6	MILLGROVE RD (W)	6.1	1988	C	19400	21500	21500	17500
6			1989	C	21600	24000	24200	19400
6			1990	C	23800	26400	26400	21400
6			1991	C	23500	25900	26100	21400
6			1992	C	23200	25100	25800	21300
6			1993	IC	22900	25900	25600	20400
6			1994	IC	23700	26500	26500	21100
6			1995	IC	24500	27400	27600	22000
6			1996	IC	22100	24800	24900	19700
6			1997	IC	26200	29300	29600	23100
6			1998	IC	27100	30400	30400	24100
6			1999	IC	26700	29900	29900	23800
6			2000	C	27300	30800	30800	24600
6			2001	C	28000	31500	31600	25200
6			2002	C	28700	32100	32400	25800
6			2003	C	29100	32500	32700	26300
6			2004	C	30000	33800	33900	27000
6			2005	C	30700	34200	34500	27600
6			2006	C	31400	34900	35200	28300
6			2007	C	32000	35600	36100	28800
6			2008	C	32700	36100	35600	29300
6			2009	C	33400	36700	37100	30100
6			2010	C	34000	37500	37800	30600
6			2011	C	34700	38200	38600	31200
6			2012	C	35400	39000	38200	31900
6			2013	UC	36100	36200	36300	34300
6			2014	UC	36700	36800	35300	34800
6			2015	UC	37400	37500	36000	35500
6			2016	UC	38100	38200	36600	36200
6			2017	UC	38700	38400	38800	37100
6			2018	UC	39400	39100	39700	37800
6			2019	UC	40100	39500	40100	38600
6	CARLISLE RD (E)	3.1	1988	C	16300	18100	18100	14700
6			1989	C	17100	19000	19200	15400
6			1990	C	18600	20600	20600	16700
6			1991	C	18800	20700	20900	17100
6			1992	C	19000	20500	21100	17500
6			1993	UC	19600	20600	22300	18400
6			1994	UC	19400	20600	22200	18000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1995	UC	19800	20900	22600	18500
6			1996	C	17500	19800	19900	15800
6			1997	C	20800	23500	23700	18700
6			1998	C	21300	24100	24100	19200
6			1999	C	22400	25100	25300	20200
6			2000	C	24400	27600	27600	22000
6			2001	IR	24800	30600	27500	21000
6			2002	IR	24800	30600	27500	21100
6			2003	IR	25600	31100	28200	21700
6			2004	C	26400	29700	29800	23800
6			2005	C	26600	29600	29900	23900
6			2006	IR	27300	32900	29800	23200
6			2007	IR	28000	33900	33800	23700
6			2008	IR	27100	32800	32200	23200
6			2009	IR	29400	35300	32000	25000
6			2010	IC	30100	33300	33600	26700
6			2011	IC	30800	33900	35100	27600
6			2012	UC	31500	31700	33700	29900
6			2013	UC	32200	32300	32400	30600
6			2014	UC	30600	30700	29400	29000
6			2015	C	30000	33000	32100	27000
6			2016	C	33300	36600	35600	30000
6			2017	C	33900	37100	37000	30800
6			2018	C	34600	37900	37700	31200
6			2019	C	35200	38500	38200	31900
6	HAMILTON RD 597 (W)	5.2	1988	C	15800	17500	17500	14200
6			1989	C	16700	18500	18700	15000
6			1990	C	17400	19300	19300	15700
6			1991	C	17700	19500	19600	16100
6			1992	C	17200	18600	19100	15800
6			1993	C	17800	19400	19700	16400
6			1994	C	19200	21000	21400	17400
6			1995	C	19900	21700	22300	18200
6			1996	C	20600	23300	23400	18600
6			1997	C	21400	24200	24400	19300
6			1998	C	22000	24900	24900	19800
6			1999	C	22000	24600	24900	19800
6			2000	C	22900	25900	25900	20600
6			2001	IC	22900	25600	25700	20300
6			2002	IC	22700	25300	25500	20000
6			2003	IC	23900	26600	26900	21200
6			2004	IC	24300	27200	27300	21500
6			2005	IC	24800	27600	27800	21900
6			2006	IC	24900	27700	27900	22100
6			2007	IC	25600	28400	29300	22600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2008	IC	25700	28500	27500	22700
6			2009	IC	25000	27800	28000	22200
6			2010	IC	26500	29300	29600	23500
6			2011	IC	26900	29600	30700	24100
6			2012	IC	27300	30200	29300	24200
6			2013	CTR	25300	30800	31800	21500
6			2014	CTR	27700	33800	34100	23500
6			2015	IC	28600	31700	31500	25400
6			2016	IC	28500	31500	31400	25300
6			2017	IC	28900	31700	31900	26200
6			2018	IC	29300	32300	32400	26500
6			2019	IC	29700	32600	32800	26800
6	PUSLINCH TOWNLINE RD (E)	3.7	1988	C	15800	17500	17500	14200
6			1989	C	16700	18500	18700	15000
6			1990	C	17400	19300	19300	15700
6			1991	C	17700	19500	19600	16100
6			1992	C	17200	18600	19100	15800
6			1993	C	17800	19400	19700	16400
6			1994	C	19200	21000	21400	17400
6			1995	C	19900	21700	22300	18200
6			1996	C	20600	23300	23400	18600
6			1997	C	21400	24200	24400	19300
6			1998	C	22000	24900	24900	19800
6			1999	C	22000	24600	24900	19800
6			2000	C	22900	25900	25900	20600
6			2001	IC	22900	25600	25700	20300
6			2002	IC	22700	25300	25500	20000
6			2003	IC	23900	26600	26900	21200
6			2004	IC	24300	27200	27300	21500
6			2005	IC	24800	27600	27800	21900
6			2006	IC	24900	27700	27900	22100
6			2007	IC	25600	28400	29300	22600
6			2008	IC	25700	28500	27500	22700
6			2009	IC	25000	27800	28000	22200
6			2010	IC	26500	29300	29600	23500
6			2011	IC	26900	29600	30700	24100
6			2012	IC	27300	30200	29300	24200
6			2013	IC	27700	30700	30500	24600
6			2014	IC	25300	28000	27900	22400
6			2015	IC	25600	28300	28200	22700
6			2016	IC	25900	28700	28500	23000
6			2017	IC	27900	30600	30800	25300
6			2018	IC	28300	31100	31300	25600
6			2019	IC	28600	31400	31600	25800
6	WELLINGTON RD 36 (E) CALFASS RD (W)	0.9	1988	C	17500	19400	19400	15800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1989	C	18500	20500	20700	16600
6			1990	C	19200	21300	21300	17300
6			1991	C	19600	21600	21800	17800
6			1992	C	18700	20200	20800	17200
6			1993	C	20600	22500	22800	19000
6			1994	C	21900	24000	24400	19800
6			1995	C	22700	24800	25400	20800
6			1996	C	23500	26600	26700	21200
6			1997	C	24400	27600	27800	22000
6			1998	C	25200	28500	28500	22700
6			1999	C	24400	27300	27600	22000
6			2000	C	23900	27000	27000	21500
6			2001	C	23300	26200	26300	21000
6			2002	C	23000	25800	26000	20700
6			2003	C	23300	26000	26200	21000
6			2004	C	23300	26200	26300	21000
6			2005	C	22600	25200	25400	20300
6			2006	C	23000	25600	25800	20700
6			2007	C	23000	25600	25900	20700
6			2008	C	22100	24400	24100	19800
6			2009	C	22900	25200	25400	20600
6			2010	C	22800	25100	25400	20500
6			2011	C	22800	25100	25400	20500
6			2012	C	23500	25900	25300	21200
6			2013	C	24000	26400	26100	21600
6			2014	C	23000	25300	24600	20700
6			2015	C	23000	25300	24600	20700
6			2016	C	23000	25300	24600	20700
6			2017	C	22900	25100	25000	20800
6			2018	C	22900	25100	25000	20700
6			2019	C	22900	25000	24900	20700
6	E JCT HWY 401 IC299 OVERLAP HWY 401 (47720)	4.4	9999					
6	W JCT HWY 401 M/C FRWY IC	5.7	1988	C	11500	12800	12800	10400
6			1989	C	12700	14100	14200	11400
6			1990	C	13700	15200	15200	12300
6			1991	C	13500	14900	15000	12300
6			1992	C	13100	14100	14500	12100
6			1993	C	13100	14300	14500	12100
6			1994	C	15400	16900	17200	13900
6			1995	C	16100	17600	18000	14700
6			1996	C	16900	19200	19200	15300
6			1997	C	17700	20000	20200	15900
6			1998	C	18400	20800	20800	16600
6			1999	C	19200	21500	21700	17300
6			2000	C	19900	22500	22500	17900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2001	C	20700	23300	23400	18600
6			2002	C	21500	24100	24300	19300
6			2003	C	22600	25200	25400	20400
6			2004	C	22700	25600	25600	20400
6			2005	C	23200	25800	26000	20800
6			2006	C	24500	27200	27400	22000
6			2007	C	23300	25900	26200	20900
6			2008	C	22100	24400	24100	19800
6			2009	C	22100	24300	24500	19900
6			2010	C	24800	27300	27600	22300
6			2011	C	24800	27300	27600	22300
6			2012	C	24800	27300	26700	22300
6			2013	C	24800	27300	27000	22300
6			2014	C	24800	27300	26500	22300
6			2015	C	26600	29300	28500	23900
6			2016	C	27100	29800	29000	24400
6			2017	C	27500	30100	30000	25000
6			2018	C	28000	30700	30500	25300
6			2019	C	28500	31200	31000	25800
6	LAIRD RD IC	2.5	1988	C	13600	15100	15100	12200
6			1989	C	15900	17600	17800	14300
6			1990	C	16500	18300	18300	14800
6			1991	C	16300	17900	18100	14800
6			1992	C	13600	14700	15100	12500
6			1993	C	14500	15800	16000	13300
6			1994	C	17500	19200	19500	15800
6			1995	C	18000	19700	20200	16500
6			1996	C	19200	21800	21800	17300
6			1997	C	20000	22600	22800	18000
6			1998	C	20900	23600	23600	18800
6			1999	C	21700	24300	24500	19500
6			2000	C	22300	25200	25200	20100
6			2001	C	23100	26000	26100	20800
6			2002	C	23900	26800	27000	21500
6			2003	C	24700	27600	27800	22300
6			2004	SC	25400	27100	29700	22400
6			2005	SC	26600	28200	31100	23400
6			2006	SC	27800	29400	32500	24500
6			2007	SC	28900	30500	33400	25400
6			2008	SC	30100	31600	29800	26500
6			2009	SC	31200	33100	36500	27500
6			2010	SC	32400	34300	37900	28600
6			2011	SC	32400	41500	37900	25800
6			2012	SC	30000	31800	29900	26500
6			2013	SC	30000	31700	28900	26500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2014	C	30000	33000	32100	27000
6			2015	C	30300	33300	32400	27300
6			2016	C	30600	33700	32700	27500
6			2017	C	34100	37300	37200	30900
6			2018	C	34800	38100	37900	31400
6			2019	C	35400	38700	38500	32000
6	DOWNEY RD (W) KORTRIGHT RD (E)	1.9	1988	C	15000	16600	16600	13500
6			1989	SC	17000	18700	20600	15100
6			1990	SC	18400	20200	22100	16400
6			1991	SC	18100	19900	21900	16100
6			1992	SC	17700	18600	20700	16300
6			1993	SC	18600	20600	22700	16600
6			1994	SC	20900	21700	24000	19200
6			1995	SC	22000	23000	25600	20000
6			1996	SC	23100	24600	27000	20700
6			1997	SC	24100	25500	28200	21400
6			1998	SC	25200	26700	29500	22400
6			1999	SC	25600	27100	30000	22800
6			2000	SC	26500	28100	31000	23300
6			2001	SC	27300	29100	32000	24100
6			2002	SC	28200	29900	33000	24900
6			2003	SC	29100	30700	34000	25700
6			2004	SC	29700	31700	34800	26200
6			2005	SC	30400	32200	35500	26800
6			2006	SC	31700	33500	37100	28000
6			2007	SC	30900	32700	35700	27200
6			2008	SC	30400	31900	30100	26700
6			2009	SC	30400	32200	35600	26800
6			2010	SC	32200	34100	37700	28400
6			2011	SC	32200	41200	37600	25600
6			2012	SC	32200	34100	32100	28400
6			2013	SC	32200	34100	31000	28400
6			2014	C	32600	35900	34900	29300
6			2015	C	34900	38400	37300	31400
6			2016	C	35500	39000	38000	32000
6			2017	C	36100	39500	39400	32800
6			2018	C	36700	40200	40000	33100
6			2019	C	38100	41600	41400	34500
6	COLLEGE AV	1.6	1988	C	22800	25300	25300	20500
6			1989	UC	25800	27100	29200	24500
6			1990	UC	27600	29500	32000	26200
6			1991	UC	27200	28800	31300	26400
6			1992	SC	27600	29000	32300	25400
6			1993	SC	28200	31300	34400	25100
6			1994	SC	31500	32800	36200	29000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1995	UC	33000	34800	37700	30800
6			1996	UC	34600	36600	40500	32900
6			1997	UC	36100	37900	42200	33900
6			1998	UC	37600	39900	44000	35700
6			1999	UC	35400	37500	41400	33600
6			2000	UC	35900	38100	42400	33700
6			2001	UC	36500	39100	42900	34300
6			2002	UC	37100	39500	43600	34700
6			2003	UC	37700	39800	44200	35600
6			2004	UC	38500	41200	45300	36200
6			2005	UC	38100	40300	44600	35700
6			2006	UC	39200	41500	45800	36900
6			2007	UC	39000	41400	45100	36600
6			2008	UC	37400	39500	37100	35000
6			2009	UC	39800	42200	46600	37400
6			2010	UC	40300	42600	46900	37900
6			2011	UC	40300	40400	41800	38200
6			2012	UC	41100	41300	44000	39000
6			2013	UC	41400	41500	41600	39300
6			2014	UC	41800	41900	40200	39700
6			2015	UC	42200	42300	40600	40000
6			2016	UC	42600	42700	41000	40400
6			2017	UC	43100	42800	43200	41300
6			2018	UC	43500	43100	43800	41800
6			2019	UC	43900	43300	43900	42300
6	S JCT HWY 7 WELLINGTON ST IC	1.8	1988	UC	27200	28600	30700	25600
6			1989	UC	28400	29800	32100	27000
6			1990	UC	29900	32000	34700	28400
6			1991	UC	29500	31300	33900	28600
6			1992	SC	27900	29300	32600	25700
6			1993	SC	27900	31000	34000	24800
6			1994	SC	30900	32100	35500	28400
6			1995	UC	31600	33300	36100	29500
6			1996	UC	32400	34300	37900	30800
6			1997	UC	33200	34900	38800	31200
6			1998	UC	34000	36000	39800	32300
6			1999	UC	32700	34700	38300	31100
6			2000	UC	33000	35000	38900	31000
6			2001	UC	33300	35700	39200	31300
6			2002	UC	33600	35800	39500	31500
6			2003	UC	33800	35700	39600	31900
6			2004	UC	33900	36300	39900	31900
6			2005	UC	34500	36500	40300	32400
6			2006	UC	34900	36900	40800	32800
6			2007	UC	35000	37100	40500	32800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2008	UC	35300	37300	35000	33000
6			2009	UC	35500	37600	41500	33400
6			2010	UC	35800	37800	41700	33700
6			2011	UC	36000	36100	37400	34200
6			2012	UC	36300	36500	38900	34500
6			2013	UC	35600	35700	35800	33800
6			2014	UC	34800	34900	33500	33000
6			2015	UC	35200	35300	33900	33400
6			2016	UC	35500	35600	34100	33700
6			2017	UC	36500	36300	36600	35000
6			2018	UC	36700	36400	37000	35200
6			2019	UC	36900	36400	36900	35600
6	WILLOW RD	0.9	1988	UC	21400	22500	24200	20100
6			1989	UC	22000	23100	24900	20900
6			1990	UC	23000	24600	26700	21800
6			1991	UC	22700	24100	26100	22000
6			1992	SC	20100	21100	23500	18500
6			1993	SC	20100	22300	24500	17900
6			1994	SC	22800	23700	26200	21000
6			1995	UC	23100	24400	26400	21500
6			1996	UC	23600	25000	27600	22400
6			1997	UC	24100	25300	28200	22700
6			1998	UC	24500	26000	28700	23300
6			1999	UC	24200	25700	28300	23000
6			2000	UC	24500	26000	28900	23000
6			2001	UC	24800	26600	29200	23300
6			2002	UC	25000	26600	29400	23400
6			2003	UC	25300	26700	29600	23900
6			2004	UC	25700	27500	30200	24200
6			2005	UC	25600	27100	29900	24000
6			2006	UC	26000	27500	30400	24500
6			2007	UC	26000	27600	30100	24400
6			2008	UC	25600	27000	25400	23900
6			2009	UC	26500	28100	31000	24900
6			2010	UC	26700	28200	31100	25100
6			2011	UC	26700	26800	27700	25300
6			2012	UC	27100	27300	29000	25700
6			2013	UC	27300	27400	27500	25900
6			2014	UC	27500	27600	26400	26100
6			2015	UC	27700	27800	26600	26300
6			2016	UC	27900	28000	26800	26500
6			2017	UC	28200	28000	28300	27000
6			2018	UC	28400	28200	28600	27300
6			2019	UC	28600	28200	28600	27600
6	SPEEDVALE AV	1.0	1988	UC	15200	16000	17200	14300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1989	C	15400	17100	17200	13900
6			1990	C	15700	17400	17400	14100
6			1991	C	15500	17000	17200	14100
6			1992	UC	14700	15600	16900	14100
6			1993	UC	14700	15500	16700	13800
6			1994	UC	15700	16600	18000	14600
6			1995	C	15700	17100	17600	14400
6			1996	C	16100	18200	18300	14500
6			1997	C	16300	18400	18600	14700
6			1998	C	16400	18500	18500	14800
6			1999	C	16800	18800	19000	15100
6			2000	C	17100	19300	19300	15400
6			2001	C	17300	19500	19500	15600
6			2002	C	17600	19700	19900	15800
6			2003	C	17900	20000	20100	16200
6			2004	C	18200	20500	20500	16400
6			2005	C	18400	20500	20700	16500
6			2006	C	18600	20700	20800	16700
6			2007	C	18700	20800	21100	16800
6			2008	C	18600	20500	20200	16700
6			2009	C	19200	21100	21300	17300
6			2010	C	19500	21500	21700	17600
6			2011	C	19500	21500	21700	17600
6			2012	C	18000	19800	19400	16200
6			2013	C	18200	20100	19800	16400
6			2014	C	17800	19600	19000	16000
6			2015	C	17900	19700	19200	16100
6			2016	C	18100	19900	19400	16300
6			2017	C	19300	21100	21100	17500
6			2018	C	19400	21300	21100	17500
6			2019	C	19500	21300	21200	17600
6	N JCT HWY 7 WOODLAWN RD START OF NA	2.5	9999					
6	GUELPH N LTS END OF NA	4.0	1988	IC	10600	12300	12000	9350
6			1989	IC	11400	13100	12900	10100
6			1990	IC	11500	13100	12900	10200
6			1991	IC	11400	12900	12700	10100
6			1992	IC	11600	12900	12800	10600
6			1993	IC	11700	13200	13100	10400
6			1994	IC	12300	13800	13800	10900
6			1995	IC	12100	13500	13600	10900
6			1996	IC	13000	14600	14700	11600
6			1997	IC	13400	15000	15100	11800
6			1998	IC	13700	15300	15300	12200
6			1999	IC	13900	15600	15600	12400
6			2000	IC	14300	16000	16000	12700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2001	IC	14600	16300	16400	12900
6			2002	IC	14900	16600	16700	13100
6			2003	IC	15300	17000	17200	13600
6			2004	IC	15700	17600	17600	13900
6			2005	IC	15700	17500	17600	13800
6			2006	IC	16200	18000	18200	14400
6			2007	IC	16300	18100	18700	14400
6			2008	IC	16000	17700	17200	14100
6			2009	IC	16900	18800	18900	15000
6			2010	IC	17300	19100	19300	15300
6			2011	IC	17000	18700	19400	15300
6			2012	UC	17100	17200	18300	16200
6			2013	UC	17900	18000	18000	17000
6			2014	UC	16000	16100	15400	15200
6			2015	UC	16200	16300	15600	15400
6			2016	UC	16400	16500	15800	15600
6			2017	UC	17900	17800	18000	17200
6			2018	UC	18200	18100	18300	17500
6			2019	UC	18400	18100	18400	17700
6	WELLINGTON RD 7 ELORA RD	2.0	1988	IC	7100	8250	8000	6250
6			1989	IC	7550	8700	8550	6700
6			1990	IC	7900	9000	8850	7050
6			1991	IC	7800	8800	8650	6950
6			1992	IC	8000	8900	8800	7300
6			1993	IC	8150	9200	9150	7250
6			1994	IC	8350	9350	9350	7450
6			1995	IC	8050	9000	9100	7250
6			1996	IC	8800	9900	9900	7850
6			1997	IC	9050	10100	10200	7950
6			1998	IC	9250	10400	10400	8250
6			1999	IC	9450	10600	10600	8400
6			2000	IC	10000	11200	11200	8900
6			2001	IC	10400	11600	11700	9200
6			2002	IC	11200	12500	12600	9850
6			2003	IC	11600	12900	13100	10300
6			2004	IC	11600	13000	13000	10300
6			2005	IC	11700	13000	13100	10300
6			2006	IC	11700	13000	13100	10400
6			2007	IC	12100	13400	13900	10700
6			2008	IC	11900	13200	12800	10500
6			2009	IC	12700	14100	14200	11300
6			2010	IC	12700	14100	14200	11300
6			2011	IC	12700	14000	14500	11400
6			2012	IC	11400	12600	12200	10100
6			2013	IC	11500	12700	12700	10200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2014	IC	11600	12800	12800	10300
6			2015	IC	13000	14400	14300	11500
6			2016	IC	13200	14600	14500	11700
6			2017	IC	13400	14700	14800	12200
6			2018	IC	13600	15000	15100	12300
6			2019	IR	13200	16300	16300	11300
6	WELLINGTON RD 38 VICTORIA RD	11.2	1988	IC	8750	10200	9900	7700
6			1989	IC	9200	10600	10400	8200
6			1990	IC	9600	10900	10800	8550
6			1991	IC	9500	10700	10500	8450
6			1992	IC	9800	10900	10800	8900
6			1993	IC	9950	11200	11100	8850
6			1994	IC	10600	11900	11900	9450
6			1995	IC	11000	12300	12400	9850
6			1996	IC	11200	12600	12600	9950
6			1997	IC	11500	12900	13000	10100
6			1998	IC	11900	13300	13300	10600
6			1999	IC	12200	13700	13700	10900
6			2000	IC	12600	14100	14100	11200
6			2001	IC	12900	14400	14500	11400
6			2002	IC	13500	15100	15200	11900
6			2003	IC	13900	15500	15600	12300
6			2004	IC	13800	15400	15500	12200
6			2005	IC	13900	15500	15600	12300
6			2006	IC	14200	15800	15900	12600
6			2007	IC	14000	15600	16000	12400
6			2008	IC	13900	15400	14900	12300
6			2009	IC	13900	15400	15600	12400
6			2010	IC	14400	15900	16100	12800
6			2011	IC	14400	15800	16400	12900
6			2012	IC	14400	16000	15500	12800
6			2013	IC	14500	16000	16000	12900
6			2014	IC	14800	16400	16300	13100
6			2015	IC	15400	17000	17000	13700
6			2016	IC	15600	17300	17200	13800
6			2017	IC	15800	17300	17400	14300
6			2018	IC	16000	17600	17700	14500
6			2019	IR	16200	20000	19900	13800
6	FORMER FERGUS S LTS C1 2 START OF NA	3.0	9999					
6	FORMER FERGUS N LTS END OF NA	16.8	1988	IC	5400	6250	6100	4750
6			1989	IR	5700	7350	6350	4650
6			1990	IR	6100	7750	6750	5000
6			1991	IR	6000	7550	6650	5000
6			1992	IR	5500	6750	6050	4700
6			1993	IR	5700	7000	5900	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1994	IR	6150	7600	6750	5150
6			1995	IR	6150	7550	6800	5250
6			1996	IR	6450	8000	7200	5500
6			1997	IR	6600	8250	7400	5600
6			1998	IR	6800	8450	7600	5700
6			1999	IR	6900	8550	7650	5800
6			2000	IR	6950	8500	7700	5850
6			2001	IR	7100	8750	7850	6000
6			2002	IR	7450	9200	8250	6350
6			2003	IR	7600	9200	8350	6450
6			2004	IR	7550	9350	8350	6400
6			2005	IR	7500	9050	8200	6400
6			2006	IR	7400	8950	8100	6300
6			2007	IR	7800	9450	9400	6600
6			2008	IR	7900	9550	9400	6750
6			2009	IR	8000	9600	8700	6800
6			2010	IR	7950	9450	8650	6750
6			2011	IR	7950	9500	9300	6800
6			2012	IC	7600	8400	8150	6750
6			2013	IC	7600	8400	8350	6750
6			2014	CTR	7350	8950	9050	6250
6			2015	CTR	7400	9050	9100	6300
6			2016	CTR	7500	9150	9200	6400
6			2017	CTR	8050	10800	10700	6550
6			2018	CTR	8150	10900	10800	6650
6			2019	CTR	8200	10900	10900	6650
6	WELLINGTON RD 109 ARTHUR S LTS	0.2	1988	IR	7450	9700	8200	5950
6			1989	IR	7700	9950	8550	6300
6			1990	IR	7950	10100	8800	6500
6			1991	IR	7900	9950	8750	6550
6			1992	IR	7600	9350	8350	6450
6			1993	IR	7750	9550	8000	6350
6			1994	IR	8100	10000	8900	6800
6			1995	IR	8100	10000	8950	6900
6			1996	IR	8350	10400	9300	7100
6			1997	IR	8500	10600	9500	7200
6			1998	IR	8600	10700	9650	7200
6			1999	IR	8600	10700	9550	7200
6			2000	IR	8700	10700	9650	7350
6			2001	IR	8800	10900	9750	7450
6			2002	IR	8950	11000	9900	7600
6			2003	IR	9050	11000	9950	7700
6			2004	IR	9200	11400	10200	7800
6			2005	IR	9300	11200	10200	7950
6			2006	IR	9400	11300	10300	8000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2007	IR	9500	11500	11500	8050
6			2008	IR	9600	11600	11400	8200
6			2009	IR	9700	11600	10600	8250
6			2010	IR	9800	11700	10700	8350
6			2011	IR	9800	11700	11400	8350
6			2012	IR	9800	11700	11300	8400
6			2013	IR	9900	11800	12600	8450
6			2014	IR	9900	11800	11800	8450
6			2015	IR	9900	11800	11800	8450
6			2016	IR	9900	11800	11800	8450
6			2017	IR	10300	12100	12100	9200
6			2018	IR	10400	12200	12200	9300
6			2019	IR	10500	12300	12300	9400
6	ARTHUR CONESTOGA R BR START OF NA	1.9	9999					
6	FORMER ARTHUR N LTS END OF NA	9.4	1988	CR	4100	5250	4900	3400
6			1989	IR	4200	5400	4650	3450
6			1990	IR	4350	5500	4850	3550
6			1991	IR	4300	5400	4750	3550
6			1992	IR	4000	4900	4400	3400
6			1993	IR	4000	4900	4150	3250
6			1994	IR	4400	5400	4850	3700
6			1995	IR	4400	5400	4850	3750
6			1996	IR	4550	5650	5100	3900
6			1997	IR	4600	5750	5150	3900
6			1998	IR	4700	5850	5250	3950
6			1999	IR	4850	6000	5400	4050
6			2000	IR	4900	6000	5450	4150
6			2001	IR	5000	6200	5550	4250
6			2002	IR	5100	6300	5650	4350
6			2003	IR	5200	6300	5700	4400
6			2004	IR	5300	6550	5850	4500
6			2005	IR	5400	6500	5900	4600
6			2006	IR	5500	6650	6000	4650
6			2007	IR	5500	6650	6650	4650
6			2008	IR	5600	6800	6650	4800
6			2009	IR	5700	6850	6200	4850
6			2010	IR	5650	6750	6150	4800
6			2011	IR	5400	6450	6300	4600
6			2012	CTR	5200	6300	6250	4450
6			2013	CTR	5300	6450	6650	4500
6			2014	CTR	5150	6300	6350	4400
6			2015	CTR	5200	6350	6400	4400
6			2016	CTR	5250	6400	6450	4450
6			2017	CTR	5650	7550	7500	4600
6			2018	CTR	5700	7600	7600	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2019	CTR	5750	7650	7650	4700
6	WELLINGTON NORTH TWP SIDEROAD 7	11.4	1988	CR	4100	5250	4900	3400
6			1989	IR	4200	5400	4650	3450
6			1990	IR	4350	5500	4850	3550
6			1991	IR	4300	5400	4750	3550
6			1992	IR	4000	4900	4400	3400
6			1993	IR	4000	4900	4150	3250
6			1994	IR	4400	5400	4850	3700
6			1995	IR	4400	5400	4850	3750
6			1996	IR	4550	5650	5100	3900
6			1997	IR	4600	5750	5150	3900
6			1998	IR	4700	5850	5250	3950
6			1999	IR	4850	6000	5400	4050
6			2000	IR	4900	6000	5450	4150
6			2001	IR	5000	6200	5550	4250
6			2002	IR	5100	6300	5650	4350
6			2003	IR	5200	6300	5700	4400
6			2004	IR	5300	6550	5850	4500
6			2005	IR	5400	6500	5900	4600
6			2006	IR	5500	6650	6000	4650
6			2007	IR	5600	6800	6750	4750
6			2008	IR	5700	6900	6800	4850
6			2009	IR	5750	6900	6250	4900
6			2010	IR	5850	6950	6350	5000
6			2011	IR	5850	7000	6850	5000
6			2012	CTR	5150	6250	6150	4400
6			2013	CTR	5200	6350	6550	4400
6			2014	CTR	5450	6650	6700	4650
6			2015	CTR	5850	7150	7200	4950
6			2016	CTR	5900	7200	7250	5000
6			2017	CTR	6000	8000	8000	4900
6			2018	CTR	6050	8100	8050	4950
6			2019	CTR	6100	8150	8100	4950
6	MOUNT FOREST S LTS START OF NA	2.7	9999					
6	FORMER MOUNT FOREST N LTS	21.4	1988	IR	4200	5450	4600	3350
6			1989	IR	4550	5850	5050	3750
6			1990	IR	4800	6100	5350	3950
6			1991	IR	4700	5900	5200	3900
6			1992	IR	5000	6150	5500	4250
6			1993	IR	5150	6350	5350	4200
6			1994	IR	5050	6200	5550	4250
6			1995	IR	5050	6200	5550	4300
6			1996	IR	5350	6650	5950	4550
6			1997	IR	5450	6800	6100	4650
6			1998	IR	5600	6950	6250	4700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1999	IR	5400	6700	6000	4550
6			2000	IR	5650	6900	6250	4750
6			2001	IR	5750	7100	6350	4850
6			2002	IR	5850	7200	6500	4950
6			2003	IR	5950	7200	6550	5050
6			2004	IR	6050	7500	6700	5100
6			2005	IR	5950	7200	6500	5050
6			2006	IR	6250	7550	6850	5300
6			2007	IR	6050	7350	7300	5150
6			2008	IR	5650	6850	6700	4850
6			2009	IR	6150	7400	6700	5250
6			2010	IR	6050	7200	6600	5150
6			2011	IR	6050	7200	7050	5150
6			2012	CTR	5400	6550	6450	4600
6			2013	CTR	5500	6700	6900	4650
6			2014	CTR	6500	7950	8000	5500
6			2015	CTR	6200	7550	7650	5250
6			2016	CTR	6250	7600	7700	5300
6			2017	CTR	6300	8400	8400	5150
6			2018	CTR	6300	8400	8400	5150
6			2019	CTR	6350	8450	8400	5150
6	DURHAM S LTS BENT SDRD27 START OF NA	2.3	9999					
6	DURHAM N LTS GLENELG TWP END OF NA	29.3	1988	CR	3150	4050	3800	2600
6			1989	IR	3350	4300	3700	2750
6			1990	IR	3600	4550	4000	2950
6			1991	IR	3500	4400	3900	2900
6			1992	IR	3400	4200	3750	2900
6			1993	IR	3450	4250	3550	2800
6			1994	IR	3700	4550	4050	3100
6			1995	IR	3800	4700	4200	3250
6			1996	IR	3900	4850	4350	3300
6			1997	IR	4000	5000	4500	3400
6			1998	IR	4100	5100	4600	3450
6			1999	IR	4050	5000	4500	3400
6			2000	IR	4050	4950	4500	3400
6			2001	IR	4100	5050	4550	3450
6			2002	IR	4100	5050	4550	3500
6			2003	IR	4150	5050	4550	3500
6			2004	IR	4100	5050	4550	3450
6			2005	IR	4100	4950	4500	3500
6			2006	IR	4250	5150	4650	3600
6			2007	IR	4150	5050	5000	3500
6			2008	IR	3900	4700	4650	3350
6			2009	IR	4200	5050	4600	3550
6			2010	IR	4200	5000	4550	3550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2011	IR	4200	5000	4900	3600
6			2012	CTR	3650	4450	4350	3100
6			2013	CTR	3650	4450	4600	3100
6			2014	CTR	4150	5050	5100	3550
6			2015	CTR	4050	4950	5000	3450
6			2016	CTR	4050	4950	5000	3450
6			2017	CTR	4050	5400	5400	3300
6			2018	CTR	4050	5400	5400	3300
6			2019	IR	3900	4750	4700	3300
6	S JCT GREY RD 40 DAVID MCNICHOL PKWY	1.1	1988	CR	3350	4300	4000	2800
6			1989	IR	4000	5150	4450	3300
6			1990	IR	4400	5600	4900	3600
6			1991	IR	4300	5400	4750	3550
6			1992	IR	4250	5250	4700	3600
6			1993	IR	4300	5300	4450	3500
6			1994	IR	4200	5150	4600	3500
6			1995	IR	4150	5100	4550	3550
6			1996	IR	4450	5550	4950	3800
6			1997	IR	4550	5700	5100	3850
6			1998	IR	4650	5750	5200	3900
6			1999	IR	4800	5950	5350	4050
6			2000	IR	4650	5700	5150	3950
6			2001	IR	4700	5800	5200	3950
6			2002	IR	4800	5900	5300	4100
6			2003	IR	4800	5850	5300	4050
6			2004	IR	4850	6000	5350	4100
6			2005	IR	4950	5950	5400	4200
6			2006	IR	4900	5900	5350	4150
6			2007	IR	5050	6100	6100	4300
6			2008	IR	5150	6250	6100	4400
6			2009	IR	5200	6250	5650	4400
6			2010	IR	5250	6250	5700	4450
6			2011	IR	5250	6250	6150	4500
6			2012	CTR	4700	5700	5650	4000
6			2013	CTR	4700	5700	5900	4000
6			2014	CTR	4200	5100	5150	3550
6			2015	CTR	4250	5200	5250	3600
6			2016	CTR	4300	5250	5300	3650
6			2017	CTR	4850	6500	6450	3950
6			2018	CTR	4850	6500	6450	3950
6			2019	CTR	4850	6450	6450	3950
6	N JCT GREY RD 40 CHATSWORTH START OF NA	0.6	9999					
6	HWY 10 TORONTO & SYDENHAM STS	11.6	1988	CR	7050	9000	8450	5850
6			1989	IR	7600	9800	8450	6250
6			1990	IR	8150	10400	9050	6700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1991	IR	8100	10200	9000	6700
6			1992	IR	8400	10300	9250	7150
6			1993	IR	8450	10400	8750	6900
6			1994	IR	8500	10500	9350	7100
6			1995	IR	8800	10800	9700	7500
6			1996	IR	8650	10700	9650	7350
6			1997	IR	8750	10900	9800	7450
6			1998	IR	8850	11000	9900	7450
6			1999	IR	8900	11000	9900	7500
6			2000	IR	9000	11000	9950	7600
6			2001	IR	9050	11200	10000	7650
6			2002	IR	9100	11200	10100	7750
6			2003	IR	9100	11000	10000	7700
6			2004	CTR	9150	11500	11100	7700
6			2005	CTR	9250	11500	11000	7850
6			2006	CTR	9250	11500	11000	7850
6			2007	CTR	9350	11600	11500	7900
6			2008	CTR	9400	11600	11400	8000
6			2009	CTR	9450	11500	11200	8050
6			2010	CTR	9500	11600	11100	8050
6			2011	CTR	9500	11600	11100	8050
6			2012	CTR	9500	11500	11400	8100
6			2013	CTR	9300	11300	11700	7900
6			2014	CTR	9100	11100	11200	7750
6			2015	CTR	9600	11700	11800	8150
6			2016	CTR	9650	11800	11900	8200
6			2017	CTR	9700	13000	12900	7900
6			2018	CTR	9750	13000	13000	7950
6			2019	IR	9900	12000	12000	8450
6	OWEN SOUND S LT FOURTH ST START OF NA	3.9	9999					
6	ALPHA ST 9TH AV END OF NA	0.7	1988	C	17700	19600	19600	15900
6			1989	C	17900	19900	20000	16100
6			1990	C	18300	20300	20300	16500
6			1991	C	18000	19800	20000	16400
6			1992	C	18200	19700	20200	16700
6			1993	C	18500	20200	20500	17000
6			1994	C	19000	20800	21200	17200
6			1995	C	19600	21400	22000	17900
6			1996	C	19500	22100	22200	17600
6			1997	C	19700	22300	22500	17700
6			1998	C	20000	22600	22600	18000
6			1999	C	20200	22600	22800	18200
6			2000	C	19200	21700	21700	17300
6			2001	C	19100	21500	21600	17200
6			2002	C	19000	21300	21400	17100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2003	C	18900	21100	21200	17100
6			2004	LT	18500	25900	25200	13600
6			2005	LT	18900	25900	25300	13900
6			2006	LT	18800	25700	25100	13800
6			2007	LT	18700	25700	26400	13700
6			2008	IC	18600	20600	19900	16400
6			2009	IC	18500	20500	20700	16500
6			2010	IC	18500	20500	20600	16400
6			2011	IC	18400	20200	21000	16500
6			2012	IC	18300	20300	19700	16200
6			2013	IC	18200	20100	20000	16100
6			2014	CTR	18100	22100	22300	15400
6			2015	CTR	18100	22100	22300	15400
6			2016	CTR	18000	22000	22100	15300
6			2017	CTR	17900	23900	23800	14600
6			2018	CTR	17800	23800	23700	14500
6			2019	CTR	17700	23600	23500	14400
6	GREY COUNTY MALL MACDONALDS ENT	2.0	1988	C	11900	13200	13200	10700
6			1989	C	12800	14200	14300	11500
6			1990	C	13000	14400	14400	11700
6			1991	C	12900	14200	14300	11700
6			1992	C	12800	13800	14200	11800
6			1993	C	13200	14400	14600	12100
6			1994	C	13800	15100	15400	12500
6			1995	C	14300	15600	16000	13100
6			1996	C	14500	16400	16500	13100
6			1997	CTR	14800	18900	18200	12400
6			1998	CTR	15100	19200	18400	12700
6			1999	CTR	14800	18600	17900	12400
6			2000	CTR	14900	18800	18000	12500
6			2001	IC	14600	16300	16400	12900
6			2002	IC	15100	16800	17000	13300
6			2003	IC	15200	16900	17100	13500
6			2004	IC	15300	17100	17200	13500
6			2005	IC	15400	17100	17300	13600
6			2006	IC	15500	17200	17400	13700
6			2007	IC	15600	17300	17900	13800
6			2008	IC	15700	17400	16800	13800
6			2009	IC	15800	17500	17700	14100
6			2010	IC	15900	17600	17700	14100
6			2011	IC	16000	17600	18300	14400
6			2012	IC	16100	17800	17300	14300
6			2013	IC	16200	17900	17800	14400
6			2014	IC	16300	18000	18000	14500
6			2015	IC	16400	18200	18100	14500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2016	IC	16500	18300	18200	14600
6			2017	IC	16600	18200	18300	15100
6			2018	IC	16700	18400	18500	15100
6			2019	IC	16800	18500	18500	15200
6	HWY 21 GREY RD 18	6.4	1988	LT	6550	9300	9250	5000
6			1989	LT	7000	9750	9650	5200
6			1990	LT	7100	10400	9950	5200
6			1991	LT	7200	10100	9700	5350
6			1992	LT	7000	9750	9450	5400
6			1993	LT	7000	9700	8700	5150
6			1994	LT	7350	10800	10400	5350
6			1995	LT	7400	10600	10300	5400
6			1996	LT	7750	10900	10700	5700
6			1997	LT	7900	11100	10900	5850
6			1998	LT	7800	10900	10700	5700
6			1999	LT	7800	10800	10600	5700
6			2000	LT	7850	10900	10700	5750
6			2001	LT	8000	11200	10900	5850
6			2002	LT	8000	11200	10900	5850
6			2003	LT	8050	11100	10800	5950
6			2004	LT	8100	11300	11000	5950
6			2005	LT	8150	11200	10900	6000
6			2006	LT	8200	11200	10900	6050
6			2007	LT	8200	11300	11600	6000
6			2008	LT	8300	11400	10900	6100
6			2009	LT	8300	11200	11000	6150
6			2010	LT	8000	10700	10500	5900
6			2011	LT	8000	10200	10500	6600
6			2012	LT	7500	9800	9300	5700
6			2013	LT	8200	10700	10700	6200
6			2014	LT	8500	11100	11300	6400
6			2015	LT	8300	10800	11000	6250
6			2016	LT	8350	10900	11100	6300
6			2017	LT	8350	11700	11600	6450
6			2018	LT	8400	11800	11600	6450
6			2019	LT	8450	11800	11700	6500
6	CONCESSION 5 (W)	7.6	1988	LT	4600	6550	6500	3500
6			1989	LT	5700	7900	7850	4200
6			1990	LT	5900	8600	8250	4300
6			1991	LT	6100	8550	8250	4500
6			1992	LT	5900	8200	7950	4550
6			1993	LT	5900	8150	7300	4350
6			1994	LT	6300	9250	8900	4600
6			1995	LT	6250	9000	8700	4550
6			1996	LT	6750	9550	9300	4950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1997	LT	7000	9850	9650	5200
6			1998	LT	7200	10100	9850	5250
6			1999	LT	7250	10100	9850	5300
6			2000	LT	7300	10200	9950	5350
6			2001	LT	7300	10200	9950	5350
6			2002	LT	7350	10300	10000	5400
6			2003	LT	7400	10200	9950	5450
6			2004	LT	7350	10300	10000	5400
6			2005	LT	7250	9950	9700	5350
6			2006	LT	7150	9800	9550	5250
6			2007	LT	7350	10100	10400	5400
6			2008	LT	6900	9450	9050	5100
6			2009	LT	7450	10100	9850	5500
6			2010	LT	7250	9750	9550	5350
6			2011	LT	7250	9300	9450	5950
6			2012	T	6400	9250	9350	4100
6			2013	T	6400	9350	9200	4100
6			2014	LT	7350	9600	9750	5550
6			2015	LT	7200	9400	9550	5450
6			2016	LT	7200	9400	9550	5450
6			2017	LT	7200	10100	10000	5550
6			2018	LT	7250	10100	10000	5600
6			2019	LT	7250	10200	10100	5600
6	N JCT BRUCE RD 10 QUEEN ST BRUCE RD 8 (W)	11.2	1988	HT	4300	8650	7750	1900
6			1989	IR	4850	6250	5400	4000
6			1990	IR	5300	6750	5900	4350
6			1991	IR	5200	6550	5750	4300
6			1992	IR	5300	6500	5850	4500
6			1993	IR	5400	6650	5600	4400
6			1994	IR	5550	6850	6100	4650
6			1995	IR	5650	6950	6250	4800
6			1996	IR	5700	7100	6350	4850
6			1997	IR	5800	7250	6500	4950
6			1998	IR	5850	7250	6550	4900
6			1999	IR	5950	7400	6600	5000
6			2000	IR	6050	7400	6700	5100
6			2001	IR	6100	7550	6750	5150
6			2002	IR	6200	7650	6850	5250
6			2003	IR	6250	7600	6900	5300
6			2004	IR	6350	7850	7050	5350
6			2005	IR	6200	7500	6800	5300
6			2006	LT	6500	8900	8700	4800
6			2007	LT	6200	8500	8750	4550
6			2008	LT	5800	7950	7600	4300
6			2009	LT	6300	8500	8300	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2010	LT	6050	8100	7950	4450
6			2011	LT	6050	7750	7900	4950
6			2012	LT	6000	7850	7450	4550
6			2013	LT	6000	7850	7850	4550
6			2014	LT	6500	8500	8650	4900
6			2015	LT	6350	8300	8450	4800
6			2016	LT	6350	8300	8450	4800
6			2017	LT	6400	8950	8850	4950
6			2018	LT	6400	8950	8850	4950
6			2019	LT	6450	9050	8950	4950
6	WIARTON S LTS START OF NA	2.0	9999					
6	FORMER WIARTON N LTS END OF NA	2.1	1988	CR	4000	5100	4800	3300
6			1989	T	4200	7600	7350	2650
6			1990	T	4350	7900	7550	2700
6			1991	T	4300	7800	7450	2650
6			1992	LR	4300	6900	5550	2850
6			1993	LR	4300	6900	5550	2800
6			1994	LR	4500	7400	5950	2950
6			1995	LR	4400	7400	6000	2900
6			1996	LR	4650	7800	6250	3100
6			1997	LR	4750	8000	6400	3200
6			1998	LR	4800	7900	6400	3150
6			1999	LR	4950	8100	6550	3250
6			2000	LR	4900	7950	6400	3250
6			2001	LT	4800	6700	6550	3500
6			2002	LT	5000	7000	6800	3650
6			2003	LT	5100	7000	6850	3750
6			2004	LT	5150	7200	7000	3750
6			2005	LT	5200	7150	6950	3800
6			2006	LT	5300	7250	7050	3900
6			2007	LT	5350	7350	7550	3950
6			2008	LT	5400	7400	7100	4000
6			2009	LT	5500	7450	7250	4050
6			2010	LT	5550	7450	7300	4100
6			2011	LT	5550	7100	7250	4550
6			2012	LT	5700	7450	7100	4300
6			2013	LT	5750	7500	7500	4350
6			2014	LT	5800	7550	7700	4400
6			2015	LT	5850	7650	7750	4400
6			2016	LT	5950	7750	7900	4500
6			2017	LT	6000	8400	8300	4600
6			2018	LT	6050	8450	8400	4650
6			2019	LT	6150	8600	8550	4750
6	S JCT BRUCE RD 9 COLPOY BAY RD (E)	26.9	1988	HT	2100	4200	3800	920
6			1989	HT	2300	4600	4150	1050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1990	HT	2500	5000	4500	1100
6			1991	HT	2450	4900	4400	1150
6			1992	LR	2400	3850	3100	1600
6			1993	LR	2400	3850	3100	1550
6			1994	LR	2500	4100	3300	1650
6			1995	LR	2450	4100	3350	1600
6			1996	LR	2600	4350	3500	1750
6			1997	LR	2650	4450	3600	1800
6			1998	LR	2750	4550	3650	1800
6			1999	LR	2750	4500	3650	1800
6			2000	LR	2700	4350	3550	1800
6			2001	LR	2800	4600	3650	1850
6			2002	LR	2750	4500	3600	1850
6			2003	LR	2800	4450	3550	1900
6			2004	LR	2750	4500	3600	1850
6			2005	LR	2800	4350	3550	1900
6			2006	LR	2900	4500	3650	1950
6			2007	LR	2850	4450	4300	1900
6			2008	LR	2750	4300	4200	1900
6			2009	LR	2900	4400	3600	1950
6			2010	LR	2950	4400	3600	2000
6			2011	LR	2950	4550	4300	2050
6			2012	LT	2700	3500	3350	2050
6			2013	LT	2950	3850	3850	2250
6			2014	LT	3000	3900	4000	2250
6			2015	LT	3000	3900	4000	2250
6			2016	LT	3000	3900	4000	2250
6			2017	LT	3050	4250	4250	2350
6			2018	LT	3050	4250	4250	2350
6			2019	LT	3050	4300	4250	2350
6	BRUCE RD 9 N JCT	19.9	1988	HT	1650	3300	2950	730
6			1989	HT	1800	3600	3250	830
6			1990	HT	2000	4000	3600	900
6			1991	HT	1950	3900	3500	900
6			1992	LR	1700	2750	2200	1100
6			1993	LR	1700	2750	2200	1100
6			1994	LR	1700	2800	2250	1100
6			1995	LR	1800	3000	2450	1200
6			1996	LR	1900	3200	2550	1250
6			1997	LR	1950	3300	2650	1300
6			1998	LR	2100	3450	2800	1400
6			1999	LR	2050	3350	2700	1350
6			2000	LR	2100	3400	2750	1400
6			2001	LR	2400	3950	3150	1600
6			2002	LR	2200	3600	2850	1500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2003	LR	2250	3550	2850	1500
6			2004	LR	2100	3450	2750	1400
6			2005	LR	2300	3600	2900	1550
6			2006	LR	2400	3750	3000	1600
6			2007	LR	2400	3750	3600	1600
6			2008	LR	2300	3600	3500	1600
6			2009	LR	2500	3800	3100	1700
6			2010	LR	2550	3800	3100	1750
6			2011	LR	2550	3950	3700	1800
6			2012	LR	2600	3900	3750	1800
6			2013	LR	2650	3950	4550	1800
6			2014	LR	2700	4050	4100	1850
6			2015	LR	2750	4100	4200	1850
6			2016	LR	2800	4200	4250	1900
6			2017	LR	2850	4750	4600	1950
6			2018	LR	2900	4850	4700	2000
6			2019	LR	2950	4950	4800	2000
6	LINDSAY TWP RD 30	26.2	1988	HT	1200	2400	2150	530
6			1989	HT	1400	2800	2550	640
6			1990	HT	1550	3100	2800	700
6			1991	HT	1500	3000	2700	690
6			1992	LR	1400	2250	1800	920
6			1993	LR	1400	2250	1800	910
6			1994	LR	1700	2800	2250	1100
6			1995	LR	1650	2750	2250	1100
6			1996	LR	1900	3200	2550	1250
6			1997	LR	1950	3300	2650	1300
6			1998	LR	2150	3550	2850	1400
6			1999	LR	1900	3100	2500	1250
6			2000	LR	1900	3100	2500	1250
6			2001	LR	1700	2800	2200	1150
6			2002	LR	1900	3100	2500	1300
6			2003	LR	1950	3100	2500	1300
6			2004	LR	1950	3200	2550	1300
6			2005	LR	1900	2950	2400	1300
6			2006	LR	2000	3100	2500	1350
6			2007	LR	1950	3050	2950	1300
6			2008	LR	1800	2800	2750	1250
6			2009	LR	1950	2950	2400	1350
6			2010	LR	1950	2900	2400	1300
6			2011	LR	1950	3000	2850	1350
6			2012	LR	1650	2450	2400	1150
6			2013	LR	1900	2850	3250	1300
6			2014	R	2000	3400	3500	1100
6			2015	R	1950	3300	3400	1050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2016	R	1950	3300	3400	1050
6			2017	R	1950	3450	3450	1150
6			2018	R	1950	3500	3450	1200
6			2019	R	1950	3500	3450	1200
6	HWY CONTINUES IN TOBERMORY		9999					
6	SOUTH BAYMOUTH FERRY DOCKS	12.9	1988	T	650	1200	1150	400
6			1989	T	700	1250	1200	440
6			1990	T	750	1350	1300	460
6			1991	T	800	1450	1400	500
6			1992	T	550	1000	970	340
6			1993	T	600	1100	1050	370
6			1994	T	740	1350	1300	460
6			1995	T	750	1300	1250	460
6			1996	T	790	1350	1350	490
6			1997	HR	810	1450	1150	490
6			1998	HR	850	1450	1200	510
6			1999	HR	770	1300	1050	460
6			2000	HR	760	1250	1050	460
6			2001	HR	700	1150	940	420
6			2002	HR	760	1250	1000	460
6			2003	HR	760	1200	990	460
6			2004	HR	710	1200	950	430
6			2005	LR	750	1150	950	510
6			2006	LR	690	1050	860	470
6			2007	LR	680	1050	1000	460
6			2008	LR	600	940	910	410
6			2009	LR	650	990	810	440
6			2010	LR	610	910	750	410
6			2011	LR	630	970	910	440
6			2012	LR	620	930	900	430
6			2013	LR	610	910	1050	410
6			2014	LR	600	900	910	410
6			2015	LR	590	880	900	400
6			2016	LR	580	870	880	390
6			2017	LR	570	950	920	390
6			2018	LR	560	930	910	380
6			2019	LR	550	920	890	380
6	SEC HWY 542 (W)	17.0	1988	T	700	1300	1200	430
6			1989	T	730	1300	1300	460
6			1990	T	750	1350	1300	460
6			1991	T	800	1450	1400	500
6			1992	T	750	1350	1300	460
6			1993	T	850	1550	1500	530
6			1994	T	860	1550	1500	530
6			1995	T	900	1550	1500	550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1996	T	920	1600	1550	570
6			1997	T	950	1650	1600	590
6			1998	T	980	1650	1650	600
6			1999	T	1000	1700	1650	620
6			2000	T	980	1600	1550	610
6			2001	T	1050	1700	1650	650
6			2002	T	1000	1650	1600	620
6			2003	T	1050	1650	1600	660
6			2004	LT	990	1400	1350	730
6			2005	LT	1050	1450	1400	770
6			2006	LT	1050	1450	1400	770
6			2007	LT	1050	1450	1500	770
6			2008	LT	1050	1450	1400	770
6			2009	LT	1100	1500	1450	810
6			2010	CTR	1100	1350	1300	930
6			2011	CTR	1100	1350	1300	930
6			2012	CTR	950	1150	1150	810
6			2013	CTR	1100	1350	1400	930
6			2014	CTR	950	1150	1150	810
6			2015	CTR	1100	1350	1350	940
6			2016	CTR	1100	1350	1350	940
6			2017	CTR	1100	1450	1450	900
6			2018	CTR	1050	1400	1400	860
6			2019	CTR	1100	1450	1450	900
6	MEREDITH ST (E) MANITOWANING	24.4	1988	LT	950	1350	1350	720
6			1989	T	1050	1900	1850	660
6			1990	T	1150	2100	2000	710
6			1991	T	1200	2150	2100	740
6			1992	T	1000	1800	1750	620
6			1993	T	1000	1800	1750	620
6			1994	T	1150	2100	2000	710
6			1995	LT	1100	1600	1550	810
6			1996	LT	1200	1700	1650	880
6			1997	LT	1250	1750	1700	920
6			1998	LT	1400	1950	1900	1000
6			1999	LT	1400	1950	1900	1000
6			2000	LT	1500	2100	2050	1100
6			2001	LT	1550	2150	2100	1150
6			2002	LT	1600	2250	2200	1150
6			2003	LT	1700	2350	2300	1250
6			2004	LT	1750	2450	2400	1300
6			2005	LT	1800	2450	2400	1300
6			2006	LT	1700	2350	2250	1250
6			2007	LT	1750	2400	2450	1300
6			2008	LT	1550	2100	2050	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2009	LT	1850	2500	2450	1350
6			2010	LT	1800	2400	2350	1350
6			2011	LT	1950	2500	2550	1600
6			2012	CTR	1700	2050	2050	1450
6			2013	CTR	1800	2200	2250	1550
6			2014	CTR	1750	2150	2150	1500
6			2015	CTR	1800	2200	2200	1550
6			2016	CTR	1800	2200	2200	1550
6			2017	CTR	2000	2650	2650	1650
6			2018	CTR	1950	2600	2600	1600
6			2019	CTR	2050	2750	2700	1650
6	SHEGUIANDAH HOWLAND TWP BDY	9.0	1988	LT	1600	2250	2250	1200
6			1989	T	1700	3100	3000	1050
6			1990	T	1800	3300	3150	1100
6			1991	T	1900	3450	3300	1200
6			1992	LT	1700	2350	2300	1300
6			1993	LT	1700	2350	2100	1250
6			1994	LT	1900	2800	2700	1400
6			1995	LT	1950	2800	2700	1450
6			1996	LT	1950	2750	2700	1450
6			1997	LT	2000	2800	2750	1500
6			1998	LT	2100	2950	2900	1550
6			1999	LT	2100	2900	2850	1550
6			2000	LT	2150	3000	2950	1550
6			2001	LT	2200	3100	3000	1600
6			2002	LT	2250	3150	3050	1650
6			2003	LT	2300	3150	3100	1700
6			2004	LT	2350	3300	3200	1700
6			2005	LT	2400	3300	3200	1750
6			2006	LT	2400	3300	3200	1750
6			2007	LT	2450	3350	3450	1800
6			2008	LT	2450	3350	3200	1800
6			2009	LT	2500	3400	3300	1850
6			2010	LT	2500	3350	3300	1850
6			2011	LT	2600	3350	3400	2150
6			2012	LT	2350	3050	2900	1800
6			2013	LT	2400	3150	3150	1800
6			2014	LT	2250	2950	3000	1700
6			2015	LT	2550	3350	3400	1950
6			2016	LT	2600	3400	3450	1950
6			2017	LT	2600	3650	3600	2000
6			2018	LT	2550	3550	3550	1950
6			2019	LT	2650	3700	3700	2050
6	LITTLE CURRENT S LT L21 22 START OF NA	1.6	9999					
6	LITTLE CURRENT N LTS END OF NA	24.0	1988	LT	2100	3000	2950	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			1989	T	2350	4250	4100	1500
6			1990	T	2450	4450	4250	1500
6			1991	T	2550	4600	4400	1600
6			1992	LT	2300	3200	3100	1750
6			1993	LT	2500	3450	3100	1850
6			1994	LT	1900	2800	2700	1400
6			1995	LT	1950	2800	2700	1450
6			1996	LT	1950	2750	2700	1450
6			1997	LT	2000	2800	2750	1500
6			1998	LT	2100	2950	2900	1550
6			1999	LT	2200	3050	3000	1600
6			2000	LT	2250	3150	3050	1650
6			2001	LT	2200	3100	3000	1600
6			2002	LT	2250	3150	3050	1650
6			2003	LT	2250	3100	3050	1650
6			2004	LT	2350	3300	3200	1700
6			2005	LT	2400	3300	3200	1750
6			2006	LT	2500	3400	3350	1850
6			2007	IR	2600	3150	3150	2200
6			2008	IR	2700	3250	3200	2300
6			2009	IR	2900	3500	3150	2450
6			2010	IR	2950	3500	3200	2500
6			2011	IR	2900	3450	3400	2500
6			2012	LT	2950	3850	3650	2250
6			2013	LT	3000	3900	3900	2250
6			2014	LT	3050	4000	4050	2300
6			2015	LT	3100	4050	4100	2350
6			2016	LT	3200	4200	4250	2400
6			2017	LT	3250	4150	4150	2700
6			2018	LT	3300	4200	4200	2750
6			2019	LT	3350	4250	4250	2800
6	MANITOULIN SUDBURY DIST BDY	20.6	1988	LT	2250	3200	3150	1700
6			1989	T	2350	4250	4100	1500
6			1990	T	2450	4450	4250	1500
6			1991	T	2550	4600	4400	1600
6			1992	LT	2300	3200	3100	1750
6			1993	LT	2500	3450	3100	1850
6			1994	LT	2750	4050	3900	2000
6			1995	LT	2850	4100	4000	2100
6			1996	LT	2900	4100	4000	2150
6			1997	LR	2950	4950	4000	2000
6			1998	LR	3250	5350	4300	2150
6			1999	LR	3150	5150	4150	2100
6			2000	LR	3250	5250	4250	2150
6			2001	IR	3500	4350	3900	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2002	IR	3400	4200	3750	2900
6			2003	IR	3550	4300	3900	3000
6			2004	IR	3400	4200	3750	2850
6			2005	IR	3500	4200	3850	3000
6			2006	IR	3600	4350	3950	3050
6			2007	IR	3450	4200	4150	2900
6			2008	IR	3600	4350	4300	3100
6			2009	IR	3750	4500	4100	3200
6			2010	IR	3800	4500	4150	3250
6			2011	IR	3850	4600	4500	3300
6			2012	LT	3350	4350	4150	2550
6			2013	LT	3850	5050	5000	2900
6			2014	LT	3250	4250	4300	2450
6			2015	LT	3800	4950	5050	2850
6			2016	LT	3850	5050	5100	2900
6			2017	LT	3850	4900	4900	3200
6			2018	LT	3750	5250	5200	2900
6			2019	LT	3950	5550	5500	3050
6	FOSTER DR ESPANOLA S LTS START OF NA	3.9	9999					
6	TUDHOPE ST (E) SHEPPARD ST (W) END OF NA	2.7	1988	IT	5900	8550	7850	4350
6			1989	CTR	6550	8300	7950	5650
6			1990	CTR	6850	8550	8100	5950
6			1991	CTR	7000	8800	8750	6100
6			1992	CTR	6600	8100	7850	5750
6			1993	CTR	6700	8450	8100	5700
6			1994	CTR	7100	9100	8650	5950
6			1995	CTR	7200	9250	8850	6050
6			1996	CTR	7350	9400	9050	6150
6			1997	CTR	7650	9800	9400	6450
6			1998	CTR	7700	9800	9400	6450
6			1999	CTR	8050	10100	9750	6750
6			2000	CTR	7750	9750	9400	6500
6			2001	CTR	7850	9900	9500	6600
6			2002	CTR	7950	10000	9600	6700
6			2003	CTR	8050	10000	9600	6850
6			2004	CTR	8050	10200	9750	6800
6			2005	CR	8250	10000	9600	6950
6			2006	CR	8200	9950	9550	6950
6			2007	CR	8250	10000	10000	6950
6			2008	CR	8250	10000	9900	6950
6			2009	CR	8400	10100	9750	7150
6			2010	CR	8300	9950	9600	7000
6			2011	CR	8550	9950	10100	7600
6			2012	LT	8000	10400	9950	6050
6			2013	LT	8400	11000	11000	6350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
6			2014	LT	7600	9900	10100	5750
6			2015	LT	8450	11000	11200	6400
6			2016	LT	8500	11100	11300	6400
6			2017	LT	8550	10900	10900	7150
6			2018	LT	8600	10900	11000	7200
6			2019	LT	8650	11000	11000	7250
6	HWY 17 HWY END		9999					
7	HWY 417 & HWY 17 IC	2.5	1988	C	9800	10900	10900	8800
7			1989	IC	10200	11700	11500	9100
7			1990	C	11500	12800	12800	10400
7			1991	IC	10200	11500	11300	9100
7			1992	IC	11800	13100	13000	10700
7			1993	CTR	12300	15500	14900	10500
7			1994	CTR	12700	16300	15500	10700
7			1995	CTR	12800	16400	15700	10700
7			1996	CTR	12900	16500	15900	10800
7			1997	C	13000	14700	14800	11700
7			1998	C	13300	15000	15000	12000
7			1999	C	13400	15000	15100	12100
7			2000	C	13800	15600	15600	12400
7			2001	C	13800	15500	15600	12400
7			2002	C	13900	15600	15700	12500
7			2003	C	14200	15900	16000	12800
7			2004	C	14200	16000	16000	12800
7			2005	C	14400	16000	16200	12900
7			2006	C	14400	16000	16100	13000
7			2007	C	15200	16900	17100	13700
7			2008	C	15600	17200	17000	14000
7			2009	C	16100	17700	17900	14500
7			2010	C	15700	17300	17500	14100
7			2011	C	15900	17500	17700	14300
7			2012	C	17900	19700	19300	16100
7			2013	C	18200	20100	19800	16400
7			2014	C	16500	18200	17700	14800
7			2015	C	17300	19000	18500	15600
7			2016	C	17600	19400	18800	15800
7			2017	C	17800	19500	19400	16200
7			2018	C	18100	19800	19700	16300
7			2019	C	18300	20000	19900	16600
7	HAZELDEAN RD RMOC RD 36	7.6	1988	CR	10400	13300	12500	8650
7			1989	IC	10700	12300	12100	9500
7			1990	IC	10800	12300	12100	9600
7			1991	C	11800	13000	13100	10700
7			1992	IC	11800	13100	13000	10700
7			1993	CTR	11900	15000	14400	10100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1994	CTR	12100	15500	14800	10200
7			1995	CTR	12500	16000	15400	10500
7			1996	CTR	12800	16400	15800	10700
7			1997	C	13100	14800	14900	11800
7			1998	C	13600	15400	15400	12200
7			1999	C	14800	16600	16700	13300
7			2000	C	14700	16600	16600	13200
7			2001	C	15100	17000	17000	13600
7			2002	C	15200	17000	17200	13700
7			2003	C	15800	17600	17800	14300
7			2004	C	15500	17500	17500	14000
7			2005	C	15600	17400	17500	14000
7			2006	C	15500	17200	17400	13900
7			2007	C	16600	18400	18700	14900
7			2008	C	16900	18700	18400	15200
7			2009	C	17200	18900	19100	15500
7			2010	C	17500	19300	19500	15800
7			2011	C	17800	19600	19800	16000
7			2012	C	18200	20100	19600	16400
7			2013	C	18500	20400	20100	16700
7			2014	C	17200	18900	18400	15500
7			2015	C	18800	20700	20100	16900
7			2016	C	19100	21000	20400	17200
7			2017	C	19400	21200	21200	17600
7			2018	C	19700	21600	21500	17800
7			2019	C	20000	21900	21700	18100
7	DWYER HILL RD (N) DWYER HILL RD (S)	10.8	1988	CR	10400	13300	12500	8650
7			1989	CR	10900	14000	13000	9150
7			1990	CR	11100	13800	12800	10000
7			1991	C	12400	13600	13800	11300
7			1992	IC	12000	13300	13200	10900
7			1993	T	13600	24600	23900	8450
7			1994	IR	14000	17200	15400	11700
7			1995	IR	14300	17600	15800	12200
7			1996	IR	14600	18100	16300	12400
7			1997	CR	15000	18600	17700	12800
7			1998	CR	15400	18900	18000	13100
7			1999	CR	13500	16600	15800	11500
7			2000	IR	13700	16800	15200	11600
7			2001	IR	13900	17200	15400	11800
7			2002	IR	14100	17400	15600	12000
7			2003	IR	16000	19400	17600	13600
7			2004	IR	15800	19500	17500	13400
7			2005	IR	16200	19600	17700	13800
7			2006	CR	16600	20100	19300	14000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2007	CR	16900	20500	20400	14200
7			2008	CR	17300	20900	20800	14600
7			2009	CR	17700	21200	20500	15000
7			2010	CR	17200	20600	19900	14500
7			2011	CR	16300	19000	19200	14500
7			2012	UC	16800	16900	18000	16000
7			2013	UC	17200	17300	17300	16300
7			2014	UC	17700	17800	17000	16800
7			2015	UC	17900	18000	17200	17000
7			2016	UC	18100	18200	17400	17200
7			2017	UC	18400	18300	18500	17600
7			2018	UC	18600	18400	18700	17900
7			2019	UC	18800	18500	18800	18100
7	MCNEELY AVE (N)	0.6	1988	CR	10400	13300	12500	8650
7			1989	CR	10900	14000	13000	9150
7			1990	CR	11100	13800	12800	10000
7			1991	C	12400	13600	13800	11300
7			1992	IC	12000	13300	13200	10900
7			1993	T	13600	24600	23900	8450
7			1994	IR	14000	17200	15400	11700
7			1995	IR	14300	17600	15800	12200
7			1996	IR	14600	18100	16300	12400
7			1997	CR	15000	18600	17700	12800
7			1998	CR	15400	18900	18000	13100
7			1999	CR	13500	16600	15800	11500
7			2000	IR	13700	16800	15200	11600
7			2001	IR	13900	17200	15400	11800
7			2002	IR	14100	17400	15600	12000
7			2003	IR	13600	16500	15000	11500
7			2004	IR	15800	19500	17500	13400
7			2005	IR	16200	19600	17700	13800
7			2006	CR	16600	20100	19300	14000
7			2007	CR	16900	20500	20400	14200
7			2008	CR	17300	20900	20800	14600
7			2009	CR	17700	21200	20500	15000
7			2010	CR	16900	20300	19500	14300
7			2011	CR	17200	20000	20300	15300
7			2012	IC	17900	19800	19200	15900
7			2013	IC	17800	19700	19600	15800
7			2014	IC	18000	19900	19800	16000
7			2015	IC	18300	20300	20200	16200
7			2016	IC	18500	20500	20400	16400
7			2017	IC	18800	20600	20700	17100
7			2018	IC	19000	20900	21000	17200
7			2019	IC	19300	21200	21300	17400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7	HWY 15 (N) FRANKTOWN RD (S)	3.8	1988	CR	7100	9100	8500	5900
7			1989	CR	7200	9200	8550	6050
7			1990	CR	7300	9050	8400	6550
7			1991	C	7400	8150	8200	6750
7			1992	IC	7500	8300	8250	6800
7			1993	T	7600	13800	13400	4700
7			1994	IR	7700	9500	8450	6450
7			1995	IR	7800	9600	8600	6650
7			1996	IR	7900	9800	8800	6750
7			1997	CR	8000	9900	9450	6800
7			1998	CR	8100	9950	9500	6900
7			1999	CR	8200	10100	9600	6950
7			2000	IR	8400	10300	9300	7100
7			2001	IR	8550	10600	9450	7250
7			2002	IR	8700	10700	9650	7400
7			2003	IR	8850	10700	9750	7500
7			2004	IR	9050	11200	10000	7650
7			2005	IR	9200	11100	10100	7850
7			2006	IR	9400	11300	10300	8000
7			2007	IR	9550	11600	11500	8100
7			2008	IR	9750	11800	11600	8350
7			2009	IR	9900	11900	10800	8400
7			2010	IR	9700	11500	10600	8250
7			2011	IR	9500	11300	11100	8100
7			2012	IC	9300	10300	10000	8250
7			2013	IC	9600	10600	10600	8500
7			2014	IC	9900	11000	10900	8800
7			2015	IC	10200	11300	11200	9050
7			2016	IC	10500	11600	11600	9300
7			2017	IC	10800	11800	11900	9800
7			2018	IC	11100	12200	12300	10000
7			2019	IC	11400	12500	12600	10300
7	MISSISSIPPI RD (S) LANARK RD 29 TOWNLINE RD (N)	9.0	1988	IR	5650	7350	6200	4500
7			1989	IR	5750	7400	6400	4700
7			1990	IR	5950	7550	6600	4900
7			1991	IR	6300	7950	7000	5250
7			1992	IR	6300	7750	6950	5350
7			1993	T	6800	12300	12000	4200
7			1994	IR	6850	8450	7550	5750
7			1995	IR	6950	8550	7650	5900
7			1996	IR	7050	8750	7850	6000
7			1997	IR	7100	8900	7950	6050
7			1998	IR	7450	9250	8350	6250
7			1999	IR	7450	9250	8250	6250
7			2000	IR	7550	9250	8350	6400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2001	IR	7700	9500	8550	6500
7			2002	IR	7800	9600	8650	6650
7			2003	IR	8050	9750	8850	6850
7			2004	IR	8050	9950	8900	6800
7			2005	IR	8150	9850	8950	6950
7			2006	IR	8200	9900	8950	6950
7			2007	IR	8400	10200	10100	7100
7			2008	IR	8550	10400	10200	7300
7			2009	IR	8650	10400	9450	7350
7			2010	IR	8750	10400	9550	7450
7			2011	IR	8900	10600	10400	7600
7			2012	IC	11600	12900	12500	10300
7			2013	IC	11700	13000	12900	10400
7			2014	IC	11800	13100	13000	10500
7			2015	IC	11900	13200	13100	10600
7			2016	IC	12000	13300	13200	10600
7			2017	IC	12100	13300	13400	11000
7			2018	IC	12200	13400	13500	11000
7			2019	IC	12300	13500	13600	11100
7	LANARK RD 15 FERGUSON FALLS RD (N)	10.4	1988	IR	4850	6300	5350	3900
7			1989	IR	5100	6600	5650	4200
7			1990	IR	5300	6750	5900	4350
7			1991	IR	5900	7450	6550	4900
7			1992	IR	5900	7250	6500	5000
7			1993	T	5900	10700	10400	3650
7			1994	IR	6100	7500	6700	5100
7			1995	IR	6150	7550	6800	5250
7			1996	IR	6350	7900	7100	5400
7			1997	IR	6400	8000	7150	5450
7			1998	IR	6500	8050	7300	5450
7			1999	IR	6450	8000	7150	5400
7			2000	IR	6750	8250	7500	5700
7			2001	IR	6550	8100	7250	5550
7			2002	IR	6600	8150	7300	5600
7			2003	IR	6600	8000	7250	5600
7			2004	IR	6700	8300	7400	5650
7			2005	IR	6750	8150	7400	5750
7			2006	IR	6650	8000	7250	5650
7			2007	IR	6850	8300	8250	5800
7			2008	IR	6900	8350	8200	5900
7			2009	IR	6950	8350	7600	5900
7			2010	IR	7000	8350	7600	5950
7			2011	IR	7050	8400	8250	6000
7			2012	IC	7100	7850	7650	6300
7			2013	IC	7150	7900	7850	6350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2014	IC	7200	7950	7950	6400
7			2015	IC	7250	8000	8000	6450
7			2016	IC	7300	8100	8050	6450
7			2017	IC	7350	8050	8100	6650
7			2018	IC	7400	8150	8200	6700
7			2019	IC	7450	8200	8250	6750
7	DRUMMOND TWP CONC 7 (N) DRUMMOND TWP CONC 7 (S)	10.4	1988	IR	5250	6800	5800	4200
7			1989	IR	6350	8200	7050	5200
7			1990	IR	6500	8250	7200	5350
7			1991	IR	6750	8500	7500	5600
7			1992	IR	6750	8300	7450	5750
7			1993	CTR	6500	8200	7850	5500
7			1994	IR	6700	8250	7350	5600
7			1995	IR	7050	8700	7750	6000
7			1996	IR	7250	9000	8100	6200
7			1997	IR	7300	9100	8200	6200
7			1998	IR	7650	9500	8550	6450
7			1999	IR	7700	9550	8550	6450
7			2000	IR	7900	9700	8750	6700
7			2001	IR	8050	9950	8900	6800
7			2002	IR	8250	10200	9150	7000
7			2003	IR	8550	10400	9400	7250
7			2004	IR	8550	10600	9450	7250
7			2005	IR	8600	10400	9400	7350
7			2006	IR	8750	10600	9550	7450
7			2007	IR	8900	10800	10800	7550
7			2008	IR	9050	11000	10800	7750
7			2009	IR	8800	10600	9600	7500
7			2010	IR	9350	11100	10200	7950
7			2011	IR	9500	11300	11100	8100
7			2012	IC	8500	9400	9150	7550
7			2013	IC	8500	9400	9350	7550
7			2014	IC	8600	9500	9500	7650
7			2015	IC	8700	9650	9600	7700
7			2016	IC	8800	9750	9700	7800
7			2017	IC	8900	9750	9800	8100
7			2018	IC	9000	9900	9950	8150
7			2019	IC	9100	10000	10000	8200
7	LANARK RD 43/WILSON ST (S) CANADIAN TIRE ENT(N	0.7	1988	C	10600	11800	11800	9550
7			1989	C	11300	12500	12700	10200
7			1990	C	11400	12700	12700	10300
7			1991	C	11700	12900	13000	10600
7			1992	C	11700	12600	13000	10800
7			1993	C	12400	13500	13700	11400
7			1994	CTR	12800	16400	15600	10800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1995	CTR	13000	16700	16000	10900
7			1996	CTR	13300	17000	16400	11200
7			1997	CTR	13600	17400	16700	11400
7			1998	CTR	13900	17700	17000	11700
7			1999	LT	14400	20000	19600	10500
7			2000	CTR	15400	19400	18600	12900
7			2001	CTR	15800	19900	19100	13300
7			2002	CTR	16200	20400	19600	13700
7			2003	CTR	16500	20500	19700	14000
7			2004	CTR	16200	20400	19600	13700
7			2005	CTR	16200	20100	19300	13700
7			2006	CTR	16200	20100	19200	13700
7			2007	CTR	16300	20200	20000	13800
7			2008	CTR	16300	20200	19800	13900
7			2009	CTR	16300	19900	19200	13900
7			2010	CTR	16300	19800	19100	13800
7			2011	CTR	16300	19800	19100	13800
7			2012	IC	16300	18100	17500	14500
7			2013	IC	16400	18200	18100	14500
7			2014	IC	16500	18300	18200	14600
7			2015	IC	16600	18400	18300	14700
7			2016	IC	16700	18500	18400	14800
7			2017	IC	16800	18400	18500	15200
7			2018	IC	16900	18600	18700	15300
7			2019	IC	17000	18700	18800	15300
7	LANARK RD 511 (N)	10.5	1988	IR	4700	6100	5150	3750
7			1989	IR	4900	6300	5450	4000
7			1990	IR	5050	6400	5600	4150
7			1991	IR	5200	6550	5750	4300
7			1992	IR	5200	6400	5700	4400
7			1993	IR	5200	6400	5400	4250
7			1994	IR	5350	6600	5900	4500
7			1995	IR	5150	6350	5650	4400
7			1996	IR	5250	6500	5850	4450
7			1997	IR	5350	6700	6000	4550
7			1998	IR	5100	6300	5700	4300
7			1999	IR	5100	6300	5650	4300
7			2000	IR	5050	6200	5600	4250
7			2001	IR	5050	6250	5600	4250
7			2002	IR	5000	6150	5550	4250
7			2003	IR	4950	6000	5450	4200
7			2004	IR	4900	6050	5450	4150
7			2005	IR	4850	5850	5300	4150
7			2006	IR	4800	5800	5250	4100
7			2007	IR	4650	5650	5600	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2008	IR	4700	5700	5600	4000
7			2009	IR	4650	5600	5050	3950
7			2010	IR	4600	5500	5000	3900
7			2011	IR	4550	5450	5300	3900
7			2012	IR	5000	5950	5800	4250
7			2013	IR	4950	5900	6300	4200
7			2014	IR	4950	5900	5900	4200
7			2015	IR	4950	5900	5900	4200
7			2016	IR	5000	5950	5950	4250
7			2017	IR	5000	5650	5700	4300
7			2018	IR	5000	5650	5700	4350
7			2019	IR	5050	5700	5750	4400
7	ANGLICAN CHURCH RD EAST (N)	12.2	1988	IR	3800	4950	4200	3050
7			1989	IR	3950	5100	4400	3250
7			1990	IR	4100	5200	4550	3350
7			1991	IR	4300	5400	4750	3550
7			1992	IR	4600	5650	5050	3900
7			1993	IR	4600	5650	4750	3750
7			1994	IR	4300	5300	4750	3600
7			1995	IR	4850	5950	5350	4150
7			1996	IR	4950	6150	5500	4200
7			1997	IR	5100	6400	5700	4350
7			1998	IR	5500	6800	6150	4600
7			1999	IR	5250	6500	5850	4400
7			2000	IR	5050	6200	5600	4250
7			2001	IT	4500	5900	5750	3650
7			2002	IT	4300	5600	5500	3550
7			2003	IT	4500	5750	5750	3700
7			2004	IR	4000	4950	4450	3400
7			2005	IR	4400	5300	4800	3750
7			2006	IR	4350	5250	4750	3700
7			2007	IR	4300	5200	5200	3650
7			2008	IR	4250	5150	5050	3650
7			2009	IR	4150	5000	4500	3550
7			2010	IR	4100	4900	4450	3500
7			2011	IR	4050	4850	4750	3450
7			2012	IR	4000	4750	4650	3400
7			2013	CTR	3950	4800	4950	3350
7			2014	CTR	3950	4800	4850	3350
7			2015	CTR	3950	4800	4850	3350
7			2016	CTR	4000	4900	4900	3400
7			2017	CTR	4000	5350	5300	3250
7			2018	CTR	4000	5350	5300	3250
7			2019	CTR	4050	5400	5350	3300
7	LANARK RD 36 BOLINGBROOKE RD (S) ELPHIN RD (N)	12.6	2013	CTR	3500	4250	4400	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2014	CTR	3500	4250	4300	3000
7			2015	CTR	3500	4250	4300	3000
7			2016	CTR	3500	4250	4300	3000
7			2017	CTR	3500	4700	4650	2850
7			2018	CTR	3500	4650	4650	2850
7			2019	CTR	3500	4650	4650	2850
7	ROAD 38 (S)	1.3	1988	IR	4250	5500	4700	3400
7			1989	IR	4350	5600	4850	3550
7			1990	IR	4500	5700	5000	3700
7			1991	IR	4700	5900	5200	3900
7			1992	IR	4900	6050	5400	4150
7			1993	IR	4900	6050	5050	4000
7			1994	IR	4500	5550	4950	3750
7			1995	IR	5000	6150	5500	4250
7			1996	IR	5150	6400	5750	4400
7			1997	IR	5250	6550	5900	4450
7			1998	IR	5350	6650	6000	4500
7			1999	IR	5100	6300	5650	4300
7			2000	IR	4900	6000	5450	4150
7			2001	IR	4850	6000	5350	4100
7			2002	IR	4850	6000	5350	4100
7			2003	IR	4950	6000	5450	4200
7			2004	IR	4800	5950	5300	4050
7			2005	IR	4900	5900	5350	4200
7			2006	IR	4900	5900	5350	4150
7			2007	IR	4900	5950	5900	4150
7			2008	IR	4900	5950	5800	4200
7			2009	IR	4900	5900	5350	4150
7			2010	IR	4850	5750	5300	4150
7			2011	IR	4850	5800	5650	4150
7			2012	IR	5000	5950	5800	4250
7			2013	CTR	5200	6350	6550	4400
7			2014	CTR	5200	6350	6400	4400
7			2015	CTR	5200	6350	6400	4400
7			2016	CTR	5250	6400	6450	4450
7			2017	CTR	5250	7000	7000	4300
7			2018	CTR	5250	7000	7000	4300
7			2019	CTR	5300	7050	7050	4300
7	ROAD 509 (N)	26.4	1988	IR	3400	4400	3750	2700
7			1989	IR	3450	4450	3850	2850
7			1990	IR	3600	4550	4000	2950
7			1991	IR	3800	4800	4200	3150
7			1992	IR	3800	4650	4200	3250
7			1993	IR	3800	4650	3950	3100
7			1994	IR	3800	4700	4200	3200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1995	IR	3900	4800	4300	3300
7			1996	IR	3950	4900	4400	3350
7			1997	IR	4000	5000	4500	3400
7			1998	IR	4100	5100	4600	3450
7			1999	IR	4000	4950	4450	3350
7			2000	IR	3900	4800	4300	3300
7			2001	IR	3850	4750	4250	3250
7			2002	IR	3850	4750	4250	3250
7			2003	IR	3850	4650	4250	3250
7			2004	IR	3800	4700	4200	3200
7			2005	IR	3800	4600	4150	3250
7			2006	IR	3800	4600	4150	3250
7			2007	IR	3650	4400	4400	3100
7			2008	IR	3750	4550	4450	3200
7			2009	IR	3750	4500	4100	3200
7			2010	IR	3700	4400	4050	3150
7			2011	IR	3700	4400	4300	3150
7			2012	IR	3700	4400	4300	3150
7			2013	CTR	3900	4750	4900	3300
7			2014	CTR	3900	4750	4800	3300
7			2015	CTR	3900	4750	4800	3300
7			2016	CTR	3950	4800	4850	3350
7			2017	CTR	3950	5300	5250	3200
7			2018	CTR	3950	5300	5250	3200
7			2019	CTR	4000	5350	5300	3250
7	11.7 KM W OF MOUNTAIN GROVE RD	13.7	2004	IR	3800	4700	4200	3200
7			2005	IR	3850	4650	4200	3300
7			2006	IR	4100	4950	4500	3500
7			2007	IR	3650	4400	4400	3100
7			2008	IR	3950	4800	4700	3400
7			2009	IR	3900	4700	4250	3300
7			2010	IR	3550	4250	3850	3000
7			2011	IR	3700	4400	4300	3150
7			2012	IR	3700	4400	4300	3150
7			2013	CTR	3550	4300	4450	3000
7			2014	CTR	3600	4400	4450	3050
7			2015	CTR	3600	4400	4450	3050
7			2016	CTR	3600	4400	4450	3050
7			2017	CTR	3650	4900	4850	2950
7			2018	CTR	3650	4850	4850	2950
7			2019	CTR	3650	4850	4850	2950
7	HWY 41 (N) HASTINGS RD 41 (S)	22.0	1988	IR	4800	6250	5300	3850
7			1989	IR	4950	6400	5500	4050
7			1990	LR	4550	7950	6300	2850
7			1991	LR	4700	8250	6550	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1992	LR	4900	7900	6300	3250
7			1993	LR	5000	8050	6450	3250
7			1994	LR	5000	8200	6600	3250
7			1995	LR	5050	8500	6850	3300
7			1996	LR	5100	8550	6850	3400
7			1997	LR	5150	8650	6950	3450
7			1998	LR	5200	8600	6900	3450
7			1999	LR	5000	8200	6600	3300
7			2000	LR	5250	8500	6850	3500
7			2001	LR	4650	7600	6050	3100
7			2002	LR	4950	8050	6450	3350
7			2003	LR	4950	7850	6300	3350
7			2004	LR	4900	8000	6400	3300
7			2005	LR	4550	7100	5750	3100
7			2006	LR	4150	6450	5200	2800
7			2007	LR	4250	6650	6400	2850
7			2008	LR	4050	6300	6150	2750
7			2009	LR	4200	6400	5200	2850
7			2010	LR	4300	6450	5250	2900
7			2011	LR	4100	6350	5950	2850
7			2012	LR	4200	6250	6100	2900
7			2013	LR	4200	6300	7150	2850
7			2014	LR	4000	6000	6100	2700
7			2015	LR	3900	5850	5950	2650
7			2016	LR	3850	5750	5850	2600
7			2017	LR	3800	5500	5500	2850
7			2018	LR	3700	5400	5300	2800
7			2019	LR	3650	5350	5300	2700
7	HWY 37 (S)	10.7	1988	IR	2850	3700	3150	2300
7			1989	IR	2950	3800	3250	2400
7			1990	IR	3050	3850	3400	2500
7			1991	IR	3200	4050	3550	2650
7			1992	IR	3100	3800	3400	2650
7			1993	IR	3100	3800	3200	2550
7			1994	IR	3150	3900	3450	2650
7			1995	IR	3200	3950	3550	2750
7			1996	IR	3250	4050	3650	2750
7			1997	LR	3300	5550	4450	2200
7			1998	LR	3150	5200	4200	2100
7			1999	LR	3250	5350	4300	2150
7			2000	LR	3250	5250	4250	2150
7			2001	IR	3250	4000	3600	2750
7			2002	IR	3250	4000	3600	2750
7			2003	IR	3300	4000	3650	2800
7			2004	IR	3300	4100	3650	2800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2005	IR	3300	4000	3600	2800
7			2006	IR	3300	4000	3600	2800
7			2007	IR	3300	4000	4000	2800
7			2008	IR	3350	4050	4000	2850
7			2009	IR	3350	4000	3650	2850
7			2010	IR	3350	4000	3650	2850
7			2011	IR	3350	4000	3900	2850
7			2012	IR	3600	4300	4150	3100
7			2013	CTR	3900	4750	4900	3300
7			2014	CTR	3550	4350	4350	3000
7			2015	CTR	3550	4350	4350	3000
7			2016	CTR	3600	4400	4450	3050
7			2017	CTR	3600	4800	4800	2950
7			2018	CTR	3600	4800	4800	2950
7			2019	CTR	3650	4850	4850	2950
7	PIGDEN RD (N) ST LAWRENCE STREET E. (S)	2.8	1988	IR	2600	3400	2850	2100
7			1989	IR	2700	3500	3000	2200
7			1990	IR	2800	3550	3100	2300
7			1991	IR	2950	3700	3250	2450
7			1992	IR	3000	3700	3300	2550
7			1993	IR	3000	3700	3100	2450
7			1994	IR	3050	3750	3350	2550
7			1995	IR	3150	3900	3450	2700
7			1996	IR	3200	3950	3550	2750
7			1997	LR	3300	5550	4450	2200
7			1998	LR	3150	5200	4200	2100
7			1999	LR	3100	5100	4100	2050
7			2000	LR	3000	4850	3900	2000
7			2001	LR	2950	4850	3850	1950
7			2002	LR	2900	4750	3800	1950
7			2003	LR	2950	4650	3750	2000
7			2004	LR	2850	4650	3700	1900
7			2005	LR	2900	4550	3650	1950
7			2006	LR	2950	4600	3700	2000
7			2007	IR	2950	3550	3550	2500
7			2008	IR	3200	3900	3800	2750
7			2009	IR	3350	4000	3650	2850
7			2010	IR	3500	4150	3800	3000
7			2011	IR	3100	3700	3600	2650
7			2012	IR	3800	4500	4400	3250
7			2013	CTR	3700	4500	4650	3150
7			2014	CTR	3350	4100	4100	2850
7			2015	CTR	3400	4150	4200	2900
7			2016	CTR	3400	4150	4200	2900
7			2017	CTR	3450	4600	4600	2800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2018	CTR	3450	4600	4600	2800
7			2019	CTR	3450	4600	4600	2800
7	HWY 62	16.3	1988	IR	2700	3500	2950	2150
7			1989	IR	2900	3750	3200	2400
7			1990	IR	3100	3950	3450	2550
7			1991	IR	3200	4050	3550	2650
7			1992	IR	3100	3800	3400	2650
7			1993	IR	3100	3800	3200	2550
7			1994	IR	3100	3800	3400	2600
7			1995	IR	3100	3800	3400	2650
7			1996	IR	3150	3900	3500	2700
7			1997	LR	3300	5550	4450	2200
7			1998	LR	3150	5200	4200	2100
7			1999	LR	3250	5350	4300	2150
7			2000	LR	3250	5250	4250	2150
7			2001	IR	3300	4100	3650	2800
7			2002	IR	3350	4150	3700	2850
7			2003	IR	3350	4050	3700	2850
7			2004	IR	3400	4200	3750	2850
7			2005	IR	3450	4150	3800	2950
7			2006	IR	3450	4150	3750	2950
7			2007	IR	3500	4250	4250	2950
7			2008	IR	3500	4250	4150	3000
7			2009	IR	3550	4250	3850	3000
7			2010	IR	3600	4300	3900	3050
7			2011	IR	3600	4300	4200	3050
7			2012	IR	3800	4500	4400	3250
7			2013	CR	4100	4900	5050	3450
7			2014	CR	3800	4500	4450	3250
7			2015	CR	3850	4550	4500	3300
7			2016	CR	3900	4600	4550	3300
7			2017	CR	3950	4600	4600	3550
7			2018	CR	3950	4600	4600	3550
7			2019	CR	4000	4650	4650	3600
7	MARMORA E LTS MALONEY ST START OF NA	1.3	9999					
7	CROWE R BR (N)	16.3	1988	IR	5100	6650	5600	4100
7			1989	IR	5350	6900	5950	4400
7			1990	IR	5700	7250	6350	4650
7			1991	IR	5900	7450	6550	4900
7			1992	IR	5900	7250	6500	5000
7			1993	IR	5900	7250	6100	4850
7			1994	IR	5850	7200	6450	4900
7			1995	IR	5500	6750	6050	4700
7			1996	LT	5950	8400	8200	4350
7			1997	LT	6100	8600	8400	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1998	LT	6200	8700	8500	4550
7			1999	LT	5500	7650	7500	4000
7			2000	LT	5500	7650	7500	4000
7			2001	LT	5350	7500	7300	3900
7			2002	LT	5100	7150	6950	3750
7			2003	LT	5150	7100	6950	3800
7			2004	LT	5050	7050	6900	3700
7			2005	LT	4850	6650	6500	3550
7			2006	LT	4150	5700	5550	3050
7			2007	LT	4450	6100	6300	3250
7			2008	IR	4700	5700	5600	4000
7			2009	IR	5100	6100	5550	4350
7			2010	IR	5300	6300	5750	4500
7			2011	IR	5150	6150	6000	4400
7			2012	IR	5600	6650	6500	4800
7			2013	IR	5700	6800	7300	4850
7			2014	CTR	5600	6850	6900	4750
7			2015	CTR	4950	6050	6100	4200
7			2016	CTR	4900	6000	6050	4150
7			2017	CTR	4900	6550	6500	4000
7			2018	CTR	4850	6500	6450	3950
7			2019	CTR	4800	6400	6350	3900
7	HAVELOCK E LT C8 9 MARY ST START OF NA	1.8	9999					
7	RAILWAY CROSSING	9.1	1988	IR	6750	8800	7450	5400
7			1989	IR	7000	9050	7750	5750
7			1990	IR	7650	9700	8500	6250
7			1991	IR	7900	9950	8750	6550
7			1992	IR	7400	9100	8150	6300
7			1993	IR	7400	9100	7650	6050
7			1994	IR	5850	7200	6450	4900
7			1995	IR	5500	6750	6050	4700
7			1996	LT	5950	8400	8200	4350
7			1997	LT	6100	8600	8400	4500
7			1998	LT	6200	8700	8500	4550
7			1999	LT	6300	8750	8550	4600
7			2000	LT	6450	9000	8800	4700
7			2001	LT	6700	9400	9100	4900
7			2002	LT	6700	9350	9100	4900
7			2003	LT	7000	9650	9400	5150
7			2004	LT	7100	9950	9650	5200
7			2005	IR	7400	8950	8100	6300
7			2006	IR	7450	9000	8150	6350
7			2007	IR	7600	9200	9200	6450
7			2008	IR	7750	9400	9200	6600
7			2009	IR	7900	9500	8600	6700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2010	IR	8050	9600	8750	6850
7			2011	IR	8200	9800	9600	7000
7			2012	IR	8350	9950	9650	7150
7			2013	IR	8500	10100	10900	7250
7			2014	IR	8650	10300	10300	7350
7			2015	IR	8800	10500	10500	7500
7			2016	IR	8950	10700	10700	7600
7			2017	IR	9000	10600	10600	8050
7			2018	IR	9250	10900	10900	8250
7			2019	IR	9400	11000	11000	8400
7	PETERBOROUGH RD 45	9.9	1988	IR	6550	8500	7200	5250
7			1989	IR	7000	9050	7750	5750
7			1990	IR	7450	9450	8250	6100
7			1991	IR	7700	9700	8550	6400
7			1992	IR	7200	8850	7900	6100
7			1993	SC	6800	7550	8300	6050
7			1994	SC	7000	7300	8050	6450
7			1995	SC	7200	7550	8350	6550
7			1996	LT	7400	10400	10200	5450
7			1997	LT	7950	11200	11000	5900
7			1998	LT	8150	11400	11200	5950
7			1999	LT	7600	10600	10300	5550
7			2000	LT	7700	10700	10500	5600
7			2001	LT	7700	10800	10500	5650
7			2002	LT	7750	10800	10600	5700
7			2003	LT	7750	10700	10400	5700
7			2004	LT	7900	11100	10800	5800
7			2005	IC	7800	8650	8750	6900
7			2006	IC	8050	8950	9050	7150
7			2007	IC	8100	9000	9300	7150
7			2008	CR	8150	9850	9800	6850
7			2009	CR	8200	9850	9500	6950
7			2010	CR	8250	9900	9550	7000
7			2011	CR	8300	9650	9800	7400
7			2012	CR	9700	11600	11400	8200
7			2013	CR	10000	12000	12300	8450
7			2014	CTR	10000	12200	12300	8500
7			2015	CTR	9300	11300	11400	7900
7			2016	CTR	9400	11500	11600	8000
7			2017	CTR	9550	12800	12700	7800
7			2018	CTR	9650	12900	12800	7850
7			2019	CTR	9750	13000	12900	7950
7	PETERBOROUGH RD 38 (TO WARSAW)	5.5	1988	CR	7300	9350	8750	6050
7			1989	CR	8000	10200	9500	6700
7			1990	CR	8600	10700	9900	7750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1991	CR	8850	10900	10200	7950
7			1992	CR	8700	10700	9900	7850
7			1993	SC	8700	9650	10600	7750
7			1994	SC	8950	9300	10300	8250
7			1995	SC	9250	9650	10700	8400
7			1996	IC	10000	11200	11300	8900
7			1997	IC	10100	11300	11400	8900
7			1998	IC	10300	11500	11500	9150
7			1999	IC	9450	10600	10600	8400
7			2000	IC	9600	10800	10800	8550
7			2001	IC	9600	10700	10800	8500
7			2002	IC	9700	10800	10900	8550
7			2003	IC	9750	10900	11000	8650
7			2004	IC	9900	11100	11100	8750
7			2005	CR	9900	12000	11500	8350
7			2006	CR	9950	12100	11600	8400
7			2007	CR	10000	12100	12100	8450
7			2008	CR	10000	12100	12000	8450
7			2009	CR	10100	12100	11700	8600
7			2010	CR	10100	12100	11700	8550
7			2011	CR	10100	11800	11900	9000
7			2012	CR	11200	13400	13200	9450
7			2013	CR	12000	14400	14800	10100
7			2014	CTR	11800	14400	14500	10000
7			2015	CTR	11100	13500	13700	9450
7			2016	CTR	11200	13700	13800	9500
7			2017	CTR	11300	15100	15000	9200
7			2018	CTR	11400	15200	15200	9300
7			2019	CTR	11400	15200	15100	9300
7	OTONABEE TWP RD C 3 4 SETTLERS LINE	4.2	1988	CR	7800	10000	9350	6450
7			1989	CR	8600	11000	10200	7200
7			1990	CR	9400	11700	10800	8450
7			1991	CR	9700	11900	11200	8750
7			1992	CR	9700	11900	11100	8750
7			1993	CR	9700	11900	11200	8750
7			1994	CR	10000	12300	11400	9000
7			1995	CR	10300	12800	12200	8850
7			1996	CR	10400	12900	12200	8900
7			1997	CR	11000	13600	13000	9350
7			1998	CR	11400	14000	13300	9700
7			1999	CR	11800	14500	13800	10000
7			2000	CR	12100	14900	14200	10300
7			2001	CR	10900	13400	12800	9200
7			2002	CR	10900	13400	12800	9200
7			2003	CR	10800	13200	12600	9150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2004	CR	10300	12700	12100	8700
7			2005	CR	10400	12600	12100	8750
7			2006	CR	10500	12700	12200	8850
7			2007	CR	10500	12700	12700	8850
7			2008	CR	10600	12800	12700	8950
7			2009	CR	10700	12800	12400	9100
7			2010	CR	10700	12800	12400	9050
7			2011	IR	10800	12900	12600	9200
7			2012	IR	11900	14200	13800	10200
7			2013	IR	12400	14800	15800	10600
7			2014	CTR	12400	15100	15300	10500
7			2015	CTR	11500	14000	14100	9800
7			2016	CTR	11500	14000	14100	9800
7			2017	CTR	11600	15500	15400	9450
7			2018	CTR	11600	15500	15400	9450
7			2019	CTR	11700	15600	15500	9500
7	HWY 28 (N) CTY RD 34 HERITAGE LINE (S)	5.5	1988	CR	11200	14300	13400	9300
7			1989	CR	11500	14700	13700	9650
7			1990	CR	11900	14800	13700	10700
7			1991	CR	12400	15300	14300	11200
7			1992	CR	11500	14100	13100	10400
7			1993	CR	11500	14100	13200	10400
7			1994	CR	12100	14900	13800	10900
7			1995	CR	12200	15100	14400	10500
7			1996	CR	12800	15800	15000	10900
7			1997	CR	12500	15500	14800	10600
7			1998	CR	12600	15500	14700	10700
7			1999	CR	13200	16200	15400	11200
7			2000	CR	13400	16500	15700	11400
7			2001	CR	13600	16700	15900	11500
7			2002	CR	14000	17200	16400	11800
7			2003	CR	14100	17200	16500	11900
7			2004	CR	14300	17600	16800	12100
7			2005	CR	14500	17600	16900	12200
7			2006	CR	17200	20900	20000	14500
7			2007	CR	17700	21400	21400	14900
7			2008	CR	18100	21900	21700	15300
7			2009	CR	18600	22300	21600	15800
7			2010	CR	19000	22800	22000	16100
7			2011	IR	17000	20300	19900	14500
7			2012	IR	17200	20500	19900	14700
7			2013	IR	17700	21100	22600	15100
7			2014	IR	19000	22600	22700	16200
7			2015	IR	19400	23100	23100	16500
7			2016	IR	19800	23600	23600	16900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2017	IR	20200	24500	24400	17200
7			2018	IR	20500	24900	24800	17400
7			2019	IR	20900	25400	25300	17800
7	OTONABEE TWP RD C 10 11 BURNHAM LINE	1.8	1988	CR	13400	17200	16100	11100
7			1989	CR	13400	17200	15900	11300
7			1990	IR	14100	17900	15700	11600
7			1991	IR	14600	18400	16200	12100
7			1992	IR	13500	16600	14900	11500
7			1993	IR	13500	16600	14000	11000
7			1994	IR	13100	16100	14400	11000
7			1995	IR	13000	16000	14300	11100
7			1996	IR	11400	14200	12700	9700
7			1997	IR	12900	16100	14400	11000
7			1998	IR	12900	16000	14400	10800
7			1999	IR	17000	21100	18900	14300
7			2000	IR	17200	21100	19000	14500
7			2001	IR	16500	20400	18300	13900
7			2002	IR	17700	21800	19600	15000
7			2003	IR	18000	21800	19800	15300
7			2004	IR	18800	23200	20800	15900
7			2005	IR	20100	24300	22000	17100
7			2006	IR	17400	21000	19000	14800
7			2007	IR	17900	21700	21600	15200
7			2008	IR	18300	22200	21800	15600
7			2009	IR	18800	22600	20500	16000
7			2010	IR	19200	22900	20900	16300
7			2011	IR	20500	24500	23900	17500
7			2012	IC	22100	24500	23700	19600
7			2013	CTR	23000	28000	28900	19500
7			2014	CTR	22500	27400	27700	19100
7			2015	CTR	23000	28100	28300	19600
7			2016	CTR	23500	28700	28900	20000
7			2017	CTR	24000	32100	31900	19600
7			2018	CTR	24500	32700	32600	20000
7			2019	CTR	25000	33300	33200	20300
7	LANSDOWNE ST (S) TELEVISION RD (N)	3.0	1988	IR	7900	10300	8700	6300
7			1989	IR	8450	10900	9400	6950
7			1990	IR	9050	11500	10000	7400
7			1991	IR	9300	11700	10300	7700
7			1992	IR	9600	11800	10600	8150
7			1993	IR	9900	12200	10200	8100
7			1994	IR	10500	12900	11600	8800
7			1995	IR	11100	13700	12200	9450
7			1996	IR	12000	14900	13400	10200
7			1997	IR	12100	15100	13600	10300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1998	IR	12300	15300	13800	10300
7			1999	IR	12600	15600	14000	10600
7			2000	IR	13000	15900	14400	11000
7			2001	IR	13100	16200	14500	11100
7			2002	IR	13500	16600	15000	11500
7			2003	IR	13700	16600	15100	11600
7			2004	IR	14000	17300	15500	11800
7			2005	IR	14100	17000	15400	12000
7			2006	IR	17700	21400	19300	15000
7			2007	IR	18200	22000	22000	15400
7			2008	IR	18600	22500	22100	15900
7			2009	IR	19000	22800	20700	16200
7			2010	IR	19500	23200	21200	16600
7			2011	IR	18600	22200	21700	15900
7			2012	IR	19300	23000	22400	16500
7			2013	IR	20200	24000	25800	17200
7			2014	IR	20700	24600	24700	17600
7			2015	IR	21300	25400	25400	18100
7			2016	IR	21800	26000	26000	18600
7			2017	IR	22300	27100	26900	19000
7			2018	IR	22900	27800	27700	19500
7			2019	IR	23400	28500	28300	19900
7	BENSFORT RD IC	3.3	1988	CR	11900	15200	14300	9900
7			1989	CR	12300	15700	14600	10300
7			1990	CR	13300	16500	15300	12000
7			1991	CR	13800	17000	15900	12400
7			1992	CR	12600	15500	14400	11300
7			1993	CR	12600	15500	14500	11300
7			1994	CR	14400	17700	16400	13000
7			1995	CR	14900	18500	17600	12800
7			1996	CR	15400	19000	18100	13100
7			1997	CR	15900	19700	18800	13500
7			1998	CR	16400	20200	19200	13900
7			1999	CR	18400	22600	21500	15600
7			2000	CR	19400	23900	22700	16500
7			2001	CR	20300	25000	23800	17100
7			2002	CR	22000	27000	25800	18500
7			2003	CR	22200	27000	26000	18800
7			2004	CR	23200	28500	27200	19600
7			2005	CR	24100	29200	28100	20300
7			2006	CR	25100	30400	29200	21200
7			2007	CR	26000	31500	31500	21900
7			2008	CR	27000	32700	32400	22800
7			2009	CR	27900	33500	32400	23700
7			2010	CR	28900	34600	33400	24400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2011	CR	23800	27700	28100	21200
7			2012	CR	24500	29300	28900	20700
7			2013	CR	25400	30400	31200	21500
7			2014	CR	29200	34400	34200	24900
7			2015	CR	30000	35400	35100	25600
7			2016	CR	30700	36200	36000	26200
7			2017	CR	31400	36400	36600	28300
7			2018	CR	32100	37300	37500	28800
7			2019	CR	32800	38100	38300	29400
7	HWY 7/115 PARKWAY	2.4	1988	CR	13000	16600	15600	10800
7			1989	CR	14100	18000	16800	11800
7			1990	CR	15100	18700	17400	13600
7			1991	CR	15100	18600	17400	13600
7			1992	CR	15300	18800	17400	13800
7			1993	CR	15800	19400	18200	14200
7			1994	CR	16000	19700	18200	14400
7			1995	CR	16200	20100	19100	13900
7			1996	CR	16300	20100	19100	13900
7			1997	CR	16500	20500	19500	14000
7			1998	CR	16600	20400	19400	14100
7			1999	CR	18700	23000	21900	15900
7			2000	CR	19100	23500	22300	16200
7			2001	CR	19600	24100	23000	16600
7			2002	CR	20500	25200	24000	17300
7			2003	CR	20500	25000	24000	17300
7			2004	CR	20900	25700	24500	17700
7			2005	CR	21200	25700	24700	17900
7			2006	CR	21700	26300	25200	18300
7			2007	CR	22300	27000	27000	18800
7			2008	CR	22900	27700	27500	19300
7			2009	CR	23500	28200	27300	20000
7			2010	CR	24100	28900	27900	20400
7			2011	CR	24600	28700	29000	21900
7			2012	CR	25100	30100	29600	21200
7			2013	CR	25600	30700	31500	21600
7			2014	CR	26200	30900	30700	22300
7			2015	CR	26700	31500	31300	22700
7			2016	CR	27200	32100	31900	23200
7			2017	CR	27800	32200	32400	25000
7			2018	CR	28300	32900	33100	25400
7			2019	CR	28800	33400	33600	25800
7	PETERBOROUGH RD 11 AIRPORT RD IC	4.0	1988	CR	13000	16600	15600	10800
7			1989	CR	14100	18000	16800	11800
7			1990	CR	15100	18700	17400	13600
7			1991	CR	15100	18600	17400	13600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1992	CR	15300	18800	17400	13800
7			1993	CR	15800	19400	18200	14200
7			1994	CR	16000	19700	18200	14400
7			1995	CR	16200	20100	19100	13900
7			1996	CR	16300	20100	19100	13900
7			1997	CR	16500	20500	19500	14000
7			1998	CR	16600	20400	19400	14100
7			1999	CR	18700	23000	21900	15900
7			2000	CR	19100	23500	22300	16200
7			2001	CR	19600	24100	23000	16600
7			2002	CR	20500	25200	24000	17300
7			2003	CR	20500	25000	24000	17300
7			2004	CR	21300	26200	25000	18000
7			2005	CR	21500	26100	25100	18100
7			2006	CR	22000	26700	25600	18600
7			2007	CR	22600	27400	27300	19000
7			2008	CR	23600	28600	28300	19900
7			2009	CR	23800	28600	27600	20200
7			2010	CR	24400	29200	28200	20600
7			2011	CR	25000	29100	29500	22200
7			2012	CR	25600	30700	30200	21600
7			2013	CR	26200	31400	32200	22200
7			2014	CR	9450	11100	11100	8050
7			2015	CR	24000	28300	28100	20400
7			2016	CR	24300	28600	28500	20700
7			2017	CR	24700	28600	28800	22200
7			2018	CR	25000	29100	29200	22400
7			2019	CR	25400	29500	29700	22800
7	HWY 7 & S JCT HWY 115 IC	5.1	1988	IC	6150	7150	6950	5400
7			1989	IC	6700	7700	7550	5950
7			1990	IC	7300	8300	8200	6500
7			1991	IC	7500	8500	8300	6700
7			1992	IC	6700	7450	7350	6100
7			1993	IC	6700	7550	7500	5950
7			1994	IC	6700	7500	7500	5950
7			1995	IC	6750	7550	7600	6050
7			1996	CR	6800	8400	8000	5800
7			1997	CR	6950	8600	8200	5900
7			1998	CR	7100	8750	8300	6050
7			1999	CR	7400	9100	8650	6300
7			2000	CR	7900	9700	9250	6700
7			2001	CR	8400	10300	9850	7100
7			2002	CR	9000	11100	10600	7600
7			2003	CR	8950	10900	10500	7550
7			2004	CR	9650	11900	11300	8150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2005	CR	9550	11600	11100	8050
7			2006	CR	9250	11200	10800	7800
7			2007	CR	9450	11400	11400	7950
7			2008	CR	9300	11300	11200	7850
7			2009	CR	9900	11900	11500	8400
7			2010	CTR	9200	11200	10800	7800
7			2011	CR	10300	12000	12100	9150
7			2012	CR	8300	9950	9800	7000
7			2013	CR	8300	9950	10200	7000
7			2014	CTR	10100	12300	12400	8600
7			2015	CTR	10200	12400	12500	8650
7			2016	CTR	10400	12700	12800	8850
7			2017	CTR	10500	14000	14000	8550
7			2018	CTR	10700	14300	14200	8700
7			2019	CTR	10800	14400	14300	8800
7	P'BORO RD 5 LANSDOWNE ST (E) MAPLEGROVE RD (W)	7.4	1988	IT	6600	9550	8800	4900
7			1989	IT	7300	10100	9800	5700
7			1990	IT	7900	10000	9800	6650
7			1991	IT	8200	10700	10100	7050
7			1992	IT	7100	9250	8800	6050
7			1993	IT	7100	8750	8800	6050
7			1994	IT	7650	9950	9500	6500
7			1995	IT	7750	9900	9450	6600
7			1996	CR	7850	9700	9200	6700
7			1997	CR	7950	9850	9400	6750
7			1998	CR	8050	9900	9400	6850
7			1999	CR	9050	11100	10600	7700
7			2000	CR	9400	11600	11000	8000
7			2001	CR	9500	11700	11100	8000
7			2002	CR	10200	12500	12000	8600
7			2003	CR	10200	12400	11900	8650
7			2004	CR	10900	13400	12800	9200
7			2005	IR	10800	13000	11800	9200
7			2006	IR	10700	12900	11700	9100
7			2007	IR	10600	12800	12800	9000
7			2008	CR	10500	12700	12600	8850
7			2009	CR	11500	13800	13300	9800
7			2010	CR	11800	14100	13600	10000
7			2011	CR	11800	13700	13900	10500
7			2012	CR	12300	14700	14500	10400
7			2013	CR	12500	15000	15400	10600
7			2014	CR	12800	15100	15000	10900
7			2015	CR	13100	15400	15300	11200
7			2016	CR	13300	15700	15600	11300
7			2017	CR	13600	15800	15900	12200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2018	CR	13800	16000	16100	12400
7			2019	CR	14100	16400	16500	12700
7	PBORO RD1 LINDSEY RD (E) KAWARTHA LAKES RD26	8.7	1988	IC	6700	7750	7550	5900
7			1989	IC	7300	8400	8250	6500
7			1990	IC	7700	8800	8600	6850
7			1991	IC	7950	9000	8800	7100
7			1992	IC	7400	8200	8150	6750
7			1993	IC	7400	8350	8300	6600
7			1994	IC	7400	8300	8300	6600
7			1995	IC	7450	8350	8400	6700
7			1996	CR	7550	9350	8850	6450
7			1997	CR	7600	9400	8950	6450
7			1998	CR	7650	9400	8950	6500
7			1999	CR	8200	10100	9600	6950
7			2000	CR	8400	10300	9850	7150
7			2001	CR	8600	10600	10100	7250
7			2002	CR	8800	10800	10300	7400
7			2003	CR	9000	11000	10500	7600
7			2004	CR	9050	11100	10600	7650
7			2005	CR	9400	11400	11000	7900
7			2006	CR	9500	11500	11100	8000
7			2007	CR	9650	11700	11700	8150
7			2008	IC	9200	10200	9850	8100
7			2009	IC	10000	11100	11200	8900
7			2010	IC	10200	11300	11400	9050
7			2011	IC	10200	11200	11600	9150
7			2012	IC	10500	11600	11300	9300
7			2013	IC	10600	11700	11700	9400
7			2014	IC	10800	12000	11900	9600
7			2015	IC	11000	12200	12100	9750
7			2016	IC	11200	12400	12300	9950
7			2017	IC	11400	12500	12600	10300
7			2018	IC	11500	12700	12700	10400
7			2019	IC	11700	12900	12900	10600
7	OMEMEE E LTS L8 9 START OF NA	2.7	9999					
7	OMEMEE W LTS END OF NA	6.2	1988	IT	5000	7250	6650	3700
7			1989	IT	5400	7500	7250	4200
7			1990	IT	5750	7300	7150	4850
7			1991	IT	5950	7750	7300	5100
7			1992	IT	5400	7000	6700	4600
7			1993	IT	5400	6650	6700	4600
7			1994	IT	5850	7600	7250	4950
7			1995	IT	6000	7650	7300	5100
7			1996	CR	6050	7500	7100	5150
7			1997	CR	6250	7750	7400	5300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1998	CR	6400	7850	7500	5450
7			1999	CR	6350	7800	7450	5400
7			2000	CR	6400	7850	7500	5450
7			2001	CR	6500	8000	7600	5500
7			2002	CR	6500	8000	7600	5500
7			2003	CR	6650	8100	7800	5650
7			2004	CR	6750	8300	7900	5700
7			2005	IC	6850	7600	7700	6050
7			2006	IC	6900	7650	7750	6100
7			2007	IC	7000	7800	8000	6200
7			2008	IC	7100	7850	7600	6250
7			2009	IC	7150	7950	8000	6350
7			2010	IC	7250	8000	8100	6450
7			2011	IC	7800	8600	8900	7000
7			2012	IC	8100	8950	8700	7200
7			2013	IC	8200	9100	9050	7250
7			2014	CTR	8600	10500	10600	7300
7			2015	CTR	8150	9950	10000	6950
7			2016	CTR	8300	10100	10200	7050
7			2017	CTR	8400	11200	11200	6850
7			2018	CTR	8500	11400	11300	6900
7			2019	CTR	8600	11500	11400	7000
7	PEACE AV (N) OLD MILL RD (S)	7.0	1988	IT	5800	8400	7700	4300
7			1989	IT	6050	8400	8100	4700
7			1990	IT	5750	7300	7150	4850
7			1991	IT	5900	7650	7250	5050
7			1992	IT	5900	7650	7300	5000
7			1993	IT	5900	7250	7300	5000
7			1994	IT	6100	7950	7550	5200
7			1995	IT	6200	7900	7550	5300
7			1996	IT	6150	8100	7850	5050
7			1997	IT	6350	8300	8200	5250
7			1998	IT	6450	8300	8250	5200
7			1999	IT	6400	8250	8150	5200
7			2000	IT	6500	8400	8250	5350
7			2001	IT	6550	8550	8350	5350
7			2002	IT	6550	8550	8350	5400
7			2003	IT	6650	8500	8450	5450
7			2004	IT	6800	8900	8650	5550
7			2005	IR	6750	8150	7400	5750
7			2006	IR	7600	9150	8300	6450
7			2007	IR	8000	9700	9650	6800
7			2008	IC	8600	9550	9200	7600
7			2009	IC	7900	8750	8850	7050
7			2010	IC	8050	8900	9000	7150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2011	IC	8000	8800	9150	7200
7			2012	IC	8300	9200	8900	7350
7			2013	IC	8400	9300	9250	7450
7			2014	CTR	8550	10400	10500	7250
7			2015	CTR	8700	10600	10700	7400
7			2016	CTR	8850	10800	10900	7500
7			2017	CTR	8950	12000	11900	7300
7			2018	CTR	9100	12200	12100	7400
7			2019	CTR	9250	12300	12300	7550
7	KAWARTHA LAKES RD 36 (N) CLOVERHILL RD (S)	1.5	1988	CR	8700	11100	10400	7200
7			1989	CR	9100	11600	10800	7650
7			1990	IR	9350	11900	10400	7650
7			1991	IR	9650	12200	10700	8000
7			1992	IR	9200	11300	10100	7800
7			1993	IR	9200	11300	9500	7550
7			1994	IR	9950	12300	10900	8350
7			1995	IR	10200	12600	11200	8700
7			1996	CR	10100	12500	11900	8600
7			1997	CR	10700	13300	12600	9100
7			1998	CR	11000	13500	12900	9350
7			1999	CR	10900	13400	12800	9250
7			2000	CR	11100	13700	13000	9450
7			2001	CR	11300	13900	13300	9550
7			2002	CR	11300	13900	13300	9500
7			2003	CR	11600	14100	13600	9800
7			2004	CR	11800	14500	13800	9950
7			2005	IR	12000	14500	13100	10200
7			2006	IR	12200	14700	13300	10400
7			2007	IR	12400	15000	15000	10500
7			2008	IC	12500	13800	13400	11000
7			2009	IC	12700	14100	14200	11300
7			2010	IC	12900	14300	14400	11400
7			2011	IC	13100	14400	14900	11800
7			2012	IC	13300	14700	14300	11800
7			2013	IC	13400	14800	14700	11900
7			2014	CTR	13600	16600	16700	11600
7			2015	CTR	13800	16800	17000	11700
7			2016	CTR	14000	17100	17200	11900
7			2017	CTR	14200	19000	18900	11600
7			2018	CTR	14400	19200	19200	11700
7			2019	CTR	14500	19300	19200	11800
7	HWY 35 E JCT (S) KAWARTHA LAKES RD 15 (N) LINDSAY ST. S.(N)	1.4	1988	CR	8400	10800	10100	6950
7			1989	CR	8800	11300	10500	7400
7			1990	IR	9200	11700	10200	7550
7			1991	IR	9500	12000	10500	7900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1992	IR	9000	11100	9900	7650
7			1993	IR	9200	11300	9500	7550
7			1994	IR	9400	11600	10300	7900
7			1995	IR	9600	11800	10600	8200
7			1996	IR	9800	12200	10900	8350
7			1997	IR	10200	12800	11400	8650
7			1998	IR	10500	13000	11800	8800
7			1999	IR	10600	13100	11800	8900
7			2000	IR	10900	13400	12100	9200
7			2001	IR	11000	13600	12200	9300
7			2002	IR	11300	13900	12500	9600
7			2003	IR	11400	13800	12500	9700
7			2004	IR	11600	14300	12900	9800
7			2005	IR	11700	14100	12800	9950
7			2006	IR	12000	14500	13100	10200
7			2007	IR	12200	14800	14700	10300
7			2008	CR	12200	14800	14600	10300
7			2009	CR	12600	15100	14600	10700
7			2010	CR	12800	15300	14800	10800
7			2011	CR	13000	15100	15300	11600
7			2012	CR	13200	15800	15600	11200
7			2013	CR	13400	16100	16500	11300
7			2014	CR	13600	16000	15900	11600
7			2015	CR	13800	16300	16200	11800
7			2016	CR	14000	16500	16400	11900
7			2017	CR	14200	16500	16600	12800
7			2018	CR	14400	16700	16800	12900
7			2019	CR	14600	16900	17000	13100
7	KAWARTHA LK RD4 LIT BRITAIN (S) ANGELINE ST (N)	4.1	1988	IR	4400	5700	4850	3500
7			1989	IR	4700	6050	5200	3850
7			1990	IR	5000	6350	5550	4100
7			1991	IR	5150	6500	5700	4250
7			1992	IR	5200	6400	5700	4400
7			1993	IR	5250	6450	5450	4300
7			1994	IR	5300	6550	5850	4450
7			1995	IR	5300	6550	5850	4500
7			1996	IR	5300	6600	5900	4500
7			1997	IR	5750	7200	6450	4900
7			1998	IR	5950	7400	6650	5000
7			1999	IR	5850	7250	6500	4900
7			2000	IR	5950	7300	6600	5050
7			2001	IR	6100	7550	6750	5150
7			2002	IR	6100	7500	6750	5200
7			2003	IR	6300	7650	6950	5350
7			2004	IR	6450	7950	7150	5450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2005	IR	6550	7900	7200	5600
7			2006	IR	6600	7950	7200	5600
7			2007	IR	6650	8050	8050	5650
7			2008	IR	6700	8100	7950	5750
7			2009	IR	6750	8100	7350	5750
7			2010	IR	6800	8100	7400	5800
7			2011	IR	6850	8150	8000	5850
7			2012	IR	7100	8450	8200	6050
7			2013	IR	6850	8150	8750	5850
7			2014	IR	7250	8650	8650	6150
7			2015	IR	7300	8700	8700	6200
7			2016	IR	7400	8800	8850	6300
7			2017	IR	7500	8800	8800	6700
7			2018	IR	7600	8950	8950	6800
7			2019	IR	7700	9050	9050	6900
7	W JCT HWY 35 (N) DEW DROP INN RD (S)	8.7	1988	IR	6150	8000	6750	4900
7			1989	IR	6700	8650	7450	5500
7			1990	IR	7200	9150	8000	5900
7			1991	IR	7400	9300	8200	6150
7			1992	IR	7550	9300	8300	6400
7			1993	IR	7600	9350	7850	6200
7			1994	IR	7600	9350	8350	6350
7			1995	IR	7650	9400	8450	6500
7			1996	IR	7750	9650	8650	6600
7			1997	IR	8100	10100	9050	6900
7			1998	IR	8500	10500	9500	7150
7			1999	IR	8300	10300	9200	6950
7			2000	IR	8450	10400	9350	7150
7			2001	IR	8550	10600	9450	7250
7			2002	IR	8550	10500	9450	7250
7			2003	IR	8550	10400	9400	7250
7			2004	IR	8750	10800	9700	7400
7			2005	IR	8550	10300	9350	7300
7			2006	IR	8800	10600	9600	7450
7			2007	IR	8950	10800	10800	7600
7			2008	IR	9150	11100	10900	7800
7			2009	IR	9300	11200	10100	7900
7			2010	IR	9450	11200	10300	8050
7			2011	IR	8550	10200	10000	7300
7			2012	IR	8600	10200	9950	7350
7			2013	IR	8350	9950	10700	7100
7			2014	CTR	8350	10200	10300	7100
7			2015	CTR	9050	11000	11100	7700
7			2016	CTR	9100	11100	11200	7750
7			2017	CTR	9150	12200	12200	7450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2018	CTR	9200	12300	12200	7500
7			2019	CTR	9250	12300	12300	7550
7	ELGIN ST (N)	6.2	1988	IR	5000	6500	5500	4000
7			1989	IR	5200	6700	5750	4250
7			1990	IR	5450	6900	6050	4450
7			1991	IR	5600	7050	6200	4650
7			1992	IR	5650	6950	6200	4800
7			1993	IR	5700	7000	5900	4650
7			1994	IR	5750	7100	6350	4800
7			1995	IR	5800	7150	6400	4950
7			1996	IR	5850	7250	6550	5000
7			1997	IR	6000	7500	6700	5100
7			1998	IR	6200	7700	6950	5200
7			1999	IR	6200	7700	6900	5200
7			2000	IR	6250	7650	6900	5300
7			2001	IR	6350	7850	7050	5350
7			2002	IR	6400	7900	7100	5450
7			2003	IR	6550	7950	7200	5550
7			2004	IR	6750	8350	7500	5700
7			2005	IR	6700	8100	7350	5700
7			2006	IR	6650	8000	7250	5650
7			2007	IR	6550	7950	7900	5550
7			2008	IR	6500	7850	7750	5550
7			2009	IR	6850	8200	7450	5800
7			2010	IR	6900	8200	7500	5850
7			2011	IR	6050	7200	7050	5150
7			2012	IR	6200	7400	7200	5300
7			2013	IR	6200	7400	7900	5300
7			2014	IR	6700	8000	8000	5700
7			2015	IR	6700	8000	8000	5700
7			2016	IR	6750	8050	8050	5750
7			2017	IR	6800	8250	8200	5800
7			2018	IR	6800	8250	8200	5800
7			2019	IR	6850	8350	8300	5850
7	FINGERBOARD RD (S) KAWARTHA LK RD 46 (N)	3.1	1988	IR	4700	6100	5150	3750
7			1989	IR	4800	6200	5350	3950
7			1990	IR	4900	6200	5450	4000
7			1991	IR	5000	6300	5550	4150
7			1992	IR	4600	5650	5050	3900
7			1993	IR	4600	5650	4750	3750
7			1994	IR	4700	5800	5150	3950
7			1995	IR	4650	5750	5100	3950
7			1996	IR	4600	5700	5150	3900
7			1997	IR	4700	5900	5250	4000
7			1998	IR	4800	5950	5400	4050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1999	IR	4500	5600	5000	3800
7			2000	IR	4450	5450	4950	3750
7			2001	IR	4400	5450	4900	3700
7			2002	IR	4450	5500	4950	3800
7			2003	IR	4350	5300	4800	3700
7			2004	IR	4300	5300	4750	3650
7			2005	IR	4300	5200	4700	3650
7			2006	IR	4250	5150	4650	3600
7			2007	IR	4200	5100	5050	3550
7			2008	IR	4150	5050	4950	3550
7			2009	IR	4100	4900	4450	3500
7			2010	IR	4050	4800	4400	3450
7			2011	IR	4000	4750	4650	3400
7			2012	IR	4000	4750	4650	3400
7			2013	IR	3950	4700	5050	3350
7			2014	IR	3900	4650	4650	3300
7			2015	IR	3850	4600	4600	3300
7			2016	IR	3800	4500	4550	3250
7			2017	IR	3750	4600	4600	3200
7			2018	IR	6450	7950	7900	5500
7			2019	IR	3700	4550	4550	3150
7	DUR RD2 SIMC ST (S) KAWARTHA LK RD2 SIMC ST (N)	7.0	1988	IR	4700	6100	5150	3750
7			1989	IR	4800	6200	5350	3950
7			1990	IR	4900	6200	5450	4000
7			1991	IR	5000	6300	5550	4150
7			1992	IR	4600	5650	5050	3900
7			1993	IR	4600	5650	4750	3750
7			1994	IR	4700	5800	5150	3950
7			1995	IR	4650	5750	5100	3950
7			1996	IR	4600	5700	5150	3900
7			1997	IR	4500	5600	5050	3800
7			1998	IR	4400	5450	4950	3700
7			1999	IR	4500	5600	5000	3800
7			2000	IR	4450	5450	4950	3750
7			2001	IR	4400	5450	4900	3700
7			2002	IR	4450	5500	4950	3800
7			2003	IR	4350	5300	4800	3700
7			2004	IR	4300	5300	4750	3650
7			2005	IR	4300	5200	4700	3650
7			2006	IR	4250	5150	4650	3600
7			2007	IR	4200	5100	5050	3550
7			2008	IR	4150	5050	4950	3550
7			2009	IR	4150	5000	4500	3550
7			2010	CTR	4100	5000	4800	3500
7			2011	CTR	4500	5500	5250	3800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2012	LT	4050	5300	5050	3050
7			2013	LT	4300	5600	5600	3250
7			2014	LT	3950	5150	5250	3000
7			2015	LT	4050	5300	5400	3050
7			2016	LT	4000	5200	5300	3000
7			2017	LT	4000	5100	5100	3350
7			2018	LT	3950	5050	5050	3300
7			2019	LT	3950	5000	5000	3300
7	N JCT HWY 12	2.8	1988	IR	7400	9600	8150	5900
7			1989	IR	7600	9800	8450	6250
7			1990	IR	7750	9850	8600	6350
7			1991	IR	7850	9900	8700	6500
7			1992	IR	6900	8500	7600	5850
7			1993	IR	7400	9100	7650	6050
7			1994	IR	7450	9200	8200	6250
7			1995	IR	7500	9250	8250	6400
7			1996	IR	7550	9400	8400	6450
7			1997	IR	7600	9500	8500	6450
7			1998	IR	7750	9600	8700	6500
7			1999	IR	7850	9750	8700	6600
7			2000	IR	7900	9700	8750	6700
7			2001	IR	8000	9900	8850	6750
7			2002	IR	8050	9950	8900	6850
7			2003	IR	8150	9900	8950	6900
7			2004	IR	8200	10100	9100	6950
7			2005	IR	8300	10000	9100	7100
7			2006	IR	8400	10100	9200	7150
7			2007	IR	8450	10200	10200	7150
7			2008	IR	8550	10400	10200	7300
7			2009	IR	8600	10300	9350	7300
7			2010	IR	8700	10400	9450	7400
7			2011	IR	8350	9950	9750	7150
7			2012	IR	8750	10400	10100	7500
7			2013	CTR	8950	10900	11300	7600
7			2014	CTR	8950	10900	11000	7600
7			2015	CTR	9000	11000	11100	7650
7			2016	CTR	9100	11100	11200	7750
7			2017	CTR	9150	12200	12200	7450
7			2018	CTR	9250	12400	12300	7550
7			2019	CTR	9300	12400	12300	7550
7	RIVER ST. (W)	1.2	1988	IR	5000	6500	5500	4000
7			1989	IR	5100	6600	5650	4200
7			1990	IR	5200	6600	5750	4250
7			1991	IR	5150	6500	5700	4250
7			1992	IR	5100	6250	5600	4350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1993	IR	5000	6150	5150	4100
7			1994	IR	5050	6200	5550	4250
7			1995	IR	5100	6300	5600	4350
7			1996	IR	5200	6450	5800	4450
7			1997	IR	5300	6600	5950	4500
7			1998	IR	5450	6750	6100	4600
7			1999	IR	5400	6700	6000	4550
7			2000	IR	5450	6700	6050	4600
7			2001	IR	5550	6850	6150	4700
7			2002	IR	5650	6950	6250	4800
7			2003	IR	5650	6850	6200	4800
7			2004	IR	5700	7050	6300	4800
7			2005	IR	5750	6950	6300	4900
7			2006	IR	5800	7000	6350	4950
7			2007	IR	5750	6950	6950	4850
7			2008	IR	5750	6950	6850	4900
7			2009	IR	5800	6950	6300	4950
7			2010	CTR	5500	6700	6450	4650
7			2011	CTR	6200	7550	7250	5250
7			2012	LT	7100	9250	8850	5400
7			2013	LT	7000	9150	9150	5300
7			2014	LT	5250	6850	6950	3950
7			2015	LT	6350	8300	8450	4800
7			2016	LT	6400	8350	8500	4850
7			2017	LT	6450	8200	8200	5400
7			2018	LT	6500	8250	8300	5450
7			2019	LT	6550	8300	8350	5450
7	ALBERT ST (W)	7.9	1988	IR	5400	7000	5950	4300
7			1989	IR	5450	7050	6050	4450
7			1990	IR	5550	7050	6150	4550
7			1991	IR	5500	6950	6100	4550
7			1992	IR	5400	6650	5950	4600
7			1993	IR	5350	6600	5550	4400
7			1994	IR	5750	7100	6350	4800
7			1995	IR	5850	7200	6450	5000
7			1996	IR	5750	7150	6400	4900
7			1997	IR	6050	7550	6800	5150
7			1998	IR	6100	7550	6850	5100
7			1999	IR	6400	7950	7100	5400
7			2000	IR	6400	7850	7100	5400
7			2001	IR	6400	7900	7100	5400
7			2002	IR	6450	7950	7150	5500
7			2003	IR	6450	7850	7100	5500
7			2004	IR	6550	8100	7250	5550
7			2005	IR	6800	8200	7450	5800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2006	IR	6600	7950	7200	5600
7			2007	IR	6400	7750	7750	5400
7			2008	IR	6750	8200	8000	5750
7			2009	IR	6600	7900	7200	5600
7			2010	IR	6850	8150	7450	5850
7			2011	IR	6900	8250	8050	5900
7			2012	IR	7000	8350	8100	6000
7			2013	CTR	7050	8600	8850	6000
7			2014	CTR	7100	8650	8750	6050
7			2015	CTR	7150	8700	8800	6100
7			2016	CTR	7250	8850	8900	6150
7			2017	CTR	7300	9750	9700	5950
7			2018	CTR	7350	9800	9800	6000
7			2019	CTR	7400	9850	9800	6000
7	DURHAM RD 6 (E) 14TH LINE (W)	5.8	1988	IR	6050	7850	6650	4850
7			1989	IR	6200	8000	6900	5100
7			1990	IR	6350	8050	7050	5200
7			1991	IR	6200	7800	6900	5150
7			1992	IR	6100	7500	6700	5200
7			1993	IR	5900	7250	6100	4850
7			1994	IR	6450	7950	7100	5400
7			1995	IR	6600	8150	7250	5600
7			1996	IR	6700	8300	7450	5700
7			1997	IR	6800	8500	7600	5800
7			1998	IR	6950	8600	7800	5850
7			1999	IR	6950	8600	7700	5850
7			2000	IR	7100	8700	7850	6000
7			2001	IR	7200	8900	8000	6100
7			2002	IR	7300	9000	8100	6200
7			2003	IR	7400	9000	8150	6300
7			2004	IR	7250	8950	8050	6150
7			2005	IR	7600	9150	8350	6500
7			2006	IR	7350	8850	8050	6250
7			2007	IR	7400	8950	8950	6250
7			2008	IR	7150	8650	8500	6100
7			2009	IR	7500	9000	8200	6400
7			2010	CTR	7300	8900	8550	6200
7			2011	CTR	7600	9250	8900	6450
7			2012	LT	6900	9000	8600	5200
7			2013	LT	7550	9850	9850	5700
7			2014	LT	6250	8150	8300	4700
7			2015	LT	7300	9550	9700	5500
7			2016	LT	7400	9650	9850	5600
7			2017	LT	7400	10400	10300	5700
7			2018	LT	7450	10400	10300	5750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2019	LT	7450	10400	10300	5750
7	HWY 47	4.2	1988	IR	5200	6750	5700	4150
7			1989	IR	5250	6750	5850	4300
7			1990	IR	5300	6750	5900	4350
7			1991	IR	5350	6750	5950	4450
7			1992	IR	5400	6650	5950	4600
7			1993	IR	5500	6750	5700	4500
7			1994	IR	5650	6950	6200	4750
7			1995	IR	5750	7100	6350	4900
7			1996	IR	5800	7200	6450	4950
7			1997	IR	5950	7450	6650	5050
7			1998	IR	6100	7550	6850	5100
7			1999	IR	6050	7500	6700	5100
7			2000	IR	6300	7700	7000	5300
7			2001	IR	6400	7900	7100	5400
7			2002	IR	6600	8150	7300	5600
7			2003	IR	6400	7750	7050	5450
7			2004	IR	6750	8350	7500	5700
7			2005	IR	6550	7900	7200	5600
7			2006	IR	6650	8000	7250	5650
7			2007	IC	6300	7000	7200	5550
7			2008	IC	6800	7550	7300	6000
7			2009	IR	6850	8200	7450	5800
7			2010	IR	6950	8250	7550	5900
7			2011	IR	7500	8950	8750	6400
7			2012	IR	7200	8550	8350	6150
7			2013	C	7300	8050	7950	6550
7			2014	C	7350	8100	7850	6600
7			2015	C	7450	8200	7950	6700
7			2016	C	7550	8300	8100	6800
7			2017	C	7600	8300	8300	6900
7			2018	C	7700	8450	8400	6950
7			2019	C	7800	8550	8450	7050
7	DURHAM RD 8/REACH ROAD	2.9	1988	IR	5700	7400	6250	4550
7			1989	IR	5850	7550	6500	4800
7			1990	IR	6000	7600	6650	4900
7			1991	IR	6150	7750	6850	5100
7			1992	IR	6000	7400	6600	5100
7			1993	LT	6100	8450	7550	4450
7			1994	LT	6250	9150	8850	4550
7			1995	LT	6350	9100	8850	4650
7			1996	LT	6350	8950	8750	4650
7			1997	IR	6600	8250	7400	5600
7			1998	IR	6700	8300	7500	5650
7			1999	IR	6600	8200	7350	5550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2000	IR	6900	8450	7650	5850
7			2001	IR	7000	8650	7750	5900
7			2002	IR	7200	8900	8000	6100
7			2003	IR	7250	8800	8000	6150
7			2004	IR	7350	9100	8150	6200
7			2005	IR	7450	9000	8150	6350
7			2006	IR	7500	9050	8200	6350
7			2007	IR	7600	9200	9200	6450
7			2008	IR	7800	9450	9250	6650
7			2009	IR	7800	9350	8500	6650
7			2010	IC	7700	8500	8600	6850
7			2011	IC	8000	8800	9150	7200
7			2012	IC	8100	8950	8700	7200
7			2013	IC	8200	9100	9050	7250
7			2014	CTR	7300	8900	9000	6200
7			2015	CTR	8250	10100	10100	7000
7			2016	CTR	8300	10100	10200	7050
7			2017	CTR	8400	11200	11200	6850
7			2018	CTR	8500	11400	11300	6900
7			2019	CTR	8600	11500	11400	7000
7	HWY 7A (E) DURHAM RD 21 (W) MANCHESTER	10.1	1988	CTR	8300	10800	10100	6950
7			1989	CTR	8500	10800	10300	7300
7			1990	IR	8750	11100	9700	7200
7			1991	IR	8850	11200	9800	7350
7			1992	IR	8900	10900	9800	7550
7			1993	IR	9000	11100	9300	7350
7			1994	IR	8950	11000	9850	7500
7			1995	IR	9150	11300	10100	7800
7			1996	IR	8500	10600	9500	7250
7			1997	IR	9450	11800	10600	8050
7			1998	IR	9600	11900	10800	8050
7			1999	IR	9100	11300	10100	7650
7			2000	IR	10400	12700	11500	8800
7			2001	IC	10100	11300	11300	8950
7			2002	IC	10900	12200	12200	9600
7			2003	CR	10700	13000	12500	9050
7			2004	CR	11100	13700	13000	9400
7			2005	CR	11200	13600	13100	9450
7			2006	CR	11400	13800	13300	9650
7			2007	CR	11700	14200	14200	9850
7			2008	CR	11800	14300	14200	9950
7			2009	CR	11800	14200	13700	10000
7			2010	CTR	12300	15000	14400	10400
7			2011	CTR	12500	15200	14600	10600
7			2012	IC	11400	12600	12200	10100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2013	IC	12700	14100	14000	11300
7			2014	IC	11400	12600	12600	10100
7			2015	IC	12800	14200	14100	11300
7			2016	IC	13000	14400	14300	11500
7			2017	IC	13200	14500	14600	12000
7			2018	IC	13400	14700	14800	12100
7			2019	IC	13600	14900	15000	12300
7	DURHAM RD 26 (E) THICKSON RD	4.1	1988	IR	5750	7500	6350	4600
7			1989	IR	5800	7500	6450	4750
7			1990	IR	5850	7450	6500	4800
7			1991	IR	6000	7550	6650	5000
7			1992	IR	6200	7650	6800	5250
7			1993	IR	6400	7850	6600	5250
7			1994	IR	6150	7600	6750	5150
7			1995	IR	6200	7650	6850	5300
7			1996	IR	6200	7700	6900	5300
7			1997	IR	6350	7950	7100	5400
7			1998	IR	6400	7950	7150	5400
7			1999	IR	6200	7700	6900	5200
7			2000	IR	7600	9300	8400	6400
7			2001	IR	9100	11200	10100	7700
7			2002	IR	8250	10200	9150	7000
7			2003	IR	8600	10400	9450	7300
7			2004	IR	8900	11000	9850	7500
7			2005	IR	9450	11400	10400	8050
7			2006	IR	10000	12100	10900	8500
7			2007	IR	10500	12700	12700	8900
7			2008	IR	11100	13400	13200	9500
7			2009	IR	11600	13900	12600	9850
7			2010	IR	11600	13800	12600	9850
7			2011	IR	7800	9300	9100	6650
7			2012	IR	11400	13600	13200	9750
7			2013	IR	9700	11500	12400	8250
7			2014	IR	11600	13800	13800	9850
7			2015	IR	11900	14200	14200	10100
7			2016	IR	12200	14500	14600	10400
7			2017	IR	12500	14700	14700	11100
7			2018	IR	12800	15000	15000	11400
7			2019	IR	13100	15400	15400	11700
7	S JCT HWY 12(BROOKLIN)	12.6	1988	IR	5900	7650	6500	4700
7			1989	IR	6200	8000	6900	5100
7			1990	IR	6800	8650	7550	5600
7			1991	IR	7050	8900	7850	5850
7			1992	IR	7250	8900	8000	6150
7			1993	C	7450	8100	8250	6850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1994	C	7800	8550	8700	7050
7			1995	C	8150	8900	9150	7450
7			1996	C	8100	9200	9200	7300
7			1997	C	8850	10000	10100	7950
7			1998	C	9250	10500	10500	8300
7			1999	C	9350	10500	10600	8400
7			2000	C	11100	12500	12500	10000
7			2001	C	10500	11800	11800	9450
7			2002	C	12600	14100	14200	11300
7			2003	CR	15000	18300	17600	12700
7			2004	CR	13900	17100	16300	11700
7			2005	IC	14600	16200	16400	12900
7			2006	IC	15200	16900	17000	13500
7			2007	IC	16000	17800	18300	14100
7			2008	IC	16700	18500	17900	14700
7			2009	IC	17400	19300	19500	15500
7			2010	IC	17500	19400	19500	15500
7			2011	IC	18000	19800	20500	16100
7			2012	IC	19200	21300	20600	17000
7			2013	IC	19900	22000	21900	17600
7			2014	IC	20500	22700	22600	18200
7			2015	IC	21200	23500	23400	18800
7			2016	IC	21900	24200	24100	19400
7			2017	IC	22600	24800	24900	20500
7			2018	IC	23200	25500	25700	21000
7			2019	IC	23900	26300	26400	21600
7	DURHAM RD 1 BROCK RD	8.5	1988	C	7950	8800	8800	7150
7			1989	C	8700	9650	9750	7850
7			1990	C	9450	10500	10500	8500
7			1991	C	9450	10400	10500	8600
7			1992	C	9500	10300	10500	8750
7			1993	UC	9550	10100	10900	8950
7			1994	UC	9500	10100	10900	8850
7			1995	UC	9900	10400	11300	9250
7			1996	UC	10700	11300	12500	10200
7			1997	C	10600	12000	12100	9550
7			1998	C	11000	12400	12400	9900
7			1999	C	10700	12000	12100	9650
7			2000	C	10100	11400	11400	9100
7			2001	C	10000	11300	11300	9000
7			2002	C	10400	11600	11700	9350
7			2003	C	9900	11100	11100	8950
7			2004	C	9650	10900	10900	8700
7			2005	C	9350	10400	10500	8400
7			2006	C	9500	10600	10600	8550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2007	C	9400	10400	10600	8450
7			2008	C	8550	9450	9300	7650
7			2009	C	9200	10100	10200	8300
7			2010	C	9100	10000	10100	8200
7			2011	C	9000	9900	10000	8100
7			2012	UC	8900	8950	9550	8450
7			2013	UC	8800	8850	8850	8350
7			2014	UC	8750	8800	8400	8300
7			2015	UC	8650	8700	8300	8200
7			2016	UC	8550	8600	8200	8100
7			2017	UC	8800	8750	8850	8450
7			2018	UC	8400	8350	8450	8050
7			2019	UC	8300	8200	8300	8000
7	0.985 KM W OF YORK RD 30	2.1	1988	C	11400	12700	12700	10300
7			1989	C	12000	13300	13400	10800
7			1990	C	13200	14700	14700	11900
7			1991	C	12800	14100	14200	11600
7			1992	C	12500	13500	13900	11500
7			1993	C	12200	13300	13500	11200
7			1994	C	12800	14000	14300	11600
7			1995	C	13200	14400	14800	12100
7			1996	SC	11100	11800	13000	9950
7			1997	SC	14100	14900	16500	12500
7			1998	SC	14500	15400	17000	12900
7			1999	SC	14600	15500	17100	13000
7			2000	C	15300	17300	17300	13800
7			2001	C	12600	14200	14200	11300
7			2002	C	11500	12900	13000	10300
7			2003	C	11000	12300	12400	9950
7			2004	C	10700	12100	12100	9650
7			2005	C	13300	14800	14900	11900
7			2006	C	11300	12600	12700	10200
7			2007	C	11000	12200	12400	9900
7			2008	C	22500	24800	24500	20200
7			2009	C	10800	11900	12000	9700
7			2010	C	13400	14800	14900	12100
7			2011	C	13500	14900	15000	12200
7			2012	C	13500	14900	14600	12200
7			2013	C	13500	14900	14700	12200
7			2014	C	13600	15000	14600	12200
7			2015	C	13600	15000	14600	12200
7			2016	C	13600	15000	14600	12200
7			2017	C	13900	15200	15200	12600
7			2018	C	13700	15000	14900	12400
7			2019	C	13800	15100	15000	12500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7	S JCT HWY 410 HEART LK RD END OF NA	3.1	9999					
7	N JCT HWY 410 CTY RD 10 BOVAIRD DR (E)	0.4	1988	UC	22200	23300	25100	20900
7			1989	UC	24500	25700	27700	23300
7			1990	UC	26900	28800	31200	25600
7			1991	UC	27600	29300	31700	26800
7			1992	UC	31300	33200	36000	30000
7			1993	UC	32300	34000	36700	30300
7			1994	UC	32700	34700	37400	30400
7			1995	UC	33400	35200	38200	31100
7			1996	UC	36600	38700	42800	34800
7			1997	UC	34600	36300	40500	32500
7			1998	UC	40600	43000	47500	38600
7			1999	UC	42600	45200	49800	40500
7			2000	UC	44600	47300	52600	41900
7			2001	UC	46200	49500	54300	43400
7			2002	UC	48300	51500	56800	45200
7			2003	UC	50400	53300	59000	47600
7			2004	UC	52500	56200	61800	49300
7			2005	UC	54600	57800	63900	51200
7			2006	UC	28600	30200	33400	26900
7			2007	UC	28000	29700	32400	26300
7			2008	UC	27500	29000	27300	25700
7			2009	UC	27000	28600	31600	25400
7			2010	UC	26500	28000	30800	24900
7			2011	UC	34700	34800	36000	32900
7			2012	UC	34200	34400	36600	32500
7			2013	UC	33800	33900	34000	32100
7			2014	UC	33400	33500	32100	31700
7			2015	UC	33000	33100	31700	31300
7			2016	UC	32500	32600	31300	30800
7			2017	UC	32100	31900	32200	30800
7			2018	UC	31700	31400	31900	30400
7			2019	UC	31300	30800	31300	30200
7	AT RAMP 53 (S) START OF NA	10.7	9999					
7	BRAMPTON HALTON HILLS LTS CASELY DR (S)	0.5	1988	UC	13300	14000	15000	12500
7			1989	UC	13500	14200	15300	12800
7			1990	UC	13800	14800	16000	13100
7			1991	UC	13900	14700	16000	13500
7			1992	UC	13500	14300	15500	13000
7			1993	UC	13800	14500	15700	12900
7			1994	UC	13700	14500	15700	12700
7			1995	UC	14000	14800	16000	13100
7			1996	UC	13700	14500	16000	13000
7			1997	UC	14000	14700	16400	13200
7			1998	UC	13800	14600	16100	13100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1999	UC	13900	14700	16300	13200
7			2000	C	13400	15100	15100	12100
7			2001	C	14200	16000	16000	12800
7			2002	C	14300	16000	16100	12900
7			2003	C	14100	15700	15900	12700
7			2004	C	14100	15900	15900	12700
7			2005	C	14200	15800	15900	12800
7			2006	C	14200	15800	15900	12800
7			2007	C	14200	15800	16000	12800
7			2008	C	14300	15800	15600	12800
7			2009	C	14300	15700	15900	12900
7			2010	C	14400	15900	16000	13000
7			2011	C	14400	15900	16000	13000
7			2012	C	14400	15900	15500	13000
7			2013	IR	14500	17300	18500	12300
7			2014	IR	14500	17300	17300	12300
7			2015	IC	14600	16200	16100	12900
7			2016	IC	14600	16200	16100	12900
7			2017	IC	14600	16000	16100	13300
7			2018	IC	14700	16200	16300	13300
7			2019	IC	14700	16100	16200	13300
7	REG RD 19 WINS CHURCHILL BV ADAMSON ST	1.6	1988	UC	16300	17100	18400	15300
7			1989	UC	16800	17600	19000	16000
7			1990	UC	16300	17400	18900	15500
7			1991	UC	15700	16600	18100	15200
7			1992	UC	15900	16900	18300	15300
7			1993	UC	17100	18000	19400	16000
7			1994	UC	16700	17700	19100	15500
7			1995	UC	17600	18600	20100	16400
7			1996	UC	17200	18200	20100	16400
7			1997	UC	17400	18300	20400	16400
7			1998	UC	17600	18700	20600	16700
7			1999	UC	17300	18300	20200	16400
7			2000	UC	17000	18000	20100	16000
7			2001	UC	17400	18600	20500	16400
7			2002	UC	17400	18500	20500	16300
7			2003	UC	17400	18400	20400	16400
7			2004	UC	17400	18600	20500	16400
7			2005	UC	17500	18500	20500	16400
7			2006	UC	17500	18500	20400	16500
7			2007	UC	17500	18600	20300	16400
7			2008	UC	17500	18500	17400	16400
7			2009	UC	17600	18700	20600	16500
7			2010	UC	17600	18600	20500	16500
7			2011	UC	17600	17700	18300	16700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2012	UC	17600	17700	18800	16700
7			2013	IR	17700	21100	22600	15100
7			2014	IR	17700	21100	21100	15100
7			2015	IR	17700	21100	21100	15100
7			2016	IR	20000	23800	23900	17000
7			2017	IR	18200	20600	20700	15700
7			2018	IR	18200	20600	20800	15800
7			2019	IR	18300	20700	20900	15900
7	HALL RD START OF NA	5.0	9999					
7	ONTARIO ST HALTON RD 32	1.4	1988	C	10600	11800	11800	9550
7			1989	C	10900	12100	12200	9800
7			1990	UC	11100	11900	12900	10500
7			1991	UC	11400	12100	13100	11100
7			1992	UC	11600	12300	13300	11100
7			1993	UC	11200	11800	12700	10500
7			1994	UC	11600	12300	13300	10800
7			1995	UC	11800	12500	13500	11000
7			1996	UC	11000	11600	12900	10500
7			1997	IC	12100	13600	13700	10600
7			1998	IC	12500	14000	14000	11100
7			1999	IC	12100	13600	13600	10800
7			2000	IC	12200	13700	13700	10900
7			2001	IC	12300	13800	13800	10900
7			2002	IC	12400	13800	13900	10900
7			2003	IC	12300	13700	13800	10900
7			2004	IC	12600	14100	14200	11100
7			2005	IC	12700	14100	14300	11200
7			2006	IC	12800	14200	14400	11300
7			2007	IC	12900	14300	14800	11400
7			2008	IC	13000	14400	13900	11500
7			2009	IC	13100	14500	14700	11700
7			2010	IC	13200	14600	14700	11700
7			2011	IC	13300	14600	15200	11900
7			2012	UC	16500	16600	17700	15700
7			2013	UC	14200	14200	14300	13500
7			2014	UC	13800	13800	13300	13100
7			2015	UC	14200	14200	13700	13500
7			2016	UC	14300	14300	13800	13600
7			2017	UC	14600	14500	14600	14000
7			2018	UC	14700	14600	14800	14100
7			2019	UC	14900	14700	14900	14400
7	S JCT HALTON RD 3 TRAFALGAR RD	3.5	1988	C	14000	15500	15500	12600
7			1989	C	14200	15800	15900	12800
7			1990	UC	14700	15700	17100	14000
7			1991	UC	15100	16000	17400	14600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1992	UC	15300	16200	17600	14700
7			1993	UC	14900	15700	16900	14000
7			1994	UC	15100	16000	17300	14000
7			1995	UC	15300	16100	17500	14300
7			1996	UC	14800	15700	17300	14100
7			1997	UC	14900	15600	17400	14000
7			1998	UC	16200	17200	19000	15400
7			1999	UC	16200	17200	19000	15400
7			2000	C	16700	18900	18900	15000
7			2001	C	16700	18800	18800	15000
7			2002	C	17000	19000	19200	15300
7			2003	C	17300	19300	19500	15600
7			2004	C	17600	19800	19900	15900
7			2005	C	17900	19900	20100	16100
7			2006	C	18200	20200	20400	16400
7			2007	C	18400	20400	20700	16500
7			2008	C	18700	20600	20400	16800
7			2009	C	19000	20900	21100	17100
7			2010	C	18000	19800	20000	16200
7			2011	C	16500	18200	18300	14800
7			2012	C	17500	19300	18900	15800
7			2013	C	18800	20700	20500	16900
7			2014	C	18600	20500	19900	16700
7			2015	C	19000	20900	20300	17100
7			2016	C	19200	21100	20500	17300
7			2017	C	19400	21200	21200	17600
7			2018	C	19600	21500	21400	17700
7			2019	C	19800	21600	21500	17900
7	3.518 KM W OF S JCT HALTON RD 3 TRAFALGAR RD	2.4	2013	C	15300	16900	16600	13800
7			2014	C	15200	16700	16300	13700
7			2015	C	15100	16600	16200	13600
7			2016	C	15000	16500	16100	13500
7			2017	C	15200	16600	16600	13800
7			2018	C	15000	16400	16300	13500
7			2019	C	15000	16400	16300	13600
7	WORDEN VIEW RD	3.3	1988	C	7950	8800	8800	7150
7			1989	C	8050	8950	9000	7250
7			1990	UC	8200	8750	9500	7800
7			1991	UC	8450	8950	9700	8200
7			1992	UC	8500	9000	9800	8150
7			1993	UC	8300	8750	9450	7750
7			1994	UC	8500	9000	9700	7900
7			1995	UC	8600	9050	9850	8000
7			1996	UC	8350	8850	9750	7950
7			1997	UC	8300	8700	9700	7800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1998	UC	9050	9600	10600	8600
7			1999	UC	9050	9600	10600	8600
7			2000	UC	9550	10100	11300	9000
7			2001	UC	9500	10200	11200	8950
7			2002	UC	9300	9900	10900	8700
7			2003	UC	9650	10200	11300	9100
7			2004	UC	9800	10500	11500	9200
7			2005	UC	9950	10500	11600	9350
7			2006	UC	10100	10700	11800	9500
7			2007	UC	12000	12700	13900	11300
7			2008	UC	12500	13200	12400	11700
7			2009	UC	13500	14300	15800	12700
7			2010	UC	14500	15300	16900	13600
7			2011	UC	15500	15500	16100	14700
7			2012	UC	16800	16900	18000	16000
7			2013	UC	15000	15000	15100	14200
7			2014	UC	15300	15300	14700	14500
7			2015	UC	11300	11300	10900	10700
7			2016	UC	11500	11500	11100	10900
7			2017	UC	11800	11700	11800	11300
7			2018	UC	12000	11900	12100	11500
7			2019	UC	15200	15000	15200	14600
7	CHURCHILL RD HALTON HILLS START OF NA	2.0	9999					
7	N JCT HWY 25 MAIN ST	3.1	1988	C	5700	6350	6350	5150
7			1989	C	5950	6600	6650	5350
7			1990	C	6050	6700	6700	5450
7			1991	C	6200	6800	6900	5650
7			1992	C	6200	6700	6900	5700
7			1993	C	6300	6850	6950	5800
7			1994	C	6300	6900	7000	5700
7			1995	C	6400	7000	7150	5850
7			1996	C	6200	7050	7050	5600
7			1997	C	6250	7050	7100	5600
7			1998	C	6850	7750	7750	6150
7			1999	C	6800	7600	7700	6100
7			2000	C	7100	8000	8000	6400
7			2001	C	7000	7900	7900	6300
7			2002	C	7050	7900	7950	6350
7			2003	C	7250	8100	8150	6550
7			2004	C	7400	8350	8350	6650
7			2005	C	7500	8350	8400	6750
7			2006	C	7650	8500	8550	6900
7			2007	C	7750	8600	8750	6950
7			2008	C	7850	8650	8550	7050
7			2009	C	8000	8800	8900	7200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2010	C	8100	8950	9000	7300
7			2011	C	8250	9100	9150	7400
7			2012	C	8350	9200	9000	7500
7			2013	UC	8450	8500	8500	8000
7			2014	UC	8600	8650	8250	8150
7			2015	UC	8700	8750	8350	8250
7			2016	UC	8850	8900	8500	8400
7			2017	UC	8950	8900	9000	8600
7			2018	UC	9050	9000	9100	8700
7			2019	UC	9200	9050	9200	8850
7	HALTON HILLS MILTON TOWNLINE RD	3.9	1988	C	5700	6350	6350	5150
7			1989	C	5950	6600	6650	5350
7			1990	C	6050	6700	6700	5450
7			1991	C	6200	6800	6900	5650
7			1992	C	6200	6700	6900	5700
7			1993	C	6300	6850	6950	5800
7			1994	C	6300	6900	7000	5700
7			1995	C	6400	7000	7150	5850
7			1996	C	6200	7050	7050	5600
7			1997	C	6250	7050	7100	5600
7			1998	C	6850	7750	7750	6150
7			1999	C	6800	7600	7700	6100
7			2000	C	7100	8000	8000	6400
7			2001	C	7000	7900	7900	6300
7			2002	C	7050	7900	7950	6350
7			2003	C	7250	8100	8150	6550
7			2004	C	7400	8350	8350	6650
7			2005	C	7500	8350	8400	6750
7			2006	C	7650	8500	8550	6900
7			2007	C	7750	8600	8750	6950
7			2008	C	7850	8650	8550	7050
7			2009	C	8000	8800	8900	7200
7			2010	C	8100	8950	9000	7300
7			2011	C	8250	9100	9150	7400
7			2012	C	8350	9200	9000	7500
7			2013	C	8450	9300	9200	7600
7			2014	C	8600	9450	9200	7750
7			2015	C	8700	9550	9300	7850
7			2016	C	8850	9750	9450	7950
7			2017	C	8950	9800	9750	8100
7			2018	C	9050	9900	9850	8150
7			2019	C	9200	10100	10000	8350
7	2.6 KM WEST OF MILTON TWP RD 6TH LINE	2.2	1988	C	5700	6350	6350	5150
7			1989	C	5950	6600	6650	5350
7			1990	C	6050	6700	6700	5450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1991	C	6200	6800	6900	5650
7			1992	C	6200	6700	6900	5700
7			1993	C	6300	6850	6950	5800
7			1994	C	6300	6900	7000	5700
7			1995	C	6400	7000	7150	5850
7			1996	C	6200	7050	7050	5600
7			1997	C	6250	7050	7100	5600
7			1998	C	6850	7750	7750	6150
7			1999	C	6800	7600	7700	6100
7			2000	C	7100	8000	8000	6400
7			2001	C	7000	7900	7900	6300
7			2002	C	7050	7900	7950	6350
7			2003	C	7250	8100	8150	6550
7			2004	C	7400	8350	8350	6650
7			2005	C	7500	8350	8400	6750
7			2006	C	7650	8500	8550	6900
7			2007	C	7750	8600	8750	6950
7			2008	C	7850	8650	8550	7050
7			2009	C	8000	8800	8900	7200
7			2010	C	8100	8950	9000	7300
7			2011	C	8250	9100	9150	7400
7			2012	C	8250	9100	8900	7450
7			2013	C	8450	9300	9200	7600
7			2014	C	8550	9400	9150	7700
7			2015	C	8700	9550	9300	7850
7			2016	C	8800	9700	9400	7900
7			2017	C	8950	9800	9750	8100
7			2018	C	9050	9900	9850	8150
7			2019	C	9150	10000	9950	8300
7	WELLINGTON RD 50 HARRIS ST ROCKWOOD	1.1	1988	C	5700	6350	6350	5150
7			1989	C	5950	6600	6650	5350
7			1990	C	6050	6700	6700	5450
7			1991	C	6200	6800	6900	5650
7			1992	C	6200	6700	6900	5700
7			1993	C	6300	6850	6950	5800
7			1994	C	6300	6900	7000	5700
7			1995	C	6400	7000	7150	5850
7			1996	C	6200	7050	7050	5600
7			1997	C	6250	7050	7100	5600
7			1998	C	6850	7750	7750	6150
7			1999	C	6800	7600	7700	6100
7			2000	C	7100	8000	8000	6400
7			2001	C	7000	7900	7900	6300
7			2002	C	7050	7900	7950	6350
7			2003	C	7250	8100	8150	6550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2004	C	7400	8350	8350	6650
7			2005	C	7500	8350	8400	6750
7			2006	C	7650	8500	8550	6900
7			2007	C	7750	8600	8750	6950
7			2008	C	7850	8650	8550	7050
7			2009	C	8000	8800	8900	7200
7			2010	C	8100	8950	9000	7300
7			2011	C	8250	9100	9150	7400
7			2012	C	8250	9100	8900	7450
7			2013	C	8450	9300	9200	7600
7			2014	C	8550	9400	9150	7700
7			2015	C	8700	9550	9300	7850
7			2016	C	8800	9700	9400	7900
7			2017	C	8950	9800	9750	8100
7			2018	C	9050	9900	9850	8150
7			2019	C	9150	10000	9950	8300
7	WELLINGTON RD 27 GOWAN ST	4.1	1988	C	6700	7450	7450	6050
7			1989	C	7400	8200	8300	6650
7			1990	C	8100	9000	9000	7300
7			1991	C	8350	9200	9250	7600
7			1992	C	8350	9000	9250	7700
7			1993	C	8200	8950	9050	7550
7			1994	C	8700	9550	9700	7850
7			1995	C	9050	9900	10100	8300
7			1996	C	8350	9450	9500	7550
7			1997	CR	9750	12100	11500	8300
7			1998	CR	10100	12400	11800	8600
7			1999	CR	8450	10400	9900	7200
7			2000	CR	8500	10500	9950	7200
7			2001	CR	8550	10500	10000	7200
7			2002	CR	8600	10600	10100	7250
7			2003	CR	8350	10200	9750	7050
7			2004	C	8500	9550	9600	7650
7			2005	C	8800	9800	9900	7900
7			2006	C	8900	9900	9950	8000
7			2007	C	8800	9800	9900	7900
7			2008	C	9100	10000	9900	8150
7			2009	C	8800	9700	9750	7900
7			2010	C	9100	10000	10100	8200
7			2011	C	9300	10200	10300	8350
7			2012	C	9550	10500	10300	8600
7			2013	C	9550	10500	10400	8600
7			2014	C	9150	10100	9800	8250
7			2015	C	9150	10100	9800	8250
7			2016	C	9200	10100	9850	8300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2017	C	9200	10100	10000	8350
7			2018	C	9250	10100	10100	8350
7			2019	C	9250	10100	10100	8350
7	WELLINGTON RD 29	3.2	1988	C	8900	9900	9900	8000
7			1989	C	9250	10300	10400	8300
7			1990	UC	9500	10200	11000	9000
7			1991	UC	9800	10400	11300	9500
7			1992	UC	9800	10400	11300	9400
7			1993	UC	9900	10400	11300	9250
7			1994	UC	9800	10400	11200	9100
7			1995	UC	9950	10500	11400	9300
7			1996	UC	9650	10200	11300	9200
7			1997	IC	10200	11400	11500	9000
7			1998	IC	10400	11600	11600	9250
7			1999	IC	10600	11900	11900	9450
7			2000	IC	9600	10800	10800	8550
7			2001	IC	9500	10600	10700	8400
7			2002	IC	9000	10000	10100	7950
7			2003	IC	9000	10000	10100	7950
7			2004	IC	9000	10100	10100	7950
7			2005	IC	9000	10000	10100	7950
7			2006	IC	9000	10000	10100	7950
7			2007	IC	9000	10000	10300	7950
7			2008	IC	9000	9950	9650	7950
7			2009	IC	8800	9750	9850	7850
7			2010	IC	8850	9800	9900	7850
7			2011	IC	8850	9750	10100	7950
7			2012	IC	8850	9800	9500	7850
7			2013	IC	8550	9450	9400	7600
7			2014	IC	8450	9350	9300	7500
7			2015	IC	8350	9250	9200	7400
7			2016	IC	8300	9200	9150	7350
7			2017	IC	8200	9000	9050	7450
7			2018	IC	8100	8900	8950	7350
7			2019	IC	8050	8850	8900	7250
7	GUELPH E LTS START OF NA	7.2	9999					
7	W JCT HWY24 &S JCT HWY 6 END OF NA	3.7	9999					
7	N JCT HWY6 WOODLAWN RD START OF NA	2.7	9999					
7	GUELPH TO WELL HALT HILL	3.2	1988	SC	15300	16500	18100	13800
7			1989	C	15700	17400	17600	14100
7			1990	C	16400	18200	18200	14800
7			1991	C	17100	18800	19000	15600
7			1992	SC	15700	16500	18400	14400
7			1993	SC	15900	17600	19400	14200
7			1994	SC	17400	18100	20000	16000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1995	UC	17600	18600	20100	16400
7			1996	UC	18400	19500	21500	17500
7			1997	SC	19900	21100	23300	17700
7			1998	SC	20900	22200	24500	18600
7			1999	SC	22000	23300	25700	19600
7			2000	SC	21100	22400	24700	18600
7			2001	SC	20500	21900	24000	18100
7			2002	SC	20000	21200	23400	17600
7			2003	SC	19400	20500	22600	17200
7			2004	SC	17700	18900	20700	15600
7			2005	SC	17900	19000	20900	15800
7			2006	SC	19300	20400	22600	17000
7			2007	SC	19300	20400	22300	17000
7			2008	SC	18600	19500	18400	16400
7			2009	SC	19300	20500	22600	17000
7			2010	SC	19300	20400	22600	17000
7			2011	SC	19300	24700	22600	15400
7			2012	UC	17500	17600	18700	16600
7			2013	UC	17700	17800	17800	16800
7			2014	UC	18600	18700	17900	17700
7			2015	UC	18600	18700	17900	17700
7			2016	UC	18500	18600	17800	17600
7			2017	UC	18500	18400	18600	17700
7			2018	UC	18400	18300	18500	17700
7			2019	UC	18400	18100	18400	17700
7	71 WOOLWICH GUELPH TOWNLINE	6.0	1988	SC	15300	16500	18100	13800
7			1989	C	15700	17400	17600	14100
7			1990	C	16400	18200	18200	14800
7			1991	C	17100	18800	19000	15600
7			1992	SC	15700	16500	18400	14400
7			1993	SC	15900	17600	19400	14200
7			1994	SC	17000	17700	19600	15600
7			1995	UC	17900	18900	20500	16700
7			1996	UC	18900	20000	22100	18000
7			1997	SC	19800	21000	23200	17600
7			1998	SC	20900	22200	24500	18600
7			1999	SC	22000	23300	25700	19600
7			2000	SC	21800	23100	25500	19200
7			2001	SC	21900	23400	25600	19300
7			2002	SC	21900	23200	25600	19300
7			2003	SC	21500	22700	25100	19000
7			2004	SC	21300	22700	24900	18800
7			2005	SC	21600	22900	25200	19000
7			2006	SC	21900	23200	25600	19300
7			2007	SC	22200	23500	25700	19500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2008	SC	22500	23600	22300	19800
7			2009	SC	22500	23800	26300	19800
7			2010	SC	23300	24600	27300	20500
7			2011	SC	23300	29800	27200	18500
7			2012	UC	21800	21900	23300	20700
7			2013	UC	21800	21900	21900	20700
7			2014	C	19900	21900	21300	17900
7			2015	C	20100	22100	21500	18100
7			2016	C	20300	22300	21700	18300
7			2017	C	22500	24600	24600	20400
7			2018	C	22600	24800	24600	20400
7			2019	C	22700	24800	24700	20500
7	WOOLWICH ST E JCT START OF NA	5.5	9999					
7	HWY 85 CONESTOGA PKWY OP IC KITCHENER	1.5	1994	SC	73700	76600	84800	67800
7			1995	SC	76300	79800	88600	69400
7			1996	SC	78800	83800	92200	70600
7			1997	SC	81300	86200	95100	72400
7			1998	SC	83800	88800	98000	74600
7			1999	SC	86300	91500	101000	76800
7			2000	SC	88800	94100	103900	78100
7			2001	SC	91300	97400	106900	80500
7			2002	SC	93800	99500	109800	82700
7			2003	SC	95800	101200	111800	84800
7			2004	SC	97400	103900	114000	85800
7			2005	SC	99000	104800	115600	87100
7			2006	SC	100600	106400	117600	88700
7			2007	SC	102200	108000	118200	89900
7			2008	SC	103800	108900	102700	91300
7			2009	SC	107600	114100	125900	94700
7			2010	SC	109800	116100	128500	96800
7			2011	SC	109800	140500	128300	87400
7			2012	SC	109800	116300	109400	96900
7			2013	SC	110900	117300	106900	97800
7			2014	SC	111000	117400	114600	97900
7			2015	SC	111100	117500	114700	98000
7			2016	SC	111200	117600	114800	98100
7			2017	SC	118800	126300	126400	105400
7			2018	SC	120600	128800	128100	106100
7			2019	SC	122400	129900	129200	108200
7	OTTAWA ST UP IC	1.3	1988	UC	56500	59300	63800	53100
7			1989	UC	60600	63600	68500	57600
7			1990	UC	61000	65300	70800	58000
7			1991	UC	62800	66600	72200	60900
7			1992	SC	62800	65900	73500	57800
7			1993	SC	63400	70400	77300	56400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1994	SC	67500	70200	77600	62100
7			1995	UC	65900	69500	75300	61500
7			1996	UC	67900	71900	79400	64600
7			1997	UC	69900	73400	81800	65700
7			1998	UC	71900	76200	84100	68300
7			1999	UC	73800	78200	86300	70100
7			2000	UC	77800	82500	91800	73100
7			2001	UC	79800	85500	93900	75000
7			2002	UC	80700	86000	94900	75600
7			2003	UC	82700	87400	96900	78100
7			2004	UC	84300	90300	99200	79200
7			2005	UC	85900	90900	100500	80600
7			2006	UC	87400	92400	102100	82300
7			2007	UC	89000	94400	103000	83500
7			2008	UC	90600	95700	89800	84800
7			2009	UC	93200	98800	109000	87600
7			2010	UC	95000	100400	110600	89300
7			2011	UC	95000	95300	98600	90100
7			2012	UC	98300	98900	105200	93400
7			2013	UC	99300	99600	99900	94200
7			2014	UC	99400	99700	95600	94300
7			2015	UC	99500	99800	95700	94400
7			2016	UC	99600	99900	95800	94500
7			2017	UC	105200	104500	105500	100800
7			2018	UC	106900	106000	107700	102600
7			2019	UC	108600	107000	108600	104600
7	E JCT HWY 8 IC KING ST	1.4	1988	UC	44100	46300	49800	41500
7			1989	UC	46600	48900	52700	44300
7			1990	SC	47700	52500	57200	42500
7			1991	SC	49000	53900	59300	43600
7			1992	SC	49800	52300	58300	45800
7			1993	SC	51000	56600	62200	45400
7			1994	SC	55900	58100	64300	51400
7			1995	UC	57700	60900	66000	53800
7			1996	UC	60700	64200	71000	57700
7			1997	UC	63100	66300	73800	59300
7			1998	UC	65500	69400	76600	62200
7			1999	UC	66600	70600	77900	63300
7			2000	UC	68600	72700	80900	64500
7			2001	UC	70600	75600	83100	66300
7			2002	UC	72600	77400	85400	68000
7			2003	UC	74600	78800	87400	70500
7			2004	UC	76700	82200	90200	72100
7			2005	UC	78700	83300	92000	73800
7			2006	UC	80300	84900	93800	75600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2007	UC	82700	87700	95700	77600
7			2008	UC	84800	89600	84100	79300
7			2009	UC	86800	92000	101600	81600
7			2010	UC	88800	93900	103400	83500
7			2011	UC	88800	89100	92200	84300
7			2012	UC	90600	91100	97000	86100
7			2013	UC	91500	91800	92000	86800
7			2014	UC	91600	91900	88100	86900
7			2015	UC	91700	92000	88200	87000
7			2016	UC	91800	92100	88300	87100
7			2017	UC	98400	97800	98700	94300
7			2018	UC	100200	99400	101000	96200
7			2019	UC	101900	100400	101900	98200
7	COURTLAND AV OP IC	1.3	1988	UC	38500	40400	43500	36200
7			1989	UC	42700	44800	48300	40600
7			1990	SC	44100	48500	52900	39200
7			1991	SC	45400	49900	54900	40400
7			1992	SC	47600	50000	55700	43800
7			1993	SC	47600	52800	58100	42400
7			1994	SC	49800	51800	57300	45800
7			1995	SC	46400	48500	53900	42200
7			1996	SC	53900	57300	63000	48300
7			1997	SC	55900	59300	65400	49800
7			1998	SC	57900	61400	67700	51500
7			1999	SC	60000	63600	70200	53400
7			2000	SC	62000	65700	72500	54600
7			2001	SC	64800	69100	75900	57100
7			2002	SC	66700	70800	78100	58800
7			2003	SC	69400	73300	81000	61400
7			2004	SC	71300	76000	83500	62800
7			2005	SC	73200	77500	85500	64400
7			2006	SC	75200	79600	87900	66300
7			2007	SC	77100	81500	89100	67800
7			2008	SC	79000	82900	78200	69500
7			2009	SC	82100	87000	96100	72200
7			2010	SC	84400	89300	98800	74400
7			2011	SC	84400	108000	98600	67200
7			2012	SC	86100	91200	85800	76000
7			2013	SC	87000	92000	83900	76700
7			2014	SC	87900	93000	90800	77500
7			2015	SC	88800	93900	91700	78300
7			2016	SC	89700	94900	92600	79100
7			2017	SC	95600	101600	101700	84800
7			2018	SC	97600	104200	103700	85900
7			2019	SC	99500	105600	105000	87900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7	HOMER WATSON BV IC WATERLOO RD 28	2.6	1988	IC	24400	28300	27600	21500
7			1989	C	26600	29500	29800	23900
7			1990	IC	27300	31100	30600	24300
7			1991	IC	28100	31800	31200	25000
7			1992	IC	29200	32400	32100	26600
7			1993	IC	29200	33000	32700	26000
7			1994	IC	32400	36300	36300	28800
7			1995	IC	34100	38200	38500	30600
7			1996	IC	35800	40200	40400	31900
7			1997	SC	37400	39600	43800	33300
7			1998	SC	37900	40200	44300	33700
7			1999	SC	39800	42200	46600	35400
7			2000	SC	41300	43800	48300	36300
7			2001	SC	42700	45500	50000	37600
7			2002	SC	44100	46800	51600	38900
7			2003	SC	45600	48100	53200	40300
7			2004	SC	47000	50100	55000	41400
7			2005	SC	47800	50600	55800	42100
7			2006	SC	49900	52800	58300	44000
7			2007	SC	50500	53400	58400	44400
7			2008	SC	50600	53100	50100	44500
7			2009	SC	53300	56500	62400	46900
7			2010	SC	54700	57900	64000	48200
7			2011	SC	54700	70000	63900	43500
7			2012	SC	55800	59100	55600	49200
7			2013	SC	56400	59700	54400	49700
7			2014	SC	57000	60300	58900	50300
7			2015	SC	57600	60900	59500	50800
7			2016	SC	58200	61600	60100	51300
7			2017	SC	61600	65500	65600	54700
7			2018	SC	62800	67100	66700	55200
7			2019	SC	64000	67900	67500	56600
7	FISCHER HALLMAN RD IC WATERLOO RD 58	2.9	1988	IC	13200	15300	14900	11600
7			1989	C	14100	15700	15800	12700
7			1990	C	16000	17800	17800	14400
7			1991	C	16400	18000	18200	14900
7			1992	C	16100	17400	17900	14800
7			1993	C	17100	18600	18900	15700
7			1994	C	18400	20100	20500	16700
7			1995	IC	19100	21400	21500	17100
7			1996	IC	20200	22700	22800	18000
7			1997	IC	21100	23600	23800	18600
7			1998	IC	21800	24400	24400	19400
7			1999	IC	22700	25400	25400	20200
7			2000	IC	23500	26300	26300	20900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2001	IC	24600	27500	27600	21800
7			2002	IC	25500	28400	28600	22500
7			2003	IC	26400	29400	29700	23400
7			2004	IC	27300	30500	30700	24100
7			2005	IC	27400	30500	30800	24200
7			2006	IC	29100	32300	32600	25800
7			2007	IC	30000	33300	34400	26500
7			2008	IC	30400	33700	32600	26800
7			2009	IC	31200	34600	34900	27800
7			2010	IC	32100	35500	35800	28500
7			2011	IC	32100	35300	36600	28800
7			2012	IC	32800	36300	35200	29100
7			2013	IC	33100	36600	36400	29400
7			2014	IC	33400	37000	36800	29600
7			2015	IC	33700	37300	37100	29900
7			2016	IC	34000	37600	37500	30100
7			2017	IC	36400	39900	40200	33000
7			2018	IC	37100	40800	41100	33600
7			2019	IC	37900	41600	41800	34200
7	TRUSSLER RD WATERLOO RD 70 IC	3.9	1988	C	11200	12400	12400	10100
7			1989	C	12400	13800	13900	11200
7			1990	C	13400	14900	14900	12100
7			1991	C	14200	15600	15800	12900
7			1992	C	12600	13600	14000	11600
7			1993	C	13300	14500	14700	12200
7			1994	C	14900	16300	16600	13500
7			1995	IC	15500	17300	17500	13900
7			1996	IC	16300	18300	18400	14500
7			1997	IC	16900	18900	19100	14900
7			1998	IC	17400	19500	19500	15500
7			1999	IC	18100	20300	20300	16100
7			2000	IC	18800	21100	21100	16700
7			2001	IC	19400	21700	21800	17200
7			2002	IC	20100	22400	22600	17700
7			2003	IC	20700	23100	23300	18300
7			2004	IC	21400	23900	24000	18900
7			2005	IC	20700	23000	23200	18200
7			2006	IC	21300	23700	23900	18900
7			2007	IC	21900	24300	25100	19400
7			2008	IC	22500	24900	24100	19800
7			2009	IC	23100	25600	25900	20600
7			2010	IC	23700	26200	26500	21000
7			2011	IC	23700	26100	27000	21300
7			2012	IC	25100	27800	27000	22300
7			2013	IC	25300	28000	27800	22400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2014	IC	25600	28300	28200	22700
7			2015	IC	25800	28600	28400	22900
7			2016	IC	26100	28900	28800	23100
7			2017	IC	27100	29700	29900	24600
7			2018	IC	27600	30400	30500	25000
7			2019	IC	28100	30900	31000	25400
7	WATERLOO RD 12 IC/NOTRE DAME DR/QUEEN ST	4.8	1988	C	9300	10300	10300	8350
7			1989	C	9850	10900	11000	8850
7			1990	C	10500	11700	11700	9450
7			1991	C	11000	12100	12200	10000
7			1992	C	10700	11600	11900	9850
7			1993	C	10700	11700	11800	9850
7			1994	C	11600	12700	12900	10500
7			1995	C	11400	12400	12800	10400
7			1996	C	12500	14200	14200	11300
7			1997	C	12900	14600	14700	11600
7			1998	C	14000	15800	15800	12600
7			1999	C	15000	16800	17000	13500
7			2000	C	15800	17900	17900	14200
7			2001	C	16600	18700	18700	15000
7			2002	C	17400	19500	19600	15700
7			2003	C	18200	20300	20500	16400
7			2004	C	19300	21700	21800	17400
7			2005	C	19900	22200	22300	17900
7			2006	C	20700	23000	23200	18600
7			2007	C	21500	23900	24200	19300
7			2008	C	22300	24600	24300	20000
7			2009	C	23100	25400	25600	20800
7			2010	C	23900	26300	26600	21500
7			2011	C	23900	26300	26600	21500
7			2012	C	23900	26300	25800	21500
7			2013	C	23900	26300	26000	21500
7			2014	UC	23900	24000	23000	22700
7			2015	UC	24100	24200	23200	22900
7			2016	UC	24300	24400	23400	23100
7			2017	UC	27100	26900	27200	26000
7			2018	UC	27700	27500	27900	26600
7			2019	UC	28400	28000	28400	27400
7	WATERLOO RD 51 IC/WILMOT CENTRE RD FOUNDRY ST	2.2	1988	C	9900	11000	11000	8900
7			1989	IC	10700	12300	12100	9500
7			1990	IC	11500	13100	12900	10200
7			1991	IC	12300	13900	13700	10900
7			1992	C	12400	13400	13800	11400
7			1993	C	13000	14200	14400	12000
7			1994	C	13300	14600	14800	12000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1995	C	14800	16200	16600	13500
7			1996	C	15600	17700	17700	14100
7			1997	C	16100	18200	18400	14500
7			1998	C	16600	18800	18800	14900
7			1999	C	17100	19200	19300	15400
7			2000	C	17700	20000	20000	15900
7			2001	C	18300	20600	20700	16500
7			2002	C	18900	21200	21300	17000
7			2003	C	19500	21800	21900	17600
7			2004	C	19800	22300	22300	17800
7			2005	C	20300	22600	22800	18200
7			2006	C	21000	23300	23500	18900
7			2007	C	21600	24000	24300	19400
7			2008	C	22200	24500	24200	19900
7			2009	C	22900	25200	25400	20600
7			2010	C	23500	25900	26100	21200
7			2011	C	23500	25900	26100	21200
7			2012	C	22500	24800	24300	20300
7			2013	C	22500	24800	24500	20300
7			2014	UC	22400	22500	21500	21300
7			2015	UC	22600	22700	21700	21400
7			2016	UC	22800	22900	21900	21600
7			2017	UC	25000	24800	25100	24000
7			2018	UC	25400	25200	25600	24400
7			2019	UC	25900	25500	25900	25000
7	WATERLOO RD 5/NAFZIGER RD	1.5	1988	IC	10700	12400	12100	9400
7			1989	IC	11000	12600	12400	9800
7			1990	IC	11300	12900	12700	10100
7			1991	C	12200	13400	13500	11100
7			1992	C	12600	13600	14000	11600
7			1993	C	12600	13700	13900	11600
7			1994	C	13400	14700	14900	12100
7			1995	C	13400	14600	15000	12300
7			1996	C	14500	16400	16500	13100
7			1997	C	15100	17100	17200	13600
7			1998	C	15700	17700	17700	14100
7			1999	C	16200	18100	18300	14600
7			2000	C	16800	19000	19000	15100
7			2001	C	17400	19600	19600	15700
7			2002	C	18000	20200	20300	16200
7			2003	C	18600	20800	20900	16800
7			2004	C	19200	21600	21700	17300
7			2005	C	19800	22000	22200	17800
7			2006	C	21400	23800	24000	19300
7			2007	C	22100	24600	24900	19900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2008	C	22800	25200	24800	20500
7			2009	C	23500	25900	26100	21200
7			2010	C	24100	26600	26800	21700
7			2011	C	24100	26600	26800	21700
7			2012	C	24100	26600	26000	21700
7			2013	C	24100	26600	26200	21700
7			2014	C	24300	26700	26000	21900
7			2015	C	24500	27000	26200	22000
7			2016	C	24800	27300	26500	22300
7			2017	C	26900	29400	29400	24400
7			2018	C	27500	30100	30000	24800
7			2019	C	28000	30600	30400	25300
7	E JCT WATERLOO RD 4/BLEAMS RD (S) HAMILTON RD (N)	0.8	1988	C	11200	12400	12400	10100
7			1989	IC	11900	13700	13400	10600
7			1990	IC	12300	14000	13800	10900
7			1991	IC	13200	14900	14700	11700
7			1992	C	13600	14700	15100	12500
7			1993	C	14000	15300	15500	12900
7			1994	C	14600	16000	16300	13200
7			1995	C	15100	16500	16900	13800
7			1996	C	15800	17900	18000	14300
7			1997	C	16400	18500	18700	14800
7			1998	C	17000	19200	19200	15300
7			1999	C	17600	19700	19900	15800
7			2000	C	18200	20600	20600	16400
7			2001	C	18900	21300	21300	17000
7			2002	C	19500	21800	22000	17500
7			2003	C	20100	22500	22600	18100
7			2004	C	20700	23300	23400	18600
7			2005	C	21200	23600	23800	19000
7			2006	C	21900	24300	24500	19700
7			2007	C	22000	24400	24800	19800
7			2008	CR	22100	26700	26500	18600
7			2009	CR	22100	26500	25600	18800
7			2010	CR	24000	28800	27800	20300
7			2011	CR	24000	28000	28300	21400
7			2012	UC	22300	22400	23900	21200
7			2013	UC	22300	22400	22400	21200
7			2014	UC	21900	22000	21100	20800
7			2015	UC	22100	22200	21300	21000
7			2016	UC	22300	22400	21400	21200
7			2017	UC	24700	24500	24800	23700
7			2018	UC	25100	24900	25300	24100
7			2019	UC	25500	25100	25500	24600
7	W JCT WATERLOO RD 4/PEEL ST (N) HAYSVILLE RD (S)	3.2	1988	CTR	8400	10900	10200	7050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1989	CTR	8750	11100	10600	7500
7			1990	CTR	9250	11600	10900	8050
7			1991	CTR	9700	12200	12100	8450
7			1992	CTR	9600	11800	11400	8350
7			1993	CTR	9800	12300	11900	8350
7			1994	CTR	10400	13300	12700	8750
7			1995	CTR	10700	13700	13200	8950
7			1996	CTR	11200	14300	13800	9400
7			1997	CR	11500	14300	13600	9800
7			1998	CR	12000	14800	14000	10200
7			1999	CR	12200	15000	14300	10400
7			2000	CR	12800	15700	15000	10900
7			2001	CR	13200	16200	15500	11100
7			2002	CR	13600	16700	15900	11500
7			2003	CR	14000	17100	16400	11800
7			2004	CR	14400	17700	16900	12200
7			2005	CR	14600	17700	17000	12300
7			2006	CR	15000	18200	17500	12700
7			2007	CR	15400	18600	18600	13000
7			2008	CR	15500	18800	18600	13100
7			2009	CR	16200	19400	18800	13800
7			2010	CTR	16500	20100	19300	14000
7			2011	CTR	16500	20100	19300	14000
7			2012	CTR	16000	19400	19200	13600
7			2013	CTR	16000	19500	20100	13600
7			2014	IC	16300	18000	18000	14500
7			2015	IC	16500	18300	18200	14600
7			2016	IC	16700	18500	18400	14800
7			2017	IC	17800	19500	19600	16200
7			2018	IC	18100	19900	20000	16400
7			2019	IC	18400	20200	20300	16600
7	PERTH RD 101	8.1	1991	CTR	9300	11700	11600	8100
7			1992	CTR	9100	11200	10800	7900
7			1993	CTR	9000	11300	10900	7650
7			1994	CTR	9200	11800	11200	7750
7			1995	CTR	8500	10900	10500	7150
7			1996	CTR	9550	12200	11800	8000
7			1997	CTR	9750	12500	12000	8200
7			1998	CTR	9700	12300	11800	8150
7			1999	CTR	9850	12400	11900	8250
7			2000	CTR	10000	12600	12100	8400
7			2001	CTR	10500	13300	12700	8850
7			2002	CTR	10300	13000	12500	8700
7			2003	CTR	10500	13000	12500	8900
7			2004	CTR	10600	13400	12800	8950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2005	CTR	10800	13400	12800	9150
7			2006	CTR	10700	13200	12700	9100
7			2007	CTR	11100	13700	13600	9400
7			2008	CTR	11300	14000	13700	9600
7			2009	CTR	11400	13900	13500	9700
7			2010	CTR	11600	14100	13600	9850
7			2011	CTR	11600	14100	13600	9850
7			2012	CTR	11900	14400	14300	10100
7			2013	CTR	12000	14600	15100	10200
7			2014	IC	11000	12200	12100	9750
7			2015	IC	11100	12300	12200	9850
7			2016	IC	11200	12400	12300	9950
7			2017	IC	12000	13100	13200	10900
7			2018	IC	12200	13400	13500	11000
7			2019	IC	12300	13500	13600	11100
7	PERTH RD 107 SHAKESPEARE	8.7	1988	CTR	7900	10300	9650	6650
7			1989	CTR	8400	10700	10200	7200
7			1990	CTR	8800	11000	10400	7650
7			1991	CTR	9150	11500	11400	7950
7			1992	CTR	9300	11400	11100	8100
7			1993	CTR	9300	11700	11300	7900
7			1994	CTR	9450	12100	11500	7950
7			1995	CTR	9500	12200	11700	7950
7			1996	CTR	9550	12200	11800	8000
7			1997	CTR	9650	12400	11900	8100
7			1998	CTR	9700	12300	11800	8150
7			1999	CTR	9700	12200	11700	8150
7			2000	CTR	9750	12300	11800	8200
7			2001	CTR	9900	12500	12000	8350
7			2002	CTR	9850	12400	11900	8300
7			2003	CTR	9900	12300	11800	8400
7			2004	CTR	10100	12700	12200	8500
7			2005	CTR	10000	12400	11900	8500
7			2006	CTR	9850	12200	11700	8350
7			2007	CTR	10100	12500	12400	8550
7			2008	CTR	10100	12500	12300	8600
7			2009	CTR	10200	12400	12000	8650
7			2010	CTR	10200	12400	11900	8650
7			2011	CTR	10200	12400	11900	8650
7			2012	CTR	9350	11300	11200	7950
7			2013	CTR	9350	11400	11800	7950
7			2014	CTR	8700	10600	10700	7400
7			2015	CTR	9800	12000	12100	8350
7			2016	CTR	9800	12000	12100	8350
7			2017	CTR	9800	13100	13000	8000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2018	CTR	9800	13100	13000	8000
7			2019	CTR	9800	13100	13000	7950
7	STRATFORD E LTS L41 42 START OF NA	3.0	9999					
7	PERTH CTY LINE 20 (N)	4.0	1988	IC	6900	8000	7800	6050
7			1989	IC	7350	8450	8300	6550
7			1990	IC	7600	8650	8500	6750
7			1991	IC	7900	8950	8750	7050
7			1992	IC	7500	8300	8250	6800
7			1993	IC	7650	8650	8550	6800
7			1994	IC	8100	9050	9050	7200
7			1995	IC	8300	9300	9350	7450
7			1996	IC	8550	9600	9650	7600
7			1997	IC	8800	9850	9950	7750
7			1998	IC	8800	9850	9850	7850
7			1999	IC	8850	9900	9900	7900
7			2000	IC	8900	9950	9950	7900
7			2001	IR	9400	11600	10400	7950
7			2002	IR	9100	11200	10100	7750
7			2003	IR	9250	11200	10200	7850
7			2004	IC	9250	10300	10400	8200
7			2005	IC	9250	10300	10400	8150
7			2006	IC	9200	10200	10300	8150
7			2007	IC	9250	10300	10600	8200
7			2008	IC	9250	10200	9900	8150
7			2009	IC	9550	10600	10700	8500
7			2010	IC	9650	10700	10800	8550
7			2011	IC	9650	10600	11000	8650
7			2012	IC	9000	9950	9650	8000
7			2013	IC	9100	10100	10000	8050
7			2014	IC	9650	10700	10600	8550
7			2015	IC	9700	10700	10700	8600
7			2016	IC	9750	10800	10700	8650
7			2017	IC	9550	10500	10500	8650
7			2018	IC	9600	10600	10600	8700
7			2019	IC	9650	10600	10700	8700
7			1988	IC	6200	7200	7000	5450
7			1989	IC	6600	7600	7450	5850
7			1990	IC	6850	7800	7650	6100
7			1991	IC	7100	8000	7900	6300
7			1992	IC	7300	8100	8050	6650
7			1993	IC	7450	8400	8350	6650
7			1994	IC	7800	8750	8750	6950
7			1995	IC	7850	8800	8850	7050
7			1996	IC	8300	9300	9350	7400
7			1997	IC	8600	9650	9700	7550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1998	IC	8850	9900	9900	7900
7			1999	IC	8500	9500	9500	7550
7			2000	IC	8600	9650	9650	7650
7			2001	IC	9050	10100	10200	8000
7			2002	IC	8900	9900	10000	7850
7			2003	IC	9150	10200	10300	8100
7			2004	IC	9150	10200	10300	8100
7			2005	IC	9150	10200	10300	8050
7			2006	IC	9200	10200	10300	8150
7			2007	IC	9400	10400	10800	8300
7			2008	IC	9200	10200	9850	8100
7			2009	IC	9600	10700	10800	8550
7			2010	IC	9700	10700	10800	8600
7			2011	IC	9700	10700	11100	8700
7			2012	IC	8550	9450	9200	7600
7			2013	IC	8600	9500	9450	7650
7			2014	IC	8700	9650	9600	7700
7			2015	IC	8800	9750	9700	7800
7			2016	IC	8900	9850	9800	7900
7			2017	IC	9000	9850	9950	8150
7			2018	IC	9100	10000	10100	8250
7			2019	IC	9200	10100	10200	8300
7	**PERTH CTY LINE 20 (N)**	**4.90**	**2019**	**IC**	**9200**	**10100**	**10200**	**8300**
7	PERTH CTY LINE 9 (N)	2.9	1988	IC	4200	4850	4750	3700
7			1989	CR	4550	5800	5400	3800
7			1990	CR	4800	5950	5500	4300
7			1991	CR	5000	6150	5750	4500
7			1992	CR	5150	6350	5850	4650
7			1993	CR	5150	6350	5900	4650
7			1994	CR	5200	6400	5950	4700
7			1995	CR	5250	6500	6200	4500
7			1996	CR	5550	6850	6500	4750
7			1997	CR	5700	7050	6750	4850
7			1998	CR	5450	6700	6400	4650
7			1999	CR	5700	7000	6650	4850
7			2000	CR	5800	7150	6800	4950
7			2001	IR	5900	7300	6550	5000
7			2002	IR	6000	7400	6650	5100
7			2003	IR	6100	7400	6700	5200
7			2004	IC	6200	6950	6950	5500
7			2005	IC	6300	7000	7050	5550
7			2006	IC	6400	7100	7200	5650
7			2007	IC	6400	7100	7350	5650
7			2008	IC	6300	7000	6750	5550
7			2009	IC	6600	7350	7400	5850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2010	IC	6650	7350	7400	5900
7			2011	IC	5850	6450	6650	5250
7			2012	IC	5700	6300	6100	5050
7			2013	IC	5700	6300	6250	5050
7			2014	IC	5800	6400	6400	5150
7			2015	IC	5850	6500	6450	5200
7			2016	IC	5900	6550	6500	5250
7			2017	IC	5950	6500	6550	5400
7			2018	IC	6000	6600	6650	5450
7			2019	IC	6050	6650	6700	5450
7	OXFORD RD 119 (S) PERTH RD 118 (N)	6.2	1988	IC	3550	4100	4000	3100
7			1989	CR	3650	4650	4350	3050
7			1990	CR	3900	4850	4500	3500
7			1991	CR	4200	5150	4850	3800
7			1992	CR	4500	5550	5150	4050
7			1993	CR	4500	5550	5200	4050
7			1994	CR	4500	5550	5150	4050
7			1995	CR	4650	5750	5500	4000
7			1996	CR	4700	5800	5500	4000
7			1997	CR	4850	6000	5700	4100
7			1998	CR	4800	5900	5600	4100
7			1999	CR	5000	6150	5850	4250
7			2000	CR	5100	6250	5950	4350
7			2001	IR	5200	6450	5750	4400
7			2002	IR	5300	6550	5850	4500
7			2003	IR	5400	6550	5950	4600
7			2004	IC	5500	6150	6200	4850
7			2005	IC	5600	6250	6300	4950
7			2006	IC	5750	6400	6450	5100
7			2007	IC	5750	6400	6600	5100
7			2008	IC	5750	6350	6150	5050
7			2009	IC	5900	6550	6600	5250
7			2010	IC	5900	6550	6600	5250
7			2011	IC	5150	5650	5850	4600
7			2012	IC	5150	5700	5550	4550
7			2013	IC	5150	5700	5650	4550
7			2014	IC	4800	5300	5300	4250
7			2015	IC	4850	5350	5350	4300
7			2016	IC	4900	5400	5400	4350
7			2017	IC	5450	5950	6000	4950
7			2018	IC	5500	6050	6100	5000
7			2019	IC	5500	6050	6050	4950
7	PERTH RD 123 (N)	7.3	1988	IC	3800	4400	4300	3350
7			1989	CR	3900	5000	4650	3300
7			1990	CR	4000	4950	4600	3600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			1991	CR	4100	5050	4700	3700
7			1992	CR	4100	5050	4650	3700
7			1993	CR	4100	5050	4700	3700
7			1994	CR	4200	5150	4800	3800
7			1995	CR	4150	5150	4900	3550
7			1996	CR	4200	5200	4950	3600
7			1997	CR	4250	5250	5000	3600
7			1998	CR	4350	5350	5100	3700
7			1999	CR	4550	5600	5300	3850
7			2000	CR	4650	5700	5450	3950
7			2001	IR	4900	6050	5450	4150
7			2002	IR	4850	6000	5350	4100
7			2003	IR	4950	6000	5450	4200
7			2004	IC	5100	5700	5750	4500
7			2005	IC	5150	5750	5800	4550
7			2006	IC	5150	5700	5750	4550
7			2007	IC	5350	5950	6150	4750
7			2008	IR	5400	6550	6400	4600
7			2009	IR	5500	6600	6000	4700
7			2010	IR	5600	6650	6100	4750
7			2011	IR	5600	6700	6550	4800
7			2012	IR	5600	6650	6500	4800
7			2013	IR	5600	6650	7150	4750
7			2014	IR	5100	6050	6100	4350
7			2015	IR	5150	6150	6150	4400
7			2016	IR	5200	6200	6200	4450
7			2017	IR	5750	6750	6750	5150
7			2018	IR	5800	6800	6800	5200
7			2019	IR	5850	6850	6850	5250
7	MIDDLESEX RD 50 (N) PROSPECT HILL RD (S)	8.7	1988	IC	4300	5000	4850	3800
7			1989	CR	4400	5650	5250	3700
7			1990	CR	4500	5600	5200	4050
7			1991	CR	4600	5650	5300	4150
7			1992	CR	4900	6050	5600	4400
7			1993	CR	5050	6200	5800	4550
7			1994	CR	4900	6050	5600	4400
7			1995	CR	5400	6700	6350	4650
7			1996	CR	5600	6900	6550	4800
7			1997	IR	5600	7000	6250	4750
7			1998	IR	5750	7150	6450	4850
7			1999	IR	5800	7200	6450	4850
7			2000	IR	5900	7250	6550	5000
7			2001	IR	6000	7400	6650	5050
7			2002	IR	6100	7500	6750	5200
7			2003	IR	6500	7900	7150	5500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2004	IR	6300	7800	7000	5350
7			2005	IR	6300	7600	6900	5350
7			2006	IR	6400	7700	7000	5450
7			2007	IR	6650	8050	8050	5650
7			2008	IR	6750	8200	8000	5750
7			2009	IR	6850	8200	7450	5800
7			2010	CR	7000	8400	8100	5900
7			2011	CR	7000	8150	8250	6250
7			2012	CR	6800	8150	8000	5750
7			2013	CR	6800	8150	8350	5750
7			2014	IC	6650	7350	7350	5900
7			2015	IC	7200	7950	7950	6400
7			2016	IC	7300	8100	8050	6450
7			2017	IC	7400	8100	8150	6700
7			2018	IC	7500	8250	8300	6800
7			2019	IC	7550	8300	8350	6800
7	HWY 23	1.3	1988	IC	4750	5500	5350	4200
7			1989	CR	5050	6450	6000	4250
7			1990	CR	5300	6550	6100	4750
7			1991	CR	5400	6650	6200	4850
7			1992	CR	5600	6900	6400	5050
7			1993	CR	5800	7150	6650	5200
7			1994	CR	6000	7400	6850	5400
7			1995	CR	6050	7500	7150	5200
7			1996	CR	6100	7550	7150	5200
7			1997	CR	6150	7650	7250	5250
7			1998	CR	6200	7650	7250	5250
7			1999	CR	6250	7700	7300	5300
7			2000	CR	6300	7750	7350	5350
7			2001	CR	6350	7800	7450	5350
7			2002	CR	6400	7850	7500	5400
7			2003	CR	6450	7850	7550	5450
7			2004	CR	6500	8000	7600	5500
7			2005	CR	6600	8000	7700	5550
7			2006	CR	6600	8000	7700	5550
7			2007	CR	6750	8150	8150	5700
7			2008	IR	7100	8600	8450	6050
7			2009	IR	6900	8300	7500	5850
7			2010	CTR	6950	8450	8150	5900
7			2011	CTR	7000	8500	8200	5950
7			2012	CTR	6800	8250	8150	5800
7			2013	CTR	6800	8300	8550	5800
7			2014	CR	7200	8500	8450	6150
7			2015	CR	7150	8450	8350	6100
7			2016	CR	7200	8500	8450	6150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7			2017	CR	7250	8400	8450	6550
7			2018	CR	7300	8500	8550	6550
7			2019	CR	7350	8550	8600	6600
7	0.1 KM W OF HWY 4 END OF HWY		9999					
7A	W JCT HWY 115 CAVAN TWP 9TH LINE IC MOORE DR	17.9	1988	IR	3000	3900	3300	2400
7A			1989	IR	3100	4000	3450	2550
7A			1990	IR	3150	4000	3500	2600
7A			1991	IR	3200	4050	3550	2650
7A			1992	IR	3300	4050	3650	2800
7A			1993	IR	3300	4050	3400	2700
7A			1994	IR	3400	4200	3750	2850
7A			1995	IR	3500	4300	3850	3000
7A			1996	IR	3600	4450	4000	3050
7A			1997	IR	3750	4700	4200	3200
7A			1998	IR	3850	4750	4300	3250
7A			1999	IR	3800	4700	4200	3200
7A			2000	IR	3900	4800	4300	3300
7A			2001	IR	3950	4900	4400	3350
7A			2002	IR	3950	4850	4400	3350
7A			2003	IR	4100	5000	4500	3500
7A			2004	IR	4150	5150	4600	3500
7A			2005	IR	4250	5150	4650	3600
7A			2006	IR	4300	5200	4700	3650
7A			2007	IR	4400	5350	5300	3750
7A			2008	IR	4450	5400	5300	3800
7A			2009	IR	4500	5400	4900	3800
7A			2010	IR	4600	5500	5000	3900
7A			2011	IR	4650	5550	5450	3950
7A			2012	IR	4400	5250	5100	3750
7A			2013	IR	4400	5250	5600	3750
7A			2014	CTR	4850	5900	5950	4100
7A			2015	CTR	4800	5850	5900	4100
7A			2016	CTR	4850	5900	5950	4100
7A			2017	CTR	4950	6600	6600	4050
7A			2018	CTR	5000	6700	6650	4050
7A			2019	CTR	5050	6750	6700	4100
7A	S JCT HWY 35 COMMUTER PKG (N)	1.5	1988	IR	6050	7850	6650	4850
7A			1989	IR	6750	8700	7500	5550
7A			1990	IR	7450	9450	8250	6100
7A			1991	IR	7700	9700	8550	6400
7A			1992	IR	6600	8100	7250	5600
7A			1993	IR	6800	8350	7050	5550
7A			1994	IR	7400	9100	8150	6200
7A			1995	IR	7500	9250	8250	6400
7A			1996	IR	7600	9450	8500	6450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7A			1997	IR	8050	10100	9000	6850
7A			1998	IR	8300	10300	9300	6950
7A			1999	IR	8500	10500	9450	7150
7A			2000	IR	8700	10700	9650	7350
7A			2001	IR	8750	10800	9700	7400
7A			2002	IR	9200	11300	10200	7800
7A			2003	IR	9150	11100	10100	7750
7A			2004	IR	9350	11600	10400	7900
7A			2005	IR	9350	11300	10200	7950
7A			2006	IR	9750	11800	10700	8300
7A			2007	IR	9950	12100	12000	8450
7A			2008	IR	10200	12400	12100	8700
7A			2009	IR	10400	12500	11300	8850
7A			2010	IR	10600	12600	11500	9000
7A			2011	IR	10800	12900	12600	9200
7A			2012	IR	9800	11700	11300	8400
7A			2013	IR	9800	11700	12500	8350
7A			2014	CTR	10100	12300	12400	8600
7A			2015	CTR	10900	13300	13400	9250
7A			2016	CTR	11000	13400	13500	9350
7A			2017	CTR	11200	15000	14900	9150
7A			2018	CTR	11400	15200	15200	9300
7A			2019	CTR	11500	15300	15300	9350
7A	N JCT HWY 35	6.4	1988	IR	3150	4100	3450	2500
7A			1989	IR	3400	4400	3750	2800
7A			1990	IR	3650	4650	4050	3000
7A			1991	IR	3750	4700	4150	3100
7A			1992	IR	3500	4300	3850	3000
7A			1993	IR	3850	4750	4000	3150
7A			1994	IR	3900	4800	4300	3250
7A			1995	IR	4000	4950	4400	3400
7A			1996	IR	4250	5300	4750	3600
7A			1997	IR	4500	5600	5050	3800
7A			1998	IR	4750	5900	5300	4000
7A			1999	IR	4400	5450	4900	3700
7A			2000	IR	4500	5500	5000	3800
7A			2001	IR	4550	5600	5050	3850
7A			2002	IR	4650	5750	5150	3950
7A			2003	IR	4700	5700	5150	4000
7A			2004	IR	4650	5750	5150	3950
7A			2005	IR	4600	5550	5050	3900
7A			2006	IR	4750	5750	5200	4050
7A			2007	IR	4800	5800	5800	4050
7A			2008	IR	4650	5650	5550	3950
7A			2009	IR	4900	5900	5350	4150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7A			2010	IR	4950	5900	5400	4200
7A			2011	IR	5000	5950	5850	4250
7A			2012	IR	5050	6000	5850	4300
7A			2013	IR	5100	6050	6500	4350
7A			2014	IR	5150	6150	6150	4400
7A			2015	IR	5200	6200	6200	4450
7A			2016	IR	5250	6250	6250	4450
7A			2017	CTR	11200	15000	14900	9150
7A			2018	CTR	6350	8500	8450	5150
7A			2019	CTR	6450	8600	8550	5250
7A	NESBITT RD.	7.7	2016	CTR	5300	6450	6500	4500
7A			2017	CTR	5400	7200	7200	4400
7A			2018	CTR	5500	7350	7300	4500
7A			2019	CTR	5600	7450	7450	4550
7A	N JCT DURHAM RD 57 CAESAREA RD (N)	8.6	1988	IR	7300	9500	8050	5850
7A			1989	IR	7650	9850	8500	6250
7A			1990	IR	7850	9950	8700	6450
7A			1991	IR	7950	10000	8800	6600
7A			1992	IR	8000	9850	8800	6800
7A			1993	IR	8100	9950	8400	6650
7A			1994	IR	8200	10100	9000	6850
7A			1995	IR	8850	10900	9750	7550
7A			1996	IR	9300	11600	10400	7900
7A			1997	IR	9450	11800	10600	8050
7A			1998	IR	9750	12100	10900	8200
7A			1999	IR	9600	11900	10700	8050
7A			2000	IR	10200	12500	11300	8600
7A			2001	IR	10500	13000	11600	8900
7A			2002	IR	10700	13200	11900	9100
7A			2003	IR	12700	15400	14000	10800
7A			2004	IR	11300	14000	12500	9550
7A			2005	IT	13800	17600	17500	11500
7A			2006	IR	10400	12500	11400	8850
7A			2007	IR	11900	14400	14400	10100
7A			2008	IR	11200	13600	13300	9550
7A			2009	IR	12400	14900	13500	10500
7A			2010	CTR	11800	14400	13800	10000
7A			2011	CTR	10500	12800	12300	8900
7A			2012	IC	10500	11600	11300	9300
7A			2013	IC	10500	11600	11600	9300
7A			2014	IC	12100	13400	13300	10700
7A			2015	IC	12300	13600	13600	10900
7A			2016	IC	12400	13700	13700	11000
7A			2017	IC	12500	13700	13800	11300
7A			2018	IC	12700	14000	14100	11500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7A			2019	IC	12800	14100	14100	11600
7A	ISLAND RD.	1.9	1988	CTR	10200	13300	12400	8550
7A			1989	CTR	10700	13600	12900	9200
7A			1990	IR	11700	14900	13000	9600
7A			1991	IR	12100	15200	13400	10000
7A			1992	IR	12500	15400	13800	10600
7A			1993	IR	12900	15900	13300	10600
7A			1994	IR	12700	15600	14000	10600
7A			1995	IR	13100	16100	14400	11200
7A			1996	CTR	12700	16200	15600	10700
7A			1997	IR	14000	17500	15700	11900
7A			1998	IR	14500	18000	16200	12200
7A			1999	IR	13700	17000	15200	11500
7A			2000	CR	15900	19600	18600	13500
7A			2001	IC	15600	17400	17500	13800
7A			2002	IC	16400	18300	18400	14400
7A			2003	CR	17000	20700	19900	14400
7A			2004	CR	16800	20700	19700	14200
7A			2005	IR	16500	19900	18100	14100
7A			2006	IR	17500	21100	19100	14900
7A			2007	IR	17900	21700	21600	15200
7A			2008	IR	18300	22200	21800	15600
7A			2009	CTR	18200	22200	21500	15500
7A			2010	CTR	19100	23200	22300	16200
7A			2011	CTR	19500	23700	22800	16600
7A			2012	CTR	19900	24100	23800	16900
7A			2013	C	20300	22400	22100	18300
7A			2014	C	20700	22800	22100	18600
7A			2015	C	21100	23200	22600	19000
7A			2016	C	21500	23700	23000	19400
7A			2017	C	21900	24000	23900	19900
7A			2018	C	22300	24400	24300	20100
7A			2019	C	22700	24800	24700	20500
7A	CARNEGIE ST (S)	0.5	1988	C	13000	14400	14400	11700
7A			1989	C	13500	15000	15100	12200
7A			1990	CR	14400	17900	16600	13000
7A			1991	CR	14800	18200	17000	13300
7A			1992	CR	15800	19400	18000	14200
7A			1993	CTR	15800	19900	19100	13400
7A			1994	CTR	15900	20400	19400	13400
7A			1995	CTR	16600	21300	20400	13900
7A			1996	IR	16400	20400	18300	14000
7A			1997	IR	17900	22400	20000	15200
7A			1998	IR	18500	22900	20700	15500
7A			1999	IR	17800	22100	19800	15000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7A			2000	IR	18000	22000	19900	15200
7A			2001	IR	18200	22500	20200	15400
7A			2002	IR	19400	23900	21500	16500
7A			2003	IR	18700	22700	20600	15900
7A			2004	CTR	19400	24500	23500	16400
7A			2005	CTR	19000	23500	22600	16100
7A			2006	CTR	17900	22200	21200	15200
7A			2007	CTR	17000	21100	20900	14400
7A			2008	IC	16500	18300	17700	14500
7A			2009	IC	16700	18500	18700	14900
7A			2010	IC	15500	17200	17300	13700
7A			2011	IC	14500	15900	16500	13000
7A			2012	IC	16900	18700	18200	15000
7A			2013	UC	15300	15300	15400	14500
7A			2014	UC	16500	16600	15900	15700
7A			2015	UC	20000	20100	19200	19000
7A			2016	UC	16300	16400	15700	15500
7A			2017	UC	16800	16700	16900	16100
7A			2018	UC	16800	16700	16900	16100
7A			2019	UC	16700	16500	16700	16100
7A	DURHAM RD. 2 SIMCOE ST.	1.2	1988	CTR	8600	11200	10500	7200
7A			1989	CTR	9000	11400	10900	7750
7A			1990	CR	10000	12400	11500	9000
7A			1991	CR	10300	12700	11800	9250
7A			1992	CR	11800	14500	13500	10600
7A			1993	CTR	10700	13500	12900	9100
7A			1994	CTR	10700	13700	13100	9000
7A			1995	CTR	11100	14200	13700	9300
7A			1996	CTR	10900	13900	13400	9150
7A			1997	IR	11800	14800	13200	10000
7A			1998	IR	12200	15100	13700	10200
7A			1999	IR	11200	13900	12400	9400
7A			2000	IR	11900	14600	13200	10100
7A			2001	IR	12500	15400	13900	10600
7A			2002	IR	13200	16300	14600	11200
7A			2003	IR	13000	15800	14300	11000
7A			2004	IR	13200	16300	14600	11200
7A			2005	IR	15200	18300	16700	13000
7A			2006	CTR	13100	16200	15500	11100
7A			2007	CTR	12500	15500	15300	10600
7A			2008	CTR	13500	16700	16400	11500
7A			2009	IC	12400	13800	13900	11000
7A			2010	IC	13500	14900	15100	12000
7A			2011	IC	14000	15400	16000	12600
7A			2012	IC	14200	15700	15300	12600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7A			2013	IC	14300	15800	15700	12700
7A			2014	IC	13400	14800	14800	11900
7A			2015	IC	14400	15900	15900	12800
7A			2016	IC	14600	16200	16100	12900
7A			2017	IC	14800	16200	16300	13400
7A			2018	IC	14900	16400	16500	13500
7A			2019	IC	15100	16600	16700	13600
7A	6TH LINE (W)	2.8	1988	CR	7150	9150	8600	5950
7A			1989	CR	7450	9550	8850	6250
7A			1990	CR	7550	9350	8700	6800
7A			1991	CR	7600	9350	8750	6850
7A			1992	CR	8200	10100	9350	7400
7A			1993	CR	8700	10700	10000	7850
7A			1994	CR	8600	10600	9800	7750
7A			1995	CR	8900	11000	10500	7650
7A			1996	CR	9250	11400	10900	7900
7A			1997	CR	9500	11800	11200	8100
7A			1998	CR	9800	12100	11500	8350
7A			1999	CR	9550	11700	11200	8100
7A			2000	CR	10300	12700	12100	8750
7A			2001	CR	10500	12900	12300	8850
7A			2002	CR	11000	13500	12900	9250
7A			2003	CR	11100	13500	13000	9400
7A			2004	CR	11400	14000	13400	9650
7A			2005	CR	11200	13600	13100	9450
7A			2006	CR	11300	13700	13100	9550
7A			2007	CR	11600	14000	14000	9750
7A			2008	CR	11200	13600	13400	9450
7A			2009	CR	12000	14400	13900	10200
7A			2010	IC	11900	13200	13300	10600
7A			2011	IC	12400	13600	14100	11100
7A			2012	IC	12600	14000	13500	11200
7A			2013	C	12800	14100	13900	11500
7A			2014	C	13000	14300	13900	11700
7A			2015	C	13200	14500	14100	11900
7A			2016	C	13400	14700	14300	12100
7A			2017	C	13600	14900	14800	12300
7A			2018	C	13800	15100	15000	12500
7A			2019	C	14000	15300	15200	12700
7A	HWYS 7 & 12 MANCHESTER HWY END		9999					
8	NIAGARA/HAMILTON REG BDY START OF NA	43.0	9999					
8	HWY 5 AND HWY 8 EAST OF ROUNDABOUT END OF NA	0.3	2012	UNCL	N/A			
8			2013	C	10100	11100	11000	9100
8			2014	UC	10200	10200	9800	9700
8			2015	UC	17000	17100	16300	16100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2016	UC	22100	22200	21300	21000
8			2017	UC	22300	22200	22400	21400
8			2018	UC	22400	22200	22600	21500
8			2019	UC	22600	22300	22600	21800
8	CENTRE OF ROUNDABOUT (PETERS CORS)	6.3	1988	C	5750	6400	6400	5200
8			1989	C	5950	6600	6650	5350
8			1990	C	6100	6750	6750	5500
8			1991	C	6750	7450	7500	6150
8			1992	C	6800	7350	7550	6250
8			1993	C	6800	7400	7550	6250
8			1994	C	6800	7450	7600	6150
8			1995	C	7050	7700	7900	6450
8			1996	C	7200	8150	8200	6500
8			1997	C	7050	7950	8050	6350
8			1998	C	7550	8550	8550	6800
8			1999	C	7600	8500	8600	6850
8			2000	C	7750	8750	8750	7000
8			2001	C	7900	8900	8900	7100
8			2002	C	8050	9000	9100	7250
8			2003	C	8300	9250	9350	7500
8			2004	C	8500	9550	9600	7650
8			2005	C	8500	9450	9550	7650
8			2006	C	8850	9850	9900	7950
8			2007	C	9300	10300	10500	8350
8			2008	C	9200	10200	10000	8250
8			2009	C	9350	10300	10400	8400
8			2010	C	9550	10500	10600	8600
8			2011	C	9700	10700	10800	8750
8			2012	C	9900	10900	10700	8900
8			2013	C	10100	11100	11000	9100
8			2014	UC	10200	10200	9800	9700
8			2015	UC	10400	10400	10000	9850
8			2016	UC	10600	10600	10200	10100
8			2017	UC	10800	10700	10800	10400
8			2018	UC	10900	10800	11000	10500
8			2019	UC	11100	10900	11100	10700
8	HAM/WENT RDS 552 (N) WOODHILL RD 519 (S)	7.0	1988	C	5650	6250	6250	5100
8			1989	C	5900	6550	6600	5300
8			1990	C	6150	6850	6850	5550
8			1991	C	6400	7050	7100	5800
8			1992	C	6500	7000	7200	6000
8			1993	C	6500	7100	7200	6000
8			1994	C	6250	6850	6950	5650
8			1995	C	6700	7300	7500	6150
8			1996	C	6850	7750	7800	6200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			1997	C	7050	7950	8050	6350
8			1998	C	7100	8000	8000	6400
8			1999	C	7150	8000	8100	6450
8			2000	C	7300	8250	8250	6550
8			2001	C	7400	8350	8350	6650
8			2002	C	7550	8450	8500	6800
8			2003	C	7700	8600	8650	6950
8			2004	C	7950	8950	8950	7150
8			2005	C	7950	8850	8900	7150
8			2006	C	7950	8850	8900	7150
8			2007	C	8200	9100	9250	7350
8			2008	C	8350	9200	9100	7500
8			2009	C	8500	9350	9450	7650
8			2010	C	8600	9500	9550	7750
8			2011	C	8750	9650	9750	7900
8			2012	C	8850	9750	9550	7950
8			2013	C	9000	9900	9800	8100
8			2014	UC	9150	9200	8800	8700
8			2015	UC	9250	9300	8900	8800
8			2016	UC	9400	9450	9050	8900
8			2017	UC	9550	9500	9600	9150
8			2018	UC	9650	9550	9700	9250
8			2019	UC	9800	9650	9800	9450
8	SAFARI RD (4)	1.8	1988	C	7200	8000	8000	6500
8			1989	C	7400	8200	8300	6650
8			1990	C	7600	8450	8450	6850
8			1991	C	7800	8600	8650	7100
8			1992	C	7900	8550	8750	7250
8			1993	C	7900	8600	8750	7250
8			1994	C	7700	8450	8600	6950
8			1995	C	8350	9100	9350	7650
8			1996	C	8550	9700	9750	7700
8			1997	C	8300	9400	9450	7450
8			1998	C	9050	10200	10200	8150
8			1999	C	9050	10100	10200	8150
8			2000	C	9250	10500	10500	8300
8			2001	C	9400	10600	10600	8450
8			2002	C	9550	10700	10800	8600
8			2003	C	9750	10900	11000	8800
8			2004	C	9950	11200	11200	8950
8			2005	C	10000	11100	11200	9000
8			2006	C	10300	11400	11500	9250
8			2007	C	10500	11700	11800	9450
8			2008	C	10700	11800	11600	9600
8			2009	C	10900	12000	12100	9800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2010	C	11100	12200	12300	10000
8			2011	C	11300	12500	12600	10200
8			2012	C	11500	12700	12400	10400
8			2013	C	11700	12900	12700	10500
8			2014	C	11900	13100	12700	10700
8			2015	UC	10000	10000	9600	9500
8			2016	UC	11900	11900	11400	11300
8			2017	UC	12100	12000	12100	11600
8			2018	UC	12200	12100	12300	11700
8			2019	UC	12400	12200	12400	11900
8	HAMILTON WATERLOO REG BDY	1.2	1988	C	7200	8000	8000	6500
8			1989	C	7400	8200	8300	6650
8			1990	C	7600	8450	8450	6850
8			1991	C	7800	8600	8650	7100
8			1992	C	7900	8550	8750	7250
8			1993	C	7900	8600	8750	7250
8			1994	C	7700	8450	8600	6950
8			1995	C	8350	9100	9350	7650
8			1996	C	8550	9700	9750	7700
8			1997	C	8300	9400	9450	7450
8			1998	C	9050	10200	10200	8150
8			1999	C	9050	10100	10200	8150
8			2000	C	9250	10500	10500	8300
8			2001	C	9400	10600	10600	8450
8			2002	C	9550	10700	10800	8600
8			2003	C	9750	10900	11000	8800
8			2004	C	9950	11200	11200	8950
8			2005	C	10000	11100	11200	9000
8			2006	C	10300	11400	11500	9250
8			2007	C	10500	11700	11800	9450
8			2008	C	10700	11800	11600	9600
8			2009	C	10900	12000	12100	9800
8			2010	C	11100	12200	12300	10000
8			2011	C	11300	12500	12600	10200
8			2012	C	11300	12500	12200	10200
8			2013	C	11600	12800	12600	10400
8			2014	C	11800	13000	12600	10600
8			2015	C	12000	13200	12800	10800
8			2016	C	12200	13400	13100	11000
8			2017	C	12400	13600	13500	11300
8			2018	C	12600	13800	13700	11400
8			2019	C	12800	14000	13900	11600
8	CAMBRIDGE S LTS N DUMFRIES C 8 RD	1.9	1988	IC	8350	9700	9450	7350
8			1989	IC	8700	10000	9850	7750
8			1990	IC	9050	10300	10100	8050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			1991	IC	9300	10500	10300	8300
8			1992	IC	9500	10500	10400	8650
8			1993	IC	9500	10700	10600	8450
8			1994	IC	9250	10400	10400	8250
8			1995	IC	9800	11000	11100	8800
8			1996	IC	10100	11300	11400	9000
8			1997	IC	9850	11000	11100	8650
8			1998	IC	10500	11800	11800	9350
8			1999	IC	10400	11600	11600	9250
8			2000	IC	10600	11900	11900	9450
8			2001	IC	10800	12100	12100	9550
8			2002	IC	11000	12300	12400	9700
8			2003	IC	11200	12500	12600	9900
8			2004	IC	11400	12700	12800	10100
8			2005	IC	11100	12300	12500	9800
8			2006	IC	11700	13000	13100	10400
8			2007	IC	11400	12700	13100	10100
8			2008	IC	11600	12900	12400	10200
8			2009	IC	11700	13000	13100	10400
8			2010	IC	11900	13200	13300	10600
8			2011	IC	11900	13100	13600	10700
8			2012	IC	11900	13200	12800	10600
8			2013	IC	12300	13600	13500	10900
8			2014	IC	12500	13800	13800	11100
8			2015	IC	12600	13900	13900	11200
8			2016	IC	12700	14100	14000	11300
8			2017	IC	12900	14100	14200	11700
8			2018	IC	13000	14300	14400	11800
8			2019	IC	13100	14400	14500	11800
8	REG RD 43 BRANCHTON RD START OF NA	10.9	9999					
8	HWYS 8/401 IC	2.1	1988	SC	29500	31900	34800	26600
8			1989	SC	30500	33600	36900	27100
8			1990	UC	30700	32800	35600	29200
8			1991	UC	32000	33900	36800	31000
8			1992	UC	34300	36400	39400	32900
8			1993	UC	37500	39500	42600	35100
8			1994	UC	40400	42800	46200	37600
8			1995	UC	43900	46300	50200	40900
8			1996	UC	47400	50200	55500	45100
8			1997	UC	49600	52100	58000	46600
8			1998	UC	51900	55000	60700	49300
8			1999	UC	52000	55100	60800	49400
8			2000	UC	52100	55200	61500	49000
8			2001	UC	54100	57900	63600	50800
8			2002	UC	56100	59800	66000	52500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2003	UC	57300	60500	67100	54100
8			2004	C	58600	66000	66100	52800
8			2005	C	59900	66700	67200	53800
8			2006	C	61200	68000	68500	55100
8			2007	C	62300	69200	70200	56000
8			2008	C	64100	70700	69800	57500
8			2009	C	64700	71200	71800	58200
8			2010	C	65400	72100	72700	58900
8			2011	C	66000	72700	73400	59400
8			2012	C	70600	77800	76100	63600
8			2013	C	70900	78100	77100	63800
8			2014	C	72300	79500	77400	65100
8			2015	C	73700	81100	78900	66300
8			2016	C	75100	82600	80400	67600
8			2017	C	76600	83800	83600	69500
8			2018	C	78000	85500	85000	70400
8			2019	C	79400	86800	86300	71900
8	SPORTSWORLD DR IC	1.2	1995	UC	45400	47900	51900	42300
8			1996	UC	48000	50800	56200	45600
8			1997	UC	50700	53200	59300	47700
8			1998	UC	53300	56500	62400	50600
8			1999	UC	55000	58300	64300	52200
8			2000	UC	57300	60700	67600	53900
8			2001	UC	59600	63800	70100	56000
8			2002	UC	61900	66000	72800	58000
8			2003	UC	63900	67500	74900	60400
8			2004	UC	65700	70400	77300	61700
8			2005	UC	67200	71100	78600	63000
8			2006	UC	68800	72800	80400	64700
8			2007	UC	70300	74600	81400	66000
8			2008	UC	71800	75800	71200	67200
8			2009	UC	72900	77300	85300	68500
8			2010	UC	73900	78100	86000	69500
8			2011	UC	75000	75200	77800	71200
8			2012	UC	77300	77800	82700	73400
8			2013	UC	78100	78400	78500	74100
8			2014	UC	78900	79200	75900	74900
8			2015	UC	79700	80000	76600	75600
8			2016	UC	80500	80800	77400	76400
8			2017	UC	85200	84600	85500	81700
8			2018	UC	86900	86200	87600	83400
8			2019	UC	88500	87200	88500	85300
8	WATERLOO RD 8 KING ST IC	2.5	1988	C	45100	50100	50100	40600
8			1989	C	47600	52800	53300	42800
8			1990	UC	49100	52500	57000	46600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			1991	UC	51600	54700	59300	50100
8			1992	UC	52500	55600	60400	50400
8			1993	UC	55100	58000	62600	51600
8			1994	UC	59400	63000	67900	55200
8			1995	UC	61600	65000	70400	57400
8			1996	UC	64900	68700	75900	61700
8			1997	UC	67700	71100	79200	63600
8			1998	UC	71200	75500	83300	67600
8			1999	UC	73000	77400	85400	69400
8			2000	UC	75800	80300	89400	71300
8			2001	UC	78000	83500	91800	73300
8			2002	UC	81200	86500	95500	76000
8			2003	UC	83900	88700	98300	79300
8			2004	UC	86600	92800	101900	81400
8			2005	UC	87100	92200	101900	81700
8			2006	UC	89800	95000	104900	84500
8			2007	UC	92500	98100	107100	86800
8			2008	UC	95100	100500	94300	89000
8			2009	UC	97800	103700	114400	91900
8			2010	UC	100500	106200	117000	94500
8			2011	UC	100500	100800	104300	95400
8			2012	UC	102500	103100	109700	97400
8			2013	UC	103500	103800	104100	98200
8			2014	UC	104500	104800	100500	99200
8			2015	UC	105500	105800	101500	100100
8			2016	UC	106600	106900	102500	101200
8			2017	UC	113200	112500	113600	108500
8			2018	UC	115400	114500	116300	110800
8			2019	UC	117600	115900	117600	113300
8	FAIRWAY RD IC OP(WBL)	2.2	1988	UC	54400	57100	61500	51100
8			1989	UC	57100	60000	64500	54200
8			1990	UC	59500	63700	69000	56500
8			1991	UC	61200	64900	70400	59400
8			1992	UC	61600	65300	70800	59100
8			1993	UC	61600	64900	70000	57700
8			1994	UC	68300	72400	78100	63500
8			1995	UC	71100	75000	81300	66300
8			1996	UC	73900	78200	86500	70300
8			1997	UC	76700	80500	89700	72100
8			1998	UC	79500	84300	93000	75500
8			1999	UC	82300	87200	96300	78200
8			2000	UC	82600	87600	97500	77600
8			2001	UC	84800	90800	99800	79700
8			2002	UC	87000	92700	102300	81500
8			2003	UC	89200	94300	104500	84300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2004	UC	90600	97000	106600	85100
8			2005	UC	86900	92000	101600	81500
8			2006	UC	92400	97700	108000	87000
8			2007	UC	95100	100900	110100	89200
8			2008	UC	97800	103300	97000	91500
8			2009	UC	100500	106500	117600	94500
8			2010	UC	101400	107200	118000	95300
8			2011	UC	101400	101700	105200	96200
8			2012	UC	103400	104000	110700	98200
8			2013	UC	104400	104700	105000	99100
8			2014	UC	105400	105700	101400	100000
8			2015	UC	106500	106800	102400	101100
8			2016	UC	107600	107900	103500	102100
8			2017	UC	111900	111200	112200	107200
8			2018	UC	113600	112700	114500	109000
8			2019	UC	115400	113700	115400	111200
8	E JCT HWY 7 IC OVERLAP HWY 7 (14600 - 14630)	41.4	9999					
8	STRATFORD E LTS START OF NA	3.0	9999					
8	STRATFORD END OF NA	5.7	1988	IC	6900	8000	7800	6050
8			1989	IC	7200	8300	8150	6400
8			1990	IC	7350	8400	8250	6550
8			1991	IC	7500	8500	8300	6700
8			1992	CR	5900	7250	6750	5300
8			1993	CR	6300	7750	7250	5650
8			1994	CR	7150	8800	8150	6450
8			1995	IC	7050	7900	7950	6350
8			1996	IC	7400	8300	8350	6600
8			1997	CTR	7500	9600	9200	6300
8			1998	CTR	7900	10000	9650	6650
8			1999	CTR	7700	9700	9300	6450
8			2000	CTR	7600	9600	9200	6400
8			2001	CTR	7750	9800	9400	6550
8			2002	CTR	7750	9800	9400	6550
8			2003	CTR	7800	9700	9300	6600
8			2004	CTR	7650	9650	9250	6450
8			2005	CTR	7500	9300	8900	6350
8			2006	CTR	7500	9300	8900	6350
8			2007	CTR	7500	9300	9200	6350
8			2008	CTR	6850	8500	8300	5800
8			2009	CTR	7500	9150	8850	6400
8			2010	CTR	7350	8950	8600	6250
8			2011	CTR	7350	8950	8600	6250
8			2012	UC	6850	6900	7350	6500
8			2013	UC	6850	6850	6900	6500
8			2014	UC	7200	7200	6900	6850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2015	UC	7150	7150	6900	6800
8			2016	UC	7100	7100	6850	6750
8			2017	UC	7100	7050	7100	6800
8			2018	UC	7050	7000	7100	6750
8			2019	UC	6800	6700	6800	6550
8	PERTH RD 135 WARTBURG RD (N)	11.2	1988	IC	5150	5950	5800	4550
8			1989	IC	5400	6200	6100	4800
8			1990	IC	5650	6450	6350	5050
8			1991	IC	5750	6500	6400	5100
8			1992	CR	5500	6750	6250	4950
8			1993	CR	5700	7000	6550	5150
8			1994	CR	6050	7450	6900	5450
8			1995	IC	6250	7000	7050	5600
8			1996	IC	6350	7150	7150	5650
8			1997	IC	6550	7350	7400	5750
8			1998	IC	6700	7500	7500	5950
8			1999	IC	6450	7200	7200	5750
8			2000	IC	6500	7300	7300	5800
8			2001	IC	6450	7200	7250	5700
8			2002	IC	6500	7250	7300	5750
8			2003	IC	6500	7250	7300	5750
8			2004	IC	6500	7250	7300	5750
8			2005	IC	6550	7300	7350	5750
8			2006	IC	6550	7300	7350	5800
8			2007	IC	6600	7350	7550	5850
8			2008	IC	6500	7200	6950	5750
8			2009	IC	6650	7400	7450	5900
8			2010	IC	6650	7350	7400	5900
8			2011	IC	6700	7350	7650	6000
8			2012	UC	6150	6200	6600	5850
8			2013	UC	6150	6150	6200	5850
8			2014	UC	6750	6750	6500	6400
8			2015	UC	6550	6550	6300	6200
8			2016	UC	6600	6600	6350	6250
8			2017	UC	6600	6550	6600	6350
8			2018	UC	6600	6550	6650	6350
8			2019	UC	6600	6500	6600	6350
8	MITCHELL E LTS START OF NA	2.8	9999					
8	FORMER MITCHELL W LTS END OF NA	16.2	1988	IR	3500	4550	3850	2800
8			1989	CR	3650	4650	4350	3050
8			1990	CR	3700	4600	4250	3350
8			1991	CR	3750	4600	4300	3400
8			1992	CR	3600	4450	4100	3250
8			1993	CR	3600	4450	4150	3250
8			1994	CR	3700	4550	4200	3350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			1995	CR	3650	4500	4300	3150
8			1996	CR	3700	4550	4350	3150
8			1997	CR	3750	4650	4400	3200
8			1998	CR	3750	4600	4400	3200
8			1999	CR	3750	4600	4400	3200
8			2000	CR	3800	4650	4450	3250
8			2001	CTR	3800	4800	4600	3200
8			2002	CTR	3800	4800	4600	3200
8			2003	CTR	3850	4800	4600	3250
8			2004	CTR	3850	4850	4650	3250
8			2005	CTR	3800	4700	4500	3200
8			2006	CR	3900	4750	4550	3300
8			2007	CR	3850	4650	4650	3250
8			2008	CR	3700	4500	4450	3100
8			2009	CR	3850	4600	4450	3250
8			2010	CR	3850	4600	4450	3250
8			2011	CR	3850	4500	4550	3450
8			2012	CTR	3550	4300	4250	3000
8			2013	CTR	3800	4650	4800	3250
8			2014	CTR	3900	4750	4800	3300
8			2015	CTR	3850	4700	4750	3250
8			2016	CTR	3850	4700	4750	3250
8			2017	CTR	3850	5150	5100	3150
8			2018	CTR	3850	5150	5100	3150
8			2019	CTR	3850	5150	5100	3150
8	SEAFORTH E LT START OF NA	1.4	9999					
8	FORMER SEAFORTH W LTS END OF NA	11.5	1988	IC	3200	3700	3600	2800
8			1989	IC	3300	3800	3750	2950
8			1990	IC	3400	3900	3800	3050
8			1991	IC	3450	3900	3850	3050
8			1992	CR	3200	3950	3650	2900
8			1993	CR	3200	3950	3700	2900
8			1994	CR	3400	4200	3900	3050
8			1995	CR	3450	4250	4050	2950
8			1996	CR	3500	4350	4100	3000
8			1997	CR	3550	4400	4200	3000
8			1998	CR	3550	4350	4150	3000
8			1999	CR	3500	4300	4100	3000
8			2000	CR	3600	4450	4200	3050
8			2001	IR	3700	4550	4100	3150
8			2002	IR	3800	4700	4200	3250
8			2003	IR	3900	4750	4300	3300
8			2004	IR	3950	4900	4400	3350
8			2005	IR	4000	4850	4400	3400
8			2006	CR	4200	5100	4900	3550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2007	CR	4150	5000	5000	3500
8			2008	IC	4200	4650	4500	3700
8			2009	IC	4250	4700	4750	3800
8			2010	IC	4300	4750	4800	3800
8			2011	IC	4400	4850	5000	3950
8			2012	IC	4000	4450	4300	3550
8			2013	IC	4000	4450	4400	3550
8			2014	CTR	4100	5000	5050	3500
8			2015	CTR	4350	5300	5350	3700
8			2016	CTR	4400	5350	5400	3750
8			2017	CTR	4450	5950	5900	3650
8			2018	CTR	4500	6000	6000	3650
8			2019	CTR	4550	6050	6050	3700
8	CLINTON E LTS RANSFORD ST START OF NA	2.1	9999					
8	FORMER CLINTON W LTS END OF NA	16.6	1988	IC	4650	5400	5250	4100
8			1989	IC	4800	5500	5400	4250
8			1990	IC	4850	5550	5450	4300
8			1991	IC	4850	5500	5400	4300
8			1992	IC	4600	5100	5050	4200
8			1993	IC	4600	5200	5150	4100
8			1994	IC	4950	5550	5550	4400
8			1995	C	5000	5450	5600	4550
8			1996	C	5100	5800	5800	4600
8			1997	C	5150	5800	5850	4650
8			1998	C	5250	5950	5950	4700
8			1999	C	5350	6000	6050	4800
8			2000	C	5400	6100	6100	4850
8			2001	C	5500	6200	6200	4950
8			2002	C	5550	6200	6250	5000
8			2003	C	5650	6300	6350	5100
8			2004	IC	5750	6450	6450	5100
8			2005	IC	5750	6400	6450	5050
8			2006	IC	5800	6450	6500	5150
8			2007	IC	5900	6550	6750	5200
8			2008	IC	5900	6550	6300	5200
8			2009	IC	6050	6700	6800	5400
8			2010	IC	6100	6750	6800	5400
8			2011	IC	6200	6800	7050	5550
8			2012	IC	5750	6350	6200	5100
8			2013	IC	5750	6350	6350	5100
8			2014	IC	6200	6850	6850	5500
8			2015	IC	6250	6900	6900	5550
8			2016	IC	6300	6950	6950	5600
8			2017	IC	6350	6950	7000	5750
8			2018	IC	6400	7050	7100	5800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
8			2019	IC	6450	7100	7100	5800
8	GODERICH S LTS START OF NA	2.1	9999					
8	HWY 21 END OF NA HWY END		9999					
9	HWY 11 NEWMARKET START OF NA	8.9	9999					
9	0.560 KM E OF HWY 400 END OF NA	0.6	1988	C	17200	19100	19100	15500
9			1989	C	19000	21100	21300	17100
9			1990	C	19300	21400	21400	17400
9			1991	C	19600	21600	21800	17800
9			1992	C	20300	21900	22500	18700
9			1993	C	22700	24700	25100	20900
9			1994	C	23300	25500	26000	21100
9			1995	C	24500	26700	27500	22400
9			1996	C	26600	30100	30300	24000
9			1997	C	26100	29500	29800	23500
9			1998	C	25600	28900	28900	23000
9			1999	C	25100	28100	28400	22600
9			2000	C	25700	29000	29000	23100
9			2001	C	26300	29600	29700	23700
9			2002	C	26600	29800	30000	23900
9			2003	C	26900	30000	30200	24300
9			2004	C	28400	32000	32000	25600
9			2005	C	30000	33400	33700	26900
9			2006	C	30300	33700	33900	27300
9			2007	C	30900	34300	34800	27800
9			2008	C	34600	38200	37700	31000
9			2009	C	32100	35300	35600	28900
9			2010	C	32700	36000	36400	29400
9			2011	C	33300	36700	37000	30000
9			2012	C	33900	37400	36600	30500
9			2013	CTR	34400	41900	43300	29200
9			2014	CTR	35000	42700	43000	29800
9			2015	CTR	35600	43400	43800	30300
9			2016	CTR	36200	44200	44500	30800
9			2017	CTR	36800	49200	48900	30000
9			2018	CTR	37400	50000	49700	30500
9			2019	CTR	38000	50600	50400	30900
9	HWY 400 IC	7.0	1988	C	11800	13100	13100	10600
9			1989	C	13000	14400	14600	11700
9			1990	C	13300	14800	14800	12000
9			1991	C	13400	14700	14900	12200
9			1992	C	13500	14600	15000	12400
9			1993	IR	13700	16900	14200	11200
9			1994	IR	13800	17000	15200	11600
9			1995	IR	14000	17200	15400	11900
9			1996	C	14000	15900	15900	12600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			1997	C	14100	15900	16100	12700
9			1998	C	14200	16000	16000	12800
9			1999	C	14200	15900	16000	12800
9			2000	C	14000	15800	15800	12600
9			2001	C	15500	17500	17500	14000
9			2002	C	15800	17700	17800	14200
9			2003	C	16100	18000	18100	14500
9			2004	C	17300	19500	19500	15600
9			2005	C	16900	18800	19000	15200
9			2006	C	17100	19000	19100	15400
9			2007	C	17400	19300	19600	15600
9			2008	C	17700	19500	19300	15900
9			2009	C	18000	19800	20000	16200
9			2010	C	18300	20200	20300	16500
9			2011	C	18700	20600	20800	16800
9			2012	C	19000	20900	20500	17100
9			2013	C	19300	21300	21000	17400
9			2014	C	19600	21600	21000	17600
9			2015	UC	22000	22100	21200	20900
9			2016	UC	20600	20700	19800	19500
9			2017	UC	21000	20900	21100	20100
9			2018	UC	21300	21100	21500	20400
9			2019	C	21700	23700	23600	19600
9	HWY 27	8.0	1988	IC	13900	16100	15700	12200
9			1989	IC	14200	16300	16000	12600
9			1990	IC	14500	16500	16200	12900
9			1991	IC	14700	16600	16300	13100
9			1992	IC	15100	16800	16600	13700
9			1993	IR	15500	19100	16000	12700
9			1994	IR	15600	19200	17200	13100
9			1995	IR	15700	19300	17300	13400
9			1996	IR	15900	19800	17700	13500
9			1997	IR	15100	18900	16900	12800
9			1998	IR	14600	18100	16400	12300
9			1999	IR	15100	18700	16800	12700
9			2000	IR	12900	15800	14300	10900
9			2001	IR	13000	16100	14400	11000
9			2002	IR	14200	17500	15700	12100
9			2003	IC	15900	17700	17900	14100
9			2004	IC	16300	18200	18300	14400
9			2005	IC	15200	16900	17100	13400
9			2006	IC	16500	18300	18500	14600
9			2007	IC	15200	16900	17400	13400
9			2008	IC	15200	16800	16300	13400
9			2009	IC	15300	17000	17100	13600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			2010	IC	15300	16900	17100	13600
9			2011	IC	15300	16800	17500	13700
9			2012	IC	15300	17000	16400	13600
9			2013	IC	15300	16900	16800	13600
9			2014	CTR	17200	21000	21200	14600
9			2015	CTR	15700	19200	19300	13300
9			2016	CTR	15800	19300	19400	13400
9			2017	CTR	15800	21100	21000	12900
9			2018	CTR	15900	21200	21100	12900
9			2019	CTR	15900	21200	21100	12900
9	YORK REG PEEL CTY BDY	1.7	1988	CR	9000	11500	10800	7450
9			1989	CR	9100	11600	10800	7650
9			1990	CR	9200	11400	10600	8300
9			1991	CR	9300	11400	10700	8350
9			1992	CR	9400	11600	10700	8450
9			1993	LT	9550	13200	11800	7000
9			1994	LT	9600	14100	13600	7000
9			1995	LT	9750	14000	13600	7150
9			1996	LT	10000	14100	13800	7350
9			1997	LT	11600	16400	16000	8600
9			1998	LT	13200	18500	18100	9650
9			1999	LT	11600	16100	15800	8450
9			2000	IR	10500	12900	11600	8850
9			2001	IR	12300	15200	13600	10400
9			2002	IR	12600	15500	14000	10700
9			2003	CR	12900	15700	15100	10900
9			2004	CR	12900	15900	15100	10900
9			2005	CR	13200	16000	15400	11100
9			2006	CR	13400	16300	15600	11300
9			2007	IC	13200	14700	15100	11700
9			2008	IC	13900	15400	14900	12300
9			2009	IC	14300	15900	16000	12700
9			2010	IR	14200	16900	15500	12100
9			2011	IR	14800	17700	17300	12600
9			2012	IR	15000	17800	17400	12800
9			2013	CTR	15300	18600	19200	13000
9			2014	CTR	15600	19000	19200	13300
9			2015	CTR	14500	17700	17800	12300
9			2016	CTR	15900	19400	19600	13500
9			2017	CTR	16100	21500	21400	13100
9			2018	CTR	16400	21900	21800	13400
9			2019	CTR	16600	22100	22000	13500
9	SIMCOE RD 10 (N)	5.6	1994	IR	10400	12800	11400	8700
9			1995	IR	10500	12900	11600	8950
9			1996	LT	10600	15000	14600	7800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			1997	LT	10700	15100	14800	7900
9			1998	LT	10700	15000	14700	7800
9			1999	LT	10600	14700	14400	7750
9			2000	IR	10500	12900	11600	8850
9			2001	IR	11700	14500	13000	9900
9			2002	IR	11900	14700	13200	10100
9			2003	IT	12500	15900	15900	10200
9			2004	IR	12800	15800	14200	10800
9			2005	IR	12600	15200	13800	10700
9			2006	IR	13200	15900	14400	11200
9			2007	IR	12300	14900	14900	10400
9			2008	IR	12500	15100	14900	10700
9			2009	IR	12600	15100	13700	10700
9			2010	IR	10900	13000	11900	9300
9			2011	IR	12900	15400	15100	11000
9			2012	IR	13000	15500	15100	11100
9			2013	IR	13200	15700	16900	11200
9			2014	IR	13300	15800	15900	11300
9			2015	CTR	13500	16500	16600	11500
9			2016	CTR	13600	16600	16700	11600
9			2017	CTR	13800	18400	18300	11200
9			2018	CTR	13900	18600	18500	11300
9			2019	CTR	14100	18800	18700	11500
9	HWY 50	8.9	1988	CR	9000	11500	10800	7450
9			1989	CR	9500	12200	11300	8000
9			1990	CR	9850	12200	11300	8850
9			1991	CR	9950	12200	11400	8950
9			1992	CR	10100	12400	11500	9100
9			1993	IR	10300	12700	10700	8450
9			1994	IR	10400	12800	11400	8700
9			1995	IR	10500	12900	11600	8950
9			1996	LT	10600	15000	14600	7800
9			1997	LT	10700	15100	14800	7900
9			1998	LT	10700	15000	14700	7800
9			1999	LT	11300	15700	15400	8250
9			2000	IR	10500	12900	11600	8850
9			2001	IR	11800	14600	13100	10000
9			2002	IR	12000	14800	13300	10200
9			2003	IT	12500	15900	15900	10200
9			2004	IR	12800	15800	14200	10800
9			2005	IR	12800	15400	14000	10900
9			2006	IR	13200	15900	14400	11200
9			2007	IR	13300	16100	16100	11300
9			2008	IR	13600	16500	16200	11600
9			2009	IR	13900	16700	15200	11800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			2010	CR	14300	17100	16500	12100
9			2011	CR	14400	16800	17000	12800
9			2012	C	14600	16100	15700	13100
9			2013	C	15000	16500	16300	13500
9			2014	C	15200	16700	16300	13700
9			2015	C	15400	16900	16500	13900
9			2016	C	15700	17300	16800	14100
9			2017	C	16000	17500	17500	14500
9			2018	C	16200	17800	17700	14600
9			2019	C	16500	18000	17900	14900
9	PEEL RD 7 AIRPORT RD (S) DUFFERIN RD 18 (N)	9.1	1988	CR	9700	12400	11600	8050
9			1989	CR	10500	13400	12500	8800
9			1990	C	11300	12500	12500	10200
9			1991	C	11300	12400	12500	10300
9			1992	C	11400	12300	12700	10500
9			1993	IR	11400	14000	11800	9350
9			1994	IR	11300	13900	12400	9450
9			1995	IR	11400	14000	12600	9700
9			1996	C	11400	12900	13000	10300
9			1997	UC	11600	12200	13600	10900
9			1998	UC	11800	12500	13800	11200
9			1999	UC	11700	12400	13700	11100
9			2000	UC	11500	12200	13600	10800
9			2001	UC	11700	12500	13800	11000
9			2002	UC	12300	13100	14500	11500
9			2003	SC	13000	13700	15200	11500
9			2004	SC	13300	14200	15600	11700
9			2005	SC	14500	15400	16900	12800
9			2006	SC	13600	14400	15900	12000
9			2007	SC	13900	14700	16100	12200
9			2008	SC	14100	14800	13900	12400
9			2009	SC	14300	15200	16700	12600
9			2010	SC	14600	15400	17100	12900
9			2011	SC	14800	18900	17300	11800
9			2012	SC	15000	15900	14900	13200
9			2013	UC	15300	15300	15400	14500
9			2014	UC	15500	15500	14900	14700
9			2015	UC	15700	15800	15100	14900
9			2016	UC	16000	16100	15400	15200
9			2017	UC	16200	16100	16300	15500
9			2018	UC	16400	16300	16500	15700
9			2019	UC	16700	16500	16700	16100
9	JCT HWY 10 START OF NA	68.6	9999					
9	FORMER HARRISTON W LTS END OF NA	9.1	1988	IR	4600	6000	5050	3700
9			1989	IR	4700	6050	5200	3850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			1990	IR	4800	6100	5350	3950
9			1991	IR	4850	6100	5400	4050
9			1992	IR	4900	6050	5400	4150
9			1993	IR	4950	6100	5100	4050
9			1994	IR	5050	6200	5550	4250
9			1995	LR	5050	8500	6850	3300
9			1996	LR	5200	8700	7000	3450
9			1997	LR	5300	8900	7150	3550
9			1998	LR	5350	8850	7100	3550
9			1999	LR	5450	8950	7200	3600
9			2000	LR	5500	8900	7200	3650
9			2001	LR	5600	9150	7300	3750
9			2002	LR	5700	9300	7450	3850
9			2003	LR	5750	9100	7300	3900
9			2004	LR	5850	9550	7600	3900
9			2005	LR	5950	9300	7500	4050
9			2006	LR	6000	9350	7500	4050
9			2007	LR	6150	9650	9250	4150
9			2008	LR	6250	9750	9500	4300
9			2009	LR	6300	9600	7800	4300
9			2010	IR	6500	7750	7100	5550
9			2011	IR	6500	7750	7600	5550
9			2012	LT	6600	8600	8200	5000
9			2013	LT	6650	8700	8650	5000
9			2014	LT	6750	8800	8950	5100
9			2015	LT	6850	8950	9100	5150
9			2016	LT	6950	9050	9250	5250
9			2017	LT	7000	9800	9700	5400
9			2018	LT	7100	9950	9850	5450
9			2019	LT	7200	10100	10000	5550
9	CLIFFORD E LTS START OF NA	1.7	9999					
9	WELLINGTON RD 1 (N) WEST HERITAGE ST (S)	11.4	1988	CR	3000	3850	3600	2500
9			1989	IR	3100	4000	3450	2550
9			1990	IR	3200	4050	3550	2600
9			1991	IR	3250	4100	3600	2700
9			1992	IR	2850	3500	3150	2400
9			1993	IR	2000	2450	2050	1650
9			1994	IR	3000	3700	3300	2500
9			1995	LR	3450	5800	4700	2250
9			1996	LR	3850	6450	5150	2550
9			1997	LR	4050	6800	5450	2700
9			1998	LR	4350	7200	5800	2850
9			1999	LR	3800	6250	5000	2500
9			2000	LR	3850	6250	5050	2550
9			2001	LR	3900	6400	5100	2600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			2002	LR	3950	6450	5150	2650
9			2003	LR	3950	6250	5050	2650
9			2004	LR	4250	6950	5550	2850
9			2005	LR	4550	7100	5750	3100
9			2006	LR	4050	6300	5050	2750
9			2007	LR	4250	6650	6400	2850
9			2008	IR	4150	5050	4950	3550
9			2009	IR	4600	5500	5000	3900
9			2010	IR	4300	5100	4700	3650
9			2011	IR	4300	5150	5000	3650
9			2012	LT	3800	4950	4700	2900
9			2013	LT	3800	4950	4950	2850
9			2014	LT	4500	5900	6000	3400
9			2015	LT	4400	5750	5850	3300
9			2016	LT	4450	5800	5900	3350
9			2017	LT	4500	6300	6250	3450
9			2018	LT	4500	6300	6250	3450
9			2019	LT	4550	6400	6300	3500
9	MILDMAY S LTS START OF NA	1.8	9999					
9	FORMER MILDMAY N LTS END OF NA	8.1	1988	IC	3300	3850	3750	2900
9			1989	IC	3450	3950	3900	3050
9			1990	IC	3550	4050	4000	3150
9			1991	IC	3600	4050	4000	3200
9			1992	IC	3600	4000	3950	3300
9			1993	IC	3650	4100	4100	3250
9			1994	IC	3750	4200	4200	3350
9			1995	IC	3800	4250	4300	3400
9			1996	IC	3900	4400	4400	3450
9			1997	IC	3950	4400	4450	3500
9			1998	IC	3900	4350	4350	3450
9			1999	IC	4000	4500	4500	3550
9			2000	IC	4050	4550	4550	3600
9			2001	IR	4100	5050	4550	3450
9			2002	IR	4150	5100	4600	3550
9			2003	IR	3600	4350	3950	3050
9			2004	IC	3850	4300	4350	3400
9			2005	IC	4150	4600	4650	3650
9			2006	IR	4750	5750	5200	4050
9			2007	IR	4150	5050	5000	3500
9			2008	IC	3900	4300	4200	3450
9			2009	IC	4200	4650	4700	3750
9			2010	IC	4250	4700	4750	3750
9			2011	IC	4250	4650	4850	3800
9			2012	IC	3900	4300	4200	3450
9			2013	IC	3900	4300	4300	3450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			2014	CTR	3850	4700	4750	3250
9			2015	CTR	4150	5050	5100	3550
9			2016	CTR	4150	5050	5100	3550
9			2017	CTR	4150	5550	5500	3400
9			2018	CTR	4150	5550	5500	3400
9			2019	IR	4200	5100	5100	3600
9	E JCT BRUCE ROAD 4/YONGE ST	6.2	1994	IR	3950	4850	4350	3300
9			1995	CR	4000	4950	4700	3450
9			1996	CR	4150	5150	4850	3550
9			1997	CR	4250	5250	5000	3600
9			1998	CR	4350	5350	5100	3700
9			1999	CR	4150	5100	4850	3550
9			2000	CR	4150	5100	4850	3550
9			2001	CR	4250	5250	5000	3600
9			2002	CR	4200	5150	4950	3550
9			2003	CR	4200	5100	4900	3550
9			2004	CR	4250	5250	5000	3600
9			2005	CR	4300	5200	5000	3600
9			2006	CR	4250	5150	4950	3600
9			2007	CR	4300	5200	5200	3600
9			2008	IT	4350	5600	5300	3650
9			2009	IT	4350	5500	5500	3600
9			2010	IR	4400	5250	4800	3750
9			2011	IR	4400	5250	5150	3750
9			2012	UC	4400	4450	4700	4200
9			2013	UC	4450	4450	4450	4200
9			2014	CTR	4600	5600	5650	3900
9			2015	CTR	4500	5500	5550	3800
9			2016	CTR	4500	5500	5550	3800
9			2017	CTR	4550	6100	6050	3700
9			2018	CTR	4550	6100	6050	3700
9			2019	IR	4600	5600	5550	3900
9	BRUCE RD 12 (S)	7.2	1994	IR	3950	4850	4350	3300
9			1995	CR	4000	4950	4700	3450
9			1996	CR	4150	5150	4850	3550
9			1997	CR	4250	5250	5000	3600
9			1998	CR	4350	5350	5100	3700
9			1999	CR	3800	4650	4450	3250
9			2000	CR	3700	4550	4350	3150
9			2001	CR	3800	4700	4450	3200
9			2002	CR	3550	4350	4150	3000
9			2003	CR	3500	4250	4100	2950
9			2004	CTR	3500	4400	4250	2950
9			2005	CTR	3350	4150	4000	2850
9			2006	CR	3100	3750	3600	2600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9			2007	CR	3250	3950	3950	2750
9			2008	IT	3150	4050	3850	2650
9			2009	IT	3150	3950	3950	2600
9			2010	CR	3250	3900	3750	2750
9			2011	CR	3000	3500	3550	2650
9			2012	CR	2900	3450	3400	2450
9			2013	CR	2850	3400	3500	2400
9			2014	CR	3000	3550	3500	2550
9			2015	CR	3100	3650	3650	2650
9			2016	CR	3200	3750	3750	2750
9			2017	CR	2750	3200	3200	2500
9			2018	CR	2700	3150	3150	2400
9			2019	CR	2650	3050	3100	2400
9	W JCT BRUCE RD 4 (S)/BRUCE RD 20 (N)	26.6	1988	CTR	1400	1800	1700	1200
9			1989	CR	1500	1900	1800	1250
9			1990	CR	1600	2000	1850	1450
9			1991	CR	1650	2050	1900	1500
9			1992	CR	1650	2050	1900	1500
9			1993	CR	1650	2050	1900	1500
9			1994	CR	1700	2100	1950	1550
9			1995	IR	1750	2150	1950	1500
9			1996	IR	1800	2250	2000	1550
9			1997	IR	1850	2300	2050	1550
9			1998	IR	1800	2250	2000	1500
9			1999	IR	1850	2300	2050	1550
9			2000	IR	1850	2250	2050	1550
9			2001	IR	1950	2400	2150	1650
9			2002	IR	1900	2350	2100	1600
9			2003	IR	1950	2350	2150	1650
9			2004	IR	1900	2350	2100	1600
9			2005	IR	1950	2350	2150	1650
9			2006	IR	2000	2400	2200	1700
9			2007	IR	1950	2350	2350	1650
9			2008	IR	2000	2400	2400	1700
9			2009	IR	2000	2400	2200	1700
9			2010	IR	1950	2300	2100	1650
9			2011	IR	2050	2450	2400	1750
9			2012	IR	2050	2450	2350	1750
9			2013	IR	2050	2450	2600	1750
9			2014	IR	1800	2150	2150	1550
9			2015	IR	2050	2450	2450	1750
9			2016	IR	2050	2450	2450	1750
9			2017	IR	2050	2300	2350	1750
9			2018	IR	2100	2350	2400	1800
9			2019	IR	2100	2550	2550	1800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
9	HWY 21 HWY END		9999					
10	HWY 2 LAKESHORE RD START OF NA	1.9	9999					
10	SOUTH SERVICE RD END OF NA	0.5	2000	UNCL	N/A			
10			2001	UNCL	N/A			
10			2002	UNCL	N/A			
10			2003	UNCL	N/A			
10			2004	UNCL	N/A			
10			2005	UNCL	N/A			
10			2006	UNCL	N/A			
10			2007	UNCL	N/A			
10			2008	UNCL	N/A			
10			2009	UNCL	N/A			
10			2010	UNCL	N/A			
10			2011	UNCL	N/A			
10			2012	UNCL	N/A			
10			2013	UNCL	N/A			
10			2014	UNCL	N/A			
10			2015	UNCL	N/A			
10			2016	UNCL	N/A			
10			2017	UNCL	N/A			
10			2018	UNCL	N/A			
10			2019	UNCL	N/A			
10	NORTH SERVICE RD START OF NA	4.6	9999					
10	AT RAMPS 35 & 51 (W) END OF NA	0.4	2000	UNCL	N/A			
10			2001	UNCL	N/A			
10			2002	UNCL	N/A			
10			2003	UNCL	N/A			
10			2004	UNCL	N/A			
10			2005	UNCL	N/A			
10			2006	UNCL	N/A			
10			2007	UNCL	N/A			
10			2008	UNCL	N/A			
10			2009	UNCL	N/A			
10			2010	UNCL	N/A			
10			2011	UNCL	N/A			
10			2012	UNCL	N/A			
10			2013	UNCL	N/A			
10			2014	UNCL	N/A			
10			2015	UNCL	N/A			
10			2016	UNCL	N/A			
10			2017	UNCL	N/A			
10			2018	UNCL	N/A			
10			2019	UNCL	N/A			
10	AT RAMPS 26 & 61 (E) START OF NA	4.0	9999					
10	RAMP 25 TO 401 EB FERNHILL WAY (W)	0.5	2000	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2001	UNCL	N/A			
10			2002	UNCL	N/A			
10			2003	UNCL	N/A			
10			2004	UNCL	N/A			
10			2005	UNCL	N/A			
10			2006	UNCL	N/A			
10			2007	UNCL	N/A			
10			2008	UNCL	N/A			
10			2009	UNCL	N/A			
10			2010	UNCL	N/A			
10			2011	UNCL	N/A			
10			2012	UNCL	N/A			
10			2013	UNCL	N/A			
10			2014	UNCL	N/A			
10			2015	UNCL	N/A			
10			2016	UNCL	N/A			
10			2017	UNCL	N/A			
10			2018	UNCL	N/A			
10			2019	UNCL	N/A			
10	RAMP 36 (W) START OF NA	16.7	9999					
10	BRAMPTON CALEDON LTS END OF NA	0.4	1988	C	12300	13700	13700	11100
10			1989	C	13000	14400	14600	11700
10			1990	C	13000	14400	14400	11700
10			1991	C	13300	14600	14800	12100
10			1992	C	14000	15100	15500	12900
10			1993	C	14100	15400	15600	13000
10			1994	C	14500	15900	16200	13100
10			1995	C	14800	16200	16600	13500
10			1996	C	15200	17200	17300	13700
10			1997	C	15500	17500	17700	14000
10			1998	C	15900	18000	18000	14300
10			1999	C	16500	18500	18600	14800
10			2000	C	17000	19200	19200	15300
10			2001	C	17400	19600	19600	15700
10			2002	C	17800	19900	20100	16000
10			2003	C	18800	21000	21100	17000
10			2004	C	19100	21500	21600	17200
10			2005	C	19700	21900	22100	17700
10			2006	C	19000	21100	21300	17100
10			2007	C	20100	22300	22600	18100
10			2008	C	20400	22500	22200	18300
10			2009	C	20600	22700	22900	18500
10			2010	C	21300	23500	23700	19200
10			2011	C	23000	25300	25600	20700
10			2012	C	22500	24800	24300	20300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2013	C	22900	25200	24900	20600
10			2014	C	23400	25700	25000	21100
10			2015	C	23800	26200	25500	21400
10			2016	C	24300	26700	26000	21900
10			2017	C	24700	27000	27000	22400
10			2018	C	25200	27600	27500	22700
10			2019	C	25600	28000	27800	23200
10	HWY 410 VALLEYWOOD BLVD IC	5.2	2012	UC	28700	28900	30700	27300
10			2013	UC	29500	29600	29700	28000
10			2014	UC	30600	30700	29400	29000
10			2015	UC	33100	33200	31800	31400
10			2016	UC	35600	35700	34200	33800
10			2017	C	37400	40900	40800	33900
10			2018	C	38900	42600	42400	35100
10			2019	C	40700	44500	44200	36800
10	PEEL RD 9 KING ST	7.4	1990	C	16700	18500	18500	15000
10			1991	C	16600	18300	18400	15100
10			1992	C	16100	17400	17900	14800
10			1993	C	15800	17200	17500	14500
10			1994	C	17500	19200	19500	15800
10			1995	C	18200	19900	20400	16600
10			1996	C	18900	21400	21500	17100
10			1997	C	19600	22100	22300	17600
10			1998	C	20300	22900	22900	18300
10			1999	C	19400	21700	21900	17500
10			2000	C	18500	20900	20900	16600
10			2001	C	19900	22400	22500	17900
10			2002	C	20100	22500	22700	18100
10			2003	C	20300	22700	22800	18300
10			2004	C	20600	23200	23200	18600
10			2005	C	20400	22700	22900	18300
10			2006	C	21800	24200	24400	19600
10			2007	IR	21300	25800	25700	18000
10			2008	IR	22400	27100	26600	19100
10			2009	IR	22800	27400	24900	19400
10			2010	CR	25200	30200	29100	21300
10			2011	CR	26000	30300	30600	23100
10			2012	UC	28700	28900	30700	27300
10			2013	UC	25600	25700	25700	24300
10			2014	UC	25800	25900	24800	24500
10			2015	C	26200	28800	28000	23600
10			2016	C	26900	29600	28800	24200
10			2017	C	27300	29900	29800	24800
10			2018	C	27800	30500	30300	25100
10			2019	C	28200	30800	30600	25500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10	THE GRANGE SIDE RD. CALEDON RD 5	5.1	1988	C	16300	18100	18100	14700
10			1989	C	16800	18600	18800	15100
10			1990	C	16900	18800	18800	15200
10			1991	C	17000	18700	18900	15500
10			1992	C	17000	18400	18900	15600
10			1993	UC	17100	18000	19400	16000
10			1994	C	18300	20000	20400	16600
10			1995	C	18900	20600	21200	17300
10			1996	C	19500	22100	22200	17600
10			1997	C	20100	22700	22900	18100
10			1998	C	20700	23400	23400	18600
10			1999	C	21000	23500	23700	18900
10			2000	C	21200	24000	24000	19100
10			2001	C	21500	24200	24300	19400
10			2002	C	22200	24900	25100	20000
10			2003	C	22700	25400	25500	20500
10			2004	C	21000	23700	23700	18900
10			2005	C	21100	23500	23700	19000
10			2006	C	20700	23000	23200	18600
10			2007	C	23300	25900	26200	20900
10			2008	C	23700	26200	25800	21300
10			2009	C	22100	24300	24500	19900
10			2010	C	29800	32800	33100	26800
10			2011	C	25100	27700	27900	22600
10			2012	C	25500	28100	27500	23000
10			2013	C	25900	28500	28200	23300
10			2014	UC	26300	26400	25300	25000
10			2015	UC	26700	26800	25700	25300
10			2016	UC	27000	27100	26000	25600
10			2017	UC	27400	27200	27500	26300
10			2018	UC	27800	27600	28000	26700
10			2019	UC	28200	27800	28200	27200
10	0.500 KM N OF AMBRO CALEDON PITS (W)	1.2	1988	C	14100	15700	15700	12700
10			1989	C	15400	17100	17200	13900
10			1990	C	16300	18100	18100	14700
10			1991	C	16600	18300	18400	15100
10			1992	C	16800	18100	18600	15500
10			1993	C	17200	18700	19000	15800
10			1994	C	17800	19500	19800	16100
10			1995	C	18500	20200	20700	16900
10			1996	C	18300	20700	20800	16500
10			1997	C	19800	22400	22600	17800
10			1998	C	20500	23200	23200	18400
10			1999	C	19500	21800	22000	17600
10			2000	C	20900	23600	23600	18800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2001	C	19500	22000	22000	17600
10			2002	C	19700	22100	22200	17700
10			2003	C	19000	21200	21400	17100
10			2004	C	20000	22500	22600	18000
10			2005	IR	19200	23200	21000	16400
10			2006	IR	20600	24800	22500	17500
10			2007	IR	20200	24500	24400	17100
10			2008	IR	22400	27100	26600	19100
10			2009	CTR	21100	25700	24900	17900
10			2010	CTR	21300	25900	24900	18100
10			2011	CR	24000	28000	28300	21400
10			2012	CR	26000	31100	30600	22000
10			2013	CR	27000	32400	33200	22800
10			2014	CR	22700	26800	26600	19300
10			2015	CR	32000	37700	37500	27300
10			2016	CR	32000	37700	37500	27300
10			2017	CR	27400	31800	31900	24700
10			2018	CR	27900	32400	32600	25000
10			2019	CR	28400	33000	33200	25500
10	S JCT HWY 24 MAIN ST	9.4	1988	C	12900	14300	14300	11600
10			1989	C	13700	15200	15300	12300
10			1990	C	14600	16200	16200	13100
10			1991	C	14900	16400	16500	13600
10			1992	C	14300	15400	15900	13200
10			1993	IC	14600	16500	16400	13000
10			1994	IC	15800	17700	17700	14100
10			1995	IC	16400	18300	18500	14700
10			1996	C	16400	18600	18700	14800
10			1997	C	17600	19900	20100	15800
10			1998	C	18200	20600	20600	16400
10			1999	C	17200	19300	19400	15500
10			2000	C	17000	19200	19200	15300
10			2001	C	17500	19700	19700	15800
10			2002	C	17700	19800	20000	15900
10			2003	C	17400	19400	19600	15700
10			2004	C	18000	20300	20300	16200
10			2005	C	18100	20200	20300	16300
10			2006	C	18300	20300	20500	16500
10			2007	C	18500	20600	20800	16600
10			2008	C	18600	20500	20200	16700
10			2009	C	18800	20700	20900	16900
10			2010	C	18900	20800	21000	17000
10			2011	C	20000	22000	22200	18000
10			2012	UC	21600	21700	23100	20500
10			2013	UC	24000	24100	24100	22800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2014	C	23900	26300	25600	21500
10			2015	C	21900	24100	23400	19700
10			2016	C	22200	24400	23800	20000
10			2017	C	22500	24600	24600	20400
10			2018	C	22800	25000	24800	20600
10			2019	C	23100	25300	25100	20900
10	HWY 9	0.6	1994	C	26200	28700	29200	23700
10			1995	C	26400	28800	29600	24100
10			1996	C	26900	30500	30600	24300
10			1997	C	27500	31100	31300	24800
10			1998	C	28000	31600	31600	25200
10			1999	C	29100	32600	32900	26200
10			2000	C	29000	32800	32800	26100
10			2001	C	29300	33000	33100	26400
10			2002	C	29600	33100	33400	26600
10			2003	C	30000	33500	33700	27100
10			2004	C	32300	36400	36400	29100
10			2005	C	30200	33600	33900	27100
10			2006	C	29200	32400	32700	26300
10			2007	C	30700	34100	34600	27600
10			2008	C	29900	33000	32500	26800
10			2009	C	31300	34400	34700	28200
10			2010	C	30900	34100	34400	27800
10			2011	C	30900	34100	34400	27800
10			2012	C	30900	34000	33300	27800
10			2013	C	30900	34100	33600	27800
10			2014	C	31200	34300	33400	28100
10			2015	C	31500	34600	33700	28400
10			2016	C	31800	35000	34000	28600
10			2017	C	32400	35400	35400	29400
10			2018	C	32600	35700	35500	29400
10			2019	C	32800	35900	35600	29700
10	BROADWAY (W) BUENA VISTA DR (E)	1.9	1988	IR	9800	12700	10800	7850
10			1989	IR	10200	13200	11300	8350
10			1990	IR	10500	13300	11700	8600
10			1991	IR	11100	14000	12300	9200
10			1992	IR	11800	14500	13000	10000
10			1993	IR	12700	15600	13100	10400
10			1994	IR	13000	16000	14300	10900
10			1995	IR	13600	16800	15000	11600
10			1996	CR	14700	18200	17300	12600
10			1997	IR	14800	18500	16600	12600
10			1998	IR	15300	19000	17100	12900
10			1999	IR	15300	19000	17000	12900
10			2000	IR	16300	20000	18100	13800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2001	IR	16800	20800	18600	14200
10			2002	IR	17100	21100	18900	14500
10			2003	IR	18600	22600	20500	15800
10			2004	IR	18600	23000	20600	15700
10			2005	IR	18400	22200	20200	15700
10			2006	IR	18100	21800	19800	15400
10			2007	IR	18300	22200	22100	15500
10			2008	IC	17400	19300	18700	15300
10			2009	IC	18700	20800	20900	16600
10			2010	IC	19500	21600	21800	17300
10			2011	IC	19500	21400	22200	17500
10			2012	UC	19500	19600	20900	18500
10			2013	UC	20300	20400	20400	19300
10			2014	C	19800	21800	21200	17800
10			2015	C	20900	23000	22400	18800
10			2016	C	21200	23300	22700	19100
10			2017	C	21600	23600	23600	19600
10			2018	C	21900	24000	23900	19800
10			2019	C	22200	24300	24100	20100
10	FIRST ST (W) CEMETERY RD (E)	1.4	1988	CR	12700	16300	15200	10500
10			1989	CR	13200	16900	15700	11100
10			1990	LT	13400	19600	18800	9800
10			1991	LT	14500	20300	19600	10700
10			1992	LT	15600	21700	21100	12000
10			1993	IR	16800	20700	17400	13700
10			1994	IR	16500	20300	18200	13800
10			1995	IR	17000	20900	18700	14500
10			1996	IR	17800	22100	19900	15200
10			1997	IR	18200	22800	20400	15500
10			1998	IR	18800	23300	21100	15800
10			1999	IR	19200	23800	21300	16100
10			2000	IR	19600	24000	21700	16600
10			2001	IR	20100	24800	22300	17000
10			2002	IR	21000	25900	23300	17900
10			2003	IR	22200	26900	24400	18800
10			2004	IR	22100	27300	24500	18700
10			2005	IR	21800	26300	23900	18600
10			2006	IR	21600	26100	23600	18300
10			2007	IR	21500	26000	26000	18200
10			2008	IC	20700	22900	22200	18300
10			2009	IC	21100	23400	23600	18800
10			2010	IC	22000	24400	24600	19500
10			2011	IC	22000	24200	25100	19700
10			2012	IC	22000	24400	23600	19500
10			2013	IC	22900	25300	25200	20300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2014	CR	22000	25900	25800	18700
10			2015	CR	23400	27600	27400	19900
10			2016	CR	23700	27900	27800	20200
10			2017	CR	24000	27800	28000	21600
10			2018	CR	24200	28100	28300	21700
10			2019	CR	24500	28400	28600	22000
10	DUFFERIN RD 16 (W) DUFFERIN RD 7 HOCKLEY RD (E)	9.2	1988	CR	9000	11500	10800	7450
10			1989	CR	9250	11800	11000	7750
10			1990	LT	9550	13900	13400	6950
10			1991	LT	10100	14100	13600	7450
10			1992	LT	10400	14500	14000	8000
10			1993	IR	11200	13800	11600	9150
10			1994	IR	11400	14000	12500	9550
10			1995	IR	11800	14500	13000	10100
10			1996	IR	12200	15200	13600	10400
10			1997	IR	12600	15800	14100	10700
10			1998	IR	13000	16100	14600	10900
10			1999	IR	13200	16400	14700	11100
10			2000	IR	13200	16200	14600	11200
10			2001	IR	13300	16400	14700	11200
10			2002	IR	13300	16400	14700	11300
10			2003	IR	13200	16000	14500	11200
10			2004	IR	13100	16200	14500	11100
10			2005	IR	13100	15800	14400	11200
10			2006	IR	13000	15700	14200	11000
10			2007	IR	13000	15700	15700	11000
10			2008	IR	12900	15600	15300	11000
10			2009	IR	13400	16100	14600	11400
10			2010	IR	13500	16100	14700	11500
10			2011	IR	13500	16100	15800	11500
10			2012	IC	12300	13600	13200	10900
10			2013	IC	13600	15100	15000	12100
10			2014	CTR	13500	16500	16600	11500
10			2015	CTR	13700	16700	16900	11600
10			2016	CTR	13700	16700	16900	11600
10			2017	IR	14200	17200	17100	12100
10			2018	IR	13900	16900	16800	11800
10			2019	IR	13900	16900	16800	11800
10	MONO ROAD 20	7.2	1988	IR	7000	9100	7700	5600
10			1989	IR	7450	9600	8250	6100
10			1990	IR	7900	10000	8750	6500
10			1991	IR	8400	10600	9300	6950
10			1992	IR	8350	10300	9200	7100
10			1993	IR	8600	10600	8900	7050
10			1994	IR	8800	10800	9700	7350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			1995	IR	8800	10800	9700	7500
10			1996	IR	9000	11200	10000	7650
10			1997	CR	9150	11300	10800	7800
10			1998	CR	9350	11500	10900	7950
10			1999	CR	9600	11800	11200	8150
10			2000	CR	10100	12400	11800	8600
10			2001	CR	10300	12700	12100	8700
10			2002	CR	10900	13400	12800	9200
10			2003	CR	12200	14900	14300	10300
10			2004	CR	12000	14800	14100	10100
10			2005	CR	11700	14200	13600	9850
10			2006	IC	12100	13400	13600	10700
10			2007	IC	12400	13800	14200	11000
10			2008	IC	12700	14100	13600	11200
10			2009	IC	13000	14400	14600	11600
10			2010	IC	13300	14700	14800	11800
10			2011	IC	13300	14600	15200	11900
10			2012	IC	13300	14700	14300	11800
10			2013	IC	13800	15300	15200	12200
10			2014	CTR	12700	15500	15600	10800
10			2015	CTR	14300	17400	17600	12200
10			2016	CTR	14600	17800	18000	12400
10			2017	IR	14800	18000	17800	12600
10			2018	IR	15100	18300	18200	12800
10			2019	IR	15400	18700	18600	13100
10	E JCT HWY 89 PRIMROSE	4.0	1988	IR	9500	12400	10400	7600
10			1989	IR	10000	12900	11100	8200
10			1990	IR	10400	13200	11500	8550
10			1991	IR	11100	14000	12300	9200
10			1992	IR	11000	13500	12100	9350
10			1993	IR	11000	13500	11400	9000
10			1994	IR	11800	14500	13000	9900
10			1995	IR	12200	15000	13400	10400
10			1996	IR	12600	15700	14100	10700
10			1997	IR	13000	16200	14600	11000
10			1998	IR	13400	16600	15000	11300
10			1999	IR	13800	17100	15300	11600
10			2000	IR	14100	17300	15600	11900
10			2001	IR	14500	17900	16100	12300
10			2002	IR	14900	18400	16500	12700
10			2003	IR	15300	18600	16800	13000
10			2004	IR	15600	19300	17300	13200
10			2005	IR	15100	18200	16500	12900
10			2006	IR	14500	17500	15800	12300
10			2007	IR	14300	17300	17300	12100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2008	IR	14500	17600	17200	12400
10			2009	IR	14100	16900	15400	12000
10			2010	IR	14200	16900	15500	12100
10			2011	IR	15400	18400	18000	13200
10			2012	IR	15400	18300	17800	13200
10			2013	IR	15700	18700	20000	13400
10			2014	IR	15800	18800	18800	13400
10			2015	IR	16000	19000	19100	13600
10			2016	IR	16100	19200	19200	13700
10			2017	IR	16300	19100	19100	14500
10			2018	IR	16400	19300	19300	14700
10			2019	IR	16600	19500	19500	14900
10	DUFFERIN RD 124 (N) DUFFERIN RD 11 (S)	0.3	1988	IR	10600	13800	11700	8500
10			1989	IR	11200	14400	12400	9200
10			1990	IR	12100	15400	13400	9900
10			1991	IR	12800	16100	14200	10600
10			1992	IR	11200	13800	12300	9500
10			1993	IR	11500	14100	11900	9400
10			1994	IR	12900	15900	14200	10800
10			1995	IR	13300	16400	14700	11300
10			1996	IR	13700	17000	15300	11700
10			1997	IR	14100	17600	15800	12000
10			1998	IR	14600	18100	16400	12300
10			1999	IR	15000	18600	16600	12600
10			2000	IR	15400	18900	17100	13000
10			2001	IR	15800	19500	17500	13400
10			2002	IR	16200	20000	17900	13800
10			2003	IR	16600	20100	18300	14100
10			2004	IR	16900	20900	18700	14300
10			2005	IR	17200	20800	18800	14700
10			2006	IR	17600	21200	19200	14900
10			2007	IR	17900	21700	21600	15200
10			2008	IR	18200	22000	21600	15600
10			2009	IR	18800	22600	20500	16000
10			2010	IR	19200	22900	20900	16300
10			2011	IR	19200	22900	22400	16400
10			2012	IR	19200	22800	22200	16400
10			2013	IR	19400	23100	24800	16500
10			2014	IR	20300	24200	24200	17300
10			2015	IR	20700	24600	24700	17600
10			2016	IR	21000	25000	25100	17900
10			2017	IR	21400	25100	25100	19100
10			2018	IR	21800	25600	25600	19500
10			2019	IR	22100	25900	25900	19800
10	SHELBURNE S LTS START OF NA	1.0	9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10	SHELBURNE N LTS END OF NA	33.8	1988	IR	4300	5600	4750	3450
10			1989	IR	4500	5800	5000	3700
10			1990	IR	4850	6150	5400	4000
10			1991	IR	5150	6500	5700	4250
10			1992	IR	4900	6050	5400	4150
10			1993	IR	5050	6200	5200	4150
10			1994	IR	5100	6300	5600	4250
10			1995	IR	5250	6450	5800	4450
10			1996	IR	4950	6150	5500	4200
10			1997	IR	5550	6950	6200	4700
10			1998	IR	5750	7150	6450	4850
10			1999	IR	5900	7300	6550	4950
10			2000	IR	5650	6900	6250	4750
10			2001	IR	5750	7100	6350	4850
10			2002	IR	6300	7750	7000	5350
10			2003	IR	5900	7150	6500	5000
10			2004	IR	5800	7150	6450	4900
10			2005	IR	5950	7200	6500	5050
10			2006	IR	5900	7100	6450	5000
10			2007	IR	6100	7400	7350	5150
10			2008	IR	5900	7150	7000	5050
10			2009	IR	6250	7500	6800	5300
10			2010	IR	6300	7500	6850	5350
10			2011	IR	6300	7500	7350	5400
10			2012	LT	6000	7850	7450	4550
10			2013	LT	6000	7850	7850	4550
10			2014	LT	6350	8300	8450	4800
10			2015	LT	6400	8350	8500	4850
10			2016	LT	6450	8400	8550	4850
10			2017	LT	6850	9600	9500	5250
10			2018	LT	6600	9250	9150	5100
10			2019	LT	6650	9300	9250	5100
10	CAMPBELL ST FLESHERTON START OF NA	0.5	9999					
10	MARGARET ST END OF NA	9.1	1988	IR	4150	5400	4550	3300
10			1989	IR	4350	5600	4850	3550
10			1990	IR	4550	5800	5050	3750
10			1991	IR	4550	5750	5050	3800
10			1992	IR	4650	5700	5100	3950
10			1993	IR	4800	5900	4950	3950
10			1994	IR	4900	6050	5400	4100
10			1995	IR	5050	6200	5550	4300
10			1996	IR	5050	6250	5650	4300
10			1997	IR	5350	6700	6000	4550
10			1998	IR	5450	6750	6100	4600
10			1999	IR	5700	7050	6350	4800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2000	IR	5900	7250	6550	5000
10			2001	IR	6050	7500	6700	5100
10			2002	IR	6300	7750	7000	5350
10			2003	IR	6650	8050	7300	5650
10			2004	IR	6600	8150	7300	5600
10			2005	IR	6650	8050	7300	5650
10			2006	IR	6600	7950	7200	5600
10			2007	IR	6700	8100	8100	5700
10			2008	IR	6950	8400	8250	5950
10			2009	IR	6950	8350	7600	5900
10			2010	IR	6300	7500	6850	5350
10			2011	IR	6300	7500	7350	5400
10			2012	LT	6200	8100	7700	4700
10			2013	LT	6800	8900	8850	5150
10			2014	LT	6200	8100	8250	4700
10			2015	LT	6950	9050	9250	5250
10			2016	LT	7000	9150	9300	5300
10			2017	LT	6750	9450	9350	5200
10			2018	LT	7150	10000	9900	5500
10			2019	LT	7250	10200	10100	5600
10	MARKDALE S LTS START OF NA	1.2	9999					
10	FORMER MARKDALE N LTS END OF NA	24.7	1988	IR	3400	4400	3750	2700
10			1989	IR	3500	4500	3900	2850
10			1990	IR	3700	4700	4100	3050
10			1991	IR	3900	4900	4350	3250
10			1992	IR	3900	4800	4300	3300
10			1993	IR	3900	4800	4050	3200
10			1994	IR	4050	5000	4450	3400
10			1995	IR	4200	5150	4650	3600
10			1996	IR	4300	5350	4800	3650
10			1997	IR	4400	5500	4950	3750
10			1998	IR	4550	5650	5100	3800
10			1999	IR	4450	5500	4950	3750
10			2000	IR	4600	5650	5100	3900
10			2001	IR	4700	5800	5200	3950
10			2002	IR	4850	6000	5350	4100
10			2003	IR	4850	5900	5350	4100
10			2004	IR	5050	6250	5600	4250
10			2005	IR	5000	6050	5500	4250
10			2006	IR	4900	5900	5350	4150
10			2007	IR	5150	6250	6200	4350
10			2008	LR	5250	8200	8000	3600
10			2009	LR	5300	8050	6550	3600
10			2010	IR	5400	6450	5900	4600
10			2011	IR	5400	6450	6300	4600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
10			2012	LT	4850	6350	6050	3650
10			2013	LT	5450	7100	7100	4100
10			2014	LT	5500	7200	7300	4150
10			2015	LT	5600	7300	7450	4250
10			2016	LT	5650	7400	7500	4250
10			2017	LT	5700	8000	7900	4400
10			2018	LT	5800	8100	8050	4450
10			2019	LT	5850	8200	8100	4500
10	HWY 6 GARAFRAXA CHATSWORTH OVERLAP HWY 6 (13710)	11.6	9999					
10	OWEN SOUND S LTS START OF NA	1.2	9999					
10	N JCT HWYS 6 / HWY 21/ HWY 26 END OF NA HWY END		9999					
11	HWY 2 LAKESHORE RD START OF NA	99.3	9999					
11	HWY 400A/SIMCOE RD 93 IC	5.7	1988	IR	23700	30800	26100	19000
11			1989	IR	25900	33400	28700	21200
11			1990	IR	28100	35700	31200	23000
11			1991	IR	28400	35800	31500	23600
11			1992	IR	28700	35300	31600	24400
11			1993	IR	30100	37000	31100	24600
11			1994	IR	30500	37600	33600	25600
11			1995	IR	30900	38100	34000	26300
11			1996	IR	31300	38900	34900	26700
11			1997	IR	31600	39500	35400	26900
11			1998	IR	31900	39600	35700	26800
11			1999	IR	23300	28900	25900	19600
11			2000	IR	27000	33100	29900	22800
11			2001	IR	30700	37900	34000	26000
11			2002	IR	34400	42400	38100	29200
11			2003	IR	38100	46200	41900	32300
11			2004	IR	41800	51700	46300	35300
11			2005	IR	41300	49800	45200	35200
11			2006	IR	40800	49200	44600	34700
11			2007	IR	40400	48900	48800	34200
11			2008	IR	39400	47700	46800	33700
11			2009	IR	39800	47800	43400	33800
11			2010	IR	40600	48300	44200	34600
11			2011	IR	42700	50900	49900	36500
11			2012	IR	43800	52100	50700	37400
11			2013	IR	44600	53100	56900	38000
11			2014	IR	45500	54200	54300	38700
11			2015	IR	43700	52000	52100	37200
11			2016	IR	46800	55700	55800	39800
11			2017	IR	47600	55800	55800	42500
11			2018	IR	48500	57000	57000	43400
11			2019	IR	49300	57800	57900	44200
11	ORO MEDONTE LINE 4	10.1	1988	IR	19600	25500	21600	15700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	IR	22700	29300	25200	18600
11			1990	IR	24800	31500	27500	20300
11			1991	IR	25000	31500	27800	20800
11			1992	IR	25300	31100	27800	21500
11			1993	IR	26600	32700	27500	21800
11			1994	IR	27300	33600	30000	22900
11			1995	IR	27800	34200	30600	23700
11			1996	IR	28200	35000	31500	24000
11			1997	IR	28700	35900	32100	24400
11			1998	IR	29200	36200	32700	24500
11			1999	IR	31100	38600	34500	26100
11			2000	IR	32000	39200	35400	27000
11			2001	IR	32900	40700	36500	27800
11			2002	IR	33800	41700	37500	28700
11			2003	IR	34700	42100	38200	29500
11			2004	IR	35600	44000	39400	30100
11			2005	IR	36500	44100	40000	31100
11			2006	IT	37900	48200	47900	31100
11			2007	IT	38400	49200	51400	31400
11			2008	IT	39300	50500	47800	33000
11			2009	IR	40200	48200	43800	34200
11			2010	IR	41100	48900	44800	35000
11			2011	IR	42000	50100	49000	35900
11			2012	IR	42900	51000	49700	36700
11			2013	IR	43800	52100	55900	37300
11			2014	IR	38300	45600	45700	32600
11			2015	CR	43700	51500	51200	37200
11			2016	CR	45100	53100	52800	38400
11			2017	CR	45900	53200	53500	41300
11			2018	CR	46700	54300	54600	41900
11			2019	CR	47600	55200	55600	42700
11	SIMCOE RD 20/ORO MEDONTE LINE 11 IC-121	7.8	1988	IR	22400	29100	24600	17900
11			1989	IR	24300	31300	27000	19900
11			1990	IR	26300	33400	29200	21600
11			1991	IR	26500	33400	29400	22000
11			1992	IR	26800	33000	29500	22800
11			1993	IR	28000	34400	29000	22900
11			1994	IR	28900	35600	31800	24200
11			1995	IR	29400	36200	32400	25100
11			1996	IR	30000	37300	33500	25600
11			1997	IR	30500	38100	34200	25900
11			1998	IR	31000	38400	34700	26000
11			1999	IR	31500	39100	35000	26500
11			2000	IR	33500	41000	37100	28300
11			2001	IR	34300	42400	38000	29000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2002	IR	35200	43400	39000	29900
11			2003	IR	36100	43800	39700	30600
11			2004	IR	37300	46100	41300	31500
11			2005	IR	37600	45400	41200	32100
11			2006	IR	37800	45600	41300	32100
11			2007	IR	38600	46800	46600	32700
11			2008	IR	40200	48700	47800	34400
11			2009	IR	40100	48100	43700	34100
11			2010	IC	39000	43200	43500	34600
11			2011	IC	41700	45900	47600	37400
11			2012	IC	42400	47000	45500	37600
11			2013	CR	43200	51800	53100	36500
11			2014	CR	42500	50100	49800	36200
11			2015	CR	41000	48300	48000	34900
11			2016	CR	40400	47600	47300	34400
11			2017	CR	44500	51600	51900	40100
11			2018	CR	45200	52500	52900	40600
11			2019	CR	45900	53300	53600	41200
11	MEMORIAL AVE SIMCOE RD 49 IC 129	1.7	1988	IR	14300	18600	15700	11400
11			1989	IR	16300	21000	18100	13400
11			1990	LR	18400	32200	25600	11600
11			1991	LR	19600	34500	27200	12300
11			1992	LR	20100	32400	25900	13300
11			1993	LR	22300	35900	28700	14600
11			1994	LR	23100	38000	30600	15100
11			1995	LR	24400	41000	33200	16000
11			1996	LR	25700	43000	34500	17100
11			1997	LR	27100	45500	36600	18200
11			1998	LR	28400	46900	37800	18700
11			1999	LR	29700	48700	39200	19600
11			2000	LR	31000	50200	40500	20700
11			2001	LR	32300	52900	42100	21600
11			2002	LR	33600	54800	43800	22700
11			2003	LR	34900	55200	44400	23600
11			2004	LR	36200	59200	47200	24200
11			2005	LR	35700	55800	45000	24300
11			2006	LR	33000	51400	41300	22300
11			2007	LR	33400	52300	50200	22500
11			2008	LR	33900	52900	51500	23200
11			2009	UC	33500	35500	39200	31500
11			2010	UC	34900	36900	40600	32800
11			2011	UC	32500	32600	33700	30800
11			2012	UC	32500	32700	34800	30900
11			2013	UC	33500	33600	33700	31800
11			2014	UC	36700	36800	35300	34800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	UC	33800	33900	32500	32100
11			2016	UC	38000	38100	36500	36100
11			2017	UC	37700	37500	37800	36100
11			2018	UC	38200	37900	38500	36700
11			2019	UC	38600	38000	38600	37200
11	S JCT HWY 12/SIMCOE RD 11 OLD BARRIE RD IC131	2.4	1988	IR	16100	20900	17700	12900
11			1989	IR	17500	22600	19400	14400
11			1990	LR	18500	32400	25700	11700
11			1991	LR	19400	34100	27000	12200
11			1992	LR	20400	32800	26300	13500
11			1993	LR	21500	34600	27700	14000
11			1994	LR	22500	37000	29800	14700
11			1995	LR	23500	39500	31900	15400
11			1996	LR	24600	41200	33000	16400
11			1997	LR	25600	43000	34600	17200
11			1998	LR	26600	43900	35400	17600
11			1999	LR	28800	47200	38000	19000
11			2000	LR	30200	48900	39500	20100
11			2001	LR	31600	51700	41200	21100
11			2002	LR	33000	53800	43000	22300
11			2003	LR	34400	54400	43800	23200
11			2004	LR	36300	59400	47300	24300
11			2005	LR	36000	56200	45400	24500
11			2006	LR	38600	60100	48300	26100
11			2007	LR	36700	57500	55200	24700
11			2008	LR	37100	57900	56400	25400
11			2009	LR	38800	59000	48100	26400
11			2010	IR	33900	40400	36900	28900
11			2011	IR	34000	40600	39700	29000
11			2012	IR	34000	40400	39400	29100
11			2013	CR	33500	40100	41200	28300
11			2014	CR	33500	39500	39200	28500
11			2015	CR	33500	39500	39200	28500
11			2016	CR	33400	39400	39100	28500
11			2017	CR	38300	44400	44600	34500
11			2018	CR	38800	45100	45400	34800
11			2019	CR	39300	45600	45900	35300
11	N JCT HWY 12/COLDWATER RD IC-133	2.1	1988	IR	15100	19600	16600	12100
11			1989	IR	16500	21300	18300	13500
11			1990	LR	17600	30800	24500	11100
11			1991	LR	18400	32400	25600	11600
11			1992	LR	19300	31100	24900	12700
11			1993	LR	20400	32800	26200	13300
11			1994	LR	21600	35500	28600	14100
11			1995	LR	22700	38100	30900	14900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1996	LR	23800	39800	31900	15900
11			1997	LR	24900	41800	33600	16700
11			1998	LR	26000	42900	34600	17200
11			1999	LR	27100	44400	35800	17900
11			2000	LR	29700	48100	38800	19800
11			2001	LR	31100	50900	40500	20800
11			2002	LR	32600	53100	42500	22100
11			2003	LR	34000	53800	43300	22900
11			2004	CTR	35900	45300	43400	30300
11			2005	CTR	32300	40000	38400	27400
11			2006	CTR	31800	39400	37700	27000
11			2007	CTR	32200	39900	39500	27300
11			2008	CTR	32700	40500	39700	27800
11			2009	IC	28400	31500	31800	25300
11			2010	IC	33500	37100	37400	29700
11			2011	IR	32400	38700	37800	27700
11			2012	LT	31400	41000	39000	23800
11			2013	LT	28500	37200	37200	21500
11			2014	LT	29800	38900	39600	22500
11			2015	LT	30000	39200	39800	22600
11			2016	LT	30500	39800	40500	23000
11			2017	LT	33500	46900	46400	25800
11			2018	LT	33800	47300	46800	26000
11			2019	LT	34200	47900	47500	26300
11	SIMCOE RD 18 BURNSIDE LINE/WEST ST IC-135	1.6	1988	IR	15900	20700	17500	12700
11			1989	IR	16400	21200	18200	13400
11			1990	LR	16800	29400	23400	10600
11			1991	LR	17100	30100	23800	10800
11			1992	LR	17400	28000	22400	11500
11			1993	LR	17600	28300	22600	11500
11			1994	LR	18900	31100	25000	12300
11			1995	LR	19500	32800	26500	12800
11			1996	LR	20600	34500	27600	13700
11			1997	LR	21500	36100	29000	14400
11			1998	LR	22100	36500	29400	14600
11			1999	LR	22700	37200	30000	15000
11			2000	LR	23300	37700	30400	15500
11			2001	LR	25700	42100	33500	17200
11			2002	LR	26700	43500	34800	18100
11			2003	LR	27800	43900	35400	18800
11			2004	LR	28800	47100	37500	19300
11			2005	LR	30000	46900	37800	20400
11			2006	LR	29300	45600	36700	19800
11			2007	LR	29300	45900	44100	19700
11			2008	LR	28000	43700	42600	19200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2009	LR	27300	41500	33900	18600
11			2010	CTR	26600	32400	31100	22600
11			2011	CTR	26600	32400	31100	22600
11			2012	CTR	26900	32600	32200	22900
11			2013	CTR	30600	37200	38500	26000
11			2014	IR	31600	37600	37700	26900
11			2015	IR	31600	37600	37700	26900
11			2016	IR	32100	38200	38300	27300
11			2017	IR	32600	39600	39300	27800
11			2018	IR	33200	40300	40100	28200
11			2019	IR	33700	41000	40800	28700
11	LACLIE ST IC (SUNDIAL DRIVE)	7.5	1988	LR	18000	31900	22700	11200
11			1989	LR	19700	33300	25600	13000
11			1990	LR	21400	37400	29700	13500
11			1991	LR	21700	38200	30200	13700
11			1992	LR	22000	35400	28400	14500
11			1993	LR	22300	32300	26300	15600
11			1994	LR	22500	37000	29800	14700
11			1995	LR	22800	38300	31000	15000
11			1996	LR	22700	38000	30500	15100
11			1997	LR	22900	38500	30900	15300
11			1998	LR	23000	38000	30600	15200
11			1999	LR	23200	38000	30600	15300
11			2000	LR	23800	38600	31100	15900
11			2001	LR	24100	39400	31400	16100
11			2002	LR	24800	40400	32300	16800
11			2003	LR	24600	38900	31300	16600
11			2004	LR	24900	40700	32400	16600
11			2005	LR	24600	38400	31000	16700
11			2006	LR	24800	38600	31000	16700
11			2007	LR	25000	39200	37600	16800
11			2008	LR	25100	39200	38200	17200
11			2009	IR	24400	29300	26600	20700
11			2010	IR	25500	30400	27800	21700
11			2011	CTR	25700	31300	30100	21800
11			2012	CTR	25900	31400	31000	22100
11			2013	CTR	26000	31600	32700	22100
11			2014	CR	26200	30900	30700	22300
11			2015	CR	26400	31100	30900	22500
11			2016	CR	26600	31300	31200	22700
11			2017	CR	26800	31100	31200	24100
11			2018	CR	27000	31400	31600	24200
11			2019	CR	27100	31400	31600	24300
11	NEW BRAIDLEY LINE/BAYOU RD IC-144	7.8	1990	LR	21400	37400	29700	13500
11			1991	LR	21700	38200	30200	13700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1992	LR	22000	35400	28400	14500
11			1993	LR	22300	35900	28700	14600
11			1994	LR	22500	37000	29800	14700
11			1995	LR	22800	38300	31000	15000
11			1996	LR	22700	38000	30500	15100
11			1997	LR	22900	38500	30900	15300
11			1998	LR	23000	38000	30600	15200
11			1999	LR	23200	38000	30600	15300
11			2000	LR	23800	38600	31100	15900
11			2001	LR	24100	39400	31400	16100
11			2002	LR	24800	40400	32300	16800
11			2003	LR	24600	38900	31300	16600
11			2004	LR	24900	40700	32400	16600
11			2005	LR	25100	39200	31600	17100
11			2006	LR	23200	36100	29000	15700
11			2007	LR	23500	36800	35400	15800
11			2008	LR	23900	37300	36300	16400
11			2009	LR	24300	36900	30100	16500
11			2010	CTR	25000	30400	29200	21200
11			2011	CTR	24900	30300	29100	21100
11			2012	CTR	25000	30300	29900	21300
11			2013	CTR	25200	30700	31700	21400
11			2014	CTR	25300	30900	31100	21500
11			2015	CR	25400	29900	29700	21600
11			2016	CR	25500	30100	29900	21700
11			2017	CR	25600	29700	29800	23000
11			2018	CR	25800	30000	30200	23200
11			2019	CR	25900	30100	30200	23200
11	SIMCOE RD 169 IC-152	2.3	1988	LR	15800	28000	19900	9800
11			1989	LR	16500	27900	21400	10900
11			1990	LR	16800	29400	23400	10600
11			1991	LR	16700	29400	23200	10500
11			1992	LR	16900	27200	21800	11200
11			1993	LR	17300	27900	22300	11300
11			1994	LR	17400	28600	23000	11400
11			1995	LR	18000	30200	24500	11800
11			1996	LR	17800	29800	23900	11900
11			1997	LR	19200	32300	25900	12900
11			1998	LR	19600	32300	26100	12900
11			1999	LR	19500	32000	25700	12900
11			2000	LR	19900	32200	26000	13300
11			2001	LR	20200	33100	26300	13500
11			2002	LR	20600	33600	26800	13900
11			2003	LR	20700	32700	26300	14000
11			2004	LR	21400	35000	27900	14300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2005	LR	21400	33400	27000	14600
11			2006	LR	21400	33300	26800	14400
11			2007	LR	21700	34000	32600	14600
11			2008	LR	21300	33200	32400	14600
11			2009	LR	21800	33100	27000	14800
11			2010	LR	22400	33500	27400	15200
11			2011	LR	22800	35300	33100	16000
11			2012	LR	23100	34500	33500	15900
11			2013	LR	23400	35000	40000	15900
11			2014	HR	23700	35700	35900	14600
11			2015	HR	24000	36100	36400	14800
11			2016	HR	24300	36600	36800	15000
11			2017	HR	24600	39900	40100	16700
11			2018	HR	24800	40400	40500	17000
11			2019	HR	25100	40600	40700	17200
11	GRAVENHURST S LTS SEVERN R BR	15.9	1988	LR	15800	28000	19900	9800
11			1989	LR	16500	27900	21400	10900
11			1990	LR	16800	29400	23400	10600
11			1991	LR	16700	29400	23200	10500
11			1992	LR	16900	27200	21800	11200
11			1993	LR	17300	27900	22300	11300
11			1994	LR	17400	28600	23000	11400
11			1995	LR	18000	30200	24500	11800
11			1996	LR	17800	29800	23900	11900
11			1997	LR	19200	32300	25900	12900
11			1998	LR	19600	32300	26100	12900
11			1999	LR	19500	32000	25700	12900
11			2000	LR	19900	32200	26000	13300
11			2001	LR	20200	33100	26300	13500
11			2002	LR	20600	33600	26800	13900
11			2003	LR	20700	32700	26300	14000
11			2004	LR	21400	35000	27900	14300
11			2005	LR	21400	33400	27000	14600
11			2006	LR	21400	33300	26800	14400
11			2007	LR	21700	34000	32600	14600
11			2008	LR	21300	33200	32400	14600
11			2009	LR	21800	33100	27000	14800
11			2010	LR	22400	33500	27400	15200
11			2011	LR	22800	35300	33100	16000
11			2012	LR	23100	34500	33500	15900
11			2013	LR	23400	35000	40000	15900
11			2014	LR	23700	35500	36100	16100
11			2015	LR	24000	35900	36500	16300
11			2016	LR	24300	36400	37000	16500
11			2017	LR	24600	41100	39800	16800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2018	LR	24800	41400	40100	17000
11			2019	LR	25100	42000	40800	17100
11	N JCT MUSKOKA RD 169 (BETHUNE DR)	5.0	1988	LR	11300	20000	14200	7000
11			1989	LR	12100	20400	15700	8000
11			1990	LR	12400	21700	17200	7800
11			1991	LR	12100	21300	16800	7600
11			1992	LR	12400	20000	16000	8200
11			1993	LR	12700	20400	16300	8300
11			1994	LR	13100	21500	17300	8550
11			1995	LR	13500	22700	18400	8850
11			1996	LR	13900	23300	18700	9250
11			1997	LR	13900	23400	18800	9300
11			1998	LR	14200	23400	18900	9350
11			1999	LR	14400	23600	19000	9500
11			2000	LR	14600	23700	19100	9750
11			2001	LR	14900	24400	19400	9950
11			2002	LR	15100	24600	19700	10200
11			2003	LR	15400	24300	19600	10400
11			2004	LR	15200	24900	19800	10200
11			2005	LR	15300	23900	19300	10400
11			2006	LR	15500	24100	19400	10500
11			2007	LR	15000	23500	22600	10100
11			2008	LR	15800	24700	24000	10800
11			2009	LR	16000	24300	19800	10900
11			2010	LR	16200	24300	19800	11000
11			2011	LR	16300	25200	23600	11400
11			2012	LR	16500	24600	24000	11300
11			2013	LR	16700	25000	28500	11300
11			2014	LR	16800	25200	25600	11400
11			2015	LT	17000	22200	22600	12800
11			2016	LT	17200	22500	22800	13000
11			2017	LT	17300	22000	22000	14500
11			2018	LT	17500	22300	22300	14700
11			2019	LT	17700	22500	22500	14800
11	MUSKOKA RD 41/6 IC	6.9	1988	LR	14800	26200	18600	9200
11			1989	LR	15600	26400	20300	10300
11			1990	LR	15800	27600	22000	9950
11			1991	LR	15400	27100	21400	9700
11			1992	LR	15900	25600	20500	10500
11			1993	LR	16300	26200	21000	10600
11			1994	LR	16900	27800	22400	11000
11			1995	LR	17400	29200	23700	11400
11			1996	LR	18000	30100	24200	12000
11			1997	LR	18500	31100	25000	12400
11			1998	LR	18900	31200	25100	12500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1999	LR	19300	31700	25500	12700
11			2000	LR	19600	31800	25600	13100
11			2001	LR	20200	33100	26300	13500
11			2002	LR	20600	33600	26800	13900
11			2003	LR	21100	33400	26900	14200
11			2004	LR	21600	35300	28100	14400
11			2005	LR	22000	34400	27700	15000
11			2006	LR	22500	35100	28200	15200
11			2007	LR	22900	35900	34500	15400
11			2008	LR	23400	36500	35600	16000
11			2009	LR	23900	36300	29600	16300
11			2010	LR	24300	36400	29700	16500
11			2011	LR	22200	34300	32200	15500
11			2012	CTR	24400	29600	29200	20800
11			2013	LT	24900	32500	32500	18800
11			2014	LT	25300	33000	33600	19100
11			2015	T	21300	31100	30800	13600
11			2016	T	25400	37100	36700	16200
11			2017	T	25700	35200	35400	20400
11			2018	T	26100	35800	35900	20700
11			2019	T	26400	36200	36400	20900
11	HWY 118 (E) MUSKOKA RD 118 IC-182	2.0	1988	LR	11100	19600	14000	6900
11			1989	LR	11800	19900	15300	7800
11			1990	LR	12400	21700	17200	7800
11			1991	LR	12800	22500	17800	8050
11			1992	LR	12900	20800	16600	8500
11			1993	LR	13200	21300	17000	8600
11			1994	LR	13300	21900	17600	8700
11			1995	LR	13500	22700	18400	8850
11			1996	LR	13600	22800	18200	9050
11			1997	LR	13800	23200	18600	9250
11			1998	LR	14100	23300	18800	9300
11			1999	LR	14400	23600	19000	9500
11			2000	LR	14800	24000	19300	9850
11			2001	LR	14900	24400	19400	9950
11			2002	LR	15200	24800	19800	10300
11			2003	LR	15400	24300	19600	10400
11			2004	LR	15600	25500	20300	10400
11			2005	LR	15900	24800	20000	10800
11			2006	LR	16100	25100	20100	10900
11			2007	LR	16400	25700	24700	11000
11			2008	LR	16600	25900	25200	11400
11			2009	LR	16800	25500	20800	11400
11			2010	LR	17100	25600	20900	11600
11			2011	LR	17300	26800	25100	12100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2012	LR	17600	26300	25600	12100
11			2013	LR	17800	26700	30400	12100
11			2014	LR	18100	27100	27600	12300
11			2015	LR	18300	27400	27900	12400
11			2016	LR	18600	27900	28300	12600
11			2017	LR	18800	31400	30400	12800
11			2018	LR	19000	31700	30700	13100
11			2019	LR	19300	32300	31400	13200
11	MUSKOKA RD 37 CEDAR LANE (W) FREDRICK ST (E)	4.8	1988	LR	9800	17300	12300	6100
11			1989	LR	10100	17100	13100	6650
11			1990	LR	10400	18200	14500	6550
11			1991	LR	10700	18800	14900	6750
11			1992	LR	10600	17100	13700	7000
11			1993	LR	10500	16900	13500	6850
11			1994	LR	10400	17100	13800	6800
11			1995	LR	10600	17800	14400	6950
11			1996	LR	10800	18100	14500	7200
11			1997	LR	11000	18500	14900	7350
11			1998	LR	11200	18500	14900	7400
11			1999	LR	11400	18700	15000	7500
11			2000	LR	11600	18800	15200	7750
11			2001	LR	11800	19300	15400	7900
11			2002	LR	12000	19600	15600	8100
11			2003	LR	12200	19300	15500	8250
11			2004	LR	12400	20300	16200	8300
11			2005	LR	12600	19700	15900	8600
11			2006	LR	12800	19900	16000	8650
11			2007	LR	13000	20400	19600	8750
11			2008	LR	13200	20600	20100	9050
11			2009	LR	13400	20400	16600	9100
11			2010	LR	13600	20400	16600	9200
11			2011	LR	13800	21300	20000	9650
11			2012	LR	14000	20900	20300	9600
11			2013	LR	14200	21300	24200	9650
11			2014	LR	14400	21600	21900	9750
11			2015	LR	14600	21900	22200	9900
11			2016	LR	14800	22200	22500	10000
11			2017	LR	15000	25100	24300	10300
11			2018	LR	15200	25300	24600	10400
11			2019	LR	15400	25800	25000	10500
11	TAYLOR RD IC MUSKOKA RD 42	3.9	1988	IR	13600	17700	15000	10900
11			1989	IR	14700	19000	16300	12100
11			1990	IR	15000	19000	16600	12300
11			1991	IR	15400	19400	17100	12800
11			1992	IR	14100	17300	15500	12000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1993	IR	12800	15700	13200	10500
11			1994	IR	11500	14200	12700	9650
11			1995	IR	12100	14900	13300	10300
11			1996	IR	12700	15800	14200	10800
11			1997	LR	13300	22300	18000	8900
11			1998	LR	14100	23300	18800	9300
11			1999	LR	14600	23900	19300	9650
11			2000	LR	15200	24600	19900	10100
11			2001	LR	15900	26000	20700	10600
11			2002	LR	16500	26900	21500	11200
11			2003	LR	17100	27000	21800	11500
11			2004	LR	17700	29000	23100	11800
11			2005	LR	18100	28300	22800	12300
11			2006	IR	19000	22900	20800	16100
11			2007	IR	19300	23400	23300	16400
11			2008	IR	19900	24100	23700	17000
11			2009	IR	19900	23900	21700	16900
11			2010	IR	21100	25100	23000	18000
11			2011	IR	18000	21500	21000	15400
11			2012	CTR	18100	22000	21700	15400
11			2013	LT	21000	27400	27400	15900
11			2014	LT	18300	23900	24300	13800
11			2015	LT	16300	21300	21600	12300
11			2016	LT	21000	27400	27900	15900
11			2017	LT	21400	30000	29700	16500
11			2018	LT	21700	30400	30100	16700
11			2019	LT	22100	31000	30700	17000
11	MUSKOKA RD 117 IC (E) CEDAR LANE (W)	14.3	1988	IR	9650	12500	10600	7700
11			1989	IR	10300	13300	11400	8450
11			1990	IR	11000	14000	12200	9000
11			1991	IR	11600	14600	12900	9650
11			1992	IR	11700	14400	12900	9950
11			1993	IR	11800	14500	12200	9650
11			1994	IR	12000	14800	13200	10100
11			1995	IR	12400	15300	13700	10600
11			1996	IR	12800	15900	14300	10900
11			1997	IR	13200	16500	14800	11200
11			1998	IR	13700	17000	15300	11500
11			1999	IR	13900	17200	15400	11700
11			2000	IR	14500	17800	16100	12300
11			2001	IR	14600	18000	16200	12300
11			2002	IR	15000	18500	16600	12800
11			2003	IR	15800	19200	17400	13400
11			2004	IR	15700	19400	17400	13300
11			2005	IR	15600	18800	17100	13300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2006	IR	15900	19200	17400	13500
11			2007	IR	16200	19600	19600	13700
11			2008	IR	16500	20000	19600	14100
11			2009	IR	15800	19000	17200	13400
11			2010	IR	17100	20400	18600	14600
11			2011	IR	17400	20800	20300	14900
11			2012	CTR	16000	19400	19200	13600
11			2013	LT	18000	23500	23500	13600
11			2014	LT	15400	20100	20500	11600
11			2015	T	14800	21600	21400	9450
11			2016	T	17400	25400	25200	11100
11			2017	T	17600	24100	24300	14000
11			2018	T	17800	24400	24500	14100
11			2019	T	18000	24700	24800	14300
11	HWY 141 IC (W) MUSKOKA RD 10 PORT SIDNEY RD (E)	12.5	1988	IR	11900	15500	13100	9500
11			1989	IR	12500	16100	13900	10200
11			1990	IR	12800	16300	14200	10500
11			1991	IR	12900	16300	14300	10700
11			1992	IR	12900	15900	14200	11000
11			1993	IR	13200	16200	13600	10800
11			1994	IR	13300	16400	14600	11100
11			1995	IR	13600	16800	15000	11600
11			1996	C	13900	15800	15800	12500
11			1997	IR	14400	18000	16100	12200
11			1998	IR	14800	18400	16600	12400
11			1999	IR	15200	18800	16900	12800
11			2000	IR	15500	19000	17200	13100
11			2001	IR	15900	19600	17600	13400
11			2002	IR	16300	20100	18100	13900
11			2003	IR	16700	20300	18400	14200
11			2004	IR	16700	20600	18500	14100
11			2005	IR	16900	20400	18500	14400
11			2006	IR	17800	21500	19500	15100
11			2007	IR	17500	21200	21100	14800
11			2008	IR	17100	20700	20300	14600
11			2009	CR	17700	21200	20500	15000
11			2010	CR	18400	22100	21300	15600
11			2011	CR	18700	21800	22000	16600
11			2012	CR	19000	22800	22400	16100
11			2013	CR	19300	23100	23700	16300
11			2014	CR	19600	23100	23000	16700
11			2015	CTR	17100	20900	21000	14500
11			2016	CTR	19700	24000	24200	16700
11			2017	CTR	20000	26700	26600	16300
11			2018	CTR	20300	27100	27000	16500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2019	CTR	20500	27300	27200	16700
11	S JCT MUSKOKA RD 3 IC	2.3	1988	IR	11600	15100	12800	9300
11			1989	IR	11900	15400	13200	9750
11			1990	IR	12300	15600	13700	10100
11			1991	IR	12600	15900	14000	10500
11			1992	IR	12600	15500	13900	10700
11			1993	IR	12600	15500	13000	10300
11			1994	IR	12600	15500	13900	10600
11			1995	IR	12800	15800	14100	10900
11			1996	IR	13000	16100	14500	11100
11			1997	IR	13200	16500	14800	11200
11			1998	IR	13400	16600	15000	11300
11			1999	IR	13800	17100	15300	11600
11			2000	IR	14000	17200	15500	11800
11			2001	IR	14300	17700	15800	12100
11			2002	IR	14600	18000	16200	12400
11			2003	IR	14400	17500	15800	12200
11			2004	IR	15100	18700	16700	12800
11			2005	IR	15300	18500	16800	13000
11			2006	IR	16000	19300	17500	13600
11			2007	IR	15900	19300	19200	13500
11			2008	IR	16100	19500	19100	13800
11			2009	IR	16400	19700	17900	13900
11			2010	IR	16700	19900	18200	14200
11			2011	IR	16900	20200	19700	14400
11			2012	IR	17200	20500	19900	14700
11			2013	IR	17400	20700	22200	14800
11			2014	IR	17700	21100	21100	15100
11			2015	CTR	18000	22000	22100	15300
11			2016	CTR	18200	22200	22400	15500
11			2017	CTR	18500	24700	24600	15100
11			2018	CTR	18800	25100	25000	15300
11			2019	CTR	19000	25300	25200	15500
11	MUSKOKA RD 2 IC	1.7	1988	IR	9900	12900	10900	7900
11			1989	IR	10400	13400	11500	8550
11			1990	IR	10700	13600	11900	8750
11			1991	IR	10700	13500	11900	8900
11			1992	IR	10900	13400	12000	9250
11			1993	IR	11000	13500	11400	9000
11			1994	IR	11200	13800	12300	9400
11			1995	IR	11300	13900	12500	9650
11			1996	IR	11400	14200	12700	9700
11			1997	IR	11500	14400	12900	9800
11			1998	IR	11600	14400	13000	9750
11			1999	IR	10900	13500	12100	9150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2000	IR	10700	13100	11900	9050
11			2001	IR	10600	13100	11700	8950
11			2002	IR	10400	12800	11500	8850
11			2003	IR	10300	12500	11300	8750
11			2004	IR	10100	12500	11200	8550
11			2005	IR	9950	12000	10900	8500
11			2006	IR	9500	11500	10400	8050
11			2007	IR	9650	11700	11700	8200
11			2008	IR	9500	11500	11300	8100
11			2009	IR	9300	11200	10100	7900
11			2010	IR	9150	10900	9950	7800
11			2011	SC	8500	10900	9950	6750
11			2012	SC	9000	9550	8950	7950
11			2013	LT	9000	11800	11700	6800
11			2014	LT	10500	13700	13900	7950
11			2015	LT	10700	14000	14200	8100
11			2016	LT	11000	14400	14600	8300
11			2017	LT	9200	11700	11700	7700
11			2018	LT	9150	11600	11700	7650
11			2019	LT	11000	14000	14000	9200
11	HWY 60 IC HUNTSVILLE	3.2	1988	IR	8400	10900	9250	6700
11			1989	IR	8500	11000	9450	6950
11			1990	IR	8600	10900	9550	7050
11			1991	IR	8650	10900	9600	7200
11			1992	IR	8750	10800	9600	7450
11			1993	IR	8900	10900	9200	7300
11			1994	IR	9000	11100	9900	7550
11			1995	IR	9200	11300	10100	7850
11			1996	IR	9400	11700	10500	8000
11			1997	IR	9600	12000	10800	8150
11			1998	IR	10000	12400	11200	8400
11			1999	IR	10200	12600	11300	8550
11			2000	IR	10400	12700	11500	8800
11			2001	IR	10600	13100	11700	8950
11			2002	IR	10900	13400	12100	9250
11			2003	IR	11100	13500	12200	9400
11			2004	IR	11400	14100	12600	9650
11			2005	IR	13100	15800	14400	11200
11			2006	CTR	11800	14600	14000	10000
11			2007	CTR	13400	16600	16500	11400
11			2008	CTR	13500	16700	16400	11500
11			2009	IR	12500	15000	13600	10600
11			2010	IR	13900	16500	15100	11800
11			2011	SC	12700	16300	14800	10100
11			2012	SC	12500	13200	12400	11000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2013	CTR	14100	17200	17700	12000
11			2014	CTR	14200	17300	17500	12100
11			2015	CTR	14500	17700	17800	12300
11			2016	CTR	14700	17900	18100	12500
11			2017	CTR	15000	20000	19900	12200
11			2018	CTR	15300	20400	20400	12500
11			2019	CTR	15500	20700	20600	12600
11	N JCT MUSKOKA RD 3 IC	4.8	1988	IR	8500	11000	9350	6800
11			1989	IR	9000	11600	10000	7400
11			1990	IR	9350	11900	10400	7650
11			1991	IR	9600	12100	10700	7950
11			1992	IR	9600	11800	10600	8150
11			1993	IR	9700	11900	10000	7950
11			1994	IR	9700	12000	10700	8150
11			1995	IR	10700	13200	11800	9100
11			1996	IR	11700	14500	13100	9950
11			1997	IR	12800	16000	14300	10900
11			1998	IR	13000	16100	14600	10900
11			1999	IR	12900	16000	14300	10800
11			2000	IR	13400	16400	14800	11300
11			2001	IR	13900	17200	15400	11800
11			2002	IR	14400	17800	16000	12200
11			2003	IR	14800	18000	16300	12600
11			2004	IR	15300	18900	17000	12900
11			2005	IR	15100	18200	16500	12900
11			2006	IR	15900	19200	17400	13500
11			2007	IR	15800	19100	19100	13400
11			2008	IR	16200	19600	19300	13800
11			2009	IR	14900	17900	16200	12700
11			2010	IR	17000	20200	18500	14500
11			2011	IR	13600	16200	15900	11600
11			2012	IR	16900	20100	19600	14400
11			2013	CTR	14900	18100	18700	12700
11			2014	CTR	17000	20700	20900	14400
11			2015	CTR	14200	17300	17500	12100
11			2016	CTR	14900	18200	18300	12700
11			2017	CTR	16900	22600	22500	13800
11			2018	CTR	17100	22800	22700	13900
11			2019	CTR	17300	23000	22900	14100
11	NORTH WASEOSA LK RD (W)/ROCKHAVEN RD (E) IC UP	4.0	2004	IR	11100	13700	12300	9400
11			2005	IR	11700	14100	12800	9950
11			2006	IR	13100	15800	14300	11100
11			2007	IR	13300	16100	16100	11300
11			2008	IR	11700	14200	13900	10000
11			2009	IR	13600	16300	14800	11600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2010	IR	16000	19000	17400	13600
11			2011	IR	18100	21600	21100	15500
11			2012	CTR	11800	14300	14100	10000
11			2013	CTR	15600	19000	19600	13200
11			2014	CTR	16100	19600	19800	13700
11			2015	CTR	12900	15700	15900	11000
11			2016	CTR	15800	19300	19400	13400
11			2017	CTR	16100	21500	21400	13100
11			2018	CTR	16400	21900	21800	13400
11			2019	CTR	16700	22300	22200	13600
11	S JCT SEC HWY 592 (E)/NOVAR RD (W) IC UP	8.9	2004	IR	9200	11400	10200	7800
11			2005	IR	9200	11100	10100	7850
11			2006	IR	9200	11100	10100	7800
11			2007	IR	9200	11100	11100	7800
11			2008	IR	9200	11100	10900	7850
11			2009	IR	9200	11000	10000	7800
11			2010	IR	9200	11000	10000	7850
11			2011	IR	9200	11000	10700	7850
11			2012	CTR	10300	12500	12300	8750
11			2013	CTR	9950	12100	12500	8450
11			2014	CTR	10200	12400	12500	8650
11			2015	CTR	10200	12400	12500	8650
11			2016	CTR	10200	12400	12500	8650
11			2017	CTR	10300	13800	13700	8400
11			2018	CTR	10400	13900	13800	8450
11			2019	CTR	10500	14000	13900	8550
11	FERN GLEN RD (W) SCOTIA RD (E)	4.2	1988	IR	6900	8950	7600	5500
11			1989	IR	7300	9400	8100	6000
11			1990	IR	7600	9650	8450	6250
11			1991	IR	7750	9750	8600	6450
11			1992	IR	7500	9200	8250	6400
11			1993	IR	7300	9000	7550	5950
11			1994	IR	7050	8700	7750	5900
11			1995	IR	7350	9050	8100	6250
11			1996	IR	7700	9550	8600	6550
11			1997	IR	8000	10000	8950	6800
11			1998	IR	8300	10300	9300	6950
11			1999	IR	8600	10700	9550	7200
11			2000	IR	8900	10900	9850	7500
11			2001	IR	9200	11400	10200	7800
11			2002	IR	9550	11800	10600	8100
11			2003	IR	9850	12000	10800	8350
11			2004	IR	9550	11800	10600	8050
11			2005	IR	9750	11800	10700	8300
11			2006	IR	9950	12000	10900	8450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2007	IR	9200	11100	11100	7800
11			2008	IR	10400	12600	12400	8900
11			2009	IR	10600	12700	11600	9000
11			2010	IR	10800	12900	11800	9200
11			2011	IR	11000	13100	12800	9400
11			2012	CTR	9850	12000	11800	8400
11			2013	CTR	11200	13600	14100	9500
11			2014	CTR	9450	11500	11600	8050
11			2015	CTR	9450	11500	11600	8050
11			2016	CTR	10000	12200	12300	8500
11			2017	CTR	11000	14700	14600	8950
11			2018	CTR	11100	14800	14800	9050
11			2019	CTR	11300	15100	15000	9200
11	SEC HWY 518 DEER LK RD (E) IC	1.7	1988	IR	6850	8900	7550	5500
11			1989	IR	7400	9550	8200	6050
11			1990	IR	7700	9800	8550	6300
11			1991	IR	7800	9850	8650	6450
11			1992	IR	7900	9700	8700	6700
11			1993	IR	8000	9850	8250	6550
11			1994	IR	8200	10100	9000	6850
11			1995	IR	8300	10200	9150	7050
11			1996	IR	8450	10500	9450	7200
11			1997	IR	8550	10700	9600	7250
11			1998	IR	8450	10500	9450	7100
11			1999	IR	8400	10400	9300	7050
11			2000	IR	8300	10200	9200	7000
11			2001	IR	8450	10400	9350	7150
11			2002	IR	8500	10500	9400	7250
11			2003	IR	8500	10300	9350	7200
11			2004	IR	8500	10500	9400	7200
11			2005	IR	8550	10300	9350	7300
11			2006	IR	8550	10300	9350	7250
11			2007	IR	8600	10400	10400	7300
11			2008	IR	8600	10400	10200	7350
11			2009	IR	8600	10300	9350	7300
11			2010	IR	8650	10300	9400	7350
11			2011	SC	8650	11100	10100	6900
11			2012	CTR	8700	10600	10400	7400
11			2013	CTR	8700	10600	10900	7400
11			2014	CTR	8700	10600	10700	7400
11			2015	CTR	8750	10700	10800	7450
11			2016	CTR	8750	10700	10800	7450
11			2017	CTR	8800	11800	11700	7150
11			2018	CTR	8800	11800	11700	7150
11			2019	CTR	8800	11700	11700	7150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11	N JCT SUNSET PASS DR/SEC HWY592 (E) GRAVEL RD (W)	2.9	1988	IR	6200	8050	6800	4950
11			1989	IR	6600	8500	7350	5400
11			1990	IR	6900	8750	7650	5650
11			1991	IR	7200	9050	8000	6000
11			1992	IR	7400	9100	8150	6300
11			1993	IR	7600	9350	7850	6200
11			1994	IR	7800	9600	8600	6550
11			1995	IR	8000	9850	8800	6800
11			1996	IR	8200	10200	9150	7000
11			1997	IR	8050	10100	9000	6850
11			1998	IR	8150	10100	9150	6850
11			1999	IR	8300	10300	9200	6950
11			2000	IR	8400	10300	9300	7100
11			2001	IR	8450	10400	9350	7150
11			2002	IR	8550	10500	9450	7250
11			2003	IR	8650	10500	9500	7350
11			2004	IR	8700	10800	9650	7350
11			2005	IR	8800	10600	9650	7500
11			2006	IR	8900	10700	9750	7550
11			2007	IR	8950	10800	10800	7600
11			2008	IR	9050	11000	10800	7750
11			2009	IR	9150	11000	9950	7800
11			2010	IR	9200	11000	10000	7850
11			2011	SC	8800	11300	10300	7000
11			2012	CTR	9200	11200	11000	7850
11			2013	CTR	9350	11400	11800	7950
11			2014	CTR	9400	11500	11600	8000
11			2015	CTR	9500	11600	11700	8100
11			2016	CTR	9550	11700	11700	8100
11			2017	CTR	9650	12900	12800	7850
11			2018	CTR	9700	13000	12900	7900
11			2019	CTR	9800	13100	13000	7950
11	KATRINE RD (HWY 7188) OP	4.5	2012	CTR	9200	11200	11000	7850
11			2013	CTR	9200	11200	11600	7800
11			2014	IR	8800	10500	10500	7500
11			2015	CTR	8500	10400	10500	7200
11			2016	CTR	8300	10100	10200	7050
11			2017	CTR	8050	10800	10700	6550
11			2018	CTR	7800	10400	10400	6350
11			2019	CTR	9500	12700	12600	7750
11	SEC HWY 520 FERGUSON RD (W)	3.5	1988	IR	5400	7000	5950	4300
11			1989	IR	5700	7350	6350	4650
11			1990	IR	6000	7600	6650	4900
11			1991	IR	6300	7950	7000	5250
11			1992	IR	6300	7750	6950	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1993	IR	6500	8000	6700	5300
11			1994	IR	6750	8300	7450	5650
11			1995	IR	6650	8200	7350	5650
11			1996	IR	6550	8150	7300	5600
11			1997	IR	6450	8050	7200	5500
11			1998	IR	6300	7800	7050	5300
11			1999	IR	6300	7800	7000	5300
11			2000	IR	6000	7350	6650	5050
11			2001	IR	6100	7550	6750	5150
11			2002	IR	6050	7450	6700	5150
11			2003	IR	6100	7400	6700	5200
11			2004	IR	5850	7250	6500	4950
11			2005	IR	5800	7000	6350	4950
11			2006	IR	5700	6900	6250	4850
11			2007	IR	5600	6800	6750	4750
11			2008	IR	5550	6700	6600	4750
11			2009	IR	5450	6550	5950	4650
11			2010	IR	5350	6350	5850	4550
11			2011	IR	5300	6300	6200	4550
11			2012	IR	5200	6200	6000	4450
11			2013	IR	5100	6050	6500	4350
11			2014	IR	5050	6000	6000	4300
11			2015	IR	4950	5900	5900	4200
11			2016	IR	4850	5750	5800	4150
11			2017	IR	4800	5900	5900	4100
11			2018	IR	4700	5800	5750	4000
11			2019	IR	7000	8650	8600	6000
11	ONTARIO ST (HWY 7162) ARMOUR TWP (E)	15.9	1988	IR	5650	7350	6200	4500
11			1989	IR	6000	7750	6650	4900
11			1990	IR	6400	8150	7100	5250
11			1991	IR	6650	8400	7400	5500
11			1992	IR	6650	8200	7300	5650
11			1993	IR	6700	8250	6950	5500
11			1994	IR	6800	8400	7500	5700
11			1995	IR	6850	8450	7550	5850
11			1996	IR	6900	8550	7700	5900
11			1997	IR	7000	8750	7850	5950
11			1998	IR	7100	8800	7950	5950
11			1999	IR	7100	8800	7900	5950
11			2000	IR	7150	8750	7900	6050
11			2001	IR	7250	8950	8050	6150
11			2002	IR	7300	9000	8100	6200
11			2003	IR	7350	8900	8100	6250
11			2004	IR	7400	9150	8200	6250
11			2005	IR	7500	9050	8200	6400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2006	IR	7550	9100	8250	6400
11			2007	IR	7600	9200	9200	6450
11			2008	IR	7650	9250	9100	6550
11			2009	IR	7750	9300	8450	6600
11			2010	IR	7800	9300	8500	6650
11			2011	SC	7450	9550	8700	5950
11			2012	SC	7850	8300	7800	6950
11			2013	C	7850	8650	8550	7050
11			2014	C	7900	8700	8450	7100
11			2015	C	8000	8800	8550	7200
11			2016	C	8050	8850	8600	7250
11			2017	C	8100	8850	8850	7350
11			2018	C	8150	8950	8900	7350
11			2019	C	8200	8950	8900	7400
11	HWY 124 IC-276 UP	6.9	1988	IR	6800	8850	7500	5450
11			1989	IR	7300	9400	8100	6000
11			1990	IR	7450	9450	8250	6100
11			1991	IR	7550	9500	8400	6250
11			1992	IR	7950	9800	8750	6750
11			1993	IR	8450	10400	8750	6900
11			1994	IR	8750	10800	9600	7350
11			1995	IR	8900	11000	9800	7600
11			1996	IR	9100	11300	10200	7750
11			1997	IR	8000	10000	8950	6800
11			1998	IR	8350	10400	9350	7000
11			1999	IR	8650	10700	9600	7250
11			2000	IR	9000	11000	9950	7600
11			2001	IR	8600	10600	9550	7250
11			2002	IR	8600	10600	9550	7300
11			2003	IR	8550	10400	9400	7250
11			2004	IR	8550	10600	9450	7250
11			2005	IR	8550	10300	9350	7300
11			2006	IR	8500	10300	9300	7200
11			2007	IR	8500	10300	10300	7200
11			2008	IR	8450	10200	10000	7200
11			2009	IR	8450	10100	9200	7200
11			2010	IR	8450	10100	9200	7200
11			2011	IR	8400	10000	9800	7150
11			2012	IR	7250	8600	8400	6200
11			2013	IR	7250	8650	9250	6150
11			2014	IR	6750	8050	8050	5750
11			2015	IR	7550	9000	9000	6450
11			2016	IR	7500	8950	8950	6400
11			2017	IR	7400	8700	8700	6600
11			2018	IR	7000	8500	8450	5950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2019	IR	7250	8800	8800	6200
11	BOUNDARY/MOUNTAINVIEW RD IC 282	5.6	1988	CTR	6500	8450	7950	5450
11			1989	CTR	6900	8750	8350	5950
11			1990	CTR	7100	8900	8400	6200
11			1991	IR	7300	9200	8100	6050
11			1992	IR	7300	9000	8050	6200
11			1993	IR	7500	9200	7750	6150
11			1994	IR	7500	9250	8250	6300
11			1995	IR	7500	9250	8250	6400
11			1996	IR	7500	9300	8350	6400
11			1997	IR	7500	9400	8400	6400
11			1998	IR	7600	9400	8500	6400
11			1999	IR	7650	9500	8500	6450
11			2000	IR	7800	9550	8650	6600
11			2001	IR	7750	9600	8600	6550
11			2002	IR	7800	9600	8650	6650
11			2003	IR	7850	9550	8650	6650
11			2004	IR	7900	9750	8750	6700
11			2005	IR	7950	9600	8700	6800
11			2006	IR	8000	9650	8750	6800
11			2007	IR	8050	9750	9700	6800
11			2008	IR	8100	9800	9650	6900
11			2009	IR	8150	9800	8900	6950
11			2010	IR	8200	9750	8950	7000
11			2011	IR	8250	9850	9650	7050
11			2012	CTR	6400	7750	7650	5450
11			2013	CTR	6500	7900	8150	5500
11			2014	CTR	6600	8050	8100	5600
11			2015	CTR	7450	9100	9150	6350
11			2016	CTR	7450	9100	9150	6350
11			2017	CTR	7450	9950	9900	6050
11			2018	CTR	6850	9150	9100	5600
11			2019	CTR	7300	9750	9700	5950
11	HWY 124/HWY 11 NORTH IC	5.1	2004	IR	6550	8100	7250	5550
11			2005	IR	6900	8350	7550	5900
11			2006	IR	7200	8700	7850	6100
11			2007	IR	7550	9150	9100	6400
11			2008	IR	7900	9550	9400	6750
11			2009	IR	8350	10000	9100	7100
11			2010	IR	8500	10100	9250	7250
11			2011	IR	8900	10600	10400	7600
11			2012	CR	8200	9800	9650	6950
11			2013	CR	8500	10200	10500	7200
11			2014	IR	7950	9450	9500	6750
11			2015	IR	8950	10700	10700	7600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2016	IR	9100	10800	10900	7750
11			2017	IR	9300	10900	10900	8300
11			2018	IR	9450	11100	11100	8450
11			2019	IR	9650	11300	11300	8650
11	GOREVILLE RD/SUMMIT RD LAURIER TWP IC	7.5	1988	IT	5400	7850	7200	4000
11			1989	IT	5600	7800	7500	4350
11			1990	IT	5850	7450	7250	4900
11			1991	IR	6050	7600	6700	5000
11			1992	IR	6550	8050	7200	5550
11			1993	IR	7050	8650	7300	5750
11			1994	IR	7550	9300	8300	6350
11			1995	IR	7700	9500	8500	6550
11			1996	IR	7900	9800	8800	6750
11			1997	IR	6600	8250	7400	5600
11			1998	IR	6850	8500	7650	5750
11			1999	IR	7150	8850	7950	6000
11			2000	IR	7400	9050	8200	6250
11			2001	IR	7650	9450	8500	6450
11			2002	IR	7550	9300	8350	6400
11			2003	IR	7300	8850	8050	6200
11			2004	IR	7300	9000	8100	6150
11			2005	IR	7300	8800	8000	6200
11			2006	IR	7300	8800	8000	6200
11			2007	IR	7300	8850	8800	6200
11			2008	IR	7250	8800	8600	6200
11			2009	IR	7250	8700	7900	6150
11			2010	IR	7250	8650	7900	6150
11			2011	IR	7250	8650	8450	6200
11			2012	CR	7250	8700	8550	6150
11			2013	CR	7200	8650	8850	6100
11			2014	CTR	7200	8800	8850	6100
11			2015	CTR	7200	8800	8850	6100
11			2016	CTR	7200	8800	8850	6100
11			2017	CTR	7200	9600	9550	5850
11			2018	CTR	7150	9550	9500	5800
11			2019	CTR	7150	9550	9500	5800
11	HWY 522/MCFADDEN LINE IC	2.5	1988	IT	5400	7850	7200	4000
11			1989	IT	5600	7800	7500	4350
11			1990	IT	5850	7450	7250	4900
11			1991	IR	6050	7600	6700	5000
11			1992	IR	6550	8050	7200	5550
11			1993	IR	7050	8650	7300	5750
11			1994	IR	7550	9300	8300	6350
11			1995	IR	7700	9500	8500	6550
11			1996	IR	7900	9800	8800	6750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1997	IR	6600	8250	7400	5600
11			1998	IR	6850	8500	7650	5750
11			1999	IR	7150	8850	7950	6000
11			2000	IR	7400	9050	8200	6250
11			2001	IR	6950	8600	7700	5900
11			2002	IR	6900	8500	7650	5850
11			2003	IR	6750	8200	7450	5750
11			2004	IR	6700	8300	7400	5650
11			2005	IR	6650	8050	7300	5650
11			2006	IR	6450	7800	7050	5500
11			2007	IR	6400	7750	7750	5400
11			2008	IR	6300	7650	7500	5400
11			2009	IR	6250	7500	6800	5300
11			2010	IR	6150	7300	6700	5250
11			2011	IR	6050	7200	7050	5150
11			2012	CR	5950	7150	7000	5050
11			2013	CR	5850	7000	7200	4950
11			2014	IR	5800	6900	6900	4950
11			2015	IR	5700	6800	6800	4850
11			2016	CTR	7050	8600	8650	6000
11			2017	CTR	5750	7700	7650	4700
11			2018	CTR	5700	7600	7600	4650
11			2019	CTR	7500	10000	9950	6100
11	SEC HWY 522	10.8	1988	IT	6000	8700	8000	4450
11			1989	IT	6300	8750	8450	4900
11			1990	IT	6600	8400	8200	5550
11			1991	IR	6800	8550	7550	5650
11			1992	IR	6800	8350	7500	5800
11			1993	IR	7000	8600	7250	5750
11			1994	IR	7050	8700	7750	5900
11			1995	IR	7100	8750	7800	6050
11			1996	IR	7150	8900	8000	6100
11			1997	IR	7200	9000	8050	6100
11			1998	IR	7250	9000	8100	6100
11			1999	IR	7400	9200	8200	6200
11			2000	IR	7350	9000	8150	6200
11			2001	IR	7600	9400	8400	6400
11			2002	IR	7650	9450	8500	6500
11			2003	IR	7900	9600	8700	6700
11			2004	IR	7850	9700	8700	6650
11			2005	IR	7950	9600	8700	6800
11			2006	CTR	8000	9900	9500	6800
11			2007	CTR	8100	10000	9950	6850
11			2008	CTR	8200	10100	9950	6950
11			2009	CTR	8300	10100	9800	7050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2010	IR	8350	9950	9100	7100
11			2011	IR	8450	10100	9850	7200
11			2012	IR	8550	10200	9900	7300
11			2013	IR	8650	10300	11000	7350
11			2014	IR	8700	10400	10400	7400
11			2015	IR	8800	10500	10500	7500
11			2016	IR	8900	10600	10600	7600
11			2017	IR	9000	10600	10600	8050
11			2018	IR	9000	10900	10900	7650
11			2019	IR	9150	11100	11100	7800
11	MCGILLVRAY CK (NB & SB)	1.9	1988	IT	5900	8550	7850	4350
11			1989	IT	6100	8500	8150	4750
11			1990	IT	6300	8000	7800	5300
11			1991	IR	6450	8150	7150	5350
11			1992	IR	6500	8000	7150	5500
11			1993	IR	6600	8100	6800	5400
11			1994	IR	6700	8250	7350	5600
11			1995	IR	6700	8250	7400	5700
11			1996	IR	6800	8450	7600	5800
11			1997	IR	6900	8600	7750	5850
11			1998	IR	6950	8600	7800	5850
11			1999	IR	7050	8750	7850	5900
11			2000	IR	7150	8750	7900	6050
11			2001	IR	7200	8900	8000	6100
11			2002	IR	7300	9000	8100	6200
11			2003	IR	7350	8900	8100	6250
11			2004	IR	7450	9200	8250	6300
11			2005	IR	7500	9050	8200	6400
11			2006	IR	7600	9150	8300	6450
11			2007	IR	7700	9350	9300	6500
11			2008	IR	7750	9400	9200	6600
11			2009	IR	7850	9400	8550	6650
11			2010	IR	7900	9400	8600	6700
11			2011	IR	8000	9550	9350	6850
11			2012	CR	8050	9650	9500	6800
11			2013	CR	8150	9750	10000	6900
11			2014	CR	8200	9650	9600	7000
11			2015	CR	8300	9800	9700	7050
11			2016	CTR	8400	10200	10300	7150
11			2017	CTR	8450	11300	11200	6900
11			2018	CTR	8550	11400	11400	6950
11			2019	CTR	8600	11500	11400	7000
11	SEC HWY 534 (W) CLARK ST(E) IC UP	2.5	1988	CR	5800	7400	6950	4800
11			1989	CR	6100	7800	7250	5100
11			1990	CR	6300	7800	7250	5650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1991	IT	6500	8450	8000	5600
11			1992	IT	6600	8600	8200	5600
11			1993	IT	6800	8350	8450	5800
11			1994	IT	6950	9050	8600	5900
11			1995	IT	6950	8900	8500	5950
11			1996	IT	6950	9150	8900	5750
11			1997	CR	6950	8600	8200	5900
11			1998	CR	7050	8650	8250	6000
11			1999	CR	7100	8750	8300	6050
11			2000	CR	7250	8900	8500	6150
11			2001	CR	7200	8850	8450	6100
11			2002	CR	7250	8900	8500	6100
11			2003	CR	7300	8900	8550	6200
11			2004	CR	7350	9050	8600	6200
11			2005	CR	7500	9100	8750	6300
11			2006	CR	7450	9050	8650	6300
11			2007	CR	7700	9300	9300	6500
11			2008	CR	8000	9700	9600	6750
11			2009	CR	7950	9550	9200	6750
11			2010	CR	8950	10700	10400	7550
11			2011	CR	8200	9550	9650	7300
11			2012	CR	8250	9900	9700	6950
11			2013	CR	8350	10000	10300	7050
11			2014	IR	8450	10100	10100	7200
11			2015	IR	8550	10200	10200	7300
11			2016	IR	8650	10300	10300	7350
11			2017	IR	8700	10200	10200	7750
11			2018	IR	8800	10300	10300	7850
11			2019	IR	8900	10400	10400	8000
11	MCCHARLES LINE MAIN ST	10.5	1988	CR	7000	8950	8400	5800
11			1989	CR	7100	9100	8450	5950
11			1990	CR	7200	8950	8300	6500
11			1991	IT	7300	9500	9000	6300
11			1992	IT	7400	9600	9200	6300
11			1993	IT	7500	9200	9300	6400
11			1994	IT	7600	9900	9400	6450
11			1995	IT	7600	9700	9250	6500
11			1996	IT	7700	10100	9850	6350
11			1997	CR	7800	9650	9200	6650
11			1998	CR	7900	9700	9250	6700
11			1999	CR	8050	9900	9400	6850
11			2000	CR	8200	10100	9600	6950
11			2001	CR	8250	10200	9650	6950
11			2002	CR	8350	10300	9800	7050
11			2003	CR	8450	10300	9900	7150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2004	CR	8550	10500	10000	7200
11			2005	CR	8650	10500	10100	7300
11			2006	CR	8750	10600	10200	7400
11			2007	CR	8850	10700	10700	7450
11			2008	CR	8950	10800	10700	7550
11			2009	CR	9050	10900	10500	7700
11			2010	CR	9150	11000	10600	7750
11			2011	CR	9250	10800	10900	8250
11			2012	CR	9350	11200	11000	7900
11			2013	CR	9450	11300	11600	8000
11			2014	CR	9550	11300	11200	8150
11			2015	CR	9650	11400	11300	8200
11			2016	CR	9750	11500	11400	8300
11			2017	CR	9850	11400	11500	8850
11			2018	CR	9950	11600	11600	8950
11			2019	CR	10100	11700	11800	9050
11	SEC HWY 654 IC (W) LK NOSBONSING RD (E)	9.1	1988	CR	7100	9100	8500	5900
11			1989	CR	7300	9350	8700	6150
11			1990	IT	7500	9500	9300	6300
11			1991	IT	7900	10300	9700	6800
11			1992	IT	8000	10400	9900	6800
11			1993	IT	8300	10200	10300	7050
11			1994	IT	8450	11000	10500	7200
11			1995	IT	8500	10900	10400	7250
11			1996	IT	8650	11400	11100	7150
11			1997	CR	8750	10800	10300	7450
11			1998	CR	8800	10800	10300	7500
11			1999	CR	9100	11200	10600	7750
11			2000	CR	9300	11400	10900	7900
11			2001	CR	9400	11600	11000	7950
11			2002	CR	9550	11700	11200	8050
11			2003	CR	9950	12100	11600	8400
11			2004	CR	9850	12100	11600	8300
11			2005	CR	10000	12100	11700	8400
11			2006	CR	10000	12100	11600	8450
11			2007	CR	10300	12500	12500	8700
11			2008	CR	10400	12600	12500	8750
11			2009	CR	10600	12700	12300	9000
11			2010	CR	10700	12800	12400	9050
11			2011	CR	10900	12700	12800	9700
11			2012	CR	11000	13200	13000	9300
11			2013	CR	11200	13400	13800	9450
11			2014	CR	11300	13300	13200	9650
11			2015	CR	11500	13600	13500	9800
11			2016	CR	11600	13700	13600	9900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2017	CR	11800	13700	13800	10600
11			2018	CR	11900	13800	13900	10700
11			2019	CR	12100	14000	14100	10900
11	HWY 11B (LAKESHORE DR) IC (W) DUPONT RD (E)	5.7	1988	IC	11400	13200	12900	10000
11			1989	IC	12200	14000	13800	10900
11			1990	IT	12700	16100	15700	10700
11			1991	C	13200	14500	14700	12000
11			1992	C	13300	14400	14800	12200
11			1993	C	13500	14700	14900	12400
11			1994	SC	13800	14400	15900	12700
11			1995	SC	14100	14700	16400	12800
11			1996	SC	14400	15300	16800	12900
11			1997	IC	14700	16500	16600	12900
11			1998	IC	15100	16900	16900	13400
11			1999	IC	15300	17100	17100	13600
11			2000	IC	15600	17500	17500	13900
11			2001	IC	16000	17900	18000	14100
11			2002	IC	16300	18200	18300	14400
11			2003	IC	16600	18500	18700	14700
11			2004	IC	16900	18900	19000	14900
11			2005	IC	17200	19100	19300	15200
11			2006	IC	17500	19400	19600	15500
11			2007	IC	17800	19800	20400	15700
11			2008	IC	18200	20200	19500	16000
11			2009	IC	18500	20500	20700	16500
11			2010	IC	18800	20800	21000	16700
11			2011	IC	18000	19800	20500	16100
11			2012	UC	19100	19200	20400	18100
11			2013	UC	19400	19500	19500	18400
11			2014	UC	19700	19800	18900	18700
11			2015	CR	17400	20500	20400	14800
11			2016	CR	19800	23300	23200	16900
11			2017	CR	20100	23300	23400	18100
11			2018	CR	20300	23600	23700	18200
11			2019	CR	20600	23900	24100	18500
11	S JCT HWY 17 IC	0.6	1988	C	18100	20100	20100	16300
11			1989	C	19500	21600	21800	17600
11			1990	C	20700	23000	23000	18600
11			1991	C	20900	23000	23200	19000
11			1992	C	21000	22700	23300	19300
11			1993	C	21600	23500	23900	19900
11			1994	SC	21900	22800	25200	20100
11			1995	SC	22000	23000	25600	20000
11			1996	SC	22100	23500	25800	19800
11			1997	IC	22200	24900	25100	19500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1998	IC	22300	25000	25000	19800
11			1999	IC	22400	25100	25100	19900
11			2000	IC	22500	25200	25200	20000
11			2001	IC	22600	25300	25400	20000
11			2002	IC	22700	25300	25500	20000
11			2003	IC	22800	25400	25700	20200
11			2004	IC	22900	25600	25700	20300
11			2005	IC	23000	25600	25800	20300
11			2006	IC	23300	25900	26100	20600
11			2007	IC	23200	25800	26600	20500
11			2008	IC	25100	27800	26900	22100
11			2009	IC	26000	28900	29100	23100
11			2010	IC	27300	30200	30500	24200
11			2011	IC	25400	27900	29000	22800
11			2012	UC	25200	25400	27000	23900
11			2013	UC	25800	25900	25900	24500
11			2014	C	26000	28600	27800	23400
11			2015	C	26300	28900	28100	23700
11			2016	C	26500	29200	28400	23800
11			2017	C	26800	29300	29300	24300
11			2018	C	27000	29600	29400	24400
11			2019	C	27200	29700	29600	24600
11	SEYMOUR ST	0.6	1988	SC	20600	22200	24300	18500
11			1989	SC	22900	25200	27700	20400
11			1990	UC	25100	26900	29100	23800
11			1991	UC	25200	26700	29000	24400
11			1992	UC	25500	27000	29300	24500
11			1993	UC	25800	27200	29300	24200
11			1994	SC	26200	27200	30100	24100
11			1995	SC	26500	27700	30800	24100
11			1996	SC	26800	28500	31300	24000
11			1997	UC	27100	28500	31700	25500
11			1998	UC	26500	28100	31000	25200
11			1999	UC	26000	27600	30400	24700
11			2000	UC	25400	26900	30000	23900
11			2001	UC	25800	27600	30400	24200
11			2002	UC	25700	27400	30200	24100
11			2003	UC	25600	27100	30000	24200
11			2004	UC	25400	27200	29900	23900
11			2005	UC	25300	26800	29600	23700
11			2006	UC	25800	27300	30100	24300
11			2007	UC	25000	26500	28900	23500
11			2008	UC	25700	27100	25500	24000
11			2009	UC	25700	27200	30100	24200
11			2010	UC	27400	29000	31900	25800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2011	UC	25600	25700	26600	24300
11			2012	UC	29000	29200	31000	27600
11			2013	UC	29000	29100	29200	27500
11			2014	C	26400	29000	28200	23800
11			2015	C	26800	29500	28700	24100
11			2016	C	26800	29500	28700	24100
11			2017	C	26900	29400	29400	24400
11			2018	C	26900	29500	29300	24300
11			2019	C	27000	29500	29300	24400
11	HWY 17B (FISHER ST) W NORTHGATE SQ ENT (E)	0.6	1988	SC	23500	25400	27700	21200
11			1989	SC	24900	27400	30100	22200
11			1990	C	26900	29900	29900	24200
11			1991	UC	27100	28700	31200	26300
11			1992	UC	27300	28900	31400	26200
11			1993	UC	27800	29300	31600	26000
11			1994	SC	28100	29200	32300	25900
11			1995	SC	28100	29400	32600	25600
11			1996	SC	28300	30100	33100	25400
11			1997	SC	25100	26600	29400	22300
11			1998	SC	24500	26000	28700	21800
11			1999	SC	23900	25300	28000	21300
11			2000	C	23300	26300	26300	21000
11			2001	C	22100	24900	24900	19900
11			2002	C	22000	24600	24800	19800
11			2003	C	22200	24800	25000	20000
11			2004	C	22100	24900	24900	19900
11			2005	C	22200	24700	24900	19900
11			2006	C	22400	24900	25100	20200
11			2007	C	21600	24000	24300	19400
11			2008	C	25600	28300	27900	23000
11			2009	C	27200	29900	30200	24500
11			2010	C	29700	32700	33000	26700
11			2011	C	23700	26100	26400	21300
11			2012	UC	24700	24800	26400	23500
11			2013	UC	25000	25100	25100	23700
11			2014	C	23700	26100	25400	21300
11			2015	C	23800	26200	25500	21400
11			2016	C	23700	26100	25400	21300
11			2017	C	23600	25800	25800	21400
11			2018	C	23600	25900	25700	21300
11			2019	C	23500	25700	25500	21300
11	HWY 63 (TROUT LK RD) E CASSELLS ST (W)	1.6	1988	UC	21700	22800	24500	20400
11			1989	UC	23200	24400	26200	22000
11			1990	UC	24600	26300	28500	23400
11			1991	UC	25000	26500	28700	24200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1992	UC	25100	26600	28900	24100
11			1993	UC	25200	26500	28600	23600
11			1994	SC	25300	26300	29100	23300
11			1995	SC	25400	26600	29500	23100
11			1996	SC	25400	27000	29700	22800
11			1997	SC	25500	27000	29800	22700
11			1998	SC	25000	26500	29200	22200
11			1999	SC	24700	26200	28900	22000
11			2000	SC	24100	25500	28200	21200
11			2001	SC	24300	25900	28500	21400
11			2002	SC	24100	25600	28200	21200
11			2003	SC	23900	25200	27900	21100
11			2004	SC	23700	25300	27700	20900
11			2005	SC	23500	24900	27400	20700
11			2006	SC	23700	25100	27700	20900
11			2007	SC	23100	24400	26700	20300
11			2008	SC	26500	27800	26200	23300
11			2009	SC	27900	29600	32600	24600
11			2010	SC	30200	31900	35400	26600
11			2011	SC	26000	33300	30400	20700
11			2012	UC	27900	28100	29900	26500
11			2013	UC	28000	28100	28200	26600
11			2014	C	26800	29500	28700	24100
11			2015	C	27100	29800	29000	24400
11			2016	C	27200	29900	29100	24500
11			2017	C	27400	30000	29900	24900
11			2018	C	27500	30100	30000	24800
11			2019	C	27700	30300	30100	25100
11	O'BRIEN ST	0.7	1988	UC	17500	18400	19800	16400
11			1989	UC	18400	19300	20800	17500
11			1990	UC	19400	20800	22500	18400
11			1991	UC	20300	21500	23300	19700
11			1992	UC	22000	23300	25300	21100
11			1993	UC	24000	25300	27300	22500
11			1994	SC	26000	27000	29900	23900
11			1995	SC	24900	26000	28900	22700
11			1996	SC	23700	25200	27700	21200
11			1997	SC	22600	24000	26400	20100
11			1998	SC	22500	23800	26300	20000
11			1999	SC	22200	23500	26000	19800
11			2000	C	22300	25200	25200	20100
11			2001	C	20900	23500	23600	18800
11			2002	C	20300	22700	22900	18300
11			2003	C	19700	22000	22100	17800
11			2004	C	19400	21800	21900	17500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2005	C	18900	21000	21200	17000
11			2006	C	19000	21100	21300	17100
11			2007	C	18300	20300	20600	16400
11			2008	C	21400	23600	23300	19200
11			2009	C	22700	25000	25200	20400
11			2010	C	24700	27200	27500	22200
11			2011	C	19700	21700	21900	17700
11			2012	UC	26900	27100	28800	25600
11			2013	UC	25000	25100	25100	23700
11			2014	C	21000	23100	22500	18900
11			2015	C	21400	23500	22900	19300
11			2016	C	21300	23400	22800	19200
11			2017	C	21300	23300	23200	19300
11			2018	C	21200	23200	23100	19100
11			2019	C	21200	23200	23000	19200
11	N JCT HWYS 17/11B (ALGONQUIN AV)	0.3	1988	UC	25100	26400	28400	23600
11			1989	UC	26100	27400	29500	24800
11			1990	UC	26900	28800	31200	25600
11			1991	UC	27000	28600	31000	26200
11			1992	UC	27300	28900	31400	26200
11			1993	UC	27700	29200	31500	25900
11			1994	UC	28000	29700	32000	26000
11			1995	UC	28000	29500	32000	26100
11			1996	UC	28100	29700	32900	26700
11			1997	UC	26800	28100	31400	25200
11			1998	UC	27000	28600	31600	25600
11			1999	UC	27300	28900	31900	25900
11			2000	UC	27600	29300	32600	25900
11			2001	UC	27900	29900	32800	26200
11			2002	UC	27600	29400	32500	25800
11			2003	UC	26600	28100	31200	25100
11			2004	UC	26400	28300	31100	24800
11			2005	UC	26200	27700	30600	24600
11			2006	UC	25900	27400	30300	24400
11			2007	UC	24800	26300	28700	23300
11			2008	UC	27500	29000	27300	25700
11			2009	UC	28300	30000	33100	26600
11			2010	UC	29900	31600	34800	28100
11			2011	UC	27100	27200	28100	25700
11			2012	UC	29500	29700	31600	28000
11			2013	UC	29000	29100	29200	27500
11			2014	UC	27700	27800	26600	26300
11			2015	UC	27900	28000	26800	26500
11			2016	UC	27900	28000	26800	26500
11			2017	UC	28000	27800	28100	26800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2018	UC	28000	27800	28200	26900
11			2019	UC	28000	27600	28000	27000
11	SHERRIFF AV (E)	0.2	2000	C	18300	20700	20700	16500
11			2001	C	18300	20600	20700	16500
11			2002	C	18300	20500	20700	16500
11			2003	C	18300	20400	20600	16500
11			2004	C	18300	20600	20700	16500
11			2005	C	18300	20400	20500	16400
11			2006	C	19000	21100	21300	17100
11			2007	C	19200	21300	21600	17300
11			2008	C	19400	21400	21100	17400
11			2009	C	19500	21400	21600	17600
11			2010	C	20200	22300	22500	18200
11			2011	C	19900	21900	22100	17900
11			2012	UC	22600	22700	24200	21500
11			2013	UC	22500	22600	22600	21400
11			2014	UC	21700	21800	20900	20600
11			2015	UC	22000	22100	21200	20900
11			2016	UC	22300	22400	21400	21200
11			2017	UC	22600	22500	22700	21700
11			2018	UC	22900	22700	23100	22000
11			2019	UC	23200	22900	23200	22400
11	AIRPORT RD (E) MCKEOWN AV (W)	1.6	1988	UC	9200	9650	10400	8650
11			1989	UC	9900	10400	11200	9400
11			1990	C	10300	11400	11400	9250
11			1991	C	10400	11400	11500	9450
11			1992	C	10600	11400	11800	9750
11			1993	C	10600	11600	11700	9750
11			1994	C	10700	11700	11900	9700
11			1995	C	10000	10900	11200	9150
11			1996	C	9300	10500	10600	8400
11			1997	SC	8650	9150	10100	7700
11			1998	SC	8800	9350	10300	7850
11			1999	SC	8800	9350	10300	7850
11			2000	SC	9100	9650	10600	8000
11			2001	SC	8250	8800	9650	7250
11			2002	SC	7950	8450	9300	7000
11			2003	SC	7650	8100	8950	6750
11			2004	SC	7600	8100	8900	6700
11			2005	SC	7400	7850	8650	6500
11			2006	SC	7550	8000	8850	6650
11			2007	SC	7250	7650	8400	6400
11			2008	SC	7200	7550	7100	6350
11			2009	SC	7000	7400	8200	6150
11			2010	SC	8000	8450	9350	7050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2011	SC	6650	8500	7750	5300
11			2012	UC	7400	7450	7900	7050
11			2013	UC	8000	8050	8050	7600
11			2014	C	7500	8250	8050	6750
11			2015	C	7800	8600	8350	7000
11			2016	C	8000	8800	8550	7200
11			2017	C	6800	7450	7400	6150
11			2018	C	6700	7350	7300	6050
11			2019	C	8500	9300	9250	7700
11	CEDAR HEIGHTS RD	6.5	1988	UC	6900	7250	7800	6500
11			1989	UC	7200	7550	8150	6850
11			1990	IC	7500	8550	8400	6700
11			1991	IC	7700	8700	8550	6850
11			1992	IC	7100	7900	7800	6450
11			1993	IC	6500	7350	7300	5800
11			1994	IC	6500	7300	7300	5800
11			1995	IC	6600	7400	7450	5900
11			1996	IC	6700	7500	7550	5950
11			1997	IC	6850	7650	7750	6050
11			1998	IC	7000	7850	7850	6250
11			1999	IC	7050	7900	7900	6250
11			2000	IC	7250	8100	8100	6450
11			2001	IC	7250	8100	8150	6400
11			2002	IC	7350	8200	8250	6500
11			2003	IC	7350	8200	8250	6500
11			2004	IC	7450	8350	8350	6600
11			2005	IC	7550	8400	8500	6650
11			2006	IC	7550	8400	8450	6700
11			2007	IC	7550	8400	8650	6650
11			2008	IC	7700	8550	8250	6800
11			2009	IC	7800	8650	8750	6950
11			2010	IC	7700	8500	8600	6850
11			2011	IC	7950	8750	9050	7150
11			2012	IC	7150	7900	7700	6350
11			2013	IC	7200	7950	7900	6400
11			2014	CR	7050	8300	8250	6000
11			2015	CR	7200	8500	8450	6150
11			2016	CR	7300	8600	8550	6200
11			2017	CR	7650	8850	8900	6900
11			2018	CR	7700	8950	9000	6900
11			2019	CR	7700	8950	9000	6900
11	COOK'S MILL RD (W) ROY DR (E)	3.1	1988	UC	4400	4600	4950	4150
11			1989	UC	4600	4850	5200	4350
11			1990	IC	4850	5550	5450	4300
11			1991	IC	4900	5550	5450	4350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1992	IC	4500	5000	4950	4100
11			1993	IC	4050	4600	4550	3600
11			1994	LT	4000	5850	5650	2900
11			1995	LT	3900	5600	5450	2850
11			1996	LT	3750	5300	5150	2750
11			1997	IT	3800	5000	4900	3150
11			1998	IT	3900	5050	5000	3150
11			1999	IT	4050	5200	5150	3300
11			2000	IC	3800	4250	4250	3400
11			2001	IT	3850	5050	4900	3150
11			2002	IT	3900	5100	4950	3200
11			2003	IR	3950	4800	4350	3350
11			2004	IR	3900	4800	4300	3300
11			2005	IR	3900	4700	4250	3300
11			2006	IT	3900	4950	4950	3200
11			2007	IT	3900	5000	5200	3200
11			2008	IT	3800	4900	4650	3200
11			2009	IR	3850	4600	4200	3250
11			2010	IR	3850	4600	4200	3300
11			2011	IR	3850	4600	4500	3300
11			2012	IC	3850	4250	4150	3400
11			2013	CTR	3850	4700	4850	3250
11			2014	CR	3850	4550	4500	3300
11			2015	CTR	3850	4700	4750	3250
11			2016	CTR	3850	4700	4750	3250
11			2017	CTR	3850	5150	5100	3150
11			2018	CTR	3850	5150	5100	3150
11			2019	CTR	3850	5150	5100	3150
11	PARKWOOD VILLA ENT (W)	45.4	1988	IT	3000	4350	4000	2200
11			1989	IT	3150	4400	4200	2450
11			1990	IT	3350	4250	4150	2800
11			1991	LT	3500	4900	4700	2600
11			1992	LT	3600	5000	4850	2750
11			1993	LT	3650	5050	4550	2700
11			1994	LT	3200	4700	4500	2350
11			1995	LT	3300	4750	4600	2400
11			1996	LT	4700	6650	6450	3450
11			1997	LT	4800	6750	6600	3550
11			1998	LT	4900	6850	6700	3600
11			1999	LT	4200	5850	5700	3050
11			2000	LT	4250	5900	5800	3100
11			2001	LT	4300	6000	5850	3150
11			2002	LT	4350	6100	5900	3200
11			2003	LT	4400	6050	5900	3250
11			2004	LT	4450	6250	6050	3250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2005	LT	4000	5500	5350	2950
11			2006	LT	3400	4650	4550	2500
11			2007	LT	3550	4850	5000	2600
11			2008	LT	3450	4750	4500	2550
11			2009	LT	3500	4700	4600	2600
11			2010	LT	3600	4850	4750	2650
11			2011	LT	3700	4750	4850	3050
11			2012	LT	3650	4750	4550	2750
11			2013	LT	3600	4700	4700	2700
11			2014	LT	3550	4650	4700	2700
11			2015	LT	3550	4650	4700	2700
11			2016	LT	3500	4550	4650	2650
11			2017	LT	3450	4700	4700	2700
11			2018	LT	3400	4600	4650	2700
11			2019	LT	3400	4600	4650	2700
11	HWY 64 (W)	38.7	1988	IT	2850	4150	3800	2100
11			1989	IT	3000	4150	4000	2350
11			1990	IT	3150	4000	3900	2650
11			1991	IT	3300	4300	4050	2850
11			1992	IT	3300	4300	4100	2800
11			1993	IT	3350	4100	4150	2850
11			1994	IT	3200	4150	3950	2700
11			1995	IT	3100	3950	3800	2650
11			1996	IT	3000	3950	3850	2450
11			1997	LT	3050	4300	4200	2250
11			1998	LT	3150	4400	4300	2300
11			1999	LT	3250	4500	4400	2350
11			2000	LT	3150	4400	4300	2300
11			2001	LT	3150	4400	4300	2300
11			2002	LT	3150	4400	4300	2300
11			2003	LT	3150	4350	4250	2350
11			2004	LT	3200	4500	4350	2350
11			2005	LT	3200	4400	4300	2350
11			2006	LT	3200	4400	4250	2350
11			2007	LT	3200	4400	4500	2350
11			2008	LT	3200	4400	4200	2350
11			2009	LT	3200	4300	4200	2350
11			2010	LT	3200	4300	4200	2350
11			2011	LT	3200	4100	4200	2650
11			2012	IC	3850	4250	4150	3400
11			2013	CTR	3350	4100	4200	2850
11			2014	CTR	3400	4150	4200	2900
11			2015	CTR	3400	4150	4200	2900
11			2016	CTR	3400	4150	4200	2900
11			2017	CTR	3450	4600	4600	2800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2018	CTR	3450	4600	4600	2800
11			2019	CTR	3450	4600	4600	2800
11	LAKESHORE DR (W)	32.4	1988	CR	3450	4400	4150	2850
11			1989	CR	3550	4550	4200	3000
11			1990	IT	3750	4750	4650	3150
11			1991	IT	3900	5050	4800	3350
11			1992	IT	3900	5050	4850	3300
11			1993	IT	3800	4650	4700	3250
11			1994	IT	3800	4950	4700	3250
11			1995	IT	3800	4850	4650	3250
11			1996	IT	3800	5000	4850	3150
11			1997	LT	3850	5450	5250	2950
11			1998	LT	3900	5450	5250	2950
11			1999	LT	3950	5500	5350	2900
11			2000	LT	3950	5500	5400	2900
11			2001	LT	4000	5600	5450	2950
11			2002	LT	4000	5600	5450	2950
11			2003	LT	4050	5550	5450	3000
11			2004	LT	4100	5750	5600	3000
11			2005	LT	4100	5600	5500	3000
11			2006	LT	4200	5750	5600	3100
11			2007	LT	4300	5900	6050	3150
11			2008	LT	4200	5750	5500	3100
11			2009	LT	4450	6000	5850	3300
11			2010	LT	4550	6100	6000	3350
11			2011	LT	4300	5500	5600	3550
11			2012	LT	4450	5800	5550	3350
11			2013	UC	4400	4400	4400	4200
11			2014	UC	4500	4500	4350	4250
11			2015	CTR	3950	4800	4850	3350
11			2016	CTR	4500	5500	5550	3800
11			2017	CTR	4500	6000	6000	3650
11			2018	CTR	4550	6100	6050	3700
11			2019	CTR	4550	6050	6050	3700
11	LATCHFORD S LTS	8.4	1988	LT	3500	4950	4950	2650
11			1989	LT	3600	5000	4950	2650
11			1990	LT	3700	5400	5200	2700
11			1991	LT	3700	5200	5000	2750
11			1992	LT	3700	5150	5000	2850
11			1993	LT	2550	3550	3150	1850
11			1994	LT	2650	3900	3750	1950
11			1995	LT	2800	4000	3900	2050
11			1996	LT	2950	4150	4050	2150
11			1997	LT	3150	4450	4350	2350
11			1998	LT	3400	4750	4650	2500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1999	LT	3700	5150	5050	2700
11			2000	LT	3800	5300	5200	2750
11			2001	LT	4000	5600	5450	2950
11			2002	LT	4200	5850	5700	3100
11			2003	LT	4400	6050	5900	3250
11			2004	LT	4600	6450	6250	3350
11			2005	LT	4400	6050	5900	3250
11			2006	LT	4400	6000	5850	3250
11			2007	LT	4600	6300	6500	3400
11			2008	LT	4750	6500	6250	3500
11			2009	LT	5200	7000	6850	3850
11			2010	LT	5000	6700	6600	3700
11			2011	LT	4100	5250	5350	3350
11			2012	LT	5250	6850	6550	3950
11			2013	LT	5350	7000	7000	4050
11			2014	LT	5500	7200	7300	4150
11			2015	LT	5600	7300	7450	4250
11			2016	LT	5750	7500	7650	4350
11			2017	LT	5900	8000	8050	4650
11			2018	LT	6000	8150	8200	4750
11			2019	LT	6150	8350	8400	4850
11	S JCT HWY 11B (E)	9.5	1988	LT	3150	4450	4450	2400
11			1989	LT	3350	4650	4600	2500
11			1990	LT	3550	5200	4950	2600
11			1991	LT	3700	5200	5000	2750
11			1992	LT	3700	5150	5000	2850
11			1993	LT	2550	3550	3150	1850
11			1994	LT	2650	3900	3750	1950
11			1995	LT	2800	4000	3900	2050
11			1996	LT	2950	4150	4050	2150
11			1997	LT	3150	4450	4350	2350
11			1998	LT	3400	4750	4650	2500
11			1999	LT	3700	5150	5050	2700
11			2000	LT	3750	5200	5100	2750
11			2001	LT	3900	5450	5300	2850
11			2002	LT	3800	5300	5150	2800
11			2003	LT	4300	5900	5800	3200
11			2004	LT	4500	6300	6150	3300
11			2005	LT	4650	6400	6250	3400
11			2006	UC	5000	5300	5850	4700
11			2007	UC	5050	5350	5850	4750
11			2008	UC	5250	5550	5200	4900
11			2009	UC	5400	5700	6300	5100
11			2010	UC	5600	5900	6500	5250
11			2011	UC	4450	4450	4600	4200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2012	UC	5700	5750	6100	5400
11			2013	CTR	5800	7050	7300	4950
11			2014	CTR	5700	6950	7000	4850
11			2015	CTR	5350	6550	6600	4550
11			2016	CTR	6200	7550	7650	5250
11			2017	CTR	6300	8400	8400	5150
11			2018	CTR	6450	8600	8600	5250
11			2019	CTR	5800	7750	7700	4700
11	SEC HWY 558	6.7	1988	LT	4050	5750	5700	3100
11			1989	LT	4200	5850	5800	3100
11			1990	LT	4450	6500	6250	3250
11			1991	LT	4600	6450	6200	3400
11			1992	LT	4600	6400	6200	3550
11			1993	LT	3300	4550	4100	2400
11			1994	LT	3350	4900	4750	2450
11			1995	LT	3400	4900	4750	2500
11			1996	LT	3450	4850	4750	2550
11			1997	LT	3500	4950	4850	2600
11			1998	LT	3550	4950	4850	2600
11			1999	LT	3600	5000	4900	2650
11			2000	LT	3700	5150	5050	2700
11			2001	LT	3800	5300	5150	2800
11			2002	LT	3850	5400	5250	2800
11			2003	LT	3950	5450	5300	2900
11			2004	LT	4000	5600	5450	2950
11			2005	LT	3950	5400	5300	2900
11			2006	LT	4200	5750	5600	3100
11			2007	LT	4050	5550	5700	3000
11			2008	LT	4100	5600	5350	3000
11			2009	SC	3850	4100	4500	3400
11			2010	SC	4200	4450	4900	3700
11			2011	SC	4800	6150	5600	3800
11			2012	SC	4450	4700	4450	3950
11			2013	CR	5650	6750	6950	4800
11			2014	CR	4800	5650	5600	4100
11			2015	CTR	4900	6000	6050	4150
11			2016	CTR	4950	6050	6100	4200
11			2017	CTR	5050	6750	6700	4100
11			2018	CTR	5100	6800	6800	4150
11			2019	CTR	5200	6950	6900	4250
11	S JCT HWY 65 IC WHITEWOOD AVE (E)	2.7	1988	IC	4050	4700	4600	3550
11			1989	IC	4300	4950	4850	3850
11			1990	LT	4650	6800	6500	3400
11			1991	LT	4800	6700	6500	3550
11			1992	LT	4800	6650	6500	3700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1993	LT	3600	5000	4450	2650
11			1994	LT	4000	5850	5650	2900
11			1995	LT	4350	6250	6050	3200
11			1996	LT	4750	6700	6550	3500
11			1997	LT	4850	6850	6700	3600
11			1998	LT	4950	6950	6800	3600
11			1999	LT	5000	6950	6800	3650
11			2000	LT	5350	7450	7300	3900
11			2001	LT	5550	7750	7550	4050
11			2002	LT	5750	8050	7850	4200
11			2003	LT	5950	8200	8000	4400
11			2004	LT	6150	8600	8350	4500
11			2005	LT	6350	8700	8500	4650
11			2006	IC	6500	7200	7300	5750
11			2007	IC	6750	7500	7750	5950
11			2008	IC	6950	7700	7450	6150
11			2009	CR	7100	8500	8250	6050
11			2010	CR	7350	8800	8500	6200
11			2011	IC	7500	8250	8550	6750
11			2012	IC	7750	8600	8300	6900
11			2013	CR	7900	9450	9700	6700
11			2014	CR	8100	9550	9500	6900
11			2015	CTR	8300	10100	10200	7050
11			2016	CTR	8500	10400	10500	7200
11			2017	CTR	8700	11600	11600	7100
11			2018	CTR	8900	11900	11800	7250
11			2019	CTR	9100	12100	12100	7400
11	N JCT HWY 65 AND HWY 11	1.2	1988	IC	8100	9400	9150	7150
11			1989	IC	9100	10500	10300	8100
11			1990	IC	10200	11600	11400	9100
11			1991	IC	10500	11900	11700	9350
11			1992	IC	10700	11900	11800	9750
11			1993	IC	11000	12400	12300	9800
11			1994	IC	10000	11200	11200	8900
11			1995	IC	9500	10600	10700	8550
11			1996	SC	9000	9550	10500	8050
11			1997	IC	9850	11000	11100	8650
11			1998	IC	10700	12000	12000	9500
11			1999	IC	11500	12900	12900	10200
11			2000	IC	11800	13200	13200	10500
11			2001	IC	12000	13400	13500	10600
11			2002	IC	12300	13700	13800	10800
11			2003	IC	12500	13900	14100	11100
11			2004	IC	12300	13800	13800	10900
11			2005	IC	12700	14100	14300	11200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2006	SC	13000	13800	15200	11500
11			2007	SC	13300	14100	15400	11700
11			2008	SC	13600	14300	13500	12000
11			2009	IC	13200	14700	14800	11700
11			2010	IC	14200	15700	15800	12600
11			2011	IC	12000	13200	13700	10800
11			2012	IC	14200	15700	15300	12600
11			2013	UC	14300	14300	14400	13600
11			2014	UC	14400	14400	13800	13700
11			2015	UC	13500	13500	13000	12800
11			2016	UC	14900	14900	14300	14100
11			2017	UC	15100	15000	15100	14500
11			2018	UC	15300	15200	15400	14700
11			2019	UC	15500	15300	15500	14900
11	ROLAND RD (E)	10.6	1988	IC	4450	5150	5050	3900
11			1989	IC	4600	5300	5200	4100
11			1990	IC	4750	5400	5300	4250
11			1991	IC	4900	5550	5450	4350
11			1992	IC	5000	5550	5500	4550
11			1993	IC	5200	5900	5800	4650
11			1994	IC	5300	5950	5950	4700
11			1995	IC	5400	6050	6100	4850
11			1996	IC	5500	6200	6200	4900
11			1997	SC	5700	6050	6650	5050
11			1998	SC	5950	6300	6950	5300
11			1999	SC	6150	6500	7200	5450
11			2000	C	6000	6800	6800	5400
11			2001	C	6250	7050	7050	5650
11			2002	C	6750	7550	7600	6050
11			2003	C	6500	7250	7300	5850
11			2004	C	6600	7450	7450	5950
11			2005	C	6550	7300	7350	5900
11			2006	IR	6600	7950	7200	5600
11			2007	IR	6750	8200	8150	5700
11			2008	IR	6850	8300	8150	5850
11			2009	CR	6550	7850	7600	5550
11			2010	CR	7050	8450	8150	5950
11			2011	CR	6300	7350	7450	5600
11			2012	CR	7050	8450	8300	5950
11			2013	CR	6150	7350	7550	5200
11			2014	CR	7050	8300	8250	6000
11			2015	CTR	7050	8600	8650	6000
11			2016	CTR	7150	8700	8800	6100
11			2017	CTR	7250	9700	9650	5900
11			2018	CTR	7300	9750	9700	5950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2019	CTR	7350	9800	9750	6000
11	S JCT SEC HWY 569 (N) HILLIARDTOWN RD (E)	6.0	1988	IC	3900	4500	4400	3450
11			1989	IC	4000	4600	4500	3550
11			1990	C	4100	4550	4550	3700
11			1991	C	4600	5050	5100	4200
11			1992	C	5100	5500	5650	4700
11			1993	C	5600	6100	6200	5150
11			1994	C	5950	6500	6650	5400
11			1995	C	6200	6750	6950	5650
11			1996	C	6450	7300	7350	5800
11			1997	C	6500	7350	7400	5850
11			1998	C	6550	7400	7400	5900
11			1999	C	6350	7100	7200	5700
11			2000	C	6550	7400	7400	5900
11			2001	C	6600	7450	7450	5950
11			2002	C	6650	7450	7500	6000
11			2003	C	6700	7500	7550	6050
11			2004	C	6750	7600	7600	6100
11			2005	C	6800	7550	7650	6100
11			2006	CTR	6800	8400	8050	5750
11			2007	CTR	6950	8600	8550	5900
11			2008	CTR	7000	8650	8500	5950
11			2009	IT	7050	8900	8900	5850
11			2010	IT	7100	8900	8900	5850
11			2011	IC	7150	7850	8150	6400
11			2012	IC	7200	8000	7750	6400
11			2013	CR	6050	7250	7450	5100
11			2014	CR	7100	8350	8300	6050
11			2015	CR	6200	7300	7250	5300
11			2016	CR	7000	8250	8200	5950
11			2017	CR	7050	8150	8200	6350
11			2018	CR	7050	8200	8250	6350
11			2019	CR	7100	8250	8300	6350
11	SEC HWY 562 (W) GRAVEL RD (E)	8.9	1988	IC	4300	5000	4850	3800
11			1989	IC	4500	5200	5100	4000
11			1990	IC	4700	5350	5250	4200
11			1991	IC	4850	5500	5400	4300
11			1992	IC	5000	5550	5500	4550
11			1993	C	5200	5650	5750	4800
11			1994	C	5300	5800	5900	4800
11			1995	C	5350	5850	6000	4900
11			1996	C	5400	6100	6150	4850
11			1997	CTR	5550	7100	6850	4650
11			1998	CTR	5750	7300	7000	4850
11			1999	CTR	5900	7450	7150	4950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2000	CTR	5550	7000	6700	4650
11			2001	CTR	5550	7000	6700	4700
11			2002	CTR	5550	7000	6700	4700
11			2003	CTR	5550	6900	6650	4700
11			2004	CTR	5400	6800	6550	4550
11			2005	CTR	5400	6700	6400	4600
11			2006	CTR	5350	6600	6350	4550
11			2007	CTR	5400	6700	6650	4600
11			2008	IC	5050	5600	5400	4450
11			2009	IC	5350	5950	6000	4750
11			2010	IC	5350	5900	5950	4750
11			2011	IC	5350	5900	6100	4800
11			2012	IC	5300	5850	5700	4700
11			2013	CR	5300	6350	6500	4500
11			2014	CR	5300	6250	6200	4500
11			2015	CTR	5250	6400	6450	4450
11			2016	CTR	5250	6400	6450	4450
11			2017	CTR	5250	7000	7000	4300
11			2018	CTR	5250	7000	7000	4300
11			2019	CTR	5200	6950	6900	4250
11	SEC HWY 571 (W)	8.7	1988	IC	3700	4300	4200	3250
11			1989	IC	3850	4450	4350	3450
11			1990	IC	4050	4600	4550	3600
11			1991	IC	4100	4650	4550	3650
11			1992	IC	4100	4550	4500	3750
11			1993	C	4000	4350	4450	3700
11			1994	C	4000	4400	4450	3600
11			1995	C	4000	4350	4500	3650
11			1996	IR	4100	5100	4550	3500
11			1997	C	4100	4650	4650	3700
11			1998	C	4150	4700	4700	3750
11			1999	C	4200	4700	4750	3800
11			2000	C	4250	4800	4800	3800
11			2001	C	4300	4850	4850	3850
11			2002	C	4300	4800	4850	3850
11			2003	C	4350	4850	4900	3950
11			2004	C	4400	4950	4950	3950
11			2005	C	4450	4950	5000	4000
11			2006	IT	4500	5750	5700	3700
11			2007	IT	4550	5850	6100	3700
11			2008	IT	4550	5850	5550	3800
11			2009	IR	4600	5500	5000	3900
11			2010	IR	4650	5550	5050	3950
11			2011	IC	4700	5150	5350	4200
11			2012	IC	4750	5250	5100	4200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2013	UC	4750	4750	4800	4500
11			2014	UC	4800	4800	4600	4550
11			2015	CTR	4850	5900	5950	4100
11			2016	CTR	4900	6000	6050	4150
11			2017	CTR	4950	6600	6600	4050
11			2018	CTR	5000	6700	6650	4050
11			2019	CTR	5000	6650	6650	4050
11	N JCT SEC HWY 569 (E) (TO SEC HWY 624)	6.2	1988	IC	4400	5100	4950	3850
11			1989	IC	4950	5700	5600	4400
11			1990	IC	5550	6350	6200	4950
11			1991	IC	5500	6200	6100	4900
11			1992	IC	5500	6100	6050	5000
11			1993	C	5500	6000	6100	5050
11			1994	C	5500	6000	6150	5000
11			1995	C	5600	6100	6300	5100
11			1996	C	5700	6450	6500	5150
11			1997	C	5800	6550	6600	5200
11			1998	C	5950	6700	6700	5350
11			1999	C	6050	6800	6850	5450
11			2000	C	5900	6650	6650	5300
11			2001	C	5950	6700	6700	5350
11			2002	C	6400	7150	7200	5750
11			2003	C	6050	6750	6800	5450
11			2004	C	6100	6850	6900	5500
11			2005	C	5900	6550	6600	5300
11			2006	SC	5800	6150	6800	5100
11			2007	SC	5900	6250	6800	5200
11			2008	SC	5900	6200	5850	5200
11			2009	CR	5400	6500	6250	4600
11			2010	CR	5950	7150	6900	5050
11			2011	CR	5300	6150	6250	4700
11			2012	CR	5800	6950	6850	4900
11			2013	CR	5750	6900	7050	4850
11			2014	CR	5800	6850	6800	4950
11			2015	CTR	5300	6450	6500	4500
11			2016	CTR	5700	6950	7000	4850
11			2017	CTR	5700	7600	7600	4650
11			2018	CTR	5700	7600	7600	4650
11			2019	CTR	5650	7550	7500	4600
11	SEC HWY 560 (W) 9TH ST (E)	18.7	1988	IC	3200	3700	3600	2800
11			1989	IC	3500	4000	3950	3100
11			1990	IC	3800	4350	4250	3400
11			1991	IC	3950	4450	4400	3500
11			1992	IC	4100	4550	4500	3750
11			1993	IC	4300	4850	4800	3850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1994	IC	4400	4950	4950	3900
11			1995	IC	4400	4900	4950	3950
11			1996	IC	4450	5000	5000	3950
11			1997	IC	4450	5000	5050	3900
11			1998	IC	4500	5050	5050	4000
11			1999	IC	4550	5100	5100	4050
11			2000	IC	4650	5200	5200	4150
11			2001	IC	4700	5250	5300	4150
11			2002	IC	4850	5400	5450	4250
11			2003	IC	4850	5400	5450	4300
11			2004	IC	4900	5500	5500	4350
11			2005	IC	4750	5300	5350	4200
11			2006	CR	5000	6050	5800	4200
11			2007	CR	4800	5800	5800	4050
11			2008	CR	4850	5850	5800	4100
11			2009	CR	4400	5300	5100	3750
11			2010	CR	4900	5850	5650	4150
11			2011	CR	3800	4450	4500	3400
11			2012	CR	4700	5650	5550	3950
11			2013	CR	3950	4750	4850	3350
11			2014	CR	4550	5350	5350	3900
11			2015	CTR	4050	4950	5000	3450
11			2016	CTR	4450	5450	5450	3800
11			2017	CTR	4450	5950	5900	3650
11			2018	CTR	4450	5950	5900	3600
11			2019	CTR	4450	5950	5900	3600
11	HWY 112 (E)	19.0	1988	LT	1700	2400	2400	1300
11			1989	LT	1800	2500	2500	1350
11			1990	LT	1900	2750	2650	1400
11			1991	LT	2000	2800	2700	1500
11			1992	LT	2000	2800	2700	1550
11			1993	LT	1900	2650	2350	1400
11			1994	LT	1900	2800	2700	1400
11			1995	LT	1900	2750	2650	1400
11			1996	IT	1900	2500	2450	1550
11			1997	LT	1950	2750	2700	1450
11			1998	LT	2000	2800	2750	1450
11			1999	LT	2050	2850	2800	1500
11			2000	LT	2050	2850	2800	1500
11			2001	LT	2100	2950	2850	1550
11			2002	LT	2100	2950	2850	1550
11			2003	LT	2150	2950	2900	1600
11			2004	LT	2150	3000	2950	1600
11			2005	LT	2200	3000	2950	1600
11			2006	LT	2200	3000	2950	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2007	LT	2250	3100	3150	1650
11			2008	LT	2250	3100	2950	1650
11			2009	LT	2300	3100	3050	1700
11			2010	LT	2350	3150	3100	1750
11			2011	CR	2350	2750	2750	2100
11			2012	CR	2400	2850	2850	2050
11			2013	CR	2400	2900	2950	2050
11			2014	CR	2450	2900	2850	2100
11			2015	CTR	2450	3000	3000	2100
11			2016	CTR	2500	3050	3100	2100
11			2017	CTR	2500	3350	3300	2050
11			2018	CTR	2550	3400	3400	2100
11			2019	CTR	2600	3450	3450	2100
11	HWY 66	1.0	1988	LT	3550	5050	5000	2700
11			1989	LT	3750	5200	5200	2800
11			1990	LT	4000	5850	5600	2900
11			1991	LT	3800	5300	5150	2800
11			1992	LT	3550	4950	4800	2750
11			1993	LT	3350	4650	4150	2450
11			1994	LT	3250	4750	4600	2350
11			1995	LT	3150	4550	4400	2300
11			1996	T	3100	5400	5250	1900
11			1997	LT	3300	4650	4550	2450
11			1998	LT	3550	4950	4850	2600
11			1999	LT	3600	5000	4900	2650
11			2000	LT	3600	5000	4900	2650
11			2001	LT	3650	5100	4950	2650
11			2002	LT	3800	5300	5150	2800
11			2003	LT	3800	5250	5100	2800
11			2004	LT	3850	5400	5250	2800
11			2005	LT	3850	5300	5150	2850
11			2006	LT	3950	5400	5250	2900
11			2007	LT	3950	5400	5550	2900
11			2008	LT	4050	5550	5300	3000
11			2009	LT	3850	5200	5100	2850
11			2010	LT	4150	5550	5450	3050
11			2011	CR	3950	4600	4650	3500
11			2012	CR	4200	5050	4950	3550
11			2013	CR	4250	5100	5250	3600
11			2014	CR	4300	5050	5050	3650
11			2015	CTR	4000	4900	4900	3400
11			2016	CTR	4350	5300	5350	3700
11			2017	CTR	4400	5900	5850	3600
11			2018	CTR	4450	5950	5900	3600
11			2019	CTR	4500	6000	5950	3650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11	SEC HWY 568 (E)	13.9	1988	LT	2500	3550	3500	1900
11			1989	LT	2750	3800	3800	2050
11			1990	LT	3050	4450	4250	2250
11			1991	LT	3200	4500	4300	2350
11			1992	LT	3100	4300	4200	2400
11			1993	LT	3050	4200	3800	2250
11			1994	LT	3050	4450	4300	2200
11			1995	LT	3100	4450	4300	2250
11			1996	LT	3150	4450	4350	2300
11			1997	LT	3150	4450	4350	2350
11			1998	LT	3200	4500	4400	2350
11			1999	LT	3300	4600	4500	2400
11			2000	LT	3550	4950	4850	2600
11			2001	LT	3650	5100	4950	2650
11			2002	LT	3900	5450	5300	2850
11			2003	LT	3850	5300	5200	2850
11			2004	LT	3950	5550	5400	2900
11			2005	LT	4000	5500	5350	2950
11			2006	CTR	4100	5100	4850	3500
11			2007	CTR	3800	4700	4650	3200
11			2008	CTR	3850	4750	4650	3250
11			2009	LT	3100	4200	4100	2300
11			2010	LT	4000	5350	5250	2950
11			2011	CR	4100	4800	4850	3650
11			2012	CR	4100	4900	4850	3450
11			2013	CR	4150	4950	5100	3500
11			2014	CR	4200	4950	4900	3600
11			2015	CTR	3750	4600	4600	3200
11			2016	CTR	4200	5100	5150	3550
11			2017	CTR	4250	5700	5650	3450
11			2018	CTR	4300	5750	5700	3500
11			2019	CTR	4350	5800	5750	3550
11	SEC HWY 570 (E)	7.4	1988	IT	2300	3350	3050	1700
11			1989	IT	2400	3350	3200	1850
11			1990	LT	2550	3700	3550	1850
11			1991	LT	2400	3350	3250	1800
11			1992	LT	2300	3200	3100	1750
11			1993	LT	2100	2900	2600	1550
11			1994	LT	2200	3250	3100	1600
11			1995	LT	2350	3400	3300	1700
11			1996	IR	2550	3150	2850	2150
11			1997	LT	2550	3600	3500	1900
11			1998	LT	2600	3650	3550	1900
11			1999	LT	2600	3600	3550	1900
11			2000	LT	2600	3600	3550	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2001	LT	2600	3650	3550	1900
11			2002	LT	2600	3650	3550	1900
11			2003	LT	2700	3700	3650	2000
11			2004	LT	2700	3800	3700	2000
11			2005	LT	2750	3750	3700	2000
11			2006	LT	2750	3750	3650	2050
11			2007	LT	2800	3850	3950	2050
11			2008	LT	2800	3850	3650	2050
11			2009	LT	2800	3800	3700	2050
11			2010	LT	2900	3900	3800	2150
11			2011	CR	2750	3200	3250	2450
11			2012	CR	2900	3450	3400	2450
11			2013	CR	2950	3550	3650	2500
11			2014	IR	2950	3500	3500	2500
11			2015	IR	3000	3550	3600	2550
11			2016	IR	3000	3550	3600	2550
11			2017	IR	3050	3600	3600	2700
11			2018	IR	3100	3650	3650	2750
11			2019	IR	3100	3650	3650	2800
11	TIMISKAMING COCHRANE DIST BDY	20.2	1988	IT	2300	3350	3050	1700
11			1989	IT	2400	3350	3200	1850
11			1990	LT	2550	3700	3550	1850
11			1991	LT	2400	3350	3250	1800
11			1992	LT	2300	3200	3100	1750
11			1993	LT	2150	2950	2650	1600
11			1994	LT	2200	3250	3100	1600
11			1995	LT	2350	3400	3300	1700
11			1996	IR	2550	3150	2850	2150
11			1997	LT	2550	3600	3500	1900
11			1998	LT	2600	3650	3550	1900
11			1999	LT	2600	3600	3550	1900
11			2000	LT	2750	3850	3750	2000
11			2001	LT	2850	4000	3900	2100
11			2002	LT	2900	4050	3950	2150
11			2003	LT	3000	4150	4050	2200
11			2004	LT	3050	4250	4150	2250
11			2005	LT	3000	4100	4000	2200
11			2006	LT	3200	4400	4250	2350
11			2007	LT	3100	4250	4350	2300
11			2008	LT	3150	4300	4150	2300
11			2009	LT	2800	3800	3700	2050
11			2010	LT	3250	4350	4300	2400
11			2011	LT	2900	3700	3800	2400
11			2012	LT	3250	4250	4050	2450
11			2013	CR	3300	3950	4050	2800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2014	CR	3350	3950	3900	2850
11			2015	CTR	3100	3800	3800	2650
11			2016	CTR	3400	4150	4200	2900
11			2017	CTR	3450	4600	4600	2800
11			2018	CTR	3500	4650	4650	2850
11			2019	CTR	3550	4750	4700	2900
11	SEC HWY 572 (E)	14.5	1988	IC	2950	3400	3350	2600
11			1989	IC	3200	3700	3600	2850
11			1990	LT	3450	5050	4850	2500
11			1991	LT	3600	5050	4850	2650
11			1992	LT	3500	4850	4700	2700
11			1993	LT	3400	4700	4200	2500
11			1994	LT	3200	4700	4500	2350
11			1995	LT	2900	4150	4050	2100
11			1996	IT	2650	3500	3400	2200
11			1997	CTR	2700	3450	3300	2250
11			1998	CTR	2800	3550	3400	2350
11			1999	CTR	2950	3700	3550	2500
11			2000	CTR	3000	3800	3650	2500
11			2001	CTR	3000	3800	3650	2550
11			2002	CTR	3250	4100	3950	2750
11			2003	CTR	3050	3800	3650	2600
11			2004	CTR	3100	3900	3750	2600
11			2005	CTR	3100	3850	3700	2650
11			2006	CTR	3150	3900	3750	2650
11			2007	CTR	3150	3900	3850	2650
11			2008	CTR	3200	3950	3900	2700
11			2009	CTR	3200	3900	3800	2700
11			2010	CTR	3250	3950	3800	2750
11			2011	CR	3250	3800	3850	2900
11			2012	CTR	3300	4000	3950	2800
11			2013	CR	3300	3950	4050	2800
11			2014	CTR	2950	3600	3650	2500
11			2015	CTR	2950	3600	3650	2500
11			2016	CTR	3250	3950	4000	2750
11			2017	CTR	3250	4350	4300	2650
11			2018	CTR	3300	4400	4400	2700
11			2019	CTR	3300	4400	4400	2700
11	E JCT HWY 101 4TH AV	6.4	1988	IC	3350	3900	3800	2950
11			1989	IC	3650	4200	4100	3250
11			1990	LT	3950	5750	5550	2900
11			1991	LT	4200	5900	5650	3100
11			1992	LT	4450	6200	6000	3450
11			1993	LT	4650	6450	5750	3400
11			1994	LT	4850	7100	6850	3500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1995	LT	5050	7250	7050	3700
11			1996	LT	5250	7400	7250	3850
11			1997	IT	5300	6950	6850	4400
11			1998	IT	5350	6900	6850	4350
11			1999	IT	5300	6850	6750	4300
11			2000	IT	5400	6950	6850	4450
11			2001	IT	5500	7200	7000	4450
11			2002	IT	5700	7400	7250	4700
11			2003	IT	5600	7150	7150	4600
11			2004	IT	5700	7450	7250	4650
11			2005	IT	5300	6750	6750	4400
11			2006	IT	5300	6750	6700	4350
11			2007	IT	5300	6800	7100	4350
11			2008	IT	5300	6800	6450	4450
11			2009	CR	4450	5350	5150	3800
11			2010	CR	5300	6350	6150	4500
11			2011	CR	4500	5250	5300	4000
11			2012	CR	5100	6100	6000	4300
11			2013	CR	4400	5250	5400	3700
11			2014	CR	4950	5850	5800	4200
11			2015	CTR	4500	5500	5550	3800
11			2016	CTR	4800	5850	5900	4100
11			2017	CTR	4800	6400	6400	3900
11			2018	CTR	4750	6350	6300	3850
11			2019	CTR	4800	6400	6350	3900
11	W JCT HWY 101 (W)	14.3	1988	IC	1700	1950	1900	1500
11			1989	IC	1750	2000	2000	1550
11			1990	LT	1600	2350	2250	1150
11			1991	LT	1650	2300	2250	1200
11			1992	LT	1550	2150	2100	1200
11			1993	LT	1500	2050	1850	1100
11			1994	LT	1450	2150	2050	1050
11			1995	LT	1450	2100	2000	1050
11			1996	LT	1600	2250	2200	1200
11			1997	CTR	1650	2100	2050	1400
11			1998	CTR	1700	2150	2050	1450
11			1999	CTR	1750	2200	2100	1450
11			2000	CTR	1800	2250	2200	1500
11			2001	CTR	1850	2350	2250	1550
11			2002	CTR	1950	2450	2350	1650
11			2003	CTR	1950	2400	2350	1650
11			2004	CTR	2000	2500	2400	1700
11			2005	CTR	2000	2500	2400	1700
11			2006	CTR	2050	2550	2450	1750
11			2007	CTR	2100	2600	2600	1800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2008	CTR	2150	2650	2600	1850
11			2009	CTR	2100	2550	2500	1800
11			2010	CTR	2250	2750	2650	1900
11			2011	CTR	1950	2350	2300	1650
11			2012	CTR	2250	2750	2700	1900
11			2013	CTR	2300	2800	2900	1950
11			2014	CTR	2350	2850	2900	2000
11			2015	CTR	2250	2750	2750	1900
11			2016	CTR	2400	2950	2950	2050
11			2017	CTR	2450	3250	3250	2000
11			2018	CTR	2500	3350	3350	2050
11			2019	CTR	2500	3350	3300	2050
11	SHILLINGTON RD OLD JCT HWY 577	0.3	1988	IC	1500	1750	1700	1300
11			1989	IC	1600	1850	1800	1400
11			1990	LT	1450	2100	2050	1050
11			1991	LT	1700	2400	2300	1250
11			1992	LT	1950	2700	2650	1500
11			1993	IC	2200	2500	2450	1950
11			1994	IC	2400	2700	2700	2150
11			1995	IC	2600	2900	2950	2350
11			1996	IC	2800	3150	3150	2500
11			1997	IC	2850	3200	3200	2500
11			1998	IC	2900	3250	3250	2600
11			1999	IC	2950	3300	3300	2650
11			2000	IC	2950	3300	3300	2650
11			2001	IC	3000	3350	3350	2650
11			2002	IC	3100	3450	3500	2750
11			2003	IC	3250	3600	3650	2900
11			2004	IC	3350	3750	3750	2950
11			2005	IC	3400	3800	3800	3000
11			2006	IC	2800	3100	3150	2500
11			2007	IC	2750	3050	3150	2450
11			2008	IC	2750	3050	2950	2400
11			2009	IC	1750	1950	1950	1550
11			2010	IC	2850	3150	3200	2550
11			2011	IC	1850	2050	2100	1650
11			2012	IC	2600	2900	2800	2300
11			2013	IC	2100	2300	2300	1850
11			2014	IC	2450	2700	2700	2150
11			2015	CTR	1950	2400	2400	1650
11			2016	CTR	2300	2800	2850	1950
11			2017	CTR	2300	3050	3050	1850
11			2018	CTR	2250	3000	3000	1850
11			2019	CTR	2200	2950	2900	1800
11	IROQUOIS FALLS OLD N JCT HWY 577	9.8	1988	IC	1500	1750	1700	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	IC	1600	1850	1800	1400
11			1990	LT	1450	2100	2050	1050
11			1991	LT	1700	2400	2300	1250
11			1992	LT	1950	2700	2650	1500
11			1993	IC	2200	2500	2450	1950
11			1994	IC	2400	2700	2700	2150
11			1995	IC	2600	2900	2950	2350
11			1996	IC	2800	3150	3150	2500
11			1997	IC	2850	3200	3200	2500
11			1998	IC	2900	3250	3250	2600
11			1999	IC	2950	3300	3300	2650
11			2000	IC	2950	3300	3300	2650
11			2001	IC	3000	3350	3350	2650
11			2002	IC	3100	3450	3500	2750
11			2003	IC	3250	3600	3650	2900
11			2004	IC	3350	3750	3750	2950
11			2005	IC	3400	3800	3800	3000
11			2006	IC	2800	3100	3150	2500
11			2007	IC	2750	3050	3150	2450
11			2008	IC	2750	3050	2950	2400
11			2009	IC	1750	1950	1950	1550
11			2010	IC	2850	3150	3200	2550
11			2011	IC	1850	2050	2100	1650
11			2012	IC	2600	2900	2800	2300
11			2013	IC	2100	2300	2300	1850
11			2014	IC	2450	2700	2700	2150
11			2015	CTR	1950	2400	2400	1650
11			2016	CTR	2300	2800	2850	1950
11			2017	CTR	2250	3000	3000	1850
11			2018	CTR	2250	3000	3000	1850
11			2019	CTR	2200	2950	2900	1800
11	MUNICIPAL RD (W)	2.6	1988	IC	3200	3700	3600	2800
11			1989	IC	3300	3800	3750	2950
11			1990	IR	3050	3850	3400	2500
11			1991	IR	2900	3650	3200	2400
11			1992	IR	2750	3400	3050	2350
11			1993	LT	2600	3600	3200	1900
11			1994	LT	2550	3750	3600	1850
11			1995	LT	2500	3600	3500	1850
11			1996	LT	2550	3600	3500	1850
11			1997	IR	2550	3200	2850	2150
11			1998	IR	2600	3200	2900	2200
11			1999	IR	2650	3300	2950	2250
11			2000	IR	2650	3250	2950	2250
11			2001	IR	2650	3250	2950	2250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2002	IR	2700	3350	3000	2300
11			2003	IR	2700	3300	2950	2300
11			2004	IR	2750	3400	3050	2300
11			2005	IR	2750	3300	3000	2350
11			2006	IC	2800	3100	3150	2500
11			2007	IC	2800	3100	3200	2450
11			2008	IC	2850	3150	3050	2500
11			2009	IC	2850	3150	3200	2550
11			2010	IC	2900	3200	3250	2550
11			2011	CR	2900	3400	3400	2600
11			2012	CR	2950	3550	3500	2500
11			2013	CR	2950	3550	3650	2500
11			2014	CR	3000	3550	3500	2550
11			2015	CTR	3000	3650	3700	2550
11			2016	CTR	3050	3700	3750	2600
11			2017	CTR	3050	4100	4050	2500
11			2018	CTR	3100	4150	4100	2500
11			2019	CTR	3100	4150	4100	2500
11	N JCT HWY 67 (E) CEMETERY RD (W)	6.9	1988	IC	1500	1750	1700	1300
11			1989	IC	1600	1850	1800	1400
11			1990	LT	1450	2100	2050	1050
11			1991	LT	1500	2100	2050	1100
11			1992	LT	1500	2100	2050	1150
11			1993	LT	1550	2150	1900	1150
11			1994	LT	1550	2250	2200	1150
11			1995	LT	1550	2250	2150	1150
11			1996	LT	1550	2200	2150	1150
11			1997	LT	1600	2250	2200	1200
11			1998	LT	1650	2300	2250	1200
11			1999	LT	1700	2350	2300	1250
11			2000	LT	1700	2350	2300	1250
11			2001	LT	1750	2450	2400	1300
11			2002	LT	1750	2450	2400	1300
11			2003	LT	1800	2500	2400	1350
11			2004	LT	1800	2500	2450	1300
11			2005	LT	1850	2550	2500	1350
11			2006	LT	1850	2550	2450	1350
11			2007	LT	1900	2600	2700	1400
11			2008	LT	1900	2600	2500	1400
11			2009	LT	1950	2650	2550	1450
11			2010	LT	2000	2700	2650	1500
11			2011	LT	1850	2350	2400	1500
11			2012	LT	2000	2600	2500	1500
11			2013	UC	2000	2000	2000	1900
11			2014	UC	2050	2050	1950	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	CTR	2050	2500	2500	1750
11			2016	CTR	2100	2550	2600	1800
11			2017	CTR	2100	2800	2800	1700
11			2018	CTR	2150	2850	2850	1750
11			2019	CTR	2150	2850	2850	1750
11	NELLIE LK RD BARLINGHOFF RD OLD HWY 578	17.9	1988	IC	1800	2100	2050	1600
11			1989	IC	2000	2300	2250	1800
11			1990	LT	2100	3050	2950	1550
11			1991	LT	2100	2950	2850	1550
11			1992	LT	2100	2900	2850	1600
11			1993	LT	2000	2750	2500	1450
11			1994	LT	2000	2950	2850	1450
11			1995	LT	2000	2850	2800	1450
11			1996	LT	2000	2800	2750	1450
11			1997	LT	2050	2900	2850	1500
11			1998	LT	2150	3000	2950	1550
11			1999	LT	2200	3050	3000	1600
11			2000	LT	2350	3250	3200	1700
11			2001	LT	2400	3350	3250	1750
11			2002	LT	2550	3550	3450	1850
11			2003	LT	2550	3500	3450	1900
11			2004	LT	2450	3450	3350	1800
11			2005	LT	2500	3450	3350	1850
11			2006	LT	2550	3500	3400	1900
11			2007	LT	2600	3550	3650	1900
11			2008	LT	2650	3650	3450	1950
11			2009	LT	2500	3400	3300	1850
11			2010	LT	2750	3700	3600	2050
11			2011	LT	2000	2550	2600	1650
11			2012	LT	2650	3450	3300	2000
11			2013	UC	2300	2300	2300	2200
11			2014	UC	2650	2650	2550	2500
11			2015	UC	2300	2300	2200	2200
11			2016	UC	2650	2650	2550	2500
11			2017	UC	2650	2650	2650	2550
11			2018	UC	2700	2700	2700	2600
11			2019	UC	2700	2650	2700	2600
11	WICKLOW R BR (S)	21.7	1988	IC	2250	2600	2550	2000
11			1989	IC	2300	2650	2600	2050
11			1990	IC	2100	2400	2350	1850
11			1991	IC	2100	2350	2350	1850
11			1992	IC	2100	2350	2300	1900
11			1993	IC	1950	2200	2200	1750
11			1994	IC	1950	2200	2200	1750
11			1995	IC	1950	2200	2200	1750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1996	IC	1950	2200	2200	1750
11			1997	IC	2050	2300	2300	1800
11			1998	IC	2200	2450	2450	1950
11			1999	IC	2250	2500	2500	2000
11			2000	IC	2400	2700	2700	2150
11			2001	IC	2400	2700	2700	2100
11			2002	IC	2400	2700	2700	2100
11			2003	CTR	2400	3000	2850	2050
11			2004	CTR	2450	3100	2950	2050
11			2005	CTR	2450	3050	2900	2100
11			2006	IC	2550	2850	2850	2250
11			2007	IC	2600	2900	3000	2300
11			2008	IC	2450	2700	2650	2150
11			2009	IC	2350	2600	2650	2100
11			2010	IC	2650	2950	2950	2350
11			2011	IC	2300	2550	2600	2050
11			2012	CTR	2600	3150	3100	2200
11			2013	UC	2650	2650	2650	2500
11			2014	UC	2700	2700	2600	2550
11			2015	UC	2750	2750	2650	2600
11			2016	UC	2750	2750	2650	2600
11			2017	UC	2800	2800	2800	2700
11			2018	C	2850	3100	3100	2550
11			2019	C	2850	3100	3100	2600
11	SEC HWYS 579 & 652(THIRD AV COCHRANE)	9.5	1988	IC	2150	2500	2450	1900
11			1989	IC	2350	2700	2650	2100
11			1990	IC	2550	2900	2850	2250
11			1991	IC	2650	3000	2950	2350
11			1992	IC	2750	3050	3050	2500
11			1993	IC	2850	3200	3200	2550
11			1994	IC	2950	3300	3300	2650
11			1995	IC	3050	3400	3450	2750
11			1996	IC	3150	3550	3550	2800
11			1997	IC	3250	3650	3650	2850
11			1998	IC	3300	3700	3700	2950
11			1999	IC	3400	3800	3800	3050
11			2000	CR	3300	4050	3850	2800
11			2001	CR	3050	3750	3600	2600
11			2002	CR	3050	3750	3600	2550
11			2003	CR	3000	3650	3500	2550
11			2004	CR	3000	3700	3500	2550
11			2005	CR	2850	3450	3300	2400
11			2006	IC	2650	2950	2950	2350
11			2007	IC	2650	2950	3050	2350
11			2008	IC	2550	2800	2750	2250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2009	IC	2550	2850	2850	2250
11			2010	IC	2600	2900	2900	2300
11			2011	IC	2650	2900	3000	2400
11			2012	IC	2550	2850	2750	2250
11			2013	UC	2500	2500	2500	2350
11			2014	UC	2450	2450	2350	2300
11			2015	IC	2750	3050	3050	2450
11			2016	IC	2450	2700	2700	2150
11			2017	IC	2400	2650	2650	2200
11			2018	IC	2550	2800	2800	2300
11			2019	IC	2900	3200	3200	2600
11	SEC HWY 636	8.5	1988	IC	1950	2250	2200	1700
11			1989	IC	2100	2400	2350	1850
11			1990	IC	2000	2300	2250	1800
11			1991	IC	2000	2250	2200	1800
11			1992	IC	2000	2200	2200	1800
11			1993	IC	1900	2150	2150	1700
11			1994	IC	1900	2150	2150	1700
11			1995	IC	1950	2200	2200	1750
11			1996	IC	2000	2250	2250	1800
11			1997	IC	2050	2300	2300	1800
11			1998	IC	2100	2350	2350	1850
11			1999	IC	2100	2350	2350	1850
11			2000	IC	2150	2400	2400	1900
11			2001	IC	2150	2400	2400	1900
11			2002	IC	2250	2500	2550	2000
11			2003	IC	2200	2450	2500	1950
11			2004	IC	2250	2500	2550	2000
11			2005	IC	2250	2500	2550	2000
11			2006	IC	2250	2500	2500	2000
11			2007	IC	2300	2550	2650	2050
11			2008	IC	2300	2550	2450	2050
11			2009	IC	2250	2500	2500	2000
11			2010	IC	2350	2600	2600	2100
11			2011	IC	2200	2400	2500	1950
11			2012	IC	2350	2600	2500	2100
11			2013	UC	2700	2700	2700	2550
11			2014	UC	2450	2450	2350	2300
11			2015	UC	2500	2500	2400	2350
11			2016	UC	2500	2500	2400	2350
11			2017	UC	2550	2550	2550	2450
11			2018	UC	2550	2550	2550	2450
11			2019	UC	2600	2550	2600	2500
11	SEC HWY 668	10.6	1988	IC	1800	2100	2050	1600
11			1989	IC	2050	2350	2300	1800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1990	IC	2250	2550	2500	2000
11			1991	IC	2250	2550	2500	2000
11			1992	IC	2200	2450	2400	2000
11			1993	IC	2150	2450	2400	1900
11			1994	IC	2300	2600	2600	2050
11			1995	IC	2400	2700	2700	2150
11			1996	IC	2550	2850	2850	2250
11			1997	IC	2700	3000	3050	2400
11			1998	IC	2800	3150	3150	2500
11			1999	IC	2950	3300	3300	2650
11			2000	IC	2950	3300	3300	2650
11			2001	IC	3150	3500	3550	2800
11			2002	IC	3250	3600	3650	2850
11			2003	IC	3400	3800	3850	3000
11			2004	IC	3100	3450	3500	2750
11			2005	IC	2850	3150	3200	2500
11			2006	IC	2900	3200	3250	2550
11			2007	IC	2900	3200	3300	2550
11			2008	IC	2900	3200	3100	2550
11			2009	IC	1950	2150	2200	1750
11			2010	IC	2950	3250	3300	2600
11			2011	IC	2950	3250	3350	2650
11			2012	IC	2950	3250	3150	2600
11			2013	UC	3000	3000	3000	2850
11			2014	UC	3000	3000	2900	2850
11			2015	UC	2700	2700	2600	2550
11			2016	UC	2950	2950	2850	2800
11			2017	UC	3000	3000	3000	2900
11			2018	UC	3000	3000	3000	2900
11			2019	UC	3000	2950	3000	2900
11	SEC HWY 655	26.0	1988	IC	2000	2300	2250	1750
11			1989	IC	2250	2600	2550	2000
11			1990	IC	2550	2900	2850	2250
11			1991	UNCL	1650	1950	2000	1500
11			1992	UNCL	1750	2000	2000	1600
11			1993	UNCL	1800	2150	2150	1650
11			1994	UNCL	1900	2350	2350	1700
11			1995	UNCL	1950	2300	2300	1750
11			1996	UNCL	1950	2300	2300	1800
11			1997	UNCL	2050	2350	2400	1900
11			1998	UNCL	2150	2450	2500	1950
11			1999	UNCL	2200	2500	2600	2000
11			2000	UNCL	2300	2650	2700	2100
11			2001	UNCL	2350	2700	2750	2150
11			2002	UNCL	2400	2750	2800	2200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2003	UNCL	2500	2900	2950	2300
11			2004	UNCL	2550	2900	3000	2300
11			2005	UNCL	2600	2950	3050	2350
11			2006	UNCL	2700	3100	3150	2450
11			2007	UNCL	2750	3150	3300	2500
11			2008	UNCL	2800	3200	3050	2550
11			2009	UNCL	2900	3300	3350	2600
11			2010	UNCL	2950	3350	3400	2650
11			2011	UNCL	3000	3550	3550	2750
11			2012	UNCL	3100	3650	3650	2850
11			2013	UNCL	3150	3700	3700	2900
11			2014	UNCL	3250	3850	3850	3000
11			2015	UNCL	3300	3900	3900	3050
11			2016	UNCL	3350	3950	3950	3100
11			2017	UNCL	3450	4050	4050	3200
11			2018	UNCL	3500	4150	4150	3250
11			2019	UNCL	3550	4200	4200	3300
11	SEC HWY 634	32.8	1988	CTR	1900	2450	2300	1600
11			1989	CTR	2000	2550	2400	1700
11			1990	IC	2150	2450	2400	1900
11			1991	IC	2050	2300	2300	1800
11			1992	IC	1950	2150	2150	1750
11			1993	IC	1850	2100	2050	1650
11			1994	IC	1750	1950	1950	1550
11			1995	IC	1800	2000	2050	1600
11			1996	IC	1850	2100	2100	1650
11			1997	IC	1950	2200	2200	1700
11			1998	IC	2100	2350	2350	1850
11			1999	IC	2250	2500	2500	2000
11			2000	IC	2300	2600	2600	2050
11			2001	IC	2400	2700	2700	2100
11			2002	IC	2500	2800	2800	2200
11			2003	IC	2600	2900	2950	2300
11			2004	IC	2650	2950	3000	2350
11			2005	IC	2800	3100	3150	2450
11			2006	IC	2750	3050	3100	2450
11			2007	IC	2800	3100	3200	2450
11			2008	IC	2900	3200	3100	2550
11			2009	IC	2950	3250	3300	2650
11			2010	IC	2750	3050	3050	2450
11			2011	IC	3100	3400	3550	2800
11			2012	IC	2750	3050	2950	2450
11			2013	IC	3200	3550	3500	2850
11			2014	C	2800	3100	3000	2500
11			2015	C	3000	3300	3200	2700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2016	C	3300	3650	3550	2950
11			2017	C	3350	3650	3650	3050
11			2018	C	3400	3750	3700	3050
11			2019	C	3450	3750	3750	3100
11	GROUNDHOG R BR	9.7	1988	CTR	2800	3650	3400	2350
11			1989	CTR	2950	3750	3550	2550
11			1990	CTR	2800	3500	3300	2450
11			1991	CTR	2900	3650	3600	2500
11			1992	CTR	3000	3700	3550	2600
11			1993	C	3100	3400	3450	2850
11			1994	C	3200	3500	3550	2900
11			1995	C	3300	3600	3700	3000
11			1996	C	3400	3850	3850	3050
11			1997	C	3550	4000	4050	3200
11			1998	C	3600	4050	4050	3250
11			1999	C	3700	4150	4200	3350
11			2000	C	3750	4250	4250	3400
11			2001	C	3900	4400	4400	3500
11			2002	C	4000	4500	4500	3600
11			2003	C	4100	4600	4600	3700
11			2004	C	3850	4350	4350	3450
11			2005	C	3600	4000	4050	3250
11			2006	C	3500	3900	3900	3150
11			2007	C	3500	3900	3950	3150
11			2008	C	2850	3150	3100	2550
11			2009	C	3450	3800	3850	3100
11			2010	C	3000	3300	3350	2700
11			2011	C	3450	3800	3850	3100
11			2012	CTR	3050	3700	3650	2600
11			2013	CTR	3350	4100	4200	2850
11			2014	C	2900	3200	3100	2600
11			2015	C	3250	3600	3500	2900
11			2016	C	3200	3500	3400	2900
11			2017	C	3200	3500	3500	2900
11			2018	C	3150	3450	3450	2850
11			2019	C	3150	3450	3400	2850
11	SEC HWY 581 MOONBEAM (N) BEAUVIS RD (S)	14.7	1988	IC	3200	3700	3600	2800
11			1989	IC	3350	3850	3800	3000
11			1990	CTR	3500	4400	4150	3050
11			1991	CTR	3400	4300	4250	2950
11			1992	CTR	3300	4050	3950	2850
11			1993	CTR	3250	4100	3950	2750
11			1994	CTR	3200	4100	3900	2700
11			1995	CTR	3200	4100	3950	2700
11			1996	CTR	3350	4300	4100	2800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1997	CTR	3400	4350	4200	2850
11			1998	CTR	3500	4450	4250	2950
11			1999	CTR	3550	4450	4300	3000
11			2000	CTR	3650	4600	4400	3050
11			2001	CTR	3700	4650	4500	3100
11			2002	CTR	3800	4800	4600	3200
11			2003	CTR	3900	4850	4650	3300
11			2004	CTR	3950	5000	4800	3350
11			2005	CR	4050	4900	4700	3400
11			2006	CR	3950	4800	4600	3350
11			2007	CR	4000	4850	4850	3350
11			2008	CR	4300	5200	5150	3600
11			2009	CR	4150	5000	4800	3550
11			2010	CTR	3750	4550	4400	3200
11			2011	CTR	4250	5150	4950	3600
11			2012	CTR	4300	5200	5150	3650
11			2013	CTR	4350	5300	5450	3700
11			2014	CTR	4450	5450	5450	3800
11			2015	CTR	4500	5500	5550	3800
11			2016	CTR	4550	5550	5600	3850
11			2017	CTR	4600	6150	6100	3750
11			2018	CTR	4650	6200	6200	3800
11			2019	CTR	4700	6250	6250	3800
11	KAPUSKASING E LTS START OF NA	10.9	9999					
11	KAPUSKASING W LTS END OF NA	30.3	1988	IC	1850	2150	2100	1650
11			1989	IC	1900	2200	2150	1700
11			1990	IC	1950	2200	2200	1750
11			1991	IC	1950	2200	2150	1750
11			1992	IC	1950	2150	2150	1750
11			1993	IC	2000	2250	2250	1800
11			1994	IC	2000	2250	2250	1800
11			1995	IC	2000	2250	2250	1800
11			1996	IC	2000	2250	2250	1800
11			1997	IC	2050	2300	2300	1800
11			1998	IC	2100	2350	2350	1850
11			1999	IC	2300	2600	2600	2050
11			2000	IC	2400	2700	2700	2150
11			2001	IC	2450	2750	2750	2150
11			2002	IC	2700	3000	3050	2400
11			2003	IC	2600	2900	2950	2300
11			2004	IC	2400	2700	2700	2100
11			2005	IC	2700	3000	3050	2400
11			2006	IC	2450	2700	2750	2150
11			2007	IC	2450	2700	2800	2150
11			2008	IC	2000	2200	2150	1750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2009	IC	2500	2800	2800	2200
11			2010	IC	2350	2600	2600	2100
11			2011	IC	2550	2800	2900	2300
11			2012	CTR	2400	2900	2850	2050
11			2013	CTR	2600	3150	3250	2200
11			2014	CTR	2250	2750	2750	1900
11			2015	CTR	2550	3100	3150	2150
11			2016	CTR	2600	3150	3200	2200
11			2017	CTR	2600	3450	3450	2100
11			2018	CTR	2600	3450	3450	2100
11			2019	CTR	2650	3550	3500	2150
11	BERNARD ST (N)	42.2	1988	IC	1900	2200	2150	1650
11			1989	IC	1950	2250	2200	1750
11			1990	IC	1950	2200	2200	1750
11			1991	IC	1950	2200	2150	1750
11			1992	IC	1950	2150	2150	1750
11			1993	IC	2000	2250	2250	1800
11			1994	IC	2000	2250	2250	1800
11			1995	IC	2000	2250	2250	1800
11			1996	IC	2000	2250	2250	1800
11			1997	IC	2050	2300	2300	1800
11			1998	IC	2100	2350	2350	1850
11			1999	IC	2000	2250	2250	1800
11			2000	IC	2000	2250	2250	1800
11			2001	IC	2050	2300	2300	1800
11			2002	IC	1950	2150	2200	1700
11			2003	IC	2050	2300	2300	1800
11			2004	IC	2050	2300	2300	1800
11			2005	IC	2100	2350	2350	1850
11			2006	IC	2050	2300	2300	1800
11			2007	IC	2050	2300	2350	1800
11			2008	IC	2050	2250	2200	1800
11			2009	IC	2050	2300	2300	1800
11			2010	IC	2050	2250	2300	1800
11			2011	IC	2050	2250	2350	1850
11			2012	CTR	2350	2850	2800	2000
11			2013	CTR	2150	2600	2700	1850
11			2014	CTR	2500	3050	3100	2100
11			2015	CTR	2200	2700	2700	1850
11			2016	CTR	2250	2750	2750	1900
11			2017	CTR	2250	3000	3000	1850
11			2018	CTR	2250	3000	3000	1850
11			2019	CTR	2250	3000	3000	1850
11	DEVITT TWP RD C 6 7	17.5	1988	IC	2000	2300	2250	1750
11			1989	IC	2200	2550	2500	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1990	IC	2200	2500	2450	1950
11			1991	IC	2200	2500	2450	1950
11			1992	IC	2200	2450	2400	2000
11			1993	IC	2250	2550	2500	2000
11			1994	IC	2250	2500	2500	2000
11			1995	IC	2250	2500	2550	2000
11			1996	IC	2250	2550	2550	2000
11			1997	IC	2300	2600	2600	2000
11			1998	IC	2350	2650	2650	2100
11			1999	IC	2750	3100	3100	2450
11			2000	IC	2900	3250	3250	2600
11			2001	IC	3000	3350	3350	2650
11			2002	IC	3350	3750	3750	2950
11			2003	IC	3300	3700	3700	2900
11			2004	IC	2700	3000	3050	2400
11			2005	IC	3200	3550	3600	2800
11			2006	IC	2850	3150	3200	2500
11			2007	IC	2650	2950	3050	2350
11			2008	IC	2150	2400	2300	1900
11			2009	IC	2250	2500	2500	2000
11			2010	IC	2200	2450	2450	1950
11			2011	IC	2700	2950	3100	2400
11			2012	CTR	2350	2850	2800	2000
11			2013	CTR	2650	3250	3350	2250
11			2014	CTR	2300	2800	2850	1950
11			2015	CTR	2600	3150	3200	2200
11			2016	CTR	2600	3150	3200	2200
11			2017	CTR	2600	3450	3450	2100
11			2018	CTR	2600	3450	3450	2100
11			2019	CTR	2600	3450	3450	2100
11	MATTAWISHKWIA R BR	1.8	1988	IC	4100	4750	4650	3600
11			1989	IC	4300	4950	4850	3850
11			1990	IC	4450	5050	5000	3950
11			1991	IC	4450	5050	4950	3950
11			1992	IC	4450	4950	4900	4050
11			1993	IC	4500	5100	5050	4000
11			1994	IC	4500	5050	5050	4000
11			1995	IC	4500	5050	5100	4050
11			1996	IC	4500	5050	5050	4000
11			1997	IC	4650	5200	5250	4100
11			1998	IC	4700	5250	5250	4200
11			1999	IC	4800	5400	5400	4250
11			2000	IC	4850	5450	5450	4300
11			2001	IC	4850	5400	5450	4300
11			2002	IC	5050	5650	5650	4450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2003	IC	4950	5500	5550	4400
11			2004	IC	4500	5050	5050	4000
11			2005	IC	4950	5500	5550	4350
11			2006	IC	4500	5000	5050	4000
11			2007	IC	4200	4650	4800	3700
11			2008	IC	3550	3950	3800	3150
11			2009	IC	3550	3950	4000	3150
11			2010	IC	3400	3750	3800	3000
11			2011	IC	3950	4350	4500	3550
11			2012	CTR	3600	4350	4300	3050
11			2013	CTR	3750	4550	4700	3200
11			2014	CTR	3700	4500	4550	3150
11			2015	CTR	3650	4450	4500	3100
11			2016	CTR	3550	4350	4350	3000
11			2017	CTR	3500	4700	4650	2850
11			2018	CTR	3450	4600	4600	2800
11			2019	CTR	3400	4550	4500	2750
11	TOWN OF HEARST C/L 0.7 KM START OF NA	1.8	9999					
11	15TH ST (S) END OF NA	16.1	1988	CTR	1350	1750	1650	1150
11			1989	CTR	1450	1850	1750	1250
11			1990	LT	1500	2200	2100	1100
11			1991	LT	1750	2450	2350	1300
11			1992	LT	2050	2850	2750	1600
11			1993	C	2300	2500	2550	2100
11			1994	C	2500	2750	2800	2250
11			1995	C	2700	2950	3050	2450
11			1996	C	2900	3300	3300	2600
11			1997	C	2950	3350	3350	2650
11			1998	C	3000	3400	3400	2700
11			1999	C	2900	3250	3300	2600
11			2000	C	3000	3400	3400	2700
11			2001	C	3050	3450	3450	2750
11			2002	C	3100	3450	3500	2800
11			2003	CTR	3050	3800	3650	2600
11			2004	CTR	3150	4000	3800	2650
11			2005	CTR	3150	3900	3750	2650
11			2006	C	3300	3650	3700	2950
11			2007	C	3250	3600	3650	2900
11			2008	C	3200	3550	3500	2850
11			2009	C	3050	3350	3400	2750
11			2010	C	3300	3650	3650	2950
11			2011	C	2800	3100	3100	2500
11			2012	CTR	2900	3500	3450	2450
11			2013	UC	3200	3200	3200	3050
11			2014	UC	3200	3200	3100	3050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	C	3250	3600	3500	2900
11			2016	C	3250	3600	3500	2900
11			2017	C	3300	3600	3600	3000
11			2018	C	3300	3600	3600	3000
11			2019	C	3300	3600	3600	3000
11	17.200 KM W OF NINTH ST (E)	17.1	1994	C	2500	2750	2800	2250
11			1995	C	2700	2950	3050	2450
11			1996	C	2900	3300	3300	2600
11			1997	C	2950	3350	3350	2650
11			1998	C	3000	3400	3400	2700
11			1999	C	2900	3250	3300	2600
11			2000	C	3000	3400	3400	2700
11			2001	C	3050	3450	3450	2750
11			2002	C	3100	3450	3500	2800
11			2003	CTR	3050	3800	3650	2600
11			2004	CTR	3150	4000	3800	2650
11			2005	CTR	3150	3900	3750	2650
11			2006	C	3300	3650	3700	2950
11			2007	C	3250	3600	3650	2900
11			2008	C	3200	3550	3500	2850
11			2009	C	3050	3350	3400	2750
11			2010	C	3300	3650	3650	2950
11			2011	C	3350	3700	3750	3000
11			2012	C	2350	2600	2550	2100
11			2013	C	3200	3550	3500	2900
11			2014	C	2100	2300	2250	1900
11			2015	C	3050	3350	3250	2750
11			2016	C	3050	3350	3250	2750
11			2017	C	3050	3350	3350	2750
11			2018	C	3050	3350	3300	2750
11			2019	C	3050	3350	3300	2750
11	SEC HWY 663(TO CALSTOCK STA)	28.8	1988	LT	1250	1800	1750	950
11			1989	LT	1300	1800	1800	960
11			1990	LT	1150	1700	1600	840
11			1991	LT	1350	1900	1800	1000
11			1992	LT	1600	2200	2150	1250
11			1993	LT	1800	2500	2250	1300
11			1994	LT	1900	2800	2700	1400
11			1995	LT	2000	2850	2800	1450
11			1996	LT	2100	2950	2900	1550
11			1997	CTR	2150	2750	2650	1800
11			1998	CTR	2200	2800	2700	1850
11			1999	CTR	2250	2850	2700	1900
11			2000	CTR	2300	2900	2800	1950
11			2001	CTR	2200	2800	2650	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2002	CTR	2250	2850	2700	1900
11			2003	CTR	2250	2800	2700	1900
11			2004	CTR	2150	2700	2600	1800
11			2005	IT	2250	2850	2850	1850
11			2006	IT	2050	2600	2600	1700
11			2007	IT	2000	2550	2650	1650
11			2008	CR	1950	2350	2350	1650
11			2009	CR	2000	2400	2300	1700
11			2010	IC	1500	1650	1650	1350
11			2011	IC	1950	2150	2200	1750
11			2012	IC	1250	1400	1350	1100
11			2013	IC	1250	1400	1400	1100
11			2014	IC	1350	1500	1500	1200
11			2015	IC	1550	1700	1700	1350
11			2016	IC	1500	1650	1650	1350
11			2017	IC	1500	1650	1650	1350
11			2018	IC	1450	1600	1600	1300
11			2019	IC	1400	1550	1550	1250
11	SEC HWY 631	59.6	1988	LT	650	920	920	490
11			1989	LT	700	970	970	520
11			1990	LT	700	1000	980	510
11			1991	LT	700	980	950	520
11			1992	LT	700	970	950	540
11			1993	CTR	700	880	850	600
11			1994	CTR	720	920	880	600
11			1995	CTR	730	940	900	610
11			1996	CTR	730	930	900	610
11			1997	CTR	740	950	910	620
11			1998	CTR	750	950	920	630
11			1999	CTR	820	1050	990	690
11			2000	CTR	850	1050	1050	710
11			2001	CTR	830	1050	1000	700
11			2002	CTR	880	1100	1050	740
11			2003	CTR	970	1200	1150	820
11			2004	CTR	980	1250	1200	830
11			2005	CTR	1100	1350	1300	930
11			2006	CTR	1050	1300	1250	890
11			2007	CTR	1100	1350	1350	930
11			2008	CTR	1100	1350	1350	930
11			2009	CTR	1150	1400	1350	980
11			2010	CTR	1200	1450	1400	1000
11			2011	CTR	1200	1450	1400	1000
11			2012	CTR	1250	1500	1500	1050
11			2013	CTR	1300	1600	1650	1100
11			2014	CTR	1050	1300	1300	890

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	CTR	1300	1600	1600	1100
11			2016	CTR	1350	1650	1650	1150
11			2017	CTR	1350	1800	1800	1100
11			2018	CTR	1400	1850	1850	1150
11			2019	CTR	1400	1850	1850	1150
11	NORTHERN NORTHWESTERN MTO REG BDY	72.4	1988	LT	650	920	920	490
11			1989	LT	700	970	970	520
11			1990	LT	700	1000	980	510
11			1991	LT	700	980	950	520
11			1992	LT	700	970	950	540
11			1993	CTR	700	880	850	600
11			1994	CTR	720	920	880	600
11			1995	CTR	730	940	900	610
11			1996	CTR	730	930	900	610
11			1997	CTR	740	950	910	620
11			1998	CTR	750	950	920	630
11			1999	CTR	820	1050	990	690
11			2000	CTR	850	1050	1050	710
11			2001	CTR	830	1050	1000	700
11			2002	CTR	930	1150	1150	790
11			2003	CTR	870	1100	1050	740
11			2004	CTR	890	1100	1100	750
11			2005	CTR	860	1050	1000	730
11			2006	CTR	920	1150	1100	780
11			2007	CTR	930	1150	1150	790
11			2008	CTR	950	1200	1150	810
11			2009	CTR	980	1200	1150	830
11			2010	CTR	960	1150	1100	820
11			2011	IC	1000	1100	1150	900
11			2012	CR	900	1100	1050	760
11			2013	CR	1000	1200	1250	850
11			2014	CR	1050	1250	1250	890
11			2015	CR	1050	1250	1250	890
11			2016	CR	1050	1250	1250	890
11			2017	CR	1050	1200	1200	950
11			2018	CR	1100	1300	1300	990
11			2019	CR	1100	1300	1300	990
11	SEC HWY 625 (S) (TO CARAMAT)	15.4	1988	CTR	850	1100	1050	710
11			1989	CTR	900	1150	1100	770
11			1990	LT	1000	1450	1400	730
11			1991	LT	1000	1400	1350	740
11			1992	LT	1000	1400	1350	770
11			1993	CTR	1050	1300	1250	890
11			1994	CTR	1050	1350	1300	880
11			1995	CTR	1100	1400	1350	920

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1996	CTR	1100	1400	1350	920
11			1997	LT	1150	1600	1600	850
11			1998	LT	1200	1700	1650	880
11			1999	LT	1150	1600	1550	840
11			2000	LT	1150	1600	1550	840
11			2001	LT	1150	1600	1550	840
11			2002	LT	1150	1600	1550	840
11			2003	LT	1150	1600	1550	850
11			2004	LT	1200	1700	1650	880
11			2005	LT	1150	1600	1550	850
11			2006	LT	1200	1650	1600	880
11			2007	LT	1200	1650	1700	880
11			2008	LT	1200	1650	1550	890
11			2009	LT	1150	1550	1500	850
11			2010	LT	1200	1600	1600	890
11			2011	IC	1200	1300	1350	1100
11			2012	IC	1100	1200	1200	980
11			2013	IC	1200	1350	1300	1050
11			2014	CTR	1250	1500	1550	1050
11			2015	CTR	1200	1450	1500	1000
11			2016	CTR	1200	1450	1500	1000
11			2017	CTR	1200	1600	1600	980
11			2018	CTR	1200	1600	1600	980
11			2019	CTR	1200	1600	1600	980
11	PICNIC POINT RD (S)	3.8	1997	LT	2200	3100	3050	1650
11			1998	LT	2200	3100	3000	1600
11			1999	LT	2100	2900	2850	1550
11			2000	LT	2050	2850	2800	1500
11			2001	LT	2000	2800	2700	1450
11			2002	LT	1900	2650	2600	1400
11			2003	LT	1900	2600	2550	1400
11			2004	IT	1900	2500	2400	1550
11			2005	IR	1800	2150	1950	1550
11			2006	IR	1750	2100	1900	1500
11			2007	IC	1750	1950	2000	1550
11			2008	IC	1650	1850	1750	1450
11			2009	IC	1650	1850	1850	1450
11			2010	IC	1600	1750	1800	1400
11			2011	IC	1550	1700	1750	1400
11			2012	IC	1700	1900	1850	1500
11			2013	IC	1500	1650	1650	1350
11			2014	CTR	1550	1900	1900	1300
11			2015	CTR	1450	1750	1800	1250
11			2016	CTR	1400	1700	1700	1200
11			2017	CTR	1550	2050	2050	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2018	CTR	1550	2050	2050	1250
11			2019	CTR	1550	2050	2050	1250
11	MUNICIPAL ROAD (N)	29.7	1988	CTR	1200	1550	1450	1000
11			1989	CTR	1250	1600	1500	1100
11			1990	LT	1250	1800	1750	910
11			1991	LT	1300	1800	1750	960
11			1992	LT	1350	1900	1800	1050
11			1993	UC	1400	1450	1600	1300
11			1994	UC	1400	1500	1600	1300
11			1995	UC	1400	1500	1600	1300
11			1996	UC	1400	1500	1650	1350
11			1997	UC	1400	1450	1650	1300
11			1998	UC	1450	1550	1700	1400
11			1999	UC	1600	1700	1850	1500
11			2000	UC	1650	1750	1950	1550
11			2001	UC	1650	1750	1950	1550
11			2002	UC	1800	1900	2100	1700
11			2003	UC	2000	2100	2350	1900
11			2004	UC	1800	1950	2100	1700
11			2005	UC	1750	1850	2050	1650
11			2006	UC	1700	1800	2000	1600
11			2007	UC	1500	1600	1750	1400
11			2008	UC	1750	1850	1750	1650
11			2009	C	1550	1700	1700	1400
11			2010	C	1800	2000	2000	1600
11			2011	C	1800	2000	2000	1600
11			2012	C	1500	1650	1600	1350
11			2013	C	1800	2000	1950	1600
11			2014	UC	1650	1650	1600	1550
11			2015	UC	1800	1800	1750	1700
11			2016	UC	1800	1800	1750	1700
11			2017	UC	1800	1800	1800	1750
11			2018	UC	1850	1850	1850	1800
11			2019	UC	1850	1800	1850	1800
11	GOLDFIELD RD (S)	40.5	1988	CTR	900	1150	1100	760
11			1989	CTR	950	1200	1150	820
11			1990	CTR	950	1200	1100	830
11			1991	CTR	950	1200	1200	830
11			1992	CTR	950	1150	1150	830
11			1993	LT	950	1300	1200	700
11			1994	LT	1400	2050	2000	1000
11			1995	LT	1550	2250	2150	1150
11			1996	LT	1850	2600	2550	1350
11			1997	LT	1850	2600	2550	1350
11			1998	LT	1800	2500	2450	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1999	LT	1800	2500	2450	1300
11			2000	LT	1800	2500	2450	1300
11			2001	LT	1600	2250	2200	1150
11			2002	LT	1550	2150	2100	1150
11			2003	LT	1600	2200	2150	1200
11			2004	LT	1450	2050	1950	1050
11			2005	CTR	1400	1750	1650	1200
11			2006	CTR	1550	1900	1850	1300
11			2007	CTR	1500	1850	1850	1250
11			2008	CTR	1500	1850	1800	1250
11			2009	CTR	1500	1850	1750	1300
11			2010	CTR	1450	1750	1700	1250
11			2011	IC	1450	1600	1650	1300
11			2012	IC	1500	1650	1600	1350
11			2013	IC	1450	1600	1600	1300
11			2014	IC	1400	1550	1550	1250
11			2015	IC	1400	1550	1550	1250
11			2016	IC	1400	1550	1550	1250
11			2017	IC	1350	1500	1500	1250
11			2018	IC	1350	1500	1500	1200
11			2019	IC	1350	1500	1500	1200
11	NOBLE AVE (N)	32.9	1988	CTR	750	980	920	630
11			1989	CTR	800	1000	970	690
11			1990	CTR	850	1050	1000	740
11			1991	CTR	850	1050	1050	740
11			1992	CTR	850	1050	1000	740
11			1993	CTR	850	1050	1050	720
11			1994	CTR	1000	1300	1200	840
11			1995	CTR	1200	1550	1500	1000
11			1996	LT	1400	2000	1950	1050
11			1997	LT	1350	1900	1850	1000
11			1998	LT	1250	1750	1700	910
11			1999	LT	1350	1900	1850	990
11			2000	LT	1250	1750	1700	910
11			2001	LT	1250	1750	1700	920
11			2002	LT	1450	2050	1950	1050
11			2003	LT	1250	1700	1700	920
11			2004	LT	1100	1550	1500	810
11			2005	CTR	1200	1500	1450	1000
11			2006	CTR	1300	1600	1550	1100
11			2007	CTR	1300	1600	1600	1100
11			2008	CTR	1300	1600	1600	1100
11			2009	CTR	1300	1600	1550	1100
11			2010	CTR	1300	1600	1500	1100
11			2011	IC	1300	1450	1500	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2012	IC	1250	1400	1350	1100
11			2013	IC	1300	1450	1450	1150
11			2014	CTR	1300	1600	1600	1100
11			2015	CTR	1300	1600	1600	1100
11			2016	CTR	1300	1600	1600	1100
11			2017	CTR	1300	1750	1750	1050
11			2018	CTR	1300	1750	1750	1050
11			2019	CTR	1300	1750	1700	1050
11	HWY 580 LEITCH RD (N)	2.3	1988	CTR	1100	1450	1350	920
11			1989	CTR	1150	1450	1400	990
11			1990	CTR	1200	1500	1400	1050
11			1991	CTR	1200	1500	1500	1050
11			1992	CTR	1200	1500	1450	1050
11			1993	LT	1150	1600	1450	840
11			1994	LT	1400	2050	2000	1000
11			1995	LT	1600	2300	2250	1150
11			1996	LT	2050	2900	2800	1500
11			1997	LT	2000	2800	2750	1500
11			1998	LT	1900	2650	2600	1400
11			1999	LT	1850	2550	2500	1350
11			2000	LT	1650	2300	2250	1200
11			2001	LT	1600	2250	2200	1150
11			2002	LT	1550	2150	2100	1150
11			2003	LT	1550	2150	2100	1150
11			2004	LT	1300	1800	1750	950
11			2005	CTR	1500	1850	1800	1250
11			2006	CTR	1400	1750	1650	1200
11			2007	CTR	1450	1800	1800	1250
11			2008	CTR	1450	1800	1750	1250
11			2009	CTR	1400	1700	1650	1200
11			2010	CTR	1600	1950	1850	1350
11			2011	CTR	1300	1600	1500	1100
11			2012	CTR	1600	1950	1900	1350
11			2013	CTR	1350	1650	1700	1150
11			2014	CTR	1250	1500	1550	1050
11			2015	CTR	1300	1600	1600	1100
11			2016	CTR	1300	1600	1600	1100
11			2017	CTR	1250	1650	1650	1000
11			2018	CTR	1250	1650	1650	1000
11			2019	CTR	1200	1600	1600	980
11	D ST S JCT	21.8	1988	CTR	950	1250	1150	800
11			1989	CTR	1000	1250	1200	860
11			1990	CTR	1000	1250	1200	870
11			1991	CTR	1000	1250	1250	870
11			1992	CTR	1000	1250	1200	870

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1993	UC	1050	1100	1200	980
11			1994	UC	1050	1100	1200	980
11			1995	UC	1050	1100	1200	980
11			1996	CR	1100	1350	1300	940
11			1997	CR	1150	1450	1350	980
11			1998	CR	1200	1500	1400	1000
11			1999	CR	1250	1550	1450	1050
11			2000	CR	1300	1600	1500	1100
11			2001	CR	1250	1550	1450	1050
11			2002	CR	1250	1550	1450	1050
11			2003	CR	1300	1600	1500	1100
11			2004	CR	1400	1700	1650	1200
11			2005	CR	1350	1650	1550	1150
11			2006	CR	1350	1650	1550	1150
11			2007	CR	1350	1650	1650	1150
11			2008	CR	1400	1700	1700	1200
11			2009	CTR	1400	1700	1650	1200
11			2010	CTR	1450	1750	1700	1250
11			2011	LT	1350	1750	1750	1100
11			2012	LT	1350	1750	1700	1000
11			2013	LT	1450	1900	1900	1100
11			2014	CTR	1350	1650	1650	1150
11			2015	CTR	1500	1850	1850	1300
11			2016	CTR	1500	1850	1850	1300
11			2017	CTR	1500	2000	2000	1200
11			2018	CTR	1550	2050	2050	1250
11			2019	CTR	1550	2050	2050	1250
11	MACDIARMID RD (W)	55.0	2000	LT	1300	1800	1750	950
11			2001	LT	1350	1900	1850	990
11			2002	LT	1350	1900	1850	990
11			2003	LT	1400	1950	1900	1050
11			2004	LT	1450	2050	1950	1050
11			2005	CTR	1550	1900	1850	1300
11			2006	CTR	1450	1800	1700	1250
11			2007	CTR	1500	1850	1850	1250
11			2008	CTR	1500	1850	1800	1250
11			2009	CTR	1450	1750	1700	1250
11			2010	CTR	1550	1900	1800	1300
11			2011	LT	1400	1800	1850	1150
11			2012	LT	1400	1850	1750	1050
11			2013	LT	1500	1950	1950	1150
11			2014	LT	1350	1750	1800	1000
11			2015	LT	1500	1950	2000	1150
11			2016	LT	1500	1950	2000	1150
11			2017	LT	1500	1900	1900	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2018	LT	1500	1900	1900	1250
11			2019	LT	1500	1900	1900	1250
11	HWY 17 NIPIGON	0.9	1988	LT	3450	4900	4850	2600
11			1989	LT	3500	4850	4850	2600
11			1990	LT	3550	5200	4950	2600
11			1991	LT	3450	4850	4650	2550
11			1992	LT	3300	4600	4450	2550
11			1993	LT	3150	4350	3900	2300
11			1994	LT	3250	4750	4600	2350
11			1995	LT	3350	4800	4650	2450
11			1996	LT	3450	4850	4750	2550
11			1997	LT	3750	5300	5200	2800
11			1998	LT	4100	5750	5600	3000
11			1999	LT	3950	5500	5350	2900
11			2000	LT	3950	5500	5400	2900
11			2001	LT	4100	5750	5600	3000
11			2002	LT	4200	5850	5700	3100
11			2003	LT	4300	5900	5800	3200
11			2004	LT	4150	5800	5650	3050
11			2005	LT	4650	6400	6250	3400
11			2006	LT	4650	6350	6200	3450
11			2007	LT	4750	6500	6700	3500
11			2008	LT	4850	6650	6350	3600
11			2009	LT	4950	6700	6550	3650
11			2010	LT	5050	6800	6650	3750
11			2011	LT	4250	5450	5550	3500
11			2012	LT	4250	5550	5300	3200
11			2013	LT	5000	6550	6500	3750
11			2014	LT	5050	6600	6700	3800
11			2015	LT	5150	6700	6850	3900
11			2016	LT	5250	6850	6950	3950
11			2017	LT	5300	6750	6750	4450
11			2018	LT	5400	6850	6900	4550
11			2019	LT	5450	6900	6950	4550
11	RAILWAY ST E JCT NIPIGON RD (S)	1.9	1988	LT	2700	3850	3800	2050
11			1989	LT	2750	3800	3800	2050
11			1990	LT	2750	4000	3850	2000
11			1991	LT	2700	3800	3650	2000
11			1992	LT	2600	3600	3500	2000
11			1993	LT	2500	3450	3100	1850
11			1994	LT	2600	3800	3650	1900
11			1995	LT	2700	3900	3750	2000
11			1996	LT	2800	3950	3850	2050
11			1997	LT	2850	4000	3950	2100
11			1998	LT	2950	4150	4050	2150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1999	LT	3050	4250	4150	2250
11			2000	LT	3150	4400	4300	2300
11			2001	LT	3200	4500	4350	2350
11			2002	LT	3300	4600	4500	2400
11			2003	LT	3400	4700	4600	2500
11			2004	LT	3550	4950	4850	2600
11			2005	LT	3550	4850	4750	2600
11			2006	LT	3800	5200	5050	2800
11			2007	LT	3750	5150	5300	2750
11			2008	LT	3650	5000	4800	2700
11			2009	LT	3450	4650	4550	2550
11			2010	LT	3500	4700	4600	2600
11			2011	LT	3500	4500	4550	2900
11			2012	LT	3500	4550	4350	2650
11			2013	LT	3850	5050	5000	2900
11			2014	IC	3650	4050	4000	3250
11			2015	IC	3900	4300	4300	3450
11			2016	IC	3950	4350	4350	3500
11			2017	IC	4000	4400	4400	3650
11			2018	IC	4050	4450	4500	3650
11			2019	IC	4100	4500	4550	3700
11	FIRST ST (S) W JCT NIPIGON RD	1.2	1988	LT	5450	7750	7700	4150
11			1989	LT	5550	7700	7650	4100
11			1990	LT	5550	8100	7750	4050
11			1991	LT	5550	7750	7500	4100
11			1992	LT	5550	7700	7500	4250
11			1993	LT	5600	7750	6950	4100
11			1994	LT	5400	7900	7650	3900
11			1995	LT	5300	7600	7400	3900
11			1996	LT	5150	7250	7100	3800
11			1997	LT	4800	6750	6600	3550
11			1998	LT	4500	6300	6150	3300
11			1999	LT	4350	6050	5900	3200
11			2000	LT	4750	6600	6500	3450
11			2001	LT	4800	6700	6550	3500
11			2002	LT	3650	5100	4950	2700
11			2003	LT	4900	6750	6600	3600
11			2004	LT	5400	7550	7350	3950
11			2005	CTR	5000	6200	5950	4250
11			2006	CTR	5500	6800	6550	4650
11			2007	LT	5500	7550	7750	4050
11			2008	LT	5300	7250	6950	3900
11			2009	IC	4850	5400	5450	4300
11			2010	IC	5300	5850	5900	4700
11			2011	IC	5000	5500	5700	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2012	IC	5400	6000	5800	4800
11			2013	IC	5200	5750	5700	4600
11			2014	CR	5600	6600	6550	4750
11			2015	CR	5300	6250	6200	4500
11			2016	CR	5350	6300	6250	4550
11			2017	CR	5350	6200	6250	4800
11			2018	CR	5400	6250	6300	4850
11			2019	CR	5400	6250	6300	4850
11	SEC HWY 585 CAMERON FALLS RD (N)	8.4	1988	LT	4800	6800	6750	3650
11			1989	LT	4850	6750	6700	3600
11			1990	LT	4150	6050	5800	3050
11			1991	LT	4600	6450	6200	3400
11			1992	LT	5100	7100	6900	3950
11			1993	LT	5600	7750	6950	4100
11			1994	LT	5700	8350	8050	4150
11			1995	LT	5800	8350	8100	4250
11			1996	LT	5850	8250	8050	4300
11			1997	LT	5600	7900	7750	4150
11			1998	LT	5350	7500	7350	3900
11			1999	LT	5100	7100	6950	3700
11			2000	LT	5150	7200	7000	3750
11			2001	LT	5000	7000	6800	3650
11			2002	LT	4900	6850	6650	3600
11			2003	LT	4750	6550	6400	3500
11			2004	LT	4600	6450	6250	3350
11			2005	CTR	4500	5600	5350	3800
11			2006	CTR	4250	5250	5050	3600
11			2007	LT	4250	5850	6000	3100
11			2008	LT	4150	5700	5450	3050
11			2009	LT	4000	5400	5300	2950
11			2010	LT	4200	5650	5550	3100
11			2011	LT	4000	5100	5250	3300
11			2012	LT	4600	6000	5700	3500
11			2013	LT	3800	4950	4950	2850
11			2014	LT	3850	5050	5100	2900
11			2015	LT	3600	4700	4800	2700
11			2016	LT	3500	4550	4650	2650
11			2017	LT	4600	5850	5850	3850
11			2018	LT	4600	5850	5850	3850
11			2019	LT	4600	5850	5850	3850
11	SEC HWY 628 (E) TO RED ROCK	19.7	1988	LT	3300	4700	4650	2500
11			1989	LT	3350	4650	4600	2500
11			1990	LT	3200	4650	4500	2350
11			1991	LT	3100	4350	4200	2300
11			1992	LT	3150	4400	4250	2450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1993	LT	3200	4450	3950	2350
11			1994	LT	3400	5000	4800	2450
11			1995	LT	3550	5100	4950	2600
11			1996	LT	3500	4950	4800	2550
11			1997	LT	3500	4950	4850	2600
11			1998	LT	3550	4950	4850	2600
11			1999	LT	3600	5000	4900	2650
11			2000	LT	3650	5100	5000	2650
11			2001	LT	3650	5100	4950	2650
11			2002	LT	3700	5150	5050	2700
11			2003	LT	3750	5150	5050	2750
11			2004	LT	3700	5200	5050	2700
11			2005	LT	3750	5150	5000	2750
11			2006	LT	3800	5200	5050	2800
11			2007	LT	3900	5350	5500	2850
11			2008	LT	3750	5150	4900	2750
11			2009	LT	3650	4950	4800	2700
11			2010	LT	3850	5150	5050	2850
11			2011	LT	3850	4950	5050	3150
11			2012	LT	3900	5100	4850	2950
11			2013	LT	3900	5100	5100	2950
11			2014	LT	3500	4550	4650	2650
11			2015	LT	3900	5100	5200	2950
11			2016	LT	3900	5100	5200	2950
11			2017	LT	3950	5000	5000	3300
11			2018	LT	4050	5150	5150	3400
11			2019	LT	3950	5000	5000	3300
11	HWY 582 (S JCT) HURKETT RD (E) BLACK STURGEON RD (W)	6.8	1988	LT	3850	5450	5450	2950
11			1989	LT	3900	5400	5400	2900
11			1990	LT	3900	5700	5450	2850
11			1991	LT	3800	5300	5150	2800
11			1992	LT	3700	5150	5000	2850
11			1993	C	3650	4000	4050	3350
11			1994	C	3650	4000	4050	3300
11			1995	C	3650	4000	4100	3350
11			1996	LT	3700	5200	5100	2700
11			1997	LT	3750	5300	5200	2800
11			1998	LT	3800	5300	5200	2750
11			1999	LT	3850	5350	5250	2800
11			2000	LT	3900	5450	5300	2850
11			2001	LT	3900	5450	5300	2850
11			2002	LT	3950	5500	5400	2900
11			2003	LT	4700	6450	6350	3450
11			2004	LT	4400	6150	6000	3200
11			2005	LT	4100	5600	5500	3000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2006	LT	4050	5550	5400	3000
11			2007	LT	3500	4800	4950	2550
11			2008	LT	3750	5150	4900	2750
11			2009	LT	3950	5350	5200	2900
11			2010	LT	3950	5300	5200	2900
11			2011	LT	3900	5000	5100	3200
11			2012	LT	3800	4950	4700	2900
11			2013	LT	3750	4900	4900	2850
11			2014	LT	3750	4900	5000	2850
11			2015	LT	3950	5150	5250	3000
11			2016	LT	3950	5150	5250	3000
11			2017	LT	3950	5000	5000	3300
11			2018	LT	3950	5550	5500	3050
11			2019	LT	3950	5550	5500	3050
11	DORION LOOP RD (N JCT) (W)	5.6	2009	LT	3300	4450	4350	2450
11			2010	LT	3600	4850	4750	2650
11			2011	LT	3850	4950	5050	3150
11			2012	LT	3600	4700	4500	2750
11			2013	LT	3900	5100	5100	2950
11			2014	LT	3300	4300	4400	2500
11			2015	LT	3650	4750	4850	2750
11			2016	LT	3650	4750	4850	2750
11			2017	LT	3700	4700	4700	3100
11			2018	LT	3700	4700	4700	3100
11			2019	LT	3700	4700	4700	3100
11	OUIMET CANYON PROV PARK RD (W)	23.9	1988	LT	3100	4400	4350	2350
11			1989	LT	3100	4300	4300	2300
11			1990	LT	3150	4600	4400	2300
11			1991	LT	3150	4400	4250	2350
11			1992	LT	3150	4400	4250	2450
11			1993	LT	3200	4450	3950	2350
11			1994	LT	3300	4850	4650	2400
11			1995	LT	3400	4900	4750	2500
11			1996	LT	3550	5000	4900	2600
11			1997	LT	3550	5000	4900	2650
11			1998	LT	3600	5050	4950	2650
11			1999	LT	3700	5150	5050	2700
11			2000	LT	3800	5300	5200	2750
11			2001	LT	3850	5400	5250	2800
11			2002	LT	3950	5500	5400	2900
11			2003	LT	4500	6200	6050	3300
11			2004	LT	4500	6300	6150	3300
11			2005	LT	4200	5750	5650	3100
11			2006	LT	4200	5750	5600	3100
11			2007	LT	3900	5350	5500	2850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2008	LT	4300	5900	5650	3150
11			2009	LT	4050	5450	5350	3000
11			2010	LT	4450	6000	5850	3300
11			2011	LT	3500	4500	4550	2900
11			2012	LT	3500	4550	4350	2650
11			2013	LT	4200	5500	5500	3150
11			2014	LT	3950	5150	5250	3000
11			2015	LT	4200	5500	5600	3150
11			2016	LT	4250	5550	5650	3200
11			2017	LT	4300	5450	5450	3600
11			2018	LT	4300	6000	5950	3300
11			2019	LT	4350	6100	6050	3350
11	SEC HWY 587 PASS LAKE RD (E)	7.0	1988	LT	3600	5100	5100	2750
11			1989	LT	3650	5050	5050	2700
11			1990	LT	3700	5400	5200	2700
11			1991	LT	4250	5950	5750	3150
11			1992	LT	4800	6650	6500	3700
11			1993	LT	5300	7350	6550	3900
11			1994	LT	5350	7850	7550	3900
11			1995	LT	5400	7750	7550	3950
11			1996	LT	5450	7700	7500	4000
11			1997	LT	5250	7400	7250	3900
11			1998	LT	5050	7050	6900	3700
11			1999	LT	5100	7100	6950	3700
11			2000	LT	5150	7200	7000	3750
11			2001	LT	5200	7300	7100	3800
11			2002	LT	5000	7000	6800	3650
11			2003	LT	5100	7000	6850	3750
11			2004	LT	5300	7400	7200	3900
11			2005	LT	5100	7000	6850	3750
11			2006	LT	5050	6900	6750	3700
11			2007	LT	5050	6950	7150	3700
11			2008	LT	5000	6850	6550	3700
11			2009	LT	5000	6750	6600	3700
11			2010	LT	4950	6650	6500	3650
11			2011	LT	4950	6350	6450	4050
11			2012	LT	4800	6250	5950	3650
11			2013	LT	4900	6400	6400	3700
11			2014	LT	3350	4350	4450	2550
11			2015	LT	4550	5950	6050	3450
11			2016	LT	4500	5900	6000	3400
11			2017	LT	4450	6250	6150	3450
11			2018	LT	4400	6150	6100	3400
11			2019	LT	4350	6100	6050	3350
11	LAKESHORE DR (E)	8.3	1988	LT	4150	5900	5850	3150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	LT	4250	5900	5850	3150
11			1990	LT	4050	5900	5650	2950
11			1991	LT	4000	5600	5400	2950
11			1992	LT	4000	5550	5400	3100
11			1993	LT	4000	5550	4950	2950
11			1994	LT	4250	6250	6000	3100
11			1995	LT	4400	6300	6150	3200
11			1996	LT	4750	6700	6550	3500
11			1997	T	4850	8350	8200	3000
11			1998	T	4900	8350	8200	3000
11			1999	T	5200	8750	8550	3200
11			2000	T	5100	8400	8050	3150
11			2001	T	5250	8600	8300	3250
11			2002	T	5100	8350	8050	3150
11			2003	T	5450	8600	8200	3450
11			2004	T	5550	9100	8750	3450
11			2005	T	5650	8800	8450	3550
11			2006	T	5450	8450	8050	3450
11			2007	T	5900	9100	8700	3700
11			2008	T	5100	7700	7600	3250
11			2009	T	4600	6750	6550	2950
11			2010	T	4750	6950	6650	3050
11			2011	LT	5500	7050	7200	4500
11			2012	LT	5800	7550	7200	4400
11			2013	LT	5600	7300	7300	4250
11			2014	LT	5650	7400	7500	4250
11			2015	LT	5700	7450	7550	4300
11			2016	LT	5750	7500	7650	4350
11			2017	LT	5800	8100	8050	4450
11			2018	LT	5850	8200	8100	4500
11			2019	LT	5900	8250	8200	4550
11	MACKENZIE STATION RD/LAKESHORE DR (WEST CONNECTION) HWY 7242	14.8	2013	CTR	5000	6100	6300	4250
11			2014	CTR	5200	6350	6400	4400
11			2015	CTR	5400	6600	6650	4600
11			2016	CTR	5600	6850	6900	4750
11			2017	CTR	5650	7550	7500	4600
11			2018	CTR	5900	7900	7850	4800
11			2019	CTR	6050	8050	8050	4900
11	SEC HWY 527 (W)/SPRUCE RIVER RD (E)	3.8	1988	LT	5650	8000	7950	4300
11			1989	LT	5700	7900	7850	4200
11			1990	LT	5800	8450	8100	4250
11			1991	LT	5650	7900	7650	4200
11			1992	LT	5500	7650	7450	4250
11			1993	LT	5500	7600	6800	4050
11			1994	LT	5800	8500	8200	4200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1995	LT	6500	9350	9050	4750
11			1996	LT	7700	10900	10600	5650
11			1997	LT	7400	10400	10200	5500
11			1998	LT	7100	9950	9750	5200
11			1999	LT	6750	9400	9200	4950
11			2000	LT	7000	9750	9550	5100
11			2001	LT	6900	9650	9400	5050
11			2002	LT	6900	9650	9400	5050
11			2003	LT	6950	9550	9350	5150
11			2004	LT	6800	9500	9250	5000
11			2005	CR	6750	8200	7850	5700
11			2006	CR	7350	8900	8550	6200
11			2007	IR	7000	8500	8450	5950
11			2008	IR	6900	8350	8200	5900
11			2009	CTR	7050	8600	8300	6000
11			2010	CTR	6150	7500	7200	5200
11			2011	CTR	7150	8700	8350	6050
11			2012	CTR	6150	7450	7350	5250
11			2013	CTR	6800	8300	8550	5800
11			2014	CTR	5400	6600	6650	4600
11			2015	CTR	6500	7950	8000	5500
11			2016	CTR	6500	7950	8000	5500
11			2017	CTR	6450	8600	8600	5250
11			2018	CTR	6450	8600	8600	5250
11			2019	CTR	6400	8550	8500	5200
11	HWYS 11B/17B HODDER AVE (E)/COPENHAGEN RD (W)	4.1	1988	LT	5650	8000	7950	4300
11			1989	LT	6000	8350	8300	4450
11			1990	LT	5350	7800	7500	3900
11			1991	LT	5400	7550	7300	4000
11			1992	LT	5450	7600	7350	4200
11			1993	LT	5700	7900	7050	4200
11			1994	LT	5950	8750	8400	4300
11			1995	LT	6100	8750	8500	4450
11			1996	LT	6300	8900	8700	4650
11			1997	LT	6550	9250	9050	4850
11			1998	LT	6700	9400	9200	4900
11			1999	LT	7050	9800	9600	5150
11			2000	LT	7300	10200	9950	5350
11			2001	LT	7500	10500	10200	5500
11			2002	LT	7350	10300	10000	5400
11			2003	LT	7300	10000	9850	5400
11			2004	LT	7300	10200	9950	5350
11			2005	LT	7250	9950	9700	5350
11			2006	LT	7600	10400	10100	5600
11			2007	LT	7300	10000	10300	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2008	LT	7000	9600	9200	5150
11			2009	LT	7150	9650	9450	5300
11			2010	LT	6400	8600	8450	4700
11			2011	LT	7750	9950	10100	6350
11			2012	LT	6400	8350	7950	4850
11			2013	LT	7400	9650	9650	5600
11			2014	IC	5700	6300	6300	5050
11			2015	IC	7150	7900	7900	6350
11			2016	IC	7150	7900	7900	6350
11			2017	IC	7200	7900	7950	6550
11			2018	IC	7200	7950	7950	6500
11			2019	IC	7250	7950	8000	6550
11	BALSAM AVE	2.3	1988	C	10600	11800	11800	9550
11			1989	C	10900	12100	12200	9800
11			1990	C	11100	12300	12300	10000
11			1991	C	11100	12200	12300	10100
11			1992	C	11200	12100	12400	10300
11			1993	C	11300	12300	12500	10400
11			1994	SC	11600	12100	13300	10700
11			1995	SC	11700	12200	13600	10600
11			1996	LT	12000	16900	16500	8800
11			1997	C	12400	14000	14100	11200
11			1998	C	12600	14200	14200	11300
11			1999	C	13000	14600	14700	11700
11			2000	C	12400	14000	14000	11200
11			2001	C	12300	13900	13900	11100
11			2002	C	12000	13400	13500	10800
11			2003	C	12300	13700	13800	11100
11			2004	C	12300	13900	13900	11100
11			2005	C	12100	13500	13600	10900
11			2006	C	12400	13800	13900	11200
11			2007	C	12300	13700	13900	11100
11			2008	C	12500	13800	13600	11200
11			2009	IC	12500	13900	14000	11100
11			2010	IC	12500	13800	14000	11100
11			2011	IC	12500	13700	14300	11200
11			2012	IC	11000	12200	11800	9750
11			2013	IC	12300	13600	13500	10900
11			2014	IC	9950	11000	11000	8800
11			2015	IC	11800	13100	13000	10500
11			2016	IC	11800	13100	13000	10500
11			2017	IC	11800	12900	13000	10700
11			2018	IC	11800	13000	13100	10700
11			2019	IC	11700	12900	12900	10600
11	HWY 102 (W)/RED RIVER RD (E) THUNDER BAY	1.2	1988	C	12800	14200	14200	11500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	C	12900	14300	14400	11600
11			1990	UC	13000	13900	15100	12400
11			1991	UC	13000	13800	14900	12600
11			1992	UC	13800	14600	15900	13200
11			1993	UC	14700	15500	16700	13800
11			1994	SC	15600	16200	17900	14400
11			1995	SC	15300	16000	17800	13900
11			1996	LT	15100	21300	20800	11100
11			1997	C	15200	17200	17300	13700
11			1998	C	15500	17500	17500	14000
11			1999	C	15600	17500	17600	14000
11			2000	C	15500	17500	17500	14000
11			2001	C	15500	17500	17500	14000
11			2002	C	15500	17400	17500	13900
11			2003	C	15500	17300	17400	14000
11			2004	C	15700	17700	17700	14100
11			2005	C	15600	17400	17500	14000
11			2006	C	15800	17600	17700	14200
11			2007	C	15600	17300	17600	14000
11			2008	C	16400	18100	17900	14700
11			2009	C	15900	17500	17600	14300
11			2010	C	16000	17600	17800	14400
11			2011	C	16000	17600	17800	14400
11			2012	C	15000	16500	16200	13500
11			2013	C	15900	17500	17300	14300
11			2014	UC	12600	12600	12100	12000
11			2015	UC	15300	15300	14700	14500
11			2016	UC	15300	15300	14700	14500
11			2017	UC	15300	15200	15300	14700
11			2018	UC	15300	15200	15400	14700
11			2019	UC	15300	15100	15300	14700
11	THUNDER SUP N TO THUNDER ATIKOK	3.2	1988	C	14600	16200	16200	13100
11			1989	C	14800	16400	16600	13300
11			1990	UC	15000	16100	17400	14200
11			1991	UC	15000	15900	17200	14600
11			1992	UC	15500	16400	17800	14900
11			1993	UC	15800	16600	18000	14800
11			1994	C	16000	17500	17800	14500
11			1995	C	15500	16900	17400	14200
11			1996	UC	15000	15900	17500	14300
11			1997	C	15500	17500	17700	14000
11			1998	C	16100	18200	18200	14500
11			1999	C	16700	18700	18900	15000
11			2000	C	17000	19200	19200	15300
11			2001	C	15700	17700	17700	14100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2002	C	15700	17600	17700	14100
11			2003	C	16100	18000	18100	14500
11			2004	C	16500	18600	18600	14900
11			2005	C	15800	17600	17700	14200
11			2006	C	16600	18400	18600	14900
11			2007	C	16200	18000	18300	14600
11			2008	C	18200	20100	19800	16300
11			2009	C	16700	18400	18500	15000
11			2010	C	17000	18700	18900	15300
11			2011	IC	16200	17800	18500	14500
11			2012	IC	17000	18800	18300	15100
11			2013	IC	17100	18900	18800	15200
11			2014	IC	17100	18900	18800	15200
11			2015	IC	17200	19000	19000	15300
11			2016	IC	17300	19100	19100	15300
11			2017	IC	17400	19100	19200	15800
11			2018	IC	17500	19300	19400	15800
11			2019	IC	17500	19200	19300	15800
11	OLIVER RD (E&W) THUNDER BAY	1.6	1988	C	15500	17200	17200	14000
11			1989	C	16400	18200	18400	14800
11			1990	UC	15300	16400	17700	14500
11			1991	UC	15300	16200	17600	14800
11			1992	UC	15500	16400	17800	14900
11			1993	UC	15600	16400	17700	14600
11			1994	UC	16100	17100	18400	15000
11			1995	UC	15500	16400	17700	14500
11			1996	SC	15200	16200	17800	13600
11			1997	C	15900	18000	18100	14300
11			1998	C	16800	19000	19000	15100
11			1999	C	16400	18400	18500	14800
11			2000	C	16600	18800	18800	14900
11			2001	C	16800	18900	19000	15100
11			2002	C	17000	19000	19200	15300
11			2003	C	14500	16200	16300	13100
11			2004	C	18100	20400	20400	16300
11			2005	C	17500	19500	19600	15700
11			2006	C	20100	22300	22500	18100
11			2007	C	20500	22800	23100	18400
11			2008	C	19400	21400	21100	17400
11			2009	C	20000	22000	22200	18000
11			2010	C	20200	22300	22500	18200
11			2011	C	20300	22400	22600	18300
11			2012	C	20000	22000	21600	18000
11			2013	C	20800	22900	22600	18700
11			2014	UC	16200	16300	15600	15400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	UC	20500	20600	19700	19500
11			2016	UC	20700	20800	19900	19600
11			2017	UC	21000	20900	21100	20100
11			2018	UC	21200	21000	21400	20300
11			2019	UC	21500	21200	21500	20700
11	HWY 61 (S)/HARBOUR EXP (E)	5.3	2008	C	4950	5450	5400	4450
11			2009	C	5850	6450	6500	5250
11			2010	C	6200	6850	6900	5600
11			2011	IC	6200	6800	7050	5550
11			2012	IC	6200	6850	6650	5500
11			2013	IC	5850	6500	6450	5200
11			2014	IC	6050	6700	6650	5350
11			2015	IC	6350	7050	7000	5650
11			2016	IC	6500	7200	7150	5750
11			2017	IC	6600	7250	7300	6000
11			2018	IC	6700	7350	7400	6050
11			2019	IC	6850	7500	7550	6200
11	MAPLEWARD RD	4.6	2008	C	4850	5350	5300	4350
11			2009	C	4050	4450	4500	3650
11			2010	C	4600	5050	5100	4150
11			2011	IC	4000	4400	4550	3600
11			2012	IC	4500	5000	4850	4000
11			2013	IC	3950	4350	4350	3500
11			2014	IC	3700	4100	4100	3300
11			2015	IC	3700	4100	4100	3300
11			2016	IC	3550	3950	3900	3150
11			2017	IC	3400	3750	3750	3100
11			2018	IC	3300	3650	3650	3000
11			2019	IC	3400	3750	3750	3050
11	TWIN CITY CROSS ROAD	2.3	2008	LT	4850	6650	6350	3600
11			2009	LT	2850	3850	3750	2100
11			2010	LT	5700	7650	7500	4200
11			2011	LT	5700	7300	7450	4700
11			2012	LT	5700	7450	7100	4300
11			2013	LT	3350	4350	4350	2550
11			2014	LT	2950	3850	3900	2250
11			2015	LT	3750	4900	5000	2850
11			2016	LT	3600	4700	4800	2700
11			2017	LT	3450	4400	4400	2900
11			2018	LT	3250	4150	4150	2750
11			2019	LT	3100	3950	3950	2600
11	HWY 130 (S) VIBERT RD (N)	9.4	1994	LT	5000	7350	7050	3650
11			1995	LT	5300	7600	7400	3900
11			1996	IC	5500	6200	6200	4900
11			1997	IC	5800	6500	6550	5100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1998	IC	6100	6850	6850	5450
11			1999	IC	6150	6900	6900	5450
11			2000	IC	6350	7100	7100	5650
11			2001	IC	6250	7000	7000	5550
11			2002	IC	6650	7400	7450	5850
11			2003	IC	6300	7000	7100	5600
11			2004	IC	6600	7400	7400	5850
11			2005	CR	6500	7900	7600	5500
11			2006	CR	6600	8000	7700	5550
11			2007	CR	5950	7200	7200	5000
11			2008	CR	6800	8250	8150	5750
11			2009	CTR	6900	8400	8150	5850
11			2010	CTR	7000	8500	8200	5950
11			2011	CTR	6500	7900	7600	5500
11			2012	CTR	6700	8150	8050	5700
11			2013	CTR	6650	8100	8350	5650
11			2014	CR	6100	7200	7150	5200
11			2015	CR	6950	8200	8150	5900
11			2016	CR	7000	8250	8200	5950
11			2017	CR	7050	8150	8200	6350
11			2018	CR	7150	8300	8350	6400
11			2019	CR	7200	8350	8400	6450
11	SEC HWY 588 (S)	4.3	1988	LT	4300	6100	6050	3250
11			1989	LT	4700	6550	6500	3500
11			1990	LT	3850	5600	5400	2800
11			1991	LT	4000	5600	5400	2950
11			1992	LT	4150	5750	5600	3200
11			1993	LT	4300	5950	5350	3150
11			1994	LT	4400	6450	6200	3200
11			1995	LT	4500	6450	6300	3300
11			1996	LT	4600	6500	6350	3400
11			1997	LT	4650	6550	6400	3450
11			1998	LT	4700	6600	6450	3450
11			1999	LT	4750	6600	6450	3450
11			2000	LT	4850	6750	6600	3550
11			2001	LT	4700	6600	6400	3450
11			2002	LT	5000	7000	6800	3650
11			2003	LT	4750	6550	6400	3500
11			2004	LT	4500	6300	6150	3300
11			2005	LT	4450	6100	5950	3250
11			2006	LT	4750	6500	6350	3500
11			2007	LT	4850	6650	6850	3550
11			2008	LT	4800	6600	6300	3550
11			2009	LT	4800	6500	6350	3550
11			2010	LT	4800	6450	6300	3550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2011	LT	4850	6200	6350	4000
11			2012	LT	4600	6000	5700	3500
11			2013	LT	4850	6350	6350	3650
11			2014	LT	4200	5500	5600	3150
11			2015	LT	4700	6150	6250	3550
11			2016	LT	4700	6150	6250	3550
11			2017	LT	4700	5950	6000	3950
11			2018	LT	4700	6000	6000	3950
11			2019	LT	4700	5950	6000	3950
11	OLIVER RD (N) TO MURILLO	2.0	1997	CTR	4950	6350	6100	4150
11			1998	CTR	5350	6800	6550	4500
11			1999	CTR	5900	7450	7150	4950
11			2000	CTR	6000	7550	7250	5050
11			2001	CTR	5450	6900	6600	4600
11			2002	CTR	5600	7050	6800	4750
11			2003	CTR	6100	7600	7300	5150
11			2004	CTR	5850	7400	7100	4950
11			2005	CTR	5650	7000	6700	4800
11			2006	CTR	5350	6600	6350	4550
11			2007	CTR	5200	6450	6400	4400
11			2008	CTR	5300	6550	6450	4500
11			2009	CTR	5600	6850	6600	4750
11			2010	CTR	5000	6100	5850	4250
11			2011	CTR	5650	6900	6600	4800
11			2012	CTR	4700	5700	5650	4000
11			2013	CTR	5050	6150	6350	4300
11			2014	CTR	4700	5750	5800	4000
11			2015	CTR	5050	6150	6200	4300
11			2016	CTR	5000	6100	6150	4250
11			2017	CTR	4950	6600	6600	4050
11			2018	CTR	4900	6550	6500	4000
11			2019	CTR	4850	6450	6450	3950
11	SEC HWY 590 (S)	15.2	1988	LT	2250	3200	3150	1700
11			1989	LT	2350	3250	3250	1750
11			1990	LT	2400	3500	3350	1750
11			1991	LT	2250	3150	3050	1650
11			1992	LT	2200	3050	2950	1700
11			1993	LT	2200	3050	2750	1600
11			1994	LT	2250	3300	3200	1650
11			1995	LT	2250	3250	3150	1650
11			1996	LT	2300	3250	3150	1700
11			1997	LT	2350	3300	3250	1750
11			1998	LT	2500	3500	3450	1800
11			1999	LT	2500	3450	3400	1800
11			2000	LT	2450	3400	3350	1800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2001	LT	2450	3450	3350	1800
11			2002	LT	2400	3350	3250	1750
11			2003	LT	2550	3500	3450	1900
11			2004	LT	2550	3550	3450	1850
11			2005	LT	2600	3550	3500	1900
11			2006	LT	2600	3550	3450	1900
11			2007	LT	2650	3650	3750	1950
11			2008	LT	2450	3350	3200	1800
11			2009	LT	2300	3100	3050	1700
11			2010	LT	2600	3500	3400	1900
11			2011	LT	2750	3500	3600	2250
11			2012	LT	2200	2850	2750	1650
11			2013	LT	2400	3150	3150	1800
11			2014	LT	2250	2950	3000	1700
11			2015	LT	2500	3250	3300	1900
11			2016	LT	2500	3250	3300	1900
11			2017	LT	2500	3500	3450	1950
11			2018	LT	2500	3500	3450	1950
11			2019	LT	2500	3500	3450	1950
11	HWY 102(N) SISTONEN'S CORNER	21.0	1988	LT	3100	4400	4350	2350
11			1989	LT	3250	4500	4500	2400
11			1990	LT	3400	4950	4750	2500
11			1991	LT	3250	4550	4400	2400
11			1992	LT	3200	4450	4300	2450
11			1993	LT	3200	4450	3950	2350
11			1994	LT	3200	4700	4500	2350
11			1995	LT	3450	4950	4800	2550
11			1996	LT	3700	5200	5100	2700
11			1997	LT	3850	5450	5300	2850
11			1998	LT	4050	5650	5550	2950
11			1999	LT	4200	5850	5700	3050
11			2000	LT	4250	5900	5800	3100
11			2001	LT	4550	6350	6200	3350
11			2002	LT	4700	6550	6400	3450
11			2003	LT	4350	6000	5850	3200
11			2004	LT	4000	5600	5450	2950
11			2005	LT	3700	5050	4950	2700
11			2006	LT	3350	4600	4450	2450
11			2007	LT	3000	4100	4250	2200
11			2008	LT	3900	5350	5100	2900
11			2009	LT	3900	5250	5150	2900
11			2010	LT	3900	5250	5150	2900
11			2011	LT	4350	5550	5700	3600
11			2012	LT	3200	4150	4000	2400
11			2013	LT	3850	5050	5000	2900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2014	LT	4050	5300	5400	3050
11			2015	LT	3900	5100	5200	2950
11			2016	LT	3900	5100	5200	2950
11			2017	LT	3900	4950	4950	3250
11			2018	LT	3900	4950	4950	3250
11			2019	LT	3900	4950	4950	3250
11	HWY 17 SHABAQUA	20.8	1988	IR	1150	1500	1250	920
11			1989	IR	1150	1500	1300	940
11			1990	IR	1150	1450	1300	940
11			1991	IR	1100	1400	1200	910
11			1992	IR	1100	1350	1200	940
11			1993	IR	1050	1300	1100	860
11			1994	IR	1100	1350	1200	920
11			1995	IR	1200	1500	1300	1000
11			1996	LT	1200	1700	1650	880
11			1997	IR	1100	1400	1250	940
11			1998	IR	1050	1300	1200	880
11			1999	IR	1200	1500	1350	1000
11			2000	IR	1150	1400	1250	970
11			2001	IR	1150	1400	1250	970
11			2002	IR	1350	1650	1500	1150
11			2003	IR	1150	1400	1250	980
11			2004	IR	1100	1350	1200	930
11			2005	IR	1150	1400	1250	980
11			2006	IR	1200	1450	1300	1000
11			2007	LT	1200	1650	1700	880
11			2008	LT	1200	1650	1550	890
11			2009	LT	1200	1600	1600	890
11			2010	LT	1200	1600	1600	890
11			2011	CTR	1050	1300	1250	890
11			2012	CTR	1000	1200	1200	850
11			2013	CTR	1000	1200	1250	850
11			2014	CTR	1150	1400	1400	980
11			2015	CTR	1100	1350	1350	940
11			2016	CTR	1100	1350	1350	940
11			2017	CTR	1100	1450	1450	900
11			2018	CTR	1100	1450	1450	900
11			2019	CTR	1100	1450	1450	900
11	SEC HWY 586 (S)	21.8	1988	IR	900	1150	990	720
11			1989	IR	900	1150	1000	740
11			1990	IR	900	1150	1000	740
11			1991	IR	850	1050	940	710
11			1992	IR	850	1050	940	720
11			1993	IR	850	1050	880	700
11			1994	IR	850	1050	940	710

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1995	IR	900	1100	990	770
11			1996	LT	900	1250	1250	660
11			1997	LT	850	1200	1150	630
11			1998	LT	850	1200	1150	620
11			1999	LT	860	1200	1150	630
11			2000	LT	870	1200	1200	640
11			2001	LT	870	1200	1200	640
11			2002	LT	840	1150	1150	620
11			2003	LT	870	1200	1150	640
11			2004	LT	900	1250	1250	660
11			2005	LT	870	1200	1150	640
11			2006	LT	870	1200	1150	640
11			2007	LT	870	1200	1250	640
11			2008	LT	870	1200	1150	640
11			2009	LT	870	1150	1150	640
11			2010	LT	870	1150	1150	640
11			2011	CTR	870	1050	1000	740
11			2012	CTR	840	1000	1000	720
11			2013	CTR	870	1050	1100	740
11			2014	CTR	870	1050	1050	740
11			2015	CTR	870	1050	1050	740
11			2016	CTR	870	1050	1050	740
11			2017	CTR	870	1150	1150	710
11			2018	CTR	870	1150	1150	710
11			2019	CTR	870	1150	1150	710
11	BOYES RD (S)	64.1	1988	LT	550	780	780	420
11			1989	LT	550	760	760	410
11			1990	LT	550	800	770	400
11			1991	LT	530	740	720	390
11			1992	LT	530	740	720	410
11			1993	LT	530	730	660	390
11			1994	LT	530	780	750	390
11			1995	LT	540	780	750	400
11			1996	LT	550	780	760	400
11			1997	LT	570	800	790	420
11			1998	LT	580	810	790	420
11			1999	LT	600	830	820	440
11			2000	LT	640	890	870	470
11			2001	LT	660	920	900	480
11			2002	LT	710	990	970	520
11			2003	LT	680	940	920	500
11			2004	LT	700	980	950	510
11			2005	LT	700	960	940	510
11			2006	LT	730	1000	970	540
11			2007	LT	720	990	1000	530

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2008	LT	720	990	940	530
11			2009	LT	730	990	960	540
11			2010	LT	700	940	920	520
11			2011	LT	720	920	940	590
11			2012	LT	700	910	870	530
11			2013	CR	660	790	810	560
11			2014	CR	750	880	880	640
11			2015	CR	760	900	890	650
11			2016	CR	770	910	900	660
11			2017	CR	750	870	870	680
11			2018	CR	790	920	920	710
11			2019	CR	800	930	930	720
11	SEC HWY 633 KAWENE RD (N) TO QUETICO CENTRE	7.0	1988	LT	850	1200	1200	650
11			1989	LT	830	1150	1150	610
11			1990	LT	800	1150	1100	580
11			1991	LT	780	1100	1050	580
11			1992	LT	730	1000	990	560
11			1993	LT	700	970	870	510
11			1994	LT	720	1050	1000	520
11			1995	LT	740	1050	1050	540
11			1996	LT	750	1050	1050	550
11			1997	LT	750	1050	1050	560
11			1998	LT	750	1050	1050	550
11			1999	LT	760	1050	1050	550
11			2000	LT	770	1050	1050	560
11			2001	LT	770	1100	1050	560
11			2002	LT	780	1100	1050	570
11			2003	LT	790	1100	1050	580
11			2004	LT	820	1150	1100	600
11			2005	LT	800	1100	1050	590
11			2006	LT	830	1150	1100	610
11			2007	LT	810	1100	1150	600
11			2008	LT	800	1100	1050	590
11			2009	LT	790	1050	1050	580
11			2010	LT	750	1000	990	550
11			2011	LT	840	1100	1100	690
11			2012	LT	740	970	920	560
11			2013	LT	710	930	930	540
11			2014	LT	790	1050	1050	600
11			2015	LT	800	1050	1050	600
11			2016	LT	800	1050	1050	600
11			2017	LT	800	1000	1000	670
11			2018	LT	800	1000	1000	670
11			2019	LT	800	1000	1000	670
11	SEC HWY 623 SAPAWE RD(N)	21.5	1988	LT	1000	1400	1400	760

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	LT	1000	1400	1400	740
11			1990	LT	1000	1450	1400	730
11			1991	LT	1000	1400	1350	740
11			1992	LT	1000	1400	1350	770
11			1993	LT	1000	1400	1250	730
11			1994	LT	1200	1750	1700	870
11			1995	LT	1300	1850	1800	950
11			1996	LT	1400	2000	1950	1050
11			1997	LT	1300	1850	1800	960
11			1998	LT	1200	1700	1650	880
11			1999	LT	1050	1450	1450	770
11			2000	LT	1250	1750	1700	910
11			2001	LT	1250	1750	1700	920
11			2002	LT	1250	1750	1700	920
11			2003	LT	1200	1650	1600	890
11			2004	LT	1250	1750	1700	920
11			2005	LT	1150	1600	1550	850
11			2006	LT	1300	1800	1750	960
11			2007	CR	1200	1450	1450	1000
11			2008	CR	1050	1250	1250	880
11			2009	CR	940	1150	1100	800
11			2010	CR	840	1000	970	710
11			2011	CR	1100	1300	1300	980
11			2012	CR	840	1000	990	710
11			2013	LT	910	1200	1200	690
11			2014	LT	940	1250	1250	710
11			2015	LT	920	1200	1200	690
11			2016	LT	900	1200	1200	680
11			2017	LT	880	1100	1100	740
11			2018	LT	860	1100	1100	720
11			2019	LT	840	1050	1050	700
11	HWY 11B TO ATIKOKAN (N)	63.8	1988	LT	650	920	920	490
11			1989	LT	650	900	900	480
11			1990	LT	650	950	910	470
11			1991	LT	700	980	950	520
11			1992	LT	750	1050	1000	580
11			1993	LT	800	1100	990	590
11			1994	LT	850	1250	1200	620
11			1995	LT	950	1350	1350	700
11			1996	LT	1000	1400	1400	730
11			1997	LT	950	1350	1300	700
11			1998	LT	850	1200	1150	620
11			1999	LT	800	1100	1100	580
11			2000	LT	820	1150	1100	600
11			2001	LT	850	1200	1150	620

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2002	LT	840	1150	1150	620
11			2003	LT	810	1100	1100	600
11			2004	LT	870	1200	1200	640
11			2005	LT	790	1100	1050	580
11			2006	LT	780	1050	1050	570
11			2007	LT	760	1050	1050	560
11			2008	LT	750	1050	980	550
11			2009	LT	720	970	950	530
11			2010	LT	730	980	960	540
11			2011	CTR	710	860	830	600
11			2012	CTR	700	850	840	600
11			2013	CTR	690	840	870	590
11			2014	CTR	680	830	840	580
11			2015	CTR	660	810	810	560
11			2016	CTR	650	790	800	550
11			2017	CTR	640	860	850	520
11			2018	CTR	620	830	820	500
11			2019	CTR	610	810	810	500
11	HORSECOLLAR JUNCTION RD (S) TO SEINE R FN	51.8	1988	LT	650	920	920	490
11			1989	LT	650	900	900	480
11			1990	LT	650	950	910	470
11			1991	LT	700	980	950	520
11			1992	LT	750	1050	1000	580
11			1993	LT	800	1100	990	590
11			1994	LT	850	1250	1200	620
11			1995	LT	950	1350	1350	700
11			1996	LT	1000	1400	1400	730
11			1997	LT	900	1250	1250	670
11			1998	LT	800	1100	1100	580
11			1999	LT	830	1150	1150	610
11			2000	LT	810	1150	1100	590
11			2001	LT	790	1100	1100	580
11			2002	LT	750	1050	1000	550
11			2003	LT	750	1050	1000	550
11			2004	LT	730	1000	990	530
11			2005	LT	700	960	940	510
11			2006	LT	660	900	880	490
11			2007	CR	690	840	830	580
11			2008	CR	680	820	820	570
11			2009	CR	630	760	730	540
11			2010	CR	730	870	840	620
11			2011	CR	580	680	680	520
11			2012	CR	730	870	860	620
11			2013	CR	670	800	820	570
11			2014	CR	600	710	700	510

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	IR	660	790	790	560
11			2016	IR	580	690	690	490
11			2017	IR	650	730	740	560
11			2018	IR	650	740	740	560
11			2019	IR	650	740	740	570
11	SEC HWY 502 MANITOU RD (N)	13.4	1988	IT	1350	1950	1800	1000
11			1989	IT	1350	1900	1800	1050
11			1990	IT	1400	1800	1750	1200
11			1991	IT	1450	1900	1800	1250
11			1992	LT	1500	2100	2050	1150
11			1993	LT	1550	2150	1900	1150
11			1994	LT	1600	2350	2250	1150
11			1995	LT	1700	2450	2350	1250
11			1996	LT	1800	2550	2500	1300
11			1997	LT	1700	2400	2350	1250
11			1998	LT	1600	2250	2200	1150
11			1999	LT	1700	2350	2300	1250
11			2000	LT	1750	2450	2400	1300
11			2001	LT	1650	2300	2250	1200
11			2002	LT	1750	2450	2400	1300
11			2003	LT	1750	2400	2350	1300
11			2004	LR	1850	3050	2400	1250
11			2005	LR	1750	2750	2200	1200
11			2006	HR	1800	2850	2300	1100
11			2007	HR	1750	2750	2500	1050
11			2008	LT	1700	2350	2250	1250
11			2009	LT	1750	2350	2300	1300
11			2010	LT	1800	2400	2350	1350
11			2011	LT	1600	2050	2100	1300
11			2012	UC	1600	1600	1700	1500
11			2013	CTR	1800	2200	2250	1550
11			2014	CTR	1750	2150	2150	1500
11			2015	CTR	1750	2150	2150	1500
11			2016	CTR	1750	2150	2150	1500
11			2017	CTR	1750	2350	2350	1450
11			2018	CTR	1750	2350	2350	1450
11			2019	CTR	1750	2350	2300	1400
11	REEF POINT RD (N) WATTEN TWP	9.4	1988	IT	1950	2850	2600	1450
11			1989	IT	2050	2850	2750	1600
11			1990	IT	2200	2800	2750	1850
11			1991	IT	2300	3000	2850	2000
11			1992	LT	2450	3400	3300	1900
11			1993	LT	2550	3550	3150	1850
11			1994	LT	2700	3950	3800	1950
11			1995	LT	2850	4100	4000	2100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1996	LT	3000	4250	4150	2200
11			1997	LT	2800	3950	3850	2050
11			1998	LT	2500	3500	3450	1800
11			1999	LT	2650	3700	3600	1950
11			2000	LT	2650	3700	3600	1950
11			2001	LT	2650	3700	3600	1950
11			2002	LT	2550	3550	3450	1850
11			2003	LT	2500	3450	3350	1850
11			2004	LT	2550	3550	3450	1850
11			2005	LT	2400	3300	3200	1750
11			2006	LT	2350	3200	3150	1750
11			2007	LT	2150	2950	3050	1600
11			2008	LT	1700	2350	2250	1250
11			2009	LT	2000	2700	2650	1500
11			2010	SC	1850	1950	2150	1650
11			2011	SC	1900	2450	2200	1500
11			2012	UC	1850	1850	2000	1750
11			2013	CTR	1800	2200	2250	1550
11			2014	CTR	1700	2050	2100	1450
11			2015	CTR	1650	2000	2050	1400
11			2016	CTR	1600	1950	1950	1350
11			2017	CTR	1700	2250	2250	1400
11			2018	CTR	1700	2250	2250	1400
11			2019	CTR	1700	2250	2250	1400
11	FIVE MILE DOCK RD (S) RAINY LAKE TO HWY 7048	3.2	1988	IT	3000	4350	4000	2200
11			1989	IT	3300	4600	4400	2550
11			1990	IT	3400	4300	4200	2850
11			1991	IT	3600	4700	4450	3100
11			1992	LT	3850	5350	5200	2950
11			1993	LT	4100	5650	5100	3000
11			1994	LT	4400	6450	6200	3200
11			1995	IR	4800	5900	5300	4100
11			1996	IR	4700	5850	5250	4000
11			1997	IR	4600	5750	5150	3900
11			1998	IR	4500	5600	5050	3800
11			1999	IR	4500	5600	5000	3800
11			2000	IR	4450	5450	4950	3750
11			2001	CTR	4450	5600	5400	3750
11			2002	CTR	4350	5500	5250	3650
11			2003	CTR	4300	5350	5150	3650
11			2004	CTR	4200	5300	5100	3550
11			2005	CTR	4250	5250	5050	3600
11			2006	CTR	4200	5200	5000	3550
11			2007	CTR	4200	5200	5150	3550
11			2008	CTR	4150	5150	5050	3550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2009	CTR	4250	5200	5000	3600
11			2010	CTR	4300	5250	5050	3650
11			2011	CTR	4100	5000	4800	3500
11			2012	UC	4300	4350	4600	4100
11			2013	CTR	4050	4950	5100	3450
11			2014	CTR	4050	4950	5000	3450
11			2015	IC	4250	4700	4700	3750
11			2016	IC	4050	4500	4450	3600
11			2017	IC	4000	4400	4400	3650
11			2018	IC	4000	4400	4450	3600
11			2019	IC	3950	4350	4350	3550
11	FORT FRANCES E LIMITS START OF NA	8.7	9999					
11	OAKWOOD RD (S) (FORT FRANCES W LTS) END OF NA	5.2	1988	IC	4300	5000	4850	3800
11			1989	IC	4350	5000	4900	3850
11			1990	IC	4350	4950	4850	3850
11			1991	IC	4400	4950	4900	3900
11			1992	CTR	4400	5400	5250	3850
11			1993	CTR	4550	5750	5500	3850
11			1994	CTR	4700	6000	5750	3950
11			1995	CTR	4900	6300	6050	4100
11			1996	CTR	5100	6500	6300	4300
11			1997	CTR	5100	6550	6250	4300
11			1998	CTR	5150	6550	6300	4350
11			1999	CTR	5000	6300	6050	4200
11			2000	CTR	5050	6350	6100	4250
11			2001	IR	5200	6450	5750	4400
11			2002	IR	5050	6250	5600	4300
11			2003	IR	5050	6150	5550	4300
11			2004	IC	4850	5400	5450	4300
11			2005	IC	5100	5650	5750	4500
11			2006	IC	5100	5650	5700	4500
11			2007	IC	5100	5650	5850	4500
11			2008	IC	5100	5650	5450	4500
11			2009	IC	5100	5650	5700	4550
11			2010	IC	5000	5550	5600	4450
11			2011	IC	5100	5600	5800	4600
11			2012	UC	5000	5050	5350	4750
11			2013	IR	4450	5300	5700	3800
11			2014	IR	5000	5950	5950	4250
11			2015	IR	5000	5950	5950	4250
11			2016	IR	5000	5950	5950	4250
11			2017	IR	5000	5850	5850	4450
11			2018	IR	5000	5850	5900	4450
11			2019	IR	5000	5850	5850	4500
11	E JCT SEC HWY 611 (S)	11.8	1988	IC	3400	3950	3850	3000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	IC	3450	3950	3900	3050
11			1990	IC	3500	4000	3900	3100
11			1991	IC	3550	4000	3950	3150
11			1992	CTR	3600	4450	4300	3150
11			1993	CTR	3650	4600	4400	3100
11			1994	CTR	3650	4650	4450	3050
11			1995	CTR	3650	4700	4500	3050
11			1996	CTR	3650	4650	4500	3050
11			1997	CTR	3650	4650	4500	3050
11			1998	CTR	3650	4650	4450	3050
11			1999	CTR	3650	4600	4400	3050
11			2000	CTR	3650	4600	4400	3050
11			2001	IC	3800	4250	4250	3350
11			2002	IC	3650	4050	4100	3200
11			2003	IC	3650	4050	4100	3250
11			2004	CTR	3800	4800	4600	3200
11			2005	CTR	3500	4350	4150	2950
11			2006	CTR	3550	4400	4200	3000
11			2007	CTR	3550	4400	4350	3000
11			2008	IC	3550	3950	3800	3150
11			2009	IC	3500	3900	3900	3100
11			2010	IC	3450	3800	3850	3050
11			2011	IC	3500	3850	4000	3150
11			2012	UC	3500	3500	3750	3350
11			2013	CR	3500	4200	4300	2950
11			2014	CR	3500	4100	4100	3000
11			2015	CTR	3200	3900	3950	2700
11			2016	CTR	3400	4150	4200	2900
11			2017	CTR	3400	4550	4500	2750
11			2018	CTR	3400	4550	4500	2750
11			2019	CTR	3350	4450	4450	2750
11	SEC HWY 613 DEVLIN	12.7	1988	CTR	2350	3050	2850	1950
11			1989	CTR	2450	3100	2950	2100
11			1990	CTR	2550	3200	3000	2200
11			1991	CTR	2650	3350	3300	2300
11			1992	CTR	2700	3300	3200	2350
11			1993	CTR	2850	3600	3450	2400
11			1994	CTR	3000	3850	3650	2500
11			1995	CTR	3150	4050	3850	2650
11			1996	CTR	3300	4200	4050	2750
11			1997	CTR	3050	3900	3750	2550
11			1998	CTR	2800	3550	3400	2350
11			1999	CTR	3050	3850	3700	2550
11			2000	CTR	3050	3850	3700	2550
11			2001	CTR	3100	3900	3750	2600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2002	CTR	3000	3800	3650	2550
11			2003	CTR	3000	3750	3600	2550
11			2004	CTR	3000	3800	3650	2550
11			2005	CTR	2950	3650	3500	2500
11			2006	CTR	3000	3700	3550	2550
11			2007	CTR	2950	3650	3600	2500
11			2008	CTR	2850	3550	3450	2400
11			2009	CTR	2900	3550	3400	2450
11			2010	CTR	2900	3550	3400	2450
11			2011	CTR	2900	3550	3400	2450
11			2012	CR	2850	3400	3350	2400
11			2013	CR	2850	3400	3500	2400
11			2014	CR	2850	3350	3350	2450
11			2015	CTR	2600	3150	3200	2200
11			2016	CTR	2750	3350	3400	2350
11			2017	CTR	2750	3700	3650	2250
11			2018	CTR	2750	3650	3650	2250
11			2019	CTR	2700	3600	3600	2200
11	W JCT SEC HWY 602 (S) EMO	1.2	1988	CTR	3100	4050	3800	2600
11			1989	CTR	3100	3950	3750	2650
11			1990	CTR	3100	3900	3650	2700
11			1991	CTR	3100	3900	3900	2700
11			1992	CTR	3100	3800	3700	2700
11			1993	CTR	3100	3900	3750	2650
11			1994	CTR	3200	4100	3900	2700
11			1995	LT	3250	4650	4550	2400
11			1996	LT	3300	4650	4550	2400
11			1997	LT	3250	4600	4500	2400
11			1998	LT	3200	4500	4400	2350
11			1999	LT	3250	4500	4400	2350
11			2000	LT	3250	4550	4450	2350
11			2001	IR	3250	4000	3600	2750
11			2002	IR	3250	4000	3600	2750
11			2003	IR	3250	3950	3600	2750
11			2004	CTR	3250	4100	3950	2750
11			2005	CTR	3250	4050	3850	2750
11			2006	CTR	3250	4000	3850	2750
11			2007	CTR	3250	4050	4000	2750
11			2008	IC	3250	3600	3500	2850
11			2009	IC	3250	3600	3650	2900
11			2010	CTR	3250	3950	3800	2750
11			2011	CTR	3250	3950	3800	2750
11			2012	CR	3250	3900	3850	2750
11			2013	CR	3250	3900	4000	2750
11			2014	CR	3250	3850	3800	2750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2015	IR	3250	3850	3900	2750
11			2016	IR	3250	3850	3900	2750
11			2017	IR	3250	3650	3700	2800
11			2018	IR	3250	3700	3700	2800
11			2019	IR	3250	3700	3700	2850
11	OFF LAKE RD (N) FRONT ST (S)	5.0	1988	CTR	2050	2650	2500	1700
11			1989	CTR	2100	2650	2550	1800
11			1990	CTR	2150	2700	2550	1850
11			1991	CTR	2150	2700	2700	1850
11			1992	CTR	2150	2650	2550	1850
11			1993	CTR	2350	2950	2850	2000
11			1994	CTR	2550	3250	3100	2150
11			1995	IR	2700	3350	3000	2300
11			1996	IR	2850	3550	3200	2450
11			1997	IR	2800	3500	3150	2400
11			1998	IR	2750	3400	3100	2300
11			1999	IR	2850	3550	3150	2400
11			2000	IR	2850	3500	3150	2400
11			2001	CR	2900	3550	3400	2450
11			2002	CR	2900	3550	3400	2450
11			2003	CR	2950	3600	3450	2500
11			2004	CR	3050	3750	3600	2600
11			2005	CR	3000	3650	3500	2550
11			2006	CR	3000	3650	3500	2550
11			2007	CR	3000	3650	3650	2550
11			2008	IC	2950	3250	3150	2600
11			2009	IC	3000	3350	3350	2650
11			2010	IC	2850	3150	3200	2550
11			2011	IC	3050	3350	3500	2750
11			2012	UC	2700	2700	2900	2550
11			2013	CTR	2750	3350	3450	2350
11			2014	CTR	3000	3650	3700	2550
11			2015	CTR	2950	3600	3650	2500
11			2016	CTR	3000	3650	3700	2550
11			2017	CTR	3000	4000	4000	2450
11			2018	CTR	3000	4000	4000	2450
11			2019	CTR	3000	4000	4000	2450
11	W JCT HWY 71 (N) DOBIE TWP	18.9	1988	IC	1150	1350	1300	1000
11			1989	IC	1200	1400	1350	1050
11			1990	IC	1250	1400	1400	1100
11			1991	IC	1250	1400	1400	1100
11			1992	IC	1250	1400	1400	1150
11			1993	IC	1450	1650	1600	1300
11			1994	IC	1650	1850	1850	1450
11			1995	IR	1950	2400	2150	1650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1996	IR	2050	2550	2300	1750
11			1997	IR	1950	2450	2200	1650
11			1998	IR	1800	2250	2000	1500
11			1999	IR	1800	2250	2000	1500
11			2000	IR	1800	2200	2000	1500
11			2001	IR	1800	2200	2000	1500
11			2002	IR	1750	2150	1950	1500
11			2003	IR	1750	2100	1950	1500
11			2004	IR	1600	2000	1750	1350
11			2005	IR	1700	2050	1850	1450
11			2006	IR	1750	2100	1900	1500
11			2007	IR	1650	2000	2000	1400
11			2008	IC	1600	1750	1700	1400
11			2009	IC	1600	1800	1800	1400
11			2010	IC	1600	1750	1800	1400
11			2011	IC	1600	1750	1850	1450
11			2012	UC	1550	1550	1650	1450
11			2013	UC	1550	1550	1550	1450
11			2014	UC	1500	1500	1450	1400
11			2015	C	1500	1650	1600	1350
11			2016	C	1500	1650	1600	1350
11			2017	C	1450	1600	1600	1300
11			2018	C	1450	1600	1600	1300
11			2019	C	1400	1550	1500	1250
11	SEC HWY 617 (N) BOUCHERVILLE RD (S)	21.4	1988	IC	800	930	900	700
11			1989	IC	800	920	900	710
11			1990	IC	800	910	900	710
11			1991	IC	800	900	890	710
11			1992	IR	800	980	880	680
11			1993	IR	800	980	830	650
11			1994	IR	850	1050	940	710
11			1995	IR	900	1100	990	770
11			1996	IR	950	1200	1050	810
11			1997	IR	1000	1250	1100	850
11			1998	IR	1050	1300	1200	880
11			1999	IR	1050	1300	1150	880
11			2000	IR	1050	1300	1150	890
11			2001	IR	1050	1300	1150	890
11			2002	IR	1100	1350	1200	940
11			2003	IR	1150	1400	1250	980
11			2004	CTR	1200	1500	1450	1000
11			2005	CTR	1150	1400	1350	980
11			2006	CTR	1200	1500	1400	1000
11			2007	CTR	1050	1300	1300	890
11			2008	CTR	870	1100	1050	740

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			2009	CTR	1100	1350	1300	940
11			2010	CTR	900	1100	1050	760
11			2011	CTR	1100	1350	1300	930
11			2012	CTR	900	1100	1100	770
11			2013	C	1000	1100	1100	900
11			2014	C	1050	1150	1100	940
11			2015	C	1050	1150	1100	940
11			2016	C	1050	1150	1100	940
11			2017	C	1050	1150	1150	950
11			2018	C	1050	1150	1150	950
11			2019	C	1050	1150	1150	950
11	SEC HWY 621 (TO MORSON) (N) SLEEMAN	8.9	1988	IC	950	1100	1050	840
11			1989	IC	980	1150	1100	870
11			1990	IC	1000	1150	1100	890
11			1991	IC	1050	1200	1150	930
11			1992	IR	1050	1300	1150	890
11			1993	IR	1100	1350	1150	900
11			1994	IR	1100	1350	1200	920
11			1995	CTR	1150	1500	1400	960
11			1996	CTR	1200	1550	1500	1000
11			1997	CTR	1200	1550	1500	1000
11			1998	CTR	1250	1600	1500	1050
11			1999	CTR	1200	1500	1450	1000
11			2000	CTR	1200	1500	1450	1000
11			2001	IR	1200	1500	1350	1000
11			2002	IR	1200	1500	1350	1000
11			2003	IR	1200	1450	1300	1000
11			2004	CTR	1200	1500	1450	1000
11			2005	CTR	1150	1400	1350	980
11			2006	CTR	1200	1500	1400	1000
11			2007	CTR	1150	1400	1400	970
11			2008	IC	1000	1100	1050	880
11			2009	IC	1150	1300	1300	1000
11			2010	CTR	1100	1350	1300	930
11			2011	CTR	1150	1400	1350	980
11			2012	CTR	1100	1350	1300	940
11			2013	CTR	970	1200	1200	820
11			2014	CTR	1100	1350	1350	940
11			2015	CTR	1100	1350	1350	940
11			2016	CTR	1050	1300	1300	890
11			2017	CTR	1050	1400	1400	860
11			2018	CTR	1050	1400	1400	860
11			2019	CTR	1050	1400	1400	850
11	RAINY RIVER E LIMITS START OF NA	2.6	9999					
11	SEC HWY 600 (N)	0.3	1988	IT	700	1000	930	520

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11			1989	IT	800	1100	1050	620
11			1990	CR	950	1200	1100	860
11			1991	CR	1000	1250	1150	900
11			1992	CR	1100	1350	1250	990
11			1993	IT	1100	1350	1350	940
11			1994	IT	1000	1300	1250	850
11			1995	IT	1050	1350	1300	900
11			1996	IT	1100	1450	1400	910
11			1997	IT	1100	1450	1400	910
11			1998	IT	1100	1400	1400	890
11			1999	IT	1150	1500	1450	930
11			2000	IT	1200	1550	1500	980
11			2001	IT	1150	1500	1450	940
11			2002	IT	1100	1450	1400	910
11			2003	IT	1100	1400	1400	900
11			2004	IT	1050	1350	1350	850
11			2005	IT	1000	1250	1250	830
11			2006	IT	980	1250	1250	800
11			2007	IT	790	1000	1050	650
11			2008	IT	950	1200	1150	800
11			2009	IT	450	570	570	370
11			2010	IT	980	1250	1250	810
11			2011	IT	960	1300	1300	790
11			2012	IT	960	1200	1150	800
11			2013	IT	850	1050	1050	700
11			2014	IT	990	1250	1200	820
11			2015	IT	930	1150	1150	770
11			2016	IT	910	1150	1100	750
11			2017	IT	930	1250	1250	780
11			2018	IT	960	1250	1250	810
11			2019	IT	950	1250	1250	810
11	RAINY RIV INTERNATIONAL BR HWY END		9999					
11B	S JCT HWY 11 (TRI TOWN BYPASS)	5.6	1988	CTR	1050	1350	1300	880
11B			1989	CTR	1100	1400	1350	950
11B			1990	LT	1200	1750	1700	880
11B			1991	LT	1200	1700	1600	890
11B			1992	LT	1200	1650	1600	920
11B			1993	LT	1100	1500	1350	810
11B			1994	LT	1100	1600	1550	800
11B			1995	LT	1100	1600	1550	810
11B			1996	LT	1100	1550	1500	810
11B			1997	LT	1150	1600	1600	850
11B			1998	LT	1250	1750	1700	910
11B			1999	LT	1300	1800	1750	950
11B			2000	LT	1200	1650	1650	880

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11B			2001	LT	1200	1700	1650	880
11B			2002	LT	1250	1750	1700	920
11B			2003	LT	1200	1650	1600	890
11B			2004	LT	1200	1700	1650	880
11B			2005	LT	1200	1650	1600	880
11B			2006	LT	1100	1500	1450	810
11B			2007	LT	1200	1650	1700	880
11B			2008	LT	1250	1700	1650	920
11B			2009	LT	1250	1700	1650	920
11B			2010	LT	1250	1700	1650	920
11B			2011	LT	1250	1600	1650	1050
11B			2012	LT	1250	1650	1550	950
11B			2013	CTR	1250	1500	1550	1050
11B			2014	CTR	1250	1500	1550	1050
11B			2015	CTR	1150	1400	1400	980
11B			2016	CTR	1250	1500	1550	1050
11B			2017	CTR	1250	1650	1650	1000
11B			2018	CTR	1250	1650	1650	1000
11B			2019	CTR	1250	1650	1650	1000
11B	COBALT W LTS START OF NA	2.3	9999					
11B	COBALT E LTS END OF NA	1.2	2013	IC	2650	2950	2900	2350
11B			2014	IC	2650	2950	2900	2350
11B			2015	CTR	2650	3250	3250	2250
11B			2016	CTR	2650	3250	3250	2250
11B			2017	CTR	2650	3550	3500	2150
11B			2018	CTR	2650	3550	3500	2150
11B			2019	CTR	2650	3550	3500	2150
11B	HWY 11	3.2	1988	IC	1600	1850	1800	1400
11B			1989	IC	1550	1800	1750	1400
11B			1990	IC	1450	1650	1600	1300
11B			1991	IC	1400	1600	1550	1250
11B			1992	LT	1300	1800	1750	1000
11B			1993	LT	1300	1800	1600	950
11B			1994	LT	1300	1900	1850	940
11B			1995	LT	1300	1850	1800	950
11B			1996	LT	1350	1900	1850	990
11B			1997	LT	1350	1900	1850	1000
11B			1998	LT	1400	1950	1900	1000
11B			1999	LT	1400	1950	1900	1000
11B			2000	LT	1400	1950	1900	1000
11B			2001	LT	1350	1900	1850	990
11B			2002	LT	1400	1950	1900	1050
11B			2003	LT	1400	1950	1900	1050
11B			2004	LT	1450	2050	1950	1050
11B			2005	LT	1350	1850	1800	990

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11B			2006	LT	1500	2050	2000	1100
11B			2007	CTR	1400	1750	1700	1200
11B			2008	CTR	1300	1600	1600	1100
11B			2009	CTR	1250	1500	1500	1050
11B			2010	CTR	1150	1400	1350	980
11B			2011	CTR	1400	1700	1650	1200
11B			2012	CTR	1200	1450	1450	1000
11B			2013	LT	1100	1450	1450	830
11B			2014	LT	1250	1650	1650	940
11B			2015	LT	1250	1650	1650	940
11B			2016	LT	1250	1650	1650	940
11B			2017	LT	1250	1600	1600	1050
11B			2018	LT	1250	1600	1600	1050
11B			2019	LT	1250	1600	1600	1050
11B	SEC HWY 622 ATIKOKAN	3.2	1988	IC	2600	3000	2950	2300
11B			1989	IC	2600	3000	2950	2300
11B			1990	IC	2550	2900	2850	2250
11B			1991	IC	2550	2900	2850	2250
11B			1992	LT	2500	3450	3400	1900
11B			1993	LT	2500	3450	3100	1850
11B			1994	LT	2500	3650	3550	1800
11B			1995	LT	2500	3600	3500	1850
11B			1996	LT	2500	3550	3450	1850
11B			1997	LT	2500	3500	3450	1850
11B			1998	LT	2600	3650	3550	1900
11B			1999	LT	2650	3700	3600	1950
11B			2000	LT	2650	3700	3600	1950
11B			2001	LT	2700	3800	3700	2000
11B			2002	LT	2700	3750	3700	2000
11B			2003	LT	2750	3800	3700	2050
11B			2004	LT	2800	3900	3800	2050
11B			2005	LT	2800	3850	3750	2050
11B			2006	LT	2850	3900	3800	2100
11B			2007	LT	2900	4000	4100	2150
11B			2008	LT	2900	3950	3800	2150
11B			2009	LT	2950	4000	3900	2200
11B			2010	LT	3000	4050	3950	2200
11B			2011	LT	3000	3850	3900	2450
11B			2012	LT	3050	4000	3800	2300
11B			2013	LT	3100	4050	4050	2350
11B			2014	LT	3100	4050	4100	2350
11B			2015	LT	3150	4100	4200	2400
11B			2016	LT	3200	4200	4250	2400
11B			2017	LT	3200	4050	4050	2700
11B			2018	LT	3250	4150	4150	2750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
11B			2019	LT	3300	4200	4200	2750
11B	ZUKE ST ATIKOKAN HWY END		9999					
12	HWY 401 WHITBY START OF NA	8.2	9999					
12	SPENCERS RD (W)	1.3	1988	CR	6800	8700	8150	5650
12			1989	CR	6900	8850	8200	5800
12			1990	CR	7050	8750	8100	6350
12			1991	CR	7100	8750	8150	6400
12			1992	CR	7100	8750	8100	6400
12			1993	CR	7150	8800	8200	6450
12			1994	CR	7200	8850	8200	6500
12			1995	CR	7250	9000	8550	6250
12			1996	CR	8550	10600	10000	7300
12			1997	CR	8800	10900	10400	7500
12			1998	CR	9050	11100	10600	7700
12			1999	CR	9300	11400	10900	7900
12			2000	CR	9550	11700	11200	8100
12			2001	CR	9800	12100	11500	8300
12			2002	CR	10100	12400	11800	8500
12			2003	CR	10300	12500	12100	8700
12			2004	CR	11400	14000	13400	9650
12			2005	CR	13800	16700	16100	11600
12			2006	CR	13800	16700	16100	11700
12			2007	CR	14400	17400	17400	12100
12			2008	IC	15600	17300	16700	13800
12			2009	IC	15400	17100	17200	13700
12			2010	IC	15300	16900	17100	13600
12			2011	IC	16200	17800	18500	14500
12			2012	IC	16700	18500	17900	14800
12			2013	IC	17300	19100	19000	15300
12			2014	CTR	17900	21800	22000	15200
12			2015	CTR	18400	22400	22600	15600
12			2016	CTR	19000	23200	23400	16200
12			2017	CTR	19500	26100	25900	15900
12			2018	CTR	20100	26800	26700	16400
12			2019	CTR	20700	27600	27500	16800
12	HWY 407/HWY 12 IC	0.7	2017	UNCL	N/A			
12			2018	UNCL	N/A			
12			2019	UNCL	N/A			
12	S JCT HWY 7 WINCHESTER RD WHITBY OVERLAP HWY 7 (14330)	39.1	9999					
12	N JCT HWY 7	9.9	1988	IR	5300	6900	5850	4250
12			1989	IR	5300	6850	5900	4350
12			1990	IR	5400	6850	6000	4450
12			1991	IR	5350	6750	5950	4450
12			1992	IR	5300	6500	5850	4500
12			1993	HR	5300	9500	7600	3250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			1994	HR	5700	10100	8200	3500
12			1995	HR	5800	10300	8200	3400
12			1996	IR	5000	6200	5600	4250
12			1997	IR	6050	7550	6800	5150
12			1998	IR	6150	7650	6900	5150
12			1999	IR	6250	7750	6950	5250
12			2000	IR	7100	8700	7850	6000
12			2001	IR	6900	8550	7650	5850
12			2002	IR	7100	8750	7850	6050
12			2003	IR	6850	8300	7550	5800
12			2004	IR	7050	8700	7800	5950
12			2005	IR	6950	8400	7600	5950
12			2006	IR	7150	8600	7800	6050
12			2007	IR	6900	8350	8350	5850
12			2008	IR	7400	8950	8800	6300
12			2009	IR	7300	8750	7950	6200
12			2010	IR	7650	9100	8350	6500
12			2011	IR	7800	9300	9100	6650
12			2012	IR	7900	9400	9150	6750
12			2013	CTR	8000	9750	10100	6800
12			2014	CTR	8150	9950	10000	6950
12			2015	CR	8300	9800	9700	7050
12			2016	CR	8400	9900	9850	7150
12			2017	CR	8550	9900	9950	7700
12			2018	CR	8650	10100	10100	7750
12			2019	CR	8800	10200	10300	7900
12	S JCT HWY 48	6.0	1988	LR	7600	13500	9600	4700
12			1989	LR	7900	13400	10300	5200
12			1990	LR	8150	14300	11300	5150
12			1991	LR	8200	14400	11400	5150
12			1992	LR	8250	13300	10600	5450
12			1993	LR	8300	13400	10700	5400
12			1994	LR	9000	14800	11900	5900
12			1995	LR	9250	15500	12600	6050
12			1996	LR	9600	16100	12900	6400
12			1997	LR	9800	16500	13200	6550
12			1998	LR	10100	16700	13400	6650
12			1999	LR	10300	16900	13600	6800
12			2000	LR	10600	17200	13900	7050
12			2001	LR	10400	17000	13600	6950
12			2002	LR	11100	18100	14500	7500
12			2003	LR	10800	17100	13700	7300
12			2004	LR	10500	17200	13700	7000
12			2005	LR	10600	16600	13400	7200
12			2006	LR	11000	17100	13800	7450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2007	LR	11100	17400	16700	7500
12			2008	LR	10900	17000	16600	7450
12			2009	LR	11400	17300	14100	7750
12			2010	LR	11500	17200	14100	7800
12			2011	LR	11700	18100	17000	8200
12			2012	LR	11800	17600	17100	8100
12			2013	CTR	11900	14500	15000	10100
12			2014	CTR	12100	14800	14900	10300
12			2015	CTR	12200	14900	15000	10400
12			2016	CTR	12300	15000	15100	10500
12			2017	CTR	12500	16700	16600	10200
12			2018	CTR	12600	16800	16800	10300
12			2019	CTR	12700	16900	16800	10300
12	BEAVERTON R BR	4.3	1988	LR	7800	13800	9850	4850
12			1989	LR	8350	14100	10900	5500
12			1990	LR	8750	15300	12200	5500
12			1991	LR	8500	15000	11800	5350
12			1992	LR	8250	13300	10600	5450
12			1993	LR	8000	12900	10300	5250
12			1994	LR	8750	14400	11600	5700
12			1995	LR	8950	15000	12200	5850
12			1996	LR	9150	15300	12300	6100
12			1997	LR	9350	15700	12600	6250
12			1998	LR	9550	15800	12700	6300
12			1999	LR	9550	15700	12600	6300
12			2000	LR	9850	16000	12900	6550
12			2001	LR	10000	16400	13000	6700
12			2002	LR	10200	16600	13300	6900
12			2003	LT	10400	14300	14000	7700
12			2004	LT	10500	14700	14300	7700
12			2005	LR	10700	16700	13500	7300
12			2006	LR	10900	17000	13600	7350
12			2007	LR	11100	17400	16700	7500
12			2008	LR	11200	17500	17000	7650
12			2009	LR	11400	17300	14100	7750
12			2010	LR	11600	17400	14200	7850
12			2011	LR	11800	18300	17100	8250
12			2012	LT	12000	15700	14900	9100
12			2013	LT	11000	14400	14300	8300
12			2014	LT	12300	16100	16300	9300
12			2015	LT	12300	16100	16300	9300
12			2016	LT	12400	16200	16500	9350
12			2017	LT	12600	17600	17500	9700
12			2018	LT	12800	17900	17700	9850
12			2019	LT	12900	18100	17900	9950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12	DURHAM RD 23 (W)/8TH LINE (E)	2.5	1988	LR	8300	14700	10500	5150
12			1989	LR	8700	14700	11300	5750
12			1990	LR	9050	15800	12600	5700
12			1991	LR	9050	15900	12600	5700
12			1992	LR	9000	14500	11600	5950
12			1993	LR	9000	14500	11600	5900
12			1994	LR	9800	16100	13000	6400
12			1995	LR	10000	16800	13600	6550
12			1996	LR	10600	17700	14200	7050
12			1997	LR	10500	17600	14200	7050
12			1998	LR	10800	17800	14400	7150
12			1999	LR	11100	18200	14700	7350
12			2000	LR	11000	17800	14400	7350
12			2001	LR	11100	18200	14500	7400
12			2002	LR	11200	18300	14600	7600
12			2003	LR	11300	17900	14400	7650
12			2004	LR	10600	17300	13800	7100
12			2005	LR	11400	17800	14400	7750
12			2006	LR	11500	17900	14400	7750
12			2007	LR	11600	18200	17500	7800
12			2008	LR	11700	18300	17800	8000
12			2009	LR	11900	18100	14800	8100
12			2010	LR	12000	18000	14700	8150
12			2011	LR	12100	18700	17600	8450
12			2012	LR	12200	18200	17700	8350
12			2013	LR	12300	18400	21000	8350
12			2014	CTR	12400	15100	15300	10500
12			2015	CTR	12500	15200	15400	10600
12			2016	CTR	12600	15400	15500	10700
12			2017	CTR	12700	17000	16900	10300
12			2018	CTR	12800	17100	17000	10400
12			2019	CTR	13000	17300	17200	10600
12	N JCT HWY 48	1.3	1988	IR	6900	8950	7600	5500
12			1989	IR	7500	9700	8300	6150
12			1990	IR	8150	10400	9050	6700
12			1991	IR	8300	10500	9200	6900
12			1992	IR	8350	10300	9200	7100
12			1993	IR	8400	10300	8700	6850
12			1994	IR	8400	10300	9250	7050
12			1995	IR	8650	10700	9550	7350
12			1996	LR	8200	13700	11000	5450
12			1997	LR	9200	15500	12400	6150
12			1998	LR	9450	15600	12600	6250
12			1999	LR	9300	15300	12300	6150
12			2000	LR	9300	15100	12200	6200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2001	LR	9450	15500	12300	6300
12			2002	LR	9600	15600	12500	6500
12			2003	LR	9600	15200	12200	6500
12			2004	IR	9650	11900	10700	8150
12			2005	IR	9850	11900	10800	8400
12			2006	IR	9950	12000	10900	8450
12			2007	IR	9900	12000	12000	8400
12			2008	IR	10200	12400	12100	8700
12			2009	IR	10300	12400	11200	8750
12			2010	IR	10400	12400	11300	8850
12			2011	IR	10500	12500	12300	8950
12			2012	IR	10700	12700	12400	9150
12			2013	CTR	9300	11300	11700	7900
12			2014	CTR	10600	12900	13000	9000
12			2015	CR	11000	13000	12900	9350
12			2016	CR	10900	12800	12800	9300
12			2017	CR	11000	12800	12800	9900
12			2018	CR	11100	12900	13000	9950
12			2019	CR	11200	13000	13100	10000
12	DURHAM RD 50	0.8	1988	IR	6250	8100	6900	5000
12			1989	IR	6950	8950	7700	5700
12			1990	IR	7650	9700	8500	6250
12			1991	IR	7800	9850	8650	6450
12			1992	IR	7900	9700	8700	6700
12			1993	IR	7700	9450	7950	6300
12			1994	IR	8250	10200	9100	6900
12			1995	IR	8600	10600	9500	7350
12			1996	IR	8900	11100	9950	7600
12			1997	IR	9300	11600	10400	7900
12			1998	IR	9600	11900	10800	8050
12			1999	IR	9550	11800	10600	8000
12			2000	IR	9750	11900	10800	8250
12			2001	IR	10000	12400	11100	8450
12			2002	IR	11000	13600	12200	9350
12			2003	IR	10500	12700	11600	8900
12			2004	IR	9800	12100	10900	8300
12			2005	IR	10000	12100	11000	8550
12			2006	IR	10100	12200	11000	8600
12			2007	IR	10200	12400	12300	8650
12			2008	IR	8950	10800	10600	7650
12			2009	IR	10400	12500	11300	8850
12			2010	IR	10500	12500	11400	8950
12			2011	IR	10600	12600	12400	9050
12			2012	LT	9100	11900	11300	6900
12			2013	LT	9000	11800	11700	6800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2014	LT	8900	11600	11800	6700
12			2015	LT	10000	13100	13300	7550
12			2016	LT	10100	13200	13400	7650
12			2017	LT	10100	14100	14000	7800
12			2018	LT	10100	14100	14000	7800
12			2019	LT	10200	14300	14200	7850
12	RAMARA RD 51 (E) CON RD A (W)	8.4	1988	IR	8100	10500	8900	6500
12			1989	IR	8400	10800	9300	6900
12			1990	IR	8750	11100	9700	7200
12			1991	IR	8850	11200	9800	7350
12			1992	IR	8700	10700	9550	7400
12			1993	IR	8700	10700	9000	7100
12			1994	IR	8950	11000	9850	7500
12			1995	IR	9150	11300	10100	7800
12			1996	IR	9000	11200	10000	7650
12			1997	CR	9550	11800	11300	8100
12			1998	CR	9750	12000	11400	8300
12			1999	CR	10300	12700	12100	8750
12			2000	CR	10600	13000	12400	9000
12			2001	CR	11000	13500	12900	9300
12			2002	CR	11600	14200	13600	9750
12			2003	CR	10600	12900	12400	8950
12			2004	CR	10300	12700	12100	8700
12			2005	CR	10200	12400	11900	8600
12			2006	CR	10100	12200	11800	8550
12			2007	IR	9950	12100	12000	8450
12			2008	IR	9850	11900	11700	8400
12			2009	IR	10700	12800	11700	9100
12			2010	IR	10800	12900	11800	9200
12			2011	IR	9800	11700	11400	8350
12			2012	IR	10700	12700	12400	9150
12			2013	CTR	10600	12900	13300	9000
12			2014	CTR	10800	13200	13300	9200
12			2015	CTR	10900	13300	13400	9250
12			2016	CTR	10900	13300	13400	9250
12			2017	CTR	11000	14700	14600	8950
12			2018	CTR	11000	14700	14600	8950
12			2019	CTR	11100	14800	14700	9050
12	RAMARA CON RD 6 (W) SIMCOE RD 169 (N)	11.9	1988	IR	5500	7150	6050	4400
12			1989	IR	5700	7350	6350	4650
12			1990	IR	5850	7450	6500	4800
12			1991	IR	5950	7500	6600	4950
12			1992	IR	5800	7150	6400	4950
12			1993	LT	6100	8450	7550	4450
12			1994	LT	6700	9850	9450	4850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			1995	LT	6950	10000	9700	5100
12			1996	IR	6800	8450	7600	5800
12			1997	LT	7500	10600	10400	5550
12			1998	LT	7750	10800	10600	5650
12			1999	IR	8700	10800	9650	7300
12			2000	IR	9200	11300	10200	7750
12			2001	IR	9250	11400	10200	7800
12			2002	IR	10100	12500	11200	8600
12			2003	IR	9300	11300	10200	7900
12			2004	IR	9350	11600	10400	7900
12			2005	IR	9550	11500	10500	8150
12			2006	IR	9600	11600	10500	8150
12			2007	IR	9800	11900	11800	8300
12			2008	IR	8950	10800	10600	7650
12			2009	IR	10200	12200	11100	8650
12			2010	IR	9750	11600	10600	8300
12			2011	IR	10600	12600	12400	9050
12			2012	IR	10800	12800	12500	9250
12			2013	IR	11000	13100	14000	9350
12			2014	IR	10100	12000	12000	8600
12			2015	IR	11200	13300	13400	9550
12			2016	IR	11400	13600	13600	9700
12			2017	IR	11600	13600	13600	10300
12			2018	IR	11800	13900	13900	10600
12			2019	IR	12000	14100	14100	10800
12	11.916 KM W OF RAMARA CON RD 6 (W) SIMCOE RD 169 (N)	3.5	2010	IR	9750	11600	10600	8300
12			2011	IR	10600	12600	12400	9050
12			2012	IR	10600	12600	12300	9050
12			2013	IR	11200	13300	14300	9550
12			2014	IR	11600	13800	13800	9850
12			2015	IR	12000	14300	14300	10200
12			2016	IR	12400	14800	14800	10600
12			2017	IR	12800	15000	15000	11400
12			2018	IR	13200	15500	15500	11800
12			2019	IR	13600	16000	16000	12200
12	CREIGHTON ST	0.5	1988	CTR	14000	18200	17100	11800
12			1989	CTR	15000	19000	18200	12900
12			1990	CTR	16000	20000	18900	13900
12			1991	CTR	16500	20800	20600	14400
12			1992	CTR	16200	19900	19300	14100
12			1993	HR	17300	31000	24700	10600
12			1994	HR	18800	33500	27100	11500
12			1995	HR	19600	34800	27800	11600
12			1996	CTR	20100	25700	24700	16900
12			1997	CTR	22900	29300	28200	19200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			1998	CTR	24100	30600	29400	20200
12			1999	CTR	23200	29200	28100	19500
12			2000	CTR	23900	30100	28900	20100
12			2001	CTR	24700	31200	29900	20800
12			2002	CTR	25400	32000	30700	21400
12			2003	CTR	25500	31700	30500	21600
12			2004	CTR	27900	35200	33800	23500
12			2005	CTR	27500	34100	32700	23300
12			2006	CTR	27300	33800	32400	23200
12			2007	CTR	26000	32200	31900	22000
12			2008	CTR	28500	35300	34600	24200
12			2009	CTR	27900	34000	32900	23700
12			2010	CTR	29700	36200	34700	25200
12			2011	CTR	25000	30400	29200	21200
12			2012	CTR	25000	30300	29900	21300
12			2013	CR	26600	31900	32700	22500
12			2014	CR	24800	29200	29000	21100
12			2015	CTR	22200	27100	27300	18900
12			2016	CTR	23900	29200	29400	20300
12			2017	CTR	27400	36600	36400	22300
12			2018	CTR	27700	37000	36800	22600
12			2019	CTR	27900	37200	37000	22700
12	ORILLIA E LTS WEST END OF BRIDGE	1.4	1990	LT	16100	23500	22500	11800
12			1991	LT	16500	23100	22300	12200
12			1992	LT	16800	23400	22700	12900
12			1993	LT	17200	23800	21300	12600
12			1994	LT	18400	27000	26000	13400
12			1995	LT	19100	27400	26600	14000
12			1996	LT	19800	28000	27300	14500
12			1997	LT	21000	29600	29000	15500
12			1998	LT	24100	33700	33000	17600
12			1999	LT	24500	34100	33300	17900
12			2000	LT	25800	35900	35200	18800
12			2001	LT	27100	37900	36900	19900
12			2002	LT	28500	39800	38800	20900
12			2003	LT	29800	41000	40100	22000
12			2004	LT	64200	89900	87400	47000
12			2005	LT	25200	34600	33800	18500
12			2006	LR	33800	52700	42300	22800
12			2007	LR	35600	55800	53600	24000
12			2008	LR	36800	57400	55900	25200
12			2009	LR	38100	57900	47200	25900
12			2010	CTR	28000	34100	32800	23800
12			2011	CTR	28500	34700	33300	24200
12			2012	CTR	29000	35200	34700	24700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2013	CTR	30000	36500	37700	25500
12			2014	CTR	28800	35100	35400	24500
12			2015	CR	35500	41800	41600	30200
12			2016	CR	28500	33600	33400	24300
12			2017	CR	36100	41900	42100	32500
12			2018	CR	36600	42500	42800	32800
12			2019	CR	37100	43000	43300	33300
12	ATHERLEY RD ORILLIA	2.2	1988	CR	8350	10700	10000	6950
12			1989	CR	8750	11200	10400	7350
12			1990	LT	9200	13400	12900	6700
12			1991	LT	10100	14100	13600	7450
12			1992	LT	11100	15400	15000	8550
12			1993	LT	12000	16600	14900	8800
12			1994	LT	12200	17900	17200	8850
12			1995	LT	12900	18500	18000	9450
12			1996	LT	13700	19300	18900	10100
12			1997	LT	14200	20000	19600	10500
12			1998	LT	14800	20700	20300	10800
12			1999	LT	15400	21400	20900	11200
12			2000	LT	15800	22000	21500	11500
12			2001	LT	16300	22800	22200	11900
12			2002	LT	17400	24300	23700	12800
12			2003	LT	17000	23400	22900	12600
12			2004	LT	17400	24400	23700	12700
12			2005	LT	17900	24500	24000	13200
12			2006	LT	18400	25200	24600	13600
12			2007	LT	17900	24600	25300	13200
12			2008	LT	19300	26400	25300	14200
12			2009	LT	19800	26700	26100	14700
12			2010	LT	20200	27100	26600	14900
12			2011	LT	20700	26500	27000	17000
12			2012	LT	21200	27700	26400	16100
12			2013	CTR	18500	22500	23300	15700
12			2014	CTR	18300	22300	22500	15600
12			2015	CTR	18500	22600	22800	15700
12			2016	CTR	18700	22800	23000	15900
12			2017	CTR	21100	28200	28100	17200
12			2018	CTR	21400	28600	28500	17400
12			2019	CTR	21700	28900	28800	17700
12	WEST ST	1.3	1988	IC	12000	13900	13600	10600
12			1989	IC	12500	14400	14100	11100
12			1990	CTR	13100	16400	15500	11400
12			1991	CTR	13500	17000	16900	11700
12			1992	CTR	13600	16700	16200	11800
12			1993	CTR	13800	17400	16700	11700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			1994	CTR	15200	19500	18500	12800
12			1995	CTR	15900	20400	19600	13300
12			1996	CTR	15900	20300	19600	13300
12			1997	CTR	17700	22700	21800	14900
12			1998	CTR	17800	22600	21700	15000
12			1999	CR	18500	22800	21600	15700
12			2000	CR	18800	23100	22000	16000
12			2001	CR	19400	23900	22800	16400
12			2002	CR	20600	25300	24200	17400
12			2003	CR	20500	25000	24000	17300
12			2004	CR	20300	25000	23800	17100
12			2005	CR	20700	25100	24100	17400
12			2006	CR	21500	26100	25000	18200
12			2007	CR	21700	26300	26300	18300
12			2008	CR	20500	24800	24600	17300
12			2009	CR	22600	27100	26200	19200
12			2010	CR	23000	27600	26600	19400
12			2011	CR	23500	27400	27700	20900
12			2012	CR	21500	25800	25300	18200
12			2013	CR	20500	24600	25200	17300
12			2014	CR	21000	24700	24600	17900
12			2015	CR	22100	26000	25900	18800
12			2016	CR	22500	26500	26400	19200
12			2017	CR	23700	27500	27600	21300
12			2018	CR	24000	27900	28100	21500
12			2019	CR	24300	28200	28400	21800
12	SIMCOE RD 49 MEMORIAL AV	1.9	1988	IC	9050	10500	10200	7950
12			1989	IC	9500	10900	10700	8450
12			1990	LT	9750	14200	13600	7100
12			1991	LT	10000	14000	13500	7400
12			1992	LT	10200	14200	13800	7850
12			1993	LT	10400	14400	12900	7650
12			1994	LT	11600	17000	16400	8450
12			1995	LT	12100	17400	16900	8850
12			1996	LT	11400	16100	15700	8400
12			1997	LT	13100	18500	18100	9700
12			1998	LT	13700	19200	18800	10000
12			1999	LT	15200	21100	20700	11100
12			2000	LT	16200	22600	22100	11800
12			2001	LT	16700	23400	22700	12200
12			2002	LT	18800	26300	25600	13800
12			2003	LT	18200	25000	24500	13400
12			2004	LT	19000	26600	25900	13900
12			2005	LT	19500	26700	26100	14300
12			2006	LT	20400	27900	27200	15000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2007	CR	20800	25200	25200	17500
12			2008	CR	21900	26500	26300	18500
12			2009	CR	22000	26400	25500	18700
12			2010	CR	23400	28000	27100	19800
12			2011	CR	20000	23300	23600	17800
12			2012	CR	24000	28700	28300	20300
12			2013	CR	19500	23400	24000	16500
12			2014	CR	19900	23500	23300	17000
12			2015	CR	21400	25200	25100	18200
12			2016	CR	21900	25800	25700	18700
12			2017	CR	24300	28200	28300	21900
12			2018	CR	24800	28800	29000	22300
12			2019	CR	25300	29400	29500	22700
12	S JCT HWY 11 ORILLIA BYPASS	2.4	9999					
12	N JCT HWY 11 COLDWATER RD ORILLIA	3.2	1988	IC	10000	11600	11300	8800
12			1989	IC	10500	12100	11900	9350
12			1990	CTR	10700	13400	12600	9300
12			1991	CTR	11000	13900	13800	9550
12			1992	CTR	11200	13800	13300	9750
12			1993	CTR	11300	14200	13700	9600
12			1994	CTR	11600	14800	14200	9750
12			1995	CTR	11900	15300	14600	10000
12			1996	CTR	12000	15400	14800	10100
12			1997	CTR	12500	16000	15400	10500
12			1998	CTR	12800	16300	15600	10800
12			1999	CTR	13600	17100	16500	11400
12			2000	CTR	13700	17300	16600	11500
12			2001	CTR	14100	17800	17100	11900
12			2002	CTR	14500	18300	17500	12200
12			2003	CTR	14900	18500	17800	12600
12			2004	CTR	15000	18900	18100	12600
12			2005	CTR	14800	18300	17600	12600
12			2006	IC	16000	17800	17900	14200
12			2007	IC	15300	17000	17500	13500
12			2008	IC	15900	17600	17000	14000
12			2009	IC	13800	15300	15500	12300
12			2010	IC	16100	17800	18000	14300
12			2011	IC	16400	18000	18700	14700
12			2012	IC	16600	18400	17800	14700
12			2013	IC	16900	18700	18600	15000
12			2014	IC	17200	19000	19000	15300
12			2015	IC	17400	19300	19200	15400
12			2016	IC	17700	19600	19500	15700
12			2017	IC	17900	19600	19800	16200
12			2018	IC	18200	20000	20100	16500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2019	IC	18500	20300	20400	16700
12	WAINMAN LINE (N) ORO MEDONTE LINE 15 NORTH (S)	2.6	1988	IC	8100	9400	9150	7150
12			1989	IC	8500	9800	9600	7550
12			1990	CTR	9150	11400	10800	7950
12			1991	CTR	9400	11800	11800	8200
12			1992	CTR	9700	11900	11500	8450
12			1993	CTR	10100	12700	12200	8600
12			1994	CTR	10000	12800	12200	8400
12			1995	CTR	10300	13200	12700	8650
12			1996	CTR	10600	13600	13000	8900
12			1997	CR	10900	13500	12900	9250
12			1998	CR	11200	13800	13100	9500
12			1999	CR	10900	13400	12800	9250
12			2000	CR	11400	14000	13300	9700
12			2001	CR	11600	14300	13600	9800
12			2002	CR	11800	14500	13800	9950
12			2003	CR	12000	14600	14000	10200
12			2004	CR	12200	15000	14300	10300
12			2005	CR	12400	15000	14500	10400
12			2006	CR	12600	15300	14700	10600
12			2007	CR	12800	15500	15500	10800
12			2008	CR	13000	15700	15600	11000
12			2009	CR	13200	15800	15300	11200
12			2010	CR	13400	16100	15500	11300
12			2011	CR	13000	15100	15300	11600
12			2012	CR	13700	16400	16100	11600
12			2013	CR	13900	16700	17100	11800
12			2014	IC	14000	15500	15400	12400
12			2015	IC	14300	15800	15800	12700
12			2016	IC	14500	16000	16000	12900
12			2017	IC	14700	16100	16200	13300
12			2018	IC	14900	16400	16500	13500
12			2019	IC	15100	16600	16700	13600
12	DIVISION RD W (N)	10.7	1988	IC	5450	6300	6150	4800
12			1989	IC	5700	6550	6450	5050
12			1990	LT	5950	8700	8350	4350
12			1991	LT	6100	8550	8250	4500
12			1992	LT	6300	8750	8500	4850
12			1993	CTR	6550	8250	7950	5550
12			1994	CTR	6750	8650	8250	5650
12			1995	CTR	7000	9000	8600	5850
12			1996	CTR	7300	9350	9000	6150
12			1997	CTR	7450	9550	9150	6250
12			1998	CTR	7650	9700	9350	6450
12			1999	CTR	7700	9700	9300	6450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2000	CTR	7850	9900	9500	6600
12			2001	CTR	8000	10100	9700	6750
12			2002	CTR	8050	10200	9750	6800
12			2003	CTR	8950	11100	10700	7600
12			2004	CTR	9900	12500	12000	8350
12			2005	CTR	11500	14200	13700	9750
12			2006	CTR	9500	11800	11300	8050
12			2007	IC	9750	10800	11200	8600
12			2008	IC	9950	11000	10700	8750
12			2009	IC	10200	11300	11400	9100
12			2010	CTR	9000	11000	10500	7650
12			2011	CTR	8000	9750	9350	6800
12			2012	CTR	10300	12500	12300	8750
12			2013	C	9250	10200	10100	8350
12			2014	C	10400	11400	11100	9350
12			2015	C	9500	10400	10200	8550
12			2016	C	10500	11600	11200	9450
12			2017	C	10700	11700	11700	9700
12			2018	C	10800	11800	11800	9750
12			2019	C	11000	12000	12000	9950
12	SIMCOE RD 19 MOONSTONE RD (S)/STAGECOACH RD (N)	3.2	1988	CTR	3900	5050	4750	3300
12			1989	CTR	3950	5000	4800	3400
12			1990	LT	4000	5850	5600	2900
12			1991	LT	4150	5800	5600	3050
12			1992	LT	4200	5850	5650	3250
12			1993	CTR	4400	5550	5300	3750
12			1994	CTR	4600	5900	5600	3850
12			1995	CTR	4750	6100	5850	4000
12			1996	CTR	4900	6250	6050	4100
12			1997	CTR	5000	6400	6150	4200
12			1998	CTR	5150	6550	6300	4350
12			1999	CTR	5300	6700	6400	4450
12			2000	CTR	5450	6850	6600	4600
12			2001	CTR	5550	7000	6700	4700
12			2002	CTR	5700	7200	6900	4800
12			2003	CTR	5850	7250	7000	4950
12			2004	CTR	6000	7550	7250	5050
12			2005	CTR	6100	7550	7250	5150
12			2006	CTR	6050	7500	7200	5150
12			2007	CTR	6200	7700	7600	5250
12			2008	CTR	6300	7800	7650	5350
12			2009	CTR	6400	7800	7550	5450
12			2010	IC	6200	6850	6900	5500
12			2011	IC	6650	7300	7600	5950
12			2012	IC	6750	7500	7250	6000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2013	IC	6850	7600	7550	6050
12			2014	IC	6950	7700	7650	6150
12			2015	CTR	6300	7700	7750	5350
12			2016	CTR	7050	8600	8650	6000
12			2017	CTR	7150	9550	9500	5850
12			2018	CTR	7250	9700	9650	5900
12			2019	IR	7350	8950	8900	6250
12	COLDWATER RD (N) WOODROW RD (S)	1.7	1988	CTR	2750	3600	3350	2300
12			1989	CTR	3000	3800	3650	2600
12			1990	LT	3250	4750	4550	2350
12			1991	LT	3350	4700	4500	2500
12			1992	LT	3400	4750	4600	2600
12			1993	CTR	3450	4350	4150	2950
12			1994	CTR	3500	4500	4250	2950
12			1995	CTR	3600	4600	4450	3000
12			1996	CTR	3700	4750	4550	3100
12			1997	LT	3750	5300	5200	2800
12			1998	LT	3800	5300	5200	2750
12			1999	LT	3850	5350	5250	2800
12			2000	LT	3900	5450	5300	2850
12			2001	LT	3950	5550	5400	2900
12			2002	LT	4100	5750	5600	3000
12			2003	LT	4100	5650	5500	3050
12			2004	LT	4150	5800	5650	3050
12			2005	LT	4200	5750	5650	3100
12			2006	LT	4200	5750	5600	3100
12			2007	LT	4300	5900	6050	3150
12			2008	LT	4400	6050	5750	3250
12			2009	LT	4450	6000	5850	3300
12			2010	UC	4500	4750	5250	4250
12			2011	UC	4550	4550	4700	4300
12			2012	UC	4600	4650	4900	4350
12			2013	CR	5000	6000	6150	4250
12			2014	CR	4800	5650	5600	4100
12			2015	CR	4850	5700	5700	4150
12			2016	CR	4900	5750	5750	4150
12			2017	CR	5000	5800	5850	4500
12			2018	CR	5050	5850	5900	4550
12			2019	CR	5100	5900	5950	4600
12	HWY 400 S JCT IC-141 SIMCOE RD 23 OVERLAP HWY 400 (46954)	5.9	9999					
12	HWY 400 N JCT IC-147 SIMCOE RD 16 (E)	7.6	1988	CTR	4650	6050	5650	3900
12			1989	CTR	5150	6550	6250	4450
12			1990	LT	5750	8400	8050	4200
12			1991	LT	5900	8250	7950	4350
12			1992	LT	6100	8500	8250	4700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			1993	CTR	6100	7700	7400	5200
12			1994	CTR	6000	7700	7300	5050
12			1995	CTR	6200	7950	7650	5200
12			1996	CTR	6450	8250	7950	5400
12			1997	CTR	6550	8400	8050	5500
12			1998	CTR	6600	8400	8050	5550
12			1999	CTR	6700	8450	8100	5650
12			2000	CTR	7700	9700	9300	6450
12			2001	CTR	8050	10200	9750	6800
12			2002	CTR	9050	11400	11000	7650
12			2003	CTR	8150	10100	9750	6900
12			2004	CTR	8400	10600	10200	7100
12			2005	CTR	8400	10400	10000	7100
12			2006	CTR	8600	10600	10200	7300
12			2007	CR	8400	10200	10200	7100
12			2008	CR	9000	10900	10800	7600
12			2009	IC	8650	9600	9700	7700
12			2010	IC	9450	10500	10500	8400
12			2011	IC	9650	10600	11000	8650
12			2012	IC	9850	10900	10600	8750
12			2013	UC	8550	8600	8600	8100
12			2014	UC	9950	10000	9550	9450
12			2015	UC	10100	10100	9700	9600
12			2016	UC	10300	10300	9900	9750
12			2017	UC	10500	10400	10500	10100
12			2018	UC	10700	10600	10800	10300
12			2019	UC	10900	10700	10900	10500
12	NEWTON ST	0.5	1988	CTR	4750	6200	5800	4000
12			1989	CTR	4500	5700	5450	3850
12			1990	LT	5500	8050	7700	4000
12			1991	LT	5700	8000	7700	4200
12			1992	LT	5900	8200	7950	4550
12			1993	CTR	5900	7450	7150	5000
12			1994	CTR	6100	7800	7450	5100
12			1995	CTR	6350	8150	7800	5350
12			1996	CTR	6200	7950	7650	5200
12			1997	IT	6800	8900	8750	5650
12			1998	IT	7050	9100	9000	5700
12			1999	IT	7150	9200	9100	5800
12			2000	IT	7350	9500	9350	6050
12			2001	IT	7600	9950	9700	6200
12			2002	IT	7900	10300	10100	6500
12			2003	IT	7950	10100	10100	6500
12			2004	IT	8150	10600	10400	6650
12			2005	IT	8250	10500	10500	6850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2006	IC	8550	9500	9600	7550
12			2007	IC	8650	9600	9900	7650
12			2008	IC	8800	9750	9450	7750
12			2009	IC	8550	9500	9600	7600
12			2010	IC	9150	10100	10200	8100
12			2011	IC	8000	8800	9150	7200
12			2012	IC	9250	10200	9950	8200
12			2013	IC	9300	10300	10200	8250
12			2014	IC	9550	10600	10500	8450
12			2015	CTR	9750	11900	12000	8300
12			2016	CTR	9900	12100	12200	8400
12			2017	CTR	10000	13400	13300	8150
12			2018	CTR	10200	13600	13600	8300
12			2019	CTR	10400	13900	13800	8450
12	WILLIAM ST VICTORIA HARBOUR (N)	4.5	1988	IC	6850	7950	7750	6050
12			1989	IC	7300	8400	8250	6500
12			1990	LT	7950	11600	11100	5800
12			1991	LT	8250	11600	11100	6100
12			1992	LT	8500	11800	11500	6550
12			1993	CTR	8650	10900	10500	7350
12			1994	CTR	8500	10900	10400	7150
12			1995	CTR	8750	11200	10800	7350
12			1996	CTR	9000	11500	11100	7550
12			1997	CTR	9250	11800	11400	7750
12			1998	CTR	9200	11700	11200	7750
12			1999	CTR	9300	11700	11300	7800
12			2000	CTR	9750	12300	11800	8200
12			2001	CTR	9950	12600	12000	8400
12			2002	CTR	9900	12500	12000	8350
12			2003	CTR	10400	12900	12400	8800
12			2004	CTR	10600	13400	12800	8950
12			2005	CTR	10800	13400	12800	9150
12			2006	IC	11200	12400	12600	9900
12			2007	IC	11200	12400	12800	9900
12			2008	IC	11400	12600	12200	10100
12			2009	IC	11600	12900	13000	10300
12			2010	IC	11800	13100	13200	10500
12			2011	IC	12000	13200	13700	10800
12			2012	IC	12200	13500	13100	10800
12			2013	IC	10000	11100	11000	8850
12			2014	CTR	11400	13900	14000	9700
12			2015	CTR	12200	14900	15000	10400
12			2016	CTR	12400	15100	15300	10500
12			2017	CTR	12500	16700	16600	10200
12			2018	CTR	12700	17000	16900	10300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2019	CTR	12800	17100	17000	10400
12	SIMCOE RD 37 TALBOT ST (N)	3.6	1988	IC	12900	15000	14600	11400
12			1989	IC	13200	15200	14900	11700
12			1990	IC	13500	15400	15100	12000
12			1991	IC	13800	15600	15300	12300
12			1992	IC	13900	15400	15300	12600
12			1993	CTR	14200	17900	17200	12100
12			1994	CTR	14600	18700	17800	12300
12			1995	CTR	15000	19300	18500	12600
12			1996	CTR	14400	18400	17700	12100
12			1997	CTR	14800	18900	18200	12400
12			1998	CTR	15000	19000	18300	12600
12			1999	CTR	15100	19000	18300	12700
12			2000	CTR	15200	19200	18400	12800
12			2001	CTR	15300	19300	18500	12900
12			2002	CTR	15400	19400	18600	13000
12			2003	CTR	15300	19000	18300	13000
12			2004	CTR	15200	19200	18400	12800
12			2005	CTR	9850	12200	11700	8350
12			2006	CTR	11100	13700	13200	9400
12			2007	CTR	10900	13500	13400	9250
12			2008	CTR	10600	13100	12900	9000
12			2009	CTR	10300	12600	12200	8750
12			2010	CTR	10000	12200	11700	8500
12			2011	CTR	10300	12500	12100	8750
12			2012	CTR	9900	12000	11900	8450
12			2013	CTR	9550	11600	12000	8100
12			2014	CTR	9200	11200	11300	7800
12			2015	CTR	8850	10800	10900	7500
12			2016	CTR	8500	10400	10500	7200
12			2017	CTR	8150	10900	10800	6650
12			2018	CTR	7800	10400	10400	6350
12			2019	CTR	7450	9950	9900	6050
12	MIDLAND W LTS	2.4	1988	CTR	6750	8800	8250	5650
12			1989	CTR	7350	9350	8900	6300
12			1990	IC	8000	9100	8950	7100
12			1991	IC	8150	9200	9050	7250
12			1992	IC	8400	9300	9250	7650
12			1993	CTR	8500	10700	10300	7200
12			1994	CTR	8500	10900	10400	7150
12			1995	CTR	8850	11400	10900	7400
12			1996	CTR	8950	11400	11000	7500
12			1997	CTR	9000	11500	11100	7550
12			1998	CTR	9100	11600	11100	7650
12			1999	CTR	9250	11700	11200	7750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
12			2000	CTR	9400	11800	11400	7900
12			2001	CTR	9500	12000	11500	8000
12			2002	CTR	9650	12200	11700	8150
12			2003	CTR	10700	13300	12800	9050
12			2004	CTR	11000	13900	13300	9300
12			2005	CTR	11300	14000	13400	9600
12			2006	CTR	11600	14400	13800	9850
12			2007	IC	12900	14300	14800	11400
12			2008	IC	12100	13400	13000	10700
12			2009	IC	12400	13800	13900	11000
12			2010	IC	12700	14100	14200	11300
12			2011	IC	13000	14300	14800	11700
12			2012	IC	13300	14700	14300	11800
12			2013	IR	13600	16200	17400	11600
12			2014	IR	13900	16500	16600	11800
12			2015	IR	14200	16900	16900	12100
12			2016	IR	14500	17300	17300	12300
12			2017	IR	14800	17400	17400	13200
12			2018	IR	15100	17700	17800	13500
12			2019	IR	15400	18100	18100	13800
12	HWY 93 HWY END		9999					
15	HWY 2 BARRIEFIELD START OF NA	6.4	9999					
15	HWY 401 M/C FRWY IC	1.4	1988	IC	7000	8100	7900	6150
15			1989	IC	7450	8550	8400	6650
15			1990	IC	7600	8650	8500	6750
15			1991	IC	7800	8800	8650	6950
15			1992	IC	7400	8200	8150	6750
15			1993	C	7950	8650	8800	7300
15			1994	C	7750	8500	8650	7000
15			1995	IC	8000	8950	9000	7200
15			1996	IC	8000	9000	9000	7100
15			1997	C	8150	9200	9300	7350
15			1998	C	7850	8850	8850	7050
15			1999	C	7500	8400	8500	6750
15			2000	C	7350	8300	8300	6600
15			2001	C	7500	8450	8450	6750
15			2002	C	7300	8200	8250	6550
15			2003	C	7050	7850	7950	6350
15			2004	C	6600	7450	7450	5950
15			2005	C	6800	7550	7650	6100
15			2006	C	6750	7500	7550	6050
15			2007	C	6600	7350	7450	5950
15			2008	C	7000	7750	7600	6300
15			2009	C	7100	7800	7900	6400
15			2010	C	7350	8100	8150	6600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			2011	C	6650	7350	7400	6000
15			2012	C	7700	8500	8300	6950
15			2013	CTR	7850	9550	9850	6650
15			2014	CTR	6900	8400	8500	5850
15			2015	CTR	6850	8350	8450	5800
15			2016	CTR	6800	8300	8350	5800
15			2017	CTR	6750	9000	8950	5500
15			2018	CTR	6700	8950	8900	5450
15			2019	CTR	6650	8850	8800	5400
15	FRONTENAC RD 21 KINGSTON MILLS RD (W)	12.3	1988	IC	5800	6750	6550	5100
15			1989	IC	6100	7000	6900	5450
15			1990	IC	6400	7300	7150	5700
15			1991	IC	6700	7550	7450	5950
15			1992	IC	6700	7450	7350	6100
15			1993	CTR	6450	8150	7800	5500
15			1994	CTR	6500	8300	7950	5450
15			1995	IC	6550	7350	7400	5900
15			1996	IC	6600	7400	7450	5900
15			1997	CTR	6650	8500	8200	5600
15			1998	CTR	6700	8500	8150	5650
15			1999	IC	6600	7400	7400	5850
15			2000	IC	6900	7750	7750	6150
15			2001	IC	6250	7000	7000	5550
15			2002	IC	6600	7350	7400	5800
15			2003	IC	6550	7300	7350	5800
15			2004	CTR	6600	8350	8000	5550
15			2005	CTR	6550	8100	7800	5550
15			2006	CTR	6500	8050	7700	5500
15			2007	IC	6450	7150	7400	5700
15			2008	IC	6450	7150	6900	5700
15			2009	IC	6450	7150	7200	5750
15			2010	IC	6250	6900	7000	5550
15			2011	IC	6400	7050	7300	5750
15			2012	IC	5900	6550	6350	5250
15			2013	CTR	6000	7300	7550	5100
15			2014	CTR	6200	7550	7650	5250
15			2015	CTR	6150	7500	7550	5250
15			2016	CTR	6150	7500	7550	5250
15			2017	CTR	6100	8150	8100	4950
15			2018	CTR	6100	8150	8100	4950
15			2019	CTR	6050	8050	8050	4900
15	SANDHILL RD (E)	17.2	1988	IC	4600	5350	5200	4050
15			1989	IC	4900	5650	5550	4350
15			1990	IC	5200	5950	5800	4650
15			1991	IC	5400	6100	6000	4800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			1992	IC	5400	6000	5950	4900
15			1993	IC	5200	5900	5800	4650
15			1994	IC	5000	5600	5600	4450
15			1995	LT	4800	6900	6700	3500
15			1996	LT	4950	7000	6800	3650
15			1997	IR	5050	6300	5650	4300
15			1998	IR	5150	6400	5750	4350
15			1999	IC	5200	5800	5800	4650
15			2000	CTR	5250	6600	6350	4400
15			2001	CTR	5150	6500	6250	4350
15			2002	CTR	5200	6550	6300	4400
15			2003	CTR	5000	6200	5950	4250
15			2004	CTR	5200	6550	6300	4400
15			2005	CTR	5000	6200	5950	4250
15			2006	CTR	5050	6250	6000	4300
15			2007	CTR	5050	6250	6200	4300
15			2008	CTR	5050	6250	6150	4300
15			2009	CTR	5050	6150	5950	4300
15			2010	CTR	4800	5850	5600	4100
15			2011	CTR	5050	6150	5900	4300
15			2012	CTR	4800	5800	5750	4100
15			2013	CTR	4700	5700	5900	4000
15			2014	CTR	4550	5550	5600	3850
15			2015	CTR	4850	5900	5950	4100
15			2016	CTR	4850	5900	5950	4100
15			2017	CTR	4800	6400	6400	3900
15			2018	CTR	4800	6400	6400	3900
15			2019	CTR	4800	6400	6350	3900
15	LEEDS & GRENVILLE RD 32 (E)	1.1	1988	IR	4700	6100	5150	3750
15			1989	IR	5000	6450	5550	4100
15			1990	IR	5300	6750	5900	4350
15			1991	IR	5500	6950	6100	4550
15			1992	IR	5500	6750	6050	4700
15			1993	CTR	5500	6950	6650	4700
15			1994	CTR	5550	7100	6750	4650
15			1995	IR	5600	6900	6150	4750
15			1996	IR	5650	7000	6300	4800
15			1997	CTR	5700	7300	7000	4800
15			1998	CTR	5750	7300	7000	4850
15			1999	IR	5800	7200	6450	4850
15			2000	CTR	5550	7000	6700	4650
15			2001	CTR	5500	6950	6650	4650
15			2002	CTR	5500	6950	6650	4650
15			2003	CTR	5500	6850	6550	4650
15			2004	CTR	5350	6750	6450	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			2005	CTR	5450	6750	6500	4600
15			2006	CTR	5450	6750	6450	4600
15			2007	CTR	5400	6700	6650	4600
15			2008	CTR	5400	6700	6550	4600
15			2009	CTR	5350	6550	6300	4550
15			2010	CR	5350	6400	6200	4500
15			2011	CR	5300	6150	6250	4700
15			2012	CR	5300	6350	6250	4500
15			2013	CTR	5300	6450	6650	4500
15			2014	CTR	5250	6400	6450	4450
15			2015	CTR	5250	6400	6450	4450
15			2016	CTR	5200	6350	6400	4400
15			2017	CTR	5200	6950	6900	4250
15			2018	CTR	6600	8800	8800	5400
15			2019	CTR	5150	6850	6850	4200
15	LEEDS & GRENVILLE RD 33 LYNDHURST RD (E)	12.9	1988	IR	4000	5200	4400	3200
15			1989	IR	4100	5300	4550	3350
15			1990	IR	4400	5600	4900	3600
15			1991	IR	4600	5800	5100	3800
15			1992	IR	4600	5650	5050	3900
15			1993	IR	4600	5650	4750	3750
15			1994	IR	4600	5650	5050	3850
15			1995	IR	4600	5650	5050	3900
15			1996	IR	4700	5850	5250	4000
15			1997	IR	4800	6000	5400	4100
15			1998	IR	4900	6100	5500	4100
15			1999	IR	5000	6200	5550	4200
15			2000	LT	4550	6350	6200	3300
15			2001	LT	4500	6300	6150	3300
15			2002	LT	4450	6200	6050	3250
15			2003	LT	4450	6100	6000	3300
15			2004	IR	4250	5250	4700	3600
15			2005	IR	4350	5250	4750	3700
15			2006	IR	4300	5200	4700	3650
15			2007	IR	4200	5100	5050	3550
15			2008	IR	4250	5150	5050	3650
15			2009	IR	4200	5050	4600	3550
15			2010	IR	4150	4950	4500	3550
15			2011	IR	4100	4900	4800	3500
15			2012	IR	4050	4800	4700	3450
15			2013	IC	4100	4550	4500	3650
15			2014	IC	4000	4450	4400	3550
15			2015	IC	3950	4350	4350	3500
15			2016	IC	3900	4300	4300	3450
15			2017	IC	3850	4200	4250	3500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			2018	IC	4500	4950	5000	4050
15			2019	IC	3800	4150	4200	3450
15	KINGSTON ST (E)	6.9	1988	IR	4200	5450	4600	3350
15			1989	IR	4400	5700	4900	3600
15			1990	IR	4650	5900	5150	3800
15			1991	IR	4800	6050	5350	4000
15			1992	IR	4800	5900	5300	4100
15			1993	IR	4850	5950	5000	3950
15			1994	IR	4900	6050	5400	4100
15			1995	IR	4950	6100	5450	4200
15			1996	IR	5250	6500	5850	4450
15			1997	IR	5400	6750	6050	4600
15			1998	IR	5150	6400	5750	4350
15			1999	IR	4300	5350	4750	3600
15			2000	IR	4000	4900	4450	3400
15			2001	IR	3800	4700	4200	3200
15			2002	IR	3900	4800	4300	3300
15			2003	IR	4000	4850	4400	3400
15			2004	IR	4000	4950	4450	3400
15			2005	IR	4000	4850	4400	3400
15			2006	IR	3750	4500	4100	3200
15			2007	IR	4000	4850	4850	3400
15			2008	IR	3500	4250	4150	3000
15			2009	IR	3400	4100	3700	2900
15			2010	IR	3300	3950	3600	2800
15			2011	IR	3150	3750	3700	2700
15			2012	IR	3500	4150	4050	3000
15			2013	IC	3800	4200	4200	3350
15			2014	IC	3050	3400	3350	2700
15			2015	IC	2950	3250	3250	2600
15			2016	IC	2850	3150	3150	2550
15			2017	IC	2750	3000	3050	2500
15			2018	IC	4400	4850	4850	4000
15			2019	IC	2550	2800	2800	2300
15	LEEDS & GRENVILLE RD 42	15.0	1988	IR	4000	5200	4400	3200
15			1989	IR	4200	5400	4650	3450
15			1990	IR	4300	5450	4750	3550
15			1991	IR	4450	5600	4950	3700
15			1992	IR	4450	5450	4900	3800
15			1993	IR	4300	5300	4450	3500
15			1994	IR	4300	5300	4750	3600
15			1995	IR	4300	5300	4750	3650
15			1996	IR	4400	5450	4900	3750
15			1997	IR	4450	5550	5000	3800
15			1998	IR	4350	5400	4850	3650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			1999	IR	4350	5400	4850	3650
15			2000	IR	4250	5200	4700	3600
15			2001	IR	4200	5200	4650	3550
15			2002	IR	4200	5200	4650	3550
15			2003	IR	4150	5050	4550	3500
15			2004	IR	4050	5000	4500	3400
15			2005	IR	4100	4950	4500	3500
15			2006	IR	4050	4900	4450	3450
15			2007	IR	4050	4900	4900	3450
15			2008	IR	3900	4700	4650	3350
15			2009	IR	3850	4600	4200	3250
15			2010	IR	3950	4700	4300	3350
15			2011	IR	3900	4650	4550	3350
15			2012	IR	3850	4600	4450	3300
15			2013	CTR	3950	4800	4950	3350
15			2014	CTR	3800	4650	4650	3250
15			2015	CTR	3800	4650	4650	3250
15			2016	CTR	3750	4600	4600	3200
15			2017	CTR	3700	4950	4900	3000
15			2018	CTR	4300	5750	5700	3500
15			2019	CTR	3650	4850	4850	2950
15	LEEDS & GRENVILLE RD 5 (E)	9.4	1988	IR	4500	5850	4950	3600
15			1989	IR	4800	6200	5350	3950
15			1990	IR	4900	6200	5450	4000
15			1991	IR	5050	6350	5600	4200
15			1992	IR	5050	6200	5550	4300
15			1993	IR	5150	6350	5350	4200
15			1994	IR	5150	6350	5650	4300
15			1995	IR	5200	6400	5750	4450
15			1996	IR	5550	6900	6200	4750
15			1997	IR	5700	7100	6400	4850
15			1998	IR	5850	7250	6550	4900
15			1999	IR	5350	6650	5950	4500
15			2000	IR	5150	6300	5700	4350
15			2001	IR	5100	6300	5650	4300
15			2002	IR	5000	6150	5550	4250
15			2003	IR	5050	6150	5550	4300
15			2004	IR	4800	5950	5300	4050
15			2005	IR	4950	5950	5400	4200
15			2006	IR	4750	5750	5200	4050
15			2007	IR	4850	5900	5850	4100
15			2008	IR	4600	5550	5450	3950
15			2009	IR	4550	5450	4950	3850
15			2010	IC	4100	4550	4600	3650
15			2011	IC	4400	4850	5000	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			2012	IC	4500	5000	4850	4000
15			2013	CTR	5650	6900	7100	4800
15			2014	CTR	4500	5500	5550	3800
15			2015	CTR	4450	5450	5450	3800
15			2016	CTR	4400	5350	5400	3750
15			2017	CTR	4350	5800	5800	3550
15			2018	CTR	4300	5750	5700	3500
15			2019	CTR	4250	5650	5650	3450
15	N JCT LEEDS & GRENVILLE RD 1 (E)	8.3	1988	CR	6400	8200	7700	5300
15			1989	CR	6900	8850	8200	5800
15			1990	IR	7050	8950	7850	5800
15			1991	IR	7200	9050	8000	6000
15			1992	IR	7200	8850	7900	6100
15			1993	IR	7000	8600	7250	5750
15			1994	IR	6900	8500	7600	5800
15			1995	CR	6800	8400	8050	5850
15			1996	CR	7200	8900	8450	6150
15			1997	CR	7700	9550	9100	6550
15			1998	CR	7900	9700	9250	6700
15			1999	CR	7600	9350	8900	6450
15			2000	HR	7300	12200	9850	4400
15			2001	IR	7050	8700	7800	5950
15			2002	IR	7350	9050	8150	6250
15			2003	IR	7350	8900	8100	6250
15			2004	CR	7250	8900	8500	6100
15			2005	CR	7350	8900	8550	6200
15			2006	CR	7400	8950	8600	6250
15			2007	CR	7250	8750	8750	6100
15			2008	CR	7400	8950	8900	6250
15			2009	CR	7400	8900	8600	6300
15			2010	CR	7400	8850	8550	6250
15			2011	CR	7450	8700	8800	6650
15			2012	CR	7000	8400	8250	5900
15			2013	CTR	6400	7800	8050	5450
15			2014	CTR	7150	8700	8800	6100
15			2015	CTR	7150	8700	8800	6100
15			2016	CTR	7150	8700	8800	6100
15			2017	CTR	7150	9550	9500	5850
15			2018	CTR	5350	7150	7100	4350
15			2019	CTR	7150	9550	9500	5800
15	SMITHS FALLS S LTS START OF NA	4.7	9999					
15	SMITHS FALLS N LTS END OF NA	15.6	1988	CR	4200	5400	5050	3500
15			1989	CR	4800	6150	5700	4050
15			1990	CR	5000	6200	5750	4500
15			1991	CR	5100	6250	5850	4600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			1992	CR	5200	6400	5950	4700
15			1993	CR	5200	6400	6000	4700
15			1994	IR	5600	6900	6150	4700
15			1995	IR	5700	7000	6300	4850
15			1996	IR	5800	7200	6450	4950
15			1997	CR	5900	7300	6950	5000
15			1998	IR	5950	7400	6650	5000
15			1999	IR	6050	7500	6700	5100
15			2000	C	6100	6900	6900	5500
15			2001	C	5700	6400	6450	5150
15			2002	C	5650	6350	6400	5100
15			2003	C	5650	6300	6350	5100
15			2004	C	5150	5800	5800	4650
15			2005	C	5600	6250	6300	5050
15			2006	C	5500	6100	6150	4950
15			2007	C	5450	6050	6150	4900
15			2008	C	5400	5950	5900	4850
15			2009	C	5350	5900	5950	4800
15			2010	LT	5150	6900	6800	3800
15			2011	LT	5300	6800	6900	4350
15			2012	LT	4600	6000	5700	3500
15			2013	LT	5200	6800	6800	3950
15			2014	LT	5050	6600	6700	3800
15			2015	LT	5000	6550	6650	3750
15			2016	LT	4950	6450	6550	3750
15			2017	LT	4900	6200	6250	4100
15			2018	LT	7250	9200	9250	6100
15			2019	LT	4800	6100	6100	4000
15	N JCT LANARK RD10 RICHMOND RD (E)	6.0	1988	CR	3700	4750	4450	3050
15			1989	CR	4050	5200	4800	3400
15			1990	CR	4250	5250	4900	3800
15			1991	CR	4350	5350	5000	3900
15			1992	CR	4400	5400	5000	3950
15			1993	CR	4400	5400	5050	3950
15			1994	IR	4650	5750	5100	3900
15			1995	IR	4800	5900	5300	4100
15			1996	IR	4950	6150	5500	4200
15			1997	CR	5000	6200	5900	4250
15			1998	CR	5200	6400	6100	4400
15			1999	CR	5300	6500	6200	4500
15			2000	IC	5400	6050	6050	4800
15			2001	IC	5550	6200	6250	4900
15			2002	IC	5650	6300	6350	5000
15			2003	IC	5650	6300	6350	5000
15			2004	IC	5750	6450	6450	5100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			2005	IC	5850	6500	6550	5150
15			2006	IC	5950	6600	6650	5250
15			2007	IC	5900	6550	6750	5200
15			2008	IC	6150	6800	6600	5400
15			2009	IC	6250	6950	7000	5550
15			2010	IC	6350	7050	7100	5650
15			2011	IC	6450	7100	7350	5800
15			2012	IC	8500	9400	9150	7550
15			2013	IC	8650	9550	9500	7650
15			2014	IC	7500	8300	8250	6650
15			2015	IC	7650	8450	8450	6800
15			2016	IC	7800	8650	8600	6900
15			2017	IC	7950	8700	8750	7200
15			2018	IC	8100	8900	8950	7350
15			2019	IC	8250	9050	9100	7450
15	BECKWITH EIGHTH LINE	4.8	1988	IC	6000	6950	6800	5300
15			1989	IC	6500	7450	7350	5800
15			1990	IC	6600	7500	7400	5850
15			1991	IC	6700	7550	7450	5950
15			1992	IC	6800	7550	7500	6200
15			1993	IC	6800	7700	7600	6050
15			1994	IC	7200	8050	8050	6400
15			1995	IC	7300	8150	8250	6550
15			1996	IC	7500	8400	8450	6700
15			1997	IC	7500	8400	8500	6600
15			1998	IC	7600	8500	8500	6750
15			1999	IC	7700	8600	8600	6850
15			2000	IC	7800	8750	8750	6950
15			2001	IC	7900	8850	8850	7000
15			2002	IC	8000	8900	9000	7050
15			2003	IC	8000	8900	9000	7100
15			2004	IC	8050	9000	9050	7100
15			2005	IC	8150	9050	9150	7200
15			2006	IC	8200	9100	9200	7250
15			2007	IC	8150	9050	9350	7200
15			2008	IC	8350	9250	8950	7350
15			2009	IC	8450	9400	9450	7500
15			2010	IC	8500	9400	9500	7550
15			2011	IC	8600	9450	9800	7700
15			2012	IC	9600	10600	10300	8500
15			2013	CTR	9750	11900	12300	8300
15			2014	CTR	9200	11200	11300	7800
15			2015	CTR	9300	11300	11400	7900
15			2016	CTR	9400	11500	11600	8000
15			2017	CTR	9500	12700	12600	7750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
15			2018	CTR	9600	12800	12800	7800
15			2019	CTR	9700	12900	12900	7900
15	HWY 7 HWY END		9999					
16	LEEDS & GRENVILLE RD 2 JOHNSTOWN	1.5	1988	IC	2350	2750	2650	2050
16			1989	IC	2500	2900	2800	2200
16			1990	IC	2700	3100	3000	2400
16			1991	IC	3000	3400	3350	2650
16			1992	IC	3000	3350	3300	2750
16			1993	IC	3000	3400	3350	2650
16			1994	IC	2800	3150	3150	2500
16			1995	IC	2750	3100	3100	2450
16			1996	IC	2750	3100	3100	2450
16			1997	IC	2800	3150	3150	2450
16			1998	IC	2850	3200	3200	2550
16			1999	IC	2700	3000	3000	2400
16			2000	IC	2650	2950	2950	2350
16			2001	IC	2650	2950	3000	2350
16			2002	IC	2600	2900	2900	2300
16			2003	IC	2550	2850	2850	2250
16			2004	IC	2550	2850	2850	2250
16			2005	IC	2450	2700	2750	2150
16			2006	IC	2450	2700	2750	2150
16			2007	IC	2200	2450	2500	1950
16			2008	IC	2200	2450	2350	1950
16			2009	CR	1200	1450	1400	1000
16			2010	CR	3000	3600	3450	2550
16			2011	CR	2150	2500	2550	1900
16			2012	CR	3050	3650	3600	2600
16			2013	CR	3050	3650	3750	2600
16			2014	CR	2400	2850	2800	2050
16			2015	CTR	2700	3300	3300	2300
16			2016	CTR	2400	2950	2950	2050
16			2017	CTR	2400	3200	3200	1950
16			2018	CTR	2400	3200	3200	1950
16			2019	CTR	2350	3150	3100	1900
16			1988	IC	6650	7700	7500	5850
16			1989	IC	7200	8300	8150	6400
16			1990	IR	7550	9600	8400	6200
16			1991	IR	7850	9900	8700	6500
16			1992	IR	7950	9800	8750	6750
16			1993	IR	7950	9800	8200	6500
16			1994	IR	8300	10200	9150	6950
16			1995	IR	8550	10500	9400	7300
16			1996	IR	8800	10900	9800	7500
16			1997	IC	9150	10200	10300	8050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
16			1998	IC	9300	10400	10400	8300
16			1999	IC	7400	8300	8300	6600
16			2000	IC	6950	7800	7800	6200
16			2001	IC	6550	7300	7350	5800
16			2002	IC	6100	6800	6850	5350
16			2003	IC	5700	6350	6400	5050
16			2004	IC	5250	5850	5900	4650
16			2005	IC	4400	4900	4950	3900
16			2006	IC	3400	3800	3800	3000
16			2007	IC	3050	3400	3500	2700
16			2008	IC	3050	3400	3250	2700
16			2009	CR	1700	2050	1950	1450
16			2010	CR	4000	4800	4650	3400
16			2011	CR	1900	2200	2250	1700
16			2012	CR	4100	4900	4850	3450
16			2013	CR	4300	5150	5300	3650
16			2014	CR	1700	2000	2000	1450
16			2015	CTR	4200	5100	5150	3550
16			2016	CTR	4250	5200	5250	3600
16			2017	CTR	1650	2200	2200	1350
16			2018	CTR	1300	1750	1750	1050
16			2019	CTR	1000	1350	1350	810
16	**HWY 401 M/C FRWY IC**	**0.70**	**2019**	**CTR**	**1000**	**1350**	**1350**	**810**
16	CEDAR GROVE RD (W) LEEDS & GRENVILLE RD 44 (E)	1.6	1988	IR	5500	7150	6050	4400
16			1989	IR	6000	7750	6650	4900
16			1990	IR	6250	7950	6950	5100
16			1991	IR	6550	8250	7250	5450
16			1992	IR	6700	8250	7350	5700
16			1993	IR	6700	8250	6950	5500
16			1994	IR	7150	8800	7850	6000
16			1995	IR	7350	9050	8100	6250
16			1996	IR	7550	9400	8400	6450
16			1997	IR	7750	9700	8700	6600
16			1998	IR	7850	9750	8800	6600
16			1999	IR	7950	9850	8800	6700
16			2000	IR	8150	10000	9050	6900
16			2001	IR	8300	10300	9200	7000
16			2002	IR	8300	10200	9200	7050
16			2003	IR	8550	10400	9400	7250
16			2004	IR	8700	10800	9650	7350
16			2005	IR	7500	9050	8200	6400
16			2006	IR	6350	7650	6950	5400
16			2007	IR	5350	6500	6450	4550
16			2008	IR	4350	5250	5150	3700
16			2009	CR	2700	3250	3150	2300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
16			2010	CR	2850	3400	3300	2400
16			2011	CR	4550	5300	5350	4050
16			2012	CR	3150	3750	3700	2650
16			2013	CR	3800	4550	4650	3200
16			2014	CR	3550	4200	4150	3000
16			2015	IR	3200	3800	3800	2700
16			2016	IR	3000	3550	3600	2550
16			2017	IR	2700	3050	3050	2350
16			2018	IR	2450	2750	2800	2100
16			2019	IR	2150	2450	2450	1850
16	HWY 416 IC END OF HWY		9999					
17	GRAINGER PARK RD (S) GRANTS SDRD (N)	3.1	1988	IR	9600	12500	10600	7700
17			1989	IR	10100	13000	11200	8300
17			1990	IR	10200	13000	11300	8350
17			1991	IR	10200	12900	11300	8450
17			1992	IR	9800	12100	10800	8350
17			1993	IR	9450	11600	9750	7750
17			1994	IR	10400	12800	11400	8700
17			1995	IR	11300	13900	12500	9650
17			1996	IR	12000	14900	13400	10200
17			1997	IR	12900	16100	14400	11000
17			1998	IR	13000	16100	14600	10900
17			1999	IR	13300	16500	14800	11200
17			2000	IR	13600	16700	15100	11500
17			2001	IR	14400	17800	16000	12200
17			2002	IR	15600	19200	17300	13300
17			2003	IR	15800	19200	17400	13400
17			2004	IR	16300	20100	18100	13800
17			2005	IR	1300	1550	1400	1100
17			2006	IR	1350	1650	1500	1150
17			2007	IR	1350	1650	1650	1150
17			2008	IR	1350	1650	1600	1150
17			2009	IR	1400	1700	1550	1200
17			2010	IR	1400	1650	1500	1200
17			2011	IR	1400	1650	1650	1200
17			2012	IR	1450	1700	1700	1250
17			2013	IR	1450	1750	1850	1250
17			2014	IR	1450	1750	1750	1250
17			2015	IR	1500	1800	1800	1300
17			2016	IR	1500	1800	1800	1300
17			2017	IR	1500	1800	1800	1300
17			2018	IR	1550	1900	1850	1300
17			2019	IR	1550	1900	1900	1300
17	OTTAWA/CARLETON RD 20 KINBURN SDRD	9.8	1988	IR	9600	12500	10600	7700
17			1989	IR	10300	13300	11400	8450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1990	IR	10900	13800	12100	8950
17			1991	IR	11100	14000	12300	9200
17			1992	IR	10500	12900	11600	8900
17			1993	IR	10300	12700	10700	8450
17			1994	IR	10300	12700	11300	8650
17			1995	IR	10400	12800	11500	8850
17			1996	IR	10600	13200	11800	9050
17			1997	IR	10800	13500	12100	9200
17			1998	IR	11300	14000	12700	9500
17			1999	IR	11800	14600	13100	9900
17			2000	IR	12400	15200	13700	10500
17			2001	IR	12900	15900	14300	10900
17			2002	IR	13200	16300	14600	11200
17			2003	IR	13500	16400	14900	11500
17			2004	IR	13900	17200	15400	11800
17			2005	IR	1450	1750	1600	1250
17			2006	IR	1450	1750	1600	1250
17			2007	IR	1500	1800	1800	1250
17			2008	IR	1500	1800	1800	1300
17			2009	CR	1550	1850	1800	1300
17			2010	CR	1500	1800	1750	1250
17			2011	CR	1500	1750	1750	1350
17			2012	C	1500	1650	1600	1350
17			2013	C	1650	1800	1800	1500
17			2014	C	1800	2000	1950	1600
17			2015	C	1950	2150	2100	1750
17			2016	C	2100	2300	2250	1900
17			2017	C	2200	2400	2400	2000
17			2018	C	2250	2450	2450	2050
17			2019	C	2300	2500	2500	2100
17	END HWY 417	8.8	2012	C	16000	17600	17300	14400
17			2013	C	16200	17900	17600	14600
17			2014	C	16400	18000	17500	14800
17			2015	C	16600	18300	17800	14900
17			2016	C	16800	18500	18000	15100
17			2017	C	16900	18500	18400	15300
17			2018	C	17100	18700	18600	15400
17			2019	C	17300	18900	18800	15700
17	CTY RD508 CALABOGIE RD(S) CTY RD54 MCLEAN DR (N)	2.1	1988	IR	7450	9700	8200	5950
17			1989	IR	8100	10400	9000	6650
17			1990	IR	8800	11200	9750	7200
17			1991	IR	9050	11400	10000	7500
17			1992	IR	9000	11100	9900	7650
17			1993	IR	9000	11100	9300	7350
17			1994	IR	9050	11100	9950	7600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1995	IR	9100	11200	10000	7750
17			1996	IR	9200	11400	10300	7850
17			1997	IR	9300	11600	10400	7900
17			1998	IR	9600	11900	10800	8050
17			1999	IR	10200	12600	11300	8550
17			2000	IR	10500	12900	11600	8850
17			2001	IR	10800	13300	12000	9150
17			2002	IR	11100	13700	12300	9450
17			2003	IR	11600	14100	12800	9850
17			2004	IR	11700	14500	13000	9900
17			2005	IR	12000	14500	13100	10200
17			2006	IR	12300	14800	13400	10400
17			2007	IR	12600	15300	15200	10700
17			2008	IR	12700	15400	15100	10900
17			2009	IR	13200	15800	14400	11200
17			2010	IR	12500	14900	13600	10600
17			2011	IR	13500	16100	15800	11500
17			2012	IR	12500	14900	14500	10700
17			2013	CTR	12300	15000	15500	10400
17			2014	CTR	13800	16800	17000	11700
17			2015	CTR	14000	17100	17200	11900
17			2016	CTR	14200	17300	17500	12100
17			2017	CTR	14500	19400	19300	11800
17			2018	CTR	14700	19600	19600	12000
17			2019	CTR	14900	19900	19800	12100
17	RENFREW RD 63 ANDERSON RD (S) MILLER RD (N)	10.8	1988	IR	7250	9400	8000	5800
17			1989	IR	8100	10400	9000	6650
17			1990	IR	8700	11000	9650	7150
17			1991	IR	9200	11600	10200	7650
17			1992	IR	9200	11300	10100	7800
17			1993	IR	9200	11300	9500	7550
17			1994	IR	9200	11300	10100	7700
17			1995	IR	9450	11600	10400	8050
17			1996	IR	10900	13500	12200	9300
17			1997	IR	10000	12500	11200	8500
17			1998	IR	10300	12800	11500	8650
17			1999	IR	10600	13100	11800	8900
17			2000	IR	11000	13500	12200	9300
17			2001	IR	11200	13800	12400	9450
17			2002	IR	13000	16000	14400	11100
17			2003	IR	12400	15100	13600	10500
17			2004	IR	12800	15800	14200	10800
17			2005	IR	11700	14100	12800	9950
17			2006	IR	11600	14000	12700	9850
17			2007	IR	11800	14300	14300	10000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2008	IR	12000	14500	14300	10300
17			2009	IR	12300	14800	13400	10500
17			2010	IR	12500	14900	13600	10600
17			2011	IR	13000	15500	15200	11100
17			2012	IR	13200	15700	15300	11300
17			2013	IR	13400	16000	17100	11400
17			2014	IR	13600	16200	16200	11600
17			2015	IR	13800	16400	16500	11700
17			2016	IR	13900	16500	16600	11800
17			2017	IR	14100	17100	17000	12000
17			2018	IR	14300	17400	17300	12200
17			2019	IR	14500	17600	17600	12400
17	HWY 60 O'BRIEN RD (S)	7.2	1988	IR	5850	7600	6450	4700
17			1989	IR	6400	8250	7100	5250
17			1990	IR	6700	8500	7450	5500
17			1991	IR	6900	8700	7650	5750
17			1992	IR	6700	8250	7350	5700
17			1993	IR	6700	8250	6950	5500
17			1994	UC	6700	7100	7650	6250
17			1995	UC	7000	7400	8000	6550
17			1996	UC	7350	7800	8600	7000
17			1997	IR	7700	9600	8600	6550
17			1998	IR	7950	9850	8900	6700
17			1999	IR	8250	10200	9150	6950
17			2000	IR	8500	10400	9400	7200
17			2001	IR	8850	10900	9800	7500
17			2002	IR	9150	11300	10100	7800
17			2003	IR	9450	11500	10400	8000
17			2004	IR	9750	12000	10800	8250
17			2005	IR	10000	12100	11000	8550
17			2006	IR	10400	12500	11400	8850
17			2007	IR	10200	12400	12300	8650
17			2008	IR	10200	12400	12100	8700
17			2009	IR	10200	12200	11100	8650
17			2010	IR	11000	13100	12000	9350
17			2011	IR	11300	13500	13200	9650
17			2012	IC	10900	12100	11700	9650
17			2013	IC	11700	13000	12900	10400
17			2014	IC	11900	13200	13100	10600
17			2015	IC	12200	13500	13400	10800
17			2016	IC	12400	13700	13700	11000
17			2017	IR	12700	15400	15300	10800
17			2018	IR	12900	15700	15600	11000
17			2019	IR	13200	16100	16000	11200
17	REN. RD 4 STORYLAND RD (N) PINNACLE RD (S)	7.2	1988	IR	5200	6750	5700	4150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1989	IR	5900	7600	6550	4850
17			1990	IR	6200	7850	6900	5100
17			1991	IR	6450	8150	7150	5350
17			1992	IR	6000	7400	6600	5100
17			1993	IR	6000	7400	6200	4900
17			1994	UC	6000	6350	6850	5600
17			1995	UC	6100	6450	6950	5700
17			1996	UC	6150	6500	7200	5850
17			1997	IR	6200	7750	6950	5250
17			1998	IR	6450	8000	7200	5400
17			1999	IR	6700	8300	7450	5650
17			2000	IR	7000	8600	7750	5900
17			2001	IR	7000	8650	7750	5900
17			2002	IR	7200	8900	8000	6100
17			2003	IR	7350	8900	8100	6250
17			2004	IR	7500	9250	8300	6350
17			2005	IR	7650	9250	8400	6500
17			2006	IR	7850	9450	8600	6650
17			2007	IR	8000	9700	9650	6800
17			2008	IR	8150	9850	9700	6950
17			2009	IR	8300	9950	9050	7050
17			2010	IR	8500	10100	9250	7250
17			2011	IR	8650	10300	10100	7400
17			2012	IC	7900	8750	8500	7000
17			2013	IC	8800	9750	9700	7800
17			2014	IC	8950	9900	9850	7950
17			2015	IC	9100	10100	10000	8050
17			2016	IC	9250	10200	10200	8200
17			2017	IC	9400	10300	10400	8550
17			2018	IC	9550	10500	10600	8650
17			2019	IC	9700	10700	10700	8750
17	CTY RD 653 CHENAUX(N) CTY RD 61 GODFREY RD (S)	2.1	1988	IR	4850	6300	5350	3900
17			1989	IR	5400	6950	6000	4450
17			1990	IR	5600	7100	6200	4600
17			1991	IR	5800	7300	6450	4800
17			1992	IR	5500	6750	6050	4700
17			1993	IR	5500	6750	5700	4500
17			1994	IR	6500	8000	7150	5450
17			1995	IR	6300	7750	6950	5350
17			1996	IR	6500	8050	7250	5550
17			1997	IR	8000	10000	8950	6800
17			1998	IR	6950	8600	7800	5850
17			1999	IR	9000	11200	10000	7550
17			2000	IR	8800	10800	9750	7450
17			2001	IR	8600	10600	9550	7250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2002	IR	8400	10400	9300	7150
17			2003	IR	6600	8000	7250	5600
17			2004	IR	6950	8600	7700	5900
17			2005	IR	8000	9650	8750	6800
17			2006	IR	7650	9250	8350	6500
17			2007	IR	8150	9850	9850	6900
17			2008	IR	8250	10000	9800	7050
17			2009	IR	8300	9950	9050	7050
17			2010	IR	8400	10000	9150	7150
17			2011	IR	8500	10100	9950	7250
17			2012	IC	8200	9100	8800	7300
17			2013	CTR	8600	10500	10800	7300
17			2014	CTR	8650	10600	10600	7350
17			2015	CTR	8750	10700	10800	7450
17			2016	CTR	8800	10700	10800	7500
17			2017	IR	8900	10800	10700	7600
17			2018	IR	9000	10900	10900	7650
17			2019	IR	9050	11000	11000	7700
17	HALEY RD (S)	8.6	1988	CR	4800	6150	5750	4000
17			1989	CR	6200	7950	7400	5200
17			1990	CR	7100	8800	8150	6400
17			1991	CR	7550	9300	8700	6800
17			1992	CR	6900	8500	7850	6200
17			1993	CR	6900	8500	7950	6200
17			1994	IR	6700	8250	7350	5600
17			1995	IR	7000	8600	7700	5950
17			1996	IR	7300	9050	8150	6200
17			1997	CR	7700	9550	9100	6550
17			1998	IR	7900	9800	8850	6650
17			1999	IR	7550	9350	8400	6350
17			2000	CR	7600	9350	8900	6450
17			2001	CR	7750	9550	9100	6550
17			2002	CR	7850	9650	9200	6600
17			2003	CR	7700	9400	9000	6500
17			2004	CR	8050	9900	9450	6800
17			2005	CR	8150	9900	9500	6850
17			2006	CR	8250	10000	9600	6950
17			2007	CR	8350	10100	10100	7050
17			2008	CR	8450	10200	10100	7100
17			2009	CR	8550	10300	9900	7250
17			2010	CR	8650	10400	10000	7300
17			2011	CR	8750	10200	10300	7800
17			2012	CR	8200	9800	9650	6950
17			2013	CTR	8650	10500	10900	7350
17			2014	CTR	8850	10800	10900	7500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	CTR	8950	10900	11000	7600
17			2016	CTR	9050	11000	11100	7700
17			2017	CTR	8900	11900	11800	7250
17			2018	CTR	9200	12300	12200	7500
17			2019	CTR	9250	12300	12300	7550
17	RENFREW RD 21 FORESTERS FALLS RD (N)	1.3	1988	CR	6000	7700	7200	5000
17			1989	CR	6850	8750	8150	5750
17			1990	CR	7400	9200	8500	6650
17			1991	IR	7650	9650	8500	6350
17			1992	LT	8350	11600	11300	6450
17			1993	LT	8350	11600	10400	6100
17			1994	LT	8550	12500	12100	6200
17			1995	LT	8150	11700	11400	5950
17			1996	LT	8250	11600	11400	6050
17			1997	LT	8500	12000	11700	6300
17			1998	LT	8550	12000	11700	6250
17			1999	LT	8500	11800	11600	6200
17			2000	LT	8550	11900	11700	6250
17			2001	LT	8600	12000	11700	6300
17			2002	LT	8600	12000	11700	6300
17			2003	LT	8650	11900	11600	6400
17			2004	LT	8700	12200	11800	6350
17			2005	LT	8800	12100	11800	6450
17			2006	LT	8750	12000	11700	6450
17			2007	LT	8900	12200	12600	6550
17			2008	LT	8950	12300	11700	6600
17			2009	CR	9200	11000	10700	7800
17			2010	CR	9050	10800	10500	7650
17			2011	CR	9100	10600	10700	8100
17			2012	CR	9800	11700	11500	8300
17			2013	CR	10000	12000	12300	8450
17			2014	CR	9500	11200	11100	8100
17			2015	CR	9600	11300	11200	8200
17			2016	CR	9650	11400	11300	8200
17			2017	CR	9750	11300	11400	8800
17			2018	CR	9800	11400	11500	8800
17			2019	CR	9850	11400	11500	8850
17	COWLEY ST	12.0	1988	CR	5100	6550	6100	4250
17			1989	CR	5600	7150	6650	4700
17			1990	CR	6000	7450	6900	5400
17			1991	IR	6350	8000	7050	5250
17			1992	LT	6200	8600	8350	4750
17			1993	LT	6200	8600	7700	4550
17			1994	CTR	6300	8050	7700	5300
17			1995	CTR	6400	8200	7850	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1996	CTR	6500	8300	8000	5450
17			1997	CTR	6600	8450	8100	5550
17			1998	CTR	6700	8500	8150	5650
17			1999	CTR	6850	8650	8300	5750
17			2000	IR	7000	8600	7750	5900
17			2001	IR	7100	8750	7850	6000
17			2002	IR	7200	8900	8000	6100
17			2003	CR	7300	8900	8550	6200
17			2004	CR	7400	9100	8700	6250
17			2005	CR	7550	9150	8800	6350
17			2006	CR	7650	9300	8900	6450
17			2007	CR	7750	9400	9400	6550
17			2008	CR	7900	9550	9500	6650
17			2009	IR	8000	9600	8700	6800
17			2010	IR	8100	9650	8800	6900
17			2011	IR	8200	9800	9600	7000
17			2012	CR	8100	9700	9550	6850
17			2013	CTR	8450	10300	10600	7200
17			2014	CTR	8500	10400	10500	7200
17			2015	CTR	8650	10600	10600	7350
17			2016	CTR	8750	10700	10800	7450
17			2017	CR	8700	10100	10100	7850
17			2018	CR	8950	10400	10500	8050
17			2019	CR	9050	10500	10600	8100
17	CORNERVIEW RD (N) RENFREW RD 13 MOUNTAIN RD (S)	4.6	1988	CR	5100	6550	6100	4250
17			1989	CR	5600	7150	6650	4700
17			1990	CR	6000	7450	6900	5400
17			1991	IR	6350	8000	7050	5250
17			1992	LT	6200	8600	8350	4750
17			1993	LT	6200	8600	7700	4550
17			1994	CTR	6300	8050	7700	5300
17			1995	CTR	6400	8200	7850	5350
17			1996	CTR	6500	8300	8000	5450
17			1997	CTR	6600	8450	8100	5550
17			1998	CTR	6700	8500	8150	5650
17			1999	CTR	6850	8650	8300	5750
17			2000	IR	7000	8600	7750	5900
17			2001	IR	7100	8750	7850	6000
17			2002	IR	7200	8900	8000	6100
17			2003	IR	7300	8850	8050	6200
17			2004	IR	7400	9150	8200	6250
17			2005	IR	7550	9100	8250	6450
17			2006	IR	7650	9250	8350	6500
17			2007	IR	7800	9450	9400	6600
17			2008	IR	7900	9550	9400	6750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2009	IR	8100	9700	8850	6900
17			2010	IR	8150	9700	8900	6950
17			2011	IR	8250	9850	9650	7050
17			2012	IC	8100	8950	8700	7200
17			2013	CTR	8200	10000	10300	6950
17			2014	CTR	8500	10400	10500	7200
17			2015	CTR	8600	10500	10600	7300
17			2016	CTR	8700	10600	10700	7400
17			2017	CTR	8850	11800	11800	7200
17			2018	CTR	8950	12000	11900	7300
17			2019	CTR	9050	12100	12000	7350
17	RENFREW RD 40 GREENWOOD RD. (N)	5.6	1988	IT	3500	5100	4650	2600
17			1989	IT	3800	5300	5100	2950
17			1990	IT	4000	5100	4950	3350
17			1991	IT	4100	5350	5050	3550
17			1992	LT	4050	5650	5450	3100
17			1993	LT	4050	5600	5000	2950
17			1994	IC	5300	5950	5950	4700
17			1995	IC	5350	6000	6050	4800
17			1996	IC	5350	6000	6050	4750
17			1997	IR	5400	6750	6050	4600
17			1998	IR	5500	6800	6150	4600
17			1999	IR	5600	6950	6200	4700
17			2000	IR	5700	7000	6300	4800
17			2001	IR	5700	7050	6300	4800
17			2002	IR	5800	7150	6450	4950
17			2003	IR	5850	7100	6450	4950
17			2004	IR	5900	7300	6550	5000
17			2005	IR	6000	7250	6550	5100
17			2006	CR	6050	7350	7050	5100
17			2007	CR	6100	7400	7400	5150
17			2008	CR	6200	7500	7450	5250
17			2009	CR	6250	7500	7250	5300
17			2010	CR	6300	7550	7300	5350
17			2011	CR	6400	7450	7550	5700
17			2012	IC	6450	7150	6950	5700
17			2013	CTR	6500	7900	8150	5500
17			2014	CTR	6550	8000	8050	5550
17			2015	CTR	6650	8100	8200	5650
17			2016	CTR	6700	8150	8250	5700
17			2017	CR	6850	7950	8000	6150
17			2018	CR	6850	7950	8000	6150
17			2019	CR	6900	8000	8050	6200
17	RENFREW RD 24 WHITE WATER RD	5.5	1988	IT	3500	5100	4650	2600
17			1989	IT	3800	5300	5100	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1990	IT	4000	5100	4950	3350
17			1991	IT	4100	5350	5050	3550
17			1992	LT	4050	5650	5450	3100
17			1993	LT	4050	5600	5000	2950
17			1994	IC	5300	5950	5950	4700
17			1995	IC	5350	6000	6050	4800
17			1996	IC	5350	6000	6050	4750
17			1997	IR	5400	6750	6050	4600
17			1998	IR	5500	6800	6150	4600
17			1999	IR	5600	6950	6200	4700
17			2000	IR	5700	7000	6300	4800
17			2001	IR	5700	7050	6300	4800
17			2002	IR	5800	7150	6450	4950
17			2003	IR	5850	7100	6450	4950
17			2004	IR	5900	7300	6550	5000
17			2005	IR	6000	7250	6550	5100
17			2006	CR	6050	7350	7050	5100
17			2007	CR	6100	7400	7400	5150
17			2008	CR	6200	7500	7450	5250
17			2009	CR	6250	7500	7250	5300
17			2010	CR	6300	7550	7300	5350
17			2011	CR	6400	7450	7550	5700
17			2012	CR	6800	8150	8000	5750
17			2013	CR	6550	7850	8050	5550
17			2014	CR	6650	7850	7800	5650
17			2015	CR	6700	7900	7850	5700
17			2016	CR	6800	8000	7950	5800
17			2017	CR	6850	7950	8000	6150
17			2018	CR	6950	8100	8150	6250
17			2019	CR	7000	8100	8150	6300
17	HWY 41 (S) HWY 41 PAUL MARTIN DR (N)	5.8	1988	IT	3450	5000	4600	2550
17			1989	IT	4100	5700	5500	3200
17			1990	IT	4600	5850	5700	3850
17			1991	IT	4900	6350	6050	4200
17			1992	LT	5100	7100	6900	3950
17			1993	LT	5100	7050	6300	3750
17			1994	IR	5000	6150	5500	4200
17			1995	IR	5550	6850	6100	4750
17			1996	IR	5800	7200	6450	4950
17			1997	IR	6050	7550	6800	5150
17			1998	IR	6300	7800	7050	5300
17			1999	IR	6900	8550	7650	5800
17			2000	C	6700	7550	7550	6050
17			2001	C	6850	7700	7750	6150
17			2002	C	6800	7600	7650	6100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2003	IR	7100	8600	7800	6050
17			2004	IR	6750	8350	7500	5700
17			2005	IR	7100	8550	7800	6050
17			2006	IT	6500	8250	8200	5350
17			2007	IT	7350	9400	9850	6000
17			2008	IT	7500	9650	9150	6300
17			2009	IR	7650	9200	8350	6500
17			2010	IR	7750	9250	8450	6600
17			2011	IR	7900	9400	9250	6750
17			2012	IC	7000	7750	7500	6200
17			2013	CTR	7200	8750	9050	6100
17			2014	CTR	7850	9600	9650	6650
17			2015	CTR	7950	9700	9800	6750
17			2016	CTR	8050	9800	9900	6850
17			2017	CTR	7850	10500	10400	6400
17			2018	CTR	8250	11000	11000	6700
17			2019	CTR	8350	11100	11100	6800
17	RENFREW CTY RD 58 ROUND LAKE ROAD	4.3	1988	IT	3500	5100	4650	2600
17			1989	IT	3900	5400	5250	3050
17			1990	IT	4150	5250	5150	3500
17			1991	IT	4350	5650	5350	3750
17			1992	LT	4800	6650	6500	3700
17			1993	LT	4800	6650	5950	3500
17			1994	IR	5000	6150	5500	4200
17			1995	IR	5150	6350	5650	4400
17			1996	IR	5400	6700	6000	4600
17			1997	IR	5600	7000	6250	4750
17			1998	IR	5800	7200	6500	4850
17			1999	IR	6050	7500	6700	5100
17			2000	IR	6100	7450	6750	5150
17			2001	IR	6200	7650	6850	5250
17			2002	IR	6250	7700	6950	5300
17			2003	IR	6350	7700	7000	5400
17			2004	IR	6400	7900	7100	5400
17			2005	IR	6600	7950	7250	5650
17			2006	IT	6550	8350	8300	5400
17			2007	IT	6900	8850	9250	5650
17			2008	IT	7000	9000	8500	5900
17			2009	CR	7150	8600	8300	6100
17			2010	CR	7300	8750	8450	6150
17			2011	CR	7400	8600	8700	6600
17			2012	IC	7200	8000	7750	6400
17			2013	CTR	7550	9200	9500	6400
17			2014	CTR	7700	9400	9450	6550
17			2015	CTR	7800	9500	9600	6650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2016	CTR	7950	9700	9800	6750
17			2017	CR	8000	9250	9350	7200
17			2018	CR	8200	9550	9600	7350
17			2019	CR	8300	9650	9700	7450
17	RENFREW RD 42 FOREST LEA RD	3.0	1988	IT	4100	5950	5450	3050
17			1989	IT	4500	6250	6050	3500
17			1990	IT	4900	6200	6100	4100
17			1991	IT	5200	6750	6400	4450
17			1992	LT	5550	7700	7500	4250
17			1993	LT	5550	7700	6900	4050
17			1994	IR	5750	7100	6350	4800
17			1995	IR	5800	7150	6400	4950
17			1996	IR	6000	7450	6700	5100
17			1997	IC	6150	6900	6950	5400
17			1998	IC	6300	7050	7050	5600
17			1999	IC	6400	7150	7150	5700
17			2000	IC	6600	7400	7400	5850
17			2001	IC	6650	7450	7450	5900
17			2002	IC	6800	7600	7650	6000
17			2003	IR	6650	8050	7300	5650
17			2004	IR	7100	8750	7850	6000
17			2005	IR	7250	8750	7950	6200
17			2006	IR	7550	9100	8250	6400
17			2007	IR	7500	9100	9050	6350
17			2008	IR	7650	9250	9100	6550
17			2009	CR	7800	9350	9050	6650
17			2010	CR	7950	9550	9200	6700
17			2011	CR	8050	9400	9500	7150
17			2012	IC	8200	9100	8800	7300
17			2013	CTR	8350	10200	10500	7100
17			2014	CTR	8500	10400	10500	7200
17			2015	CTR	8650	10600	10600	7350
17			2016	CTR	8750	10700	10800	7450
17			2017	CR	8800	10200	10300	7900
17			2018	CR	9050	10500	10600	8100
17			2019	CR	9150	10600	10700	8200
17	RENFREW RD 26 DORAN RD.	6.6	1988	IT	3600	5200	4800	2650
17			1989	IT	3800	5300	5100	2950
17			1990	IT	4000	5100	4950	3350
17			1991	IT	4250	5500	5250	3650
17			1992	LT	4400	6100	5950	3400
17			1993	LT	4400	6100	5450	3250
17			1994	IR	4650	5750	5100	3900
17			1995	IR	4750	5850	5250	4050
17			1996	IR	4900	6100	5450	4150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1997	IR	5050	6300	5650	4300
17			1998	IR	5250	6500	5900	4400
17			1999	IR	5350	6650	5950	4500
17			2000	IR	5500	6750	6100	4650
17			2001	IR	5650	7000	6250	4800
17			2002	IR	5800	7150	6450	4950
17			2003	IR	5950	7200	6550	5050
17			2004	IR	6100	7550	6750	5150
17			2005	IR	6250	7550	6850	5350
17			2006	IR	6400	7700	7000	5450
17			2007	IR	6550	7950	7900	5550
17			2008	IR	6700	8100	7950	5750
17			2009	CR	6850	8200	7950	5800
17			2010	CR	7000	8400	8100	5900
17			2011	CR	7150	8350	8450	6350
17			2012	UC	7300	7350	7800	6950
17			2013	UC	7450	7450	7500	7050
17			2014	UC	7600	7600	7300	7200
17			2015	UC	7750	7750	7450	7350
17			2016	UC	7900	7950	7600	7500
17			2017	SC	8000	8500	8500	7100
17			2018	SC	8200	8750	8700	7200
17			2019	SC	8350	8850	8800	7400
17	RENFREW RD 37 MURPHY RD	10.6	1988	IT	3800	5500	5050	2800
17			1989	IT	3900	5400	5250	3050
17			1990	IT	4100	5200	5100	3450
17			1991	IT	4300	5600	5300	3700
17			1992	LT	4800	6650	6500	3700
17			1993	LT	4800	6650	5950	3500
17			1994	IR	5450	6700	6000	4550
17			1995	IR	5600	6900	6150	4750
17			1996	IR	5800	7200	6450	4950
17			1997	IR	6000	7500	6700	5100
17			1998	IR	6050	7500	6800	5100
17			1999	IR	5950	7400	6600	5000
17			2000	IC	6100	6850	6850	5450
17			2001	IC	6100	6800	6850	5400
17			2002	IC	6150	6850	6900	5400
17			2003	IC	6050	6750	6800	5350
17			2004	IC	6300	7050	7100	5550
17			2005	IC	6350	7050	7150	5600
17			2006	IR	6450	7800	7050	5500
17			2007	IR	6500	7850	7850	5500
17			2008	IR	6550	7950	7800	5600
17			2009	IT	6650	8400	8400	5500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2010	IT	6700	8400	8400	5550
17			2011	IT	6750	9050	9050	5550
17			2012	UC	8100	8150	8650	7700
17			2013	UC	8250	8300	8300	7850
17			2014	UC	7450	7450	7150	7050
17			2015	UC	7550	7550	7250	7150
17			2016	UC	7650	7650	7350	7250
17			2017	UC	7950	7900	7950	7600
17			2018	UC	7900	7850	7950	7600
17			2019	UC	8000	7900	8000	7700
17	PETAWAWA BUCHANAN BDY	9.1	1988	IT	4150	6000	5500	3050
17			1989	IT	4400	6100	5900	3450
17			1990	IT	4700	5950	5850	3950
17			1991	IT	4850	6300	5950	4150
17			1992	LT	5050	7000	6800	3900
17			1993	LT	5250	7250	6500	3850
17			1994	LT	5300	7750	7500	3850
17			1995	CR	5500	6800	6500	4750
17			1996	CR	5700	7050	6700	4850
17			1997	CTR	5900	7550	7250	4950
17			1998	CTR	5850	7450	7150	4900
17			1999	CTR	5850	7350	7100	4900
17			2000	CTR	5950	7500	7200	5000
17			2001	CR	5850	7200	6850	4950
17			2002	CR	6100	7500	7150	5150
17			2003	CR	6150	7500	7200	5200
17			2004	CR	6250	7700	7350	5300
17			2005	CR	6300	7650	7350	5300
17			2006	IC	6400	7100	7200	5650
17			2007	IC	6500	7200	7450	5750
17			2008	IC	6550	7250	7000	5800
17			2009	IC	6650	7400	7450	5900
17			2010	IC	6700	7400	7500	5950
17			2011	IC	6800	7500	7750	6100
17			2012	UC	7100	7150	7600	6750
17			2013	C	7000	7700	7600	6300
17			2014	C	7100	7800	7600	6400
17			2015	C	7150	7850	7650	6450
17			2016	C	7250	8000	7750	6500
17			2017	C	7300	8000	7950	6600
17			2018	C	7400	8100	8050	6700
17			2019	C	7500	8200	8150	6800
17	AECL RD MAIN ST	9.8	1988	IT	5050	7300	6700	3750
17			1989	IT	5350	7450	7150	4150
17			1990	IT	5550	7050	6900	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1991	IT	5650	7350	6950	4850
17			1992	LT	5800	8050	7850	4450
17			1993	LT	5950	8250	7400	4350
17			1994	LT	6100	8950	8600	4450
17			1995	CTR	6250	8000	7700	5250
17			1996	CTR	6350	8100	7800	5350
17			1997	CTR	6500	8300	8000	5450
17			1998	CTR	6800	8650	8300	5700
17			1999	CTR	6650	8400	8050	5600
17			2000	CTR	6700	8450	8100	5650
17			2001	CR	6850	8450	8050	5800
17			2002	CR	6900	8500	8100	5800
17			2003	LT	6800	9350	9150	5000
17			2004	CR	7050	8650	8250	5950
17			2005	CR	7150	8700	8350	6000
17			2006	IC	7200	8000	8050	6400
17			2007	IC	7300	8100	8350	6450
17			2008	IC	7400	8200	7950	6550
17			2009	IC	7450	8250	8350	6650
17			2010	IC	7550	8350	8450	6700
17			2011	IC	7650	8400	8750	6850
17			2012	IC	7450	8250	8000	6600
17			2013	IC	7600	8400	8350	6750
17			2014	IC	7800	8650	8600	6900
17			2015	IC	7850	8700	8650	6950
17			2016	IC	7950	8800	8750	7050
17			2017	IC	7950	8700	8750	7200
17			2018	IC	8100	8900	8950	7350
17			2019	IC	8150	8950	9000	7350
17	DEEP RIVER RD	3.1	1988	IT	5200	7550	6900	3850
17			1989	IT	5350	7450	7150	4150
17			1990	IT	5550	7050	6900	4650
17			1991	IT	5850	7600	7200	5050
17			1992	LT	6100	8500	8250	4700
17			1993	LT	6300	8700	7800	4600
17			1994	LT	6900	10100	9750	5000
17			1995	CTR	7050	9050	8650	5900
17			1996	CTR	7550	9650	9300	6350
17			1997	CTR	7900	10100	9700	6650
17			1998	CTR	8200	10400	10000	6900
17			1999	CTR	7550	9500	9150	6350
17			2000	CTR	7600	9600	9200	6400
17			2001	CR	7450	9150	8750	6300
17			2002	CR	7700	9450	9050	6500
17			2003	CR	7750	9450	9050	6550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2004	IT	8250	10800	10500	6700
17			2005	IT	7850	10000	9950	6500
17			2006	IT	7600	9650	9600	6250
17			2007	IT	8000	10300	10700	6550
17			2008	IT	8050	10300	9800	6750
17			2009	IT	8100	10200	10200	6700
17			2010	IT	8150	10200	10200	6750
17			2011	IT	8200	11000	11000	6750
17			2012	IT	4100	5150	4950	3400
17			2013	IT	7450	9350	9400	6150
17			2014	IT	7400	9250	9100	6100
17			2015	IT	7400	9250	9100	6100
17			2016	IT	7400	9250	9100	6100
17			2017	IT	7400	9800	9800	6250
17			2018	IT	7350	9700	9700	6200
17			2019	IT	7350	9750	9750	6250
17	DEEP RIVER N LTS ROLPH TWP S BDY	16.1	1988	IT	3200	4650	4250	2350
17			1989	IT	3350	4650	4500	2600
17			1990	IT	3450	4400	4300	2900
17			1991	IT	3550	4600	4350	3050
17			1992	IR	3650	4500	4000	3100
17			1993	IR	3750	4600	3900	3050
17			1994	IR	3750	4600	4100	3150
17			1995	LT	3850	5550	5350	2800
17			1996	LT	3900	5500	5350	2850
17			1997	LT	3950	5550	5450	2900
17			1998	LT	3900	5450	5350	2850
17			1999	LT	3900	5400	5300	2850
17			2000	LT	3900	5450	5300	2850
17			2001	LT	3950	5550	5400	2900
17			2002	LT	3950	5500	5400	2900
17			2003	LT	3950	5450	5300	2900
17			2004	LT	3900	5450	5300	2850
17			2005	LT	4000	5500	5350	2950
17			2006	LT	4000	5500	5350	2950
17			2007	LT	4000	5500	5650	2950
17			2008	LT	4000	5500	5250	2950
17			2009	LT	4050	5450	5350	3000
17			2010	LT	4050	5450	5350	3000
17			2011	LT	4050	5200	5300	3350
17			2012	LT	4100	5350	5100	3100
17			2013	LT	4100	5350	5350	3100
17			2014	LT	4100	5350	5450	3100
17			2015	LT	4150	5400	5500	3150
17			2016	LT	4150	5400	5500	3150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2017	LT	4200	5900	5800	3250
17			2018	LT	4200	5900	5800	3250
17			2019	LT	4200	5900	5850	3250
17	SEC HWY 635 ROLPHTON	15.2	1988	IT	2100	3050	2800	1550
17			1989	CTR	2200	2800	2650	1900
17			1990	CTR	2300	2900	2700	2000
17			1991	CTR	2250	2850	2800	1950
17			1992	IR	2300	2850	2550	1950
17			1993	IR	2350	2900	2450	1900
17			1994	IR	2400	2950	2650	2000
17			1995	IR	2450	3000	2700	2100
17			1996	IR	2500	3100	2800	2150
17			1997	IR	2550	3200	2850	2150
17			1998	IR	2600	3200	2900	2200
17			1999	IR	2650	3300	2950	2250
17			2000	IR	2700	3300	3000	2300
17			2001	IR	2750	3400	3050	2300
17			2002	IR	2800	3450	3100	2400
17			2003	IR	2850	3450	3150	2400
17			2004	IR	2900	3600	3200	2450
17			2005	IR	2950	3550	3250	2500
17			2006	IR	2600	3150	2850	2200
17			2007	IR	2650	3200	3200	2250
17			2008	IR	2700	3250	3200	2300
17			2009	IR	2750	3300	3000	2350
17			2010	IR	2800	3350	3050	2400
17			2011	IR	2850	3400	3350	2450
17			2012	IR	2900	3450	3350	2500
17			2013	IR	2900	3450	3700	2450
17			2014	IR	2950	3500	3500	2500
17			2015	IR	2950	3500	3500	2500
17			2016	IR	2950	3500	3500	2500
17			2017	IR	3000	3700	3700	2550
17			2018	IR	3000	3700	3700	2550
17			2019	IR	3050	3750	3750	2600
17	CPR SUBWAY STONECLIFFE	36.0	1988	IT	1900	2750	2550	1400
17			1989	LR	1900	3200	2450	1250
17			1990	LR	2000	3500	2800	1250
17			1991	LR	1950	3450	2700	1250
17			1992	IR	2000	2450	2200	1700
17			1993	IR	2050	2500	2100	1700
17			1994	IR	2100	2600	2300	1750
17			1995	LT	2150	3100	3000	1550
17			1996	LT	2150	3050	2950	1600
17			1997	LT	2150	3050	2950	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1998	LT	2200	3100	3000	1600
17			1999	LT	2250	3150	3050	1650
17			2000	LT	2250	3150	3050	1650
17			2001	LT	2250	3150	3050	1650
17			2002	LT	2300	3200	3150	1700
17			2003	LT	2300	3150	3100	1700
17			2004	LT	2350	3300	3200	1700
17			2005	LT	2350	3200	3150	1750
17			2006	LT	2500	3400	3350	1850
17			2007	LT	2400	3300	3400	1750
17			2008	LT	2450	3350	3200	1800
17			2009	LT	3500	4700	4600	2600
17			2010	LT	2750	3700	3600	2050
17			2011	LT	2800	3600	3650	2300
17			2012	LT	2500	3250	3100	1900
17			2013	LT	2800	3650	3650	2100
17			2014	LT	2800	3650	3700	2100
17			2015	LT	2850	3700	3800	2150
17			2016	LT	2900	3800	3850	2200
17			2017	LT	2750	3850	3800	2100
17			2018	LT	2950	4150	4100	2250
17			2019	LT	3000	4200	4150	2300
17	CPR OVERHEAD DEUX RIVIERES	9.7	1988	IT	2100	3050	2800	1550
17			1989	LR	2150	3650	2800	1400
17			1990	LR	2250	3950	3150	1400
17			1991	LR	2350	4150	3250	1500
17			1992	IR	2500	3100	2750	2100
17			1993	IR	2550	3150	2650	2100
17			1994	IR	2350	2900	2600	1950
17			1995	IR	2400	2950	2650	2050
17			1996	IR	2450	3050	2750	2100
17			1997	IT	2500	3300	3200	2100
17			1998	IT	2250	2900	2900	1800
17			1999	IT	2000	2600	2550	1600
17			2000	IT	2150	2750	2750	1750
17			2001	IR	2350	2900	2600	2000
17			2002	IR	2400	2950	2650	2050
17			2003	IR	2550	3100	2800	2150
17			2004	IR	2500	3100	2750	2100
17			2005	IR	2650	3200	2900	2250
17			2006	IR	3050	3700	3350	2600
17			2007	LT	2700	3700	3800	2000
17			2008	LT	2750	3750	3600	2050
17			2009	LT	2750	3700	3650	2050
17			2010	LR	2800	4200	3450	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2011	LT	2850	3650	3700	2350
17			2012	LT	2500	3250	3100	1900
17			2013	LT	2850	3700	3700	2150
17			2014	LT	2850	3700	3800	2150
17			2015	LT	2900	3800	3850	2200
17			2016	LT	2950	3850	3900	2250
17			2017	LT	2950	4150	4100	2250
17			2018	LT	3000	4200	4150	2300
17			2019	LT	3000	4200	4150	2300
17	RENFREW CTY NIPISSING DIST BDY	23.1	1988	IT	2100	3050	2800	1550
17			1989	LR	2150	3650	2800	1400
17			1990	LR	2250	3950	3150	1400
17			1991	LR	2350	4150	3250	1500
17			1992	IR	2500	3100	2750	2100
17			1993	IR	2550	3150	2650	2100
17			1994	IR	2350	2900	2600	1950
17			1995	IR	2400	2950	2650	2050
17			1996	IR	2450	3050	2750	2100
17			1997	IT	2500	3300	3200	2100
17			1998	IT	2250	2900	2900	1800
17			1999	IT	2000	2600	2550	1600
17			2000	IT	2150	2750	2750	1750
17			2001	IR	2350	2900	2600	2000
17			2002	IR	2400	2950	2650	2050
17			2003	IR	2550	3100	2800	2150
17			2004	IR	2500	3100	2750	2100
17			2005	IR	2650	3200	2900	2250
17			2006	IR	3050	3700	3350	2600
17			2007	LT	2700	3700	3800	2000
17			2008	LT	2750	3750	3600	2050
17			2009	LT	2750	3700	3650	2050
17			2010	LR	2800	4200	3450	1900
17			2011	LT	2850	3650	3700	2350
17			2012	IC	2850	3150	3050	2550
17			2013	CTR	2900	3550	3650	2450
17			2014	IR	2950	3500	3500	2500
17			2015	CTR	3000	3650	3700	2550
17			2016	CTR	2950	3600	3650	2500
17			2017	CTR	3000	4000	4000	2450
17			2018	CTR	2900	3850	3850	2350
17			2019	IR	2900	3550	3500	2450
17	MATTAWA E LTS DORION ST	1.3	1988	IT	3100	4500	4100	2300
17			1989	IT	3250	4500	4350	2550
17			1990	IT	3450	4400	4300	2900
17			1991	IT	3550	4600	4350	3050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1992	IR	3700	4550	4050	3150
17			1993	IR	3600	4450	3700	2950
17			1994	IR	3600	4450	3950	3000
17			1995	IR	3700	4550	4100	3150
17			1996	IR	3800	4700	4250	3250
17			1997	IR	3850	4800	4300	3250
17			1998	IR	3600	4450	4050	3000
17			1999	IR	4150	5150	4600	3500
17			2000	IR	4250	5200	4700	3600
17			2001	IR	4600	5700	5100	3900
17			2002	IR	4500	5550	5000	3850
17			2003	IR	4650	5650	5100	3950
17			2004	IR	4750	5850	5250	4000
17			2005	IR	4750	5750	5200	4050
17			2006	IR	5000	6050	5450	4250
17			2007	IR	4750	5750	5750	4000
17			2008	IR	4850	5850	5750	4150
17			2009	CR	4900	5900	5700	4150
17			2010	CR	4350	5200	5050	3700
17			2011	CR	5100	5950	6000	4550
17			2012	CR	4450	5350	5250	3750
17			2013	CR	4500	5400	5550	3800
17			2014	CR	3950	4650	4650	3350
17			2015	CR	4900	5750	5750	4150
17			2016	CR	4950	5850	5800	4200
17			2017	CR	5000	5800	5850	4500
17			2018	CR	4650	5400	5450	4150
17			2019	CR	5050	5850	5900	4550
17	SEC HWY 533 MAIN ST MATTAWA	2.3	1988	IT	5300	7700	7050	3900
17			1989	CTR	5800	7350	7000	5000
17			1990	CTR	5950	7450	7000	5200
17			1991	CTR	6000	7550	7500	5200
17			1992	CTR	6150	7550	7300	5350
17			1993	CTR	6250	7900	7550	5300
17			1994	CTR	6650	8500	8100	5600
17			1995	CTR	6850	8800	8450	5750
17			1996	CTR	7150	9150	8800	6000
17			1997	CTR	7400	9450	9100	6200
17			1998	CTR	7500	9500	9150	6300
17			1999	CTR	7350	9250	8900	6150
17			2000	CTR	7450	9400	9000	6250
17			2001	CTR	7500	9450	9050	6300
17			2002	CTR	7600	9600	9200	6400
17			2003	CTR	7700	9550	9200	6550
17			2004	CTR	7650	9650	9250	6450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2005	CTR	7700	9550	9150	6550
17			2006	CTR	8000	9900	9500	6800
17			2007	CTR	7400	9150	9100	6250
17			2008	CTR	7450	9200	9050	6350
17			2009	IC	7550	8400	8450	6700
17			2010	CR	6050	7250	7000	5100
17			2011	CR	7450	8700	8800	6650
17			2012	CR	6700	8050	7900	5650
17			2013	CR	7000	8400	8600	5900
17			2014	IR	6500	7750	7750	5550
17			2015	IR	7100	8450	8450	6050
17			2016	IR	7100	8450	8450	6050
17			2017	IR	7100	8350	8350	6350
17			2018	CR	6550	7600	7650	5900
17			2019	CR	7000	8100	8150	6300
17	MATTAWA W LTS WEST ST	16.7	1988	IT	2700	3900	3600	2000
17			1989	IT	2850	3950	3800	2200
17			1990	IT	3050	3850	3800	2550
17			1991	IT	3150	4100	3850	2700
17			1992	IR	3200	3950	3500	2700
17			1993	IR	3300	4050	3400	2700
17			1994	IR	3400	4200	3750	2850
17			1995	LT	3500	5050	4900	2550
17			1996	LT	3600	5100	4950	2650
17			1997	LT	3700	5200	5100	2750
17			1998	LT	3750	5250	5150	2750
17			1999	LT	3750	5200	5100	2750
17			2000	LT	3850	5350	5250	2800
17			2001	LT	3850	5400	5250	2800
17			2002	LT	3950	5500	5400	2900
17			2003	LT	4050	5550	5450	3000
17			2004	LT	4100	5750	5600	3000
17			2005	LT	4150	5700	5550	3050
17			2006	LT	4200	5750	5600	3100
17			2007	LT	4200	5750	5950	3100
17			2008	LT	4300	5900	5650	3150
17			2009	LT	4400	5950	5800	3250
17			2010	LT	4200	5650	5550	3100
17			2011	LT	4450	5700	5800	3650
17			2012	IC	4500	5000	4850	4000
17			2013	IC	4550	5050	5000	4050
17			2014	IC	4600	5100	5050	4100
17			2015	IC	4650	5150	5100	4100
17			2016	IC	4700	5200	5200	4150
17			2017	IC	4750	5200	5250	4300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2018	CR	4750	5500	5550	4250
17			2019	CR	4850	5650	5650	4350
17	SEC HWY 630 EAU CLAIRE RD (S)	17.7	1988	IT	2750	4000	3650	2050
17			1989	IT	2900	4050	3900	2250
17			1990	IT	3100	3950	3850	2600
17			1991	IT	3300	4300	4050	2850
17			1992	IR	3500	4300	3850	3000
17			1993	IR	3700	4550	3850	3050
17			1994	IR	3750	4600	4100	3150
17			1995	IR	3800	4700	4200	3250
17			1996	IR	3950	4900	4400	3350
17			1997	IR	4100	5100	4600	3500
17			1998	IR	4150	5150	4650	3500
17			1999	IR	4000	4950	4450	3350
17			2000	IR	4050	4950	4500	3400
17			2001	IR	4000	4950	4450	3400
17			2002	IR	4100	5050	4550	3500
17			2003	IR	4100	5000	4500	3500
17			2004	IR	4050	5000	4500	3400
17			2005	IR	4350	5250	4750	3700
17			2006	IR	4200	5050	4600	3550
17			2007	IR	4350	5250	5250	3700
17			2008	CTR	4900	6050	5950	4150
17			2009	IR	4500	5400	4900	3800
17			2010	IR	4200	5000	4550	3550
17			2011	IR	4500	5350	5250	3850
17			2012	CTR	4000	4850	4800	3400
17			2013	CTR	4500	5500	5650	3800
17			2014	IR	3900	4650	4650	3300
17			2015	IR	4450	5300	5300	3800
17			2016	IR	4450	5300	5300	3800
17			2017	IR	4500	5300	5300	4000
17			2018	IR	4250	5150	5150	3600
17			2019	IR	4500	5450	5450	3850
17	SEC HWY 531 BONFIELD RD	12.7	1988	IT	4000	5800	5300	2950
17			1989	IT	4350	6050	5850	3400
17			1990	IT	4650	5900	5750	3900
17			1991	IT	4700	6100	5800	4050
17			1992	IT	4850	6300	6000	4100
17			1993	IT	5000	6150	6200	4250
17			1994	IT	5000	6500	6200	4250
17			1995	LT	5100	7350	7100	3750
17			1996	LT	5350	7550	7350	3950
17			1997	LT	5500	7750	7600	4050
17			1998	LT	5350	7500	7350	3900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1999	LT	5600	7800	7600	4100
17			2000	LT	5700	7950	7750	4150
17			2001	LT	5800	8100	7900	4250
17			2002	LT	5900	8250	8050	4350
17			2003	LT	6000	8250	8100	4450
17			2004	LT	6150	8600	8350	4500
17			2005	LT	6250	8550	8350	4600
17			2006	CTR	6350	7850	7550	5400
17			2007	CTR	6300	7800	7750	5350
17			2008	CTR	6400	7900	7750	5450
17			2009	CTR	6650	8100	7850	5650
17			2010	CR	6150	7350	7100	5200
17			2011	CR	6700	7800	7900	5950
17			2012	CR	6100	7300	7200	5150
17			2013	CR	6700	8050	8250	5650
17			2014	IR	6750	8050	8050	5750
17			2015	IR	6850	8150	8150	5850
17			2016	IR	6950	8250	8300	5900
17			2017	IR	7050	8550	8500	6000
17			2018	IR	6900	8350	8350	5850
17			2019	IR	7150	8700	8650	6100
17	HWY 94 (S) E JCT CENTENNIAL CRES (N)	6.0	1988	IT	5100	7400	6800	3750
17			1989	IT	5400	7500	7250	4200
17			1990	IT	5550	7050	6900	4650
17			1991	IT	5700	7400	7000	4900
17			1992	LT	5850	8150	7900	4500
17			1993	LT	6000	8300	7450	4400
17			1994	LT	6200	9100	8750	4500
17			1995	LT	6400	9200	8950	4700
17			1996	LT	6600	9300	9100	4850
17			1997	CTR	6800	8700	8350	5700
17			1998	CTR	6750	8550	8250	5650
17			1999	CTR	6800	8550	8250	5700
17			2000	CTR	6850	8650	8300	5750
17			2001	CTR	6850	8650	8300	5800
17			2002	CTR	7000	8850	8450	5900
17			2003	CTR	7100	8800	8500	6000
17			2004	IT	7200	9400	9150	5850
17			2005	IT	7250	9250	9200	6000
17			2006	CR	7350	8900	8550	6200
17			2007	IC	7450	8300	8550	6600
17			2008	IC	7350	8150	7900	6500
17			2009	IC	7550	8400	8450	6700
17			2010	IC	7650	8450	8550	6800
17			2011	IC	7350	8100	8400	6600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2012	IC	7700	8550	8250	6850
17			2013	CTR	7800	9500	9800	6600
17			2014	IR	6950	8250	8300	5900
17			2015	CR	7750	9150	9100	6600
17			2016	CR	7800	9200	9150	6650
17			2017	CR	7850	9100	9150	7050
17			2018	CR	7750	9000	9050	6950
17			2019	CR	7950	9200	9300	7150
17	W JCT CENTENNIAL CR (N)	4.6	1988	IT	7100	10300	9450	5250
17			1989	IT	7700	10700	10300	6000
17			1990	IT	8050	10200	10000	6750
17			1991	IT	8100	10500	9950	6950
17			1992	IT	8200	10700	10200	6950
17			1993	IT	8400	10300	10400	7150
17			1994	IT	8700	11300	10800	7400
17			1995	IT	9000	11500	11000	7700
17			1996	IT	9300	12200	11900	7650
17			1997	CTR	9650	12400	11900	8100
17			1998	CTR	9200	11700	11200	7750
17			1999	CTR	7200	9050	8700	6050
17			2000	CTR	7550	9500	9150	6350
17			2001	IR	8050	9950	8900	6800
17			2002	IR	8150	10100	9050	6950
17			2003	IR	8450	10300	9300	7150
17			2004	CTR	8250	10400	10000	6950
17			2005	CTR	8700	10800	10300	7400
17			2006	IC	9700	10800	10900	8600
17			2007	IC	8750	9700	10000	7750
17			2008	IC	8750	9700	9400	7700
17			2009	IC	9450	10500	10600	8400
17			2010	IC	8750	9700	9750	7750
17			2011	IC	8750	9600	10000	7850
17			2012	IC	8800	9750	9450	7800
17			2013	IC	8800	9750	9700	7800
17			2014	IR	8800	10500	10500	7500
17			2015	IR	8800	10500	10500	7500
17			2016	IR	8800	10500	10500	7500
17			2017	IR	8850	10400	10400	7900
17			2018	IC	8850	9750	9800	8000
17			2019	IC	8850	9700	9750	8000
17	S JCT HWY 11 NORTH BAY OVERLAP HWY 11 (17230)	4.1	9999					
17	N JCT HWYS 11/11B ALGONQUIN AV NORTH BAY	1.6	1988	IC	6900	8000	7800	6050
17			1989	IC	8250	9500	9300	7350
17			1990	IC	8350	9500	9350	7450
17			1991	C	8100	8900	9000	7350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1992	C	8500	9200	9450	7800
17			1993	C	8850	9650	9800	8150
17			1994	C	8750	9600	9750	7900
17			1995	C	9000	9850	10100	8250
17			1996	C	9250	10500	10500	8350
17			1997	SC	9150	9700	10700	8150
17			1998	SC	9800	10400	11500	8700
17			1999	SC	9800	10400	11500	8700
17			2000	SC	9950	10500	11600	8750
17			2001	SC	10200	10900	11900	9000
17			2002	SC	10400	11000	12200	9150
17			2003	SC	10600	11200	12400	9400
17			2004	SC	10800	11500	12600	9500
17			2005	SC	11000	11600	12800	9700
17			2006	SC	11200	11900	13100	9900
17			2007	SC	11400	12100	13200	10000
17			2008	SC	11600	12200	11500	10200
17			2009	SC	11800	12500	13800	10400
17			2010	SC	12000	12700	14000	10600
17			2011	SC	12200	15600	14300	9700
17			2012	UC	13800	13900	14800	13100
17			2013	UC	12900	12900	13000	12200
17			2014	C	13200	14500	14100	11900
17			2015	C	13400	14700	14300	12100
17			2016	C	13600	15000	14600	12200
17			2017	C	13800	15100	15100	12500
17			2018	SC	14400	15400	15300	12700
17			2019	SC	14300	15200	15100	12600
17	GORMANVILLE RD	2.1	1988	CTR	4250	5500	5200	3550
17			1989	LT	5650	7850	7800	4200
17			1990	LT	5450	7950	7650	4000
17			1991	IT	5400	7000	6650	4650
17			1992	IT	5400	7000	6700	4600
17			1993	IT	6100	7500	7550	5200
17			1994	IT	6150	8000	7650	5250
17			1995	IR	6550	8050	7200	5600
17			1996	IR	6650	8250	7400	5650
17			1997	CR	6700	8300	7900	5700
17			1998	CR	7150	8800	8350	6100
17			1999	CR	7200	8850	8400	6100
17			2000	CR	7500	9200	8800	6400
17			2001	CR	7550	9300	8850	6400
17			2002	CR	7700	9450	9050	6500
17			2003	CR	7900	9600	9250	6700
17			2004	CR	8050	9900	9450	6800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2005	CR	8250	10000	9600	6950
17			2006	CTR	8350	10300	9900	7100
17			2007	CTR	8600	10700	10600	7300
17			2008	CTR	8800	10900	10700	7500
17			2009	IC	8950	9950	10000	7950
17			2010	IC	9150	10100	10200	8100
17			2011	IC	9300	10200	10600	8350
17			2012	UC	10800	10900	11600	10300
17			2013	UC	9950	10000	10000	9450
17			2014	C	10200	11200	10900	9200
17			2015	C	10400	11400	11100	9350
17			2016	C	10600	11700	11300	9550
17			2017	C	10800	11800	11800	9800
17			2018	C	11300	12400	12300	10200
17			2019	C	11200	12200	12200	10100
17	HWY 17B COMMANDA TWP	15.8	1992	IT	5600	7300	6950	4750
17			1993	IT	5750	7050	7150	4900
17			1994	IT	5750	7500	7150	4900
17			1995	LT	5850	8400	8150	4300
17			1996	LT	6000	8450	8250	4400
17			1997	LT	6000	8450	8300	4450
17			1998	LT	6200	8700	8500	4550
17			1999	LT	6200	8600	8450	4550
17			2000	LT	6200	8650	8450	4550
17			2001	LT	6350	8900	8650	4650
17			2002	LT	6400	8950	8700	4700
17			2003	CTR	6500	8100	7750	5500
17			2004	CR	6550	8050	7700	5550
17			2005	CR	6700	8150	7800	5650
17			2006	CTR	6700	8300	7950	5700
17			2007	CTR	6800	8400	8350	5750
17			2008	IC	7100	7850	7600	6250
17			2009	IC	7200	8000	8050	6400
17			2010	IC	8000	8850	8950	7100
17			2011	IC	7450	8200	8500	6700
17			2012	IC	7550	8350	8100	6700
17			2013	UC	7650	7650	7700	7250
17			2014	C	7750	8500	8300	7000
17			2015	C	7850	8650	8400	7050
17			2016	C	7950	8750	8500	7150
17			2017	C	8050	8800	8800	7300
17			2018	C	8350	9150	9100	7550
17			2019	C	8300	9050	9000	7500
17	CNR NIPISSING IND RES #10	16.1	1988	CTR	5200	6750	6350	4350
17			1989	LT	5400	7500	7450	4000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1990	LT	5600	8200	7850	4100
17			1991	LT	5550	7750	7500	4100
17			1992	IT	5600	7300	6950	4750
17			1993	IT	5800	7150	7200	4950
17			1994	IT	6100	7950	7550	5200
17			1995	CTR	6450	8300	7950	5400
17			1996	CTR	6450	8250	7950	5400
17			1997	CTR	6600	8450	8100	5550
17			1998	CTR	6750	8550	8250	5650
17			1999	CTR	6850	8650	8300	5750
17			2000	CTR	7000	8800	8450	5900
17			2001	CTR	6850	8650	8300	5800
17			2002	CTR	7250	9150	8750	6100
17			2003	CTR	7400	9200	8850	6250
17			2004	CTR	7550	9550	9150	6350
17			2005	CTR	7700	9550	9150	6550
17			2006	CTR	7950	9850	9450	6750
17			2007	CTR	7950	9850	9750	6750
17			2008	CTR	8100	10000	9850	6900
17			2009	CR	8250	9900	9550	7000
17			2010	IC	8400	9300	9400	7450
17			2011	IC	8500	9350	9700	7650
17			2012	C	8650	9550	9350	7800
17			2013	C	8800	9700	9600	7900
17			2014	C	8950	9850	9600	8050
17			2015	C	9100	10000	9750	8200
17			2016	C	9200	10100	9850	8300
17			2017	C	9350	10200	10200	8500
17			2018	C	9550	10500	10400	8600
17			2019	C	9650	10500	10500	8750
17	STURGEON FALLS E LTS START OF NA	2.4	9999					
17	STURGEON FALLS W LTS END OF NA	2.9	1988	CTR	6400	8300	7800	5400
17			1989	CR	6650	8500	7900	5600
17			1990	CR	6850	8500	7900	6150
17			1991	CR	6800	8350	7800	6100
17			1992	CTR	7100	8750	8450	6200
17			1993	CTR	7250	9150	8750	6150
17			1994	CTR	7400	9450	9050	6200
17			1995	CTR	7600	9750	9350	6350
17			1996	CTR	7800	10000	9600	6550
17			1997	CTR	8000	10200	9850	6700
17			1998	CTR	7950	10100	9700	6700
17			1999	CTR	7900	9950	9550	6650
17			2000	CTR	7950	10000	9600	6700
17			2001	CTR	8000	10100	9700	6750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2002	CTR	8100	10200	9800	6850
17			2003	CTR	8150	10100	9750	6900
17			2004	CTR	7900	9950	9550	6650
17			2005	CTR	8350	10300	9950	7100
17			2006	CTR	8500	10500	10100	7200
17			2007	CTR	8500	10500	10400	7200
17			2008	CTR	8600	10600	10400	7300
17			2009	CTR	8900	10900	10500	7550
17			2010	IR	8750	10400	9550	7450
17			2011	IR	8800	10500	10300	7500
17			2012	C	8900	9800	9600	8000
17			2013	C	8950	9850	9750	8050
17			2014	C	9050	9950	9700	8150
17			2015	C	9100	10000	9750	8200
17			2016	C	9200	10100	9850	8300
17			2017	C	9250	10100	10100	8400
17			2018	C	9500	10400	10400	8550
17			2019	C	9450	10300	10300	8550
17	THIBEAULT RD SPRINGER TWP	12.2	1988	CR	4200	5400	5050	3500
17			1989	CR	4500	5750	5350	3800
17			1990	CR	4700	5850	5400	4250
17			1991	CR	4650	5700	5350	4200
17			1992	CR	5000	6150	5700	4500
17			1993	CR	5150	6350	5900	4650
17			1994	CR	5250	6450	6000	4700
17			1995	CR	5400	6700	6350	4650
17			1996	CR	5550	6850	6500	4750
17			1997	CR	5750	7150	6800	4900
17			1998	CR	5750	7050	6750	4900
17			1999	CR	5700	7000	6650	4850
17			2000	CR	5800	7150	6800	4950
17			2001	CR	5750	7050	6750	4850
17			2002	CR	5900	7250	6900	4950
17			2003	IR	6000	7300	6600	5100
17			2004	CR	6100	7500	7150	5150
17			2005	CR	6100	7400	7100	5150
17			2006	CR	6050	7350	7050	5100
17			2007	CR	6200	7500	7500	5200
17			2008	CR	6150	7450	7400	5200
17			2009	IC	6100	6750	6850	5450
17			2010	IC	6950	7700	7750	6150
17			2011	IC	6500	7150	7400	5850
17			2012	C	6600	7250	7100	5950
17			2013	C	6650	7350	7250	6000
17			2014	C	6750	7450	7200	6100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	C	6800	7500	7300	6100
17			2016	C	6850	7550	7350	6150
17			2017	C	6950	7600	7600	6300
17			2018	C	7000	7650	7650	6300
17			2019	C	7050	7700	7650	6400
17	HWY 64 CALDWELL TWP	14.6	1988	CR	4150	5300	5000	3450
17			1989	CR	4300	5500	5100	3600
17			1990	CR	4550	5650	5250	4100
17			1991	CR	4500	5550	5200	4050
17			1992	CR	4700	5800	5350	4250
17			1993	CR	4850	5950	5600	4350
17			1994	CR	4850	5950	5550	4350
17			1995	CR	4950	6150	5850	4250
17			1996	CR	5100	6300	6000	4350
17			1997	CR	5200	6450	6150	4400
17			1998	CR	5100	6250	5950	4350
17			1999	CR	5150	6350	6050	4400
17			2000	CR	5200	6400	6100	4400
17			2001	CR	5250	6450	6150	4450
17			2002	CR	5250	6450	6150	4400
17			2003	CR	5300	6450	6200	4500
17			2004	CR	5250	6450	6150	4450
17			2005	CR	5350	6500	6250	4500
17			2006	CR	5400	6550	6300	4550
17			2007	CR	5450	6600	6600	4600
17			2008	CR	5450	6600	6550	4600
17			2009	CR	5500	6600	6400	4700
17			2010	CR	5550	6650	6400	4700
17			2011	CR	5600	6500	6600	5000
17			2012	IC	5600	6200	6000	4950
17			2013	IC	5650	6250	6200	5000
17			2014	CR	5700	6700	6700	4850
17			2015	CR	5700	6700	6700	4850
17			2016	CR	5750	6800	6750	4900
17			2017	CR	5800	6700	6750	5200
17			2018	CR	5900	6850	6900	5300
17			2019	CR	5900	6850	6900	5300
17	SEC HWY 539 WARREN	8.4	1988	CR	4000	5100	4800	3300
17			1989	CR	4100	5250	4900	3450
17			1990	CR	4250	5250	4900	3800
17			1991	CR	4250	5250	4900	3800
17			1992	CR	4600	5650	5250	4150
17			1993	CR	4700	5800	5400	4250
17			1994	CR	4600	5650	5250	4150
17			1995	IR	4750	5850	5250	4050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1996	IR	4800	5950	5350	4100
17			1997	LT	4850	6850	6700	3600
17			1998	LT	4900	6850	6700	3600
17			1999	LT	4900	6800	6650	3600
17			2000	LT	4950	6900	6750	3600
17			2001	LT	4950	6950	6750	3650
17			2002	LT	5050	7050	6900	3700
17			2003	LT	5100	7000	6850	3750
17			2004	CR	5150	6350	6050	4350
17			2005	CR	5250	6350	6100	4400
17			2006	CR	5250	6350	6100	4450
17			2007	CR	5350	6450	6450	4500
17			2008	CR	5400	6550	6500	4550
17			2009	CR	5600	6700	6500	4750
17			2010	CR	5500	6600	6350	4650
17			2011	CR	5600	6500	6600	5000
17			2012	CR	5650	6750	6650	4800
17			2013	CTR	5700	6950	7150	4850
17			2014	CTR	5750	7000	7050	4900
17			2015	CR	5800	6850	6800	4950
17			2016	CR	5850	6900	6850	5000
17			2017	CR	5900	6850	6900	5300
17			2018	CR	6050	7050	7100	5450
17			2019	CR	6050	7000	7050	5450
17	SEC HWY 535 HAGAR	10.3	1988	CR	4750	6100	5700	3950
17			1989	CR	5000	6400	5950	4200
17			1990	CR	5200	6450	6000	4700
17			1991	CR	5100	6250	5850	4600
17			1992	LT	4900	6800	6600	3750
17			1993	LT	5000	6900	6200	3650
17			1994	LT	5350	7850	7550	3900
17			1995	LT	5500	7900	7650	4050
17			1996	LT	5600	7900	7700	4100
17			1997	LT	5700	8050	7850	4200
17			1998	LT	5750	8050	7900	4200
17			1999	LT	5750	8000	7800	4200
17			2000	LT	5800	8100	7900	4250
17			2001	LT	5800	8100	7900	4250
17			2002	LT	5950	8300	8100	4350
17			2003	CR	6000	7300	7000	5100
17			2004	CR	6050	7450	7100	5100
17			2005	CR	6150	7450	7150	5200
17			2006	CR	6200	7500	7200	5250
17			2007	CR	6250	7550	7550	5250
17			2008	CR	6300	7650	7550	5300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2009	CR	6400	7700	7400	5450
17			2010	CR	6450	7750	7450	5450
17			2011	CR	6500	7550	7650	5800
17			2012	CR	6600	7900	7800	5600
17			2013	CR	6650	7950	8200	5600
17			2014	CR	6700	7900	7850	5700
17			2015	CR	6750	7950	7900	5750
17			2016	CR	6850	8050	8000	5850
17			2017	CR	6900	8000	8050	6200
17			2018	CR	7000	8150	8200	6300
17			2019	CR	7050	8200	8250	6350
17	MARKSTAY RD MAIN ST (N) NEPEWASSI LK RD (S)	15.2	1988	CR	5800	7400	6950	4800
17			1989	CR	6250	8000	7450	5250
17			1990	CR	6550	8100	7550	5900
17			1991	CR	6650	8200	7650	6000
17			1992	LT	6700	9300	9050	5150
17			1993	LT	6750	9350	8350	4950
17			1994	LT	7050	10300	9950	5100
17			1995	LT	7250	10400	10100	5300
17			1996	LT	7500	10600	10300	5500
17			1997	LT	7750	10900	10700	5750
17			1998	LT	7550	10600	10300	5500
17			1999	LT	7300	10100	9950	5350
17			2000	LT	7300	10200	9950	5350
17			2001	LT	7000	9800	9550	5150
17			2002	LT	7250	10100	9850	5300
17			2003	LT	7200	9900	9700	5300
17			2004	CR	7150	8800	8400	6050
17			2005	CR	7200	8750	8400	6050
17			2006	CR	7150	8650	8300	6050
17			2007	CR	7200	8700	8700	6050
17			2008	CR	7200	8700	8650	6050
17			2009	CR	7300	8750	8450	6200
17			2010	CR	7150	8550	8250	6050
17			2011	CR	7150	8350	8450	6350
17			2012	C	7150	7900	7700	6450
17			2013	C	7100	7800	7750	6400
17			2014	C	7100	7800	7600	6400
17			2015	C	7100	7800	7600	6400
17			2016	C	7100	7800	7600	6400
17			2017	C	7050	7700	7700	6400
17			2018	C	7250	7950	7900	6550
17			2019	C	7050	7700	7650	6400
17	JOUDREY DR	5.7	1988	CR	6200	7950	7450	5150
17			1989	CR	6450	8250	7700	5400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1990	CR	6700	8300	7700	6050
17			1991	CR	6900	8500	7950	6200
17			1992	CR	7100	8750	8100	6400
17			1993	CR	7200	8850	8300	6500
17			1994	CR	7450	9150	8500	6700
17			1995	CR	7600	9400	8950	6550
17			1996	CR	7850	9700	9200	6700
17			1997	CR	8050	10000	9500	6850
17			1998	CR	8250	10100	9650	7000
17			1999	CR	7650	9400	8950	6500
17			2000	CR	7600	9350	8900	6450
17			2001	CR	7200	8850	8450	6100
17			2002	CR	7550	9250	8850	6350
17			2003	CR	7300	8900	8550	6200
17			2004	CR	7600	9350	8900	6400
17			2005	CR	7550	9150	8800	6350
17			2006	CR	7400	8950	8600	6250
17			2007	CR	7500	9100	9050	6300
17			2008	CR	7500	9100	9000	6300
17			2009	CR	7750	9300	9000	6600
17			2010	CR	7450	8950	8600	6300
17			2011	CR	7450	8700	8800	6650
17			2012	C	8400	9250	9050	7550
17			2013	C	8000	8800	8700	7200
17			2014	C	7700	8450	8250	6950
17			2015	C	7700	8450	8250	6950
17			2016	C	7700	8450	8250	6950
17			2017	C	7700	8400	8400	7000
17			2018	C	8250	9050	9000	7450
17			2019	C	7800	8550	8450	7050
17	SEC HWY 537 NICKEL CENTRE	4.8	1988	CR	7500	9600	9000	6200
17			1989	LT	7850	10900	10800	5800
17			1990	LT	8200	12000	11500	6000
17			1991	LT	8500	11900	11500	6300
17			1992	CR	8800	10800	10000	7900
17			1993	CR	9200	11300	10600	8300
17			1994	CR	9500	11700	10800	8550
17			1995	CR	9950	12300	11700	8550
17			1996	CR	10200	12600	12000	8700
17			1997	IC	10500	11800	11900	9250
17			1998	IC	10800	12100	12100	9600
17			1999	IC	10400	11600	11600	9250
17			2000	IC	10500	11800	11800	9350
17			2001	CR	10500	12900	12300	8850
17			2002	CR	10700	13100	12500	9000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2003	CR	10800	13200	12600	9150
17			2004	CR	10700	13200	12500	9050
17			2005	CR	11000	13300	12800	9250
17			2006	CR	11100	13500	12900	9350
17			2007	CR	11200	13600	13600	9450
17			2008	CR	11300	13700	13600	9500
17			2009	CR	11400	13700	13200	9700
17			2010	CR	11500	13800	13300	9700
17			2011	CR	11600	13500	13700	10300
17			2012	C	11700	12900	12600	10500
17			2013	C	11800	13000	12800	10600
17			2014	C	11900	13100	12700	10700
17			2015	C	12000	13200	12800	10800
17			2016	C	12100	13300	12900	10900
17			2017	C	12200	13300	13300	11100
17			2018	C	12100	13300	13200	10900
17			2019	C	12400	13600	13500	11200
17	REG RD 90 GARSON CONISTON RD (N)	3.4	1988	IC	8350	9700	9450	7350
17			1989	CR	9350	12000	11100	7850
17			1990	CR	9700	12000	11200	8750
17			1991	CR	10100	12400	11600	9100
17			1992	CR	11200	13800	12800	10100
17			1993	CR	11500	14100	13200	10400
17			1994	CR	11300	13900	12900	10200
17			1995	CR	11800	14600	13900	10200
17			1996	CR	12100	15000	14200	10300
17			1997	IC	12500	14000	14100	11000
17			1998	IC	12000	13400	13400	10700
17			1999	IC	12500	14000	14000	11100
17			2000	IC	12600	14100	14100	11200
17			2001	IC	13000	14500	14600	11500
17			2002	IC	13000	14500	14600	11500
17			2003	IC	13200	14700	14900	11700
17			2004	IC	13200	14800	14800	11700
17			2005	IC	13500	15000	15200	11900
17			2006	IC	13700	15200	15400	12100
17			2007	IC	13900	15400	15900	12300
17			2008	IC	14100	15600	15100	12400
17			2009	IC	14200	15800	15900	12600
17			2010	IC	14400	15900	16100	12800
17			2011	IC	14600	16100	16700	13100
17			2012	UC	14700	14800	15700	14000
17			2013	UC	14900	14900	15000	14100
17			2014	C	15100	16600	16200	13600
17			2015	C	15300	16800	16400	13800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2016	C	15400	16900	16500	13900
17			2017	C	15600	17100	17000	14200
17			2018	C	15800	17300	17200	14300
17			2019	C	16000	17500	17400	14500
17	E JCT SUDBURY REG RD 55	11.1	1995	CR	4950	6150	5850	4250
17			1996	CR	5050	6250	5950	4300
17			1997	IC	5000	5600	5650	4400
17			1998	IC	4900	5500	5500	4350
17			1999	IC	5450	6100	6100	4850
17			2000	IC	5600	6250	6250	5000
17			2001	IC	5800	6500	6500	5150
17			2002	IC	6000	6700	6750	5300
17			2003	IC	6200	6900	7000	5500
17			2004	IC	6300	7050	7100	5550
17			2005	IC	6600	7350	7400	5800
17			2006	IC	6800	7550	7650	6000
17			2007	IC	6850	7600	7850	6050
17			2008	IC	7050	7800	7550	6200
17			2009	IC	7700	8550	8600	6850
17			2010	IC	7550	8350	8450	6700
17			2011	IC	7750	8500	8850	6950
17			2012	UC	7900	7950	8450	7500
17			2013	UC	8100	8150	8150	7700
17			2014	C	8300	9150	8900	7450
17			2015	C	8500	9350	9100	7650
17			2016	C	8700	9550	9300	7850
17			2017	C	8900	9750	9700	8100
17			2018	C	9250	10100	10100	8350
17			2019	C	9300	10200	10100	8400
17	HWY 69 IC OP (E & WBL)	3.4	1995	LT	3550	5100	4950	2600
17			1996	LT	3550	5000	4900	2600
17			1997	LT	3500	4950	4850	2600
17			1998	LT	3450	4850	4750	2500
17			1999	LT	4100	5700	5600	3000
17			2000	LT	4350	6050	5950	3200
17			2001	LT	4650	6500	6350	3400
17			2002	LT	4800	6700	6550	3500
17			2003	LT	5000	6900	6750	3700
17			2004	LT	5250	7350	7150	3850
17			2005	LT	5450	7450	7300	4000
17			2006	LT	5800	7950	7750	4250
17			2007	LT	5900	8100	8300	4350
17			2008	LT	6150	8450	8050	4550
17			2009	LT	6350	8550	8400	4700
17			2010	LT	6600	8850	8700	4850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2011	LT	6800	8700	8900	5600
17			2012	UC	7050	7100	7550	6700
17			2013	UC	7250	7250	7300	6900
17			2014	C	7500	8250	8050	6750
17			2015	C	7700	8450	8250	6950
17			2016	C	7950	8750	8500	7150
17			2017	C	8150	8900	8900	7400
17			2018	C	8550	9350	9300	7700
17			2019	C	8650	9450	9400	7850
17	SUDBURY RD 80 LONG LAKE ROAD	8.0	1995	LT	6800	9750	9500	5000
17			1996	LT	6900	9750	9500	5050
17			1997	LT	6950	9800	9600	5150
17			1998	CTR	7050	8950	8600	5900
17			1999	CTR	7700	9700	9300	6450
17			2000	CTR	8000	10100	9700	6700
17			2001	CTR	8550	10800	10300	7200
17			2002	CTR	8600	10800	10400	7250
17			2003	CTR	8900	11100	10600	7550
17			2004	CTR	9200	11600	11100	7750
17			2005	CTR	9500	11800	11300	8050
17			2006	CTR	9800	12100	11600	8300
17			2007	CTR	10100	12500	12400	8550
17			2008	CTR	10400	12900	12600	8850
17			2009	IC	10700	11900	12000	9500
17			2010	IC	11000	12200	12300	9750
17			2011	IC	11300	12400	12900	10100
17			2012	UC	11600	11700	12400	11000
17			2013	UC	11900	11900	12000	11300
17			2014	C	12200	13400	13100	11000
17			2015	C	12500	13800	13400	11200
17			2016	C	12800	14100	13700	11500
17			2017	C	13100	14300	14300	11900
17			2018	C	13600	14900	14800	12300
17			2019	C	13700	15000	14900	12400
17	FIELDING RD (N) KANTOLA RD (S)	1.9	1995	LT	5300	7600	7400	3900
17			1996	LT	5750	8100	7900	4250
17			1997	LT	6300	8900	8700	4650
17			1998	LT	6550	9150	8950	4800
17			1999	LT	7000	9750	9500	5100
17			2000	LT	7600	10600	10400	5550
17			2001	LT	7750	10800	10600	5700
17			2002	LT	8300	11600	11300	6100
17			2003	IR	8500	10300	9350	7200
17			2004	IR	9050	11200	10000	7650
17			2005	IR	8950	10800	9800	7650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2006	IR	9250	11200	10100	7850
17			2007	CR	9000	10900	10900	7600
17			2008	IC	10100	11200	10800	8900
17			2009	SC	9850	10400	11500	8650
17			2010	SC	10600	11200	12400	9350
17			2011	IC	10900	12000	12400	9800
17			2012	UC	11200	11300	12000	10600
17			2013	LT	11500	15000	15000	8700
17			2014	LT	11900	15500	15800	9000
17			2015	LT	12200	15900	16200	9200
17			2016	LT	12500	16300	16600	9450
17			2017	LT	12900	16400	16400	10800
17			2018	LT	13200	16800	16800	11100
17			2019	LT	13500	17100	17200	11300
17	SUDBURY ROAD 55 IC UP	5.1	1988	IT	5500	8000	7300	4050
17			1989	IT	5700	7900	7650	4450
17			1990	IT	5800	7350	7200	4850
17			1991	IT	5600	7300	6900	4800
17			1992	LT	5500	7650	7450	4250
17			1993	LT	5700	7900	7050	4200
17			1994	LT	6050	8850	8550	4400
17			1995	LT	6200	8900	8650	4550
17			1996	LT	6250	8850	8600	4600
17			1997	LT	6400	9000	8850	4750
17			1998	LT	6550	9150	8950	4800
17			1999	LT	6650	9250	9050	4850
17			2000	LT	6800	9450	9250	4950
17			2001	LT	6900	9650	9400	5050
17			2002	LT	7000	9800	9550	5150
17			2003	LT	7150	9850	9600	5300
17			2004	LT	7250	10100	9850	5300
17			2005	LT	7450	10200	10000	5500
17			2006	LT	7500	10300	10000	5500
17			2007	IR	7800	9450	9400	6600
17			2008	IC	7950	8800	8500	7000
17			2009	IC	7950	8800	8900	7100
17			2010	IC	8100	8950	9050	7200
17			2011	IC	8250	9050	9400	7400
17			2012	IC	8350	9250	8950	7400
17			2013	IC	8500	9400	9350	7550
17			2014	IC	8600	9500	9500	7650
17			2015	IC	8750	9700	9650	7750
17			2016	IC	8900	9850	9800	7900
17			2017	IC	9000	9850	9950	8150
17			2018	IC	9150	10100	10100	8300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2019	IC	9250	10200	10200	8350
17	HWY 144 UP IC	14.6	1988	IR	5800	7550	6400	4650
17			1989	IR	5900	7600	6550	4850
17			1990	IR	6000	7600	6650	4900
17			1991	LT	5600	7850	7550	4150
17			1992	LT	5700	7900	7700	4400
17			1993	LT	5800	8000	7200	4250
17			1994	LT	6000	8800	8500	4350
17			1995	LT	6050	8700	8450	4450
17			1996	LT	6150	8700	8450	4500
17			1997	LT	6200	8750	8550	4600
17			1998	LT	6200	8700	8500	4550
17			1999	LT	6400	8900	8700	4650
17			2000	LT	6450	9000	8800	4700
17			2001	LT	6250	8750	8500	4600
17			2002	LT	6300	8800	8600	4600
17			2003	LT	6300	8650	8500	4650
17			2004	LT	6150	8600	8350	4500
17			2005	LT	6350	8700	8500	4650
17			2006	LT	6550	8950	8750	4850
17			2007	LT	6600	9050	9300	4850
17			2008	LT	6650	9100	8700	4900
17			2009	LT	6650	9000	8800	4900
17			2010	LT	7000	9400	9200	5150
17			2011	LT	6750	8650	8800	5550
17			2012	LT	8000	10400	9950	6050
17			2013	LT	7100	9250	9250	5350
17			2014	LT	7200	9400	9550	5450
17			2015	LT	7250	9450	9650	5450
17			2016	LT	7300	9550	9700	5500
17			2017	LT	7350	9350	9350	6150
17			2018	LT	7400	10400	10300	5700
17			2019	LT	7500	10500	10400	5800
17	W JCT SUDBURY REG RD 55	1.9	1988	IR	6950	9050	7650	5550
17			1989	IR	7200	9300	8000	5900
17			1990	IR	7450	9450	8250	6100
17			1991	LT	7150	10000	9650	5300
17			1992	LT	6850	9500	9250	5250
17			1993	LT	6900	9550	8550	5050
17			1994	LT	7050	10300	9950	5100
17			1995	LT	6900	9900	9650	5050
17			1996	LT	7050	9950	9700	5200
17			1997	LT	7050	9950	9750	5200
17			1998	LT	7200	10100	9850	5250
17			1999	LT	7300	10100	9950	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2000	LT	7400	10300	10100	5400
17			2001	LT	7300	10200	9950	5350
17			2002	LT	7600	10600	10300	5600
17			2003	LT	7550	10400	10200	5600
17			2004	LT	7950	11100	10800	5850
17			2005	LT	7800	10700	10400	5750
17			2006	LT	7900	10800	10500	5800
17			2007	IR	8500	10300	10300	7200
17			2008	CR	8550	10300	10300	7200
17			2009	LT	9200	12400	12100	6800
17			2010	LT	8700	11700	11500	6400
17			2011	LT	8850	11300	11600	7300
17			2012	LT	8950	11700	11100	6800
17			2013	CTR	9100	11100	11400	7750
17			2014	CTR	9300	11300	11400	7900
17			2015	CTR	9400	11500	11600	8000
17			2016	CTR	9550	11700	11700	8100
17			2017	CTR	9950	13300	13200	8100
17			2018	CTR	9800	13100	13000	8000
17			2019	CTR	9950	13300	13200	8100
17	FAIRBANKS LAKE RD (N) DEN/LOU RD (S)	18.2	1988	IR	5900	7650	6500	4700
17			1989	IR	5950	7700	6600	4900
17			1990	IR	6050	7700	6700	4950
17			1991	LT	5850	8200	7900	4350
17			1992	LT	6150	8550	8300	4750
17			1993	LT	6300	8700	7800	4600
17			1994	LT	6450	9450	9100	4700
17			1995	LT	6500	9350	9050	4750
17			1996	LT	6650	9400	9150	4900
17			1997	LT	6750	9500	9300	5000
17			1998	LT	7050	9850	9650	5150
17			1999	LT	7100	9850	9650	5200
17			2000	LT	7250	10100	9900	5300
17			2001	LT	7400	10400	10100	5400
17			2002	LT	7550	10600	10300	5550
17			2003	LT	7700	10600	10400	5700
17			2004	LT	7850	11000	10700	5750
17			2005	IC	8000	8900	9000	7050
17			2006	IC	8150	9050	9150	7200
17			2007	IC	8300	9200	9500	7350
17			2008	CR	8450	10200	10100	7100
17			2009	CR	8600	10300	10000	7300
17			2010	CR	8750	10500	10100	7400
17			2011	CR	8900	10400	10500	7900
17			2012	CTR	9050	11000	10800	7700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2013	CTR	8950	10900	11300	7600
17			2014	CTR	8100	9900	9950	6900
17			2015	CTR	9200	11200	11300	7800
17			2016	CTR	9350	11400	11500	7950
17			2017	CTR	9450	12600	12600	7700
17			2018	CTR	9600	12800	12800	7800
17			2019	CTR	9700	12900	12900	7900
17	SMITH ST (S) HWY 7082 (N)	16.2	1988	IT	6550	9500	8700	4850
17			1989	CTR	6650	8450	8050	5700
17			1990	CTR	6750	8450	7950	5850
17			1991	CTR	6550	8250	8200	5700
17			1992	LT	6900	9600	9300	5300
17			1993	LT	7050	9750	8750	5150
17			1994	LT	7550	11100	10700	5500
17			1995	LT	7750	11100	10800	5650
17			1996	LT	7900	11200	10900	5800
17			1997	IR	8100	10100	9050	6900
17			1998	IR	8850	11000	9900	7450
17			1999	IR	8500	10500	9450	7150
17			2000	IR	8750	10700	9700	7400
17			2001	CR	8700	10700	10200	7350
17			2002	CR	9100	11200	10700	7650
17			2003	CR	9300	11300	10900	7850
17			2004	IR	9500	11700	10500	8050
17			2005	IC	9700	10800	10900	8550
17			2006	IC	9750	10800	10900	8650
17			2007	IC	9900	11000	11300	8750
17			2008	IC	10200	11300	10900	9000
17			2009	IC	10300	11400	11500	9150
17			2010	CR	10100	12100	11700	8550
17			2011	CR	10600	12300	12500	9450
17			2012	LT	9650	12600	12000	7300
17			2013	LT	9650	12600	12600	7300
17			2014	CTR	9550	11700	11700	8100
17			2015	CTR	9700	11800	11900	8250
17			2016	CTR	9850	12000	12100	8350
17			2017	CTR	10500	14000	14000	8550
17			2018	CTR	10400	13900	13800	8450
17			2019	CTR	10700	14300	14200	8700
17	HWY 6(TO ESPANOLA)	8.0	1988	LT	5400	7650	7600	4100
17			1989	LT	5700	7900	7850	4200
17			1990	LT	5850	8550	8200	4250
17			1991	LT	5750	8050	7750	4250
17			1992	LT	5750	8000	7750	4450
17			1993	LT	6100	8450	7550	4450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1994	LT	6450	9450	9100	4700
17			1995	LT	6700	9650	9350	4900
17			1996	LT	6900	9750	9500	5050
17			1997	IR	7100	8900	7950	6050
17			1998	IR	7350	9100	8250	6150
17			1999	IR	7050	8750	7850	5900
17			2000	IR	7000	8600	7750	5900
17			2001	IR	6900	8550	7650	5850
17			2002	IR	6950	8550	7700	5900
17			2003	IR	6800	8250	7500	5750
17			2004	IR	6950	8600	7700	5900
17			2005	IC	6850	7600	7700	6050
17			2006	IC	7000	7800	7850	6200
17			2007	IC	7000	7800	8000	6200
17			2008	IC	7050	7800	7550	6200
17			2009	IC	7050	7850	7900	6250
17			2010	IT	7050	8850	8850	5800
17			2011	IT	7050	9450	9450	5800
17			2012	IT	7100	8900	8550	5900
17			2013	IT	7100	8900	8950	5850
17			2014	CR	6350	7500	7450	5400
17			2015	CR	7000	8250	8200	5950
17			2016	CR	7050	8300	8250	6000
17			2017	CR	7050	8150	8200	6350
17			2018	CR	7200	8350	8400	6450
17			2019	CR	7050	8200	8250	6350
17	WEBBWOOD E LTS	17.3	1988	LT	4400	6250	6200	3350
17			1989	IR	4400	5700	4900	3600
17			1990	LT	4400	6400	6150	3200
17			1991	LT	4450	6250	6000	3300
17			1992	LT	4450	6200	6000	3450
17			1993	LT	4600	6350	5700	3350
17			1994	LT	4500	6600	6350	3250
17			1995	LT	4550	6550	6350	3350
17			1996	LT	4550	6400	6250	3350
17			1997	LT	4550	6400	6300	3350
17			1998	LT	4550	6350	6250	3300
17			1999	LT	4700	6550	6400	3450
17			2000	LT	4750	6600	6500	3450
17			2001	LT	4900	6850	6650	3600
17			2002	LT	4850	6800	6600	3550
17			2003	LT	4900	6750	6600	3600
17			2004	LT	4950	6950	6750	3650
17			2005	LT	5150	7050	6900	3800
17			2006	LT	5350	7300	7150	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2007	LT	5450	7500	7700	4000
17			2008	LT	5400	7400	7100	4000
17			2009	LT	5500	7450	7250	4050
17			2010	LT	5650	7600	7450	4150
17			2011	LT	5650	7250	7400	4650
17			2012	LT	5700	7450	7100	4300
17			2013	LT	5800	7550	7550	4400
17			2014	LT	5850	7650	7750	4400
17			2015	LT	5950	7750	7900	4500
17			2016	CTR	6000	7300	7400	5100
17			2017	CTR	6100	8150	8100	4950
17			2018	CTR	6150	8200	8200	5000
17			2019	CTR	6250	8350	8300	5100
17	AUX SABLE R BR	0.6	1988	LT	4700	6650	6650	3550
17			1989	LT	4800	6650	6600	3550
17			1990	LT	4900	7150	6850	3600
17			1991	LT	4850	6800	6550	3600
17			1992	LT	4600	6400	6200	3550
17			1993	LT	4750	6550	5900	3500
17			1994	LT	4900	7200	6950	3550
17			1995	LT	4850	6950	6750	3550
17			1996	LT	4850	6850	6700	3550
17			1997	LT	4800	6750	6600	3550
17			1998	LT	5400	7550	7400	3950
17			1999	LT	5250	7300	7150	3850
17			2000	LT	5350	7450	7300	3900
17			2001	LT	5450	7650	7400	4000
17			2002	LT	5550	7750	7550	4050
17			2003	LT	5650	7750	7600	4150
17			2004	CTR	5750	7250	6950	4850
17			2005	CTR	5850	7250	6950	4950
17			2006	CTR	5950	7350	7050	5050
17			2007	CTR	6050	7500	7450	5150
17			2008	CTR	6150	7600	7450	5250
17			2009	CTR	6250	7600	7400	5300
17			2010	CTR	6350	7750	7450	5400
17			2011	CTR	6450	7850	7550	5500
17			2012	CTR	6550	7950	7850	5600
17			2013	CTR	6650	8100	8350	5650
17			2014	CTR	6750	8250	8300	5750
17			2015	CTR	6850	8350	8450	5800
17			2016	CTR	6950	8500	8550	5900
17			2017	CTR	7050	9400	9350	5750
17			2018	CTR	7250	9700	9650	5900
17			2019	CTR	7250	9650	9600	5900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17	SEC HWY 553 IMPERIAL ST MASSEY	11.5	1988	LT	4000	5700	5650	3050
17			1989	LT	4050	5650	5600	3000
17			1990	LT	4150	6050	5800	3050
17			1991	LT	4150	5800	5600	3050
17			1992	LT	4000	5550	5400	3100
17			1993	LT	4200	5800	5200	3100
17			1994	LT	4350	6400	6150	3150
17			1995	LT	4400	6300	6150	3200
17			1996	LT	4400	6200	6050	3250
17			1997	LT	4400	6200	6050	3250
17			1998	LT	4900	6850	6700	3600
17			1999	LT	4650	6450	6300	3400
17			2000	LT	4800	6700	6550	3500
17			2001	LT	4850	6800	6600	3550
17			2002	LT	5000	7000	6800	3650
17			2003	LT	5050	6950	6800	3750
17			2004	LT	5150	7200	7000	3750
17			2005	CTR	5250	6500	6250	4450
17			2006	CTR	5200	6450	6150	4400
17			2007	CTR	5250	6500	6450	4450
17			2008	CTR	5200	6450	6300	4400
17			2009	CTR	5350	6550	6300	4550
17			2010	IC	5300	5850	5900	4700
17			2011	IC	5500	6050	6250	4950
17			2012	LT	5000	6500	6200	3800
17			2013	LT	5300	6900	6900	4000
17			2014	LT	5550	7250	7350	4200
17			2015	LT	5600	7300	7450	4250
17			2016	LT	5700	7450	7550	4300
17			2017	LT	5700	7250	7250	4750
17			2018	LT	5450	7650	7550	4200
17			2019	LT	5750	8050	8000	4450
17	MASSEY W LTS	10.0	1988	LT	4000	5700	5650	3050
17			1989	LT	4050	5650	5600	3000
17			1990	LT	4150	6050	5800	3050
17			1991	LT	4100	5750	5550	3050
17			1992	LT	3900	5400	5250	3000
17			1993	LT	3900	5400	4850	2850
17			1994	LT	4150	6100	5850	3000
17			1995	LT	4050	5800	5650	2950
17			1996	LT	4150	5850	5700	3050
17			1997	LT	4150	5850	5750	3050
17			1998	LT	4550	6350	6250	3300
17			1999	LT	4050	5650	5500	2950
17			2000	LT	4250	5900	5800	3100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2001	LT	4150	5800	5650	3050
17			2002	LT	4300	6000	5850	3150
17			2003	LT	4350	6000	5850	3200
17			2004	CTR	4350	5500	5250	3650
17			2005	CTR	4450	5500	5300	3750
17			2006	CTR	4500	5550	5350	3800
17			2007	CTR	4550	5650	5600	3850
17			2008	CTR	4650	5750	5650	3950
17			2009	CTR	4650	5650	5500	3950
17			2010	IT	4800	6000	6050	3950
17			2011	IT	4700	6300	6300	3850
17			2012	IT	4750	5950	5750	3950
17			2013	IT	4800	6000	6050	3950
17			2014	IT	4850	6100	5950	4000
17			2015	IT	4850	6100	5950	4000
17			2016	IT	4900	6150	6050	4050
17			2017	IT	4950	6550	6550	4200
17			2018	IT	5000	6600	6600	4250
17			2019	IT	5000	6650	6650	4250
17	JOHN ST SPANISH TRUNK RD (S)	11.2	1988	LT	4100	5800	5800	3100
17			1989	LT	4100	5700	5650	3050
17			1990	LT	4250	6200	5950	3100
17			1991	LT	4300	6000	5800	3200
17			1992	LT	4050	5650	5450	3100
17			1993	LT	4050	5600	5000	2950
17			1994	LT	4150	6100	5850	3000
17			1995	LT	4100	5900	5700	3000
17			1996	LT	4150	5850	5700	3050
17			1997	LT	4150	5850	5750	3050
17			1998	LT	4200	5900	5750	3050
17			1999	LT	4250	5900	5800	3100
17			2000	LT	4250	5900	5800	3100
17			2001	LT	4250	5950	5800	3100
17			2002	LT	4350	6100	5900	3200
17			2003	LT	4400	6050	5900	3250
17			2004	LT	4400	6150	6000	3200
17			2005	LT	4450	6100	5950	3250
17			2006	LT	4450	6100	5950	3300
17			2007	LT	4500	6200	6350	3300
17			2008	LT	4500	6150	5900	3300
17			2009	LT	4550	6150	6000	3350
17			2010	LT	4600	6200	6050	3400
17			2011	LT	4600	5900	6000	3800
17			2012	LT	4650	6050	5800	3500
17			2013	CTR	4650	5650	5850	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2014	CTR	4700	5750	5800	4000
17			2015	CTR	4750	5800	5850	4050
17			2016	CTR	4750	5800	5850	4050
17			2017	CTR	4800	6400	6400	3900
17			2018	CTR	4750	6350	6300	3850
17			2019	CTR	4850	6450	6450	3950
17	IMPERIAL RD CUTLER	7.3	1988	LT	4100	5800	5800	3100
17			1989	LT	4200	5850	5800	3100
17			1990	LT	4250	6200	5950	3100
17			1991	LT	4300	6000	5800	3200
17			1992	LT	4050	5650	5450	3100
17			1993	LT	4500	6200	5600	3300
17			1994	LT	4300	6300	6100	3100
17			1995	LT	4150	5950	5800	3050
17			1996	LT	4250	6000	5850	3100
17			1997	LT	4250	6000	5850	3150
17			1998	LT	4700	6600	6450	3450
17			1999	LT	4500	6250	6100	3300
17			2000	LT	4550	6350	6200	3300
17			2001	LT	4800	6700	6550	3500
17			2002	LT	4650	6500	6350	3400
17			2003	LT	4650	6400	6250	3450
17			2004	LT	4700	6600	6400	3450
17			2005	LT	4750	6500	6350	3500
17			2006	LT	4750	6500	6350	3500
17			2007	LT	4850	6650	6850	3550
17			2008	LT	4750	6500	6250	3500
17			2009	LT	4900	6600	6450	3650
17			2010	LT	4950	6650	6500	3650
17			2011	LT	5000	6400	6550	4100
17			2012	LT	4500	5850	5600	3400
17			2013	LT	4950	6450	6450	3750
17			2014	CTR	5000	6100	6150	4250
17			2015	CTR	5050	6150	6200	4300
17			2016	CTR	5050	6150	6200	4300
17			2017	CTR	5100	6800	6800	4150
17			2018	CTR	4950	6600	6600	4050
17			2019	CTR	5150	6850	6850	4200
17	HWY 108 ELLIOT LAKE RD	14.6	1988	LT	3800	5400	5350	2900
17			1989	LT	3850	5350	5300	2850
17			1990	LT	4000	5850	5600	2900
17			1991	CTR	4250	5350	5300	3700
17			1992	CTR	4250	5250	5050	3700
17			1993	CTR	4250	5350	5150	3600
17			1994	CTR	4350	5550	5300	3650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1995	CTR	4450	5700	5450	3750
17			1996	CTR	4550	5800	5600	3800
17			1997	CTR	4650	5950	5700	3900
17			1998	CTR	4400	5600	5350	3700
17			1999	CTR	4250	5350	5150	3550
17			2000	CTR	4300	5400	5200	3600
17			2001	CTR	4400	5550	5300	3700
17			2002	CTR	4350	5500	5250	3650
17			2003	CTR	4350	5400	5200	3700
17			2004	CTR	4350	5500	5250	3650
17			2005	IR	4350	5250	4750	3700
17			2006	IR	4300	5200	4700	3650
17			2007	IR	4250	5150	5150	3600
17			2008	IR	4300	5200	5100	3700
17			2009	IR	4250	5100	4650	3600
17			2010	IC	4100	4550	4600	3650
17			2011	IC	4200	4600	4800	3750
17			2012	CTR	4150	5050	4950	3550
17			2013	CTR	4150	5050	5200	3500
17			2014	CTR	4150	5050	5100	3550
17			2015	CTR	4100	5000	5050	3500
17			2016	CTR	4100	5000	5050	3500
17			2017	CTR	4100	5500	5450	3350
17			2018	CTR	4150	5550	5500	3400
17			2019	CR	4200	4850	4900	3750
17	E JCT SEC HWY 538	4.8	1988	LT	3800	5400	5350	2900
17			1989	LT	3850	5350	5300	2850
17			1990	LT	4050	5900	5650	2950
17			1991	CTR	4300	5400	5400	3750
17			1992	CTR	4300	5300	5100	3750
17			1993	CTR	4300	5400	5200	3650
17			1994	CTR	4400	5650	5350	3700
17			1995	CTR	4500	5800	5550	3750
17			1996	CTR	4500	5750	5550	3800
17			1997	CTR	4500	5750	5550	3800
17			1998	CTR	4600	5850	5600	3850
17			1999	CTR	4650	5850	5650	3900
17			2000	CTR	4750	6000	5750	4000
17			2001	CTR	4650	5850	5650	3900
17			2002	CTR	4650	5850	5650	3950
17			2003	CTR	4600	5700	5500	3900
17			2004	CTR	4650	5850	5650	3900
17			2005	CTR	4750	5900	5650	4050
17			2006	CTR	4700	5800	5600	4000
17			2007	CTR	4750	5900	5850	4050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2008	CTR	4650	5750	5650	3950
17			2009	CTR	4750	5800	5600	4050
17			2010	CTR	4800	5850	5600	4100
17			2011	CTR	4800	5850	5600	4100
17			2012	CTR	4300	5200	5150	3650
17			2013	CTR	4750	5800	5950	4050
17			2014	CTR	4200	5100	5150	3550
17			2015	CTR	4650	5650	5700	3950
17			2016	CTR	4650	5650	5700	3950
17			2017	CTR	4650	6200	6200	3800
17			2018	CTR	4450	5950	5900	3600
17			2019	CTR	4650	6200	6150	3800
17	W JCT SEC HWY 538 (S)	8.7	1988	LT	3950	5600	5550	3000
17			1989	LT	4150	5750	5750	3050
17			1990	LT	4300	6300	6000	3150
17			1991	CTR	4500	5650	5600	3900
17			1992	CTR	4500	5550	5350	3900
17			1993	CTR	4500	5650	5450	3800
17			1994	CTR	4600	5900	5600	3850
17			1995	CTR	4650	5950	5700	3900
17			1996	CTR	4700	6000	5800	3950
17			1997	CTR	4700	6000	5800	3950
17			1998	CTR	4650	5900	5650	3900
17			1999	CTR	4600	5800	5550	3850
17			2000	CTR	4600	5800	5550	3850
17			2001	CTR	4650	5850	5650	3900
17			2002	CTR	4650	5850	5650	3950
17			2003	IR	4650	5650	5100	3950
17			2004	IR	4650	5750	5150	3950
17			2005	IR	4650	5600	5100	3950
17			2006	IR	4650	5600	5100	3950
17			2007	IR	4650	5650	5600	3950
17			2008	IR	4650	5650	5550	3950
17			2009	IR	4650	5600	5050	3950
17			2010	IT	4650	5850	5850	3850
17			2011	IT	4650	6250	6250	3850
17			2012	CTR	4650	5650	5550	3950
17			2013	CTR	4650	5650	5850	3950
17			2014	CTR	4650	5650	5700	3950
17			2015	CTR	4650	5650	5700	3950
17			2016	CTR	4650	5650	5700	3950
17			2017	CTR	4650	6200	6200	3800
17			2018	CTR	4600	6150	6100	3750
17			2019	CTR	4650	6200	6150	3800
17	BLIND RIVER E LTS START OF NA	4.1	9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17	BLIND RIVER W END OF NA	17.0	1988	LT	3650	5200	5150	2750
17			1989	LT	3700	5150	5100	2750
17			1990	LT	3800	5550	5300	2750
17			1991	LT	3900	5450	5250	2900
17			1992	LT	3900	5400	5250	3000
17			1993	LT	3900	5400	4850	2850
17			1994	LT	3900	5700	5500	2850
17			1995	LT	4400	6300	6150	3200
17			1996	LT	4950	7000	6800	3650
17			1997	LT	5450	7700	7500	4050
17			1998	LT	4900	6850	6700	3600
17			1999	LT	4350	6050	5900	3200
17			2000	LT	3800	5300	5200	2750
17			2001	LT	4450	6250	6050	3250
17			2002	LT	4450	6200	6050	3250
17			2003	LT	4450	6100	6000	3300
17			2004	LT	4350	6100	5900	3200
17			2005	LT	4350	5950	5850	3200
17			2006	LT	4300	5900	5750	3150
17			2007	LT	4300	5900	6050	3150
17			2008	LT	4150	5700	5450	3050
17			2009	LT	4200	5650	5550	3100
17			2010	SC	4200	4450	4900	3700
17			2011	SC	4150	5300	4850	3300
17			2012	CTR	4150	5050	4950	3550
17			2013	CTR	4100	5000	5150	3500
17			2014	CTR	4100	5000	5050	3500
17			2015	CTR	4050	4950	5000	3450
17			2016	CTR	4050	4950	5000	3450
17			2017	CTR	4000	5350	5300	3250
17			2018	CTR	4000	5350	5300	3250
17			2019	CR	3950	4600	4600	3550
17	DEAN LAKE RD	7.0	1988	LT	3550	5050	5000	2700
17			1989	LT	3600	5000	4950	2650
17			1990	LT	3700	5400	5200	2700
17			1991	LT	3800	5300	5150	2800
17			1992	LT	3800	5300	5150	2950
17			1993	LT	3800	5250	4700	2800
17			1994	LT	3900	5700	5500	2850
17			1995	LT	4000	5750	5600	2950
17			1996	LT	4050	5700	5600	3000
17			1997	LT	4050	5700	5600	3000
17			1998	LT	3950	5550	5400	2900
17			1999	LT	3900	5400	5300	2850
17			2000	LT	3800	5300	5200	2750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2001	LT	3850	5400	5250	2800
17			2002	LT	3850	5400	5250	2800
17			2003	LT	3850	5300	5200	2850
17			2004	LT	3800	5300	5150	2800
17			2005	LT	3800	5200	5100	2800
17			2006	LT	3800	5200	5050	2800
17			2007	LT	3750	5150	5300	2750
17			2008	LT	3750	5150	4900	2750
17			2009	LT	3700	5000	4900	2750
17			2010	LT	3700	4950	4850	2750
17			2011	LT	3700	4750	4850	3050
17			2012	CTR	3650	4450	4350	3100
17			2013	CTR	3650	4450	4600	3100
17			2014	CTR	3600	4400	4450	3050
17			2015	CTR	3600	4400	4450	3050
17			2016	CTR	3600	4400	4450	3050
17			2017	CTR	3550	4750	4700	2900
17			2018	CTR	3600	4800	4800	2950
17			2019	CTR	3550	4750	4700	2900
17	SEC HWY 546	27.3	1988	LT	3350	4750	4700	2550
17			1989	LT	3500	4850	4850	2600
17			1990	LT	3650	5350	5100	2650
17			1991	LT	3850	5400	5200	2850
17			1992	LT	3850	5350	5200	2950
17			1993	LT	3850	5350	4750	2800
17			1994	LT	3800	5550	5350	2750
17			1995	LT	3800	5450	5300	2800
17			1996	LT	3800	5350	5250	2800
17			1997	LT	3800	5350	5250	2800
17			1998	LT	3800	5300	5200	2750
17			1999	LT	3850	5350	5250	2800
17			2000	LT	3850	5350	5250	2800
17			2001	LT	3850	5400	5250	2800
17			2002	LT	3850	5400	5250	2800
17			2003	LT	3850	5300	5200	2850
17			2004	LT	3850	5400	5250	2800
17			2005	IR	3850	4650	4200	3300
17			2006	IR	3900	4700	4250	3300
17			2007	IR	3900	4700	4700	3300
17			2008	IR	3900	4700	4650	3350
17			2009	IR	3900	4700	4250	3300
17			2010	IT	3900	4900	4900	3200
17			2011	IT	3900	5250	5250	3200
17			2012	CTR	3900	4750	4650	3300
17			2013	CTR	3950	4800	4950	3350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2014	CTR	3950	4800	4850	3350
17			2015	CTR	3950	4800	4850	3350
17			2016	CTR	3950	4800	4850	3350
17			2017	CTR	3950	5300	5250	3200
17			2018	CTR	3950	5300	5250	3200
17			2019	CTR	3950	5250	5250	3200
17	HWY 129 WHARNCLIFFE RD	2.0	1988	LT	3550	5050	5000	2700
17			1989	LT	3700	5150	5100	2750
17			1990	LT	3800	5550	5300	2750
17			1991	LT	3950	5550	5350	2900
17			1992	LT	3950	5500	5350	3050
17			1993	LT	3950	5450	4900	2900
17			1994	LT	3950	5800	5600	2850
17			1995	LT	4000	5750	5600	2950
17			1996	LT	4050	5700	5600	3000
17			1997	LT	5450	7700	7500	4050
17			1998	LT	5050	7050	6900	3700
17			1999	LT	4650	6450	6300	3400
17			2000	LT	4250	5900	5800	3100
17			2001	LT	4650	6500	6350	3400
17			2002	LT	4700	6550	6400	3450
17			2003	LT	4600	6350	6200	3400
17			2004	LT	4700	6600	6400	3450
17			2005	IC	4800	5350	5400	4250
17			2006	IC	4750	5300	5350	4200
17			2007	IC	4750	5300	5450	4200
17			2008	IR	4650	5650	5550	3950
17			2009	IR	4850	5800	5300	4100
17			2010	CTR	4700	5700	5500	4000
17			2011	CTR	4900	5950	5750	4150
17			2012	CTR	4600	5600	5500	3900
17			2013	CTR	4900	5950	6150	4150
17			2014	CTR	4400	5350	5400	3750
17			2015	CTR	4850	5900	5950	4100
17			2016	CTR	4850	5900	5950	4100
17			2017	CTR	4900	6550	6500	4000
17			2018	CTR	4550	6100	6050	3700
17			2019	CTR	4850	6450	6450	3950
17	LAKE ST (S)	16.6	1988	LT	3600	5100	5100	2750
17			1989	LT	3700	5150	5100	2750
17			1990	LT	3800	5550	5300	2750
17			1991	LT	3950	5550	5350	2900
17			1992	LT	3950	5500	5350	3050
17			1993	LT	3950	5450	4900	2900
17			1994	LT	3950	5800	5600	2850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1995	LT	4000	5750	5600	2950
17			1996	LT	4050	5700	5600	3000
17			1997	LT	5550	7850	7650	4100
17			1998	LT	5250	7350	7200	3850
17			1999	LT	4750	6600	6450	3450
17			2000	LT	4600	6400	6250	3350
17			2001	LT	4900	6850	6650	3600
17			2002	LT	5000	7000	6800	3650
17			2003	LT	5100	7000	6850	3750
17			2004	LT	5100	7150	6950	3750
17			2005	CTR	5050	6250	6000	4300
17			2006	CTR	5250	6500	6250	4450
17			2007	CTR	5350	6650	6550	4550
17			2008	IR	5200	6300	6200	4450
17			2009	IR	5500	6600	6000	4700
17			2010	IR	5550	6600	6050	4700
17			2011	IR	5650	6750	6600	4800
17			2012	CTR	5350	6500	6400	4550
17			2013	CTR	5200	6350	6550	4400
17			2014	IR	5000	5950	5950	4250
17			2015	IR	5100	6050	6100	4350
17			2016	IR	5650	6750	6750	4800
17			2017	IR	5650	6400	6400	4900
17			2018	CR	5400	6250	6300	4850
17			2019	CR	5700	6600	6650	5100
17	BRUCE MINES E LTS PLUMMER ADD'L TWP SIGN	0.9	1988	LT	4000	5700	5650	3050
17			1989	LT	4200	5850	5800	3100
17			1990	LT	4350	6350	6100	3200
17			1991	LT	4500	6300	6100	3350
17			1992	LT	4500	6250	6100	3450
17			1993	LT	4500	6200	5600	3300
17			1994	LT	4600	6750	6500	3350
17			1995	LT	4650	6700	6500	3400
17			1996	LT	4700	6650	6450	3450
17			1997	LT	4750	6700	6550	3500
17			1998	LT	4800	6700	6600	3500
17			1999	LT	4850	6750	6600	3550
17			2000	LT	4900	6850	6700	3600
17			2001	LT	5000	7000	6800	3650
17			2002	LT	5050	7050	6900	3700
17			2003	LT	5650	7750	7600	4150
17			2004	LT	5150	7200	7000	3750
17			2005	IC	4800	5350	5400	4250
17			2006	IC	5250	5850	5900	4650
17			2007	IC	5300	5900	6050	4700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2008	IC	5350	5950	5750	4700
17			2009	IC	5400	6000	6050	4800
17			2010	IC	5450	6050	6100	4850
17			2011	IC	5500	6050	6250	4950
17			2012	CTR	5200	6300	6250	4450
17			2013	CTR	5550	6750	7000	4700
17			2014	CTR	5000	6100	6150	4250
17			2015	CTR	5500	6700	6750	4700
17			2016	CTR	5550	6750	6850	4700
17			2017	CTR	5600	7500	7450	4550
17			2018	CTR	5300	7100	7050	4300
17			2019	CTR	5600	7450	7450	4550
17	E JCT SEC HWY 638 RICHARDSON ST BRUCE MINES	1.6	1988	LT	4000	5700	5650	3050
17			1989	LT	4200	5850	5800	3100
17			1990	LT	4350	6350	6100	3200
17			1991	LT	4500	6300	6100	3350
17			1992	LT	4500	6250	6100	3450
17			1993	LT	4500	6200	5600	3300
17			1994	LT	4600	6750	6500	3350
17			1995	LT	4650	6700	6500	3400
17			1996	LT	4700	6650	6450	3450
17			1997	LT	4750	6700	6550	3500
17			1998	LT	4800	6700	6600	3500
17			1999	LT	4850	6750	6600	3550
17			2000	LT	4900	6850	6700	3600
17			2001	LT	4950	6950	6750	3650
17			2002	LT	5000	7000	6800	3650
17			2003	LT	5050	6950	6800	3750
17			2004	LT	5100	7150	6950	3750
17			2005	LT	5150	7050	6900	3800
17			2006	LT	5200	7100	6950	3850
17			2007	LT	5250	7200	7400	3850
17			2008	LT	5300	7250	6950	3900
17			2009	LT	5350	7200	7050	3950
17			2010	LT	5400	7250	7100	4000
17			2011	LT	5450	7000	7100	4500
17			2012	LT	5500	7200	6850	4150
17			2013	LT	5550	7250	7250	4200
17			2014	LT	5600	7300	7450	4250
17			2015	LT	5650	7400	7500	4250
17			2016	LT	5700	7450	7550	4300
17			2017	LT	5750	7300	7300	4800
17			2018	LT	5800	7400	7400	4850
17			2019	LT	5850	7450	7450	4900
17	BRUCE MINES W LTS	8.2	1988	LT	4200	5950	5900	3200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1989	LT	4400	6100	6050	3250
17			1990	LT	4600	6700	6450	3350
17			1991	LT	4750	6650	6400	3500
17			1992	LT	4750	6600	6400	3650
17			1993	LT	4750	6550	5900	3500
17			1994	LT	4800	7050	6800	3500
17			1995	LT	4800	6900	6700	3500
17			1996	LT	4850	6850	6700	3550
17			1997	LT	4850	6850	6700	3600
17			1998	LT	4850	6800	6650	3550
17			1999	LT	4800	6650	6550	3500
17			2000	LT	4800	6700	6550	3500
17			2001	LT	5000	7000	6800	3650
17			2002	LT	5050	7050	6900	3700
17			2003	LT	5100	7000	6850	3750
17			2004	LT	5200	7300	7100	3800
17			2005	IC	5250	5850	5900	4650
17			2006	IC	5300	5900	5950	4700
17			2007	IC	5350	5950	6150	4750
17			2008	IC	5550	6150	5950	4900
17			2009	IC	5450	6050	6100	4850
17			2010	IC	5500	6100	6150	4900
17			2011	IC	5550	6100	6350	5000
17			2012	CTR	5050	6150	6050	4300
17			2013	CTR	5550	6750	7000	4700
17			2014	CTR	5050	6150	6200	4300
17			2015	CTR	5500	6700	6750	4700
17			2016	CTR	5550	6750	6850	4700
17			2017	CTR	5600	7500	7450	4550
17			2018	CTR	5400	7200	7200	4400
17			2019	CTR	5650	7550	7500	4600
17	GORDON LAKE RD JOHNSON TWP	10.1	1988	LT	4200	5950	5900	3200
17			1989	LT	4400	6100	6050	3250
17			1990	LT	4600	6700	6450	3350
17			1991	LT	4750	6650	6400	3500
17			1992	LT	4750	6600	6400	3650
17			1993	LT	4750	6550	5900	3500
17			1994	LT	4800	7050	6800	3500
17			1995	LT	4850	6950	6750	3550
17			1996	LT	4900	6900	6750	3600
17			1997	LT	4850	6850	6700	3600
17			1998	LT	4900	6850	6700	3600
17			1999	LT	4950	6900	6750	3600
17			2000	LT	5000	6950	6800	3650
17			2001	LT	5000	7000	6800	3650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2002	LT	5050	7050	6900	3700
17			2003	LT	5050	6950	6800	3750
17			2004	LT	5100	7150	6950	3750
17			2005	IC	5100	5650	5750	4500
17			2006	IC	5150	5700	5750	4550
17			2007	IC	5150	5700	5900	4550
17			2008	IC	5200	5750	5550	4600
17			2009	IC	5250	5850	5900	4650
17			2010	IC	5250	5800	5850	4650
17			2011	CTR	5300	6450	6200	4500
17			2012	CTR	5300	6450	6350	4500
17			2013	CTR	5350	6500	6750	4550
17			2014	CTR	5350	6550	6600	4550
17			2015	CTR	5400	6600	6650	4600
17			2016	CTR	5400	6600	6650	4600
17			2017	CTR	5450	7300	7250	4450
17			2018	CTR	5450	7300	7250	4450
17			2019	CTR	5500	7350	7300	4500
17	SEC HWY 548 (S)	15.5	1988	LT	6400	9100	9000	4850
17			1989	LT	6600	9150	9100	4900
17			1990	LT	6800	9950	9500	4950
17			1991	LT	6900	9650	9300	5100
17			1992	LT	7000	9750	9450	5400
17			1993	LT	7000	9700	8700	5150
17			1994	LT	6800	9950	9600	4950
17			1995	LT	6600	9500	9200	4850
17			1996	LT	6400	9050	8800	4700
17			1997	LT	6100	8600	8400	4500
17			1998	LT	6300	8800	8650	4600
17			1999	LT	6450	8950	8750	4700
17			2000	LT	6650	9250	9050	4850
17			2001	LT	6300	8800	8600	4600
17			2002	LT	6300	8800	8600	4600
17			2003	LT	6250	8600	8400	4600
17			2004	LT	6250	8750	8500	4600
17			2005	LT	6200	8500	8300	4550
17			2006	LT	6150	8400	8200	4550
17			2007	LT	6150	8450	8700	4500
17			2008	LT	6100	8350	8000	4500
17			2009	LT	6050	8150	8000	4500
17			2010	IC	6050	6700	6750	5350
17			2011	IC	6000	6600	6850	5400
17			2012	CTR	5950	7200	7150	5050
17			2013	CTR	5950	7250	7500	5050
17			2014	CTR	5900	7200	7250	5000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	CTR	5850	7150	7200	4950
17			2016	CTR	5850	7150	7200	4950
17			2017	CTR	5800	7750	7700	4750
17			2018	CTR	6000	8000	8000	4900
17			2019	CTR	6000	8000	7950	4900
17	HWY 17B (W) BAR RIVER RD (E&W)	5.1	2007	LT	5150	7050	7250	3800
17			2008	LT	5150	7050	6750	3800
17			2009	LT	5150	6950	6800	3800
17			2010	LT	5150	6900	6800	3800
17			2011	LT	5150	6600	6750	4250
17			2012	LT	5450	7100	6800	4150
17			2013	LT	5400	7050	7050	4100
17			2014	LT	5500	7200	7300	4150
17			2015	LT	5500	7200	7300	4150
17			2016	LT	5550	7250	7350	4200
17			2017	LT	5600	7100	7100	4700
17			2018	LT	5650	7200	7200	4750
17			2019	LT	5700	7250	7250	4750
17	EAST JCT HWY 638/17	2.9	2007	CR	5450	6600	6600	4600
17			2008	CR	5450	6600	6550	4600
17			2009	CR	5450	6550	6300	4650
17			2010	CR	5450	6550	6300	4600
17			2011	CR	5450	6350	6400	4850
17			2012	LT	6200	8100	7700	4700
17			2013	LT	6050	7900	7900	4550
17			2014	LT	6450	8400	8550	4850
17			2015	LT	6400	8350	8500	4850
17			2016	LT	6550	8550	8700	4950
17			2017	LT	6700	8500	8500	5600
17			2018	LT	6850	8700	8750	5750
17			2019	LT	7000	8900	8900	5850
17	LOWER ECHO RIVER	3.9	2008	LT	5600	7650	7350	4150
17			2009	LT	5600	7550	7400	4150
17			2010	LT	5600	7500	7350	4150
17			2011	LT	6150	7900	8050	5050
17			2012	LT	6050	7900	7500	4600
17			2013	CTR	6400	7800	8050	5450
17			2014	CTR	6450	7850	7950	5500
17			2015	CTR	6600	8050	8100	5600
17			2016	CTR	6800	8300	8350	5800
17			2017	CTR	6950	9300	9250	5650
17			2018	CTR	7100	9500	9450	5800
17			2019	CTR	7250	9650	9600	5900
17	ECHO BAY RIVER ROAD UP	4.1	2008	LT	5650	7750	7400	4150
17			2009	LT	5350	7200	7050	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2010	LT	5150	6900	6800	3800
17			2011	LT	4900	6300	6400	4050
17			2012	LT	6150	8000	7650	4650
17			2013	LT	5600	7300	7300	4250
17			2014	LT	6400	8350	8500	4850
17			2015	LT	6150	8050	8150	4650
17			2016	LT	6300	8250	8350	4750
17			2017	LT	6400	8150	8150	5350
17			2018	LT	6550	8350	8350	5500
17			2019	LT	6700	8500	8500	5600
17	NOONDAY RD (N)	0.8	2008	LT	5700	7800	7450	4200
17			2009	LT	5350	7200	7050	3950
17			2010	LT	5150	6900	6800	3800
17			2011	LT	4850	6200	6350	4000
17			2012	LT	6450	8400	8000	4900
17			2013	LT	5800	7550	7550	4400
17			2014	LT	6800	8900	9050	5150
17			2015	LT	6750	8800	8950	5100
17			2016	LT	7000	9150	9300	5300
17			2017	LT	7250	9200	9200	6050
17			2018	CR	7700	8950	9000	6900
17			2019	CR	7750	9000	9050	6950
17	GARDEN RIVER BR	3.6	2008	LT	5650	7750	7400	4150
17			2009	LT	5350	7200	7050	3950
17			2010	LT	5150	6900	6800	3800
17			2011	LT	4900	6300	6400	4050
17			2012	LT	4650	6050	5800	3500
17			2013	LT	4400	5750	5750	3300
17			2014	LT	6350	8300	8450	4800
17			2015	LT	4900	6400	6500	3700
17			2016	LT	4800	6250	6350	3600
17			2017	LT	4900	6200	6250	4100
17			2018	LT	5850	8200	8100	4500
17			2019	LT	6700	9400	9300	5150
17	SYRETTE LAKE ROAD	1.9	2008	LT	5550	7600	7300	4100
17			2009	LT	5350	7200	7050	3950
17			2010	LT	5150	6900	6800	3800
17			2011	LT	4950	6350	6450	4050
17			2012	LT	6050	7900	7500	4600
17			2013	LT	5600	7300	7300	4250
17			2014	LT	6300	8250	8350	4750
17			2015	LT	6100	7950	8100	4600
17			2016	LT	6200	8100	8250	4700
17			2017	LT	6350	8050	8050	5300
17			2018	LT	6500	8250	8300	5450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2019	LT	6600	8400	8400	5500
17	BELLEAU LAKE ROAD	3.0	2008	LT	5700	7800	7450	4200
17			2009	LT	5350	7200	7050	3950
17			2010	LT	5150	6900	6800	3800
17			2011	LT	4850	6200	6350	4000
17			2012	LT	6350	8300	7900	4800
17			2013	CTR	6550	7950	8250	5550
17			2014	CTR	6750	8250	8300	5750
17			2015	CTR	6950	8500	8550	5900
17			2016	CTR	6950	8500	8550	5900
17			2017	CTR	7200	9600	9550	5850
17			2018	CTR	7600	10200	10100	6200
17			2019	CR	7350	8550	8600	6600
17	S.S MARIE E LTS START OF NA	19.4	9999					
17	SAULT STE. M TO ALGOMA MANITOU	3.8	1988	LT	7200	10200	10200	5450
17			1989	LT	7300	10100	10100	5400
17			1990	LT	7400	10800	10400	5400
17			1991	LT	7500	10500	10100	5550
17			1992	LT	7600	10600	10300	5850
17			1993	LT	7600	10500	9400	5550
17			1994	LT	7700	11300	10900	5600
17			1995	LT	7600	10900	10600	5550
17			1996	LT	7550	10700	10400	5550
17			1997	LT	7450	10500	10300	5500
17			1998	LT	7500	10500	10300	5500
17			1999	LT	7500	10400	10200	5500
17			2000	LT	7550	10500	10300	5500
17			2001	LT	7250	10100	9850	5300
17			2002	LT	7200	10100	9800	5300
17			2003	LT	7000	9650	9400	5150
17			2004	LT	7100	9950	9650	5200
17			2005	LT	7000	9600	9400	5150
17			2006	LT	6950	9500	9300	5100
17			2007	LT	6900	9500	9750	5050
17			2008	LT	6800	9300	8900	5000
17			2009	LT	6750	9100	8900	5000
17			2010	LT	6700	9000	8800	4950
17			2011	LT	6650	8500	8700	5450
17			2012	LT	6550	8550	8150	4950
17			2013	LT	6500	8500	8500	4900
17			2014	CTR	6450	7850	7950	5500
17			2015	CTR	6350	7750	7800	5400
17			2016	CTR	6300	7700	7750	5350
17			2017	CTR	6250	8350	8300	5100
17			2018	CTR	6300	8400	8400	5150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2019	CTR	6150	8200	8150	5000
17	SEC HWY 556 HEYDEN (E)	12.0	1988	LT	4200	5950	5900	3200
17			1989	LT	4250	5900	5850	3150
17			1990	LT	4250	6200	5950	3100
17			1991	LT	4350	6100	5850	3200
17			1992	LT	4350	6050	5850	3350
17			1993	LT	4350	6000	5400	3200
17			1994	LT	4450	6550	6300	3250
17			1995	LT	4350	6250	6050	3200
17			1996	LT	4200	5950	5800	3100
17			1997	LT	4100	5800	5650	3050
17			1998	LT	3950	5550	5400	2900
17			1999	LT	3850	5350	5250	2800
17			2000	LT	3700	5150	5050	2700
17			2001	LT	3750	5250	5100	2750
17			2002	LT	3700	5150	5050	2700
17			2003	LT	3550	4900	4800	2600
17			2004	LT	3700	5200	5050	2700
17			2005	LT	3550	4850	4750	2600
17			2006	LT	3800	5200	5050	2800
17			2007	LT	3800	5200	5350	2800
17			2008	LT	3950	5400	5200	2900
17			2009	LT	4450	6000	5850	3300
17			2010	LT	3700	4950	4850	2750
17			2011	LT	4150	5300	5400	3400
17			2012	LT	3800	4950	4700	2900
17			2013	CTR	3800	4650	4800	3250
17			2014	CTR	3750	4600	4600	3200
17			2015	CTR	3750	4600	4600	3200
17			2016	CTR	3750	4600	4600	3200
17			2017	CTR	3700	4950	4900	3000
17			2018	CTR	3950	5300	5250	3200
17			2019	IR	3500	4250	4250	3000
17	SEC HWY 552	13.9	1988	T	2300	4200	4000	1400
17			1989	T	2300	4150	4000	1450
17			1990	T	2300	4200	4000	1450
17			1991	CTR	2300	2900	2900	2000
17			1992	CTR	2300	2850	2750	2000
17			1993	CTR	2300	2900	2800	1950
17			1994	LT	2400	3500	3400	1750
17			1995	LT	2450	3500	3400	1800
17			1996	LT	2500	3550	3450	1850
17			1997	LT	2600	3650	3600	1900
17			1998	LT	2600	3650	3550	1900
17			1999	LT	2600	3600	3550	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2000	LT	2600	3600	3550	1900
17			2001	LT	2700	3800	3700	2000
17			2002	LT	2700	3750	3700	2000
17			2003	LT	2750	3800	3700	2050
17			2004	LT	2750	3850	3750	2000
17			2005	LT	2800	3850	3750	2050
17			2006	LT	2750	3750	3650	2050
17			2007	LT	2650	3650	3750	1950
17			2008	LT	2750	3750	3600	2050
17			2009	LT	2450	3300	3250	1800
17			2010	IC	2250	2500	2500	2000
17			2011	IC	2650	2900	3000	2400
17			2012	CTR	2700	3300	3250	2300
17			2013	CTR	2650	3250	3350	2250
17			2014	CTR	2700	3300	3300	2300
17			2015	CTR	2700	3300	3300	2300
17			2016	CTR	2700	3300	3300	2300
17			2017	CTR	2700	3600	3600	2200
17			2018	CTR	2850	3800	3800	2300
17			2019	CTR	2750	3650	3650	2250
17	HARMONY R BR HAVILLAND TWP ALGOMA DIST	24.5	1988	T	2200	4050	3850	1350
17			1989	T	2200	4000	3850	1400
17			1990	T	2200	4000	3850	1350
17			1991	CTR	2200	2750	2750	1900
17			1992	CTR	2200	2700	2600	1900
17			1993	CTR	2200	2750	2650	1850
17			1994	LT	2200	3250	3100	1600
17			1995	LT	2300	3300	3200	1700
17			1996	LT	2400	3400	3300	1750
17			1997	T	2500	4300	4200	1550
17			1998	T	2600	4400	4350	1600
17			1999	T	2700	4550	4450	1650
17			2000	LT	2800	3900	3800	2050
17			2001	LT	2700	3800	3700	2000
17			2002	LT	2750	3850	3750	2000
17			2003	LT	2750	3800	3700	2050
17			2004	LT	2800	3900	3800	2050
17			2005	LT	2800	3850	3750	2050
17			2006	LT	2700	3700	3600	2000
17			2007	LT	2750	3800	3900	2000
17			2008	LT	2900	3950	3800	2150
17			2009	LT	2800	3800	3700	2050
17			2010	IC	2250	2500	2500	2000
17			2011	IC	2850	3150	3250	2550
17			2012	CTR	2450	2950	2950	2100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2013	CTR	2400	2900	3000	2050
17			2014	CTR	2450	3000	3000	2100
17			2015	CTR	2500	3050	3100	2100
17			2016	CTR	2500	3050	3100	2100
17			2017	CTR	2650	3550	3500	2150
17			2018	CTR	2650	3550	3500	2150
17			2019	CTR	2650	3550	3500	2150
17	SEC HWY 563 BATCHAWANA	8.0	1988	T	2000	3650	3500	1200
17			1989	T	2050	3700	3600	1300
17			1990	T	2100	3800	3650	1300
17			1991	CTR	2200	2750	2750	1900
17			1992	CTR	2200	2700	2600	1900
17			1993	CTR	2200	2750	2650	1850
17			1994	LT	2200	3250	3100	1600
17			1995	LT	2300	3300	3200	1700
17			1996	LT	2400	3400	3300	1750
17			1997	LT	2450	3450	3400	1800
17			1998	LT	2450	3450	3350	1800
17			1999	LT	2400	3350	3250	1750
17			2000	LT	2400	3350	3250	1750
17			2001	LT	2450	3450	3350	1800
17			2002	LT	2450	3400	3350	1800
17			2003	LT	2400	3300	3250	1750
17			2004	LT	2400	3350	3250	1750
17			2005	LT	2500	3450	3350	1850
17			2006	LT	2350	3200	3150	1750
17			2007	LT	2350	3250	3300	1750
17			2008	LT	2300	3150	3000	1700
17			2009	LT	2350	3150	3100	1750
17			2010	IC	2100	2300	2350	1850
17			2011	IC	2350	2600	2700	2100
17			2012	CTR	2300	2800	2750	1950
17			2013	CTR	2300	2800	2900	1950
17			2014	CTR	2300	2800	2850	1950
17			2015	CTR	2300	2800	2850	1950
17			2016	CTR	2300	2800	2850	1950
17			2017	CTR	2300	3050	3050	1850
17			2018	CTR	2300	3050	3050	1850
17			2019	CTR	2300	3050	3050	1850
17	PANCAKE BAY PROV PARK ENT	41.9	1988	T	1650	3000	2900	1000
17			1989	T	1700	3100	3000	1050
17			1990	T	1750	3200	3050	1100
17			1991	CTR	1900	2400	2400	1650
17			1992	CTR	1900	2350	2250	1650
17			1993	CTR	1900	2400	2300	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1994	LT	2000	2950	2850	1450
17			1995	LT	2050	2950	2850	1500
17			1996	LT	2100	2950	2900	1550
17			1997	LT	2200	3100	3050	1650
17			1998	LT	2200	3100	3000	1600
17			1999	LT	2250	3150	3050	1650
17			2000	LT	2250	3150	3050	1650
17			2001	LT	2250	3150	3050	1650
17			2002	LT	2300	3200	3150	1700
17			2003	LT	2200	3050	2950	1600
17			2004	LT	2300	3200	3150	1700
17			2005	LT	2450	3350	3300	1800
17			2006	LT	2200	3000	2950	1600
17			2007	LT	2200	3000	3100	1600
17			2008	LT	2150	2950	2800	1600
17			2009	LT	2200	2950	2900	1650
17			2010	LT	1800	2400	2350	1350
17			2011	LT	2200	2800	2850	1800
17			2012	CTR	1950	2350	2350	1650
17			2013	CTR	2150	2600	2700	1850
17			2014	CTR	1850	2250	2300	1550
17			2015	CTR	2100	2550	2600	1800
17			2016	CTR	2100	2550	2600	1800
17			2017	CTR	2100	2800	2800	1700
17			2018	CTR	1900	2550	2550	1550
17			2019	CTR	2050	2750	2700	1650
17	MONTREAL R BR RIX TWP	18.5	1988	T	1700	3100	3000	1050
17			1989	T	1700	3100	3000	1050
17			1990	T	1700	3100	2950	1050
17			1991	LT	1700	2400	2300	1250
17			1992	LT	1700	2350	2300	1300
17			1993	LT	1700	2350	2100	1250
17			1994	LT	1850	2700	2600	1350
17			1995	LT	1850	2650	2600	1350
17			1996	LT	1850	2600	2550	1350
17			1997	LT	1850	2600	2550	1350
17			1998	LT	1900	2650	2600	1400
17			1999	LT	1950	2700	2650	1400
17			2000	LT	2050	2850	2800	1500
17			2001	LT	2050	2850	2800	1500
17			2002	LT	2050	2850	2800	1500
17			2003	LT	2100	2900	2850	1550
17			2004	LT	2050	2850	2800	1500
17			2005	LT	2150	2950	2900	1600
17			2006	LT	2000	2750	2650	1450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2007	LT	2000	2750	2800	1450
17			2008	LT	1950	2650	2550	1450
17			2009	LT	2000	2700	2650	1500
17			2010	LT	1700	2300	2250	1250
17			2011	LT	2000	2550	2600	1650
17			2012	CTR	1800	2200	2150	1550
17			2013	CTR	2000	2450	2500	1700
17			2014	CTR	1700	2050	2100	1450
17			2015	CTR	1950	2400	2400	1650
17			2016	CTR	1950	2400	2400	1650
17			2017	CTR	1950	2600	2600	1600
17			2018	CTR	1950	2600	2600	1600
17			2019	CTR	1950	2600	2600	1600
17	AGAWA BAY RD LAKE SUPERIOR PROV. PARK	74.3	1988	T	1600	2950	2800	980
17			1989	T	1600	2900	2800	1000
17			1990	T	1600	2900	2800	990
17			1991	LT	1600	2250	2150	1200
17			1992	LT	1600	2200	2150	1250
17			1993	LT	1600	2200	2000	1150
17			1994	LT	1700	2500	2400	1250
17			1995	LT	1750	2500	2450	1300
17			1996	LT	1800	2550	2500	1300
17			1997	LT	1800	2550	2500	1350
17			1998	LT	1850	2600	2550	1350
17			1999	LT	1950	2700	2650	1400
17			2000	LT	2050	2850	2800	1500
17			2001	LT	2050	2850	2800	1500
17			2002	LT	2100	2950	2850	1550
17			2003	LT	2150	2950	2900	1600
17			2004	LT	2100	2950	2850	1550
17			2005	LT	2250	3100	3000	1650
17			2006	LT	2150	2950	2850	1600
17			2007	LT	2200	3000	3100	1600
17			2008	LT	2000	2750	2600	1500
17			2009	LT	2250	3050	2950	1650
17			2010	LT	2300	3100	3050	1700
17			2011	LT	2350	3000	3050	1950
17			2012	CTR	2100	2550	2500	1800
17			2013	CTR	2350	2850	2950	2000
17			2014	CTR	1850	2250	2300	1550
17			2015	CTR	2100	2550	2600	1800
17			2016	CTR	2100	2550	2600	1800
17			2017	CTR	2300	3050	3050	1850
17			2018	CTR	2200	2950	2950	1800
17			2019	CTR	2300	3050	3050	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17	0.175 KM N OF LAKE SUPERIOR PROV PARK N LTS	7.8	1988	T	1600	2950	2800	980
17			1989	T	1750	3150	3050	1100
17			1990	T	1900	3450	3300	1200
17			1991	LT	2000	2800	2700	1500
17			1992	LT	2000	2800	2700	1550
17			1993	LT	2000	2750	2500	1450
17			1994	LT	2100	3100	2950	1550
17			1995	LT	2100	3000	2950	1550
17			1996	LT	2050	2900	2800	1500
17			1997	LT	2050	2900	2850	1500
17			1998	LT	1950	2750	2650	1400
17			1999	LT	1850	2550	2500	1350
17			2000	LT	1800	2500	2450	1300
17			2001	LT	2000	2800	2700	1450
17			2002	LT	2000	2800	2700	1450
17			2003	LT	1700	2350	2300	1250
17			2004	LT	2000	2800	2700	1450
17			2005	LT	2250	3100	3000	1650
17			2006	LT	1900	2600	2550	1400
17			2007	LT	1900	2600	2700	1400
17			2008	LT	2100	2900	2750	1550
17			2009	LT	1900	2550	2500	1400
17			2010	LT	1650	2200	2150	1200
17			2011	LT	1850	2350	2400	1500
17			2012	CTR	2100	2550	2500	1800
17			2013	CTR	1900	2300	2400	1600
17			2014	CTR	1900	2300	2350	1600
17			2015	CTR	1900	2300	2350	1600
17			2016	CTR	1900	2300	2350	1600
17			2017	CTR	1900	2550	2550	1550
17			2018	CTR	1850	2450	2450	1500
17			2019	CTR	1850	2450	2450	1500
17	MISSION RD RABAZO TWP (W)	4.8	1988	T	2750	5050	4800	1700
17			1989	T	2850	5150	5000	1800
17			1990	T	2950	5350	5150	1850
17			1991	LT	3100	4350	4200	2300
17			1992	LT	3100	4300	4200	2400
17			1993	LT	3100	4300	3850	2250
17			1994	LT	3100	4550	4400	2250
17			1995	LT	3100	4450	4300	2250
17			1996	LT	3000	4250	4150	2200
17			1997	LT	2950	4150	4050	2200
17			1998	LT	2800	3900	3850	2050
17			1999	LT	2600	3600	3550	1900
17			2000	LT	2650	3700	3600	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2001	LT	2650	3700	3600	1950
17			2002	LT	2600	3650	3550	1900
17			2003	LT	2400	3300	3250	1750
17			2004	LT	2450	3450	3350	1800
17			2005	CR	2550	3100	2950	2150
17			2006	CR	2350	2850	2750	2000
17			2007	CR	2300	2800	2800	1950
17			2008	CR	2200	2650	2650	1850
17			2009	IC	2300	2550	2600	2050
17			2010	IC	2100	2300	2350	1850
17			2011	CTR	2350	2850	2750	2000
17			2012	CTR	2350	2850	2800	2000
17			2013	LT	2100	2750	2750	1600
17			2014	LT	2050	2700	2700	1550
17			2015	LT	2000	2600	2650	1500
17			2016	LT	2100	2750	2800	1600
17			2017	LT	1900	2600	2600	1500
17			2018	LT	1850	2500	2550	1450
17			2019	LT	2000	2700	2750	1600
17	HWY 101 (E) WAWA	89.6	1988	T	1450	2650	2550	880
17			1989	T	1500	2700	2600	940
17			1990	LT	1350	1950	1900	990
17			1991	LT	1450	2050	1950	1050
17			1992	LT	1450	2000	1950	1100
17			1993	LT	1450	2000	1800	1050
17			1994	LT	1500	2200	2100	1100
17			1995	LT	1550	2250	2150	1150
17			1996	LT	1600	2250	2200	1200
17			1997	LT	1650	2350	2300	1200
17			1998	LT	1700	2400	2350	1250
17			1999	LT	1750	2450	2400	1300
17			2000	LT	1800	2500	2450	1300
17			2001	LT	1250	1750	1700	920
17			2002	LT	1200	1700	1650	880
17			2003	LT	1850	2550	2500	1350
17			2004	LT	1950	2750	2650	1450
17			2005	IR	1950	2350	2150	1650
17			2006	IR	2250	2700	2450	1900
17			2007	IR	2200	2650	2650	1850
17			2008	IR	2000	2400	2400	1700
17			2009	IR	2050	2450	2250	1750
17			2010	IC	2000	2200	2250	1750
17			2011	IC	2150	2350	2450	1950
17			2012	CTR	1850	2250	2200	1600
17			2013	CTR	2150	2600	2700	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2014	CTR	1950	2400	2400	1650
17			2015	CTR	2200	2700	2700	1850
17			2016	CTR	2200	2700	2700	1850
17			2017	CTR	2250	3000	3000	1850
17			2018	CTR	2050	2750	2750	1650
17			2019	CTR	2250	3000	3000	1850
17	SEC HWY 631 ELGIN ST	5.9	1988	T	1400	2550	2450	850
17			1989	T	1400	2550	2450	880
17			1990	LT	1400	2050	1950	1000
17			1991	LT	1450	2050	1950	1050
17			1992	LT	1450	2000	1950	1100
17			1993	LT	1500	2050	1850	1100
17			1994	LT	1550	2250	2200	1150
17			1995	LT	1650	2350	2300	1200
17			1996	LT	1600	2250	2200	1200
17			1997	IT	1650	2150	2150	1350
17			1998	IT	1650	2150	2100	1350
17			1999	IT	1700	2200	2150	1400
17			2000	IT	1700	2200	2150	1400
17			2001	IT	1750	2300	2250	1400
17			2002	IT	1750	2300	2250	1450
17			2003	IT	1750	2250	2250	1450
17			2004	IT	1850	2400	2350	1500
17			2005	CTR	1800	2250	2150	1550
17			2006	CTR	1850	2300	2200	1550
17			2007	LT	1850	2550	2600	1350
17			2008	LT	1900	2600	2500	1400
17			2009	LT	1900	2550	2500	1400
17			2010	LT	1950	2600	2550	1450
17			2011	LT	1750	2250	2300	1450
17			2012	LT	1950	2550	2400	1500
17			2013	LT	1950	2550	2550	1450
17			2014	LT	1950	2550	2600	1450
17			2015	LT	1950	2550	2600	1450
17			2016	CTR	1800	2200	2200	1550
17			2017	CTR	1950	2600	2600	1600
17			2018	CTR	2000	2650	2650	1650
17			2019	IR	1950	2200	2250	1700
17	ALGOMA/THUNDER BAY DIST BDY	44.8	1988	T	1400	2550	2450	850
17			1989	T	1400	2550	2450	880
17			1990	LT	1400	2050	1950	1000
17			1991	LT	1450	2050	1950	1050
17			1992	LT	1450	2000	1950	1100
17			1993	LT	1500	2050	1850	1100
17			1994	LT	1550	2250	2200	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1995	LT	1650	2350	2300	1200
17			1996	LT	1600	2250	2200	1200
17			1997	IT	1650	2150	2150	1350
17			1998	IT	1650	2150	2100	1350
17			1999	IT	1700	2200	2150	1400
17			2000	IT	1700	2200	2150	1400
17			2001	IT	1750	2300	2250	1400
17			2002	IT	1750	2300	2250	1450
17			2003	IT	1750	2250	2250	1450
17			2004	IT	1850	2400	2350	1500
17			2005	CTR	1800	2250	2150	1550
17			2006	CTR	1850	2300	2200	1550
17			2007	LT	1850	2550	2600	1350
17			2008	LT	1900	2600	2500	1400
17			2009	LT	1900	2550	2500	1400
17			2010	LT	1950	2600	2550	1450
17			2011	LT	1750	2250	2300	1450
17			2012	LT	1750	2300	2200	1300
17			2013	LT	1900	2500	2500	1450
17			2014	LT	1900	2500	2500	1450
17			2015	LT	1950	2550	2600	1450
17			2016	LT	1950	2550	2600	1450
17			2017	LT	1950	2500	2500	1650
17			2018	LT	2000	2550	2550	1700
17			2019	LT	2000	2550	2550	1650
17	SEC HWY 614 (TO MANITOUWADGE)	33.2	1988	LT	2900	4100	4100	2200
17			1989	LT	3500	4850	4850	2600
17			1990	LT	2050	3000	2850	1500
17			1991	LT	2050	2850	2750	1500
17			1992	LT	2000	2800	2700	1550
17			1993	LT	2000	2750	2500	1450
17			1994	LT	2000	2950	2850	1450
17			1995	LT	2100	3000	2950	1550
17			1996	UC	2250	2400	2650	2150
17			1997	LT	2250	3150	3100	1650
17			1998	LT	2250	3150	3100	1650
17			1999	LT	2300	3200	3150	1700
17			2000	LT	2350	3250	3200	1700
17			2001	LT	2400	3350	3250	1750
17			2002	LT	2450	3400	3350	1800
17			2003	LT	2500	3450	3350	1850
17			2004	LT	2700	3800	3700	2000
17			2005	LT	2650	3650	3550	1950
17			2006	LT	2800	3850	3750	2050
17			2007	LT	2600	3550	3650	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2008	LT	2400	3300	3150	1750
17			2009	LT	2150	2900	2850	1600
17			2010	LT	2000	2700	2650	1500
17			2011	LT	2700	3450	3550	2200
17			2012	LT	2000	2600	2500	1500
17			2013	LT	2450	3200	3200	1850
17			2014	UC	2400	2400	2300	2300
17			2015	UC	2500	2500	2400	2350
17			2016	UC	2500	2500	2400	2350
17			2017	UC	2500	2500	2500	2400
17			2018	UC	2500	2500	2500	2400
17			2019	UC	2500	2450	2500	2400
17	HWY 627 TO HERON BAY PUKASKWA PARK	6.7	1988	LT	3100	4400	4350	2350
17			1989	LT	3350	4650	4600	2500
17			1990	LT	3650	5350	5100	2650
17			1991	LT	3600	5050	4850	2650
17			1992	LT	3600	5000	4850	2750
17			1993	LT	3600	5000	4450	2650
17			1994	LT	3100	4550	4400	2250
17			1995	LT	2800	4000	3900	2050
17			1996	LT	2500	3550	3450	1850
17			1997	LT	2300	3250	3150	1700
17			1998	LT	2100	2950	2900	1550
17			1999	LT	2600	3600	3550	1900
17			2000	LT	2550	3550	3500	1850
17			2001	LT	2600	3650	3550	1900
17			2002	LT	2900	4050	3950	2150
17			2003	LT	2650	3650	3550	1950
17			2004	LT	2650	3700	3600	1950
17			2005	LT	2700	3700	3600	2000
17			2006	LT	2850	3900	3800	2100
17			2007	LT	2750	3800	3900	2000
17			2008	LT	2650	3650	3450	1950
17			2009	LT	2600	3500	3450	1900
17			2010	LT	2500	3350	3300	1850
17			2011	UC	2700	2700	2800	2550
17			2012	UC	2400	2400	2550	2300
17			2013	UC	2600	2600	2600	2450
17			2014	C	2700	2950	2900	2450
17			2015	C	2600	2850	2800	2350
17			2016	C	2600	2850	2800	2350
17			2017	C	2600	2850	2850	2350
17			2018	C	2600	2850	2850	2350
17			2019	C	2600	2850	2800	2350
17	PENINSULA RD (FORMER HWY 626 TO MARATHON) (S)	75.9	1988	T	2150	3950	3750	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1989	T	2500	4500	4400	1600
17			1990	LT	1450	2100	2050	1050
17			1991	LT	1450	2050	1950	1050
17			1992	LT	1450	2000	1950	1100
17			1993	LT	1450	2000	1800	1050
17			1994	LT	1500	2200	2100	1100
17			1995	LT	1500	2150	2100	1100
17			1996	LT	1550	2200	2150	1150
17			1997	LT	1600	2250	2200	1200
17			1998	LT	1700	2400	2350	1250
17			1999	LT	1800	2500	2450	1300
17			2000	LT	1900	2650	2600	1400
17			2001	LT	1900	2650	2600	1400
17			2002	LT	2100	2950	2850	1550
17			2003	LT	2050	2800	2750	1500
17			2004	LT	2400	3350	3250	1750
17			2005	LT	2150	2950	2900	1600
17			2006	LT	2600	3550	3450	1900
17			2007	LT	2350	3250	3300	1750
17			2008	LT	2150	2950	2800	1600
17			2009	LT	2000	2700	2650	1500
17			2010	LT	1700	2300	2250	1250
17			2011	LT	2600	3350	3400	2150
17			2012	LT	1700	2200	2100	1300
17			2013	LT	2350	3050	3050	1750
17			2014	LT	1900	2500	2500	1450
17			2015	LT	2300	3000	3050	1750
17			2016	LT	2350	3050	3100	1750
17			2017	LT	2400	3050	3050	2000
17			2018	LT	2400	3050	3050	2000
17			2019	LT	2450	3100	3100	2050
17	MILL RD (N) STREY TWP	2.1	1988	CTR	5000	6500	6100	4200
17			1989	CTR	5000	6350	6050	4300
17			1990	LT	5100	7450	7150	3700
17			1991	LT	5150	7200	6950	3800
17			1992	LT	5150	7150	6950	3950
17			1993	SC	4950	5500	6050	4400
17			1994	SC	5150	5350	5900	4750
17			1995	SC	5300	5550	6150	4800
17			1996	SC	5500	5850	6450	4950
17			1997	LT	4800	6750	6600	3550
17			1998	LT	4100	5750	5600	3000
17			1999	LT	4200	5850	5700	3050
17			2000	LT	3950	5500	5400	2900
17			2001	LT	3650	5100	4950	2650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2002	LT	3400	4750	4650	2500
17			2003	LT	3500	4800	4700	2600
17			2004	LT	2450	3450	3350	1800
17			2005	LT	2600	3550	3500	1900
17			2006	LT	3600	4950	4800	2650
17			2007	LT	3600	4950	5100	2650
17			2008	LT	3350	4600	4400	2450
17			2009	LT	2800	3800	3700	2050
17			2010	LT	3350	4500	4400	2450
17			2011	LT	2100	2700	2750	1750
17			2012	LT	3350	4350	4150	2550
17			2013	LT	2350	3050	3050	1750
17			2014	LT	2350	3050	3100	1750
17			2015	LT	2100	2750	2800	1600
17			2016	LT	1950	2550	2600	1450
17			2017	LT	3400	4600	4650	2700
17			2018	LT	3400	4600	4650	2700
17			2019	LT	3400	4600	4650	2700
17	FORT GARRY RD (S)	12.4	1988	CTR	3900	5050	4750	3300
17			1989	CTR	4100	5200	4950	3550
17			1990	LT	2750	4000	3850	2000
17			1991	LT	2700	3800	3650	2000
17			1992	LT	2700	3750	3650	2100
17			1993	LT	2650	3650	3300	1950
17			1994	LT	2600	3800	3650	1900
17			1995	LT	2650	3800	3700	1950
17			1996	LT	2700	3800	3700	2000
17			1997	LT	2750	3900	3800	2050
17			1998	LT	2850	4000	3900	2100
17			1999	LT	2900	4050	3950	2100
17			2000	LT	2950	4100	4000	2150
17			2001	LT	2900	4050	3950	2100
17			2002	LT	3050	4250	4150	2250
17			2003	LT	3000	4150	4050	2200
17			2004	LT	3200	4500	4350	2350
17			2005	LT	3000	4100	4000	2200
17			2006	LT	3350	4600	4450	2450
17			2007	LT	3200	4400	4500	2350
17			2008	LT	2950	4050	3850	2200
17			2009	LT	2650	3600	3500	1950
17			2010	LT	2650	3550	3500	1950
17			2011	LT	3200	4100	4200	2650
17			2012	LT	2650	3450	3300	2000
17			2013	LT	3050	4000	4000	2300
17			2014	LT	2800	3650	3700	2100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	LT	3000	3900	4000	2250
17			2016	LT	3000	3900	4000	2250
17			2017	LT	3050	3850	3900	2550
17			2018	LT	3050	3900	3900	2550
17			2019	LT	3050	3850	3900	2550
17	ONTARIO ST (S)	2.9	1988	LT	2850	4050	4000	2150
17			1989	LT	2950	4100	4050	2200
17			1990	LT	2050	3000	2850	1500
17			1991	LT	2000	2800	2700	1500
17			1992	LT	1950	2700	2650	1500
17			1993	LT	1850	2550	2300	1350
17			1994	LT	1900	2800	2700	1400
17			1995	LT	2000	2850	2800	1450
17			1996	LT	2050	2900	2800	1500
17			1997	LT	2100	2950	2900	1550
17			1998	LT	2150	3000	2950	1550
17			1999	LT	2250	3150	3050	1650
17			2000	LT	2300	3200	3150	1700
17			2001	LT	2350	3300	3200	1700
17			2002	LT	2400	3350	3250	1750
17			2003	LT	2450	3350	3300	1800
17			2004	LT	2500	3500	3400	1850
17			2005	LT	2550	3500	3400	1850
17			2006	LT	2900	3950	3850	2150
17			2007	LT	2700	3700	3800	2000
17			2008	LT	2500	3450	3300	1850
17			2009	LT	2250	3050	2950	1650
17			2010	LT	2050	2750	2700	1500
17			2011	LT	2800	3600	3650	2300
17			2012	LT	2050	2650	2550	1550
17			2013	LT	2600	3400	3400	1950
17			2014	LT	2200	2850	2900	1650
17			2015	LT	2550	3350	3400	1950
17			2016	LT	2600	3400	3450	1950
17			2017	LT	2600	3300	3300	2150
17			2018	LT	2600	3300	3300	2200
17			2019	LT	2650	3350	3350	2200
17	MOUNTAINSIDE DRIVE (S)	18.5	1988	LT	1950	2750	2750	1500
17			1989	LT	1950	2700	2700	1450
17			1990	LT	1950	2850	2750	1400
17			1991	LT	1900	2650	2550	1400
17			1992	LT	1850	2550	2500	1400
17			1993	LT	1800	2500	2250	1300
17			1994	LT	1750	2550	2450	1250
17			1995	LT	1800	2600	2500	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1996	LT	1800	2550	2500	1300
17			1997	LT	1850	2600	2550	1350
17			1998	LT	1900	2650	2600	1400
17			1999	LT	2000	2800	2700	1450
17			2000	LT	1700	2350	2300	1250
17			2001	LT	1650	2300	2250	1200
17			2002	LT	1650	2300	2250	1200
17			2003	LT	1600	2200	2150	1200
17			2004	LT	1500	2100	2050	1100
17			2005	LT	2300	3150	3100	1700
17			2006	LT	1900	2600	2550	1400
17			2007	LT	2050	2800	2900	1500
17			2008	LT	1950	2650	2550	1450
17			2009	LT	1950	2650	2550	1450
17			2010	LT	1950	2600	2550	1450
17			2011	LT	1950	2500	2550	1600
17			2012	LT	1950	2550	2400	1500
17			2013	LT	1950	2550	2550	1450
17			2014	LT	2000	2600	2650	1500
17			2015	LT	2000	2600	2650	1500
17			2016	LT	2000	2600	2650	1500
17			2017	LT	2000	2550	2550	1650
17			2018	LT	2050	2600	2600	1700
17			2019	LT	2050	2600	2600	1700
17	ROSSPORT RD (W JCT) (S) LAHONTAN TWP (HWY 7047)	23.3	1988	LT	2150	3050	3050	1650
17			1989	LT	2400	3350	3300	1800
17			1990	LT	1450	2100	2050	1050
17			1991	LT	1500	2100	2050	1100
17			1992	LT	1500	2100	2050	1150
17			1993	LT	1500	2050	1850	1100
17			1994	LT	1500	2200	2100	1100
17			1995	LT	1500	2150	2100	1100
17			1996	LT	1500	2100	2050	1100
17			1997	LT	1650	2350	2300	1200
17			1998	LT	1750	2450	2400	1300
17			1999	LT	1900	2650	2600	1400
17			2000	LT	1600	2250	2200	1150
17			2001	LT	1600	2250	2200	1150
17			2002	LT	1600	2250	2200	1150
17			2003	LT	1650	2250	2200	1200
17			2004	LT	1350	1900	1850	990
17			2005	LT	1700	2350	2300	1250
17			2006	LT	1650	2250	2200	1200
17			2007	LT	1750	2400	2450	1300
17			2008	LT	1700	2350	2250	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2009	LT	1700	2300	2250	1250
17			2010	LT	1700	2300	2250	1250
17			2011	LT	1700	2200	2200	1400
17			2012	LT	2000	2600	2500	1500
17			2013	LT	1800	2350	2350	1350
17			2014	LT	1750	2300	2300	1300
17			2015	LT	1800	2350	2400	1350
17			2016	LT	1800	2350	2400	1350
17			2017	LT	1800	2300	2300	1500
17			2018	LT	1850	2350	2350	1550
17			2019	LT	1850	2350	2350	1550
17	MOUNTAIN BAY DR (S)	45.2	1997	LT	1700	2400	2350	1250
17			1998	LT	1750	2450	2400	1300
17			1999	LT	1800	2500	2450	1300
17			2000	LT	1850	2600	2500	1350
17			2001	LT	1900	2650	2600	1400
17			2002	LT	1950	2750	2650	1450
17			2003	LT	2000	2750	2700	1500
17			2004	LT	2050	2850	2800	1500
17			2005	LT	2100	2900	2800	1550
17			2006	LT	2100	2850	2800	1550
17			2007	LT	2200	3000	3100	1600
17			2008	LT	1850	2550	2450	1350
17			2009	LT	1650	2250	2200	1200
17			2010	LT	1650	2200	2150	1200
17			2011	LT	1950	2500	2550	1600
17			2012	LT	1950	2550	2400	1500
17			2013	LT	1950	2550	2550	1450
17			2014	UC	1950	1950	1900	1850
17			2015	UC	1950	1950	1900	1850
17			2016	UC	1950	1950	1900	1850
17			2017	UC	1950	1950	1950	1850
17			2018	UC	1950	1950	1950	1850
17			2019	UC	1950	1900	1950	1900
17	E JCT HWY 11 OVERLAPS HWY 11	178.6	9999					
17	HWY 11 (W JCT) (S)	24.9	1988	LT	2050	2900	2900	1550
17			1989	LT	2100	2900	2900	1550
17			1990	LT	2400	3500	3350	1750
17			1991	LT	2700	3800	3650	2000
17			1992	LT	3000	4150	4050	2300
17			1993	LT	3300	4550	4100	2400
17			1994	LT	3500	5150	4950	2550
17			1995	LT	3700	5300	5150	2700
17			1996	IR	3900	4850	4350	3300
17			1997	IR	3450	4300	3850	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1998	IR	3000	3700	3350	2500
17			1999	IR	3150	3900	3500	2650
17			2000	IR	3000	3700	3300	2550
17			2001	IR	2900	3600	3200	2450
17			2002	IR	2750	3400	3050	2350
17			2003	IR	2650	3200	2900	2250
17			2004	LT	2500	3500	3400	1850
17			2005	LT	2350	3200	3150	1750
17			2006	LT	2100	2850	2800	1550
17			2007	LT	2300	3150	3250	1700
17			2008	LT	2350	3200	3100	1750
17			2009	LT	2250	3050	2950	1650
17			2010	LT	2200	2950	2900	1600
17			2011	LT	1750	2250	2300	1450
17			2012	LT	1850	2400	2300	1400
17			2013	LT	1800	2350	2350	1350
17			2014	LT	2150	2800	2850	1600
17			2015	LT	1600	2100	2100	1200
17			2016	LT	1500	1950	2000	1150
17			2017	LT	2850	4000	3950	2200
17			2018	LT	2850	4000	3950	2200
17			2019	LT	2850	4000	3950	2200
17	RAITH RD (E JCT) (N) GOLDIE TWP (HWY 7071)	48.6	1988	LT	2050	2900	2900	1550
17			1989	LT	2100	2900	2900	1550
17			1990	LT	2400	3500	3350	1750
17			1991	LT	2700	3800	3650	2000
17			1992	LT	3000	4150	4050	2300
17			1993	LT	3300	4550	4100	2400
17			1994	LT	3400	5000	4800	2450
17			1995	LT	3500	5050	4900	2550
17			1996	LT	3900	5500	5350	2850
17			1997	LT	3400	4800	4700	2500
17			1998	LT	2850	4000	3900	2100
17			1999	LT	3050	4250	4150	2250
17			2000	LT	2950	4100	4000	2150
17			2001	LT	2850	4000	3900	2100
17			2002	LT	2700	3750	3700	2000
17			2003	LT	2700	3700	3650	2000
17			2004	LT	2400	3350	3250	1750
17			2005	LT	2500	3450	3350	1850
17			2006	LT	2300	3150	3050	1700
17			2007	LT	2450	3350	3450	1800
17			2008	LT	2450	3350	3200	1800
17			2009	LT	2300	3100	3050	1700
17			2010	LT	2250	3000	2950	1650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2011	LT	1900	2450	2500	1550
17			2012	LT	2200	2850	2750	1650
17			2013	LT	2000	2600	2600	1500
17			2014	LT	2150	2800	2850	1600
17			2015	LT	1800	2350	2400	1350
17			2016	LT	1700	2200	2250	1300
17			2017	LT	2900	4050	4000	2250
17			2018	LT	2900	4050	4000	2250
17			2019	LT	2900	4050	4050	2250
17	GONYOU RD TO TCPL STA 62 (S) LUPASKO RD (N)	3.0	1988	LT	2800	4000	3950	2150
17			1989	LT	2900	4050	4000	2150
17			1990	LT	2950	4300	4150	2150
17			1991	LT	3000	4200	4050	2200
17			1992	LT	3100	4300	4200	2400
17			1993	LT	3150	4350	3900	2300
17			1994	LT	3200	4700	4500	2350
17			1995	LT	3300	4750	4600	2400
17			1996	LT	3500	4950	4800	2550
17			1997	LT	3150	4450	4350	2350
17			1998	LT	2800	3900	3850	2050
17			1999	LT	3000	4150	4100	2200
17			2000	LT	2950	4100	4000	2150
17			2001	LT	2850	4000	3900	2100
17			2002	LT	2800	3900	3800	2050
17			2003	LT	2750	3800	3700	2050
17			2004	LT	2700	3800	3700	2000
17			2005	LT	2600	3550	3500	1900
17			2006	LT	2500	3400	3350	1850
17			2007	LT	2550	3500	3600	1850
17			2008	LT	2500	3450	3300	1850
17			2009	LT	2350	3150	3100	1750
17			2010	LT	2600	3500	3400	1900
17			2011	LT	2500	3200	3250	2050
17			2012	LT	2600	3400	3250	1950
17			2013	CTR	2200	2700	2750	1850
17			2014	CTR	2250	2750	2750	1900
17			2015	CTR	2200	2700	2700	1850
17			2016	CTR	2150	2600	2650	1850
17			2017	CTR	2200	2950	2900	1800
17			2018	CTR	2200	2950	2950	1800
17			2019	CTR	2200	2950	2900	1800
17	COMMUNITY HALL RD (N) UPSALA TWP	14.2	1988	LT	1800	2550	2550	1350
17			1989	LT	1850	2550	2550	1350
17			1990	LT	2200	3200	3100	1600
17			1991	LT	2450	3450	3300	1800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1992	LT	2700	3750	3650	2100
17			1993	LT	2950	4100	3650	2150
17			1994	LT	3100	4550	4400	2250
17			1995	LT	3200	4600	4450	2350
17			1996	LT	3300	4650	4550	2400
17			1997	LT	3000	4250	4150	2200
17			1998	LT	2700	3800	3700	1950
17			1999	LT	2800	3900	3800	2050
17			2000	LT	2750	3850	3750	2000
17			2001	LT	2650	3700	3600	1950
17			2002	LT	2600	3650	3550	1900
17			2003	LT	2550	3500	3450	1900
17			2004	LT	2450	3450	3350	1800
17			2005	LT	2300	3150	3100	1700
17			2006	LT	2350	3200	3150	1750
17			2007	LT	2350	3250	3300	1750
17			2008	LT	2250	3100	2950	1650
17			2009	LT	2100	2850	2750	1550
17			2010	LT	2300	3100	3050	1700
17			2011	LT	1950	2500	2550	1600
17			2012	LT	2300	3000	2850	1750
17			2013	CTR	2200	2700	2750	1850
17			2014	CTR	1950	2400	2400	1650
17			2015	CTR	1900	2300	2350	1600
17			2016	CTR	1850	2250	2300	1550
17			2017	CTR	2200	2950	2900	1800
17			2018	CTR	2200	2950	2950	1800
17			2019	CTR	2200	2950	2900	1800
17	GRAHAM RD (N) GLFP RD (S) STEDMAN TWP	45.3	1997	LT	2150	3050	2950	1600
17			1998	LT	2200	3100	3000	1600
17			1999	LT	2250	3150	3050	1650
17			2000	LT	2300	3200	3150	1700
17			2001	LT	2350	3300	3200	1700
17			2002	LT	2400	3350	3250	1750
17			2003	LT	2400	3300	3250	1750
17			2004	LT	2450	3450	3350	1800
17			2005	LT	2550	3500	3400	1850
17			2006	LT	2500	3400	3350	1850
17			2007	LT	2450	3350	3450	1800
17			2008	LT	2450	3350	3200	1800
17			2009	LT	2450	3300	3250	1800
17			2010	LT	2300	3100	3050	1700
17			2011	IR	2350	2800	2750	2000
17			2012	IR	2300	2750	2650	1950
17			2013	CTR	2200	2700	2750	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2014	CTR	2400	2950	2950	2050
17			2015	CTR	2400	2950	2950	2050
17			2016	CTR	2400	2950	2950	2050
17			2017	CTR	2400	3200	3200	1950
17			2018	CTR	2400	3200	3200	1950
17			2019	CTR	2400	3200	3200	1950
17	SOWDEN LAKE RD (N) GLFP CAMP #418 RD (S)	41.7	1988	LT	1500	2150	2100	1150
17			1989	T	1550	2800	2700	980
17			1990	T	1550	2800	2700	960
17			1991	T	1600	2900	2750	990
17			1992	T	1600	2900	2800	990
17			1993	T	1600	2900	2800	990
17			1994	T	2000	3600	3500	1250
17			1995	T	2400	4200	4050	1500
17			1996	LT	2800	3950	3850	2050
17			1997	LT	2550	3600	3500	1900
17			1998	LT	2300	3200	3150	1700
17			1999	LT	2400	3350	3250	1750
17			2000	LT	2400	3350	3250	1750
17			2001	LT	2700	3800	3700	2000
17			2002	LT	2300	3200	3150	1700
17			2003	LT	2750	3800	3700	2050
17			2004	LT	2800	3900	3800	2050
17			2005	T	3300	5150	4900	2050
17			2006	T	3100	4800	4600	1950
17			2007	LT	2900	4000	4100	2150
17			2008	LT	2700	3700	3550	2000
17			2009	LT	2550	3450	3350	1900
17			2010	LT	2300	3100	3050	1700
17			2011	LT	3050	3900	4000	2500
17			2012	LT	2300	3000	2850	1750
17			2013	CTR	2400	2900	3000	2050
17			2014	CTR	2750	3350	3400	2350
17			2015	CTR	2750	3350	3400	2350
17			2016	CTR	2800	3400	3450	2400
17			2017	CTR	2800	3750	3700	2300
17			2018	CTR	2800	3750	3700	2300
17			2019	CTR	2850	3800	3800	2300
17	SEC HWY 599 (N)	4.3	1988	LT	3750	5300	5300	2850
17			1989	LT	3900	5400	5400	2900
17			1990	LT	3900	5700	5450	2850
17			1991	LT	3850	5400	5200	2850
17			1992	LT	3850	5350	5200	2950
17			1993	LT	3800	5250	4700	2800
17			1994	LT	4000	5850	5650	2900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1995	LT	4200	6050	5850	3050
17			1996	LT	4450	6300	6150	3250
17			1997	LT	4100	5800	5650	3050
17			1998	LT	3800	5300	5200	2750
17			1999	LT	3750	5200	5100	2750
17			2000	LT	3600	5000	4900	2650
17			2001	LT	3550	4950	4850	2600
17			2002	LT	3250	4550	4400	2400
17			2003	LT	3400	4700	4600	2500
17			2004	LT	3250	4550	4400	2400
17			2005	LT	3200	4400	4300	2350
17			2006	LT	3100	4250	4150	2300
17			2007	LT	3200	4400	4500	2350
17			2008	LT	2900	3950	3800	2150
17			2009	LT	2850	3850	3750	2100
17			2010	LT	2750	3700	3600	2050
17			2011	LT	2650	3400	3450	2200
17			2012	LT	3100	4050	3850	2350
17			2013	CTR	2800	3400	3500	2400
17			2014	CTR	2550	3100	3150	2150
17			2015	CTR	2450	3000	3000	2100
17			2016	CTR	2350	2850	2900	2000
17			2017	CTR	2700	3600	3600	2200
17			2018	CTR	2700	3600	3600	2200
17			2019	CTR	2700	3600	3600	2200
17	WEST BEACH DR (S) IGNACE TWP	30.9	1988	LT	4800	6800	6750	3650
17			1989	LT	5000	6950	6900	3700
17			1990	LT	5050	7350	7050	3700
17			1991	LT	5050	7050	6800	3750
17			1992	LT	5100	7100	6900	3950
17			1993	LT	5100	7050	6300	3750
17			1994	LT	5300	7750	7500	3850
17			1995	LT	5600	8050	7800	4100
17			1996	LT	5800	8200	8000	4250
17			1997	LT	5100	7200	7050	3750
17			1998	LT	4500	6300	6150	3300
17			1999	LT	4300	6000	5850	3150
17			2000	LT	4000	5550	5450	2900
17			2001	LT	3700	5200	5050	2700
17			2002	LT	3250	4550	4400	2400
17			2003	LT	3100	4250	4150	2300
17			2004	LT	2550	3550	3450	1850
17			2005	LT	2500	3450	3350	1850
17			2006	LT	2200	3000	2950	1600
17			2007	LT	2250	3100	3150	1650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2008	LT	2150	2950	2800	1600
17			2009	LT	1900	2550	2500	1400
17			2010	LT	2250	3000	2950	1650
17			2011	LT	940	1200	1250	770
17			2012	LT	1700	2200	2100	1300
17			2013	CTR	2000	2450	2500	1700
17			2014	CTR	2000	2450	2450	1700
17			2015	CTR	2000	2450	2450	1700
17			2016	CTR	2000	2450	2450	1700
17			2017	CTR	2250	3000	3000	1850
17			2018	CTR	2250	3000	3000	1850
17			2019	CTR	2250	3000	3000	1850
17	SEC HWY 622 BENDING LAKE RD (S)	22.6	1988	LT	1700	2400	2400	1300
17			1989	LT	1750	2450	2400	1300
17			1990	LT	1800	2650	2500	1300
17			1991	LT	1700	2400	2300	1250
17			1992	LT	1600	2200	2150	1250
17			1993	LT	1600	2200	2000	1150
17			1994	LT	1700	2500	2400	1250
17			1995	LT	1800	2600	2500	1300
17			1996	LT	1900	2700	2600	1400
17			1997	LT	2000	2800	2750	1500
17			1998	LT	2150	3000	2950	1550
17			1999	LT	2200	3050	3000	1600
17			2000	LT	2250	3150	3050	1650
17			2001	LT	2250	3150	3050	1650
17			2002	LT	2350	3300	3200	1700
17			2003	LT	2400	3300	3250	1750
17			2004	LT	2500	3500	3400	1850
17			2005	LT	2500	3450	3350	1850
17			2006	LT	2500	3400	3350	1850
17			2007	LT	2700	3700	3800	2000
17			2008	LT	2650	3650	3450	1950
17			2009	LT	2450	3300	3250	1800
17			2010	LT	2650	3550	3500	1950
17			2011	IR	2600	3100	3050	2200
17			2012	IR	2450	2900	2850	2100
17			2013	CTR	2500	3050	3150	2100
17			2014	CTR	2800	3400	3450	2400
17			2015	CTR	2800	3400	3450	2400
17			2016	CTR	2850	3500	3500	2400
17			2017	CTR	2900	3900	3850	2350
17			2018	CTR	2950	3950	3900	2400
17			2019	CTR	3000	4000	4000	2450
17	SEC HWY 603 (W) SANDY PT RD BORUPS CORS (S)	21.0	1988	LT	2100	3000	2950	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1989	LT	2100	2900	2900	1550
17			1990	LT	2200	3200	3100	1600
17			1991	LT	2300	3200	3100	1700
17			1992	LT	2400	3350	3250	1850
17			1993	LT	2600	3600	3200	1900
17			1994	LT	2850	4200	4050	2050
17			1995	LT	3100	4450	4300	2250
17			1996	LT	3250	4600	4500	2400
17			1997	LT	3400	4800	4700	2500
17			1998	LT	3550	4950	4850	2600
17			1999	LT	3100	4300	4200	2250
17			2000	LT	3100	4300	4250	2250
17			2001	LT	3100	4350	4200	2250
17			2002	LT	3050	4250	4150	2250
17			2003	LT	3050	4200	4100	2250
17			2004	LT	3000	4200	4100	2200
17			2005	LT	2900	4000	3900	2150
17			2006	LT	2800	3850	3750	2050
17			2007	LT	2850	3900	4000	2100
17			2008	LT	2650	3650	3450	1950
17			2009	LT	2750	3700	3650	2050
17			2010	LT	2650	3550	3500	1950
17			2011	LT	2550	3250	3350	2100
17			2012	LT	2550	3350	3150	1950
17			2013	UC	2600	2600	2600	2450
17			2014	UC	2550	2550	2450	2400
17			2015	UC	2500	2500	2400	2350
17			2016	UC	2450	2450	2350	2300
17			2017	UC	2450	2450	2450	2350
17			2018	UC	2400	2400	2400	2300
17			2019	UC	2350	2300	2350	2250
17	HWY 72 (N)	19.1	1988	LT	3150	4450	4450	2400
17			1989	CTR	3200	4050	3850	2750
17			1990	CTR	3000	3750	3550	2600
17			1991	CTR	2750	3450	3450	2400
17			1992	CTR	2500	3100	3000	2200
17			1993	CTR	2650	3350	3200	2250
17			1994	CTR	2800	3600	3400	2350
17			1995	LT	2950	4250	4100	2150
17			1996	LT	3100	4400	4250	2300
17			1997	LT	3200	4500	4400	2350
17			1998	LT	3250	4550	4450	2350
17			1999	LT	3250	4500	4400	2350
17			2000	LT	3300	4600	4500	2400
17			2001	LT	3300	4600	4500	2400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2002	LT	3450	4800	4700	2550
17			2003	LT	3500	4800	4700	2600
17			2004	LT	3600	5050	4900	2650
17			2005	LT	3650	5000	4900	2700
17			2006	LT	3750	5150	5000	2750
17			2007	LT	3700	5100	5200	2700
17			2008	LT	3850	5300	5050	2850
17			2009	LT	3750	5050	4950	2800
17			2010	LT	3600	4850	4750	2650
17			2011	LT	3400	4350	4450	2800
17			2012	LT	3400	4450	4250	2550
17			2013	CTR	3600	4400	4550	3050
17			2014	CTR	3800	4650	4650	3250
17			2015	CTR	3850	4700	4750	3250
17			2016	CTR	3900	4750	4800	3300
17			2017	CTR	3900	5200	5200	3200
17			2018	CTR	3950	5300	5250	3200
17			2019	CTR	4000	5350	5300	3250
17	THUNDER LAKE RD	3.7	1988	LT	4500	6400	6350	3400
17			1989	CTR	4650	5900	5650	4000
17			1990	CTR	4500	5600	5300	3900
17			1991	CTR	4300	5400	5400	3750
17			1992	CTR	4100	5050	4900	3550
17			1993	CTR	4100	5150	4950	3500
17			1994	CTR	4050	5200	4950	3400
17			1995	LT	4050	5800	5650	2950
17			1996	LT	4300	6050	5900	3150
17			1997	LT	4550	6400	6300	3350
17			1998	LT	4750	6650	6500	3450
17			1999	LT	4700	6550	6400	3450
17			2000	LT	4800	6700	6550	3500
17			2001	LT	4850	6800	6600	3550
17			2002	LT	5050	7050	6900	3700
17			2003	LT	5200	7150	7000	3850
17			2004	LT	5350	7500	7300	3900
17			2005	CTR	5400	6700	6400	4600
17			2006	CTR	5550	6850	6600	4700
17			2007	CTR	5550	6850	6800	4700
17			2008	CTR	5800	7200	7050	4950
17			2009	CTR	5700	6950	6750	4850
17			2010	CTR	5550	6750	6500	4700
17			2011	CTR	5200	6350	6100	4400
17			2012	CTR	5200	6300	6250	4450
17			2013	CTR	5200	6350	6550	4400
17			2014	CTR	5800	7100	7150	4950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	CTR	5900	7200	7250	5000
17			2016	CTR	5950	7250	7300	5050
17			2017	CTR	6050	8100	8050	4950
17			2018	CTR	6100	8150	8100	4950
17			2019	CTR	6200	8250	8200	5050
17	E JCT SEC HWY 601 (S) RICE LAKE LOOP	3.3	1988	CTR	6250	8100	7600	5250
17			1989	CTR	6250	7950	7550	5400
17			1990	CTR	6100	7600	7200	5300
17			1991	CTR	5950	7500	7450	5200
17			1992	CTR	5800	7150	6900	5050
17			1993	CTR	5900	7450	7150	5000
17			1994	CTR	6000	7700	7300	5050
17			1995	R	6100	11200	8750	3300
17			1996	R	6200	11800	8900	3350
17			1997	LT	6350	8950	8750	4700
17			1998	LT	6450	9050	8850	4700
17			1999	LT	6400	8900	8700	4650
17			2000	LT	6450	9000	8800	4700
17			2001	LT	6550	9150	8900	4800
17			2002	LT	6550	9150	8900	4800
17			2003	LT	6600	9100	8900	4850
17			2004	LT	6500	9100	8850	4750
17			2005	IR	6750	8150	7400	5750
17			2006	IR	6750	8150	7400	5750
17			2007	IR	6800	8250	8200	5750
17			2008	IR	6900	8350	8200	5900
17			2009	IR	6900	8300	7500	5850
17			2010	IR	6800	8100	7400	5800
17			2011	IR	6550	7800	7650	5600
17			2012	IR	6550	7800	7600	5600
17			2013	CTR	6400	7800	8050	5450
17			2014	CTR	6850	8350	8450	5800
17			2015	CTR	6850	8350	8450	5800
17			2016	CTR	6900	8400	8500	5850
17			2017	CTR	6950	9300	9250	5650
17			2018	CTR	6950	9300	9250	5650
17			2019	CTR	7000	9350	9300	5700
17	DRYDEN E LIMITS START OF NA	4.7	9999					
17	DRYDEN W LTS END OF NA	1.5	1988	C	6550	7250	7250	5900
17			1989	C	6550	7250	7350	5900
17			1990	C	6200	6900	6900	5600
17			1991	C	6000	6600	6650	5450
17			1992	C	5700	6150	6350	5250
17			1993	C	5700	6200	6300	5250
17			1994	C	5800	6350	6450	5250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1995	LT	5950	8550	8300	4350
17			1996	LT	6300	8900	8700	4650
17			1997	LT	6650	9400	9200	4900
17			1998	LT	7050	9850	9650	5150
17			1999	LT	6600	9150	9000	4800
17			2000	LT	6750	9400	9200	4950
17			2001	LT	6800	9500	9250	5000
17			2002	LT	6950	9700	9450	5100
17			2003	LT	7050	9700	9500	5200
17			2004	LT	7000	9800	9550	5150
17			2005	IR	7200	8700	7900	6150
17			2006	IR	7400	8950	8100	6300
17			2007	IR	7000	8500	8450	5950
17			2008	IR	6650	8050	7900	5700
17			2009	IR	7100	8500	7750	6050
17			2010	CTR	6500	7900	7600	5500
17			2011	CTR	6450	7850	7550	5500
17			2012	IR	6450	7650	7450	5500
17			2013	CTR	6700	8150	8450	5700
17			2014	CTR	6950	8500	8550	5900
17			2015	CTR	7050	8600	8650	6000
17			2016	CTR	7100	8650	8750	6050
17			2017	CTR	7050	9400	9350	5750
17			2018	CTR	7100	9500	9450	5800
17			2019	CTR	7100	9450	9400	5800
17	SEC HWY 665 RICHAN RD (N)	11.2	1988	T	3800	6950	6650	2300
17			1989	IC	4000	4600	4500	3550
17			1990	IC	3900	4450	4350	3450
17			1991	IC	3750	4250	4150	3350
17			1992	LT	3600	5000	4850	2750
17			1993	LT	3700	5100	4600	2700
17			1994	LT	3800	5550	5350	2750
17			1995	LT	3900	5600	5450	2850
17			1996	LT	4000	5650	5500	2950
17			1997	LT	3850	5450	5300	2850
17			1998	LT	3600	5050	4950	2650
17			1999	LT	4150	5750	5650	3050
17			2000	LT	4250	5900	5800	3100
17			2001	LT	4600	6450	6250	3350
17			2002	LT	4400	6150	6000	3250
17			2003	LT	4500	6200	6050	3300
17			2004	LT	4600	6450	6250	3350
17			2005	LT	4700	6450	6300	3450
17			2006	CTR	4800	5950	5700	4050
17			2007	CTR	4850	6000	5950	4100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2008	CTR	4950	6150	6000	4200
17			2009	CTR	5050	6150	5950	4300
17			2010	CTR	5150	6250	6000	4350
17			2011	CTR	4950	6000	5800	4200
17			2012	CTR	4950	6000	5950	4200
17			2013	CTR	5000	6100	6300	4250
17			2014	CTR	5300	6450	6500	4500
17			2015	CTR	5400	6600	6650	4600
17			2016	CTR	5450	6650	6700	4650
17			2017	CTR	5550	7400	7400	4500
17			2018	CTR	5600	7500	7450	4550
17			2019	CTR	5700	7600	7550	4650
17	SEC HWY 605 ETON RUGBY RD (N)	12.9	1988	T	2950	5400	5150	1800
17			1989	IC	3000	3450	3400	2650
17			1990	IC	2950	3350	3300	2650
17			1991	IC	2950	3350	3250	2650
17			1992	LT	2900	4050	3900	2250
17			1993	LT	2900	4000	3600	2150
17			1994	LT	2850	4200	4050	2050
17			1995	LT	3150	4550	4400	2300
17			1996	LT	3300	4650	4550	2400
17			1997	LT	3450	4850	4750	2550
17			1998	LT	3650	5100	5000	2650
17			1999	LT	3800	5300	5150	2750
17			2000	LT	3800	5300	5200	2750
17			2001	LT	3800	5300	5150	2800
17			2002	LT	3800	5300	5150	2800
17			2003	LT	3800	5250	5100	2800
17			2004	LT	3800	5300	5150	2800
17			2005	LT	3800	5200	5100	2800
17			2006	LT	3800	5200	5050	2800
17			2007	LT	3900	5350	5500	2850
17			2008	LT	3750	5150	4900	2750
17			2009	LT	4000	5400	5300	2950
17			2010	LT	3900	5250	5150	2900
17			2011	LT	3650	4700	4750	3000
17			2012	LT	3650	4750	4550	2750
17			2013	CTR	3750	4550	4700	3200
17			2014	CTR	4000	4900	4900	3400
17			2015	CTR	4000	4900	4900	3400
17			2016	CTR	4050	4950	5000	3450
17			2017	CTR	4100	5500	5450	3350
17			2018	CTR	4100	5500	5450	3350
17			2019	CTR	4150	5550	5500	3400
17	SEC HWY 594 W JCT (S) TO EAGLE RIVER	14.3	1988	T	3700	6750	6500	2250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1989	LR	4100	6950	5350	2700
17			1990	LR	4000	7000	5550	2500
17			1991	LR	3850	6800	5350	2450
17			1992	LT	3700	5150	5000	2850
17			1993	LT	3850	5350	4750	2800
17			1994	LT	4000	5850	5650	2900
17			1995	LT	4250	6100	5950	3100
17			1996	LT	4400	6200	6050	3250
17			1997	LT	4550	6400	6300	3350
17			1998	LT	4750	6650	6500	3450
17			1999	LT	4350	6050	5900	3200
17			2000	LT	4350	6050	5950	3200
17			2001	LT	4350	6100	5900	3200
17			2002	LT	4350	6100	5900	3200
17			2003	LT	4350	6000	5850	3200
17			2004	LT	4350	6100	5900	3200
17			2005	LT	4050	5550	5400	3000
17			2006	LT	3550	4850	4750	2600
17			2007	LT	3900	5350	5500	2850
17			2008	LT	3650	5000	4800	2700
17			2009	LT	3850	5200	5100	2850
17			2010	LT	3650	4900	4800	2700
17			2011	LT	3250	4150	4250	2650
17			2012	LT	3250	4250	4050	2450
17			2013	CTR	3250	3950	4100	2750
17			2014	CTR	3350	4100	4100	2850
17			2015	CTR	3350	4100	4100	2850
17			2016	CTR	3300	4050	4050	2800
17			2017	CTR	3200	4300	4250	2600
17			2018	CTR	3150	4200	4200	2550
17			2019	CR	3300	3850	3850	2950
17	HWY 105 RED LAKE RD (N)	2.0	1988	T	3150	5750	5500	1900
17			1989	CR	3250	4150	3850	2750
17			1990	CR	3300	4100	3800	2950
17			1991	CR	3400	4200	3900	3050
17			1992	LT	3450	4800	4650	2650
17			1993	LT	3700	5100	4600	2700
17			1994	LT	3950	5800	5600	2850
17			1995	LT	4200	6050	5850	3050
17			1996	LT	4450	6300	6150	3250
17			1997	LT	4250	6000	5850	3150
17			1998	LT	4000	5600	5500	2900
17			1999	LT	3750	5200	5100	2750
17			2000	LT	3600	5000	4900	2650
17			2001	LT	3150	4400	4300	2300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2002	LT	3400	4750	4650	2500
17			2003	LT	3250	4450	4350	2400
17			2004	LT	3050	4250	4150	2250
17			2005	LT	3150	4300	4200	2300
17			2006	LT	3000	4100	4000	2200
17			2007	LT	2900	4000	4100	2150
17			2008	LT	3100	4250	4050	2300
17			2009	LT	2700	3650	3550	2000
17			2010	LT	2600	3500	3400	1900
17			2011	LT	2950	3800	3850	2450
17			2012	LT	3000	3900	3750	2250
17			2013	CTR	3150	3850	3950	2700
17			2014	CTR	2550	3100	3150	2150
17			2015	CTR	2450	3000	3000	2100
17			2016	CTR	2400	2950	2950	2050
17			2017	CTR	3250	4350	4300	2650
17			2018	CTR	3250	4350	4300	2650
17			2019	CTR	3250	4350	4300	2650
17	SEC HWY 647 (N) TO BLUE LAKE PROV PARK	72.4	1988	LT	2200	3100	3100	1650
17			1989	T	2200	4000	3850	1400
17			1990	T	2200	4000	3850	1350
17			1991	T	2100	3800	3650	1300
17			1992	LT	2000	2800	2700	1550
17			1993	LT	2000	2750	2500	1450
17			1994	LT	1950	2850	2750	1400
17			1995	LT	2150	3100	3000	1550
17			1996	LT	2350	3300	3250	1750
17			1997	LT	2800	3950	3850	2050
17			1998	LT	3250	4550	4450	2350
17			1999	LT	2900	4050	3950	2100
17			2000	LT	2950	4100	4000	2150
17			2001	LT	3000	4200	4100	2200
17			2002	LT	3100	4350	4200	2250
17			2003	LT	2900	4000	3900	2150
17			2004	LT	2750	3850	3750	2000
17			2005	LT	3050	4200	4100	2250
17			2006	LT	3000	4100	4000	2200
17			2007	LT	3050	4200	4300	2250
17			2008	LT	2900	3950	3800	2150
17			2009	LT	3100	4200	4100	2300
17			2010	LT	2950	3950	3900	2200
17			2011	LT	2800	3600	3650	2300
17			2012	LT	2800	3650	3500	2100
17			2013	CTR	3000	3650	3750	2550
17			2014	CTR	3150	3850	3850	2700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	CTR	3150	3850	3850	2700
17			2016	CTR	3200	3900	3950	2700
17			2017	CTR	3250	4350	4300	2650
17			2018	CTR	3250	4350	4300	2650
17			2019	CTR	3300	4400	4400	2700
17	HWY 71 (S) LONGBOW CORS KIRKUP TWP	4.1	1988	LT	3950	5600	5550	3000
17			1989	T	4000	7250	7000	2500
17			1990	T	3900	7100	6800	2400
17			1991	T	3900	7050	6750	2400
17			1992	LT	2900	4050	3900	2250
17			1993	LT	2750	3800	3400	2000
17			1994	LT	2750	4050	3900	2000
17			1995	LT	3250	4650	4550	2400
17			1996	LT	3750	5300	5150	2750
17			1997	LT	3750	5300	5200	2800
17			1998	LT	3750	5250	5150	2750
17			1999	LT	3700	5150	5050	2700
17			2000	LT	3800	5300	5200	2750
17			2001	LT	3900	5450	5300	2850
17			2002	LT	4000	5600	5450	2950
17			2003	LT	4100	5650	5500	3050
17			2004	LT	4000	5600	5450	2950
17			2005	LT	4150	5700	5550	3050
17			2006	IR	4400	5300	4800	3750
17			2007	IR	4050	4900	4900	3450
17			2008	IR	3900	4700	4650	3350
17			2009	IR	4050	4850	4400	3450
17			2010	IC	3600	4000	4000	3200
17			2011	IC	3200	3500	3650	2850
17			2012	IC	3200	3550	3450	2850
17			2013	CTR	3900	4750	4900	3300
17			2014	CTR	3900	4750	4800	3300
17			2015	CTR	3950	4800	4850	3350
17			2016	CTR	3950	4800	4850	3350
17			2017	CTR	3950	5300	5250	3200
17			2018	CTR	4000	5350	5300	3250
17			2019	CTR	4000	5350	5300	3250
17	E JCT HWY 17A KENORA BY PASS	0.3	1991	T	2750	5000	4750	1700
17			1992	CTR	1750	2150	2100	1500
17			1993	CTR	2500	3150	3000	2100
17			1994	CTR	2600	3350	3150	2200
17			1995	LT	2700	3900	3750	2000
17			1996	LT	2800	3950	3850	2050
17			1997	LT	2700	3800	3750	2000
17			1998	LT	2600	3650	3550	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			1999	LT	2700	3750	3650	1950
17			2000	LT	2550	3550	3500	1850
17			2001	LT	2400	3350	3250	1750
17			2002	LT	2250	3150	3050	1650
17			2003	LT	2150	2950	2900	1600
17			2004	LT	2000	2800	2700	1450
17			2005	LT	2000	2750	2700	1450
17			2006	LT	1700	2350	2250	1250
17			2007	LT	1850	2550	2600	1350
17			2008	LT	1750	2400	2300	1300
17			2009	LT	1650	2250	2200	1200
17			2010	LT	1600	2150	2100	1200
17			2011	LT	1500	1900	1950	1250
17			2012	LT	1700	2200	2100	1300
17			2013	LT	1350	1750	1750	1000
17			2014	LT	1300	1700	1750	980
17			2015	LT	1250	1650	1650	940
17			2016	LT	1150	1500	1550	870
17			2017	LT	1300	1800	1800	1000
17			2018	LT	1300	1800	1800	1000
17			2019	LT	1300	1800	1800	1000
17	LONGBOW LAKE RD (E) (HWY 7059)	4.8	1991	T	2750	5000	4750	1700
17			1992	CTR	1750	2150	2100	1500
17			1993	CTR	2500	3150	3000	2100
17			1994	CTR	2600	3350	3150	2200
17			1995	LT	2700	3900	3750	2000
17			1996	LT	2800	3950	3850	2050
17			1997	LT	2700	3800	3750	2000
17			1998	LT	2600	3650	3550	1900
17			1999	LT	3050	4250	4150	2250
17			2000	LT	2900	4050	3950	2100
17			2001	LT	2700	3800	3700	2000
17			2002	LT	2600	3650	3550	1900
17			2003	LT	2500	3450	3350	1850
17			2004	LT	2500	3500	3400	1850
17			2005	LT	2300	3150	3100	1700
17			2006	LT	2000	2750	2650	1450
17			2007	LT	1900	2600	2700	1400
17			2008	LT	1800	2450	2350	1350
17			2009	LT	1950	2650	2550	1450
17			2010	LT	1800	2400	2350	1350
17			2011	LT	1900	2450	2500	1550
17			2012	LT	1900	2500	2350	1450
17			2013	LT	1700	2200	2200	1300
17			2014	LT	1650	2150	2200	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2015	LT	1600	2100	2100	1200
17			2016	LT	1550	2000	2050	1150
17			2017	LT	1300	1800	1800	1000
17			2018	LT	1300	1800	1800	1000
17			2019	LT	1300	1800	1800	1000
17	CITY OF KENORA E LIMITS START OF NA	19.5	9999					
17	FORMER TOWN OF KEEWATIN W LTS END OF NA	3.0	1988	T	3800	6950	6650	2300
17			1989	LT	4200	5850	5800	3100
17			1990	LT	4200	6150	5900	3050
17			1991	LT	2200	3100	2950	1650
17			1992	LT	2850	3950	3850	2200
17			1993	LT	2250	3100	2800	1650
17			1994	LT	2400	3500	3400	1750
17			1995	LR	2550	4300	3450	1650
17			1996	LR	2650	4450	3550	1750
17			1997	LR	2750	4600	3700	1850
17			1998	LR	2800	4600	3700	1850
17			1999	LR	2800	4600	3700	1850
17			2000	LR	2850	4600	3700	1900
17			2001	LR	3000	4900	3900	2000
17			2002	LR	3000	4900	3900	2050
17			2003	LR	3050	4800	3900	2050
17			2004	LR	3150	5150	4100	2100
17			2005	LR	3050	4750	3850	2100
17			2006	LR	3100	4850	3900	2100
17			2007	LR	3150	4950	4750	2100
17			2008	LR	3000	4700	4550	2050
17			2009	LR	3200	4850	3950	2200
17			2010	LR	3150	4700	3850	2150
17			2011	LR	3300	5100	4800	2300
17			2012	LT	2600	3400	3250	1950
17			2013	T	2850	4150	4100	1800
17			2014	T	3200	4650	4650	2050
17			2015	T	3200	4650	4650	2050
17			2016	T	3250	4750	4700	2050
17			2017	T	3250	4450	4500	2600
17			2018	T	3300	4500	4550	2600
17			2019	T	3300	4550	4550	2600
17	SEC HWY 641 LACLU RD	1.5	1998	LR	2300	3800	3050	1500
17			1999	LR	2350	3850	3100	1550
17			2000	LR	2400	3900	3150	1600
17			2001	LR	2400	3950	3150	1600
17			2002	LR	2500	4050	3250	1700
17			2003	LR	2550	4050	3250	1700
17			2004	LR	2650	4350	3450	1750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2005	LR	2600	4050	3300	1750
17			2006	LR	2750	4300	3450	1850
17			2007	LR	2650	4150	4000	1800
17			2008	LR	2600	4050	3950	1800
17			2009	LR	2700	4100	3350	1850
17			2010	LR	2650	3950	3250	1800
17			2011	LR	2750	4250	4000	1950
17			2012	LR	2300	3450	3350	1600
17			2013	T	2850	4150	4100	1800
17			2014	T	2750	4000	4000	1750
17			2015	T	2800	4100	4050	1800
17			2016	CTR	2950	3600	3650	2500
17			2017	CTR	2850	3800	3800	2300
17			2018	CTR	2900	3850	3850	2350
17			2019	CTR	2900	3850	3850	2350
17	W JCT HWY 17A KENORA BYPASS	9.3	1988	LR	3700	6550	4650	2300
17			1989	T	3750	6800	6550	2350
17			1990	T	3600	6550	6250	2250
17			1991	T	3350	6050	5800	2100
17			1992	T	3350	6050	5900	2100
17			1993	T	3200	5800	5650	2000
17			1994	LR	3400	5600	4500	2200
17			1995	LR	3750	6300	5100	2450
17			1996	LR	3900	6550	5250	2600
17			1997	LR	4050	6800	5450	2700
17			1998	LR	4200	6950	5600	2750
17			1999	LR	4200	6900	5550	2750
17			2000	LR	4300	6950	5600	2850
17			2001	LR	4450	7300	5800	2950
17			2002	LR	4550	7400	5950	3100
17			2003	LR	4650	7350	5900	3150
17			2004	LR	4950	8100	6450	3300
17			2005	LR	4650	7250	5850	3150
17			2006	LR	5000	7800	6250	3400
17			2007	LR	4950	7750	7450	3350
17			2008	LR	4900	7650	7450	3350
17			2009	LR	4900	7450	6100	3350
17			2010	LR	4900	7350	6000	3300
17			2011	LR	3600	5550	5200	2500
17			2012	C	3950	4350	4250	3550
17			2013	T	5650	8250	8100	3600
17			2014	T	5050	7400	7300	3200
17			2015	T	5100	7450	7400	3250
17			2016	T	5150	7500	7450	3300
17			2017	T	5200	7150	7150	4150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17			2018	T	5250	7200	7250	4150
17			2019	T	5300	7250	7300	4200
17	LINDSAY RD (S) BOYS TWP	29.5	1988	LR	3100	5500	3900	1900
17			1989	LR	3200	5400	4150	2100
17			1990	LR	3200	5600	4450	2000
17			1991	LR	3200	5650	4450	2000
17			1992	LR	3300	5300	4250	2200
17			1993	LR	3300	5300	4250	2150
17			1994	LR	3700	6100	4900	2400
17			1995	LR	3700	6200	5050	2450
17			1996	LR	3700	6200	4950	2450
17			1997	LR	3800	6400	5150	2550
17			1998	LR	3900	6450	5200	2550
17			1999	LR	3950	6500	5200	2600
17			2000	LR	4000	6500	5250	2650
17			2001	LR	4100	6700	5350	2750
17			2002	LR	4150	6750	5400	2800
17			2003	LR	4200	6650	5350	2850
17			2004	LR	4300	7050	5600	2850
17			2005	LR	4250	6650	5350	2900
17			2006	LR	4200	6550	5250	2850
17			2007	LR	4300	6750	6450	2900
17			2008	LR	4200	6550	6400	2900
17			2009	LR	4250	6450	5250	2900
17			2010	LR	4350	6500	5300	2950
17			2011	LR	4450	6900	6450	3100
17			2012	LR	4500	6700	6550	3100
17			2013	LR	4550	6800	7750	3100
17			2014	LR	4600	6900	7000	3100
17			2015	LR	4650	6950	7100	3150
17			2016	LR	4650	6950	7100	3150
17			2017	LR	4700	7850	7600	3200
17			2018	LR	4750	7900	7700	3250
17			2019	LR	4800	8050	7800	3300
17	ONTARIO/MANITOBA PROV BDY HWY END		9999					
17A	HWY 17 E JCT (S)	8.0	1990	LT	650	950	910	470
17A			1991	LT	1300	1800	1750	960
17A			1992	LT	2250	3150	3050	1750
17A			1993	LT	2500	3450	3100	1850
17A			1994	LT	2700	3950	3800	1950
17A			1995	LT	2900	4150	4050	2100
17A			1996	LT	3100	4400	4250	2300
17A			1997	LT	2800	3950	3850	2050
17A			1998	LT	2450	3450	3350	1800
17A			1999	LT	2700	3750	3650	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17A			2000	LT	2650	3700	3600	1950
17A			2001	LT	2600	3650	3550	1900
17A			2002	LT	2600	3650	3550	1900
17A			2003	LT	2550	3500	3450	1900
17A			2004	LT	2650	3700	3600	1950
17A			2005	LT	2500	3450	3350	1850
17A			2006	LT	2400	3300	3200	1750
17A			2007	LT	2450	3350	3450	1800
17A			2008	LT	2400	3300	3150	1750
17A			2009	LT	2350	3150	3100	1750
17A			2010	LT	2350	3150	3100	1750
17A			2011	LT	2300	2950	3000	1900
17A			2012	LR	2650	3950	3850	1800
17A			2013	CTR	2250	2750	2850	1900
17A			2014	CTR	2250	2750	2750	1900
17A			2015	CTR	2250	2750	2750	1900
17A			2016	CTR	2550	3100	3150	2150
17A			2017	CTR	2500	3350	3300	2050
17A			2018	CTR	2500	3350	3350	2050
17A			2019	CTR	2500	3350	3300	2050
17A	SEC HWY 671 (N) TO STRECKER RD&GRASSY NARROWS	4.4	1990	LT	650	950	910	470
17A			1991	LT	2750	3850	3700	2050
17A			1992	LT	2750	3800	3700	2100
17A			1993	CTR	3000	3800	3650	2550
17A			1994	LT	3300	4850	4650	2400
17A			1995	LT	3600	5150	5000	2650
17A			1996	LT	3900	5500	5350	2850
17A			1997	LT	3400	4800	4700	2500
17A			1998	LT	2900	4050	3950	2100
17A			1999	LT	3200	4450	4350	2350
17A			2000	LT	3100	4300	4250	2250
17A			2001	LT	3100	4350	4200	2250
17A			2002	LT	2950	4100	4000	2150
17A			2003	LT	2900	4000	3900	2150
17A			2004	LT	2800	3900	3800	2050
17A			2005	LT	2750	3750	3700	2000
17A			2006	LT	2650	3650	3550	1950
17A			2007	LT	2600	3550	3650	1900
17A			2008	LT	2500	3450	3300	1850
17A			2009	LT	2550	3450	3350	1900
17A			2010	LT	2550	3400	3350	1900
17A			2011	LT	2350	3000	3050	1950
17A			2012	LR	2750	4100	4000	1900
17A			2013	CTR	2500	3050	3150	2100
17A			2014	CTR	2300	2800	2850	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17A			2015	CTR	2200	2700	2700	1850
17A			2016	CTR	2650	3250	3250	2250
17A			2017	CTR	2600	3450	3450	2100
17A			2018	CTR	2600	3450	3450	2100
17A			2019	CTR	2600	3450	3450	2100
17A	EAST MELICK RD (N) FORMER HWY 659	6.2	1989	LT	500	700	690	370
17A			1990	LT	650	950	910	470
17A			1991	LT	1650	2300	2250	1200
17A			1992	LT	1800	2500	2450	1400
17A			1993	LT	1900	2650	2350	1400
17A			1994	LT	2050	3000	2900	1500
17A			1995	LT	2100	3000	2950	1550
17A			1996	LT	2150	3050	2950	1600
17A			1997	LT	2250	3150	3100	1650
17A			1998	LT	2300	3200	3150	1700
17A			1999	LT	2350	3250	3200	1700
17A			2000	LT	2450	3400	3350	1800
17A			2001	LT	2350	3300	3200	1700
17A			2002	LT	2550	3550	3450	1850
17A			2003	LT	2650	3650	3550	1950
17A			2004	LT	2800	3900	3800	2050
17A			2005	LT	2750	3750	3700	2000
17A			2006	LT	2850	3900	3800	2100
17A			2007	LT	2750	3800	3900	2000
17A			2008	LT	2400	3300	3150	1750
17A			2009	LT	2850	3850	3750	2100
17A			2010	LT	2900	3900	3800	2150
17A			2011	LT	2950	3800	3850	2450
17A			2012	LR	2650	3950	3850	1800
17A			2013	CTR	2750	3350	3450	2350
17A			2014	CTR	3000	3650	3700	2550
17A			2015	CTR	3000	3650	3700	2550
17A			2016	CTR	3100	3800	3800	2650
17A			2017	CTR	3100	4150	4100	2550
17A			2018	CTR	3150	4200	4200	2550
17A			2019	CTR	3200	4250	4250	2600
17A	SEC HWY 658 REDDITT RD (N) TO OPP & MTO PAT	1.6	1989	LT	500	700	690	370
17A			1990	LT	850	1250	1200	620
17A			1991	LT	1700	2400	2300	1250
17A			1992	LT	2050	2850	2750	1600
17A			1993	LT	2800	3850	3450	2050
17A			1994	LT	2850	4200	4050	2050
17A			1995	LT	2900	4150	4050	2100
17A			1996	LT	2950	4150	4050	2150
17A			1997	LT	3000	4250	4150	2200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17A			1998	LT	3150	4400	4300	2300
17A			1999	LT	3050	4250	4150	2250
17A			2000	LT	3050	4250	4150	2250
17A			2001	LT	3000	4200	4100	2200
17A			2002	LT	3100	4350	4200	2250
17A			2003	LT	3150	4350	4250	2350
17A			2004	LT	3150	4400	4300	2300
17A			2005	LT	3200	4400	4300	2350
17A			2006	LT	3200	4400	4250	2350
17A			2007	LT	3250	4450	4600	2400
17A			2008	LT	3250	4450	4250	2400
17A			2009	LT	3300	4450	4350	2450
17A			2010	LT	3300	4450	4350	2450
17A			2011	LT	3350	4300	4400	2750
17A			2012	LT	3100	4050	3850	2350
17A			2013	CTR	3400	4150	4300	2900
17A			2014	CTR	3350	4100	4100	2850
17A			2015	CTR	3400	4150	4200	2900
17A			2016	CTR	3450	4200	4250	2950
17A			2017	CTR	3450	4600	4600	2800
17A			2018	CTR	3450	4600	4600	2800
17A			2019	CTR	3500	4650	4650	2850
17A	VILLENEUVE RD (N&S)	6.2	1989	LT	500	700	690	370
17A			1990	LT	750	1100	1050	550
17A			1991	LT	1700	2400	2300	1250
17A			1992	LT	2050	2850	2750	1600
17A			1993	LT	2700	3750	3350	2000
17A			1994	LT	2650	3900	3750	1950
17A			1995	LT	2650	3800	3700	1950
17A			1996	LT	2600	3650	3600	1900
17A			1997	LT	2850	4000	3950	2100
17A			1998	LT	3000	4200	4100	2200
17A			1999	LT	2850	3950	3900	2100
17A			2000	LT	2900	4050	3950	2100
17A			2001	LT	2900	4050	3950	2100
17A			2002	LT	3000	4200	4100	2200
17A			2003	LT	3050	4200	4100	2250
17A			2004	LT	3150	4400	4300	2300
17A			2005	LT	3150	4300	4200	2300
17A			2006	LT	3100	4250	4150	2300
17A			2007	LT	3200	4400	4500	2350
17A			2008	LT	3250	4450	4250	2400
17A			2009	LT	3250	4400	4300	2400
17A			2010	LT	3200	4300	4200	2350
17A			2011	LT	3350	4300	4400	2750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17A			2012	LT	2850	3700	3550	2150
17A			2013	CTR	3050	3700	3850	2600
17A			2014	CTR	3300	4050	4050	2800
17A			2015	CTR	3300	4050	4050	2800
17A			2016	CTR	3450	4200	4250	2950
17A			2017	CTR	3400	4550	4500	2750
17A			2018	CTR	3400	4550	4500	2750
17A			2019	CTR	3450	4600	4600	2800
17A	SEC HWY 596 (N) TO MINAKI DARLINGTON DR (S)	7.1	1988	LR	350	620	440	220
17A			1989	LR	450	760	580	300
17A			1990	LR	550	960	760	350
17A			1991	LR	1000	1750	1400	630
17A			1992	LR	1650	2650	2150	1100
17A			1993	LR	1750	2800	2250	1150
17A			1994	LR	1800	2950	2400	1200
17A			1995	LR	1850	3100	2500	1200
17A			1996	LR	1900	3200	2550	1250
17A			1997	LR	2050	3450	2750	1350
17A			1998	LR	2150	3550	2850	1400
17A			1999	LR	2150	3550	2850	1400
17A			2000	LR	2200	3550	2850	1450
17A			2001	HR	2250	3750	3000	1350
17A			2002	HR	2350	3900	3150	1450
17A			2003	HR	2450	3950	3200	1500
17A			2004	LT	2500	3500	3400	1850
17A			2005	LT	2550	3500	3400	1850
17A			2006	LT	2650	3650	3550	1950
17A			2007	LT	2600	3550	3650	1900
17A			2008	LT	2700	3700	3550	2000
17A			2009	LT	2650	3600	3500	1950
17A			2010	HR	2600	3900	3200	1600
17A			2011	HR	2850	4550	5000	1900
17A			2012	HR	2450	3650	3700	1500
17A			2013	CTR	2950	3600	3700	2500
17A			2014	CTR	2950	3600	3650	2500
17A			2015	CTR	3000	3650	3700	2550
17A			2016	CTR	3150	3850	3850	2700
17A			2017	IR	3250	3950	3900	2750
17A			2018	IR	3200	3900	3850	2700
17A			2019	IR	3250	3950	3950	2750
17A	W JCT HWY 17 HWY END		9999					
17B	HWY 11/17 NORTH BAY START OF NA	5.3	9999					
17B	NORTH BAY W LTS END OF NA	1.0	1988	SC	1400	1500	1650	1250
17B			1989	SC	1200	1300	1450	1050
17B			1990	SC	1300	1450	1550	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17B			1991	SC	1450	1600	1750	1300
17B			1992	C	1600	1750	1800	1450
17B			1993	C	1650	1800	1850	1500
17B			1994	C	1750	1900	1950	1600
17B			1995	C	1850	2000	2050	1700
17B			1996	C	1900	2150	2150	1700
17B			1997	C	2000	2250	2300	1800
17B			1998	C	2050	2300	2300	1850
17B			1999	C	2050	2300	2300	1850
17B			2000	C	2100	2350	2350	1900
17B			2001	C	2000	2250	2250	1800
17B			2002	C	2150	2400	2450	1950
17B			2003	C	2200	2450	2450	2000
17B			2004	C	2300	2600	2600	2050
17B			2005	C	2300	2550	2600	2050
17B			2006	C	2350	2600	2650	2100
17B			2007	C	2400	2650	2700	2150
17B			2008	C	2450	2700	2650	2200
17B			2009	C	2500	2750	2800	2250
17B			2010	C	2550	2800	2850	2300
17B			2011	C	2600	2850	2900	2350
17B			2012	C	2650	2900	2850	2400
17B			2013	CTR	2650	3250	3350	2250
17B			2014	CTR	2700	3300	3300	2300
17B			2015	IR	2750	3250	3300	2350
17B			2016	CR	2800	3300	3300	2400
17B			2017	CR	2850	3300	3300	2550
17B			2018	CR	2900	3350	3400	2600
17B			2019	CR	2950	3400	3450	2650
17B	BAR RIVER RD START OF HWY 17B	4.9	2008	UNCL	N/A			
17B			2009	UNCL	N/A			
17B			2010	UNCL	N/A			
17B			2011	UNCL	N/A			
17B			2012	CTR	2100	2550	2500	1800
17B			2013	CTR	2000	2450	2500	1700
17B			2014	CTR	2150	2600	2650	1850
17B			2015	CTR	1900	2300	2350	1600
17B			2016	CTR	2200	2700	2700	1850
17B			2017	CTR	2100	2800	2800	1700
17B			2018	CTR	2100	2800	2800	1700
17B			2019	CTR	2100	2800	2800	1700
17B	SEC HWY 638 CHURCH ST ECHO BAY (N&S)	15.9	2008	UNCL	N/A			
17B			2009	UNCL	N/A			
17B			2010	UNCL	N/A			
17B			2011	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
17B			2012	C	2650	2900	2850	2400
17B			2013	CTR	2450	3000	3100	2100
17B			2014	IC	2750	3050	3050	2450
17B			2015	CTR	2600	3150	3200	2200
17B			2016	CTR	2700	3300	3300	2300
17B			2017	CTR	2700	3600	3600	2200
17B			2018	CTR	2750	3650	3650	2250
17B			2019	CTR	2750	3650	3650	2250
17B	WEST JCT HWY 17/HWY 17B END OF HWY		9999					
19	PORT BURWELL LAKE ERIE START OF NA	31.2	9999					
19	TILLSONBURG N LTS END OF NA	8.9	1992	C	5800	6250	6450	5350
19			1993	C	5750	6250	6350	5300
19			1994	C	5700	6250	6350	5150
19			1995	C	5850	6400	6550	5350
19			1996	C	6000	6800	6850	5400
19			1997	IC	6300	7050	7100	5550
19			1998	IC	6300	7050	7050	5600
19			1999	IC	6650	7450	7450	5900
19			2000	IC	7100	7950	7950	6300
19			2001	IC	6950	7750	7800	6150
19			2002	IC	7100	7900	8000	6250
19			2003	IC	7300	8150	8200	6450
19			2004	IC	7350	8200	8250	6500
19			2005	IC	7450	8300	8350	6550
19			2006	IC	7550	8400	8450	6700
19			2007	IC	7600	8450	8700	6700
19			2008	IC	7800	8650	8350	6900
19			2009	IC	7550	8400	8450	6700
19			2010	IC	8100	8950	9050	7200
19			2011	IC	7350	8100	8400	6600
19			2012	IC	7500	8300	8050	6650
19			2013	IC	7900	8750	8700	7000
19			2014	IC	8200	9100	9050	7250
19			2015	IC	8300	9200	9150	7350
19			2016	IC	8450	9350	9300	7500
19			2017	IC	8550	9350	9450	7750
19			2018	IC	8650	9500	9550	7850
19			2019	IC	8750	9600	9650	7900
19	OXFORD RD 18 MOUNT ELGIN RD (E)/MT ELGIN RD (W)	9.9	1988	C	6300	7000	7000	5650
19			1989	C	6450	7150	7200	5800
19			1990	C	6650	7400	7400	6000
19			1991	C	6850	7550	7600	6250
19			1992	C	6900	7450	7650	6350
19			1993	C	6950	7600	7700	6400
19			1994	C	7000	7650	7800	6350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
19			1995	C	7050	7700	7900	6450
19			1996	C	7100	8050	8100	6400
19			1997	SC	7850	8300	9200	7000
19			1998	SC	8150	8650	9550	7250
19			1999	SC	8200	8700	9600	7300
19			2000	C	8600	9700	9700	7750
19			2001	C	8500	9550	9600	7650
19			2002	C	8750	9800	9850	7850
19			2003	C	9050	10100	10200	8150
19			2004	C	9250	10400	10400	8350
19			2005	C	9200	10200	10300	8250
19			2006	C	9250	10300	10400	8300
19			2007	C	8950	9950	10100	8050
19			2008	C	9550	10500	10400	8550
19			2009	C	9200	10100	10200	8300
19			2010	C	9900	10900	11000	8900
19			2011	C	8850	9750	9850	7950
19			2012	C	9000	9900	9700	8100
19			2013	CTR	9300	11300	11700	7900
19			2014	CTR	9900	12100	12200	8400
19			2015	CTR	10000	12200	12300	8500
19			2016	CTR	10100	12300	12400	8600
19			2017	CTR	10300	13800	13700	8400
19			2018	CTR	10400	13900	13800	8450
19			2019	CTR	10500	14000	13900	8550
19	0.4 KM N OF HWY 401 END OF HWY		9999					
20	FALLS RD NIAGARA FALLS START OF NA	8.8	9999					
20	NIAGARA RD 70 TOWNLINE RD	1.9	1988	CTR	6300	8200	7700	5300
20			1989	CTR	6950	8850	8400	6000
20			1990	CTR	7400	9250	8750	6450
20			1991	CTR	8100	10200	10100	7050
20			1992	CTR	8400	10300	10000	7300
20			1993	CTR	8500	10700	10300	7200
20			1994	CTR	7850	10000	9600	6600
20			1995	CTR	8400	10800	10300	7050
20			1996	CTR	8650	11100	10600	7250
20			1997	CTR	7900	10100	9700	6650
20			1998	CTR	9150	11600	11200	7700
20			1999	CTR	9400	11800	11400	7900
20			2000	CTR	9250	11700	11200	7750
20			2001	CTR	9450	11900	11400	7950
20			2002	CTR	9650	12200	11700	8150
20			2003	CTR	9850	12200	11800	8350
20			2004	CTR	10100	12700	12200	8500
20			2005	CTR	10200	12600	12100	8650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
20			2006	CTR	10500	13000	12500	8900
20			2007	CTR	10700	13300	13100	9050
20			2008	CTR	10900	13500	13200	9250
20			2009	CTR	11200	13700	13200	9500
20			2010	CTR	11400	13900	13300	9700
20			2011	CTR	11600	14100	13600	9850
20			2012	CTR	11800	14300	14100	10000
20			2013	CTR	12000	14600	15100	10200
20			2014	CTR	12200	14900	15000	10400
20			2015	CTR	12400	15100	15300	10500
20			2016	CTR	12600	15400	15500	10700
20			2017	CTR	12800	17100	17000	10400
20			2018	CTR	13000	17400	17300	10600
20			2019	CTR	13200	17600	17500	10700
20	E JCT HWY 58 START OF NA	57.5	9999					
20	QEW IC STONEY CK END OF NA HWY END		9999					
21	HWY 3 MORPETH START OF NA	90.7	9999					
21	W JCT HWY 402 LAMBTON RD 30 END OF NA	9.3	9999					
21	HWY 402 IC	10.4	1988	IR	3200	4150	3500	2550
21			1989	CR	3250	4150	3850	2750
21			1990	CR	3300	4100	3800	2950
21			1991	CR	3350	4100	3850	3000
21			1992	IR	3400	4200	3750	2900
21			1993	IR	3350	4100	3450	2750
21			1994	IR	3350	4150	3700	2800
21			1995	LT	3300	4750	4600	2400
21			1996	LT	3350	4750	4600	2450
21			1997	LR	3400	5700	4600	2300
21			1998	LR	3400	5600	4500	2250
21			1999	LR	3350	5500	4400	2200
21			2000	LR	3450	5600	4500	2300
21			2001	LR	3450	5650	4500	2300
21			2002	LR	3500	5700	4550	2350
21			2003	LR	3550	5600	4500	2400
21			2004	IR	3500	4350	3900	2950
21			2005	IR	3400	4100	3700	2900
21			2006	IR	3450	4150	3750	2950
21			2007	IR	3450	4200	4150	2900
21			2008	IR	3250	3950	3850	2800
21			2009	IR	3450	4150	3750	2950
21			2010	IC	3450	3800	3850	3050
21			2011	IC	3450	3800	3950	3100
21			2012	IC	3450	3800	3700	3050
21			2013	IC	3450	3800	3800	3050
21			2014	CTR	3450	4200	4250	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2015	CTR	3450	4200	4250	2950
21			2016	CTR	3450	4200	4250	2950
21			2017	CTR	3450	4600	4600	2800
21			2018	CTR	3450	4600	4600	2800
21			2019	CTR	3450	4600	4600	2800
21	HICKORY CK BR START OF NA	3.6	9999					
21	CULVERT SITE 14 444	8.9	1988	T	2800	5100	4900	1700
21			1989	HT	2900	5750	5250	1350
21			1990	HT	3000	6000	5400	1350
21			1991	HT	3050	6050	5450	1400
21			1992	LT	3000	4150	4050	2300
21			1993	LT	2250	3100	2800	1650
21			1994	LT	3150	4600	4450	2300
21			1995	LT	3550	5100	4950	2600
21			1996	LT	3700	5200	5100	2700
21			1997	IR	3900	4900	4350	3300
21			1998	IR	4100	5100	4600	3450
21			1999	IR	4050	5000	4500	3400
21			2000	IR	4150	5100	4600	3500
21			2001	LR	4100	6700	5350	2750
21			2002	LR	4200	6850	5450	2850
21			2003	LR	4350	6900	5550	2950
21			2004	LR	4000	6550	5200	2650
21			2005	LR	3900	6100	4900	2650
21			2006	LR	3800	5900	4750	2550
21			2007	LR	3800	5950	5700	2550
21			2008	IR	3550	4300	4200	3050
21			2009	IR	3900	4700	4250	3300
21			2010	CR	3800	4550	4400	3200
21			2011	CR	3800	4450	4500	3400
21			2012	CTR	3600	4350	4300	3050
21			2013	CTR	3600	4400	4550	3050
21			2014	CTR	3500	4250	4300	3000
21			2015	CTR	3750	4600	4600	3200
21			2016	CTR	3750	4600	4600	3200
21			2017	CTR	3750	5000	5000	3050
21			2018	CTR	3750	5000	5000	3050
21			2019	CTR	3750	5000	4950	3050
21	0.200 KM E OF IPPERWASH RD.	7.9	1988	HR	3100	6350	4600	1500
21			1989	HR	3400	6550	5100	2000
21			1990	HR	3450	6350	5050	2050
21			1991	HR	3500	6500	5250	2050
21			1992	HR	3600	6450	5100	2100
21			1993	HR	3600	6450	5150	2200
21			1994	HR	3650	6500	5250	2250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			1995	HR	3600	6400	5100	2150
21			1996	HR	3800	6650	5400	2250
21			1997	HR	3900	6900	5550	2350
21			1998	HR	4000	6800	5600	2400
21			1999	HR	4100	6950	5650	2450
21			2000	HR	4200	7000	5650	2500
21			2001	HR	4300	7150	5800	2600
21			2002	HR	4400	7350	5900	2700
21			2003	HR	4200	6750	5450	2550
21			2004	HR	4150	6900	5600	2500
21			2005	HR	4100	6500	5250	2500
21			2006	HR	4050	6400	5150	2450
21			2007	HR	4050	6400	5750	2450
21			2008	HR	4050	6450	6600	2500
21			2009	HR	4050	6150	5000	2500
21			2010	LT	4350	5850	5750	3200
21			2011	LT	4300	5500	5600	3550
21			2012	LT	3950	5150	4900	3000
21			2013	LT	3950	5150	5150	3000
21			2014	LT	4400	5750	5850	3300
21			2015	LT	4300	5600	5700	3250
21			2016	LT	4300	5600	5700	3250
21			2017	LT	4300	6000	5950	3300
21			2018	LT	4350	6100	6050	3350
21			2019	LT	4350	6100	6050	3350
21	LMBTN RD 79 NORTHVILLE RD (S) NORTHVILLE CR (N)	13.0	1988	HR	4000	8200	5950	1950
21			1989	HR	4600	8850	6900	2700
21			1990	HR	4700	8650	6850	2750
21			1991	HR	4900	9100	7350	2850
21			1992	HR	4950	8850	7050	2900
21			1993	HR	4600	8250	6600	2800
21			1994	HR	5100	9100	7350	3100
21			1995	HR	5250	9300	7450	3100
21			1996	HR	5400	9500	7650	3200
21			1997	HR	5550	9800	7900	3350
21			1998	HR	5700	9700	8000	3400
21			1999	HR	5850	9900	8050	3500
21			2000	HR	6000	10000	8100	3600
21			2001	HR	6150	10200	8250	3700
21			2002	HR	6300	10500	8450	3850
21			2003	HR	6450	10400	8350	3950
21			2004	HR	6550	10900	8800	3950
21			2005	HR	5850	9300	7500	3600
21			2006	HR	5100	8050	6500	3100
21			2007	HR	5050	7950	7200	3100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2008	HR	4900	7800	7950	3050
21			2009	HR	5000	7600	6200	3100
21			2010	HR	5100	7700	6250	3150
21			2011	HR	5400	8650	9500	3650
21			2012	HR	5400	8050	8200	3350
21			2013	HR	5400	8150	9300	3350
21			2014	HR	5350	8050	8100	3300
21			2015	HR	5350	8050	8100	3300
21			2016	HR	5300	8000	8050	3250
21			2017	HR	5300	8600	8650	3600
21			2018	HR	5300	8650	8650	3650
21			2019	HR	5250	8500	8500	3600
21	GRAND BEND S LTS L 2 3 START OF NA	2.6	9999					
21	FORMER VILLAGE OF GRAND BEND N LTS	2.6	1988	HR	4800	9850	7150	2350
21			1989	HR	5000	9600	7500	2950
21			1990	HR	5200	9550	7600	3050
21			1991	HR	5400	10000	8100	3150
21			1992	HR	5700	10200	8100	3350
21			1993	HR	5300	9500	7600	3250
21			1994	HR	5600	9950	8050	3400
21			1995	HR	5700	10100	8100	3350
21			1996	HR	5900	10400	8350	3500
21			1997	HR	6000	10600	8500	3600
21			1998	HR	6000	10200	8400	3600
21			1999	HR	6200	10500	8550	3700
21			2000	HR	6300	10500	8500	3800
21			2001	HR	6400	10700	8600	3850
21			2002	HR	6500	10800	8750	3950
21			2003	HR	6650	10700	8650	4050
21			2004	HR	6650	11100	8950	4000
21			2005	HR	6650	10500	8550	4100
21			2006	HR	6750	10600	8600	4100
21			2007	HR	6850	10800	9750	4150
21			2008	LT	6700	9200	8800	4950
21			2009	LT	7050	9500	9300	5200
21			2010	LT	7100	9550	9350	5250
21			2011	LT	7200	9200	9400	5900
21			2012	LT	7300	9500	9050	5550
21			2013	LT	7400	9650	9650	5600
21			2014	LT	7450	9750	9900	5600
21			2015	LT	7550	9850	10000	5700
21			2016	LT	7650	10000	10200	5800
21			2017	LT	7750	10900	10700	5950
21			2018	LT	7800	10900	10800	6000
21			2019	LT	7900	11100	11000	6100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21	HURON RD 83 THAMES RD (E) WATERWORKS RD (W)	9.3	1988	HR	2700	5550	4000	1300
21			1989	HR	2800	5400	4200	1650
21			1990	HR	2900	5350	4250	1700
21			1991	HR	3000	5600	4500	1750
21			1992	HR	3200	5750	4550	1900
21			1993	HR	3200	5750	4600	1950
21			1994	HR	3250	5800	4700	2000
21			1995	HR	3350	5950	4750	2000
21			1996	HR	3400	5950	4800	2000
21			1997	HR	3500	6200	4950	2100
21			1998	HR	3450	5850	4850	2050
21			1999	HR	3500	5900	4850	2100
21			2000	HR	3550	5950	4800	2150
21			2001	HR	3700	6150	4950	2250
21			2002	HR	3600	6000	4850	2200
21			2003	HR	3500	5650	4550	2150
21			2004	HR	3550	5900	4750	2150
21			2005	HR	3700	5850	4750	2250
21			2006	HR	3750	5900	4750	2300
21			2007	HR	3750	5900	5350	2300
21			2008	HR	3800	6050	6200	2350
21			2009	HR	3800	5800	4700	2350
21			2010	HR	3850	5800	4700	2350
21			2011	HR	3900	6250	6900	2650
21			2012	LT	3600	4700	4500	2750
21			2013	LT	3600	4700	4700	2700
21			2014	LT	4000	5200	5300	3000
21			2015	LT	3900	5100	5200	2950
21			2016	LT	3950	5150	5250	3000
21			2017	LT	3950	5550	5450	3050
21			2018	LT	4000	5600	5550	3100
21			2019	LT	4000	5600	5550	3100
21	HURON RD 84 ZURICH HENSALL RD (E)	16.0	1988	HR	2500	5100	3700	1200
21			1989	HR	2550	4900	3800	1500
21			1990	HR	2600	4800	3800	1550
21			1991	HR	2700	5000	4050	1550
21			1992	HR	2900	5200	4100	1700
21			1993	HR	3000	5350	4300	1850
21			1994	HR	2950	5250	4250	1800
21			1995	HR	3050	5400	4300	1800
21			1996	HR	3100	5450	4400	1850
21			1997	HR	3150	5600	4450	1900
21			1998	HR	3200	5450	4500	1900
21			1999	HR	3100	5250	4300	1850
21			2000	HR	3150	5250	4250	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2001	HR	3100	5150	4150	1900
21			2002	HR	3150	5250	4250	1900
21			2003	HR	3150	5050	4100	1950
21			2004	HR	3150	5250	4250	1900
21			2005	HR	3150	5000	4050	1950
21			2006	HR	3150	4950	4000	1900
21			2007	HR	3200	5050	4550	1950
21			2008	HR	3200	5100	5200	2000
21			2009	HR	3200	4850	3950	2000
21			2010	HR	3200	4800	3900	1950
21			2011	HR	3200	5100	5650	2150
21			2012	LT	3250	4250	4050	2450
21			2013	LT	3250	4250	4250	2450
21			2014	LT	3250	4250	4300	2450
21			2015	LT	3250	4250	4300	2450
21			2016	LT	3250	4250	4300	2450
21			2017	LT	3300	4600	4550	2550
21			2018	LT	3300	4600	4550	2550
21			2019	LT	3300	4650	4600	2550
21	HURON RD 3 MILL RD (E) CAMERON ST (W)	2.2	1988	IR	2950	3850	3250	2350
21			1989	HR	3000	5750	4500	1750
21			1990	HR	3000	5500	4400	1750
21			1991	HR	3100	5750	4650	1800
21			1992	HR	3600	6450	5100	2100
21			1993	HR	3800	6800	5450	2300
21			1994	HR	3800	6750	5450	2300
21			1995	HR	3900	6900	5550	2300
21			1996	HR	4000	7000	5650	2400
21			1997	HR	4100	7250	5800	2450
21			1998	HR	4500	7650	6300	2700
21			1999	HR	4400	7450	6050	2650
21			2000	HR	4500	7500	6100	2700
21			2001	HR	4900	8150	6600	2950
21			2002	HR	4700	7850	6300	2850
21			2003	HR	4650	7500	6050	2850
21			2004	HR	4700	7800	6300	2850
21			2005	HR	4900	7750	6300	3000
21			2006	IR	5150	6200	5650	4350
21			2007	IR	5100	6200	6150	4300
21			2008	IR	5150	6250	6100	4400
21			2009	IR	5300	6350	5800	4500
21			2010	IR	5250	6250	5700	4450
21			2011	IR	5250	6250	6150	4500
21			2012	IR	4500	5350	5200	3850
21			2013	IR	4500	5350	5750	3850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2014	IR	5300	6300	6300	4500
21			2015	IR	5350	6350	6400	4550
21			2016	IR	5400	6450	6450	4600
21			2017	IR	5450	6600	6550	4650
21			2018	IR	5500	6700	6650	4650
21			2019	IR	5600	6800	6800	4750
21	MUN. OF BLUEWATER(N LTS)	16.5	1988	CR	2450	3150	2950	2050
21			1989	IR	2500	3200	2800	2050
21			1990	IR	2550	3250	2850	2100
21			1991	IR	2600	3300	2900	2150
21			1992	IR	3050	3750	3350	2600
21			1993	IR	3250	4000	3350	2650
21			1994	IR	3300	4050	3650	2750
21			1995	IR	3500	4300	3850	3000
21			1996	IR	3550	4400	3950	3000
21			1997	CTR	3700	4750	4550	3100
21			1998	CTR	4050	5150	4950	3400
21			1999	CTR	3900	4900	4700	3300
21			2000	CTR	3950	5000	4800	3300
21			2001	CTR	4050	5100	4900	3400
21			2002	CTR	4050	5100	4900	3400
21			2003	CTR	4100	5100	4900	3500
21			2004	IR	4100	5050	4550	3450
21			2005	IR	4100	4950	4500	3500
21			2006	IR	4150	5000	4550	3500
21			2007	IR	4200	5100	5050	3550
21			2008	IR	3950	4800	4700	3400
21			2009	IR	4250	5100	4650	3600
21			2010	IR	4200	5000	4550	3550
21			2011	IR	4200	5000	4900	3600
21			2012	CTR	4200	5100	5050	3600
21			2013	CTR	4400	5350	5550	3750
21			2014	IC	5700	6300	6300	5050
21			2015	IC	4700	5200	5200	4150
21			2016	IC	4750	5250	5250	4200
21			2017	IC	4800	5250	5300	4350
21			2018	IC	4850	5350	5350	4400
21			2019	IC	4900	5400	5400	4400
21	HUCKINS ST GODERICH START OF NA	2.8	9999					
21	GLOUCESTER TERRACE END OF NA	3.6	1988	CR	6950	8900	8350	5750
21			1989	CR	7300	9350	8700	6150
21			1990	CR	7700	9550	8850	6950
21			1991	CR	8100	9950	9300	7300
21			1992	IR	7700	9450	8450	6550
21			1993	IR	7450	9150	7700	6100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			1994	IR	7850	9650	8650	6600
21			1995	LT	7750	11100	10800	5650
21			1996	LT	8150	11500	11200	6000
21			1997	LR	8300	13900	11200	5550
21			1998	LR	8100	13400	10800	5350
21			1999	LR	8750	14400	11600	5800
21			2000	LR	8650	14000	11300	5750
21			2001	CTR	8550	10800	10300	7200
21			2002	CTR	8450	10700	10200	7150
21			2003	CTR	8500	10600	10200	7200
21			2004	CTR	8400	10600	10200	7100
21			2005	CTR	8400	10400	10000	7100
21			2006	CTR	8000	9900	9500	6800
21			2007	CTR	8450	10500	10400	7150
21			2008	CTR	8400	10400	10200	7150
21			2009	CTR	8500	10400	10000	7200
21			2010	CTR	8350	10200	9750	7100
21			2011	CTR	8350	10200	9750	7100
21			2012	CTR	7750	9400	9300	6600
21			2013	CTR	8400	10200	10600	7150
21			2014	CTR	8400	10200	10300	7150
21			2015	CTR	8400	10200	10300	7150
21			2016	CTR	8400	10200	10300	7150
21			2017	CTR	8400	11200	11200	6850
21			2018	CTR	8400	11200	11200	6850
21			2019	CTR	8450	11300	11200	6900
21	HURON RD 25 SUNSET BEACH RD (E)	8.0	1988	CR	2600	3350	3100	2150
21			1989	IR	2650	3400	2950	2150
21			1990	IR	2700	3450	3000	2200
21			1991	IR	2800	3550	3100	2300
21			1992	HR	2800	5000	4000	1650
21			1993	HR	2750	4900	3950	1700
21			1994	HR	2800	5000	4050	1700
21			1995	LR	2750	4600	3750	1800
21			1996	LR	2850	4750	3800	1900
21			1997	LR	2900	4850	3900	1950
21			1998	LR	2850	4700	3800	1900
21			1999	LR	2900	4750	3850	1900
21			2000	LR	2900	4700	3800	1950
21			2001	LR	2950	4850	3850	1950
21			2002	LR	2950	4800	3850	2000
21			2003	LR	3000	4750	3800	2000
21			2004	LR	3000	4900	3900	2000
21			2005	LR	3050	4750	3850	2100
21			2006	IR	3050	3700	3350	2600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2007	IR	3100	3750	3750	2650
21			2008	IR	3100	3750	3700	2650
21			2009	IR	3100	3700	3400	2650
21			2010	IR	3150	3750	3450	2700
21			2011	IR	3150	3750	3700	2700
21			2012	CTR	3200	3900	3850	2700
21			2013	CTR	3200	3900	4000	2700
21			2014	CTR	3250	3950	4000	2750
21			2015	CTR	3250	3950	4000	2750
21			2016	CTR	3300	4050	4050	2800
21			2017	CTR	3300	4400	4400	2700
21			2018	CTR	3350	4450	4450	2750
21			2019	CTR	3350	4450	4450	2750
21	DIVISION LINE	11.6	1988	IR	2300	3000	2550	1850
21			1989	IR	2350	3050	2600	1950
21			1990	IR	2450	3100	2700	2000
21			1991	IR	2550	3200	2850	2100
21			1992	HR	2200	3950	3100	1300
21			1993	HR	2100	3750	3000	1300
21			1994	HR	2250	4000	3250	1350
21			1995	LR	2100	3550	2850	1400
21			1996	LR	2300	3850	3100	1550
21			1997	LR	2300	3850	3100	1550
21			1998	LR	2200	3650	2950	1450
21			1999	LR	2250	3700	2950	1500
21			2000	LR	2300	3750	3000	1550
21			2001	LR	2300	3750	3000	1550
21			2002	LR	2300	3750	3000	1550
21			2003	LR	2300	3650	2950	1550
21			2004	LR	2350	3850	3050	1550
21			2005	LR	2350	3650	2950	1600
21			2006	LR	2400	3750	3000	1600
21			2007	LR	2400	3750	3600	1600
21			2008	IR	2400	2900	2850	2050
21			2009	IR	2450	2950	2650	2100
21			2010	IR	2500	3000	2700	2150
21			2011	IR	2450	2900	2850	2100
21			2012	IR	2200	2600	2550	1900
21			2013	IR	2450	2900	3150	2100
21			2014	CTR	2450	3000	3000	2100
21			2015	CTR	2450	3000	3000	2100
21			2016	CTR	2500	3050	3100	2100
21			2017	CTR	2500	3350	3300	2050
21			2018	CTR	2500	3350	3350	2050
21			2019	CTR	2500	3350	3300	2050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21	HURON RD 20 BELGRAVE RD (E)	10.3	1988	HR	1700	3500	2550	830
21			1989	HR	1700	3250	2550	1000
21			1990	HR	1750	3200	2550	1050
21			1991	HR	1750	3250	2600	1000
21			1992	HR	1750	3150	2500	1050
21			1993	HR	1700	3050	2450	1050
21			1994	HR	1800	3200	2600	1100
21			1995	LR	1750	2950	2400	1150
21			1996	LR	1850	3100	2500	1250
21			1997	LR	1850	3100	2500	1250
21			1998	LR	1800	2950	2400	1200
21			1999	LR	1850	3050	2450	1200
21			2000	LR	1850	3000	2400	1250
21			2001	LR	1900	3100	2500	1250
21			2002	LR	1900	3100	2500	1300
21			2003	LR	1900	3000	2400	1300
21			2004	LR	1950	3200	2550	1300
21			2005	LR	1950	3050	2450	1350
21			2006	LR	1950	3050	2450	1300
21			2007	LR	2000	3150	3000	1350
21			2008	LR	2000	3100	3050	1350
21			2009	LR	2000	3050	2500	1350
21			2010	IR	2000	2400	2200	1700
21			2011	IR	2050	2450	2400	1750
21			2012	LT	2050	2650	2550	1550
21			2013	LT	2050	2700	2650	1550
21			2014	LT	2100	2750	2800	1600
21			2015	LT	2100	2750	2800	1600
21			2016	LT	2100	2750	2800	1600
21			2017	LT	2150	3000	3000	1650
21			2018	LT	2150	3000	3000	1650
21			2019	LT	2150	3000	3000	1650
21	CTY RD 86 AMBRLY RD (E) ASHFLD HURON TWNLNE RD	14.7	1988	IR	3250	4200	3600	2600
21			1989	IR	3400	4400	3750	2800
21			1990	IR	3550	4500	3950	2900
21			1991	IR	3700	4650	4100	3050
21			1992	IR	3700	4550	4050	3150
21			1993	IR	3700	4550	3850	3050
21			1994	IR	3750	4600	4100	3150
21			1995	HR	3800	6750	5400	2250
21			1996	HR	3900	6850	5550	2300
21			1997	LT	4000	5650	5500	2950
21			1998	LT	3850	5400	5250	2800
21			1999	LT	3950	5500	5350	2900
21			2000	LT	4000	5550	5450	2900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2001	LT	4100	5750	5600	3000
21			2002	LT	4050	5650	5500	2950
21			2003	LT	4100	5650	5500	3050
21			2004	LT	4050	5650	5500	2950
21			2005	LT	4100	5600	5500	3000
21			2006	LT	4150	5700	5550	3050
21			2007	LT	4150	5700	5850	3050
21			2008	LT	4100	5600	5350	3000
21			2009	LT	4200	5650	5550	3100
21			2010	LT	4250	5700	5600	3150
21			2011	LT	4250	5450	5550	3500
21			2012	LT	4300	5600	5350	3250
21			2013	LT	4300	5600	5600	3250
21			2014	LT	4350	5700	5800	3300
21			2015	LT	4350	5700	5800	3300
21			2016	LT	4400	5750	5850	3300
21			2017	LT	4400	5600	5600	3700
21			2018	LT	4450	5650	5650	3750
21			2019	LT	4450	5650	5650	3700
21	KINCARDINE AVE (W)/SOUTH LINE (E)	2.1	1988	CTR	3650	4750	4450	3050
21			1989	CR	3950	5050	4700	3300
21			1990	CR	4200	5200	4850	3800
21			1991	CR	4400	5400	5050	3950
21			1992	IR	4800	5900	5300	4100
21			1993	IR	4800	5900	4950	3950
21			1994	IR	4750	5850	5200	4000
21			1995	CTR	4950	6350	6100	4150
21			1996	CTR	4950	6350	6100	4150
21			1997	CTR	4950	6350	6100	4150
21			1998	CTR	4950	6300	6050	4150
21			1999	CTR	5400	6800	6550	4550
21			2000	CTR	5550	7000	6700	4650
21			2001	CTR	5700	7200	6900	4800
21			2002	CTR	5900	7450	7150	5000
21			2003	CTR	6050	7500	7250	5150
21			2004	CTR	6200	7850	7500	5250
21			2005	CTR	6350	7850	7550	5400
21			2006	CR	6650	8050	7750	5600
21			2007	CR	6700	8100	8100	5650
21			2008	CR	6850	8300	8200	5750
21			2009	CR	7000	8400	8100	5950
21			2010	CR	7150	8550	8250	6050
21			2011	CR	7300	8500	8600	6500
21			2012	CR	7500	9000	8850	6350
21			2013	CR	7650	9150	9400	6450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2014	CTR	7800	9500	9600	6650
21			2015	CTR	7950	9700	9800	6750
21			2016	CTR	8100	9900	9950	6900
21			2017	CTR	8250	11000	11000	6700
21			2018	CTR	8450	11300	11200	6900
21			2019	CTR	8600	11500	11400	7000
21	HWY 9 (E)/BROADWAY ST (W) KINCARDINE	0.9	1988	CTR	3400	4400	4150	2850
21			1989	CTR	3700	4700	4500	3200
21			1990	CTR	4050	5050	4800	3500
21			1991	CTR	4200	5300	5250	3650
21			1992	CTR	4600	5650	5450	4000
21			1993	CTR	4650	5850	5650	3950
21			1994	CTR	4450	5700	5450	3750
21			1995	CTR	4650	5950	5700	3900
21			1996	CTR	4650	5950	5700	3900
21			1997	CTR	4700	6000	5800	3950
21			1998	CTR	4850	6150	5900	4050
21			1999	CTR	4900	6150	5950	4100
21			2000	CTR	5000	6300	6050	4200
21			2001	CTR	5100	6450	6150	4300
21			2002	CTR	5200	6550	6300	4400
21			2003	CTR	5250	6500	6250	4450
21			2004	CTR	5350	6750	6450	4500
21			2005	CTR	5600	6950	6650	4750
21			2006	CR	5550	6750	6450	4700
21			2007	CR	5800	7000	7000	4900
21			2008	IC	6300	7000	6750	5550
21			2009	IC	6050	6700	6800	5400
21			2010	IC	6150	6800	6850	5450
21			2011	IC	6250	6850	7150	5600
21			2012	IC	6350	7050	6800	5650
21			2013	IC	6450	7150	7100	5700
21			2014	CTR	6600	8050	8100	5600
21			2015	CTR	6700	8150	8250	5700
21			2016	CTR	6800	8300	8350	5800
21			2017	CTR	6900	9200	9150	5600
21			2018	CTR	7000	9350	9300	5700
21			2019	CTR	7100	9450	9400	5800
21	SUTTON ST	16.1	1988	CTR	3400	4400	4150	2850
21			1989	CR	3550	4550	4200	3000
21			1990	CR	3700	4600	4250	3350
21			1991	CR	3850	4750	4450	3450
21			1992	CTR	4000	4900	4750	3500
21			1993	CTR	4000	5050	4850	3400
21			1994	CTR	3850	4950	4700	3250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			1995	CTR	3800	4900	4650	3200
21			1996	CTR	4000	5100	4900	3350
21			1997	LT	4050	5700	5600	3000
21			1998	LT	3850	5400	5250	2800
21			1999	LT	4000	5550	5450	2900
21			2000	LT	4050	5650	5500	2950
21			2001	LT	4050	5650	5500	2950
21			2002	LT	4100	5750	5600	3000
21			2003	LT	4100	5650	5500	3050
21			2004	LT	4150	5800	5650	3050
21			2005	LT	4450	6100	5950	3250
21			2006	LT	4200	5750	5600	3100
21			2007	LT	4600	6300	6500	3400
21			2008	C	5250	5800	5700	4700
21			2009	C	4750	5200	5250	4300
21			2010	C	4950	5450	5500	4450
21			2011	C	4900	5400	5450	4400
21			2012	C	4950	5450	5350	4450
21			2013	C	5000	5500	5450	4500
21			2014	CTR	5100	6200	6250	4350
21			2015	CTR	5150	6300	6350	4400
21			2016	CTR	5250	6400	6450	4450
21			2017	CTR	5300	7100	7050	4300
21			2018	CTR	5350	7150	7100	4350
21			2019	CTR	5450	7250	7250	4450
21	15.4 KM N OF KINCARDINE N LTS	11.7	1988	CTR	3600	4700	4400	3000
21			1989	CR	3650	4650	4350	3050
21			1990	CR	3300	4100	3800	2950
21			1991	CR	4200	5150	4850	3800
21			1992	CTR	4600	5650	5450	4000
21			1993	CTR	4600	5800	5550	3900
21			1994	CTR	4450	5700	5450	3750
21			1995	CTR	4600	5900	5650	3850
21			1996	CTR	4700	6000	5800	3950
21			1997	CR	4850	6000	5700	4100
21			1998	CR	4900	6050	5750	4150
21			1999	CR	4800	5900	5600	4100
21			2000	CR	4850	5950	5650	4100
21			2001	CR	4750	5850	5550	4000
21			2002	CR	4950	6100	5800	4150
21			2003	CR	5000	6100	5850	4250
21			2004	CR	5000	6150	5850	4200
21			2005	CR	5350	6500	6250	4500
21			2006	CR	5700	6900	6650	4800
21			2007	CR	6000	7250	7250	5050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2008	CR	6350	7700	7600	5350
21			2009	CR	5950	7150	6900	5050
21			2010	CR	6050	7250	7000	5100
21			2011	CR	6050	7050	7150	5400
21			2012	CR	6050	7250	7150	5100
21			2013	CR	6050	7250	7450	5100
21			2014	IC	6450	7150	7100	5700
21			2015	IC	6450	7150	7100	5700
21			2016	IC	6550	7250	7200	5800
21			2017	IC	6650	7300	7350	6050
21			2018	IC	6750	7450	7450	6100
21			2019	IC	6850	7500	7550	6200
21	BRUCE SAUGEEN TOWNLINE	6.1	1988	CTR	4450	5800	5450	3750
21			1989	CR	4650	5950	5550	3900
21			1990	CR	4900	6100	5650	4400
21			1991	CR	5100	6250	5850	4600
21			1992	CTR	5100	6250	6050	4450
21			1993	CTR	5000	6300	6050	4250
21			1994	CTR	5000	6400	6100	4200
21			1995	CTR	4950	6350	6100	4150
21			1996	CTR	5200	6650	6400	4350
21			1997	CTR	5300	6800	6500	4450
21			1998	CTR	5050	6400	6150	4250
21			1999	CTR	4600	5800	5550	3850
21			2000	CTR	4800	6050	5800	4050
21			2001	CTR	5100	6450	6150	4300
21			2002	CTR	5150	6500	6250	4350
21			2003	CTR	5100	6350	6100	4300
21			2004	CR	5300	6500	6200	4500
21			2005	CR	5600	6800	6550	4700
21			2006	CR	6100	7400	7100	5150
21			2007	CR	5750	6950	6950	4850
21			2008	IC	6100	6750	6550	5400
21			2009	IC	5850	6500	6550	5200
21			2010	IC	5950	6600	6650	5300
21			2011	IC	6000	6600	6850	5400
21			2012	IC	6000	6650	6450	5300
21			2013	IC	6150	6800	6750	5450
21			2014	IC	6200	6850	6850	5500
21			2015	IC	6300	6950	6950	5600
21			2016	IC	6350	7050	7000	5650
21			2017	IC	6400	7000	7050	5800
21			2018	IC	6500	7150	7200	5900
21			2019	IR	6550	7400	7500	5700
21	FORMER TWN OF PORT ELGIN C/L 4/3 START OF NA	4.2	9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21	SAUGEEN CON 10	2.1	1988	CTR	7250	9400	8850	6100
21			1989	LT	7650	10600	10600	5650
21			1990	LT	8100	11800	11300	5900
21			1991	LT	8400	11800	11300	6200
21			1992	LT	7600	10600	10300	5850
21			1993	LT	7600	10500	9400	5550
21			1994	LT	8100	11900	11400	5900
21			1995	LT	8000	11500	11200	5850
21			1996	LT	8450	11900	11600	6200
21			1997	LT	8600	12100	11900	6350
21			1998	LT	8500	11900	11600	6200
21			1999	LT	8750	12200	11900	6400
21			2000	LT	8900	12400	12100	6500
21			2001	LT	9050	12700	12300	6650
21			2002	LT	9200	12900	12500	6750
21			2003	LT	9500	13100	12800	7000
21			2004	LT	9550	13400	13000	7000
21			2005	LT	9650	13200	12900	7100
21			2006	LT	9750	13300	13000	7200
21			2007	LT	9950	13700	14000	7300
21			2008	LT	10100	13800	13200	7450
21			2009	LT	10300	13900	13600	7600
21			2010	LT	10400	14000	13700	7700
21			2011	LT	10600	13600	13800	8700
21			2012	LT	10700	14000	13300	8100
21			2013	LT	10700	14000	14000	8100
21			2014	LT	9750	12700	12900	7350
21			2015	LT	10900	14200	14500	8250
21			2016	LT	11000	14400	14600	8300
21			2017	LT	11200	14200	14200	9350
21			2018	LT	11300	14400	14400	9500
21			2019	T	11400	15600	15700	9050
21	BRUCE RD 3 (E)	0.6	1988	LT	7350	10400	10400	5600
21			1989	LT	7400	10300	10200	5500
21			1990	LT	7550	11000	10600	5500
21			1991	LT	7700	10800	10400	5700
21			1992	LT	7400	10300	10000	5700
21			1993	LT	7400	10200	9200	5450
21			1994	LT	7550	11100	10700	5500
21			1995	LR	7550	12700	10300	4950
21			1996	LR	7750	13000	10400	5150
21			1997	LT	7750	10900	10700	5750
21			1998	LT	7550	10600	10300	5500
21			1999	LT	7750	10800	10500	5650
21			2000	LT	7800	10900	10600	5700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2001	LT	7750	10800	10600	5700
21			2002	LT	7850	11000	10700	5750
21			2003	LT	7900	10900	10600	5850
21			2004	LT	8100	11300	11000	5950
21			2005	LT	8000	11000	10700	5900
21			2006	LT	8250	11300	11000	6100
21			2007	LT	8300	11400	11700	6100
21			2008	LT	8150	11200	10700	6000
21			2009	LT	8450	11400	11200	6250
21			2010	LT	9050	12200	11900	6700
21			2011	LT	8600	11000	11200	7050
21			2012	LT	8400	11000	10400	6350
21			2013	LT	8650	11300	11300	6550
21			2014	LT	8800	11500	11700	6650
21			2015	LT	8800	11500	11700	6650
21			2016	LT	8850	11600	11800	6700
21			2017	LT	8950	11400	11400	7500
21			2018	LT	9000	11500	11500	7550
21			2019	LT	9050	11500	11500	7550
21	SOUTH ST SOUTHAMPTON START OF NA	5.3	9999					
21	CRAIG ST END OF NA	15.2	1988	CTR	3700	4800	4500	3100
21			1989	CTR	3750	4750	4550	3200
21			1990	CTR	3800	4750	4500	3300
21			1991	CTR	3900	4900	4900	3400
21			1992	LT	3700	5150	5000	2850
21			1993	LT	3700	5100	4600	2700
21			1994	LT	3850	5650	5450	2800
21			1995	CTR	3900	5000	4800	3250
21			1996	CTR	3900	5000	4800	3250
21			1997	CTR	3950	5050	4850	3300
21			1998	CTR	3950	5000	4800	3300
21			1999	CTR	4000	5050	4850	3350
21			2000	CTR	4050	5100	4900	3400
21			2001	CTR	4050	5100	4900	3400
21			2002	CTR	4100	5150	4950	3450
21			2003	CTR	4100	5100	4900	3500
21			2004	CTR	4150	5250	5000	3500
21			2005	CTR	4200	5200	5000	3550
21			2006	CTR	4200	5200	5000	3550
21			2007	CTR	4250	5250	5200	3600
21			2008	CTR	4250	5250	5150	3600
21			2009	CTR	4300	5250	5050	3650
21			2010	CTR	4300	5250	5050	3650
21			2011	CTR	4350	5300	5100	3700
21			2012	CTR	4000	4850	4800	3400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			2013	CTR	4000	4850	5050	3400
21			2014	CTR	4100	5000	5050	3500
21			2015	CTR	4250	5200	5250	3600
21			2016	CTR	4300	5250	5300	3650
21			2017	CTR	4300	5750	5700	3500
21			2018	CTR	4300	5750	5700	3500
21			2019	CTR	4350	5800	5750	3550
21	BRUCE RD 10 W JCT (TO CHESLEY)	3.0	1988	IT	4150	6000	5500	3050
21			1989	IT	4250	5900	5700	3300
21			1990	IT	4350	5500	5400	3650
21			1991	IT	4450	5800	5450	3850
21			1992	IT	4600	6000	5700	3900
21			1993	IT	4600	5650	5700	3900
21			1994	IT	4400	5700	5450	3750
21			1995	CTR	4300	5500	5300	3600
21			1996	CTR	4300	5500	5300	3600
21			1997	CR	4300	5350	5050	3650
21			1998	CR	4150	5100	4850	3550
21			1999	CR	3800	4650	4450	3250
21			2000	CR	3900	4800	4550	3300
21			2001	CR	4050	5000	4750	3400
21			2002	CR	4100	5050	4800	3450
21			2003	CR	4150	5050	4850	3500
21			2004	CR	4250	5250	5000	3600
21			2005	CR	4200	5100	4900	3550
21			2006	CR	4300	5200	5000	3650
21			2007	CR	4300	5200	5200	3600
21			2008	CR	4550	5500	5450	3850
21			2009	CR	4350	5200	5050	3700
21			2010	IC	4550	5050	5100	4050
21			2011	IC	4550	5000	5200	4100
21			2012	IC	4550	5050	4900	4050
21			2013	IC	4550	5050	5000	4050
21			2014	CTR	4400	5350	5400	3750
21			2015	CTR	4500	5500	5550	3800
21			2016	CTR	4500	5500	5550	3800
21			2017	CTR	4550	6100	6050	3700
21			2018	CTR	4550	6100	6050	3700
21			2019	CTR	4600	6150	6100	3750
21	BRUCE RD 10 E JCT/GREY BRUCE LINE (S)	11.1	1988	C	4800	5350	5350	4300
21			1989	IC	4900	5650	5550	4350
21			1990	IC	5000	5700	5600	4450
21			1991	IC	4900	5550	5450	4350
21			1992	CTR	4700	5800	5600	4100
21			1993	CTR	4700	5900	5700	4000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
21			1994	CTR	4950	6350	6050	4150
21			1995	CTR	4950	6350	6100	4150
21			1996	CTR	5050	6450	6200	4250
21			1997	CTR	5100	6550	6250	4300
21			1998	CTR	5150	6550	6300	4350
21			1999	CTR	5200	6550	6300	4350
21			2000	CTR	5250	6600	6350	4400
21			2001	IT	5300	6900	6750	4300
21			2002	IT	5350	6950	6800	4400
21			2003	IT	5350	6800	6800	4400
21			2004	IC	5450	6100	6100	4800
21			2005	IC	5400	6000	6050	4750
21			2006	IC	5450	6050	6100	4850
21			2007	IC	5500	6100	6300	4850
21			2008	IC	5450	6050	5850	4800
21			2009	IC	5550	6150	6200	4950
21			2010	IC	5600	6200	6250	4950
21			2011	IC	5650	6200	6450	5050
21			2012	IC	5400	6000	5800	4800
21			2013	IC	5650	6250	6200	5000
21			2014	CTR	5750	7000	7050	4900
21			2015	CTR	5750	7000	7050	4900
21			2016	CTR	5800	7100	7150	4950
21			2017	CTR	5800	7750	7700	4750
21			2018	CTR	5850	7800	7800	4750
21			2019	CTR	5900	7850	7850	4800
21	HWY 6 GREY RD 18 POTTAWATTAMINA BR OVERLAP HWY 6 (13720)	2.7	9999					
21	ALPHA ST 9TH AVE START OF NA	2.7	9999					
21	E JCT HWY 6/10/26 END OF NA HWY END		9999					
23	HWY 7	26.4	1988	C	2300	2550	2550	2050
23			1989	IR	2350	3050	2600	1950
23			1990	IR	2450	3100	2700	2000
23			1991	IR	2550	3200	2850	2100
23			1992	IR	2700	3300	2950	2300
23			1993	IR	2800	3450	2900	2300
23			1994	IR	2700	3350	2950	2250
23			1995	IR	2850	3500	3150	2450
23			1996	IR	2850	3550	3200	2450
23			1997	IR	2950	3700	3300	2500
23			1998	IR	3100	3850	3450	2600
23			1999	IR	3150	3900	3500	2650
23			2000	IR	3250	4000	3600	2750
23			2001	IR	3100	3850	3450	2600
23			2002	IR	3050	3750	3400	2600
23			2003	IR	3100	3750	3400	2650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			2004	CR	3100	3800	3650	2600
23			2005	CR	3150	3800	3650	2650
23			2006	CR	3100	3750	3600	2600
23			2007	CR	3200	3850	3850	2700
23			2008	CR	3150	3800	3800	2650
23			2009	CR	3250	3900	3750	2750
23			2010	CR	3250	3900	3750	2750
23			2011	CR	3300	3850	3900	2950
23			2012	IC	3300	3650	3550	2950
23			2013	IC	3350	3700	3700	2950
23			2014	IC	3350	3700	3700	2950
23			2015	IC	3400	3750	3750	3000
23			2016	IC	3400	3750	3750	3000
23			2017	IC	3450	3800	3800	3150
23			2018	IC	3450	3800	3800	3100
23			2019	IR	3500	4100	4100	3150
23	PERTH COUNTY LINE 20	9.6	1988	C	2350	2600	2600	2100
23			1989	IR	2400	3100	2650	1950
23			1990	IR	2450	3100	2700	2000
23			1991	IR	2500	3150	2800	2100
23			1992	IR	2750	3400	3050	2350
23			1993	IR	2800	3450	2900	2300
23			1994	IR	2800	3450	3100	2350
23			1995	IR	2850	3500	3150	2450
23			1996	IR	2950	3650	3300	2500
23			1997	IR	3050	3800	3400	2600
23			1998	IR	3150	3900	3550	2650
23			1999	IR	3150	3900	3500	2650
23			2000	IR	3250	4000	3600	2750
23			2001	IR	3400	4200	3750	2850
23			2002	IR	3350	4150	3700	2850
23			2003	IR	3500	4250	3850	2950
23			2004	IR	3400	4200	3750	2850
23			2005	IR	3400	4100	3700	2900
23			2006	IR	3650	4400	4000	3100
23			2007	IR	3550	4300	4300	3000
23			2008	IR	3200	3900	3800	2750
23			2009	IR	3600	4300	3900	3050
23			2010	IR	3650	4350	3950	3100
23			2011	IR	3650	4350	4250	3100
23			2012	CR	3350	4000	3950	2850
23			2013	CR	3350	4000	4100	2850
23			2014	CR	3250	3850	3800	2750
23			2015	CR	3650	4300	4300	3100
23			2016	CR	3650	4300	4300	3100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			2017	CR	3700	4300	4300	3350
23			2018	CR	3700	4300	4350	3300
23			2019	CR	3750	4350	4400	3350
23	MITCHELL S LTS START OF NA	2.4	9999					
23	FORMER TOWN OF MITCHELL N LTS END OF NA	7.2	1988	IC	3150	3650	3550	2750
23			1989	IR	3200	4150	3550	2600
23			1990	IR	3250	4150	3600	2650
23			1991	IR	3300	4150	3650	2750
23			1992	IR	3500	4300	3850	3000
23			1993	IR	3650	4500	3750	3000
23			1994	IR	3650	4500	4000	3050
23			1995	IR	4000	4950	4400	3400
23			1996	IR	4200	5200	4700	3600
23			1997	IR	4350	5450	4850	3700
23			1998	IR	4550	5650	5100	3800
23			1999	IR	4250	5250	4700	3550
23			2000	IR	4250	5200	4700	3600
23			2001	CR	4250	5250	5000	3600
23			2002	CR	4300	5300	5050	3600
23			2003	CR	4700	5700	5500	4000
23			2004	CR	4250	5250	5000	3600
23			2005	CR	4250	5150	4950	3600
23			2006	CR	4250	5150	4950	3600
23			2007	CR	4350	5250	5250	3650
23			2008	CR	4050	4900	4850	3400
23			2009	CR	4400	5300	5100	3750
23			2010	IR	4400	5250	4800	3750
23			2011	IR	4400	5250	5150	3750
23			2012	IC	4100	4550	4400	3650
23			2013	IC	4100	4550	4500	3650
23			2014	IC	4450	4950	4900	3950
23			2015	IC	4350	4800	4800	3850
23			2016	IC	4350	4800	4800	3850
23			2017	IC	4400	4800	4850	4000
23			2018	IC	4400	4850	4850	4000
23			2019	IR	4400	5350	5350	3750
23	WEST PERTH LINE 44	17.8	1988	IC	2500	2900	2800	2200
23			1989	IR	2550	3300	2850	2100
23			1990	IR	2600	3300	2900	2150
23			1991	IR	2650	3350	2950	2200
23			1992	IR	2700	3300	2950	2300
23			1993	IR	2750	3400	2850	2250
23			1994	IR	2700	3350	2950	2250
23			1995	IR	2950	3650	3250	2500
23			1996	IR	3100	3850	3450	2650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			1997	CR	3350	4150	3950	2850
23			1998	CR	3400	4200	4000	2900
23			1999	CR	3250	4000	3800	2750
23			2000	CR	3300	4050	3850	2800
23			2001	IR	3400	4200	3750	2850
23			2002	IR	3350	4150	3700	2850
23			2003	IR	3250	3950	3600	2750
23			2004	CR	3250	4000	3800	2750
23			2005	CR	3350	4050	3900	2800
23			2006	CR	3400	4100	3950	2850
23			2007	CR	3400	4100	4100	2850
23			2008	CR	3250	3950	3900	2750
23			2009	CR	3450	4150	4000	2950
23			2010	CR	3500	4200	4050	2950
23			2011	CR	3500	4100	4150	3100
23			2012	IC	3250	3600	3500	2900
23			2013	IC	3300	3650	3650	2950
23			2014	CTR	3600	4400	4450	3050
23			2015	CTR	3650	4450	4500	3100
23			2016	CTR	3550	4350	4350	3000
23			2017	CTR	3550	4750	4700	2900
23			2018	CTR	3600	4800	4800	2950
23			2019	IR	3500	4350	4300	3000
23	PERTH LINE 72	8.2	1988	IC	4050	4700	4600	3550
23			1989	IC	4200	4850	4750	3750
23			1990	IC	4250	4850	4750	3800
23			1991	IC	4300	4850	4750	3850
23			1992	IC	4200	4650	4600	3800
23			1993	IC	4400	4950	4950	3900
23			1994	IC	4650	5200	5200	4150
23			1995	IR	4700	5800	5200	4000
23			1996	IR	4850	6000	5400	4150
23			1997	IR	4950	6200	5550	4200
23			1998	IR	5200	6450	5800	4350
23			1999	IR	5100	6300	5650	4300
23			2000	IR	5200	6350	5750	4400
23			2001	IR	5500	6800	6100	4650
23			2002	IR	5400	6650	6000	4600
23			2003	IR	5500	6700	6050	4650
23			2004	IC	5400	6050	6050	4800
23			2005	IC	5650	6300	6350	5000
23			2006	IC	5750	6400	6450	5100
23			2007	IC	5850	6500	6700	5150
23			2008	IC	5950	6600	6400	5250
23			2009	IC	6000	6650	6700	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			2010	IC	6100	6750	6800	5400
23			2011	IC	6100	6700	6950	5450
23			2012	C	5700	6300	6150	5150
23			2013	C	5700	6300	6200	5150
23			2014	UC	6250	6250	6000	5950
23			2015	UC	6350	6350	6100	6050
23			2016	UC	6350	6350	6100	6050
23			2017	UC	6450	6400	6450	6200
23			2018	UC	6500	6450	6550	6250
23			2019	UC	6600	6500	6600	6350
23	NORTH PERTH LINE 84	2.0	1988	IC	4600	5350	5200	4050
23			1989	IC	4600	5300	5200	4100
23			1990	IC	4650	5300	5200	4150
23			1991	IC	4700	5300	5200	4200
23			1992	IC	4600	5100	5050	4200
23			1993	IC	4900	5550	5500	4350
23			1994	IC	5400	6050	6050	4800
23			1995	C	5950	6500	6650	5450
23			1996	C	6200	7050	7050	5600
23			1997	SC	7850	8300	9200	7000
23			1998	SC	8000	8500	9350	7100
23			1999	SC	8600	9100	10100	7650
23			2000	SC	8650	9150	10100	7600
23			2001	IC	8800	9850	9900	7800
23			2002	IC	8800	9800	9900	7750
23			2003	IC	9450	10500	10600	8350
23			2004	IC	8800	9850	9900	7800
23			2005	IC	8100	9000	9100	7150
23			2006	IC	7450	8300	8350	6600
23			2007	IC	6850	7600	7850	6050
23			2008	IC	5850	6500	6250	5150
23			2009	IC	5850	6500	6550	5200
23			2010	IC	6000	6650	6700	5300
23			2011	IC	7300	8050	8350	6550
23			2012	IC	6000	6650	6450	5300
23			2013	IC	6000	6650	6600	5300
23			2014	IC	6000	6650	6600	5300
23			2015	IC	6600	7300	7250	5850
23			2016	IC	6500	7200	7150	5750
23			2017	IC	6450	7050	7100	5850
23			2018	IC	6400	7050	7100	5800
23			2019	IR	6350	7700	7700	5400
23	PERTH RD 86 W JCT START OF NA	2.4	9999					
23	FORMER TOWN OF LISTOWEL N LTS END OF NA	4.1	1988	C	5750	6400	6400	5200
23			1989	C	5950	6600	6650	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			1990	C	6200	6900	6900	5600
23			1991	C	6400	7050	7100	5800
23			1992	C	6550	7050	7250	6050
23			1993	C	6600	7200	7300	6050
23			1994	C	6650	7300	7400	6000
23			1995	IC	6750	7550	7600	6050
23			1996	IC	6950	7800	7850	6200
23			1997	IC	7100	7950	8000	6250
23			1998	IC	6950	7800	7800	6200
23			1999	IC	7200	8050	8050	6400
23			2000	IC	7300	8200	8200	6500
23			2001	IC	7400	8300	8300	6550
23			2002	IC	7500	8350	8450	6600
23			2003	IC	7700	8600	8650	6800
23			2004	IC	7700	8600	8650	6800
23			2005	IC	7800	8650	8750	6900
23			2006	IC	7900	8800	8850	7000
23			2007	IC	8000	8900	9150	7050
23			2008	IC	8100	8950	8700	7150
23			2009	IC	8200	9100	9200	7300
23			2010	IC	8150	9000	9100	7250
23			2011	IC	8150	8950	9300	7300
23			2012	IC	7700	8550	8250	6850
23			2013	IC	7700	8500	8500	6850
23			2014	CTR	7700	9400	9450	6550
23			2015	CTR	7800	9500	9600	6650
23			2016	CTR	7900	9650	9700	6700
23			2017	CTR	8250	11000	11000	6700
23			2018	CTR	8300	11100	11000	6750
23			2019	CTR	8350	11100	11100	6800
23	NORTH PERTH LINE 88 (E) PERTH CTY LINE 88 (W)	7.9	1988	IC	4100	4750	4650	3600
23			1989	IC	4300	4950	4850	3850
23			1990	IC	4350	4950	4850	3850
23			1991	IC	4400	4950	4900	3900
23			1992	IR	4600	5650	5050	3900
23			1993	IR	4700	5800	4850	3850
23			1994	IR	4750	5850	5200	4000
23			1995	IR	4850	5950	5350	4150
23			1996	IR	5000	6200	5600	4250
23			1997	IR	5100	6400	5700	4350
23			1998	IR	5100	6300	5700	4300
23			1999	IR	5250	6500	5850	4400
23			2000	IR	5300	6500	5850	4500
23			2001	IR	5450	6750	6050	4600
23			2002	IR	5500	6800	6100	4700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			2003	IR	5750	7000	6350	4900
23			2004	IC	5750	6450	6450	5100
23			2005	IC	5450	6050	6100	4800
23			2006	IC	5750	6400	6450	5100
23			2007	IC	5850	6500	6700	5150
23			2008	IC	5900	6550	6300	5200
23			2009	IC	6000	6650	6700	5350
23			2010	IC	5950	6600	6650	5300
23			2011	IC	5950	6550	6800	5350
23			2012	IC	5700	6300	6100	5050
23			2013	IC	5700	6300	6250	5050
23			2014	IC	6350	7050	7000	5650
23			2015	IC	5700	6300	6300	5050
23			2016	IC	6200	6850	6850	5500
23			2017	IC	6250	6850	6900	5650
23			2018	IC	6300	6950	6950	5700
23			2019	IR	6350	7700	7700	5400
23	WELLINGTON 123/PERTH 93	8.1	1988	IC	4100	4750	4650	3600
23			1989	IC	4300	4950	4850	3850
23			1990	IC	4350	4950	4850	3850
23			1991	IC	4400	4950	4900	3900
23			1992	IR	4600	5650	5050	3900
23			1993	IR	4700	5800	4850	3850
23			1994	IR	4750	5850	5200	4000
23			1995	IR	4850	5950	5350	4150
23			1996	IR	5000	6200	5600	4250
23			1997	IR	5100	6400	5700	4350
23			1998	IR	5100	6300	5700	4300
23			1999	IR	5250	6500	5850	4400
23			2000	IR	5350	6550	5950	4500
23			2001	IR	5450	6750	6050	4600
23			2002	IR	5550	6850	6150	4700
23			2003	IR	6350	7700	7000	5400
23			2004	IC	5750	6450	6450	5100
23			2005	IC	5400	6000	6050	4750
23			2006	IC	4950	5500	5550	4400
23			2007	IC	4900	5450	5600	4350
23			2008	IR	4850	5850	5750	4150
23			2009	IR	4800	5750	5250	4100
23			2010	IC	2950	3250	3300	2600
23			2011	IC	2950	3250	3350	2650
23			2012	CR	3050	3650	3600	2600
23			2013	CR	3050	3650	3750	2600
23			2014	CTR	3350	4100	4100	2850
23			2015	CTR	3550	4350	4350	3000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
23			2016	CTR	3450	4200	4250	2950
23			2017	CTR	3300	4400	4400	2700
23			2018	CTR	3200	4250	4250	2600
23			2019	IR	3100	3750	3750	2650
23	W JCT WELLINGTON RD 87	1.0	1988	IC	4100	4750	4650	3600
23			1989	IC	4300	4950	4850	3850
23			1990	IC	4350	4950	4850	3850
23			1991	IC	4400	4950	4900	3900
23			1992	IR	4600	5650	5050	3900
23			1993	IR	4700	5800	4850	3850
23			1994	IR	4750	5850	5200	4000
23			1995	IR	4850	5950	5350	4150
23			1996	IR	5000	6200	5600	4250
23			1997	IR	5100	6400	5700	4350
23			1998	IR	5100	6300	5700	4300
23			1999	IR	5050	6250	5600	4250
23			2000	IR	5050	6200	5600	4250
23			2001	IR	5150	6350	5700	4350
23			2002	IR	5050	6250	5600	4300
23			2003	IR	5700	6900	6250	4850
23			2004	IC	5400	6050	6050	4800
23			2005	IC	4650	5150	5200	4100
23			2006	IR	4750	5750	5200	4050
23			2007	IR	4500	5450	5450	3800
23			2008	IR	3350	4050	4000	2850
23			2009	IR	4550	5450	4950	3850
23			2010	IR	4550	5400	4950	3850
23			2011	IR	4450	5300	5200	3800
23			2012	CR	4400	5250	5200	3700
23			2013	CR	4400	5250	5400	3700
23			2014	CTR	4300	5250	5300	3650
23			2015	CTR	4250	5200	5250	3600
23			2016	CTR	4250	5200	5250	3600
23			2017	CTR	4200	5600	5600	3400
23			2018	CTR	4150	5550	5500	3400
23			2019	CTR	4100	5450	5450	3350
23	FORMER TOWN OF HARRISTON W LTS START OF NA	0.6	9999					
23	END OF NA HWY 9 & E JCT WELLINGTON RD 87 END OF HWY		9999					
24	HWY 59 NORFOLK RD 60 (W) START OF NA	34.6	9999					
24	FORMER TOWN OF SIMCOE N LTS END OF NA	1.3	1988	C	7600	8450	8450	6850
24			1989	C	7900	8750	8850	7100
24			1990	C	8350	9250	9250	7500
24			1991	C	8450	9300	9400	7700
24			1992	C	8600	9300	9550	7900
24			1993	C	8800	9600	9750	8100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24			1994	C	8600	9400	9600	7800
24			1995	C	9050	9900	10100	8300
24			1996	C	9250	10500	10500	8350
24			1997	IC	9600	10800	10800	8450
24			1998	IC	9700	10900	10900	8650
24			1999	IC	9850	11000	11000	8750
24			2000	IC	10100	11300	11300	9000
24			2001	IC	10200	11400	11500	9000
24			2002	IC	10400	11600	11700	9150
24			2003	IC	10500	11700	11800	9300
24			2004	IC	11200	12500	12600	9900
24			2005	IC	11000	12200	12300	9700
24			2006	IC	10800	12000	12100	9550
24			2007	IC	10400	11600	11900	9200
24			2008	IC	10600	11700	11400	9350
24			2009	IC	10600	11800	11900	9450
24			2010	IC	10600	11700	11800	9400
24			2011	IC	9000	9900	10300	8050
24			2012	IC	9200	10200	9900	8150
24			2013	UC	9950	10000	10000	9450
24			2014	UC	10500	10500	10100	9950
24			2015	UC	10600	10600	10200	10100
24			2016	UC	10700	10700	10300	10200
24			2017	UC	10700	10600	10700	10300
24			2018	UC	10700	10600	10800	10300
24			2019	UC	10800	10600	10800	10400
24	OLD HWY 24	6.0	1988	C	5400	6000	6000	4850
24			1989	C	5600	6200	6250	5050
24			1990	C	5600	6200	6200	5050
24			1991	C	5400	5950	6000	4900
24			1992	C	5500	5950	6100	5050
24			1993	C	5650	6150	6250	5200
24			1994	CTR	5950	7600	7250	5000
24			1995	CTR	6100	7850	7500	5100
24			1996	CTR	6200	7950	7650	5200
24			1997	CTR	6400	8200	7850	5400
24			1998	CTR	6450	8200	7850	5400
24			1999	CTR	6650	8400	8050	5600
24			2000	IC	6850	7650	7650	6100
24			2001	IC	6950	7750	7800	6150
24			2002	IC	7100	7900	8000	6250
24			2003	IC	7250	8100	8150	6400
24			2004	IC	7400	8300	8300	6550
24			2005	IC	7550	8400	8500	6650
24			2006	IC	7650	8500	8600	6800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24			2007	IC	7850	8700	9000	6950
24			2008	IC	7600	8400	8150	6700
24			2009	IC	7550	8400	8450	6700
24			2010	IC	7550	8350	8450	6700
24			2011	IC	6800	7500	7750	6100
24			2012	IC	6850	7600	7350	6100
24			2013	UC	7200	7200	7250	6850
24			2014	UC	7750	7750	7450	7350
24			2015	UC	7950	8000	7650	7550
24			2016	UC	7900	7950	7600	7500
24			2017	UC	7950	7900	7950	7600
24			2018	UC	8050	8000	8100	7750
24			2019	UC	8100	8000	8100	7800
24	WINDHAM CNTR RD N JCT NORFOLK RD 9	9.6	1988	C	3600	4000	4000	3250
24			1989	C	3700	4100	4150	3350
24			1990	C	4000	4450	4450	3600
24			1991	C	4000	4400	4450	3650
24			1992	C	3900	4200	4350	3600
24			1993	C	4000	4350	4450	3700
24			1994	CTR	4700	6000	5750	3950
24			1995	CTR	4800	6150	5900	4050
24			1996	CTR	4950	6350	6100	4150
24			1997	IR	5100	6400	5700	4350
24			1998	IR	5300	6550	5950	4450
24			1999	IR	6050	7500	6700	5100
24			2000	IC	6050	6800	6800	5400
24			2001	IC	6200	6950	6950	5500
24			2002	IC	6300	7000	7100	5550
24			2003	IR	6550	7950	7200	5550
24			2004	IR	6500	8050	7200	5500
24			2005	IR	6550	7900	7200	5600
24			2006	IR	6650	8000	7250	5650
24			2007	IC	6800	7550	7800	6000
24			2008	IC	6700	7400	7200	5900
24			2009	IC	6700	7450	7500	5950
24			2010	IC	6700	7400	7500	5950
24			2011	IC	5700	6250	6500	5100
24			2012	IC	5800	6450	6250	5150
24			2013	IC	6050	6700	6650	5350
24			2014	IC	6250	6900	6900	5550
24			2015	IC	6450	7150	7100	5700
24			2016	IC	6500	7200	7150	5750
24			2017	IC	6800	7450	7500	6150
24			2018	IC	6900	7600	7650	6250
24			2019	IC	6950	7650	7650	6250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24	BURFORD DELHI TOWNLINE RD	12.6	1988	IC	3700	4300	4200	3250
24			1989	IC	3800	4350	4300	3400
24			1990	IC	3900	4450	4350	3450
24			1991	IC	4100	4650	4550	3650
24			1992	IC	4300	4750	4750	3900
24			1993	IC	4500	5100	5050	4000
24			1994	CTR	4450	5700	5450	3750
24			1995	CTR	4550	5850	5600	3800
24			1996	CTR	4650	5950	5700	3900
24			1997	CTR	4700	6000	5800	3950
24			1998	CTR	4850	6150	5900	4050
24			1999	CTR	5150	6500	6250	4350
24			2000	CTR	5000	6300	6050	4200
24			2001	CTR	5400	6800	6550	4550
24			2002	CTR	5550	7000	6700	4700
24			2003	CTR	5700	7100	6800	4850
24			2004	CTR	5850	7400	7100	4950
24			2005	CTR	6200	7700	7350	5250
24			2006	CTR	6300	7800	7500	5350
24			2007	CTR	6350	7850	7800	5400
24			2008	CTR	6500	8050	7900	5500
24			2009	IC	6650	7400	7450	5900
24			2010	IC	6650	7350	7400	5900
24			2011	IC	5600	6150	6400	5000
24			2012	IC	6800	7550	7300	6050
24			2013	IC	6900	7650	7600	6100
24			2014	IC	6800	7550	7500	6050
24			2015	IC	6700	7400	7400	5950
24			2016	IC	6800	7550	7500	6050
24			2017	IC	7250	7950	8000	6600
24			2018	IC	7350	8100	8150	6650
24			2019	IC	7450	8200	8250	6750
24	BRANT RD 53 COLBORNE STREET WEST	4.8	1988	IC	5200	6050	5900	4600
24			1989	IC	5400	6200	6100	4800
24			1990	IC	5600	6400	6250	5000
24			1991	C	5650	6200	6250	5150
24			1992	C	5850	6300	6500	5400
24			1993	C	6050	6600	6700	5550
24			1994	UC	6450	6850	7350	6000
24			1995	UC	6500	6850	7450	6050
24			1996	UC	6700	7100	7850	6350
24			1997	SC	6800	7200	7950	6050
24			1998	SC	7050	7450	8250	6250
24			1999	SC	7600	8050	8900	6750
24			2000	IC	8200	9200	9200	7300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24			2001	IC	8150	9100	9150	7200
24			2002	IC	8450	9400	9500	7450
24			2003	IC	8700	9700	9800	7700
24			2004	IC	9000	10100	10100	7950
24			2005	IC	9250	10300	10400	8150
24			2006	IC	9500	10600	10700	8400
24			2007	IC	9800	10900	11200	8650
24			2008	IC	9950	11000	10700	8750
24			2009	IC	10200	11300	11400	9100
24			2010	IC	10400	11500	11600	9200
24			2011	IC	10800	11900	12300	9700
24			2012	IC	11100	12300	11900	9850
24			2013	UC	11400	11400	11500	10800
24			2014	UC	11600	11600	11200	11000
24			2015	UC	11900	11900	11400	11300
24			2016	UC	12200	12200	11700	11600
24			2017	UC	12400	12300	12400	11900
24			2018	UC	12700	12600	12800	12200
24			2019	UC	13000	12800	13000	12500
24	HWY 403 IC (BRANTFORD BYPASS) W JCT	9.0	9999					
24	E JCT HWY 403 (BRANTFORD BYPASS) START OF NA	2.2	9999					
24	BRANT RD 23 POWER LINE RD	2.1	1988	IC	9350	10800	10600	8250
24			1989	IC	9600	11000	10800	8550
24			1990	IC	9900	11300	11100	8800
24			1991	IC	11200	12700	12400	9950
24			1992	IC	11200	12400	12300	10200
24			1993	IC	11300	12800	12700	10100
24			1994	CTR	10900	14000	13300	9150
24			1995	CTR	12400	15900	15300	10400
24			1996	CTR	12900	16500	15900	10800
24			1997	CTR	13400	17200	16500	11300
24			1998	CTR	13900	17700	17000	11700
24			1999	CTR	12100	15200	14600	10200
24			2000	CTR	12500	15800	15100	10500
24			2001	CTR	12900	16300	15600	10900
24			2002	CTR	13300	16800	16100	11200
24			2003	CTR	13700	17000	16400	11600
24			2004	CTR	14500	18300	17500	12200
24			2005	IC	14500	16100	16300	12800
24			2006	IC	14500	16100	16300	12800
24			2007	IC	14500	16100	16600	12800
24			2008	IC	14800	16400	15900	13100
24			2009	IC	15000	16600	16800	13400
24			2010	IC	15000	16600	16700	13300
24			2011	IC	13800	15200	15700	12400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24			2012	IC	13800	15300	14800	12200
24			2013	UC	14300	14300	14400	13600
24			2014	UC	14300	14300	13800	13600
24			2015	C	14300	15700	15300	12900
24			2016	C	14400	15800	15400	13000
24			2017	C	15100	16500	16500	13700
24			2018	C	15200	16700	16600	13700
24			2019	C	15300	16700	16600	13800
24	S JCT BRANT RD 5/99 GOVERNORS RD	3.8	1988	IC	9000	10400	10200	7900
24			1989	IC	9500	10900	10700	8450
24			1990	IC	9800	11200	11000	8700
24			1991	C	10600	11700	11800	9650
24			1992	C	10800	11700	12000	9950
24			1993	C	11100	12100	12300	10200
24			1994	C	11400	12500	12700	10300
24			1995	C	12100	13200	13600	11100
24			1996	C	12500	14200	14200	11300
24			1997	IC	13000	14600	14700	11400
24			1998	IC	13500	15100	15100	12000
24			1999	IC	13800	15500	15500	12300
24			2000	IC	13200	14800	14800	11700
24			2001	IC	13400	15000	15100	11800
24			2002	IC	13700	15300	15400	12100
24			2003	IC	13900	15500	15600	12300
24			2004	IC	14100	15800	15800	12500
24			2005	IC	14400	16000	16200	12700
24			2006	IC	14600	16200	16400	12900
24			2007	IC	14900	16600	17100	13200
24			2008	IC	15100	16700	16200	13300
24			2009	IC	15400	17100	17200	13700
24			2010	IC	15400	17000	17200	13700
24			2011	IC	15800	17400	18000	14200
24			2012	IC	15600	17300	16800	13800
24			2013	UC	15700	15800	15800	14900
24			2014	UC	16200	16300	15600	15400
24			2015	UC	16600	16700	16000	15800
24			2016	UC	16700	16800	16100	15800
24			2017	UC	16900	16800	17000	16200
24			2018	UC	17100	17000	17200	16400
24			2019	UC	17300	17000	17300	16700
24	N JCT BRANT RD 5/35 HOWELL'S CORNERS	6.6	1988	C	7900	8750	8750	7100
24			1989	C	8100	9000	9050	7300
24			1990	C	8500	9450	9450	7650
24			1991	C	8150	8950	9050	7400
24			1992	C	8300	8950	9200	7650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24			1993	C	8400	9150	9300	7750
24			1994	UC	8500	9000	9700	7900
24			1995	UC	9050	9550	10300	8450
24			1996	UC	9350	9900	10900	8900
24			1997	UC	9600	10100	11200	9000
24			1998	UC	9850	10400	11500	9350
24			1999	UC	10700	11300	12500	10200
24			2000	UC	11100	11800	13100	10400
24			2001	UC	11300	12100	13300	10600
24			2002	UC	12200	13000	14400	11400
24			2003	UC	12100	12800	14200	11400
24			2004	UC	12200	13100	14400	11500
24			2005	UC	12600	13300	14700	11800
24			2006	UC	12800	13500	15000	12000
24			2007	UC	13100	13900	15200	12300
24			2008	UC	13300	14000	13200	12400
24			2009	C	13600	15000	15100	12200
24			2010	C	13600	15000	15100	12200
24			2011	C	13600	15000	15100	12200
24			2012	C	13600	15000	14700	12200
24			2013	UC	13800	13800	13900	13100
24			2014	UC	13900	13900	13400	13200
24			2015	UC	14000	14000	13500	13300
24			2016	UC	14100	14100	13600	13400
24			2017	UC	15100	15000	15100	14500
24			2018	UC	15400	15300	15500	14800
24			2019	UC	15600	15400	15600	15000
24	BRANT RD 144 WATERLOO RD 44 LOCKIE RD (E)	4.8	1988	C	10300	11400	11400	9250
24			1989	C	10600	11800	11900	9550
24			1990	C	11300	12500	12500	10200
24			1991	C	10100	11100	11200	9200
24			1992	C	10300	11100	11400	9500
24			1993	C	10500	11400	11600	9650
24			1994	UC	10500	11100	12000	9750
24			1995	UC	11500	12100	13100	10700
24			1996	UC	11900	12600	13900	11300
24			1997	IC	12200	13700	13800	10700
24			1998	IC	12500	14000	14000	11100
24			1999	IC	12700	14200	14200	11300
24			2000	IC	13300	14900	14900	11800
24			2001	IC	13400	15000	15100	11800
24			2002	IC	14100	15700	15800	12400
24			2003	IC	14100	15700	15900	12500
24			2004	IC	14200	15900	16000	12600
24			2005	IC	14500	16100	16300	12800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
24			2006	IC	14700	16300	16500	13000
24			2007	IC	14900	16600	17100	13200
24			2008	IC	15000	16600	16100	13200
24			2009	IC	15300	17000	17100	13600
24			2010	IC	15300	16900	17100	13600
24			2011	IC	14400	15800	16400	12900
24			2012	IC	14400	16000	15500	12800
24			2013	UC	14600	14600	14700	13900
24			2014	UC	15800	15900	15200	15000
24			2015	UC	15800	15900	15200	15000
24			2016	UC	16000	16100	15400	15200
24			2017	UC	16400	16300	16500	15700
24			2018	UC	16600	16500	16700	15900
24			2019	UC	16800	16600	16800	16200
24	HWY END		9999					
26	HWY 11 & S JCT HWY 27 START OF NA	3.7	9999					
26	BARRIE TO SIMCOE GREY	3.5	1988	CR	13400	17200	16100	11100
26			1989	CR	14700	18800	17500	12300
26			1990	IC	16000	18200	17900	14200
26			1991	IC	16600	18800	18400	14800
26			1992	IC	16900	18800	18600	15400
26			1993	IC	17400	19700	19500	15500
26			1994	IC	17500	19600	19600	15600
26			1995	IC	18100	20300	20400	16200
26			1996	CR	18100	22400	21200	15500
26			1997	CR	18200	22600	21500	15500
26			1998	CR	18500	22800	21600	15700
26			1999	CR	18800	23100	22000	16000
26			2000	CR	19000	23400	22200	16200
26			2001	CR	19200	23600	22500	16200
26			2002	CR	19400	23800	22800	16300
26			2003	CR	19600	23900	22900	16600
26			2004	CR	19900	24500	23300	16800
26			2005	CR	12900	15700	15000	10900
26			2006	CR	20300	24600	23600	17100
26			2007	CR	20500	24800	24800	17300
26			2008	CR	20800	25200	25000	17500
26			2009	CR	21000	25200	24400	17800
26			2010	CR	21200	25400	24500	17900
26			2011	CR	20900	24300	24600	18600
26			2012	CR	20800	24900	24500	17600
26			2013	CR	21000	25200	25800	17800
26			2014	CTR	20900	25500	25700	17800
26			2015	CTR	21300	26000	26200	18100
26			2016	CTR	21500	26200	26400	18300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26			2017	CTR	21600	28900	28700	17600
26			2018	CTR	21800	29100	29000	17800
26			2019	CTR	22000	29300	29200	17900
26	SIMCOE RD 27 (N) SPENCE AVE (S)	11.6	1988	CR	4700	6000	5650	3900
26			1989	CR	4800	6150	5700	4050
26			1990	IC	4900	5600	5500	4350
26			1991	IC	5000	5650	5550	4450
26			1992	IC	5100	5650	5600	4650
26			1993	IC	5500	6200	6150	4900
26			1994	IC	5400	6050	6050	4800
26			1995	IC	5500	6150	6200	4950
26			1996	IC	5600	6300	6300	5000
26			1997	IC	5650	6350	6400	4950
26			1998	IC	5700	6400	6400	5050
26			1999	IC	5750	6450	6450	5100
26			2000	IC	6200	6950	6950	5500
26			2001	IC	6350	7100	7150	5600
26			2002	IC	6500	7250	7300	5750
26			2003	IC	6650	7400	7500	5900
26			2004	IC	6800	7600	7650	6000
26			2005	IC	6950	7750	7800	6150
26			2006	IC	7300	8100	8200	6450
26			2007	IC	7150	7950	8200	6300
26			2008	IC	7300	8100	7850	6450
26			2009	IC	7400	8200	8300	6600
26			2010	IC	7250	8000	8100	6450
26			2011	IC	7700	8450	8800	6900
26			2012	C	6750	7450	7300	6100
26			2013	C	7750	8550	8450	7000
26			2014	CTR	7850	9600	9650	6650
26			2015	CTR	8000	9750	9850	6800
26			2016	CTR	8100	9900	9950	6900
26			2017	CTR	8250	11000	11000	6700
26			2018	CTR	8350	11200	11100	6800
26			2019	CTR	8500	11300	11300	6900
26	SIMCOE RD 22 HORSESHOE VALLEY RD	13.2	1988	CR	5100	6550	6100	4250
26			1989	CR	5200	6650	6200	4350
26			1990	IR	5300	6750	5900	4350
26			1991	IR	5400	6800	6000	4500
26			1992	IR	5500	6750	6050	4700
26			1993	IR	5800	7150	6000	4750
26			1994	IR	5900	7250	6500	4950
26			1995	IR	6100	7500	6700	5200
26			1996	IR	6300	7850	7050	5350
26			1997	IR	6450	8050	7200	5500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26			1998	IR	6600	8200	7400	5550
26			1999	IR	6600	8200	7350	5550
26			2000	IR	7400	9050	8200	6250
26			2001	IR	7700	9500	8550	6500
26			2002	IR	8400	10400	9300	7150
26			2003	IR	8250	10000	9100	7000
26			2004	IR	8550	10600	9450	7250
26			2005	IR	8650	10400	9500	7350
26			2006	IR	9100	11000	9950	7750
26			2007	IR	9150	11100	11100	7750
26			2008	IR	9400	11400	11200	8050
26			2009	IC	9200	10200	10300	8200
26			2010	IC	9900	11000	11000	8800
26			2011	IC	10200	11200	11600	9150
26			2012	IC	10400	11500	11200	9250
26			2013	C	10700	11800	11600	9650
26			2014	C	10900	12000	11700	9800
26			2015	C	11200	12300	12000	10100
26			2016	C	11500	12700	12300	10400
26			2017	C	11700	12800	12800	10600
26			2018	C	12000	13200	13100	10800
26			2019	C	12200	13300	13300	11000
26	SIMCOE RD 10 SUNNIDALE CORS	4.1	1988	CR	7500	9600	9000	6200
26			1989	CR	7950	10200	9450	6700
26			1990	CR	8400	10400	9650	7550
26			1991	CR	8650	10600	9950	7800
26			1992	CR	8800	10800	10000	7900
26			1993	IR	9050	11100	9350	7400
26			1994	IR	8900	11000	9800	7450
26			1995	IR	9150	11300	10100	7800
26			1996	CR	9400	11600	11000	8050
26			1997	IR	9600	12000	10800	8150
26			1998	IR	9850	12200	11000	8250
26			1999	CR	8600	10600	10100	7300
26			2000	CR	8900	10900	10400	7550
26			2001	CR	9150	11300	10700	7750
26			2002	IR	10500	12900	11600	8950
26			2003	IR	10700	13000	11800	9100
26			2004	IR	10900	13500	12100	9200
26			2005	CR	10500	12700	12200	8850
26			2006	IR	11100	13400	12100	9450
26			2007	IR	11200	13600	13500	9500
26			2008	IR	11400	13800	13600	9750
26			2009	IR	11600	13900	12600	9850
26			2010	IR	11800	14000	12900	10000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26			2011	IR	11900	14200	13900	10200
26			2012	IR	12100	14400	14000	10300
26			2013	CR	12500	15000	15400	10600
26			2014	CR	12700	15000	14900	10800
26			2015	CR	12900	15200	15100	11000
26			2016	CR	13200	15600	15500	11200
26			2017	CR	13200	15300	15400	11900
26			2018	CR	13400	15600	15700	12000
26			2019	CR	13600	15800	15900	12200
26	W OF SIMCOE RD 10	1.6	2016	CR	13200	15600	15500	11200
26			2017	CR	13200	15300	15400	11900
26			2018	CR	13400	15600	15700	12000
26			2019	CR	13600	15800	15900	12200
26	MOWAT ST STAYNER START OF NA	2.6	9999					
26	80 M (W) OF WYANT END OF NA	2.8	1988	CR	7100	9100	8500	5900
26			1989	CR	7250	9300	8650	6100
26			1990	CR	7400	9200	8500	6650
26			1991	CR	7600	9350	8750	6850
26			1992	CR	7800	9600	8900	7000
26			1993	IR	8000	9850	8250	6550
26			1994	IR	8050	9900	8850	6750
26			1995	IR	8250	10200	9100	7050
26			1996	CR	8450	10400	9900	7200
26			1997	CR	8650	10700	10200	7350
26			1998	CR	8850	10900	10400	7500
26			1999	CR	8650	10600	10100	7350
26			2000	CR	9000	11100	10500	7650
26			2001	CR	9100	11200	10700	7700
26			2002	CR	9250	11400	10800	7800
26			2003	CR	9700	11800	11400	8200
26			2004	CR	9850	12100	11600	8300
26			2005	CR	10200	12400	11900	8600
26			2006	CR	10400	12600	12100	8800
26			2007	CR	10800	13100	13100	9100
26			2008	CR	10700	13000	12800	9000
26			2009	CR	10900	13100	12600	9250
26			2010	CR	11100	13300	12800	9400
26			2011	CR	11300	13200	13300	10100
26			2012	CR	11500	13800	13600	9700
26			2013	CR	11700	14000	14400	9900
26			2014	CTR	11900	14500	14600	10100
26			2015	CTR	12100	14800	14900	10300
26			2016	CTR	12300	15000	15100	10500
26			2017	CTR	12500	16700	16600	10200
26			2018	CTR	12700	17000	16900	10300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26			2019	CTR	12900	17200	17100	10500
26	START OF NEW HWY 26 BYPASS	1.2	2012	UNCL	N/A			
26			2013	UNCL	N/A			
26			2014	UNCL	N/A			
26			2015	UNCL	N/A			
26			2016	UNCL	N/A			
26			2017	UNCL	N/A			
26			2018	UNCL	N/A			
26			2019	UNCL	N/A			
26	MOSLEY ST (E) NOTTAWASAGA 33/34 SDRD (W) ROUNDABOUT	5.8	2012	UNCL	N/A			
26			2013	UNCL	N/A			
26			2014	UNCL	N/A			
26			2015	UNCL	N/A			
26			2016	UNCL	N/A			
26			2017	UNCL	N/A			
26			2018	UNCL	N/A			
26			2019	UNCL	N/A			
26	POPLAR SDRD ROUNDABOUT	1.0	2012	UNCL	N/A			
26			2013	UNCL	N/A			
26			2014	UNCL	N/A			
26			2015	UNCL	N/A			
26			2016	UNCL	N/A			
26			2017	UNCL	N/A			
26			2018	UNCL	N/A			
26			2019	CTR	10500	14000	13900	8550
26	6 TH LINE\OLD HWY 26 (HWY 7148) START OF NA	10.7	9999					
26	LONG POINT RD (N)/GREY RD 21 (S)	2.8	1988	CR	6700	8600	8050	5550
26			1989	CR	7000	8950	8350	5900
26			1990	CR	7350	9100	8450	6600
26			1991	CR	7550	9300	8700	6800
26			1992	CR	7700	9450	8800	6950
26			1993	CTR	7300	9200	8850	6200
26			1994	CTR	7200	9200	8800	6050
26			1995	CTR	7200	9250	8850	6050
26			1996	IR	7450	9250	8300	6350
26			1997	CTR	7500	9600	9200	6300
26			1998	CTR	7550	9600	9200	6350
26			1999	CTR	7600	9600	9200	6400
26			2000	CTR	7950	10000	9600	6700
26			2001	CTR	8100	10200	9800	6850
26			2002	CTR	8450	10700	10200	7150
26			2003	CTR	8650	10800	10300	7350
26			2004	CTR	8550	10800	10300	7200
26			2005	CTR	8550	10600	10200	7250
26			2006	CTR	8550	10600	10100	7250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26			2007	CTR	8750	10800	10700	7400
26			2008	CR	8550	10300	10300	7200
26			2009	CR	8950	10700	10400	7600
26			2010	CR	8900	10700	10300	7550
26			2011	CR	8900	10400	10500	7900
26			2012	CR	8300	9950	9800	7000
26			2013	CR	8400	10100	10300	7100
26			2014	CTR	8500	10400	10500	7200
26			2015	CTR	8600	10500	10600	7300
26			2016	CTR	8700	10600	10700	7400
26			2017	CTR	9050	12100	12000	7350
26			2018	CTR	9150	12200	12200	7450
26			2019	CTR	9200	12300	12200	7500
26	GREY RD 19 (S)	10.3	1988	IC	5750	6650	6500	5050
26			1989	IC	6150	7050	6950	5450
26			1990	LT	6550	9550	9150	4800
26			1991	LT	6750	9450	9100	5000
26			1992	LT	6900	9600	9300	5300
26			1993	CTR	6300	7950	7600	5350
26			1994	CTR	6300	8050	7700	5300
26			1995	CTR	6300	8100	7750	5300
26			1996	CTR	6400	8200	7900	5350
26			1997	CTR	6550	8400	8050	5500
26			1998	CTR	6650	8450	8100	5600
26			1999	CTR	6700	8450	8100	5650
26			2000	CTR	7100	8950	8600	5950
26			2001	CTR	7250	9150	8750	6100
26			2002	CTR	7450	9400	9000	6300
26			2003	CTR	7800	9700	9300	6600
26			2004	CTR	7850	9900	9500	6600
26			2005	CTR	7800	9650	9300	6600
26			2006	CTR	7950	9850	9450	6750
26			2007	CTR	8100	10000	9950	6850
26			2008	CR	8100	9800	9750	6850
26			2009	CR	8450	10100	9800	7200
26			2010	CR	8600	10300	9950	7250
26			2011	CR	8600	10000	10100	7650
26			2012	CR	8600	10300	10100	7250
26			2013	CR	8600	10300	10600	7250
26			2014	CR	8700	10300	10200	7400
26			2015	CR	9100	10700	10700	7750
26			2016	CR	9250	10900	10800	7900
26			2017	CR	9400	10900	11000	8450
26			2018	CR	9500	11000	11100	8550
26			2019	IR	9650	11700	11700	8200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26	THORNBURY E LTS START OF NA	2.4	9999					
26	PEEL STREET CULVERT	9.9	1988	IC	4400	5100	4950	3850
26			1989	IC	4600	5300	5200	4100
26			1990	LT	4750	6950	6650	3450
26			1991	LT	4800	6700	6500	3550
26			1992	LT	4900	6800	6600	3750
26			1993	LT	5200	7200	6450	3800
26			1994	LT	5150	7550	7300	3750
26			1995	LT	5300	7600	7400	3900
26			1996	LT	5400	7650	7450	3950
26			1997	LT	5550	7850	7650	4100
26			1998	LT	5650	7900	7750	4100
26			1999	LT	5650	7850	7700	4100
26			2000	LT	5850	8150	8000	4250
26			2001	LT	5950	8350	8100	4350
26			2002	LT	6050	8450	8250	4450
26			2003	LT	6200	8550	8350	4600
26			2004	LT	6250	8750	8500	4600
26			2005	LT	6250	8550	8350	4600
26			2006	LT	6250	8550	8350	4600
26			2007	LT	6300	8650	8900	4650
26			2008	UC	6300	6650	6250	5900
26			2009	UC	6300	6700	7350	5900
26			2010	UC	6300	6650	7350	5900
26			2011	UC	6300	6300	6550	6000
26			2012	UC	6350	6400	6800	6050
26			2013	UC	6400	6400	6450	6050
26			2014	UC	6900	6900	6650	6550
26			2015	UC	6750	6750	6500	6400
26			2016	UC	6800	6800	6550	6450
26			2017	UC	6900	6850	6900	6600
26			2018	UC	6950	6900	7000	6650
26			2019	UC	7000	6900	7000	6750
26	MEAFORD E LTS START OF NA	3.4	9999					
26	FORMER TWN OF MEAFORD W LTS END OF NA	25.1	1988	IC	3850	4450	4350	3400
26			1989	IC	3950	4550	4450	3500
26			1990	LT	4100	6000	5750	3000
26			1991	LT	4200	5900	5650	3100
26			1992	LT	4350	6050	5850	3350
26			1993	C	4550	4950	5050	4200
26			1994	C	4500	4950	5000	4050
26			1995	C	4650	5100	5200	4250
26			1996	LT	4550	6400	6250	3350
26			1997	LT	4850	6850	6700	3600
26			1998	LT	5000	7000	6850	3650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
26			1999	LT	4950	6900	6750	3600
26			2000	LT	5000	6950	6800	3650
26			2001	LT	5100	7150	6950	3750
26			2002	LT	5200	7250	7100	3800
26			2003	LT	5150	7100	6950	3800
26			2004	LT	5100	7150	6950	3750
26			2005	LT	6050	8300	8100	4450
26			2006	LT	5300	7250	7050	3900
26			2007	LT	5350	7350	7550	3950
26			2008	LT	5400	7400	7100	4000
26			2009	LT	5450	7350	7200	4050
26			2010	IC	4950	5500	5500	4400
26			2011	IC	4950	5450	5650	4450
26			2012	IC	4950	5500	5300	4400
26			2013	IC	5000	5550	5500	4450
26			2014	IC	4850	5350	5350	4300
26			2015	IC	5300	5850	5850	4700
26			2016	IC	5300	5850	5850	4700
26			2017	IC	5350	5850	5900	4850
26			2018	IC	5350	5900	5900	4850
26			2019	IR	5400	6550	6550	4600
26	14TH AVE E START OF NA	1.7	9999					
26	HWY 6/10/21 END OF NA HWY END		9999					
27	HWY 427/401 RAMPS	0.6	1988	UC	34900	36600	39400	32800
27			1989	UC	35500	37300	40100	33700
27			1990	UC	35900	38400	41600	34100
27			1991	UC	36600	38800	42100	35500
27			1992	UC	43200	45800	49700	41500
27			1993	UC	35300	37200	40100	33100
27			1994	UC	35300	37400	40400	32800
27			1995	UC	38100	40200	43600	35500
27			1996	UC	38400	40600	44900	36500
27			1997	UC	38800	40700	45400	36500
27			1998	UC	39200	41600	45900	37200
27			1999	UC	39600	42000	46300	37600
27			2000	UC	39900	42300	47100	37500
27			2001	UC	40300	43200	47400	37900
27			2002	UC	40700	43400	47900	38100
27			2003	UC	41100	43400	48100	38800
27			2004	UC	41400	44300	48700	38900
27			2005	UC	41800	44200	48900	39200
27			2006	UC	42600	45000	49800	40100
27			2007	UC	43100	45700	49900	40400
27			2008	UC	43500	46000	43100	40700
27			2009	UC	44000	46600	51500	41400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
27			2010	UC	44500	47000	51800	41800
27			2011	UC	44900	45000	46600	42600
27			2012	UC	45400	45700	48600	43100
27			2013	UC	45900	46000	46200	43600
27			2014	UC	46300	46400	44500	43900
27			2015	UC	46800	47000	45000	44400
27			2016	UC	47300	47500	45500	44900
27			2017	UC	47700	47400	47800	45700
27			2018	UC	48200	47800	48600	46300
27			2019	UC	48700	48000	48700	46900
27	EGLINTON AV IC	1.1	1988	UC	34900	36600	39400	32800
27			1989	UC	35500	37300	40100	33700
27			1990	UC	35900	38400	41600	34100
27			1991	UC	36600	38800	42100	35500
27			1992	UC	35300	37400	40600	33900
27			1993	UC	35300	37200	40100	33100
27			1994	UC	35300	37400	40400	32800
27			1995	UC	38100	40200	43600	35500
27			1996	UC	38400	40600	44900	36500
27			1997	UC	38800	40700	45400	36500
27			1998	UC	39200	41600	45900	37200
27			1999	UC	39600	42000	46300	37600
27			2000	UC	39900	42300	47100	37500
27			2001	UC	40300	43200	47400	37900
27			2002	UC	40700	43400	47900	38100
27			2003	UC	41100	43400	48100	38800
27			2004	UC	35900	38500	42200	33700
27			2005	UC	34200	36200	40000	32100
27			2006	UC	32400	34300	37900	30500
27			2007	UC	31100	33000	36000	29200
27			2008	UC	28800	30400	28600	26900
27			2009	UC	28000	29700	32800	26300
27			2010	UC	28000	29600	32600	26300
27			2011	UC	29800	29900	30900	28300
27			2012	UC	29100	29300	31200	27600
27			2013	UC	28400	28500	28600	27000
27			2014	UC	27700	27800	26600	26300
27			2015	UC	30000	30100	28900	28500
27			2016	UC	35700	35800	34300	33900
27			2017	UC	27800	27600	27900	26600
27			2018	UC	27300	27100	27500	26200
27			2019	UC	26700	26300	26700	25700
27	1.1 KM S OF DIXON RD UP IC START OF NA	1.2	9999					
27	DIXION RD END OF NA END OF HWY		9999					
28			1988	LR	3000	5300	3800	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			1989	LR	3100	5250	4050	2050
28			1990	LR	3350	5850	4650	2100
28			1991	LR	3450	6050	4800	2150
28			1992	LR	3100	5000	4000	2050
28			1993	LR	3100	5000	4000	2050
28			1994	LR	3100	5100	4100	2050
28			1995	LR	3150	5300	4300	2050
28			1996	LR	3200	5350	4300	2150
28			1997	LR	3700	6200	5000	2500
28			1998	LR	3800	6250	5050	2500
28			1999	LR	3800	6250	5000	2500
28			2000	LR	3900	6300	5100	2600
28			2001	LR	4050	6650	5300	2700
28			2002	LR	4100	6700	5350	2800
28			2003	LR	4350	6900	5550	2950
28			2004	LR	4400	7200	5750	2950
28			2005	LR	4600	7200	5800	3150
28			2006	LR	4650	7250	5800	3150
28			2007	LR	4750	7450	7150	3200
28			2008	IR	4800	5800	5700	4100
28			2009	IR	5050	6050	5500	4300
28			2010	IR	5150	6150	5600	4400
28			2011	IR	4700	5600	5500	4000
28			2012	IR	5300	6300	6150	4550
28			2013	IR	5400	6450	6900	4600
28			2014	IR	5500	6550	6550	4700
28			2015	IR	5650	6750	6750	4800
28			2016	IR	5750	6850	6850	4900
28			2017	IR	5850	7100	7050	5000
28			2018	IR	6000	7300	7250	5100
28			2019	IR	6100	7400	7400	5200
28	**HWY 7**	**6.48**	**2019**	**IR**	**6100**	**7400**	**7400**	**5200**
28	PETERBOROUGH RD 4	9.6	1988	LR	3200	5650	4050	2000
28			1989	LR	3300	5600	4300	2200
28			1990	LR	3550	6200	4950	2250
28			1991	LR	3650	6400	5050	2300
28			1992	LR	3700	5950	4750	2450
28			1993	LR	3700	5950	4750	2400
28			1994	LR	3700	6100	4900	2400
28			1995	LR	3700	6200	5050	2450
28			1996	LR	3750	6300	5050	2500
28			1997	LR	4300	7200	5800	2900
28			1998	LR	4450	7350	5900	2950
28			1999	LR	4600	7550	6050	3050
28			2000	LR	4850	7850	6350	3250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			2001	LR	5050	8250	6600	3400
28			2002	LR	5250	8550	6850	3550
28			2003	LR	5450	8600	6950	3700
28			2004	LR	5200	8500	6800	3500
28			2005	LR	5000	7800	6300	3400
28			2006	LR	5150	8000	6450	3500
28			2007	LR	5300	8300	7950	3550
28			2008	LR	5350	8350	8150	3650
28			2009	LR	5550	8450	6900	3750
28			2010	LR	5850	8750	7150	3950
28			2011	LR	5400	8350	7850	3800
28			2012	LR	5600	8350	8150	3850
28			2013	LR	6000	9000	10200	4050
28			2014	LR	6100	9150	9300	4150
28			2015	LR	6200	9300	9450	4200
28			2016	LR	6300	9450	9600	4250
28			2017	LR	6400	10700	10400	4350
28			2018	LR	6500	10800	10500	4450
28			2019	LR	6600	11100	10700	4500
28	PETERBOROUGH RD 6 (E)	4.8	1988	LR	4900	8650	6150	3050
28			1989	LR	5100	8600	6650	3350
28			1990	LR	5300	9300	7350	3350
28			1991	LR	5300	9350	7350	3350
28			1992	LR	5300	8550	6850	3500
28			1993	LR	5300	8550	6800	3450
28			1994	LR	5300	8700	7000	3450
28			1995	LR	5300	8900	7200	3500
28			1996	LR	5300	8850	7100	3550
28			1997	LR	5400	9050	7300	3600
28			1998	LR	5500	9100	7300	3650
28			1999	LR	6050	9900	8000	4000
28			2000	LR	6200	10000	8100	4150
28			2001	LR	6150	10100	8000	4100
28			2002	LR	6500	10600	8450	4400
28			2003	LR	6500	10300	8250	4400
28			2004	LR	6500	10600	8450	4350
28			2005	LR	6800	10600	8550	4650
28			2006	LR	6750	10500	8450	4550
28			2007	LR	6850	10700	10300	4600
28			2008	LR	6650	10400	10100	4550
28			2009	LR	7150	10900	8850	4850
28			2010	LR	7250	10900	8850	4900
28			2011	LR	5900	9150	8550	4150
28			2012	LR	6900	10300	10000	4750
28			2013	LR	7250	10900	12400	4900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			2014	LR	7300	10900	11100	4950
28			2015	LR	7400	11100	11300	5000
28			2016	LR	7500	11200	11400	5100
28			2017	LR	7600	12700	12300	5200
28			2018	LR	7700	12800	12500	5300
28			2019	LR	7800	13100	12700	5350
28	CTY RD 20 YOUNG'S POINT (W) NATHAWAY DR (E)	9.9	1988	LR	4300	7600	5400	2650
28			1989	LR	4400	7450	5700	2900
28			1990	LR	4550	7950	6300	2850
28			1991	LR	4550	8000	6300	2850
28			1992	LR	4500	7250	5800	2950
28			1993	LR	4550	7350	5850	2950
28			1994	LR	4250	7000	5600	2800
28			1995	LR	4250	7150	5800	2800
28			1996	LR	4250	7100	5700	2850
28			1997	LR	4350	7300	5850	2900
28			1998	LR	4450	7350	5900	2950
28			1999	LR	4950	8100	6550	3250
28			2000	LR	5050	8200	6600	3350
28			2001	LR	4800	7850	6250	3200
28			2002	LR	5400	8800	7050	3650
28			2003	LR	5250	8300	6700	3550
28			2004	LR	5300	8650	6900	3550
28			2005	LR	5500	8600	6950	3750
28			2006	LR	5550	8650	6950	3750
28			2007	LR	5650	8850	8500	3800
28			2008	LR	5550	8650	8450	3800
28			2009	LR	5900	8950	7300	4000
28			2010	LR	6000	9000	7350	4050
28			2011	LR	6100	9450	8850	4250
28			2012	LR	6000	8950	8700	4100
28			2013	LR	6300	9450	10800	4250
28			2014	LR	6450	9650	9800	4350
28			2015	LR	6550	9800	9950	4450
28			2016	LR	6650	9950	10100	4500
28			2017	LR	6750	11300	10900	4600
28			2018	LR	6850	11400	11100	4700
28			2019	LR	7000	11700	11400	4800
28	PETERBOROUGH CTY RD 36 (W)	26.8	1988	LR	2800	4950	3550	1750
28			1989	LR	2900	4900	3750	1900
28			1990	LR	3000	5250	4150	1900
28			1991	LR	3050	5350	4250	1900
28			1992	LR	3200	5150	4150	2100
28			1993	LR	3200	5150	4100	2100
28			1994	LR	3300	5400	4350	2150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			1995	LR	3400	5700	4600	2250
28			1996	LR	3500	5850	4700	2350
28			1997	LR	3600	6050	4850	2400
28			1998	LR	3750	6200	5000	2500
28			1999	LR	3600	5900	4750	2400
28			2000	LR	3650	5900	4750	2450
28			2001	LR	3550	5800	4650	2350
28			2002	LR	3750	6100	4900	2550
28			2003	LR	3750	5950	4750	2550
28			2004	LR	3800	6200	4950	2550
28			2005	LR	3850	6000	4850	2600
28			2006	LR	3900	6100	4900	2650
28			2007	LR	3950	6200	5950	2650
28			2008	LR	4000	6250	6100	2750
28			2009	LR	4000	6100	4950	2700
28			2010	LR	4050	6050	4950	2750
28			2011	LR	4100	6350	5950	2850
28			2012	LR	4150	6200	6000	2850
28			2013	T	4200	6150	6000	2700
28			2014	T	4250	6200	6150	2700
28			2015	T	4250	6200	6150	2700
28			2016	T	4300	6300	6200	2750
28			2017	T	4350	5950	6000	3450
28			2018	T	4400	6050	6050	3500
28			2019	T	4450	6100	6150	3550
28	PETERBOROUGH RD 504 BURLEIGH ST (E)	1.3	1988	LR	1750	3100	2200	1100
28			1989	LR	1800	3050	2350	1200
28			1990	LR	1900	3300	2650	1200
28			1991	LR	1950	3450	2700	1250
28			1992	LR	2100	3400	2700	1400
28			1993	LR	2100	3400	2700	1350
28			1994	LR	2150	3550	2850	1400
28			1995	LR	2200	3700	3000	1450
28			1996	LR	2300	3850	3100	1550
28			1997	LR	2350	3950	3150	1550
28			1998	LR	2450	4050	3250	1600
28			1999	LR	2500	4100	3300	1650
28			2000	LR	2600	4200	3400	1750
28			2001	LR	2650	4350	3450	1750
28			2002	LR	2750	4500	3600	1850
28			2003	LR	2750	4350	3500	1850
28			2004	LR	2850	4650	3700	1900
28			2005	LR	2900	4550	3650	1950
28			2006	LR	2950	4600	3700	2000
28			2007	LR	3000	4700	4500	2000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			2008	LR	3100	4850	4700	2100
28			2009	LR	3200	4850	3950	2200
28			2010	LR	3250	4850	4000	2200
28			2011	LR	3300	5100	4800	2300
28			2012	LR	2800	4200	4050	1900
28			2013	T	3000	4400	4300	1900
28			2014	T	3300	4800	4750	2100
28			2015	T	3350	4900	4850	2150
28			2016	T	3400	4950	4900	2150
28			2017	T	3450	4750	4750	2750
28			2018	T	3500	4800	4800	2800
28			2019	T	3550	4850	4900	2800
28	PETERBOROUGH RD 620 BURLEIGH ST (E)	18.5	1988	LR	2150	3800	2700	1350
28			1989	LR	2250	3800	2900	1500
28			1990	LR	2350	4100	3250	1500
28			1991	LR	2400	4200	3350	1500
28			1992	LR	2200	3550	2850	1450
28			1993	LR	2200	3550	2850	1450
28			1994	LR	2200	3600	2900	1450
28			1995	LR	2350	3950	3200	1550
28			1996	LR	2300	3850	3100	1550
28			1997	LR	2300	3850	3100	1550
28			1998	LR	2250	3700	3000	1500
28			1999	LR	2400	3950	3150	1600
28			2000	LR	2400	3900	3150	1600
28			2001	LR	2500	4100	3250	1650
28			2002	LR	2500	4050	3250	1700
28			2003	LR	2500	3950	3200	1700
28			2004	LR	2550	4150	3300	1700
28			2005	LR	2600	4050	3300	1750
28			2006	LR	2650	4150	3300	1800
28			2007	LR	2650	4150	4000	1800
28			2008	LR	3000	4700	4550	2050
28			2009	LR	3150	4800	3900	2150
28			2010	LR	3400	5100	4150	2300
28			2011	LR	3100	4800	4500	2150
28			2012	LR	2700	4050	3900	1850
28			2013	LR	2900	4350	4950	1950
28			2014	LR	3100	4650	4700	2100
28			2015	LR	3150	4700	4800	2150
28			2016	LR	3200	4800	4850	2150
28			2017	LR	3250	5450	5250	2200
28			2018	LR	3300	5500	5350	2250
28			2019	LR	3350	5600	5450	2300
28	HALIBURTON CTY RD 48 DYNO RD (W)	11.8	1988	LR	2000	3550	2500	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			1989	LR	2100	3550	2750	1400
28			1990	LR	2200	3850	3050	1400
28			1991	LR	2250	3950	3150	1400
28			1992	IR	2300	2850	2550	1950
28			1993	IR	2300	2850	2400	1900
28			1994	IR	2300	2850	2550	1950
28			1995	IR	2350	2900	2600	2000
28			1996	IR	2400	3000	2700	2050
28			1997	LR	2450	4100	3300	1650
28			1998	LR	2500	4100	3300	1650
28			1999	LR	2550	4200	3350	1700
28			2000	LR	2500	4050	3250	1650
28			2001	LR	2650	4350	3450	1750
28			2002	LR	2600	4250	3400	1750
28			2003	LR	2550	4050	3250	1700
28			2004	LR	2550	4150	3300	1700
28			2005	LR	2500	3900	3150	1700
28			2006	LR	2600	4050	3250	1750
28			2007	LR	2500	3900	3750	1700
28			2008	LR	2600	4050	3950	1800
28			2009	LR	2650	4050	3300	1800
28			2010	LR	2650	3950	3250	1800
28			2011	LR	2650	4100	3850	1850
28			2012	LR	2600	3900	3750	1800
28			2013	CTR	2700	3300	3400	2300
28			2014	CTR	2700	3300	3300	2300
28			2015	CTR	2700	3300	3300	2300
28			2016	CTR	2750	3350	3400	2350
28			2017	CTR	2750	3700	3650	2250
28			2018	CTR	2750	3650	3650	2250
28			2019	CTR	2750	3650	3650	2250
28	HWY 118(W)	10.1	1988	IR	3900	5050	4300	3100
28			1989	IR	4000	5150	4450	3300
28			1990	IR	4100	5200	4550	3350
28			1991	IR	4150	5250	4600	3450
28			1992	IR	4350	5350	4800	3700
28			1993	IR	4350	5350	4500	3550
28			1994	IR	4350	5350	4800	3650
28			1995	IR	4350	5350	4800	3700
28			1996	IR	4500	5600	5000	3850
28			1997	CTR	4700	6000	5800	3950
28			1998	IR	4950	6150	5550	4150
28			1999	CTR	5050	6350	6100	4250
28			2000	CTR	5200	6550	6300	4350
28			2001	IR	5350	6600	5950	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			2002	IR	5500	6800	6100	4700
28			2003	IR	5600	6800	6150	4750
28			2004	IR	5800	7150	6450	4900
28			2005	IR	5850	7050	6400	5000
28			2006	IR	5900	7100	6450	5000
28			2007	IR	6000	7250	7250	5100
28			2008	IR	5650	6850	6700	4850
28			2009	IR	5500	6600	6000	4700
28			2010	IR	5300	6300	5750	4500
28			2011	IR	6100	7300	7100	5200
28			2012	IR	5900	7000	6850	5050
28			2013	CTR	5650	6900	7100	4800
28			2014	CTR	6200	7550	7650	5250
28			2015	CTR	6250	7600	7700	5300
28			2016	CTR	6350	7750	7800	5400
28			2017	CTR	6400	8550	8500	5200
28			2018	CTR	6500	8700	8650	5300
28			2019	CTR	6550	8750	8700	5350
28	BANCROFT S LTS START OF NA	3.5	9999					
28	BANCROFT E LTS END OF NA	20.2	1988	IR	750	980	830	600
28			1989	IR	750	970	830	620
28			1990	IR	800	1000	890	660
28			1991	IR	800	1000	890	660
28			1992	IR	1000	1250	1100	850
28			1993	IR	1000	1250	1050	820
28			1994	IR	1000	1250	1100	840
28			1995	IR	1050	1300	1150	890
28			1996	IR	1150	1450	1300	980
28			1997	IR	1200	1500	1350	1000
28			1998	IR	1300	1600	1450	1100
28			1999	IR	1350	1650	1500	1150
28			2000	IR	1450	1800	1600	1250
28			2001	IR	1500	1850	1650	1250
28			2002	IR	1600	1950	1750	1350
28			2003	IR	1650	2000	1800	1400
28			2004	IR	1700	2100	1900	1450
28			2005	IR	1500	1800	1650	1300
28			2006	IR	1800	2150	1950	1550
28			2007	IR	1950	2350	2350	1650
28			2008	IR	1950	2350	2300	1650
28			2009	IR	2000	2400	2200	1700
28			2010	IR	2050	2450	2250	1750
28			2011	IR	2150	2550	2500	1850
28			2012	IR	1850	2200	2150	1600
28			2013	CTR	1850	2250	2350	1550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			2014	CTR	2200	2700	2700	1850
28			2015	CTR	2250	2750	2750	1900
28			2016	CTR	2300	2800	2850	1950
28			2017	CTR	2350	3150	3100	1900
28			2018	CTR	2400	3200	3200	1950
28			2019	CTR	2450	3250	3250	2000
28	BESSEMER RD (W) FORT STEWART RD (E)	4.6	1988	IR	700	910	770	560
28			1989	IR	750	970	830	620
28			1990	IR	800	1000	890	660
28			1991	IR	800	1000	890	660
28			1992	IR	900	1100	990	760
28			1993	IR	900	1100	930	740
28			1994	IR	900	1100	990	750
28			1995	LR	950	1600	1300	620
28			1996	LR	1000	1650	1350	670
28			1997	LR	1050	1750	1400	700
28			1998	LR	1100	1800	1450	730
28			1999	LR	1100	1800	1450	730
28			2000	LR	1100	1800	1450	730
28			2001	LR	1100	1800	1450	740
28			2002	LR	1150	1850	1500	780
28			2003	LR	1200	1900	1550	810
28			2004	LR	1250	2050	1650	840
28			2005	LR	1250	1950	1600	850
28			2006	LR	1300	2050	1650	880
28			2007	LR	1300	2050	1950	880
28			2008	LR	1350	2100	2050	920
28			2009	LR	1350	2050	1650	920
28			2010	LR	1400	2100	1700	950
28			2011	LR	1450	2250	2100	1000
28			2012	LR	1200	1800	1750	820
28			2013	CTR	1500	1850	1900	1250
28			2014	CTR	1450	1750	1800	1250
28			2015	CTR	1500	1850	1850	1300
28			2016	CTR	1500	1850	1850	1300
28			2017	CTR	1550	2050	2050	1250
28			2018	CTR	1550	2050	2050	1250
28			2019	CTR	1600	2150	2100	1300
28	LITTLE MISSISSIPPI R BR	16.1	1988	R	350	660	480	190
28			1989	R	350	640	480	190
28			1990	R	400	750	580	220
28			1991	R	400	710	560	230
28			1992	R	500	860	670	280
28			1993	R	500	860	670	280
28			1994	R	550	1000	800	300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			1995	LR	600	1000	820	390
28			1996	LR	650	1100	870	430
28			1997	R	700	1350	1000	390
28			1998	R	750	1400	1050	400
28			1999	R	880	1650	1250	470
28			2000	R	850	1550	1200	460
28			2001	R	1050	1950	1450	560
28			2002	R	950	1750	1350	520
28			2003	R	960	1700	1300	520
28			2004	R	950	1750	1350	510
28			2005	R	1050	1850	1400	580
28			2006	R	1050	1850	1400	570
28			2007	R	1000	1750	1700	540
28			2008	R	1100	1950	1900	610
28			2009	R	1150	2000	1500	630
28			2010	R	1100	1850	1450	600
28			2011	R	1200	2100	2400	710
28			2012	R	850	1450	1350	470
28			2013	CTR	990	1200	1250	840
28			2014	CTR	1200	1450	1500	1000
28			2015	CTR	1200	1450	1500	1000
28			2016	CTR	1250	1500	1550	1050
28			2017	CTR	1250	1650	1650	1000
28			2018	CTR	1300	1750	1750	1050
28			2019	CTR	1300	1750	1700	1050
28	RENFREW RD 514 SHUTT RD (E)	1.5	1988	LR	400	710	500	250
28			1989	LR	400	680	520	260
28			1990	LR	500	880	700	320
28			1991	LR	500	880	700	320
28			1992	LR	500	800	640	330
28			1993	LR	500	800	640	330
28			1994	LR	500	820	660	330
28			1995	LR	500	840	680	330
28			1996	LR	510	850	680	340
28			1997	LR	530	890	720	360
28			1998	LR	550	910	730	360
28			1999	LR	560	920	740	370
28			2000	LR	600	970	780	400
28			2001	LR	580	950	760	390
28			2002	LR	640	1050	830	430
28			2003	LR	660	1050	840	450
28			2004	LR	710	1150	930	470
28			2005	LR	700	1100	880	480
28			2006	LR	720	1100	900	490
28			2007	LR	740	1150	1100	500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
28			2008	LR	760	1200	1150	520
28			2009	LR	780	1200	970	530
28			2010	LR	800	1200	980	540
28			2011	LR	820	1250	1200	570
28			2012	LR	750	1100	1100	510
28			2013	LR	840	1250	1450	570
28			2014	LR	860	1300	1300	580
28			2015	LR	880	1300	1350	600
28			2016	LR	900	1350	1350	610
28			2017	LR	920	1400	1400	660
28			2018	LR	940	1400	1450	680
28			2019	LR	960	1450	1450	690
28	BRUCETON RD (E)	17.1	1988	LR	400	710	500	250
28			1989	LR	400	680	520	260
28			1990	LR	500	880	700	320
28			1991	LR	500	880	700	320
28			1992	LR	500	800	640	330
28			1993	LR	500	800	640	330
28			1994	LR	500	820	660	330
28			1995	LR	500	840	680	330
28			1996	LR	510	850	680	340
28			1997	LR	530	890	720	360
28			1998	LR	550	910	730	360
28			1999	LR	560	920	740	370
28			2000	LR	600	970	780	400
28			2001	LR	580	950	760	390
28			2002	LR	640	1050	830	430
28			2003	LR	660	1050	840	450
28			2004	LR	710	1150	930	470
28			2005	LR	680	1050	860	460
28			2006	LR	700	1100	880	470
28			2007	LR	700	1100	1050	470
28			2008	LR	740	1150	1150	510
28			2009	LR	760	1150	940	520
28			2010	LR	780	1150	950	530
28			2011	LR	800	1250	1150	560
28			2012	LR	650	970	940	450
28			2013	CTR	830	1000	1050	700
28			2014	CTR	820	1000	1000	700
28			2015	CTR	840	1000	1050	710
28			2016	CTR	850	1050	1050	720
28			2017	CTR	870	1150	1150	710
28			2018	CTR	890	1200	1200	720
28			2019	CTR	900	1200	1200	730
28	HWY 41 HWY END		9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33	HWY 2 PRINCESS ST START OF NA	8.0	9999					
33	FRONTENAC RD 20 COLLINS BAY RD (N)	2.5	1988	UC	11300	11900	12800	10600
33			1989	UC	11600	12200	13100	11000
33			1990	UC	9350	10000	10800	8900
33			1991	UC	9350	9900	10800	9050
33			1992	UC	10300	10900	11800	9900
33			1993	IC	10800	12200	12100	9600
33			1994	IC	11000	12300	12300	9800
33			1995	UC	11100	11700	12700	10400
33			1996	UC	11300	12000	13200	10700
33			1997	UC	11500	12100	13500	10800
33			1998	UC	11800	12500	13800	11200
33			1999	UC	11100	11800	13000	10500
33			2000	UC	11300	12000	13300	10600
33			2001	UC	10600	11400	12500	9950
33			2002	UC	11300	12000	13300	10600
33			2003	UC	11300	11900	13200	10700
33			2004	IC	11500	12900	12900	10200
33			2005	IC	11300	12600	12700	9950
33			2006	IC	11400	12700	12800	10100
33			2007	IC	11300	12600	12900	10000
33			2008	IC	12300	13600	13200	10800
33			2009	IC	12800	14200	14300	11400
33			2010	IC	13500	14900	15100	12000
33			2011	IC	12400	13600	14100	11100
33			2012	IC	12500	13800	13400	11100
33			2013	IR	12800	15200	16300	10900
33			2014	IR	12700	15100	15200	10800
33			2015	IR	12800	15200	15300	10900
33			2016	IR	12900	15400	15400	11000
33			2017	IR	13000	15200	15300	11600
33			2018	IR	13100	15400	15400	11700
33			2019	IR	13200	15500	15500	11800
33	FRONTENAC LENNOX&ADDINGTON CTY BDY	1.4	1988	UC	10100	10600	11400	9500
33			1989	UC	10300	10800	11600	9800
33			1990	UC	8200	8750	9500	7800
33			1991	UC	8200	8700	9450	7950
33			1992	UC	8800	9350	10100	8450
33			1993	IC	10000	11300	11200	8900
33			1994	IC	10200	11400	11400	9100
33			1995	IC	10400	11600	11700	9350
33			1996	IC	10500	11800	11800	9350
33			1997	IC	10600	11900	12000	9350
33			1998	IC	10700	12000	12000	9500
33			1999	IC	10800	12100	12100	9600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33			2000	IC	10900	12200	12200	9700
33			2001	IC	11100	12400	12500	9800
33			2002	IC	11000	12300	12400	9700
33			2003	IC	11000	12300	12400	9750
33			2004	IC	11100	12400	12500	9800
33			2005	IC	11200	12500	12600	9850
33			2006	IC	11200	12400	12600	9900
33			2007	IC	11100	12300	12700	9800
33			2008	IC	11400	12600	12200	10100
33			2009	IC	11500	12800	12900	10200
33			2010	IC	11500	12700	12800	10200
33			2011	IC	11600	12800	13200	10400
33			2012	IC	10800	12000	11600	9600
33			2013	C	11700	12900	12700	10500
33			2014	C	11600	12800	12400	10400
33			2015	C	11700	12900	12500	10500
33			2016	C	11800	13000	12600	10600
33			2017	C	11800	12900	12900	10700
33			2018	C	11900	13000	13000	10700
33			2019	C	11900	13000	12900	10800
33	SHERWOOD AVE (N)	8.9	1988	C	5650	6250	6250	5100
33			1989	C	5800	6450	6500	5200
33			1990	C	4350	4850	4850	3900
33			1991	C	4350	4800	4850	3950
33			1992	C	4700	5100	5200	4300
33			1993	LT	5500	7600	6800	4050
33			1994	LT	5650	8300	8000	4100
33			1995	LT	5800	8350	8100	4250
33			1996	LT	5950	8400	8200	4350
33			1997	CR	6050	7500	7150	5150
33			1998	CR	6150	7550	7200	5250
33			1999	CR	6300	7750	7350	5350
33			2000	CR	6400	7850	7500	5450
33			2001	CR	6550	8050	7700	5550
33			2002	CR	6650	8150	7800	5600
33			2003	CR	6800	8300	7950	5750
33			2004	C	6950	7850	7850	6250
33			2005	C	7050	7850	7900	6350
33			2006	C	7200	8000	8050	6500
33			2007	C	7300	8100	8200	6550
33			2008	C	7450	8200	8100	6700
33			2009	C	7550	8300	8400	6800
33			2010	C	7700	8500	8550	6950
33			2011	C	7800	8600	8650	7000
33			2012	C	7500	8250	8100	6750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33			2013	C	8050	8850	8750	7250
33			2014	C	8100	8900	8650	7300
33			2015	C	8250	9100	8850	7400
33			2016	C	8350	9200	8950	7500
33			2017	C	8450	9250	9200	7650
33			2018	C	8600	9450	9350	7750
33			2019	C	8700	9500	9450	7850
33	LENNOX & ADDINGTON RD 4 (N)	1.7	1988	C	3800	4200	4200	3400
33			1989	C	3950	4400	4400	3550
33			1990	C	3700	4100	4100	3350
33			1991	C	3700	4050	4100	3350
33			1992	C	4300	4650	4750	3950
33			1993	C	4300	4700	4750	3950
33			1994	C	4400	4800	4900	4000
33			1995	C	4550	4950	5100	4150
33			1996	C	4650	5250	5300	4200
33			1997	C	4750	5350	5400	4300
33			1998	C	4900	5550	5550	4400
33			1999	C	5000	5600	5650	4500
33			2000	C	5150	5800	5800	4650
33			2001	C	5250	5900	5900	4750
33			2002	C	5400	6050	6100	4850
33			2003	C	5500	6150	6200	4950
33			2004	C	5650	6350	6400	5100
33			2005	C	5750	6400	6450	5150
33			2006	C	5850	6500	6550	5250
33			2007	C	6000	6650	6750	5400
33			2008	C	6100	6750	6650	5450
33			2009	C	6250	6900	6950	5600
33			2010	LT	6350	8550	8350	4700
33			2011	LT	6500	8350	8500	5350
33			2012	LT	4800	6250	5950	3650
33			2013	LT	5500	7200	7150	4150
33			2014	LT	6250	8150	8300	4700
33			2015	LT	6350	8300	8450	4800
33			2016	LT	6450	8400	8550	4850
33			2017	LT	6500	9100	9000	5000
33			2018	LT	6600	9250	9150	5100
33			2019	LT	6700	9400	9300	5150
33	BATH E LTS L 14 START OF NA	2.8	9999					
33	BATH LN 7 8 END OF NA	7.1	1988	LT	1800	2550	2550	1350
33			1989	LT	1850	2550	2550	1350
33			1990	LT	1850	2700	2600	1350
33			1991	LT	1850	2600	2500	1350
33			1992	LT	2050	2850	2750	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33			1993	LT	2050	2850	2550	1500
33			1994	LT	2050	3000	2900	1500
33			1995	LT	2050	2950	2850	1500
33			1996	LT	2100	2950	2900	1550
33			1997	LT	2150	3050	2950	1600
33			1998	LT	2150	3000	2950	1550
33			1999	LT	2200	3050	3000	1600
33			2000	LT	2200	3050	3000	1600
33			2001	LT	2250	3150	3050	1650
33			2002	LT	2300	3200	3150	1700
33			2003	LT	2300	3150	3100	1700
33			2004	LT	2350	3300	3200	1700
33			2005	LT	2350	3200	3150	1750
33			2006	LT	2350	3200	3150	1750
33			2007	LT	2350	3250	3300	1750
33			2008	LT	2400	3300	3150	1750
33			2009	LT	2400	3250	3150	1800
33			2010	LT	2350	3150	3100	1750
33			2011	LT	2450	3150	3200	2000
33			2012	LT	2200	2850	2750	1650
33			2013	LT	2150	2800	2800	1600
33			2014	LT	2400	3150	3200	1800
33			2015	LT	2400	3150	3200	1800
33			2016	LT	2450	3200	3250	1850
33			2017	LT	2450	3350	3350	1950
33			2018	LT	2450	3350	3350	1950
33			2019	LT	2450	3350	3350	1950
33	LENNOX & ADDINGTON RD 21 (N)	19.6	1988	HT	800	1600	1450	350
33			1989	HT	800	1600	1450	370
33			1990	HT	800	1600	1450	360
33			1991	HT	800	1600	1450	370
33			1992	LT	900	1250	1200	690
33			1993	LT	900	1250	1100	660
33			1994	LT	900	1300	1250	650
33			1995	HR	940	1650	1350	560
33			1996	HR	950	1650	1350	560
33			1997	T	970	1650	1650	600
33			1998	LT	970	1350	1350	710
33			1999	LT	1000	1400	1350	730
33			2000	LT	1050	1450	1450	770
33			2001	LT	1050	1450	1450	770
33			2002	LT	1050	1450	1450	770
33			2003	LT	1100	1500	1500	810
33			2004	LT	1100	1550	1500	810
33			2005	LT	1100	1500	1450	810

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33			2006	LT	1150	1550	1550	850
33			2007	T	1150	1800	1700	720
33			2008	T	1150	1750	1700	730
33			2009	T	1200	1750	1700	770
33			2010	T	1200	1750	1700	770
33			2011	T	1250	1700	1700	980
33			2012	T	1100	1600	1600	710
33			2013	LT	1250	1650	1650	940
33			2014	LT	1250	1650	1650	940
33			2015	LT	1250	1650	1650	940
33			2016	LT	1300	1700	1750	980
33			2017	LT	1300	1650	1650	1100
33			2018	LT	1300	1650	1650	1100
33			2019	LT	1350	1700	1700	1150
33	W GLENORA FERRY DOCK	7.5	1988	IC	1400	1600	1600	1250
33			1989	IC	1400	1600	1600	1250
33			1990	IC	1400	1600	1550	1250
33			1991	IC	1400	1600	1550	1250
33			1992	LT	1450	2000	1950	1100
33			1993	LT	1450	2000	1800	1050
33			1994	LT	1450	2150	2050	1050
33			1995	LT	1450	2100	2000	1050
33			1996	LT	1600	2250	2200	1200
33			1997	LT	1600	2250	2200	1200
33			1998	LT	1600	2250	2200	1150
33			1999	LT	1700	2350	2300	1250
33			2000	LT	1700	2350	2300	1250
33			2001	LT	1750	2450	2400	1300
33			2002	LT	1800	2500	2450	1300
33			2003	LT	1500	2050	2000	1100
33			2004	LT	1500	2100	2050	1100
33			2005	LT	1500	2050	2000	1100
33			2006	LT	1600	2200	2150	1200
33			2007	LT	1550	2150	2200	1150
33			2008	LT	1600	2200	2100	1200
33			2009	LT	1600	2150	2100	1200
33			2010	LT	1600	2150	2100	1200
33			2011	LT	1600	2050	2100	1300
33			2012	LT	1700	2200	2100	1300
33			2013	LT	1650	2150	2150	1250
33			2014	LT	1650	2150	2200	1250
33			2015	LT	1650	2150	2200	1250
33			2016	LT	1650	2150	2200	1250
33			2017	LT	1650	2300	2300	1250
33			2018	LT	1650	2300	2300	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33			2019	LT	1650	2300	2300	1250
33	PICTON E LTS L 19 START OF NA	2.7	9999					
33	PICTON W LTS END OF NA	2.0	1988	IC	5800	6750	6550	5100
33			1989	IC	5900	6800	6650	5250
33			1990	IC	5900	6750	6600	5250
33			1991	IC	5900	6650	6550	5250
33			1992	CTR	5700	7000	6800	4950
33			1993	CTR	5700	7200	6900	4850
33			1994	CTR	6000	7700	7300	5050
33			1995	CTR	6050	7750	7450	5050
33			1996	CTR	6150	7850	7550	5150
33			1997	CTR	6250	8000	7700	5250
33			1998	CTR	6300	8000	7700	5300
33			1999	CTR	6200	7800	7500	5200
33			2000	CTR	6350	8000	7700	5350
33			2001	IC	6150	6900	6900	5450
33			2002	IC	6450	7200	7250	5700
33			2003	IC	6500	7250	7300	5750
33			2004	IC	6700	7500	7550	5900
33			2005	IC	6600	7350	7400	5800
33			2006	IC	6650	7400	7450	5900
33			2007	CTR	6700	8300	8250	5700
33			2008	CTR	6750	8350	8200	5750
33			2009	CTR	6800	8300	8000	5800
33			2010	CTR	6850	8350	8000	5800
33			2011	CTR	6900	8400	8050	5850
33			2012	CTR	5900	7150	7050	5000
33			2013	CTR	6450	7850	8100	5500
33			2014	CTR	6750	8250	8300	5750
33			2015	CTR	6800	8300	8350	5800
33			2016	CTR	6800	8300	8350	5800
33			2017	CTR	6850	9150	9100	5600
33			2018	CTR	6900	9200	9200	5600
33			2019	CTR	6900	9200	9150	5600
33	PR ED RD 1/SANDY HOOK RD (S) SCOHARIE RD (N)	2.6	1988	CTR	4050	5250	4950	3400
33			1989	CTR	4200	5350	5100	3600
33			1990	CTR	4200	5250	4950	3650
33			1991	CTR	4200	5300	5250	3650
33			1992	CTR	3800	4650	4500	3300
33			1993	CTR	3800	4800	4600	3250
33			1994	CTR	3800	4850	4650	3200
33			1995	CTR	3800	4900	4650	3200
33			1996	CTR	4000	5100	4900	3350
33			1997	CTR	4200	5400	5150	3550
33			1998	CTR	4450	5650	5450	3750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
33			1999	CTR	4550	5750	5500	3800
33			2000	CTR	4400	5550	5300	3700
33			2001	CTR	4500	5700	5450	3800
33			2002	CTR	4600	5800	5550	3900
33			2003	CTR	4700	5850	5600	4000
33			2004	CTR	4650	5850	5650	3900
33			2005	CTR	4900	6050	5850	4150
33			2006	CTR	5000	6200	5950	4250
33			2007	CTR	5100	6300	6250	4300
33			2008	CTR	5200	6450	6300	4400
33			2009	CTR	5250	6400	6200	4450
33			2010	T	5350	7800	7500	3400
33			2011	T	5450	7400	7350	4250
33			2012	T	4100	5950	6000	2650
33			2013	T	5350	7800	7650	3400
33			2014	T	5400	7900	7800	3450
33			2015	T	5500	8050	7950	3500
33			2016	T	5550	8100	8050	3550
33			2017	T	5600	7700	7700	4450
33			2018	T	5700	7800	7850	4500
33			2019	T	5750	7900	7950	4550
33	BLOOMFIELD E LTS L 11 START OF NA	72.2	9999					
33	HWY 14 END OF NA HWY END		9999					
34	ST OF HWY 34 (PATROL YARD ENTRANCE)	0.7	2012	UC	5200	5250	5550	4950
34			2013	UC	4750	4750	4800	4500
34			2014	UC	5200	5200	5000	4950
34			2015	C	5050	5550	5400	4550
34			2016	C	5050	5550	5400	4550
34			2017	C	5150	5650	5600	4650
34			2018	C	5100	5600	5550	4600
34			2019	C	5100	5550	5550	4600
34	HWY 417 IC	5.3	1988	C	2900	3200	3200	2600
34			1989	C	3100	3450	3450	2800
34			1990	C	3200	3550	3550	2900
34			1991	C	3150	3450	3500	2850
34			1992	C	3400	3650	3750	3150
34			1993	C	3650	4000	4050	3350
34			1994	LT	3800	5550	5350	2750
34			1995	LT	3900	5600	5450	2850
34			1996	LT	4000	5650	5500	2950
34			1997	C	4100	4650	4650	3700
34			1998	C	4100	4650	4650	3700
34			1999	C	4250	4750	4800	3800
34			2000	C	4050	4600	4600	3650
34			2001	C	4450	5000	5000	4000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
34			2002	C	4500	5050	5100	4050
34			2003	C	4800	5350	5400	4350
34			2004	C	4700	5300	5300	4250
34			2005	C	4650	5200	5200	4200
34			2006	C	4900	5450	5500	4400
34			2007	C	4800	5350	5400	4300
34			2008	C	4900	5400	5350	4400
34			2009	C	4650	5100	5150	4200
34			2010	C	5050	5550	5600	4550
34			2011	C	5100	5600	5650	4600
34			2012	UC	4650	4700	5000	4400
34			2013	UC	5150	5150	5200	4900
34			2014	UC	5200	5200	5000	4950
34			2015	C	5400	5950	5800	4850
34			2016	C	5350	5900	5700	4800
34			2017	C	5450	5950	5950	4950
34			2018	C	5500	6050	6000	4950
34			2019	C	5550	6050	6050	5000
34	VANKLEEK HILL S LTS START OF NA	1.4	9999					
34	VANKLEEK HILL END OF NA	8.7	1988	C	5200	5750	5750	4700
34			1989	C	5500	6100	6150	4950
34			1990	C	5650	6250	6250	5100
34			1991	C	5600	6150	6200	5100
34			1992	C	5750	6200	6400	5300
34			1993	C	5950	6500	6600	5450
34			1994	UC	6050	6400	6900	5650
34			1995	UC	6100	6450	6950	5700
34			1996	UC	6250	6600	7300	5950
34			1997	UC	6350	6650	7450	5950
34			1998	UC	6550	6950	7650	6200
34			1999	UC	6650	7050	7800	6300
34			2000	UC	6800	7200	8000	6400
34			2001	UC	6950	7450	8200	6550
34			2002	UC	7050	7500	8300	6600
34			2003	C	7200	8050	8100	6500
34			2004	C	7350	8300	8300	6600
34			2005	C	7450	8300	8350	6700
34			2006	C	7600	8450	8500	6850
34			2007	C	7450	8300	8400	6700
34			2008	C	7450	8200	8100	6700
34			2009	C	7400	8150	8200	6650
34			2010	C	7850	8650	8750	7050
34			2011	C	7950	8750	8850	7150
34			2012	UC	8000	8050	8550	7600
34			2013	UC	8150	8200	8200	7750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
34			2014	UC	8250	8300	7950	7850
34			2015	UC	8400	8450	8100	7950
34			2016	UC	8500	8550	8150	8050
34			2017	UC	8600	8550	8650	8250
34			2018	UC	8700	8650	8750	8350
34			2019	UC	8800	8650	8800	8500
34	PRESCOTT & RUSSELL RD 17 IC	0.2	1988	C	9100	10100	10100	8200
34			1989	C	9750	10800	10900	8800
34			1990	C	10500	11700	11700	9450
34			1991	C	10400	11400	11500	9450
34			1992	C	10600	11400	11800	9750
34			1993	C	10800	11800	12000	9950
34			1994	C	11100	12200	12400	10000
34			1995	C	11200	12200	12600	10200
34			1996	C	11400	12900	13000	10300
34			1997	SC	11500	12200	13500	10200
34			1998	SC	11800	12500	13800	10500
34			1999	SC	12500	13200	14600	11100
34			2000	C	12600	14200	14200	11300
34			2001	C	13200	14900	14900	11900
34			2002	C	13500	15100	15200	12100
34			2003	C	13900	15500	15600	12500
34			2004	C	14300	16100	16100	12900
34			2005	C	14600	16300	16400	13100
34			2006	C	15300	17000	17100	13800
34			2007	C	15400	17100	17300	13800
34			2008	C	15700	17300	17100	14100
34			2009	CR	16100	19300	18700	13700
34			2010	CR	16400	19700	19000	13900
34			2011	CR	16800	19600	19800	14900
34			2012	CR	13700	16400	16100	11600
34			2013	CR	14500	17400	17800	12300
34			2014	CR	14800	17400	17300	12600
34			2015	CR	15100	17800	17700	12900
34			2016	CR	15400	18100	18000	13100
34			2017	CR	15700	18200	18300	14100
34			2018	CR	16000	18600	18700	14400
34			2019	CR	16300	18900	19000	14600
34	HAWKESBURY S LTS START OF NA	1.3	9999					
34	MAIN ST END OF NA HWY END		9999					
35	HWY 401 M/C FRWY IC S JCT HWY 115	1.3	1988	IR	14400	18700	15800	11500
35			1989	IR	16100	20800	17900	13200
35			1990	IR	17900	22700	19900	14700
35			1991	IR	18100	22800	20100	15000
35			1992	IR	18500	22800	20400	15700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			1993	IR	18900	23200	19500	15500
35			1994	IR	19400	23900	21300	16300
35			1995	IR	20200	24900	22300	17200
35			1996	IR	21000	26100	23400	17900
35			1997	IR	21900	27400	24500	18600
35			1998	IR	22700	28100	25400	19100
35			1999	IR	21900	27200	24300	18400
35			2000	IR	22100	27100	24500	18700
35			2001	IR	22300	27600	24700	18900
35			2002	IR	22600	27900	25000	19200
35			2003	IR	23000	27900	25300	19500
35			2004	IR	22400	27700	24800	18900
35			2005	IR	23500	28400	25700	20000
35			2006	IR	23800	28700	26000	20200
35			2007	IR	24100	29200	29100	20400
35			2008	IR	24400	29600	29000	20900
35			2009	IR	24700	29600	26900	21000
35			2010	IR	25000	29800	27200	21300
35			2011	IR	23500	28000	27400	20100
35			2012	IR	25200	30000	29200	21500
35			2013	CR	22300	26700	27400	18900
35			2014	CR	25100	29600	29400	21400
35			2015	IC	25100	27800	27700	22300
35			2016	IC	25500	28200	28100	22600
35			2017	IC	25700	28200	28400	23300
35			2018	IC	25900	28500	28700	23400
35			2019	IC	26100	28700	28800	23600
35	HWY 2 IC NEWCASTLE	2.9	1988	IR	14700	19100	16200	11800
35			1989	IR	16000	20600	17800	13100
35			1990	IR	17200	21800	19100	14100
35			1991	IR	18000	22700	20000	14900
35			1992	IR	18800	23100	20700	16000
35			1993	R	19700	33700	26400	11200
35			1994	R	19000	35200	27700	10300
35			1995	R	19800	36200	28500	10800
35			1996	IR	18800	23400	21000	16000
35			1997	IR	21200	26500	23700	18000
35			1998	IR	21900	27200	24500	18400
35			1999	IR	21800	27000	24200	18300
35			2000	IR	21400	26200	23700	18100
35			2001	IR	21700	26800	24000	18300
35			2002	IR	24000	29600	26600	20400
35			2003	IR	22300	27100	24500	18900
35			2004	IR	21900	27100	24300	18500
35			2005	IR	22100	26700	24200	18800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2006	IC	21300	23700	23900	18900
35			2007	IC	23400	26000	26800	20700
35			2008	CR	20600	24900	24700	17400
35			2009	CR	22900	27500	26600	19500
35			2010	CR	23100	27700	26700	19500
35			2011	CR	23300	27100	27500	20700
35			2012	CR	23500	28200	27700	19900
35			2013	CR	23700	28400	29100	20000
35			2014	CTR	22700	27700	27900	19300
35			2015	CTR	23400	28500	28800	19900
35			2016	CTR	23500	28700	28900	20000
35			2017	CTR	24000	32100	31900	19600
35			2018	CTR	24200	32300	32200	19700
35			2019	CTR	24300	32400	32200	19800
35	CLARKE 3RD CONC S JCT DURHAM RD 17 IC	2.0	1988	IR	15600	20300	17200	12500
35			1989	IR	16700	21500	18500	13700
35			1990	IR	17900	22700	19900	14700
35			1991	IR	18600	23400	20600	15400
35			1992	IR	19300	23700	21200	16400
35			1993	IR	20000	24600	20700	16400
35			1994	IR	20100	24800	22100	16800
35			1995	IR	20900	25700	23000	17800
35			1996	IR	20300	25200	22600	17300
35			1997	IR	22400	28000	25100	19000
35			1998	IR	23200	28800	26000	19500
35			1999	IR	23600	29300	26200	19800
35			2000	IR	24000	29400	26600	20300
35			2001	IR	24600	30400	27300	20800
35			2002	IR	27500	33900	30500	23400
35			2003	IR	25800	31300	28400	21900
35			2004	IR	24900	30800	27600	21000
35			2005	IR	25700	31000	28200	21900
35			2006	IR	26300	31700	28700	22300
35			2007	IR	26800	32500	32400	22700
35			2008	CR	25000	30300	30000	21100
35			2009	CR	27700	33200	32100	23500
35			2010	CR	28100	33700	32500	23800
35			2011	CR	28600	33300	33700	25400
35			2012	IC	26000	28800	27900	23100
35			2013	IC	28800	31900	31700	25500
35			2014	CR	29100	34300	34100	24800
35			2015	CR	29600	34900	34700	25200
35			2016	CR	30000	35400	35100	25600
35			2017	CR	30400	35200	35400	27400
35			2018	CR	30800	35800	36000	27600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2019	CR	31200	36200	36400	28000
35	CLARKE 4TH CONC IC	1.9	1988	IR	15700	20400	17300	12600
35			1989	IR	16800	21700	18600	13800
35			1990	IR	17800	22600	19800	14600
35			1991	IR	18100	22800	20100	15000
35			1992	IR	18500	22800	20400	15700
35			1993	IR	19000	23400	19600	15500
35			1994	IR	19900	24500	21900	16700
35			1995	IR	20600	25400	22700	17600
35			1996	IR	20400	25300	22800	17400
35			1997	IR	22100	27600	24800	18800
35			1998	IR	22800	28300	25500	19200
35			1999	IR	21800	27000	24200	18300
35			2000	IR	22000	27000	24400	18600
35			2001	IR	22300	27600	24700	18900
35			2002	IR	22500	27700	24900	19100
35			2003	IR	22800	27700	25100	19400
35			2004	IR	23000	28400	25500	19400
35			2005	IR	23500	28400	25700	20000
35			2006	IR	24300	29300	26600	20600
35			2007	IR	24600	29800	29700	20800
35			2008	IR	25000	30300	29700	21400
35			2009	IR	25300	30400	27600	21500
35			2010	IR	25600	30500	27900	21800
35			2011	IR	25800	30800	30100	22000
35			2012	IR	26100	31000	30200	22300
35			2013	IR	26400	31400	33700	22500
35			2014	IR	26700	31800	31900	22700
35			2015	IR	27100	32300	32300	23100
35			2016	IR	27400	32600	32700	23300
35			2017	IR	27700	33600	33400	23600
35			2018	IR	28000	34000	33800	23800
35			2019	IR	28400	34500	34400	24200
35	N JCT DURHAM RD 17 MAIN ST IC	0.5	1988	IR	15100	19600	16600	12100
35			1989	IR	16200	20900	18000	13300
35			1990	IR	17100	21700	19000	14000
35			1991	IR	17400	21900	19300	14400
35			1992	IR	17800	21900	19600	15100
35			1993	IR	18200	22400	18800	14900
35			1994	IR	19800	24400	21800	16600
35			1995	IR	20700	25500	22800	17600
35			1996	IR	21500	26700	24000	18300
35			1997	IR	22400	28000	25100	19000
35			1998	IR	23200	28800	26000	19500
35			1999	IR	22000	27300	24400	18500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2000	IR	22200	27200	24600	18800
35			2001	IR	22500	27800	24900	19000
35			2002	IR	22700	28000	25200	19300
35			2003	IR	22900	27800	25200	19400
35			2004	IR	23100	28500	25600	19500
35			2005	IR	23300	28100	25500	19900
35			2006	IR	22900	27600	25000	19400
35			2007	IR	23700	28700	28600	20100
35			2008	IR	23900	29000	28400	20400
35			2009	IR	24100	28900	26300	20500
35			2010	IR	24300	28900	26500	20700
35			2011	IR	24500	29200	28600	20900
35			2012	IR	24800	29500	28700	21200
35			2013	IR	25000	29800	31900	21300
35			2014	IR	25200	30000	30100	21400
35			2015	IR	25400	30200	30300	21600
35			2016	IR	25600	30500	30500	21800
35			2017	IR	25800	31300	31100	22000
35			2018	IR	26000	31600	31400	22100
35			2019	IR	26200	31900	31700	22300
35	STATION ST IC	2.3	1988	IR	14000	18200	15400	11200
35			1989	IR	15100	19500	16800	12400
35			1990	IR	16300	20700	18100	13400
35			1991	IR	16700	21000	18500	13900
35			1992	IR	17200	21200	18900	14600
35			1993	IR	17700	21800	18300	14500
35			1994	IR	18700	23000	20600	15700
35			1995	IR	19900	24500	21900	17000
35			1996	IR	20800	25800	23200	17700
35			1997	IR	22300	27900	25000	19000
35			1998	IR	23500	29100	26300	19700
35			1999	IR	21100	26200	23400	17700
35			2000	IR	21300	26100	23600	18000
35			2001	IR	21500	26600	23800	18200
35			2002	IR	21500	26500	23800	18300
35			2003	IR	22100	26800	24300	18800
35			2004	IR	22000	27200	24400	18600
35			2005	IR	22400	27000	24500	19100
35			2006	IR	22500	27100	24600	19100
35			2007	IR	22900	27700	27700	19400
35			2008	IR	22900	27700	27200	19600
35			2009	IR	22700	27200	24700	19300
35			2010	IR	23300	27700	25400	19800
35			2011	IR	23500	28000	27400	20100
35			2012	IR	23700	28200	27400	20300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2013	CTR	23800	29000	29900	20200
35			2014	CTR	24000	29300	29500	20400
35			2015	CTR	24200	29500	29800	20600
35			2016	CTR	24400	29800	30000	20700
35			2017	CTR	24600	32900	32700	20000
35			2018	CTR	24800	33100	33000	20200
35			2019	CTR	24900	33200	33000	20300
35	REG RD 4 TAUNTON RD (W) CLARK CONC 6 (E) IC	2.5	1988	IR	15100	19600	16600	12100
35			1989	IR	15600	20100	17300	12800
35			1990	IR	16700	21200	18500	13700
35			1991	IR	17300	21800	19200	14400
35			1992	IR	17900	22000	19700	15200
35			1993	IR	18500	22800	19100	15100
35			1994	IR	19000	23400	20900	15900
35			1995	IR	19700	24300	21700	16800
35			1996	IR	18800	23400	21000	16000
35			1997	IR	21000	26200	23500	17800
35			1998	IR	21700	26900	24300	18200
35			1999	IR	22500	27900	25000	18900
35			2000	IR	23700	29000	26200	20000
35			2001	IR	24100	29800	26700	20400
35			2002	IR	24900	30700	27600	21200
35			2003	IR	25700	31200	28300	21800
35			2004	IR	25900	32000	28700	21900
35			2005	IR	27300	32900	29900	23300
35			2006	IR	27300	32900	29800	23200
35			2007	IR	28000	33900	33800	23700
35			2008	IR	27200	32900	32300	23200
35			2009	IR	29400	35300	32000	25000
35			2010	IR	30000	35700	32700	25500
35			2011	IR	30700	36600	35900	26200
35			2012	IR	27100	32200	31400	23200
35			2013	IR	26000	31000	33200	22100
35			2014	IR	25600	30500	30500	21800
35			2015	IR	27300	32500	32600	23200
35			2016	IR	27800	33100	33200	23700
35			2017	IR	30300	34200	34400	26100
35			2018	IR	30700	34700	35000	26600
35			2019	IR	31100	35200	35500	27000
35	DURHAM RD 9 (E) CLARKE 7TH CONC (W) IC	5.4	1988	IR	15000	19500	16500	12000
35			1989	IR	15900	20500	17600	13000
35			1990	IR	17300	22000	19200	14200
35			1991	IR	17400	21900	19300	14400
35			1992	IR	17700	21800	19500	15000
35			1993	IR	18700	23000	19300	15300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			1994	IR	19700	24300	21700	16500
35			1995	IR	20400	25100	22500	17400
35			1996	IR	21200	26300	23600	18100
35			1997	IR	22000	27500	24600	18700
35			1998	IR	22800	28300	25500	19200
35			1999	IR	21500	26700	23900	18100
35			2000	IR	21600	26500	23900	18300
35			2001	IR	21700	26800	24000	18300
35			2002	IR	21900	27000	24300	18600
35			2003	IR	22000	26700	24200	18700
35			2004	IR	22100	27300	24500	18700
35			2005	IR	22200	26800	24300	18900
35			2006	IR	21700	26200	23700	18400
35			2007	IR	22500	27300	27200	19100
35			2008	IR	22600	27400	26900	19300
35			2009	IR	22700	27200	24700	19300
35			2010	IR	25100	29900	27300	21400
35			2011	IR	23500	28000	27400	20100
35			2012	IR	23700	28200	27400	20300
35			2013	IR	23900	28500	30500	20300
35			2014	IR	27300	32500	32600	23200
35			2015	IR	27800	33100	33200	23700
35			2016	IR	28300	33700	33800	24100
35			2017	IR	26300	31900	31700	22400
35			2018	IR	26600	32300	32100	22600
35			2019	IR	26900	32700	32600	22900
35	N JCT HWY 115 IC (ENTERPRISE HILL)	1.5	1988	IC	5400	6250	6100	4750
35			1989	IC	5650	6500	6400	5050
35			1990	IC	5900	6750	6600	5250
35			1991	IC	6000	6800	6650	5350
35			1992	IC	6100	6750	6700	5550
35			1993	IC	6200	7000	6950	5500
35			1994	IC	6150	6900	6900	5450
35			1995	IC	6300	7050	7100	5650
35			1996	IR	5750	7150	6400	4900
35			1997	IR	6600	8250	7400	5600
35			1998	IR	6750	8350	7550	5650
35			1999	IR	6450	8000	7150	5400
35			2000	IR	6500	7950	7200	5500
35			2001	IR	6550	8100	7250	5550
35			2002	IR	6450	7950	7150	5500
35			2003	IR	6650	8050	7300	5650
35			2004	IR	6700	8300	7400	5650
35			2005	IR	6750	8150	7400	5750
35			2006	IR	6700	8100	7300	5700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2007	IR	6800	8250	8200	5750
35			2008	IR	6700	8100	7950	5750
35			2009	IR	6850	8200	7450	5800
35			2010	IR	6900	8200	7500	5850
35			2011	IR	6500	7750	7600	5550
35			2012	C	6900	7600	7450	6200
35			2013	C	6950	7650	7550	6250
35			2014	C	6950	7650	7450	6250
35			2015	C	7000	7700	7500	6300
35			2016	C	7050	7750	7550	6350
35			2017	C	7100	7750	7750	6450
35			2018	C	7100	7800	7750	6400
35			2019	C	7150	7800	7750	6450
35	TORONTO BANCROFT MTO DIST BDY	2.5	1988	IC	5400	6250	6100	4750
35			1989	IC	5650	6500	6400	5050
35			1990	IC	5900	6750	6600	5250
35			1991	IC	6000	6800	6650	5350
35			1992	IC	6100	6750	6700	5550
35			1993	IC	6200	7000	6950	5500
35			1994	IC	6150	6900	6900	5450
35			1995	IC	6300	7050	7100	5650
35			1996	IR	5750	7150	6400	4900
35			1997	IR	6600	8250	7400	5600
35			1998	IR	6750	8350	7550	5650
35			1999	IR	6450	8000	7150	5400
35			2000	IR	6500	7950	7200	5500
35			2001	IR	6550	8100	7250	5550
35			2002	IR	6450	7950	7150	5500
35			2003	IR	6650	8050	7300	5650
35			2004	IR	6700	8300	7400	5650
35			2005	IR	6750	8150	7400	5750
35			2006	IR	6700	8100	7300	5700
35			2007	IR	6800	8250	8200	5750
35			2008	IR	6700	8100	7950	5750
35			2009	IR	6850	8200	7450	5800
35			2010	IR	6900	8200	7500	5850
35			2011	IR	6500	7750	7600	5550
35			2012	IR	6900	8200	8000	5900
35			2013	IR	6950	8250	8850	5900
35			2014	IR	6950	8250	8300	5900
35			2015	IR	7000	8350	8350	5950
35			2016	IR	7050	8400	8400	6000
35			2017	IR	7100	8000	8050	6150
35			2018	IR	7100	8050	8100	6150
35			2019	IR	7150	8100	8150	6200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35	KAWARTHA LAKES RD 12 PONTYPOOL RD	7.6	1988	IR	5000	6500	5500	4000
35			1989	IR	5300	6850	5900	4350
35			1990	IR	5500	7000	6100	4500
35			1991	IR	5600	7050	6200	4650
35			1992	IR	5800	7150	6400	4950
35			1993	IR	6000	7400	6200	4900
35			1994	IR	6100	7500	6700	5100
35			1995	IR	6200	7650	6850	5300
35			1996	IR	6300	7850	7050	5350
35			1997	IR	6400	8000	7150	5450
35			1998	IR	6500	8050	7300	5450
35			1999	IR	6300	7800	7000	5300
35			2000	IR	6300	7700	7000	5300
35			2001	IR	6400	7900	7100	5400
35			2002	IR	6300	7750	7000	5350
35			2003	IR	6450	7850	7100	5500
35			2004	IR	6700	8300	7400	5650
35			2005	IR	6500	7850	7100	5550
35			2006	IR	6300	7600	6900	5350
35			2007	IR	6100	7400	7350	5150
35			2008	CR	5900	7150	7100	4950
35			2009	CR	6300	7550	7300	5350
35			2010	CR	6300	7550	7300	5350
35			2011	CR	6350	7400	7500	5650
35			2012	CR	6300	7550	7400	5350
35			2013	CR	6300	7550	7750	5350
35			2014	CR	6300	7400	7400	5350
35			2015	CR	6300	7400	7400	5350
35			2016	CR	6300	7400	7400	5350
35			2017	CR	6300	7300	7350	5650
35			2018	CR	6300	7300	7350	5650
35			2019	CR	6300	7300	7350	5650
35	S JCT HWY 7A BETHANY RD OVERLAP HWY 7A (14920)	1.5	9999					
35	N JCT HWY 7A (TO YELVERTON) (W) TWIGG RD (E)	8.6	1988	IR	4900	6350	5400	3900
35			1989	IR	5200	6700	5750	4250
35			1990	IR	5450	6900	6050	4450
35			1991	IR	5500	6950	6100	4550
35			1992	IR	5400	6650	5950	4600
35			1993	IR	5400	6650	5600	4400
35			1994	IR	5400	6650	5950	4550
35			1995	IR	5400	6650	5950	4600
35			1996	IR	5400	6700	6000	4600
35			1997	IR	5600	7000	6250	4750
35			1998	IR	5850	7250	6550	4900
35			1999	IR	6000	7450	6650	5050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2000	IR	6200	7600	6850	5250
35			2001	IR	6550	8100	7250	5550
35			2002	IR	6900	8500	7650	5850
35			2003	IR	6950	8450	7650	5900
35			2004	IR	6700	8300	7400	5650
35			2005	IR	7350	8850	8050	6250
35			2006	IR	6950	8400	7600	5900
35			2007	IR	7100	8600	8600	6000
35			2008	CR	6500	7850	7800	5500
35			2009	CR	7400	8900	8600	6300
35			2010	CR	7550	9050	8750	6400
35			2011	CR	7000	8150	8250	6250
35			2012	CR	7650	9150	9000	6450
35			2013	CR	7800	9350	9600	6600
35			2014	CTR	7850	9600	9650	6650
35			2015	CTR	8000	9750	9850	6800
35			2016	CTR	8150	9950	10000	6950
35			2017	CTR	8250	11000	11000	6700
35			2018	CTR	8400	11200	11200	6850
35			2019	CTR	8500	11300	11300	6900
35	KAWARTHA LAKES RD 31 (E) MT.HOREB RD	9.4	1988	IR	5600	7300	6150	4500
35			1989	IR	5900	7600	6550	4850
35			1990	IR	6200	7850	6900	5100
35			1991	IR	6250	7900	6950	5200
35			1992	IR	6200	7650	6800	5250
35			1993	IR	6200	7650	6400	5050
35			1994	IR	6300	7750	6950	5300
35			1995	IR	6350	7800	7000	5400
35			1996	IR	6400	7950	7150	5450
35			1997	IR	6700	8400	7500	5700
35			1998	IR	6800	8450	7600	5700
35			1999	IR	7000	8700	7750	5900
35			2000	IR	7200	8800	7950	6100
35			2001	IR	7450	9200	8250	6300
35			2002	IR	7700	9500	8550	6550
35			2003	IR	7800	9450	8600	6600
35			2004	IR	8350	10300	9250	7050
35			2005	IR	8150	9850	8950	6950
35			2006	IR	7950	9600	8700	6750
35			2007	IR	7700	9350	9300	6500
35			2008	IR	7500	9100	8900	6400
35			2009	IR	8350	10000	9100	7100
35			2010	IR	8500	10100	9250	7250
35			2011	IR	8200	9800	9600	7000
35			2012	IR	8050	9600	9300	6900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2013	IR	8650	10300	11000	7350
35			2014	CTR	7850	9600	9650	6650
35			2015	CTR	8700	10600	10700	7400
35			2016	CTR	8800	10700	10800	7500
35			2017	CTR	8900	11900	11800	7250
35			2018	CTR	9000	12000	12000	7350
35			2019	CTR	9100	12100	12100	7400
35	S JCT HWYS 7/7B/35B LINDSAY	5.5	9999					
35	N JCT HWY 7 S JCT HWY 7B	0.8	1988	CR	5700	7300	6850	4750
35			1989	CR	5950	7600	7100	5000
35			1990	IR	6300	8000	7000	5150
35			1991	IR	6450	8150	7150	5350
35			1992	IR	6500	8000	7150	5500
35			1993	IR	6500	8000	6700	5300
35			1994	IR	6950	8550	7650	5800
35			1995	IR	7150	8800	7900	6100
35			1996	IR	7450	9250	8300	6350
35			1997	IR	7600	9500	8500	6450
35			1998	IR	7800	9650	8750	6550
35			1999	IR	7850	9750	8700	6600
35			2000	IR	8000	9800	8850	6750
35			2001	IR	8200	10100	9100	6950
35			2002	IR	8250	10200	9150	7000
35			2003	IR	8500	10300	9350	7200
35			2004	IR	9150	11300	10100	7750
35			2005	IR	8800	10600	9650	7500
35			2006	IR	8450	10200	9250	7200
35			2007	IR	8150	9850	9850	6900
35			2008	IR	7800	9450	9250	6650
35			2009	IR	8800	10600	9600	7500
35			2010	IR	8900	10600	9700	7600
35			2011	IR	7600	9050	8900	6500
35			2012	IR	8500	10100	9850	7250
35			2013	IR	8800	10500	11200	7500
35			2014	IR	8850	10500	10600	7550
35			2015	IR	8950	10700	10700	7600
35			2016	IR	9000	10700	10700	7650
35			2017	IR	9050	10600	10600	8050
35			2018	IR	9150	10800	10800	8200
35			2019	IR	9200	10800	10800	8250
35	N JCT HWY 7B GREENFIELD RD (S)	3.2	1988	CR	5600	7150	6700	4650
35			1989	CR	6000	7700	7150	5050
35			1990	IR	6400	8150	7100	5250
35			1991	IR	6550	8250	7250	5450
35			1992	IR	8950	11000	9850	7600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			1993	IR	8950	11000	9250	7300
35			1994	IR	8600	10600	9450	7200
35			1995	IR	8800	10800	9700	7500
35			1996	IR	8950	11100	10000	7600
35			1997	IR	9400	11800	10500	8000
35			1998	IR	9800	12200	11000	8250
35			1999	IR	9400	11700	10400	7900
35			2000	IR	9450	11600	10500	8000
35			2001	IR	9650	11900	10700	8150
35			2002	IR	9500	11700	10500	8100
35			2003	IR	9900	12000	10900	8400
35			2004	IR	10500	13000	11600	8900
35			2005	IR	10200	12300	11200	8700
35			2006	IR	9850	11900	10800	8350
35			2007	IR	9550	11600	11500	8100
35			2008	CR	9200	11100	11000	7750
35			2009	CR	10100	12100	11700	8600
35			2010	CR	10200	12200	11800	8600
35			2011	CR	9550	11100	11300	8500
35			2012	CR	9100	10900	10700	7700
35			2013	CR	10000	12000	12300	8450
35			2014	CTR	9400	11500	11600	8000
35			2015	CTR	9950	12100	12200	8450
35			2016	CTR	10000	12200	12300	8500
35			2017	CTR	10000	13400	13300	8150
35			2018	CTR	10100	13500	13400	8250
35			2019	CTR	10100	13500	13400	8200
35	KAWARTHA LAKES RD 4 THUNDER BRIDGE RD	3.4	1988	CR	7400	9450	8900	6150
35			1989	CR	7800	10000	9300	6550
35			1990	CR	8150	10100	9350	7350
35			1991	CR	8300	10200	9550	7450
35			1992	CR	8250	10100	9400	7400
35			1993	CR	8250	10100	9500	7400
35			1994	CR	8250	10100	9400	7400
35			1995	CR	8250	10200	9750	7100
35			1996	CR	8250	10200	9700	7050
35			1997	CR	8500	10500	10000	7200
35			1998	CR	8700	10700	10200	7400
35			1999	CR	8900	10900	10400	7550
35			2000	CR	9100	11200	10600	7750
35			2001	CR	9500	11700	11100	8000
35			2002	CR	9850	12100	11600	8300
35			2003	CR	9900	12100	11600	8400
35			2004	CR	10400	12800	12200	8800
35			2005	CR	10300	12500	12000	8700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2006	CR	10200	12400	11900	8600
35			2007	CR	10000	12100	12100	8450
35			2008	CR	9900	12000	11900	8350
35			2009	CR	10700	12800	12400	9100
35			2010	CR	10800	12900	12500	9150
35			2011	CR	10200	11900	12000	9050
35			2012	CR	10300	12300	12100	8700
35			2013	CR	11000	13200	13500	9300
35			2014	CTR	10200	12400	12500	8650
35			2015	CTR	11100	13500	13700	9450
35			2016	CTR	11200	13700	13800	9500
35			2017	CTR	11400	15200	15200	9300
35			2018	CTR	11500	15400	15300	9350
35			2019	CTR	11600	15500	15400	9450
35	KAWARTHA LAKES RD 21 KILLARNEY BAY RD	9.5	1988	CR	6000	7700	7200	5000
35			1989	CR	6500	8300	7750	5450
35			1990	IR	7000	8900	7750	5750
35			1991	IR	7150	9000	7950	5950
35			1992	IR	7100	8750	7800	6050
35			1993	IR	7200	8850	7450	5900
35			1994	IR	7350	9050	8100	6150
35			1995	IR	7450	9200	8200	6350
35			1996	IR	7550	9400	8400	6450
35			1997	IR	7950	9950	8900	6750
35			1998	IR	8200	10200	9200	6900
35			1999	IR	8350	10400	9250	7000
35			2000	IR	8550	10500	9450	7200
35			2001	IR	8650	10700	9600	7300
35			2002	IR	9000	11100	9950	7650
35			2003	IR	9000	10900	9900	7650
35			2004	IR	9550	11800	10600	8050
35			2005	IR	9250	11200	10100	7900
35			2006	IR	8950	10800	9800	7600
35			2007	IR	8600	10400	10400	7300
35			2008	IR	8300	10100	9850	7100
35			2009	IR	9350	11200	10200	7950
35			2010	IR	9450	11200	10300	8050
35			2011	IR	8850	10600	10300	7550
35			2012	IR	8200	9750	9500	7000
35			2013	IR	9350	11100	11900	7950
35			2014	CTR	8700	10600	10700	7400
35			2015	CTR	9350	11400	11500	7950
35			2016	CTR	9450	11500	11600	8050
35			2017	CTR	9500	12700	12600	7750
35			2018	CTR	9550	12800	12700	7800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2019	CTR	9650	12900	12800	7850
35	VICTORIA RD 121 (E) POWLES RD (W)	4.2	1988	CR	2500	3200	3000	2100
35			1989	CR	2700	3450	3200	2250
35			1990	IR	2950	3750	3250	2400
35			1991	IR	3000	3800	3350	2500
35			1992	IR	2350	2900	2600	2000
35			1993	IR	2350	2900	2450	1900
35			1994	IR	2350	2900	2600	1950
35			1995	IR	2350	2900	2600	2000
35			1996	IR	2350	2900	2600	2000
35			1997	IR	2650	3300	2950	2250
35			1998	IR	2650	3300	2950	2250
35			1999	IR	2750	3400	3050	2300
35			2000	IR	2850	3500	3150	2400
35			2001	IR	2900	3600	3200	2450
35			2002	IR	3000	3700	3300	2550
35			2003	IR	3100	3750	3400	2650
35			2004	IR	3450	4250	3800	2900
35			2005	IR	3250	3900	3550	2750
35			2006	IR	3050	3700	3350	2600
35			2007	IR	2900	3500	3500	2450
35			2008	IR	2700	3250	3200	2300
35			2009	IR	3250	3900	3550	2750
35			2010	IR	3300	3950	3600	2800
35			2011	IR	3000	3600	3500	2550
35			2012	IR	2850	3400	3300	2450
35			2013	IR	3250	3850	4150	2750
35			2014	CTR	3400	4150	4200	2900
35			2015	CTR	3350	4100	4100	2850
35			2016	CTR	3400	4150	4200	2900
35			2017	CTR	3450	4600	4600	2800
35			2018	CTR	3500	4650	4650	2850
35			2019	CTR	3550	4750	4700	2900
35	KAWARTHA LAKES RD 8 GARDINER RD (E)	0.8	1988	IT	4750	6900	6300	3500
35			1989	IT	5150	7150	6900	4000
35			1990	LR	5400	9450	7500	3400
35			1991	LR	5500	9700	7650	3450
35			1992	LR	5400	8700	6950	3550
35			1993	LR	5400	8700	6950	3550
35			1994	LR	5400	8850	7150	3550
35			1995	LR	5400	9050	7350	3550
35			1996	LR	5400	9050	7250	3600
35			1997	LR	5700	9600	7700	3800
35			1998	LR	6000	9900	8000	3950
35			1999	LR	6000	9850	7900	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2000	LR	6200	10000	8100	4150
35			2001	LR	6200	10100	8100	4150
35			2002	LR	6500	10600	8450	4400
35			2003	LR	6450	10200	8200	4350
35			2004	LR	6500	10600	8450	4350
35			2005	LT	6550	9000	8750	4800
35			2006	LT	6750	9250	9000	4950
35			2007	LT	6850	9400	9650	5050
35			2008	IR	6850	8300	8150	5850
35			2009	IR	7100	8500	7750	6050
35			2010	IR	7200	8550	7850	6150
35			2011	IR	5900	7050	6900	5050
35			2012	IR	7100	8450	8200	6050
35			2013	IR	7200	8550	9200	6150
35			2014	CTR	7200	8800	8850	6100
35			2015	CTR	7350	8950	9050	6250
35			2016	CTR	7450	9100	9150	6350
35			2017	CTR	7550	10100	10000	6150
35			2018	CTR	7600	10200	10100	6200
35			2019	CTR	7700	10300	10200	6250
35	KAWARTHA LAKES RD 8 GLENARM RD (E)	16.3	1988	LR	3850	6800	4850	2400
35			1989	LR	4200	7100	5450	2750
35			1990	IR	4600	5850	5100	3750
35			1991	IR	4700	5900	5200	3900
35			1992	IR	4600	5650	5050	3900
35			1993	IR	4600	5650	4750	3750
35			1994	IR	4100	5050	4500	3450
35			1995	IR	4050	5000	4450	3450
35			1996	LR	3350	5600	4500	2250
35			1997	LT	3900	5500	5400	2900
35			1998	LT	3850	5400	5250	2800
35			1999	LT	3650	5050	4950	2650
35			2000	LT	3600	5000	4900	2650
35			2001	LT	3550	4950	4850	2600
35			2002	LT	3450	4800	4700	2550
35			2003	LT	3400	4700	4600	2500
35			2004	LT	3250	4550	4400	2400
35			2005	LT	3400	4650	4550	2500
35			2006	LT	3550	4850	4750	2600
35			2007	LT	3750	5150	5300	2750
35			2008	LT	3900	5350	5100	2900
35			2009	LT	3450	4650	4550	2550
35			2010	LT	3450	4650	4550	2550
35			2011	LT	3350	4300	4400	2750
35			2012	LT	3350	4350	4150	2550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2013	LT	4100	5350	5350	3100
35			2014	LT	4200	5500	5600	3150
35			2015	LT	3600	4700	4800	2700
35			2016	LT	3600	4700	4800	2700
35			2017	LT	3600	5050	5000	2750
35			2018	LT	3600	5050	5000	2750
35			2019	LT	3600	5050	5000	2750
35	KAWARTHA LAKES RD 48 (W) PINE POINT COTTAGE	7.7	1988	LR	4200	7450	5300	2600
35			1989	LR	4400	7450	5700	2900
35			1990	LR	4600	8050	6400	2900
35			1991	LR	4550	8000	6300	2850
35			1992	LR	4500	7250	5800	2950
35			1993	LR	4500	7250	5800	2950
35			1994	LR	4500	7400	5950	2950
35			1995	LR	4600	7750	6250	3000
35			1996	LR	4300	7200	5750	2850
35			1997	LR	4350	7300	5850	2900
35			1998	LR	4000	6600	5300	2650
35			1999	LR	4350	7150	5750	2850
35			2000	LR	4350	7050	5700	2900
35			2001	LR	4400	7200	5750	2950
35			2002	LR	4500	7350	5850	3050
35			2003	LR	4400	6950	5600	2950
35			2004	LR	4400	7200	5750	2950
35			2005	LR	4500	7050	5650	3050
35			2006	LR	4400	6850	5500	2950
35			2007	LR	4400	6900	6600	2950
35			2008	LR	4400	6850	6700	3000
35			2009	LR	4400	6700	5450	3000
35			2010	LR	4400	6600	5400	3000
35			2011	LR	4400	6800	6400	3100
35			2012	LR	4400	6550	6400	3000
35			2013	LR	4400	6600	7500	3000
35			2014	HR	6500	9800	9850	4000
35			2015	HR	4800	7200	7300	2950
35			2016	HR	4850	7300	7350	3000
35			2017	HR	4850	7850	7900	3300
35			2018	HR	4900	8000	8000	3350
35			2019	HR	4900	7950	7950	3350
35	MONCK RD KAWARTHA LAKES RD 45	6.0	1988	R	3200	6000	4400	1700
35			1989	R	3500	6450	4800	1950
35			1990	LR	3700	6500	5150	2350
35			1991	LR	3700	6500	5150	2350
35			1992	LR	3150	5050	4050	2100
35			1993	LR	3150	5050	4050	2050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			1994	LR	3400	5600	4500	2200
35			1995	LR	3450	5800	4700	2250
35			1996	LR	3150	5250	4250	2100
35			1997	LR	3150	5300	4250	2100
35			1998	LR	3200	5300	4250	2100
35			1999	LR	3250	5350	4300	2150
35			2000	LR	3250	5250	4250	2150
35			2001	LR	3250	5300	4250	2150
35			2002	LR	3350	5450	4350	2250
35			2003	LR	3250	5150	4150	2200
35			2004	LR	3200	5250	4150	2150
35			2005	LR	3200	5000	4050	2200
35			2006	LR	3200	5000	4000	2150
35			2007	LR	3200	5000	4800	2150
35			2008	LR	3200	5000	4850	2200
35			2009	LR	3200	4850	3950	2200
35			2010	LR	3200	4800	3900	2150
35			2011	LR	3150	4850	4550	2200
35			2012	LR	3300	4900	4800	2250
35			2013	LR	3200	4800	5450	2150
35			2014	HR	3150	4750	4800	1950
35			2015	HR	3150	4750	4800	1950
35			2016	HR	3150	4750	4800	1950
35			2017	HR	3150	5100	5150	2150
35			2018	HR	3150	5150	5150	2150
35			2019	HR	3150	5100	5100	2150
35	VICTORIA CTY HALIBURTON DIST BDY	7.9	1988	R	3200	6000	4400	1700
35			1989	R	3500	6450	4800	1950
35			1990	LR	3700	6500	5150	2350
35			1991	LR	3700	6500	5150	2350
35			1992	LR	3150	5050	4050	2100
35			1993	LR	3150	5050	4050	2050
35			1994	LR	3400	5600	4500	2200
35			1995	LR	3450	5800	4700	2250
35			1996	LR	3150	5250	4250	2100
35			1997	LR	3150	5300	4250	2100
35			1998	LR	3200	5300	4250	2100
35			1999	LR	3250	5350	4300	2150
35			2000	LR	3250	5250	4250	2150
35			2001	LR	3250	5300	4250	2150
35			2002	LR	3350	5450	4350	2250
35			2003	LR	3250	5150	4150	2200
35			2004	LR	3200	5250	4150	2150
35			2005	LR	3200	5000	4050	2200
35			2006	LR	3200	5000	4000	2150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2007	LR	3200	5000	4800	2150
35			2008	LR	3200	5000	4850	2200
35			2009	LR	3200	4850	3950	2200
35			2010	LR	3200	4800	3900	2150
35			2011	LR	3150	4850	4550	2200
35			2012	LR	3150	4700	4550	2150
35			2013	LR	3150	4700	5400	2150
35			2014	LR	3150	4700	4800	2150
35			2015	LR	3150	4700	4800	2150
35			2016	LR	3150	4700	4800	2150
35			2017	LR	3150	5250	5100	2150
35			2018	LR	3100	5150	5000	2150
35			2019	LR	3100	5200	5050	2100
35	PINE RIDGE RD (W) CLEAR LAKE RD (E)	10.7	1988	LR	2950	5200	3700	1850
35			1989	LR	3250	5500	4200	2150
35			1990	LR	3400	5950	4750	2150
35			1991	LR	3550	6250	4950	2250
35			1992	LR	3550	5700	4600	2350
35			1993	LR	3550	5700	4550	2300
35			1994	LR	3650	6000	4850	2400
35			1995	LR	3700	6200	5050	2450
35			1996	LR	3800	6350	5100	2550
35			1997	LR	3800	6400	5150	2550
35			1998	LR	4000	6600	5300	2650
35			1999	LR	3850	6300	5100	2550
35			2000	LR	3950	6400	5150	2650
35			2001	LR	3900	6400	5100	2600
35			2002	LR	3900	6350	5100	2650
35			2003	LR	3800	6000	4850	2550
35			2004	LR	3950	6450	5150	2650
35			2005	LR	4000	6250	5050	2700
35			2006	LR	4000	6250	5000	2700
35			2007	LR	4000	6250	6000	2700
35			2008	LR	4050	6300	6150	2750
35			2009	LR	4050	6150	5000	2750
35			2010	LR	4100	6150	5000	2800
35			2011	LR	4100	6350	5950	2850
35			2012	LR	4150	6200	6000	2850
35			2013	LT	4150	5400	5400	3150
35			2014	LT	4200	5500	5600	3150
35			2015	T	4200	6150	6050	2700
35			2016	T	4200	6150	6050	2700
35			2017	T	4250	5850	5850	3350
35			2018	T	4250	5800	5850	3350
35			2019	T	4300	5900	5950	3400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35	S JCT CTY RD. 121	2.7	1997	LR	4800	8050	6500	3200
35			1998	LR	4850	8000	6450	3200
35			1999	LR	4900	8050	6450	3250
35			2000	LR	4950	8000	6450	3300
35			2001	LR	5000	8200	6500	3350
35			2002	LR	5050	8250	6600	3400
35			2003	LR	5100	8050	6500	3450
35			2004	LR	5150	8450	6700	3450
35			2005	LR	5200	8100	6550	3550
35			2006	LR	5250	8200	6550	3550
35			2007	LR	5300	8300	7950	3550
35			2008	LR	5350	8350	8150	3650
35			2009	LR	5400	8200	6700	3650
35			2010	LR	5450	8150	6650	3700
35			2011	LR	5500	8500	8000	3850
35			2012	LR	5550	8300	8050	3800
35			2013	LT	5600	7300	7300	4250
35			2014	LT	5650	7400	7500	4250
35			2015	T	5700	8350	8250	3650
35			2016	T	5750	8400	8300	3650
35			2017	T	5800	7950	8000	4600
35			2018	T	5850	8000	8050	4650
35			2019	T	5900	8100	8150	4700
35	HALIBURTON RD 16 S LK RD (E)/NEWCASTLE ST (W)	0.9	1997	LR	4950	8300	6700	3300
35			1998	LR	5000	8250	6650	3300
35			1999	LR	5100	8350	6750	3350
35			2000	LR	5150	8350	6750	3450
35			2001	LR	5200	8500	6800	3500
35			2002	LR	5300	8650	6900	3600
35			2003	LR	5350	8450	6800	3600
35			2004	LR	5400	8850	7050	3600
35			2005	LR	5600	8750	7050	3800
35			2006	LR	5550	8650	6950	3750
35			2007	LR	5800	9100	8750	3900
35			2008	LR	5900	9200	8950	4050
35			2009	LT	6200	8350	8200	4600
35			2010	LT	6050	8100	7950	4450
35			2011	LR	6850	10600	9950	4800
35			2012	LR	6450	9650	9350	4450
35			2013	CTR	6600	8050	8300	5600
35			2014	CTR	6650	8100	8200	5650
35			2015	CTR	6800	8300	8350	5800
35			2016	CTR	6900	8400	8500	5850
35			2017	CTR	7000	9350	9300	5700
35			2018	CTR	7100	9500	9450	5800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2019	CTR	7200	9600	9550	5850
35	WATER ST	0.9	1988	LR	3850	6800	4850	2400
35			1989	LR	4600	7750	6000	3050
35			1990	LR	5000	8750	6950	3150
35			1991	LR	5250	9250	7300	3300
35			1992	LR	5400	8700	6950	3550
35			1993	LR	5600	9000	7200	3650
35			1994	LR	5750	9450	7600	3750
35			1995	LR	6000	10100	8150	3950
35			1996	LR	6250	10500	8400	4150
35			1997	LR	6350	10700	8550	4250
35			1998	LR	6750	11100	9000	4450
35			1999	LR	6900	11300	9100	4550
35			2000	LR	7150	11600	9350	4750
35			2001	LR	7400	12100	9650	4950
35			2002	LR	7600	12400	9900	5150
35			2003	LR	7850	12400	10000	5300
35			2004	LR	8100	13300	10600	5400
35			2005	LR	8100	12600	10200	5500
35			2006	LR	8550	13300	10700	5750
35			2007	LR	8550	13400	12900	5750
35			2008	LR	8750	13700	13300	6000
35			2009	LT	8450	11400	11200	6250
35			2010	LT	9150	12300	12000	6750
35			2011	LT	9350	12000	12200	7700
35			2012	LT	9550	12500	11900	7250
35			2013	CR	9750	11700	12000	8250
35			2014	CR	9600	11300	11200	8200
35			2015	CTR	8450	10300	10400	7200
35			2016	CTR	9800	12000	12100	8350
35			2017	CTR	10100	13500	13400	8250
35			2018	CTR	10300	13800	13700	8400
35			2019	CTR	10500	14000	13900	8550
35	N JCT CTY RD 121	13.1	1988	LR	2250	4000	2850	1400
35			1989	LR	2350	3950	3050	1550
35			1990	LR	2450	4300	3400	1550
35			1991	LR	2500	4400	3450	1600
35			1992	LR	2600	4200	3350	1700
35			1993	LR	2750	4450	3550	1800
35			1994	LR	2750	4500	3650	1800
35			1995	LR	2800	4700	3800	1850
35			1996	LR	2900	4850	3900	1950
35			1997	LR	2950	4950	4000	2000
35			1998	LR	3050	5050	4050	2000
35			1999	LR	3050	5000	4050	2000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2000	LR	3100	5000	4050	2050
35			2001	LR	3100	5050	4050	2050
35			2002	LR	3200	5200	4150	2150
35			2003	LR	3150	5000	4000	2150
35			2004	LR	3250	5300	4250	2150
35			2005	LR	3300	5150	4150	2250
35			2006	LR	3350	5200	4200	2250
35			2007	LR	3400	5350	5100	2300
35			2008	LR	3350	5250	5100	2300
35			2009	LR	3450	5250	4300	2350
35			2010	LR	3500	5250	4300	2350
35			2011	LR	3300	5100	4800	2300
35			2012	LR	3550	5300	5150	2450
35			2013	LT	3550	4650	4650	2700
35			2014	LT	3600	4700	4800	2700
35			2015	T	3650	5350	5300	2350
35			2016	T	3700	5400	5350	2350
35			2017	T	3750	5150	5150	3000
35			2018	T	3750	5150	5150	2950
35			2019	T	3800	5200	5250	3000
35	HWY 118	10.6	1988	LR	1450	2550	1850	900
35			1989	LR	1800	3050	2350	1200
35			1990	LR	2050	3600	2850	1300
35			1991	LR	2250	3950	3150	1400
35			1992	LR	2250	3600	2900	1500
35			1993	LR	2200	3550	2850	1450
35			1994	LR	2150	3550	2850	1400
35			1995	LR	2250	3800	3050	1500
35			1996	LR	2300	3850	3100	1550
35			1997	LR	2200	3700	2950	1450
35			1998	LR	2450	4050	3250	1600
35			1999	LR	2350	3850	3100	1550
35			2000	LR	2450	3950	3200	1650
35			2001	LR	2400	3950	3150	1600
35			2002	LR	2400	3900	3150	1600
35			2003	LR	2400	3800	3050	1600
35			2004	LR	2450	4000	3200	1650
35			2005	LR	2450	3850	3100	1650
35			2006	LR	2400	3750	3000	1600
35			2007	LR	2450	3850	3700	1650
35			2008	LR	2450	3800	3700	1700
35			2009	LR	2400	3650	3000	1650
35			2010	LR	2500	3750	3050	1700
35			2011	LR	2250	3500	3250	1600
35			2012	LR	2450	3650	3550	1700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			2013	LT	2450	3200	3200	1850
35			2014	LT	2500	3250	3300	1900
35			2015	T	1900	2800	2750	1200
35			2016	T	2400	3500	3450	1550
35			2017	T	2400	3300	3300	1900
35			2018	T	2400	3300	3300	1900
35			2019	T	2400	3300	3300	1900
35	HALIBURTON RD 13	23.7	1988	T	1000	1850	1750	610
35			1989	T	1050	1900	1850	660
35			1990	T	1050	1900	1850	650
35			1991	T	950	1700	1650	590
35			1992	T	950	1700	1650	590
35			1993	T	950	1700	1650	590
35			1994	T	1000	1800	1750	620
35			1995	T	1000	1750	1700	620
35			1996	T	1050	1850	1800	650
35			1997	LR	960	1600	1300	640
35			1998	LR	1050	1750	1400	690
35			1999	LR	1050	1700	1400	690
35			2000	LR	1100	1800	1450	730
35			2001	LR	1100	1800	1450	740
35			2002	LR	1100	1800	1450	740
35			2003	LR	1100	1750	1400	740
35			2004	LR	1100	1800	1450	740
35			2005	LR	1100	1700	1400	750
35			2006	LR	1150	1800	1450	780
35			2007	LR	1150	1800	1750	770
35			2008	LR	1150	1800	1750	790
35			2009	LR	1100	1650	1350	750
35			2010	LR	1150	1700	1400	780
35			2011	LR	1000	1550	1450	700
35			2012	LR	1150	1700	1650	790
35			2013	LT	1150	1500	1500	870
35			2014	LT	1150	1500	1550	870
35			2015	T	800	1150	1150	510
35			2016	T	1100	1600	1600	700
35			2017	T	1100	1500	1500	870
35			2018	T	1100	1500	1500	870
35			2019	T	1100	1500	1500	870
35	MUSKOKA RD 117 BAYSVILLE RD	17.7	1988	LT	1400	2000	1950	1050
35			1989	LT	1450	2000	2000	1050
35			1990	LT	1500	2200	2100	1100
35			1991	T	1300	2350	2250	810
35			1992	T	1300	2350	2300	810
35			1993	T	1400	2550	2450	870

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
35			1994	T	1500	2700	2650	930
35			1995	T	1550	2700	2650	950
35			1996	T	1550	2700	2650	950
35			1997	LR	1600	2700	2150	1050
35			1998	LR	1650	2700	2200	1100
35			1999	LR	1700	2800	2250	1100
35			2000	LR	1750	2850	2300	1150
35			2001	LR	1750	2850	2300	1150
35			2002	LR	1800	2950	2350	1200
35			2003	LR	1850	2900	2350	1250
35			2004	LR	1900	3100	2500	1250
35			2005	LR	1900	2950	2400	1300
35			2006	LR	1950	3050	2450	1300
35			2007	LR	1950	3050	2950	1300
35			2008	LR	2000	3100	3050	1350
35			2009	LR	1950	2950	2400	1350
35			2010	LR	2050	3050	2500	1400
35			2011	LR	1750	2700	2550	1250
35			2012	LR	1700	2550	2450	1150
35			2013	LR	2000	3000	3400	1350
35			2014	LR	1650	2450	2500	1100
35			2015	LR	1600	2400	2450	1100
35			2016	LR	1750	2600	2650	1200
35			2017	LR	1900	3150	3100	1300
35			2018	LR	1900	3150	3050	1300
35			2019	LR	1950	3250	3150	1350
35	HWY 60 HWY END		9999					
37	HWY 62 BELLEVILLE START OF NA	3.0	9999					
37			1988	IC	7100	8250	8000	6250
37			1989	IC	7200	8300	8150	6400
37			1990	IC	7300	8300	8200	6500
37			1991	IC	7300	8250	8100	6500
37			1992	IC	8000	8900	8800	7300
37			1993	IC	8150	9200	9150	7250
37			1994	IC	8300	9300	9300	7400
37			1995	IC	8400	9400	9450	7550
37			1996	IC	8500	9550	9600	7550
37			1997	IC	8600	9650	9700	7550
37			1998	IC	8650	9700	9700	7700
37			1999	IC	8500	9500	9500	7550
37			2000	C	8950	10100	10100	8050
37			2001	IC	7550	8450	8500	6700
37			2002	IC	8400	9350	9450	7400
37			2003	IC	8750	9750	9850	7750
37			2004	IC	9500	10600	10700	8400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
37			2005	IC	8850	9850	9950	7800
37			2006	IC	8900	9900	10000	7900
37			2007	IC	8950	9950	10200	7900
37			2008	IC	9000	9950	9650	7950
37			2009	IC	9050	10000	10100	8050
37			2010	IT	9100	11400	11400	7500
37			2011	IT	9150	12300	12300	7550
37			2012	IT	7700	9650	9300	6400
37			2013	CTR	9600	11700	12100	8150
37			2014	CTR	9100	11100	11200	7750
37			2015	CTR	9150	11200	11300	7800
37			2016	CTR	9150	11200	11300	7800
37			2017	CTR	9200	12300	12200	7500
37			2018	CTR	9250	12400	12300	7550
37			2019	CTR	9250	12300	12300	7550
37	**HWY 401 M/C FRWY IC**	**0.58**	**2019**	**CTR**	**9250**	**12300**	**12300**	**7550**
37	BLACK DIAMOND RD	3.8	1988	C	6050	6700	6700	5450
37			1989	C	6150	6850	6900	5550
37			1990	C	6250	6950	6950	5600
37			1991	C	6250	6900	6950	5700
37			1992	C	7050	7600	7850	6500
37			1993	C	7050	7700	7800	6500
37			1994	C	6900	7550	7700	6250
37			1995	C	7050	7700	7900	6450
37			1996	C	7200	8150	8200	6500
37			1997	C	7350	8300	8400	6600
37			1998	C	7400	8350	8350	6650
37			1999	C	7600	8500	8600	6850
37			2000	C	8000	9050	9050	7200
37			2001	C	8000	9000	9050	7200
37			2002	C	8200	9200	9250	7400
37			2003	C	8300	9250	9350	7500
37			2004	C	8550	9650	9650	7700
37			2005	C	8600	9550	9650	7700
37			2006	C	8650	9600	9700	7800
37			2007	C	8700	9650	9800	7800
37			2008	C	8950	9900	9750	8050
37			2009	C	9100	10000	10100	8200
37			2010	C	9000	9900	10000	8100
37			2011	C	9350	10300	10400	8400
37			2012	C	8400	9250	9050	7550
37			2013	UC	9000	9050	9050	8550
37			2014	UC	9450	9500	9100	8950
37			2015	UC	9550	9600	9200	9050
37			2016	UC	9700	9750	9350	9200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
37			2017	UC	9800	9750	9850	9400
37			2018	UC	9900	9800	10000	9500
37			2019	UC	10000	9850	10000	9650
37	WISER RD (E)	7.0	1988	CR	5200	6650	6250	4300
37			1989	CR	5300	6800	6300	4450
37			1990	CR	5400	6700	6200	4850
37			1991	CR	5400	6650	6200	4850
37			1992	IR	5900	7250	6500	5000
37			1993	IR	5950	7300	6150	4850
37			1994	IR	5950	7350	6550	5000
37			1995	IR	6100	7500	6700	5200
37			1996	IR	6200	7700	6900	5300
37			1997	IR	6300	7900	7050	5350
37			1998	IR	6450	8000	7200	5400
37			1999	IR	6450	8000	7150	5400
37			2000	C	6600	7450	7450	5950
37			2001	C	6550	7400	7400	5900
37			2002	C	6750	7550	7600	6050
37			2003	C	6850	7650	7700	6200
37			2004	C	6900	7750	7800	6200
37			2005	C	7000	7800	7850	6300
37			2006	C	7050	7850	7900	6350
37			2007	C	7150	7950	8050	6400
37			2008	C	7200	7950	7850	6450
37			2009	C	7300	8050	8100	6550
37			2010	C	7300	8050	8100	6550
37			2011	C	7450	8200	8300	6700
37			2012	C	7200	7950	7750	6500
37			2013	CTR	7650	9300	9600	6500
37			2014	CTR	7650	9350	9400	6500
37			2015	CTR	7750	9450	9550	6600
37			2016	CTR	7800	9500	9600	6650
37			2017	CTR	7900	10600	10500	6450
37			2018	CTR	7950	10600	10600	6450
37			2019	CTR	8050	10700	10700	6550
37	PHILLIPSTON RD (W)	23.0	1992	IR	4550	5600	5000	3850
37			1993	IR	4600	5650	4750	3750
37			1994	IR	4650	5750	5100	3900
37			1995	IR	4750	5850	5250	4050
37			1996	IR	4750	5900	5300	4050
37			1997	IR	4800	6000	5400	4100
37			1998	IR	4850	6000	5450	4050
37			1999	IR	4650	5750	5150	3900
37			2000	IR	4600	5650	5100	3900
37			2001	IR	4400	5450	4900	3700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
37			2002	IR	4500	5550	5000	3850
37			2003	IR	4500	5450	4950	3800
37			2004	IR	4450	5500	4950	3750
37			2005	IR	4400	5300	4800	3750
37			2006	IR	4400	5300	4800	3750
37			2007	CR	4350	5250	5250	3650
37			2008	CR	4300	5200	5150	3600
37			2009	CR	4300	5150	5000	3650
37			2010	CR	4250	5100	4900	3600
37			2011	CR	4200	4900	4950	3750
37			2012	CR	4500	5400	5300	3800
37			2013	CTR	4150	5050	5200	3500
37			2014	CTR	4150	5050	5100	3550
37			2015	CTR	4150	5050	5100	3550
37			2016	CTR	4100	5000	5050	3500
37			2017	CTR	4050	5400	5400	3300
37			2018	CTR	4050	5400	5400	3300
37			2019	CTR	4000	5350	5300	3250
37	TWEED S LTS JANE ST START OF NA	2.1	9999					
37	TWEED HASTINGS RD 39 END OF NA	7.9	1988	IR	3900	5050	4300	3100
37			1989	IR	3950	5100	4400	3250
37			1990	IR	4000	5100	4450	3300
37			1991	IR	4000	5050	4450	3300
37			1992	IR	4550	5600	5000	3850
37			1993	IR	4550	5600	4700	3700
37			1994	IR	4150	5100	4550	3500
37			1995	IR	4200	5150	4650	3600
37			1996	IR	4200	5200	4700	3600
37			1997	IR	4150	5200	4650	3550
37			1998	IR	4050	5000	4550	3400
37			1999	IR	3950	4900	4400	3300
37			2000	CR	4150	5100	4850	3550
37			2001	CR	3550	4350	4150	3000
37			2002	CR	3750	4600	4400	3150
37			2003	CR	3700	4500	4350	3150
37			2004	IR	3650	4500	4050	3100
37			2005	IR	3600	4350	3950	3050
37			2006	IR	3600	4350	3950	3050
37			2007	IR	3450	4200	4150	2900
37			2008	IR	3500	4250	4150	3000
37			2009	IR	3450	4150	3750	2950
37			2010	IR	3550	4250	3850	3000
37			2011	IR	3350	4000	3900	2850
37			2012	IR	3500	4150	4050	3000
37			2013	CTR	3500	4250	4400	2950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
37			2014	CTR	3250	3950	4000	2750
37			2015	CTR	3200	3900	3950	2700
37			2016	CTR	3150	3850	3850	2700
37			2017	CTR	3100	4150	4100	2550
37			2018	CTR	3050	4050	4050	2500
37			2019	CTR	3000	4000	4000	2450
37	HWY 7 ACTINOLITE HWY END		9999					
40			1988	C	6450	7150	7150	5800
40			1989	C	6550	7250	7350	5900
40			1990	C	6700	7450	7450	6050
40			1991	C	6650	7300	7400	6050
40			1992	C	6850	7400	7600	6300
40			1993	C	7050	7700	7800	6500
40			1994	C	7250	7950	8100	6550
40			1995	C	7550	8250	8450	6900
40			1996	C	7700	8750	8750	6950
40			1997	IC	7900	8850	8950	6950
40			1998	IC	8050	9000	9000	7150
40			1999	IC	8150	9150	9150	7250
40			2000	IC	8550	9600	9600	7600
40			2001	IC	8450	9450	9500	7450
40			2002	IC	8600	9600	9650	7600
40			2003	IC	8550	9550	9600	7550
40			2004	IC	9050	10100	10200	8000
40			2005	IC	9050	10100	10200	8000
40			2006	IC	9000	10000	10100	7950
40			2007	IC	9050	10100	10400	8000
40			2008	IC	8850	9800	9500	7800
40			2009	IC	8700	9650	9750	7750
40			2010	IC	8700	9650	9700	7700
40			2011	IC	8500	9350	9700	7650
40			2012	IC	8500	9400	9150	7550
40			2013	C	8400	9250	9150	7550
40			2014	C	9050	9950	9700	8150
40			2015	C	9150	10100	9800	8250
40			2016	C	9200	10100	9850	8300
40			2017	C	9250	10100	10100	8400
40			2018	C	9300	10200	10100	8400
40			2019	C	9400	10300	10200	8500
40	**HWY 401 M/C FRWY IC**	**6.20**	**2019**	**C**	**9400**	**10300**	**10200**	**8500**
40	CHATHAM KENT RD 18S PARK AV (W)	1.2	1997	IC	7900	8850	8950	6950
40			1998	IC	8050	9000	9000	7150
40			1999	IC	8500	9500	9500	7550
40			2000	IC	8500	9500	9500	7550
40			2001	IC	9050	10100	10200	8000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2002	IC	9350	10400	10500	8250
40			2003	IC	11900	13300	13400	10500
40			2004	IC	10600	11900	11900	9350
40			2005	C	10300	11500	11600	9250
40			2006	C	9800	10900	11000	8800
40			2007	C	9200	10200	10400	8250
40			2008	C	9100	10000	9900	8150
40			2009	SC	8650	9150	10100	7600
40			2010	SC	8650	9150	10100	7650
40			2011	SC	8700	11100	10200	6900
40			2012	SC	8800	9300	8750	7750
40			2013	C	8750	9650	9500	7900
40			2014	C	9300	10200	9950	8350
40			2015	C	9300	10200	9950	8350
40			2016	C	9300	10200	9950	8350
40			2017	C	9350	10200	10200	8500
40			2018	C	9350	10200	10200	8450
40			2019	C	9350	10200	10200	8450
40	CHATHAM E LTS START OF NA	7.7	9999					
40	100 M (N) OF PIONEER LINE END OF NA	14.3	1988	C	6950	7700	7700	6250
40			1989	C	7150	7950	8000	6450
40			1990	C	7250	8050	8050	6500
40			1991	C	7100	7800	7900	6450
40			1992	C	7100	7650	7900	6550
40			1993	C	7150	7800	7900	6600
40			1994	C	7150	7850	7950	6450
40			1995	C	7350	8000	8250	6700
40			1996	C	7450	8450	8450	6750
40			1997	IC	7400	8300	8350	6500
40			1998	IC	7600	8500	8500	6750
40			1999	IC	7350	8250	8250	6550
40			2000	IC	7100	7950	7950	6300
40			2001	IC	7350	8200	8250	6500
40			2002	IC	7350	8200	8250	6500
40			2003	IC	7350	8200	8250	6500
40			2004	IC	7500	8400	8450	6650
40			2005	IC	7350	8150	8250	6500
40			2006	IC	7100	7900	7950	6300
40			2007	IC	6800	7550	7800	6000
40			2008	IC	6900	7650	7400	6100
40			2009	IC	6750	7500	7550	6000
40			2010	IC	6750	7450	7550	6000
40			2011	IC	6250	6850	7150	5600
40			2012	IC	6300	7000	6750	5600
40			2013	C	6000	6600	6550	5400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2014	C	6400	7050	6850	5750
40			2015	UC	6400	6400	6150	6050
40			2016	UC	6300	6300	6050	6000
40			2017	UC	6250	6200	6250	6000
40			2018	UC	6150	6100	6200	5900
40			2019	UC	6100	6000	6100	5900
40	CHATHAM KENT RD 42 OLDFIELD LINE (E)	6.8	2013	UNCL	N/A			
40			2014	CTR	6850	8350	8450	5800
40			2015	CTR	8200	10000	10100	6950
40			2016	CTR	8300	10100	10200	7050
40			2017	CTR	9250	12400	12300	7550
40			2018	CTR	10000	13400	13300	8150
40			2019	CTR	10700	14300	14200	8700
40	WALLACEBURG S LTS START OF NA	4.2	9999					
40	FORMER TOWN OF WALLACEBURG W LTS END OF NA	2.0	1988	IC	7350	8550	8300	6450
40			1989	IC	7400	8500	8350	6600
40			1990	IC	7450	8500	8350	6650
40			1991	IC	7250	8200	8050	6450
40			1992	IC	7300	8100	8050	6650
40			1993	IC	7400	8350	8300	6600
40			1994	IC	7500	8400	8400	6700
40			1995	IC	7600	8500	8550	6800
40			1996	IC	7700	8650	8700	6850
40			1997	IC	7800	8750	8800	6850
40			1998	IC	8000	8950	8950	7100
40			1999	IC	8000	8950	8950	7100
40			2000	IC	8100	9050	9050	7200
40			2001	IC	7800	8700	8750	6900
40			2002	IC	7800	8700	8750	6850
40			2003	IC	7750	8650	8700	6850
40			2004	IC	7750	8650	8700	6850
40			2005	IC	7600	8450	8550	6700
40			2006	IC	7400	8200	8300	6550
40			2007	IC	7100	7900	8150	6300
40			2008	IC	7300	8100	7850	6450
40			2009	IC	7300	8100	8200	6500
40			2010	IC	7300	8100	8150	6450
40			2011	IC	7350	8100	8400	6600
40			2012	IC	7300	8100	7850	6500
40			2013	C	7250	8000	7900	6550
40			2014	C	7250	8000	7750	6500
40			2015	UC	7200	7200	6900	6850
40			2016	UC	7150	7150	6900	6800
40			2017	UC	7150	7100	7150	6850
40			2018	UC	7100	7050	7150	6800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2019	UC	7050	6950	7050	6800
40	CHATHAM KENT RD 33 DUFFERIN AVE	6.8	1988	UC	2250	2350	2550	2100
40			1989	UC	2350	2450	2650	2250
40			1990	UC	2400	2550	2800	2300
40			1991	SC	2350	2600	2850	2100
40			1992	SC	2350	2450	2750	2150
40			1993	SC	2400	2650	2950	2150
40			1994	C	2500	2750	2800	2250
40			1995	C	2600	2850	2900	2400
40			1996	C	2650	3000	3000	2400
40			1997	SC	2650	2800	3100	2350
40			1998	SC	2750	2900	3200	2450
40			1999	SC	3050	3250	3550	2700
40			2000	SC	2950	3150	3450	2600
40			2001	SC	2900	3100	3400	2550
40			2002	SC	2850	3000	3350	2500
40			2003	SC	2900	3050	3400	2550
40			2004	SC	2550	2700	3000	2250
40			2005	SC	2600	2750	3050	2300
40			2006	SC	2750	2900	3200	2450
40			2007	SC	2700	2850	3100	2350
40			2008	SC	2800	2950	2750	2450
40			2009	SC	2750	2900	3200	2400
40			2010	SC	2800	2950	3300	2450
40			2011	IC	2800	3100	3200	2500
40			2012	IC	2800	3100	3000	2500
40			2013	C	2450	2700	2650	2200
40			2014	C	2750	3050	2950	2500
40			2015	C	2750	3050	2950	2500
40			2016	C	2750	3050	2950	2500
40			2017	C	2750	3000	3000	2500
40			2018	C	2750	3000	3000	2500
40			2019	C	2750	3000	3000	2500
40	LAMBTON RD 1 LAMBTON LINE	6.8	2013	UNCL	N/A			
40			2014	C	3050	3350	3250	2750
40			2015	C	6100	6700	6550	5500
40			2016	C	3150	3450	3350	2850
40			2017	C	3150	3450	3450	2850
40			2018	C	3200	3500	3500	2900
40			2019	C	2950	3200	3200	2650
40	LAMBTON RD 2 BENTPATH LINE	10.8	1988	UC	2350	2450	2650	2200
40			1989	UC	2450	2550	2750	2350
40			1990	UC	2500	2700	2900	2400
40			1991	SC	2450	2700	2950	2200
40			1992	SC	2450	2550	2850	2250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			1993	SC	2500	2800	3050	2200
40			1994	C	2600	2850	2900	2350
40			1995	C	2750	3000	3100	2500
40			1996	C	2800	3150	3200	2550
40			1997	SC	2900	3050	3400	2600
40			1998	SC	2900	3050	3400	2600
40			1999	SC	3000	3200	3500	2650
40			2000	SC	3150	3350	3700	2750
40			2001	SC	2950	3150	3450	2600
40			2002	SC	3000	3200	3500	2650
40			2003	SC	3050	3200	3550	2700
40			2004	SC	3050	3250	3550	2700
40			2005	SC	2950	3100	3450	2600
40			2006	SC	3100	3300	3600	2750
40			2007	SC	3150	3350	3650	2750
40			2008	SC	3150	3300	3100	2750
40			2009	SC	3150	3350	3700	2750
40			2010	SC	3200	3400	3750	2800
40			2011	IC	3250	3550	3700	2900
40			2012	IC	3300	3650	3550	2950
40			2013	C	3300	3650	3600	2950
40			2014	C	3350	3700	3600	3000
40			2015	UC	3350	3350	3200	3200
40			2016	UC	3400	3400	3250	3250
40			2017	UC	3400	3400	3400	3250
40			2018	UC	3450	3400	3500	3300
40			2019	UC	3500	3450	3500	3350
40	LAMBTON RD 80 GLANCOE RD/COURTRIGHT LN	5.3	1988	UC	3150	3300	3550	2950
40			1989	UC	3300	3450	3750	3150
40			1990	UC	3400	3650	3950	3250
40			1991	SC	3700	4050	4500	3300
40			1992	SC	3700	3900	4350	3400
40			1993	SC	3700	4100	4500	3300
40			1994	SC	3700	3850	4250	3400
40			1995	SC	3700	3850	4300	3350
40			1996	SC	3750	4000	4400	3350
40			1997	SC	3950	4200	4600	3500
40			1998	SC	4050	4300	4750	3600
40			1999	SC	4050	4300	4750	3600
40			2000	SC	4250	4500	4950	3750
40			2001	SC	4200	4500	4900	3700
40			2002	SC	4250	4500	5000	3750
40			2003	SC	4300	4550	5000	3800
40			2004	SC	4650	4950	5450	4100
40			2005	SC	4650	4900	5450	4100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2006	SC	4650	4900	5450	4100
40			2007	SC	4650	4900	5400	4100
40			2008	SC	4750	5000	4700	4200
40			2009	SC	4800	5100	5600	4200
40			2010	SC	4850	5150	5700	4300
40			2011	IC	4600	5050	5250	4150
40			2012	IC	4600	5100	4950	4100
40			2013	IR	4400	5250	5600	3750
40			2014	IR	4950	5900	5900	4200
40			2015	IR	5000	5950	5950	4250
40			2016	IR	5050	6000	6000	4300
40			2017	IR	5100	6000	6000	4550
40			2018	IR	5150	6050	6050	4600
40			2019	IR	5200	6100	6100	4650
40	ROKEBY LINE	2.7	1988	UC	3950	4150	4450	3700
40			1989	UC	4050	4250	4600	3850
40			1990	UC	4200	4500	4850	4000
40			1991	SC	4550	5000	5500	4050
40			1992	SC	4550	4800	5300	4200
40			1993	SC	4600	5100	5600	4100
40			1994	SC	4600	4800	5300	4250
40			1995	SC	4700	4900	5450	4300
40			1996	SC	4800	5100	5600	4300
40			1997	SC	4900	5200	5750	4350
40			1998	SC	5550	5900	6500	4950
40			1999	SC	4850	5150	5650	4300
40			2000	SC	4850	5150	5650	4250
40			2001	SC	5000	5350	5850	4400
40			2002	SC	5050	5350	5900	4450
40			2003	SC	4900	5150	5700	4350
40			2004	SC	5150	5500	6050	4550
40			2005	SC	5150	5450	6000	4550
40			2006	SC	5100	5400	5950	4500
40			2007	SC	5200	5500	6000	4550
40			2008	SC	4750	5000	4700	4200
40			2009	SC	4400	4650	5150	3850
40			2010	SC	4400	4650	5150	3900
40			2011	SC	4850	6200	5650	3850
40			2012	SC	4850	5150	4850	4300
40			2013	SC	4850	5150	4650	4300
40			2014	SC	4850	5150	5000	4300
40			2015	CTR	4800	5850	5900	4100
40			2016	CTR	4800	5850	5900	4100
40			2017	CTR	4800	6400	6400	3900
40			2018	CTR	4800	6400	6400	3900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2019	CTR	4800	6400	6350	3900
40	LAMBTON RD 4/PETROLIA LINE (E) HILL ST (W)	5.5	1988	UC	8250	8650	9300	7750
40			1989	UC	8650	9100	9750	8200
40			1990	UC	9000	9650	10400	8550
40			1991	SC	9450	10400	11400	8400
40			1992	SC	9450	9900	11100	8700
40			1993	SC	9500	10500	11600	8450
40			1994	SC	9500	9900	10900	8750
40			1995	SC	9450	9900	11000	8600
40			1996	SC	9600	10200	11200	8600
40			1997	SC	9600	10200	11200	8550
40			1998	SC	9850	10400	11500	8750
40			1999	SC	10100	10700	11800	9000
40			2000	SC	10100	10700	11800	8900
40			2001	SC	10200	10900	11900	9000
40			2002	SC	10300	10900	12100	9100
40			2003	SC	10400	11000	12100	9200
40			2004	SC	10500	11200	12300	9250
40			2005	SC	10600	11200	12400	9350
40			2006	SC	10700	11300	12500	9450
40			2007	SC	10700	11300	12400	9400
40			2008	SC	10800	11300	10700	9500
40			2009	SC	11000	11700	12900	9700
40			2010	SC	11100	11700	13000	9800
40			2011	SC	11200	14300	13100	8900
40			2012	SC	11300	12000	11300	9950
40			2013	IR	11400	13600	14600	9700
40			2014	IR	11100	13200	13200	9450
40			2015	CTR	10800	13200	13300	9200
40			2016	CTR	10900	13300	13400	9250
40			2017	CTR	11500	15400	15300	9350
40			2018	CTR	11600	15500	15400	9450
40			2019	CTR	11700	15600	15500	9500
40	CHURCHILL LINE	2.7	1988	UC	11000	11600	12400	10300
40			1989	UC	11400	12000	12900	10800
40			1990	UC	11900	12700	13800	11300
40			1991	UC	12500	13200	14400	12100
40			1992	UC	12700	13500	14600	12200
40			1993	UC	13000	13700	14800	12200
40			1994	UC	13200	14000	15100	12300
40			1995	UC	13500	14200	15400	12600
40			1996	UC	13700	14500	16000	13000
40			1997	UC	13800	14500	16100	13000
40			1998	UC	14000	14800	16400	13300
40			1999	UC	14200	15100	16600	13500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2000	UC	14500	15400	17100	13600
40			2001	UC	13900	14900	16400	13100
40			2002	UC	13900	14800	16400	13000
40			2003	UC	13900	14700	16300	13100
40			2004	UC	13600	14600	16000	12800
40			2005	UC	13600	14400	15900	12800
40			2006	UC	13600	14400	15900	12800
40			2007	UC	13700	14500	15900	12900
40			2008	UC	13500	14300	13400	12600
40			2009	UC	13500	14300	15800	12700
40			2010	UC	13400	14200	15600	12600
40			2011	UC	13400	13400	13900	12700
40			2012	UC	13000	13100	13900	12400
40			2013	IR	11400	13600	14600	9700
40			2014	IR	11600	13800	13800	9850
40			2015	CTR	11900	14500	14600	10100
40			2016	CTR	12000	14600	14800	10200
40			2017	CTR	12300	16400	16400	10000
40			2018	CTR	12200	16300	16200	9950
40			2019	CTR	12100	16100	16100	9850
40	SARNIA E LTS INDIAN RD	3.1	1988	UC	5800	6100	6550	5450
40			1989	UC	6000	6300	6800	5700
40			1990	UC	6150	6600	7150	5850
40			1991	UC	6250	6600	7200	6050
40			1992	UC	6400	6800	7350	6150
40			1993	UC	6550	6900	7450	6150
40			1994	UC	6550	6950	7500	6100
40			1995	UC	6700	7050	7650	6250
40			1996	UC	6700	7100	7850	6350
40			1997	UC	7200	7550	8400	6750
40			1998	UC	7400	7850	8650	7050
40			1999	UC	7200	7650	8400	6850
40			2000	UC	7650	8100	9050	7200
40			2001	UC	7450	8000	8750	7000
40			2002	UC	7550	8050	8900	7050
40			2003	UC	7650	8100	8950	7250
40			2004	UC	7750	8300	9100	7300
40			2005	UC	7750	8200	9050	7250
40			2006	UC	7750	8200	9050	7300
40			2007	UC	7750	8200	8950	7250
40			2008	UC	7750	8200	7700	7250
40			2009	UC	7750	8200	9050	7300
40			2010	UC	7800	8250	9100	7350
40			2011	UC	7800	7850	8100	7400
40			2012	UC	7000	7050	7500	6650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2013	IR	6900	8200	8800	5850
40			2014	IR	7800	9300	9300	6650
40			2015	IR	8000	9500	9550	6800
40			2016	IR	9000	10700	10700	7650
40			2017	IR	8100	9500	9500	7200
40			2018	IR	8150	9600	9600	7300
40			2019	IR	8200	9600	9600	7350
40	PLANK RD	2.7	1988	UC	8100	8500	9150	7600
40			1989	UC	8300	8700	9400	7900
40			1990	UC	8900	9500	10300	8450
40			1991	UC	9300	9850	10700	9000
40			1992	UC	9750	10300	11200	9350
40			1993	UC	9900	10400	11300	9250
40			1994	UC	10100	10700	11500	9400
40			1995	UC	10200	10800	11700	9500
40			1996	UC	10500	11100	12300	10000
40			1997	UC	10900	11400	12800	10200
40			1998	UC	11000	11700	12900	10400
40			1999	UC	11100	11800	13000	10500
40			2000	UC	11100	11800	13100	10400
40			2001	UC	11400	12200	13400	10700
40			2002	UC	11600	12400	13600	10900
40			2003	UC	11800	12500	13800	11100
40			2004	UC	12000	12900	14100	11300
40			2005	UC	12200	12900	14300	11400
40			2006	UC	12100	12800	14100	11400
40			2007	UC	12100	12800	14000	11400
40			2008	UC	12000	12700	11900	11200
40			2009	UC	11900	12600	13900	11200
40			2010	UC	12000	12700	14000	11300
40			2011	UC	12000	12000	12500	11400
40			2012	UC	11800	11900	12600	11200
40			2013	IR	11200	13300	14300	9550
40			2014	IR	12400	14800	14800	10600
40			2015	CTR	12600	15400	15500	10700
40			2016	CTR	12600	15400	15500	10700
40			2017	CTR	12700	17000	16900	10300
40			2018	CTR	12800	17100	17000	10400
40			2019	CTR	12900	17200	17100	10500
40	CONFEDERATION LINE (E)	1.4	1988	UC	8700	9150	9850	8200
40			1989	UC	9900	10400	11200	9400
40			1990	UC	11000	11800	12800	10400
40			1991	UC	12600	13400	14500	12200
40			1992	UC	11600	12300	13300	11100
40			1993	UC	12200	12900	13900	11400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			1994	UC	11600	12300	13300	10800
40			1995	UC	12100	12800	13800	11300
40			1996	UC	12400	13100	14500	11800
40			1997	UC	12000	12600	14000	11300
40			1998	UC	12200	12900	14300	11600
40			1999	UC	12400	13100	14500	11800
40			2000	UC	12500	13200	14800	11800
40			2001	UC	12600	13500	14800	11800
40			2002	UC	12700	13500	14900	11900
40			2003	UC	12800	13500	15000	12100
40			2004	UC	13000	13900	15300	12200
40			2005	UC	13000	13800	15200	12200
40			2006	UC	13000	13700	15200	12200
40			2007	UC	13000	13800	15000	12200
40			2008	UC	13000	13700	12900	12200
40			2009	UC	13300	14100	15600	12500
40			2010	UC	13400	14200	15600	12600
40			2011	UC	13400	13400	13900	12700
40			2012	UC	13000	13100	13900	12400
40			2013	IR	13700	16300	17500	11700
40			2014	IR	13600	16200	16200	11600
40			2015	IR	13900	16500	16600	11800
40			2016	IR	13800	16400	16500	11700
40			2017	IR	13900	16300	16300	12400
40			2018	IR	14000	16400	16500	12500
40			2019	IR	14100	16500	16500	12600
40	WELLINGTON RD (W)	1.4	1988	UC	10400	10900	11800	9800
40			1989	UC	11600	12200	13100	11000
40			1990	UC	13000	13900	15100	12400
40			1991	UC	14400	15300	16600	14000
40			1992	UC	15100	16000	17400	14500
40			1993	UC	15900	16700	18100	14900
40			1994	UC	14300	15200	16300	13300
40			1995	UC	14800	15600	16900	13800
40			1996	UC	15300	16200	17900	14500
40			1997	UC	15700	16500	18400	14800
40			1998	UC	15700	16600	18400	14900
40			1999	UC	13100	13900	15300	12400
40			2000	UC	13000	13800	15300	12200
40			2001	UC	13300	14200	15600	12500
40			2002	UC	13400	14300	15800	12500
40			2003	UC	13900	14700	16300	13100
40			2004	UC	13800	14800	16200	13000
40			2005	UC	13600	14400	15900	12800
40			2006	UC	13200	14000	15400	12400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40			2007	UC	12800	13600	14800	12000
40			2008	UC	12900	13600	12800	12100
40			2009	UC	12600	13400	14700	11800
40			2010	UC	12700	13400	14800	11900
40			2011	UC	13000	13000	13500	12300
40			2012	UC	12400	12500	13300	11800
40			2013	IR	13200	15700	16900	11200
40			2014	IR	14900	17700	17800	12700
40			2015	CTR	16700	20400	20500	14200
40			2016	CTR	16800	20500	20700	14300
40			2017	CTR	16800	22500	22300	13700
40			2018	CTR	17000	22700	22600	13800
40			2019	CTR	17200	22900	22800	14000
40	LAMBTON RD 22 LONDON LINE IC	0.7	1988	UC	11800	12400	13300	11100
40			1989	UC	13000	13600	14700	12400
40			1990	UC	15000	16100	17400	14200
40			1991	UC	16000	17000	18400	15500
40			1992	UC	16200	17200	18600	15600
40			1993	UC	16300	17200	18500	15300
40			1994	UC	17200	18200	19700	16000
40			1995	UC	17400	18400	19900	16200
40			1996	UC	18100	19200	21200	17200
40			1997	UC	17600	18500	20600	16500
40			1998	UC	18000	19100	21100	17100
40			1999	UC	18200	19300	21300	17300
40			2000	UC	18700	19800	22100	17600
40			2001	UC	18500	19800	21800	17400
40			2002	UC	18600	19800	21900	17400
40			2003	UC	18500	19500	21700	17500
40			2004	UC	19000	20400	22400	17900
40			2005	UC	19100	20200	22300	17900
40			2006	UC	19200	20300	22400	18100
40			2007	UC	19400	20600	22500	18200
40			2008	UC	19400	20500	19200	18100
40			2009	UC	19700	20900	23000	18500
40			2010	UC	19800	20900	23000	18600
40			2011	UC	19000	19100	19700	18000
40			2012	UC	19900	20000	21300	18900
40			2013	IR	14100	16800	18000	12000
40			2014	IR	14400	17100	17200	12300
40			2015	IR	14700	17500	17500	12500
40			2016	IR	14900	17700	17800	12700
40			2017	IR	17000	19900	19900	15200
40			2018	IR	16900	19900	19900	15100
40			2019	IR	16800	19700	19700	15100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
40	HWY 402 IC-6 START OF NA	0.6	9999					
40	END OF NA HWY END		9999					
41	HWY2 DUNDAS ST START OF NA	50.9	9999					
41			1988	LR	2350	4150	2950	1450
41			1989	LR	2400	4050	3100	1600
41			1990	LR	2600	4550	3600	1650
41			1991	LR	2700	4750	3750	1700
41			1992	LR	2700	4350	3500	1800
41			1993	LR	2750	4450	3550	1800
41			1994	LR	2750	4500	3650	1800
41			1995	LR	2800	4700	3800	1850
41			1996	LR	2800	4700	3750	1850
41			1997	LR	2800	4700	3800	1900
41			1998	LR	2900	4800	3850	1900
41			1999	LR	2850	4650	3750	1900
41			2000	LR	2850	4600	3700	1900
41			2001	LR	2900	4750	3800	1950
41			2002	LR	2900	4750	3800	1950
41			2003	LR	2950	4650	3750	2000
41			2004	LR	2950	4850	3850	1950
41			2005	LR	2950	4600	3700	2000
41			2006	LR	3000	4650	3750	2050
41			2007	LR	2950	4600	4450	2000
41			2008	LR	2950	4600	4500	2000
41			2009	LR	2900	4400	3600	1950
41			2010	LR	3000	4500	3650	2050
41			2011	LR	3000	4650	4350	2100
41			2012	LR	3050	4550	4450	2100
41			2013	LR	2800	4200	4800	1900
41			2014	LR	3000	4500	4550	2050
41			2015	LR	3000	4500	4550	2050
41			2016	LR	3000	4500	4550	2050
41			2017	LR	3050	5100	4950	2100
41			2018	LR	3050	5100	4950	2100
41			2019	LR	3050	5100	4950	2100
41	**HWY 7**	**10.99**	**2019**	**LR**	**3050**	**5100**	**4950**	**2100**
41	FIRE HALL RD(W)	7.5	1988	LR	2450	4350	3100	1500
41			1989	LR	2500	4200	3250	1650
41			1990	LR	2700	4700	3750	1700
41			1991	LR	2800	4950	3900	1750
41			1992	LR	2800	4500	3600	1850
41			1993	LR	2800	4500	3600	1850
41			1994	LR	2750	4500	3650	1800
41			1995	LR	2800	4700	3800	1850
41			1996	LR	2850	4750	3800	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			1997	LR	2900	4850	3900	1950
41			1998	LR	2950	4850	3900	1950
41			1999	LR	3000	4900	3950	2000
41			2000	LR	3050	4950	4000	2050
41			2001	LR	3100	5050	4050	2050
41			2002	LR	3150	5150	4100	2150
41			2003	LR	3200	5050	4050	2150
41			2004	LR	3250	5300	4250	2150
41			2005	LR	3250	5100	4100	2200
41			2006	LR	3350	5200	4200	2250
41			2007	LR	3350	5250	5050	2250
41			2008	LR	3400	5300	5150	2350
41			2009	LR	3300	5000	4100	2250
41			2010	LR	3450	5150	4200	2350
41			2011	LR	3500	5400	5100	2450
41			2012	LR	2900	4350	4200	2000
41			2013	LR	3000	4500	5100	2050
41			2014	LR	3400	5100	5200	2300
41			2015	LR	3450	5150	5250	2350
41			2016	LR	3450	5150	5250	2350
41			2017	LR	3400	5700	5500	2300
41			2018	LR	3500	5850	5650	2400
41			2019	LR	3500	5850	5700	2400
41	HUNT RD (W) NORTH FRONTENAC RD 506 (E)	3.1	1988	LR	2300	4050	2900	1450
41			1989	LR	2400	4050	3100	1600
41			1990	LR	2500	4400	3450	1600
41			1991	LR	2600	4600	3600	1650
41			1992	LR	2600	4200	3350	1700
41			1993	LR	2600	4200	3350	1700
41			1994	LR	2550	4200	3350	1650
41			1995	LR	2600	4350	3550	1700
41			1996	LR	2650	4450	3550	1750
41			1997	LR	2650	4450	3600	1800
41			1998	LR	2650	4350	3500	1750
41			1999	LR	2700	4450	3550	1800
41			2000	LR	2900	4700	3800	1950
41			2001	LR	2750	4500	3600	1850
41			2002	LR	2750	4500	3600	1850
41			2003	LR	2800	4450	3550	1900
41			2004	LR	2800	4600	3650	1850
41			2005	LR	2900	4550	3650	1950
41			2006	LR	2750	4300	3450	1850
41			2007	LR	2950	4600	4450	2000
41			2008	LR	3000	4700	4550	2050
41			2009	LR	3250	4950	4050	2200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			2010	LR	3050	4550	3750	2050
41			2011	LR	3100	4800	4500	2150
41			2012	LR	2350	3500	3400	1600
41			2013	LR	2450	3650	4200	1650
41			2014	LR	2900	4350	4400	1950
41			2015	LR	2900	4350	4400	1950
41			2016	LR	2900	4350	4400	1950
41			2017	LR	2850	4750	4600	1950
41			2018	LR	2950	4900	4750	2050
41			2019	LR	2950	4950	4800	2000
41	SKOOTAMATTA LAKE RD S JCT (W)	8.9	1988	LR	2300	4050	2900	1450
41			1989	LR	2400	4050	3100	1600
41			1990	LR	2500	4400	3450	1600
41			1991	LR	2600	4600	3600	1650
41			1992	LR	2600	4200	3350	1700
41			1993	LR	2600	4200	3350	1700
41			1994	LR	2550	4200	3350	1650
41			1995	LR	2600	4350	3550	1700
41			1996	LR	2650	4450	3550	1750
41			1997	LR	2650	4450	3600	1800
41			1998	LR	2650	4350	3500	1750
41			1999	LR	3000	4900	3950	2000
41			2000	LR	2900	4700	3800	1950
41			2001	LR	2800	4600	3650	1850
41			2002	LR	2750	4500	3600	1850
41			2003	LR	2650	4200	3350	1800
41			2004	LR	2550	4150	3300	1700
41			2005	LR	2500	3900	3150	1700
41			2006	LR	2400	3750	3000	1600
41			2007	LR	2600	4050	3900	1750
41			2008	LR	2600	4050	3950	1800
41			2009	LR	2600	3950	3200	1750
41			2010	LR	2600	3900	3200	1750
41			2011	LR	2550	3950	3700	1800
41			2012	LT	1800	2350	2250	1350
41			2013	LT	2350	3050	3050	1750
41			2014	LT	2300	3000	3050	1750
41			2015	LT	2300	3000	3050	1750
41			2016	LT	2250	2950	3000	1700
41			2017	LT	2100	2950	2900	1600
41			2018	LT	2200	3100	3050	1700
41			2019	LT	2200	3100	3050	1700
41	BON ECHO PROV PARK ENT (E)	33.1	1988	LR	1600	2850	2000	990
41			1989	LR	1700	2850	2200	1100
41			1990	LR	1800	3150	2500	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			1991	LR	1900	3350	2650	1200
41			1992	LR	1900	3050	2450	1250
41			1993	LR	1900	3050	2450	1250
41			1994	LR	1750	2900	2300	1150
41			1995	LR	1800	3000	2450	1200
41			1996	LR	1850	3100	2500	1250
41			1997	LR	1750	2950	2350	1150
41			1998	LR	1650	2700	2200	1100
41			1999	LR	1700	2800	2250	1100
41			2000	LR	1850	3000	2400	1250
41			2001	LR	1650	2700	2150	1100
41			2002	LR	1600	2600	2100	1100
41			2003	LR	1550	2450	1950	1050
41			2004	LR	1550	2550	2000	1050
41			2005	LR	1550	2400	1950	1050
41			2006	LR	1450	2250	1800	980
41			2007	LR	1500	2350	2250	1000
41			2008	LR	1500	2350	2300	1050
41			2009	LR	1550	2350	1900	1050
41			2010	LR	1450	2150	1750	980
41			2011	LR	1400	2150	2050	980
41			2012	LT	1400	1850	1750	1050
41			2013	LT	1350	1750	1750	1000
41			2014	LT	1350	1750	1800	1000
41			2015	LT	1300	1700	1750	980
41			2016	LT	1300	1700	1750	980
41			2017	LT	1400	1950	1950	1100
41			2018	LT	1250	1750	1750	960
41			2019	LT	1250	1750	1750	960
41	HWY 28	12.4	1988	LR	1200	2100	1500	740
41			1989	LR	1300	2200	1700	860
41			1990	LR	1400	2450	1950	880
41			1991	LR	1500	2650	2100	940
41			1992	LR	1500	2400	1950	990
41			1993	LR	1500	2400	1950	980
41			1994	LR	1400	2300	1850	910
41			1995	LR	1550	2600	2100	1000
41			1996	LR	1550	2600	2100	1050
41			1997	LR	1600	2700	2150	1050
41			1998	LR	1600	2650	2150	1050
41			1999	LR	1550	2550	2050	1000
41			2000	LR	1550	2500	2050	1050
41			2001	LR	1550	2550	2000	1050
41			2002	LR	1550	2550	2000	1050
41			2003	LR	1550	2450	1950	1050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			2004	LR	1550	2550	2000	1050
41			2005	LR	1550	2400	1950	1050
41			2006	LR	1500	2350	1900	1000
41			2007	LR	1550	2450	2350	1050
41			2008	LR	1550	2400	2350	1050
41			2009	LR	1550	2350	1900	1050
41			2010	LR	1550	2300	1900	1050
41			2011	LR	1550	2400	2250	1100
41			2012	LT	1500	1950	1850	1150
41			2013	LT	1550	2000	2000	1150
41			2014	LT	1550	2000	2050	1150
41			2015	LT	1550	2000	2050	1150
41			2016	LT	1550	2000	2050	1150
41			2017	LT	1600	2250	2200	1250
41			2018	LT	1550	2150	2150	1200
41			2019	LT	1550	2150	2150	1200
41	LENNOX & ADDINGTON RENFREW CTY BDY	25.7	1988	LR	1200	2100	1500	740
41			1989	LR	1300	2200	1700	860
41			1990	LR	1400	2450	1950	880
41			1991	LR	1500	2650	2100	940
41			1992	LR	1500	2400	1950	990
41			1993	LR	1500	2400	1950	980
41			1994	LR	1400	2300	1850	910
41			1995	LR	1550	2600	2100	1000
41			1996	LR	1550	2600	2100	1050
41			1997	LR	1600	2700	2150	1050
41			1998	LR	1600	2650	2150	1050
41			1999	LR	1550	2550	2050	1000
41			2000	LR	1550	2500	2050	1050
41			2001	LR	1600	2600	2100	1050
41			2002	LR	1600	2600	2100	1100
41			2003	LR	1650	2600	2100	1100
41			2004	LR	1600	2600	2100	1050
41			2005	LR	1650	2600	2100	1100
41			2006	LR	1600	2500	2000	1100
41			2007	LR	1650	2600	2500	1100
41			2008	LR	1650	2600	2500	1150
41			2009	LR	1650	2500	2050	1100
41			2010	LR	1700	2550	2100	1150
41			2011	LR	1700	2650	2450	1200
41			2012	LT	1850	2400	2300	1400
41			2013	LT	1750	2300	2300	1300
41			2014	LT	1750	2300	2300	1300
41			2015	LT	1750	2300	2300	1300
41			2016	LT	1800	2350	2400	1350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			2017	LT	1850	2600	2550	1400
41			2018	LT	1800	2500	2500	1400
41			2019	LT	1850	2600	2550	1450
41	HWY 132 (E)	10.1	1988	IR	1000	1300	1100	800
41			1989	IR	1100	1400	1200	900
41			1990	IR	1250	1600	1400	1000
41			1991	IR	1350	1700	1500	1100
41			1992	IR	1350	1650	1500	1150
41			1993	IR	1400	1700	1450	1150
41			1994	IR	1350	1650	1500	1150
41			1995	IR	1500	1850	1650	1300
41			1996	IR	1500	1850	1650	1300
41			1997	IR	1550	1950	1750	1300
41			1998	IR	1550	1900	1750	1300
41			1999	IR	1450	1800	1600	1200
41			2000	IR	1450	1800	1600	1250
41			2001	IR	1450	1800	1600	1250
41			2002	IR	1450	1800	1600	1250
41			2003	IR	1450	1750	1600	1250
41			2004	IR	1400	1750	1550	1200
41			2005	IR	1400	1700	1550	1200
41			2006	IR	1350	1650	1500	1150
41			2007	IR	1400	1700	1700	1200
41			2008	IR	1400	1700	1650	1200
41			2009	IR	1400	1700	1550	1200
41			2010	IR	1400	1650	1500	1200
41			2011	IR	1400	1650	1650	1200
41			2012	LT	1200	1550	1500	910
41			2013	LT	1350	1750	1750	1000
41			2014	LT	1300	1700	1750	980
41			2015	LT	1300	1700	1750	980
41			2016	LT	1300	1700	1750	980
41			2017	LT	1300	1800	1800	1000
41			2018	LT	1300	1800	1800	1000
41			2019	LT	1300	1800	1800	1000
41	PERRAULT RD	10.3	1988	IR	1350	1750	1500	1100
41			1989	IR	1400	1800	1550	1150
41			1990	IR	1450	1850	1600	1200
41			1991	IR	1500	1900	1650	1250
41			1992	IR	1500	1850	1650	1300
41			1993	IR	1500	1850	1550	1250
41			1994	IR	1450	1800	1600	1200
41			1995	IR	1550	1900	1700	1300
41			1996	IR	1550	1950	1750	1300
41			1997	IR	1550	1950	1750	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			1998	IR	1550	1900	1750	1300
41			1999	IR	1550	1900	1700	1300
41			2000	IR	1550	1900	1700	1300
41			2001	IR	1550	1900	1700	1300
41			2002	IR	1550	1900	1700	1300
41			2003	IR	1500	1800	1650	1250
41			2004	IR	1550	1900	1700	1300
41			2005	IR	1550	1850	1700	1300
41			2006	IR	1550	1850	1700	1300
41			2007	IR	1550	1900	1850	1300
41			2008	IR	1550	1900	1850	1300
41			2009	T	1550	2300	2200	990
41			2010	T	1550	2250	2200	990
41			2011	T	1550	2100	2100	1200
41			2012	LT	1300	1700	1600	980
41			2013	LT	1500	1950	1950	1150
41			2014	LT	1500	1950	2000	1150
41			2015	LT	1500	1950	2000	1150
41			2016	LT	1500	1950	2000	1150
41			2017	LT	1450	2050	2000	1100
41			2018	LT	1500	2100	2100	1150
41			2019	LT	1500	2100	2100	1150
41	RENFREW RD 512 EGANVILLE S LT START OF NA	1.9	9999					
41	EGANVILLE N LTS END OF NA	3.1	1988	IR	3650	4750	4000	2900
41			1989	IR	3700	4750	4100	3050
41			1990	IR	3700	4700	4100	3050
41			1991	IR	3750	4700	4150	3100
41			1992	IR	3750	4600	4100	3200
41			1993	IR	3750	4600	3900	3050
41			1994	IR	3550	4350	3900	2950
41			1995	IR	3700	4550	4100	3150
41			1996	IR	3750	4650	4200	3200
41			1997	IR	3750	4700	4200	3200
41			1998	IR	3750	4650	4200	3150
41			1999	IR	3750	4650	4150	3150
41			2000	IR	3700	4550	4100	3150
41			2001	IR	3750	4650	4150	3150
41			2002	IR	3800	4700	4200	3250
41			2003	IR	3800	4600	4200	3250
41			2004	IR	3850	4750	4250	3250
41			2005	IR	3900	4700	4250	3300
41			2006	IR	3850	4650	4200	3250
41			2007	IR	3950	4800	4750	3350
41			2008	IR	3950	4800	4700	3400
41			2009	IR	4100	4900	4450	3500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			2010	IR	4000	4750	4350	3400
41			2011	IR	4050	4850	4750	3450
41			2012	LT	4050	5300	5050	3050
41			2013	LT	4100	5350	5350	3100
41			2014	LT	4100	5350	5450	3100
41			2015	LT	4150	5400	5500	3150
41			2016	LT	4150	5400	5500	3150
41			2017	LT	4200	5900	5800	3250
41			2018	LT	4200	5900	5800	3250
41			2019	LT	4250	5950	5900	3250
41	N JCT HWY 60	9.3	1988	IR	1500	1950	1650	1200
41			1989	IR	1500	1950	1650	1250
41			1990	IR	1500	1900	1650	1250
41			1991	IR	1500	1900	1650	1250
41			1992	IR	1500	1850	1650	1300
41			1993	IR	1500	1850	1550	1250
41			1994	IR	1400	1700	1550	1150
41			1995	IR	1500	1850	1650	1300
41			1996	IR	1400	1750	1550	1200
41			1997	IR	1350	1700	1500	1150
41			1998	IR	1400	1750	1550	1200
41			1999	IR	1450	1800	1600	1200
41			2000	CR	1550	1900	1800	1300
41			2001	CR	1500	1850	1750	1250
41			2002	CR	1500	1850	1750	1250
41			2003	CR	1500	1850	1750	1250
41			2004	CR	1500	1850	1750	1250
41			2005	CR	1550	1900	1800	1300
41			2006	CR	1550	1900	1800	1300
41			2007	CR	1550	1900	1900	1300
41			2008	CR	1550	1900	1850	1300
41			2009	IT	1600	2000	2000	1350
41			2010	IT	1600	2000	2000	1300
41			2011	IT	1600	2150	2150	1300
41			2012	CTR	1400	1700	1700	1200
41			2013	CTR	1600	1950	2000	1350
41			2014	CTR	1600	1950	1950	1350
41			2015	CTR	1600	1950	1950	1350
41			2016	CTR	1600	1950	1950	1350
41			2017	CTR	1550	2050	2050	1250
41			2018	CTR	1600	2150	2150	1300
41			2019	CTR	1600	2150	2100	1300
41	RENFREW RD 9 BULGER RD (E)	8.6	1988	IC	2900	3350	3300	2550
41			1989	IC	3000	3450	3400	2650
41			1990	IR	3050	3850	3400	2500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			1991	IR	3050	3850	3400	2550
41			1992	IR	3050	3750	3350	2600
41			1993	IR	3050	3750	3150	2500
41			1994	IR	3200	3950	3500	2700
41			1995	IR	3300	4050	3650	2800
41			1996	IR	3350	4150	3750	2850
41			1997	IR	3450	4300	3850	2950
41			1998	IR	3450	4300	3850	2900
41			1999	IR	3450	4300	3850	2900
41			2000	IR	3500	4300	3900	2950
41			2001	IR	3550	4400	3950	3000
41			2002	IR	3600	4450	4000	3050
41			2003	CR	3600	4400	4200	3050
41			2004	CR	3700	4550	4350	3150
41			2005	CR	3700	4500	4300	3100
41			2006	CR	3750	4550	4350	3150
41			2007	CR	3800	4600	4600	3200
41			2008	CR	3850	4650	4600	3250
41			2009	CR	3900	4700	4500	3300
41			2010	CR	3950	4750	4550	3350
41			2011	CR	4000	4650	4700	3550
41			2012	CTR	4000	4850	4800	3400
41			2013	CTR	4050	4950	5100	3450
41			2014	CTR	4100	5000	5050	3500
41			2015	CTR	4150	5050	5100	3550
41			2016	CTR	4200	5100	5150	3550
41			2017	CTR	4200	5600	5600	3400
41			2018	CTR	4250	5700	5650	3450
41			2019	CTR	4300	5750	5700	3500
41	MICKSBURG RD (E)	10.1	1988	C	2950	3250	3250	2650
41			1989	C	3000	3350	3350	2700
41			1990	C	3100	3450	3450	2800
41			1991	C	3200	3500	3550	2900
41			1992	C	3300	3550	3650	3050
41			1993	C	3300	3600	3650	3050
41			1994	C	3200	3500	3550	2900
41			1995	C	3400	3700	3800	3100
41			1996	C	3450	3900	3900	3100
41			1997	C	3500	3950	4000	3150
41			1998	C	3550	4000	4000	3200
41			1999	C	3550	4000	4000	3200
41			2000	C	3650	4100	4100	3300
41			2001	C	3700	4150	4200	3350
41			2002	C	3750	4200	4250	3350
41			2003	C	3750	4200	4200	3400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			2004	C	3850	4350	4350	3450
41			2005	C	3750	4200	4200	3350
41			2006	C	3950	4400	4400	3550
41			2007	C	3850	4300	4350	3450
41			2008	C	3900	4300	4250	3500
41			2009	C	3600	3950	4000	3250
41			2010	C	3950	4350	4400	3550
41			2011	C	4000	4400	4450	3600
41			2012	UC	3400	3400	3650	3250
41			2013	UC	3400	3400	3400	3250
41			2014	UC	3850	3850	3700	3650
41			2015	UC	3850	3850	3700	3650
41			2016	UC	3900	3900	3750	3700
41			2017	UC	3850	3850	3850	3700
41			2018	UC	3900	3850	3950	3750
41			2019	UC	3950	3900	3950	3800
41	SANDY BEACH RD (W)	1.4	1988	C	4200	4650	4650	3800
41			1989	C	4200	4650	4700	3800
41			1990	C	4250	4700	4700	3800
41			1991	C	4300	4750	4750	3900
41			1992	C	4650	5000	5150	4300
41			1993	C	4650	5050	5150	4300
41			1994	C	4900	5350	5450	4450
41			1995	C	5100	5550	5700	4650
41			1996	C	5250	5950	5950	4750
41			1997	C	5400	6100	6150	4850
41			1998	C	5550	6250	6250	5000
41			1999	C	5400	6050	6100	4850
41			2000	C	6100	6900	6900	5500
41			2001	C	5500	6200	6200	4950
41			2002	C	5550	6200	6250	5000
41			2003	C	5250	5850	5900	4750
41			2004	C	5600	6300	6300	5050
41			2005	C	5450	6050	6100	4900
41			2006	C	5550	6150	6200	5000
41			2007	C	5450	6050	6150	4900
41			2008	C	5500	6050	6000	4950
41			2009	SC	5000	5300	5850	4400
41			2010	SC	5500	5800	6450	4850
41			2011	SC	5500	7050	6450	4400
41			2012	UC	5000	5050	5350	4750
41			2013	UC	4800	4800	4850	4550
41			2014	UC	4900	4900	4700	4650
41			2015	UC	5000	5000	4800	4750
41			2016	UC	5100	5100	4900	4850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
41			2017	UC	5150	5100	5150	4950
41			2018	UC	5250	5200	5300	5050
41			2019	UC	5250	5150	5250	5050
41	HWY 17 START OF NA	1.0	9999					
41	RENFREW RD 19 END OF NA HWY END		9999					
48	MARKHAM RD START OF NA	14.1	9999					
48	YORK RD 25 MAJOR MACKENZIE DR	6.1	1988	CR	10800	13800	13000	8950
48			1989	CR	11000	14100	13100	9250
48			1990	CR	11300	14000	13000	10200
48			1991	CR	11300	13900	13000	10200
48			1992	CR	11300	13900	12900	10200
48			1993	CR	11300	13900	13000	10200
48			1994	CR	11600	14300	13200	10400
48			1995	CR	11700	14500	13800	10100
48			1996	IR	13200	16400	14700	11200
48			1997	IC	12000	13400	13600	10600
48			1998	IC	12200	13700	13700	10900
48			1999	IC	11700	13100	13100	10400
48			2000	IC	11100	12400	12400	9900
48			2001	IC	11200	12500	12600	9900
48			2002	IC	10900	12200	12200	9600
48			2003	IC	10700	11900	12000	9500
48			2004	IC	10700	12000	12000	9450
48			2005	IC	11300	12600	12700	9950
48			2006	IC	10400	11600	11700	9200
48			2007	IC	11700	13000	13400	10300
48			2008	IC	13000	14400	13900	11500
48			2009	IC	11700	13000	13100	10400
48			2010	IC	13200	14600	14700	11700
48			2011	IC	14000	15400	16000	12600
48			2012	IC	14000	15500	15000	12400
48			2013	IC	12600	13900	13900	11200
48			2014	CTR	12600	15400	15500	10700
48			2015	CTR	12700	15500	15600	10800
48			2016	CTR	12800	15600	15700	10900
48			2017	CTR	12900	17200	17200	10500
48			2018	CTR	12900	17200	17200	10500
48			2019	CTR	13000	17300	17200	10600
48	HWY 47 YORK RD 14 WHITCHURCH/STOUFFVILLE	4.1	1988	CR	9100	11600	10900	7550
48			1989	CR	9250	11800	11000	7750
48			1990	CR	9350	11600	10800	8400
48			1991	CR	9300	11400	10700	8350
48			1992	CR	9300	11400	10600	8350
48			1993	CR	9250	11400	10600	8300
48			1994	CR	9750	12000	11100	8800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			1995	CR	9900	12300	11700	8500
48			1996	HT	10100	19100	17400	4600
48			1997	IC	10200	11400	11500	9000
48			1998	IC	10400	11600	11600	9250
48			1999	IC	10500	11800	11800	9350
48			2000	IC	10500	11800	11800	9350
48			2001	IC	10600	11900	11900	9350
48			2002	IC	10500	11700	11800	9250
48			2003	IC	10700	11900	12000	9500
48			2004	IC	10800	12100	12100	9550
48			2005	IC	11000	12200	12300	9700
48			2006	IC	11000	12200	12300	9750
48			2007	IC	10900	12100	12500	9650
48			2008	IC	11200	12400	12000	9900
48			2009	IC	11200	12400	12500	9950
48			2010	IC	11300	12500	12600	10000
48			2011	IC	11400	12500	13000	10200
48			2012	IC	11500	12700	12400	10200
48			2013	IR	11600	13800	14800	9850
48			2014	IR	11700	13900	14000	9950
48			2015	IR	11800	14000	14100	10000
48			2016	IR	11900	14200	14200	10100
48			2017	IR	12000	14600	14500	10200
48			2018	IR	12100	14700	14600	10300
48			2019	IR	12200	14800	14800	10400
48	HWY 47 (E) YORK RD 40 BLOOMINGTON RD (W)	4.2	1988	IR	9400	12200	10300	7500
48			1989	IR	9500	12300	10500	7800
48			1990	IR	9700	12300	10800	7950
48			1991	IR	9300	11700	10300	7700
48			1992	IR	8900	10900	9800	7550
48			1993	IR	8350	10300	8650	6850
48			1994	IR	9050	11100	9950	7600
48			1995	IR	9000	11100	9900	7650
48			1996	IR	8750	10900	9750	7450
48			1997	IR	8950	11200	10000	7600
48			1998	IR	8950	11100	10000	7500
48			1999	IR	9000	11200	10000	7550
48			2000	CR	9000	11100	10500	7650
48			2001	CR	8950	11000	10500	7550
48			2002	CR	8950	11000	10500	7550
48			2003	CR	8950	10900	10500	7550
48			2004	IR	8950	11100	9900	7550
48			2005	IR	8950	10800	9800	7650
48			2006	IC	8950	9950	10000	7950
48			2007	IC	8800	9800	10100	7800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			2008	IC	8750	9700	9400	7700
48			2009	IC	8750	9700	9800	7800
48			2010	LT	8350	11200	11000	6150
48			2011	LT	9000	11500	11800	7400
48			2012	LT	8700	11300	10800	6600
48			2013	LT	8700	11400	11300	6550
48			2014	LT	8650	11300	11500	6550
48			2015	LT	8700	11400	11600	6550
48			2016	LT	8650	11300	11500	6550
48			2017	LT	8650	11000	11000	7250
48			2018	LT	8650	11000	11000	7250
48			2019	LT	8600	10900	10900	7200
48	YORK RD 15 AURORA RD(BALLANTRAE)	6.2	1988	CR	9000	11500	10800	7450
48			1989	CR	9300	11900	11100	7800
48			1990	CR	9500	11800	10900	8550
48			1991	CR	8500	10500	9800	7650
48			1992	CR	7500	9200	8550	6750
48			1993	IR	6600	8100	6800	5400
48			1994	IR	7900	9750	8700	6600
48			1995	IR	7800	9600	8600	6650
48			1996	IR	7050	8750	7850	6000
48			1997	CR	7700	9550	9100	6550
48			1998	CR	7650	9400	8950	6500
48			1999	CR	7850	9650	9200	6650
48			2000	CR	8050	9900	9400	6850
48			2001	CR	8400	10300	9850	7100
48			2002	CR	8300	10200	9750	7000
48			2003	CR	8050	9800	9400	6800
48			2004	CR	8100	9950	9500	6850
48			2005	CR	7900	9600	9200	6650
48			2006	CR	7950	9650	9250	6700
48			2007	CR	7900	9550	9550	6650
48			2008	CR	7950	9600	9550	6700
48			2009	IC	7400	8200	8300	6600
48			2010	IC	8000	8850	8950	7100
48			2011	IC	7300	8050	8350	6550
48			2012	IC	7850	8700	8450	6950
48			2013	IC	7800	8650	8600	6900
48			2014	IC	7850	8700	8650	6950
48			2015	IC	7850	8700	8650	6950
48			2016	IC	7850	8700	8650	6950
48			2017	IC	7850	8600	8650	7100
48			2018	IC	7850	8650	8700	7100
48			2019	IC	7850	8600	8650	7100
48	YORK RD 31 DAVIS DR	3.9	1988	CR	9400	12000	11300	7800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			1989	CR	9550	12200	11400	8000
48			1990	CR	9750	12100	11200	8800
48			1991	CR	9900	12200	11400	8900
48			1992	CR	10200	12500	11600	9200
48			1993	IR	10500	12900	10900	8600
48			1994	IR	10900	13400	12000	9150
48			1995	IR	11200	13800	12300	9550
48			1996	LR	12100	20300	16200	8050
48			1997	IR	11800	14800	13200	10000
48			1998	IR	12000	14900	13400	10100
48			1999	IR	12000	14900	13300	10100
48			2000	IR	11500	14100	12700	9700
48			2001	IR	11500	14200	12700	9700
48			2002	IR	11900	14700	13200	10100
48			2003	IR	11500	14000	12700	9750
48			2004	IR	11700	14500	13000	9900
48			2005	IR	11200	13500	12300	9550
48			2006	IR	10500	12700	11500	8900
48			2007	IR	11000	13300	13300	9300
48			2008	CR	10600	12800	12700	8950
48			2009	CR	10900	13100	12600	9250
48			2010	LT	10400	14000	13700	7700
48			2011	LT	10700	13700	14000	8800
48			2012	CTR	10700	13000	12800	9100
48			2013	CTR	10600	12900	13300	9000
48			2014	CTR	10500	12800	12900	8900
48			2015	CTR	10500	12800	12900	8900
48			2016	CTR	10800	13200	13300	9200
48			2017	CTR	10400	13900	13800	8450
48			2018	CTR	10300	13800	13700	8400
48			2019	CTR	10300	13700	13700	8400
48	YORK RD 13 MOUNT ALBERT	10.3	1988	CR	8750	11200	10500	7250
48			1989	CR	9000	11500	10700	7550
48			1990	IR	9300	11800	10300	7650
48			1991	IR	9450	11900	10500	7850
48			1992	IR	9300	11400	10200	7900
48			1993	IR	9250	11400	9550	7550
48			1994	IR	9650	11900	10600	8100
48			1995	IR	9850	12100	10900	8400
48			1996	IR	9600	11900	10700	8200
48			1997	IR	10300	12900	11500	8750
48			1998	IR	10500	13000	11800	8800
48			1999	IR	10500	13000	11700	8800
48			2000	IR	10700	13100	11900	9050
48			2001	IR	10800	13300	12000	9150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			2002	IR	11000	13600	12200	9350
48			2003	IR	11200	13600	12300	9500
48			2004	IR	11400	14100	12600	9650
48			2005	IR	11300	13600	12400	9650
48			2006	IR	11400	13800	12500	9700
48			2007	IR	11900	14400	14400	10100
48			2008	IR	11700	14200	13900	10000
48			2009	IR	11300	13600	12300	9600
48			2010	IR	11800	14000	12900	10000
48			2011	IR	12100	14400	14100	10300
48			2012	IR	12200	14500	14100	10400
48			2013	CTR	10800	13100	13600	9150
48			2014	CTR	11000	13400	13500	9350
48			2015	CTR	11300	13800	13900	9600
48			2016	CTR	11400	13900	14000	9700
48			2017	CTR	12000	16000	16000	9800
48			2018	CTR	12100	16200	16100	9850
48			2019	CTR	12200	16300	16200	9950
48	YORK RD 32 RAVENSHOE RD BROWN HILL	8.7	1988	IR	8900	11600	9800	7100
48			1989	IR	9150	11800	10200	7500
48			1990	IR	9300	11800	10300	7650
48			1991	IR	9400	11800	10400	7800
48			1992	IR	9500	11700	10400	8100
48			1993	IR	9550	11700	9850	7800
48			1994	IR	9250	11400	10200	7750
48			1995	IR	9400	11600	10400	8000
48			1996	CTR	9100	11600	11200	7650
48			1997	IR	9700	12100	10900	8250
48			1998	IR	9800	12200	11000	8250
48			1999	IR	8900	11000	9900	7500
48			2000	IR	9350	11500	10400	7900
48			2001	IR	9350	11600	10400	7900
48			2002	IR	9350	11500	10400	7950
48			2003	IR	9250	11200	10200	7850
48			2004	IR	9350	11600	10400	7900
48			2005	IR	9350	11300	10200	7950
48			2006	IR	9350	11300	10200	7950
48			2007	IR	9350	11300	11300	7900
48			2008	IR	9350	11300	11100	8000
48			2009	IR	9350	11200	10200	7950
48			2010	CTR	9350	11400	10900	7950
48			2011	CTR	9350	11400	10900	7950
48			2012	CTR	9350	11300	11200	7950
48			2013	CTR	9350	11400	11800	7950
48			2014	CTR	9350	11400	11500	7950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			2015	CTR	9350	11400	11500	7950
48			2016	CTR	9350	11400	11500	7950
48			2017	CTR	9350	12500	12400	7600
48			2018	CTR	9350	12500	12400	7600
48			2019	CTR	9350	12500	12400	7600
48	YORK RD 9 HIGH ST (TO SUTTON)	2.6	1988	IR	9550	12400	10500	7650
48			1989	IR	9700	12500	10800	7950
48			1990	IR	9850	12500	10900	8100
48			1991	IR	9900	12500	11000	8200
48			1992	IR	10100	12400	11100	8600
48			1993	IR	10200	12500	10500	8350
48			1994	IR	10200	12600	11200	8550
48			1995	IR	10300	12700	11300	8800
48			1996	IR	10600	13200	11800	9050
48			1997	IR	10600	13200	11900	9000
48			1998	IR	10700	13300	12000	9000
48			1999	IR	10200	12600	11300	8550
48			2000	IR	10500	12900	11600	8850
48			2001	IR	10600	13100	11700	8950
48			2002	IR	10600	13100	11700	9000
48			2003	IR	10600	12900	11700	9000
48			2004	IR	10700	13200	11900	9050
48			2005	IR	10700	12900	11700	9100
48			2006	IR	10700	12900	11700	9100
48			2007	IR	10800	13100	13000	9150
48			2008	IR	10800	13100	12800	9250
48			2009	IR	10800	13000	11800	9200
48			2010	IR	10900	13000	11900	9300
48			2011	IR	10900	13000	12700	9300
48			2012	IR	10900	13000	12600	9300
48			2013	CTR	11000	13400	13800	9350
48			2014	CTR	11000	13400	13500	9350
48			2015	CTR	11000	13400	13500	9350
48			2016	CTR	11100	13500	13700	9450
48			2017	CTR	11100	14800	14800	9050
48			2018	CTR	11100	14800	14800	9050
48			2019	CTR	11200	14900	14900	9100
48	YORK RD 18 SIBBALD POINT RD	3.4	1988	IR	10400	13500	11400	8300
48			1989	IR	10400	13400	11500	8550
48			1990	IR	10600	13500	11800	8700
48			1991	IR	10600	13400	11800	8800
48			1992	IR	10700	13200	11800	9100
48			1993	IR	10800	13300	11200	8850
48			1994	IR	10600	13100	11700	8900
48			1995	IR	10800	13300	11900	9200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			1996	IR	9750	12100	10900	8300
48			1997	IR	11200	14000	12500	9500
48			1998	IR	11300	14000	12700	9500
48			1999	IR	11000	13600	12200	9250
48			2000	IR	11200	13700	12400	9450
48			2001	IR	11400	14100	12600	9650
48			2002	IR	11600	14300	12900	9850
48			2003	IR	11600	14100	12800	9850
48			2004	IR	11900	14700	13200	10100
48			2005	IR	11400	13800	12500	9700
48			2006	IR	11900	14400	13000	10100
48			2007	IR	11400	13800	13800	9650
48			2008	IR	11400	13800	13600	9750
48			2009	IC	10300	11400	11500	9150
48			2010	IC	11300	12500	12600	10000
48			2011	IC	11600	12800	13200	10400
48			2012	LT	11600	15100	14400	8800
48			2013	LT	11700	15300	15300	8850
48			2014	LT	11700	15300	15500	8850
48			2015	LT	11800	15400	15700	8900
48			2016	LT	11800	15400	15700	8900
48			2017	LT	11900	15100	15100	9950
48			2018	LT	11900	15100	15200	10000
48			2019	LT	12000	15200	15300	10000
48	HADDEN RD (N)	1.8	1988	IR	9600	12500	10600	7700
48			1989	IR	9750	12600	10800	8000
48			1990	IR	9800	12400	10900	8050
48			1991	IR	10100	12700	11200	8400
48			1992	IR	10400	12800	11400	8850
48			1993	IR	10800	13300	11200	8850
48			1994	IR	10600	13100	11700	8900
48			1995	IR	10800	13300	11900	9200
48			1996	IR	10400	12900	11600	8850
48			1997	IR	11300	14100	12700	9600
48			1998	IR	11600	14400	13000	9750
48			1999	IR	11200	13900	12400	9400
48			2000	IR	11300	13800	12500	9550
48			2001	IR	11400	14100	12600	9650
48			2002	IR	11200	13800	12400	9500
48			2003	IR	11600	14100	12800	9850
48			2004	IR	11700	14500	13000	9900
48			2005	IR	11800	14200	12900	10100
48			2006	IR	11800	14200	12900	10000
48			2007	IR	12000	14500	14500	10200
48			2008	IR	12000	14500	14300	10300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			2009	IR	11800	14200	12900	10000
48			2010	IR	12200	14500	13300	10400
48			2011	IR	12200	14600	14200	10400
48			2012	IR	12300	14600	14200	10500
48			2013	CTR	10600	12900	13300	9000
48			2014	CTR	12100	14800	14900	10300
48			2015	CTR	12100	14800	14900	10300
48			2016	CTR	12200	14900	15000	10400
48			2017	CTR	12300	16400	16400	10000
48			2018	CTR	12400	16600	16500	10100
48			2019	CTR	12400	16500	16400	10100
48	DUCLOS POINT RD GEORGINA TWP L 15 16 (N)	3.1	1988	IR	9400	12200	10300	7500
48			1989	IR	9550	12300	10600	7850
48			1990	IR	9700	12300	10800	7950
48			1991	IR	9800	12300	10900	8150
48			1992	IR	9900	12200	10900	8400
48			1993	IR	10000	12300	10300	8200
48			1994	IR	10300	12700	11300	8650
48			1995	IR	10600	13100	11700	9050
48			1996	IR	9950	12400	11100	8500
48			1997	IR	11200	14000	12500	9500
48			1998	IR	11500	14300	12900	9650
48			1999	IR	10500	13000	11700	8800
48			2000	IR	10800	13200	12000	9150
48			2001	IR	10800	13300	12000	9150
48			2002	IR	11000	13600	12200	9350
48			2003	IR	12100	14700	13300	10300
48			2004	IR	12000	14800	13300	10100
48			2005	IR	11700	14100	12800	9950
48			2006	IR	11300	13600	12300	9600
48			2007	IR	11400	13800	13800	9650
48			2008	IR	11500	13900	13700	9850
48			2009	IR	11500	13800	12500	9800
48			2010	CTR	10600	12900	12400	9000
48			2011	CTR	11700	14200	13700	9950
48			2012	LT	10300	13400	12800	7800
48			2013	LT	11500	15000	15000	8700
48			2014	LT	9250	12100	12300	7000
48			2015	LT	10300	13400	13700	7800
48			2016	LT	10800	14100	14300	8150
48			2017	LT	11000	14000	14000	9200
48			2018	LT	11000	14000	14000	9250
48			2019	LT	11000	14000	14000	9200
48	YORK RD 21 RIVER DR MNR ACCESS RD	2.6	1988	LR	7100	12600	8950	4400
48			1989	LR	7250	12300	9400	4800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			1990	LR	7300	12800	10100	4600
48			1991	LR	7900	13900	11000	5000
48			1992	LR	8600	13800	11100	5700
48			1993	R	9200	15700	12300	5250
48			1994	R	7950	14700	11600	4300
48			1995	R	8150	14900	11700	4450
48			1996	IR	7300	9050	8150	6200
48			1997	IR	8500	10600	9500	7200
48			1998	IR	8700	10800	9750	7300
48			1999	IR	7800	9650	8650	6550
48			2000	IR	8300	10200	9200	7000
48			2001	IR	8350	10300	9250	7050
48			2002	IR	8400	10400	9300	7150
48			2003	IR	8450	10300	9300	7150
48			2004	IR	8550	10600	9450	7250
48			2005	IR	8600	10400	9400	7350
48			2006	IR	8500	10300	9300	7200
48			2007	IR	8700	10500	10500	7350
48			2008	IR	8600	10400	10200	7350
48			2009	IR	8850	10600	9650	7500
48			2010	IR	8050	9600	8750	6850
48			2011	IR	8700	10400	10200	7450
48			2012	IR	8750	10400	10100	7500
48			2013	CTR	8800	10700	11100	7450
48			2014	CTR	8850	10800	10900	7500
48			2015	CTR	8850	10800	10900	7500
48			2016	CTR	8900	10900	10900	7550
48			2017	CTR	8950	12000	11900	7300
48			2018	CTR	9000	12000	12000	7350
48			2019	CTR	9050	12100	12000	7350
48	DURHAM RD 23/LAKE RIDGE RD	5.9	1988	LR	4400	7800	5550	2750
48			1989	LR	4500	7600	5850	2950
48			1990	LR	4550	7950	6300	2850
48			1991	LR	4200	7400	5850	2650
48			1992	LR	4000	6450	5150	2650
48			1993	LR	3800	6100	4900	2500
48			1994	LR	4350	7150	5750	2850
48			1995	LR	4450	7450	6050	2900
48			1996	LR	4100	6850	5500	2750
48			1997	LR	4550	7650	6150	3050
48			1998	LR	4600	7600	6100	3050
48			1999	LR	4950	8100	6550	3250
48			2000	LR	4900	7950	6400	3250
48			2001	LR	5000	8200	6500	3350
48			2002	LR	5100	8300	6650	3450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			2003	LR	5250	8300	6700	3550
48			2004	IR	5350	6600	5950	4500
48			2005	IR	5400	6500	5900	4600
48			2006	LR	5550	8650	6950	3750
48			2007	IR	5600	6800	6750	4750
48			2008	LR	5200	8100	7900	3550
48			2009	LR	4900	7450	6100	3350
48			2010	LT	4750	6400	6250	3500
48			2011	LT	4900	6300	6400	4050
48			2012	LT	5000	6500	6200	3800
48			2013	LT	5400	7050	7050	4100
48			2014	HT	4050	6050	6100	1950
48			2015	HT	5200	7800	7850	2500
48			2016	HT	5250	7850	7950	2550
48			2017	HT	5250	8250	8250	3350
48			2018	HT	5300	8300	8300	3350
48			2019	HT	5300	8300	8300	3400
48	BROCK TWP SDRD 17	2.6	1988	LR	4600	8150	5800	2850
48			1989	LR	4650	7850	6050	3050
48			1990	LR	4700	8200	6550	2950
48			1991	LR	4650	8200	6450	2950
48			1992	LR	4600	7400	5950	3050
48			1993	LR	4500	7250	5800	2950
48			1994	LR	4500	7400	5950	2950
48			1995	LR	4550	7650	6200	3000
48			1996	LR	4200	7050	5650	2800
48			1997	LR	4650	7800	6300	3100
48			1998	LR	4700	7750	6250	3100
48			1999	LR	4400	7200	5800	2900
48			2000	LR	4950	8000	6450	3300
48			2001	LR	5300	8650	6900	3550
48			2002	LR	5600	9150	7300	3800
48			2003	LR	5900	9350	7500	4000
48			2004	LR	5950	9750	7750	4000
48			2005	LR	5950	9300	7500	4050
48			2006	LR	5900	9200	7400	4000
48			2007	LR	6050	9500	9100	4100
48			2008	LR	6200	9700	9450	4250
48			2009	LR	5800	8800	7200	3950
48			2010	LR	5600	8400	6850	3800
48			2011	LR	5200	8050	7550	3650
48			2012	LR	5300	7900	7700	3650
48			2013	CTR	6850	8350	8600	5800
48			2014	CTR	6350	7750	7800	5400
48			2015	CR	6950	8200	8150	5900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
48			2016	CR	6650	7850	7800	5650
48			2017	CR	6750	7850	7850	6100
48			2018	CR	6850	7950	8000	6150
48			2019	CR	6950	8050	8100	6250
48	S JCT HWY 12 BEAVERTON BYPASS OVERLAP HWY 12 (19390)	12.7	9999					
48	HWY 35 COBOCONK END OF NA HWY END		9999					
49	HWY 33 BRIDGE ST START OF NA	20.2	9999					
49	PRINCE EDWARD HASTINGS CTY BDY	2.4	1992	IC	2550	2850	2800	2300
49			1993	IC	2550	2900	2850	2250
49			1994	IC	2550	2850	2850	2250
49			1995	CTR	2550	3250	3150	2150
49			1996	CTR	2550	3250	3150	2150
49			1997	CTR	2550	3250	3150	2150
49			1998	CTR	2550	3250	3100	2150
49			1999	CTR	3550	4450	4300	3000
49			2000	CTR	3750	4700	4550	3150
49			2001	CTR	3500	4400	4250	2950
49			2002	CTR	4000	5050	4850	3400
49			2003	CTR	4250	5300	5100	3600
49			2004	IC	4250	4750	4750	3750
49			2005	IC	4250	4750	4750	3750
49			2006	IC	4450	4950	5000	3950
49			2007	CR	4200	5100	5100	3550
49			2008	CR	4800	5800	5750	4050
49			2009	CR	4950	5950	5750	4200
49			2010	CR	5050	6050	5850	4250
49			2011	CR	5300	6150	6250	4700
49			2012	CR	5200	6250	6150	4400
49			2013	CR	5000	6000	6150	4250
49			2014	CR	5650	6650	6600	4800
49			2015	CR	5800	6850	6800	4950
49			2016	CR	5950	7000	6950	5050
49			2017	CR	6100	7050	7100	5500
49			2018	CR	6250	7250	7300	5600
49			2019	CR	6450	7500	7550	5800
49	YORK RD (W) COUNTY RD 2 (E)	3.4	1992	CTR	1950	2400	2300	1700
49			1993	CTR	1950	2450	2350	1650
49			1994	CTR	1950	2500	2400	1650
49			1995	CTR	1950	2500	2400	1650
49			1996	CTR	1950	2500	2400	1650
49			1997	CTR	1950	2500	2400	1650
49			1998	CTR	1950	2500	2400	1650
49			1999	CTR	2400	3000	2900	2000
49			2000	CTR	2700	3400	3250	2250
49			2001	CTR	3000	3800	3650	2550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
49			2002	CTR	3200	4050	3850	2700
49			2003	CTR	3250	4050	3900	2750
49			2004	CTR	3700	4650	4500	3100
49			2005	CTR	3650	4500	4350	3100
49			2006	CTR	4150	5150	4900	3500
49			2007	CTR	3900	4850	4800	3300
49			2008	CTR	4400	5450	5350	3750
49			2009	CTR	4550	5550	5350	3850
49			2010	CTR	4550	5550	5300	3850
49			2011	CTR	4850	5900	5650	4100
49			2012	CTR	5050	6150	6050	4300
49			2013	CTR	4800	5850	6050	4100
49			2014	CTR	5350	6550	6600	4550
49			2015	CTR	5550	6750	6850	4700
49			2016	CTR	5700	6950	7000	4850
49			2017	CTR	5900	7900	7850	4800
49			2018	CTR	6100	8150	8100	4950
49			2019	CTR	6250	8350	8300	5100
49	TYENDINAGA TWP RD L 31 START OF NA	2.1	9999					
49	HWY 401 END OF NA HWY END		9999					
58	HWY 3 NIAGARA RD 3 MAIN ST PORT COLBORNE	0.8	1988	SC	10900	11800	12900	9800
58			1989	SC	11200	12300	13600	9950
58			1990	SC	11900	13100	14300	10600
58			1991	C	12600	13900	14000	11500
58			1992	C	12800	13800	14200	11800
58			1993	C	12800	14000	14200	11800
58			1994	UC	12900	13700	14700	12000
58			1995	UC	13400	14100	15300	12500
58			1996	UC	13700	14500	16000	13000
58			1997	IC	13600	15200	15400	12000
58			1998	IC	14400	16100	16100	12800
58			1999	IC	13500	15100	15100	12000
58			2000	IC	13300	14900	14900	11800
58			2001	IC	13300	14900	14900	11800
58			2002	IC	13200	14700	14800	11600
58			2003	IC	12900	14400	14500	11400
58			2004	IC	12900	14400	14500	11400
58			2005	IC	13000	14500	14600	11500
58			2006	IC	12400	13800	13900	11000
58			2007	IC	12300	13700	14100	10900
58			2008	IC	12600	14000	13500	11100
58			2009	IC	12000	13300	13400	10700
58			2010	IC	10300	11400	11500	9150
58			2011	IC	11700	12900	13300	10500
58			2012	IC	11600	12900	12500	10300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58			2013	IC	11500	12700	12700	10200
58			2014	IC	11300	12500	12500	10000
58			2015	CTR	11200	13700	13800	9500
58			2016	CTR	11100	13500	13700	9450
58			2017	CTR	10900	14600	14500	8900
58			2018	CTR	10800	14400	14400	8800
58			2019	CTR	10700	14300	14200	8700
58	S ENT PORT COLBORNE MALL (W)	4.7	1988	SC	9600	10400	11300	8650
58			1989	SC	9800	10800	11900	8700
58			1990	SC	10100	11100	12100	9000
58			1991	C	10200	11200	11300	9300
58			1992	C	10400	11200	11500	9550
58			1993	C	10400	11300	11500	9550
58			1994	C	10800	11800	12000	9750
58			1995	C	11200	12200	12600	10200
58			1996	C	11400	12900	13000	10300
58			1997	UC	11700	12300	13700	11000
58			1998	UC	11900	12600	13900	11300
58			1999	UC	11200	11900	13100	10600
58			2000	UC	11000	11700	13000	10300
58			2001	UC	10900	11700	12800	10200
58			2002	UC	10900	11600	12800	10200
58			2003	UC	10600	11200	12400	10000
58			2004	UC	10500	11200	12400	9850
58			2005	UC	9800	10400	11500	9200
58			2006	UC	10500	11100	12300	9900
58			2007	UC	9450	10000	10900	8850
58			2008	UC	10100	10700	10000	9450
58			2009	UC	9950	10500	11600	9350
58			2010	UC	10100	10700	11800	9500
58			2011	UC	9600	9650	9950	9100
58			2012	UC	9600	9650	10300	9100
58			2013	UC	9400	9450	9450	8900
58			2014	UC	9350	9400	9000	8850
58			2015	UC	9250	9300	8900	8800
58			2016	UC	9150	9200	8800	8700
58			2017	UC	9000	8950	9050	8650
58			2018	UC	8900	8850	8950	8550
58			2019	UC	8800	8650	8800	8500
58	NIAGARA RD 23 FORKS RD WELLAND	1.7	1988	SC	10400	11200	12300	9350
58			1989	SC	10600	11700	12800	9450
58			1990	SC	10900	12000	13100	9700
58			1991	C	11000	12100	12200	10000
58			1992	C	11200	12100	12400	10300
58			1993	C	11200	12200	12400	10300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58			1994	C	10500	11500	11700	9500
58			1995	C	11300	12300	12700	10300
58			1996	C	11500	13000	13100	10400
58			1997	IC	10900	12200	12300	9600
58			1998	IC	12000	13400	13400	10700
58			1999	IC	10300	11500	11500	9150
58			2000	IC	10200	11400	11400	9100
58			2001	C	10300	11600	11600	9300
58			2002	C	10000	11200	11300	9000
58			2003	C	10000	11200	11200	9050
58			2004	C	9500	10700	10700	8550
58			2005	C	9500	10600	10700	8550
58			2006	UC	10000	10600	11700	9400
58			2007	UC	9450	10000	10900	8850
58			2008	UC	9350	9900	9250	8750
58			2009	UC	9350	9900	10900	8800
58			2010	UC	9050	9550	10500	8500
58			2011	UC	8900	8950	9250	8450
58			2012	UC	9750	9800	10400	9250
58			2013	UC	8850	8900	8900	8400
58			2014	C	11200	12300	12000	10100
58			2015	C	10500	11600	11200	9450
58			2016	C	10900	12000	11700	9800
58			2017	C	9450	10300	10300	8550
58			2018	C	9400	10300	10200	8500
58			2019	C	9350	10200	10200	8450
58	HWY 58A NIAGARA RD 33 START OF NA	11.0	9999					
58	S JCT HWY 406 END OF NA	3.8	9999					
58	W JCT HWY 20 & N JCT HWY 406 START OF NA	3.3	9999					
58	E JCT HWY 20 NIAGARA RD 82	3.3	1988	UC	6000	6300	6800	5650
58			1989	UC	6200	6500	7000	5900
58			1990	UC	6400	6850	7400	6100
58			1991	UC	6500	6900	7450	6300
58			1992	UC	6700	7100	7700	6450
58			1993	UC	6700	7050	7600	6300
58			1994	SC	6250	6500	7200	5750
58			1995	SC	6600	6900	7650	6000
58			1996	SC	6650	7050	7800	5950
58			1997	SC	6250	6600	7300	5550
58			1998	SC	6850	7250	8000	6100
58			1999	SC	6350	6750	7450	5650
58			2000	SC	6300	6700	7350	5550
58			2001	SC	6000	6400	7050	5300
58			2002	SC	6200	6600	7250	5450
58			2003	SC	6150	6500	7200	5450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58			2004	SC	6100	6500	7150	5400
58			2005	SC	6100	6450	7100	5350
58			2006	SC	6000	6350	7000	5300
58			2007	SC	5850	6200	6750	5150
58			2008	SC	5900	6200	5850	5200
58			2009	SC	5850	6200	6850	5150
58			2010	SC	5800	6150	6800	5100
58			2011	UC	5750	5750	5950	5450
58			2012	UC	5700	5750	6100	5400
58			2013	UC	5650	5650	5700	5350
58			2014	UC	5600	5600	5400	5300
58			2015	C	5550	6100	5950	5000
58			2016	C	5500	6050	5900	4950
58			2017	C	5450	5950	5950	4950
58			2018	C	5400	5900	5900	4850
58			2019	C	5350	5850	5800	4850
58	BEAVERDAMS RD (E) NIAGARA FALLS RD (W)	1.0	1988	UC	11900	12500	13400	11200
58			1989	UC	12000	12600	13600	11400
58			1990	UC	12300	13200	14300	11700
58			1991	UC	13100	13900	15100	12700
58			1992	UC	13500	14300	15500	13000
58			1993	UC	13500	14200	15300	12600
58			1994	UC	13500	14300	15400	12600
58			1995	UC	14100	14900	16100	13100
58			1996	UC	14400	15200	16800	13700
58			1997	UC	14700	15400	17200	13800
58			1998	UC	15000	15900	17600	14200
58			1999	UC	14800	15700	17300	14100
58			2000	UC	15000	15900	17700	14100
58			2001	UC	15200	16300	17900	14300
58			2002	UC	15500	16500	18200	14500
58			2003	UC	15700	16600	18400	14800
58			2004	UC	15100	16200	17800	14200
58			2005	UC	23600	25000	27600	22100
58			2006	UC	10900	11500	12700	10300
58			2007	UC	10700	11300	12400	10000
58			2008	UC	10500	11100	10400	9800
58			2009	UC	10400	11000	12200	9800
58			2010	UC	10200	10800	11900	9600
58			2011	UC	9500	9550	9850	9000
58			2012	UC	11300	11400	12100	10700
58			2013	UC	11100	11100	11200	10500
58			2014	C	10300	11300	11000	9250
58			2015	C	10900	12000	11700	9800
58			2016	C	10300	11300	11000	9250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58			2017	C	10000	10900	10900	9050
58			2018	C	9800	10700	10700	8850
58			2019	C	9500	10400	10300	8600
58	THOROLD STONE RD 7186 (E)	1.4	1988	UC	21100	22200	23800	19800
58			1989	UC	21500	22600	24300	20400
58			1990	UC	21900	23400	25400	20800
58			1991	UC	24000	25400	27600	23300
58			1992	UC	24300	25800	27900	23300
58			1993	UC	24300	25600	27600	22800
58			1994	UC	24600	26100	28100	22900
58			1995	UC	24000	25300	27400	22400
58			1996	UC	24400	25800	28500	23200
58			1997	UC	21200	22300	24800	19900
58			1998	UC	25300	26800	29600	24000
58			1999	UC	24200	25700	28300	23000
58			2000	UC	24200	25700	28600	22700
58			2001	UC	24700	26500	29100	23200
58			2002	UC	24400	26000	28700	22800
58			2003	UC	23500	24800	27500	22200
58			2004	UC	22400	24000	26400	21000
58			2005	UC	23500	24900	27500	22000
58			2006	UC	22200	23500	25900	20900
58			2007	UC	22000	23300	25500	20600
58			2008	UC	21800	23000	21600	20400
58			2009	UC	23300	24700	27300	21900
58			2010	UC	17600	18600	20500	16500
58			2011	UC	21100	21200	21900	20000
58			2012	UC	20900	21000	22400	19900
58			2013	UC	20700	20800	20800	19600
58			2014	UC	20400	20500	19600	19400
58			2015	UC	20200	20300	19400	19200
58			2016	UC	20000	20100	19200	19000
58			2017	UC	19800	19700	19900	19000
58			2018	UC	19500	19300	19600	18700
58			2019	UC	19300	19000	19300	18600
58	PINE ST UP IC NIAGARA RD 67	1.1	1988	UC	17400	18300	19700	16400
58			1989	UC	17700	18600	20000	16800
58			1990	UC	18200	19500	21100	17300
58			1991	UC	18900	20000	21700	18300
58			1992	UC	19400	20600	22300	18600
58			1993	UC	19400	20400	22100	18200
58			1994	UC	19600	20800	22400	18200
58			1995	UC	20000	21100	22900	18600
58			1996	UC	20500	21700	24000	19500
58			1997	UC	19300	20300	22600	18100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58			1998	UC	21400	22700	25000	20300
58			1999	UC	21000	22300	24600	20000
58			2000	UC	21300	22600	25100	20000
58			2001	UC	21600	23100	25400	20300
58			2002	UC	21900	23300	25800	20500
58			2003	UC	22200	23500	26000	21000
58			2004	UC	22500	24100	26500	21100
58			2005	UC	23300	24700	27300	21900
58			2006	UC	23100	24400	27000	21700
58			2007	UC	23800	25200	27500	22300
58			2008	UC	23700	25000	23500	22200
58			2009	UC	26500	28100	31000	24900
58			2010	UC	24100	25500	28000	22700
58			2011	UC	25200	25300	26200	23900
58			2012	UC	25500	25700	27300	24200
58			2013	UC	25900	26000	26000	24600
58			2014	UC	26200	26300	25200	24900
58			2015	C	26600	29300	28500	23900
58			2016	C	26900	29600	28800	24200
58			2017	C	27300	29900	29800	24800
58			2018	C	27600	30300	30100	24900
58			2019	C	27900	30500	30300	25300
58	COLLIER ST OP IC NIAGARA RD 56	1.5	1988	UC	17800	18700	20100	16700
58			1989	UC	18100	19000	20500	17200
58			1990	UC	18500	19800	21500	17600
58			1991	UC	19700	20900	22700	19100
58			1992	UC	20100	21300	23100	19300
58			1993	UC	20100	21200	22800	18800
58			1994	UC	20400	21600	23300	19000
58			1995	UC	21600	22800	24700	20100
58			1996	UC	22300	23600	26100	21200
58			1997	UC	21200	22300	24800	19900
58			1998	UC	23800	25200	27800	22600
58			1999	UC	23800	25200	27800	22600
58			2000	UC	24400	25900	28800	22900
58			2001	UC	25100	26900	29500	23600
58			2002	UC	24600	26200	28900	23000
58			2003	UC	25300	26700	29600	23900
58			2004	UC	25700	27500	30200	24200
58			2005	UC	25300	26800	29600	23700
58			2006	UC	26100	27600	30500	24600
58			2007	UC	27100	28700	31400	25400
58			2008	UC	26900	28400	26700	25200
58			2009	IT	25700	32400	32400	21300
58			2010	IT	27700	34700	34800	22900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58			2011	IT	28100	37700	37700	23100
58			2012	IT	24400	30500	29400	20200
58			2013	UC	25000	25100	25100	23700
58			2014	UC	27700	27800	26600	26300
58			2015	UC	28000	28100	26900	26600
58			2016	UC	28300	28400	27200	26900
58			2017	UC	28600	28400	28700	27400
58			2018	UC	28900	28700	29100	27700
58			2019	UC	29200	28800	29200	28100
58	HWY 406 IC ST DAVIDS RD HWY END		9999					
58A	HWY 140	4.3	1988	SC	5900	6350	6950	5300
58A			1989	SC	6000	6600	7250	5350
58A			1990	SC	6100	6700	7300	5450
58A			1991	SC	6450	7100	7800	5750
58A			1992	SC	6500	6800	7600	6000
58A			1993	SC	6500	7200	7950	5800
58A			1994	SC	6250	6500	7200	5750
58A			1995	SC	6350	6650	7400	5800
58A			1996	SC	6400	6800	7500	5750
58A			1997	SC	5850	6200	6850	5200
58A			1998	SC	6500	6900	7600	5800
58A			1999	SC	6100	6450	7150	5450
58A			2000	SC	6200	6550	7250	5450
58A			2001	SC	6400	6850	7500	5650
58A			2002	SC	6400	6800	7500	5650
58A			2003	SC	6500	6850	7600	5750
58A			2004	SC	6500	6950	7600	5750
58A			2005	SC	6600	7000	7700	5800
58A			2006	SC	6800	7200	7950	6000
58A			2007	SC	6650	7050	7700	5850
58A			2008	SC	6700	7050	6650	5900
58A			2009	SC	6700	7100	7850	5900
58A			2010	LR	6750	10100	8250	4600
58A			2011	LR	6800	10500	9850	4750
58A			2012	LR	9000	13400	13100	6200
58A			2013	CTR	8800	10700	11100	7450
58A			2014	CTR	7700	9400	9450	6550
58A			2015	CTR	6950	8500	8550	5900
58A			2016	CTR	7750	9450	9550	6600
58A			2017	CTR	7800	10400	10400	6350
58A			2018	CTR	7900	10600	10500	6450
58A			2019	CTR	8000	10700	10600	6500
58A	NIAGARA RD 68 WELLAND ST	0.8	1988	SC	4300	4650	5050	3850
58A			1989	SC	4400	4850	5300	3900
58A			1990	SC	4500	4950	5400	4000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
58A			1991	SC	4200	4600	5100	3750
58A			1992	SC	4300	4500	5050	3950
58A			1993	SC	4300	4750	5250	3850
58A			1994	UC	3550	3750	4050	3300
58A			1995	UC	4400	4650	5050	4100
58A			1996	UC	4400	4650	5150	4200
58A			1997	UC	4750	5000	5550	4450
58A			1998	UC	4500	4750	5250	4300
58A			1999	UC	4450	4700	5200	4250
58A			2000	UC	4500	4750	5300	4250
58A			2001	UC	4250	4550	5000	4000
58A			2002	UC	4650	4950	5450	4350
58A			2003	UC	4450	4700	5200	4200
58A			2004	UC	4450	4750	5250	4200
58A			2005	UC	4400	4650	5150	4150
58A			2006	UC	4450	4700	5200	4200
58A			2007	UC	4150	4400	4800	3900
58A			2008	UC	4450	4700	4400	4150
58A			2009	UC	4350	4600	5100	4100
58A			2010	UC	4450	4700	5200	4200
58A			2011	UC	4450	4450	4600	4200
58A			2012	UC	4500	4550	4800	4300
58A			2013	UC	6500	6500	6550	6150
58A			2014	UC	6450	6450	6200	6100
58A			2015	UC	5250	5250	5050	5000
58A			2016	UC	5300	5300	5100	5050
58A			2017	UC	5350	5300	5350	5150
58A			2018	UC	5400	5350	5450	5200
58A			2019	UC	5450	5350	5450	5250
58A	HWY 58 WEST SIDE RD HWY END		9999					
60	HWY 17	0.7	1988	C	3850	4250	4250	3450
60			1989	C	4050	4500	4550	3650
60			1990	C	4200	4650	4650	3800
60			1991	IR	4300	5400	4750	3550
60			1992	LT	4850	6750	6550	3750
60			1993	LT	4850	6700	6000	3550
60			1994	IR	5250	6450	5800	4400
60			1995	IR	5000	6150	5500	4250
60			1996	IR	5150	6400	5750	4400
60			1997	CR	5450	6750	6450	4650
60			1998	CR	5450	6700	6400	4650
60			1999	CR	5550	6850	6500	4700
60			2000	CR	5700	7000	6650	4850
60			2001	CR	5800	7150	6800	4900
60			2002	CR	5900	7250	6900	4950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2003	CR	5850	7150	6850	4950
60			2004	CR	6100	7500	7150	5150
60			2005	CR	6200	7500	7250	5200
60			2006	CR	6450	7800	7500	5450
60			2007	CR	6450	7800	7800	5450
60			2008	CR	6550	7950	7850	5500
60			2009	CR	6650	8000	7700	5650
60			2010	CR	6750	8100	7800	5700
60			2011	CR	6850	8000	8050	6100
60			2012	CTR	7900	9600	9450	6750
60			2013	CTR	7900	9600	9950	6700
60			2014	CTR	7950	9700	9800	6750
60			2015	CTR	7950	9700	9800	6750
60			2016	CTR	8000	9750	9850	6800
60			2017	CR	8000	9250	9350	7200
60			2018	CR	7900	9200	9250	7100
60			2019	CR	8050	9350	9400	7200
60	RENFREW START OF NA	5.1	9999					
60	RENFREW W LTS END OF NA	7.4	1988	CR	2600	3350	3100	2150
60			1989	CR	3000	3850	3550	2500
60			1990	CR	3150	3900	3600	2850
60			1991	IR	3300	4150	3650	2750
60			1992	IR	2900	3550	3200	2450
60			1993	IR	2900	3550	3000	2350
60			1994	IR	3350	4150	3700	2800
60			1995	IR	3450	4250	3800	2950
60			1996	IR	3550	4400	3950	3000
60			1997	IR	3550	4450	4000	3000
60			1998	IR	3750	4650	4200	3150
60			1999	IR	4200	5200	4650	3550
60			2000	IR	4100	5000	4550	3450
60			2001	IR	4050	5000	4500	3400
60			2002	IR	3950	4850	4400	3350
60			2003	IR	3900	4750	4300	3300
60			2004	IR	3800	4700	4200	3200
60			2005	IR	3950	4750	4350	3350
60			2006	IR	3650	4400	4000	3100
60			2007	IR	4000	4850	4850	3400
60			2008	IR	4050	4900	4800	3450
60			2009	CR	4000	4800	4650	3400
60			2010	CR	4100	4900	4750	3450
60			2011	CR	4150	4850	4900	3700
60			2012	CTR	3750	4550	4500	3200
60			2013	CTR	4100	5000	5150	3500
60			2014	CTR	4150	5050	5100	3550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2015	CTR	4150	5050	5100	3550
60			2016	CTR	4200	5100	5150	3550
60			2017	CTR	4200	5600	5600	3400
60			2018	CTR	4250	5700	5650	3450
60			2019	CTR	4250	5650	5650	3450
60	RENFREW RD 61/HALEY RD (N)	12.9	1988	IR	1850	2400	2050	1500
60			1989	IR	1950	2500	2150	1600
60			1990	IR	2050	2600	2300	1700
60			1991	IR	2150	2700	2400	1800
60			1992	LR	1900	3050	2450	1250
60			1993	LR	1900	3050	2450	1250
60			1994	IR	1950	2400	2150	1650
60			1995	IR	2150	2650	2350	1850
60			1996	IR	2200	2750	2450	1850
60			1997	IR	2250	2800	2500	1900
60			1998	IR	2300	2850	2600	1950
60			1999	IR	2450	3050	2700	2050
60			2000	IR	2400	2950	2650	2050
60			2001	IR	2500	3100	2750	2100
60			2002	IR	2500	3100	2750	2150
60			2003	IR	2650	3200	2900	2250
60			2004	IR	2600	3200	2900	2200
60			2005	IR	2650	3200	2900	2250
60			2006	IR	2600	3150	2850	2200
60			2007	IR	2800	3400	3400	2350
60			2008	IR	2850	3450	3400	2450
60			2009	IR	2900	3500	3150	2450
60			2010	IR	2950	3500	3200	2500
60			2011	IR	3000	3600	3500	2550
60			2012	CTR	2800	3400	3350	2400
60			2013	CTR	2750	3350	3450	2350
60			2014	CTR	3050	3700	3750	2600
60			2015	CTR	3100	3800	3800	2650
60			2016	CTR	3150	3850	3850	2700
60			2017	CTR	3100	4150	4100	2550
60			2018	CTR	3200	4250	4250	2600
60			2019	CTR	3250	4350	4300	2650
60	RENFREW RD 5/STONE ST (N)	7.5	1988	IR	1550	2000	1700	1250
60			1989	IR	1800	2300	2000	1500
60			1990	IR	1900	2400	2100	1550
60			1991	IR	2000	2500	2200	1650
60			1992	LR	1600	2600	2050	1050
60			1993	LR	1600	2600	2050	1050
60			1994	LR	1650	2700	2200	1100
60			1995	LR	1700	2850	2300	1100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			1996	LR	1700	2850	2300	1150
60			1997	LR	1750	2950	2350	1150
60			1998	LR	1800	2950	2400	1200
60			1999	LR	2000	3300	2650	1300
60			2000	LR	1950	3150	2550	1300
60			2001	LR	2200	3600	2850	1450
60			2002	LR	2300	3750	3000	1550
60			2003	LR	2350	3700	3000	1600
60			2004	LR	2450	4000	3200	1650
60			2005	LR	2450	3850	3100	1650
60			2006	LR	2750	4300	3450	1850
60			2007	LR	2600	4050	3900	1750
60			2008	LR	2700	4200	4100	1850
60			2009	IR	2550	3050	2800	2150
60			2010	IR	2850	3400	3100	2450
60			2011	IR	2950	3500	3450	2500
60			2012	LT	2350	3050	2900	1800
60			2013	LT	2500	3250	3250	1900
60			2014	LT	2950	3850	3900	2250
60			2015	LT	3000	3900	4000	2250
60			2016	LT	3050	4000	4050	2300
60			2017	LT	3050	4250	4250	2350
60			2018	LT	3150	4400	4350	2450
60			2019	LT	3250	4550	4500	2500
60	RENFREW RD 9 (N) RENFREW RD 8 (E)	7.3	1988	CR	2250	2900	2700	1850
60			1989	CR	2400	3050	2850	2000
60			1990	CR	2500	3100	2900	2250
60			1991	IR	2600	3300	2900	2150
60			1992	LR	2450	3950	3150	1600
60			1993	LR	2450	3950	3150	1600
60			1994	LT	2550	3750	3600	1850
60			1995	LT	2550	3650	3550	1850
60			1996	LT	2600	3650	3600	1900
60			1997	LT	2650	3750	3650	1950
60			1998	LT	2650	3700	3650	1950
60			1999	LT	2600	3600	3550	1900
60			2000	LT	2700	3750	3700	1950
60			2001	LT	2600	3650	3550	1900
60			2002	LT	2600	3650	3550	1900
60			2003	LT	2600	3600	3500	1900
60			2004	LT	2600	3650	3550	1900
60			2005	LT	2600	3550	3500	1900
60			2006	LT	2550	3500	3400	1900
60			2007	LT	2600	3550	3650	1900
60			2008	LT	2600	3550	3400	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2009	CR	2600	3100	3000	2200
60			2010	CR	2600	3100	3000	2200
60			2011	CR	2600	3050	3050	2300
60			2012	LT	2900	3800	3600	2200
60			2013	LT	2650	3450	3450	2000
60			2014	LT	2650	3450	3500	2000
60			2015	LT	2650	3450	3500	2000
60			2016	LT	2650	3450	3500	2000
60			2017	LT	2800	3900	3900	2150
60			2018	LT	2700	3800	3750	2100
60			2019	LT	2700	3800	3750	2100
60	EGANVILLE START OF NA	1.3	9999					
60	S JCT HWY 41 VILLAGE OF EGANVILLE C/L 0.8 KM	0.8	9999					
60	EGANVILLE N LTS END OF NA	3.1	9999					
60	N JCT HWY 41	10.1	1988	IR	1950	2550	2150	1550
60			1989	IR	2000	2600	2200	1650
60			1990	IR	2000	2550	2200	1650
60			1991	IR	2000	2500	2200	1650
60			1992	IR	2400	2950	2650	2050
60			1993	IR	2400	2950	2500	1950
60			1994	IR	2150	2650	2350	1800
60			1995	IR	2200	2700	2400	1850
60			1996	IR	2200	2750	2450	1850
60			1997	IR	2250	2800	2500	1900
60			1998	IR	2300	2850	2600	1950
60			1999	IR	2250	2800	2500	1900
60			2000	IR	2000	2450	2200	1700
60			2001	IR	2300	2850	2550	1950
60			2002	IR	2300	2850	2550	1950
60			2003	IR	2450	2950	2700	2100
60			2004	IR	2350	2900	2600	2000
60			2005	IR	2350	2850	2550	2000
60			2006	IR	2400	2900	2600	2050
60			2007	IR	2400	2900	2900	2050
60			2008	IR	2450	2950	2900	2100
60			2009	IR	2450	2950	2650	2100
60			2010	IR	2450	2900	2650	2100
60			2011	IR	2500	3000	2900	2150
60			2012	LT	2500	3250	3100	1900
60			2013	LT	2500	3250	3250	1900
60			2014	LT	2550	3350	3400	1950
60			2015	LT	2550	3350	3400	1950
60			2016	LT	2600	3400	3450	1950
60			2017	LT	2700	3800	3750	2100
60			2018	LT	2650	3700	3650	2050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2019	LT	2650	3700	3700	2050
60	RENFREW RD 30/LAKE DORE RD (N)	4.0	1988	IR	1950	2550	2150	1550
60			1989	IR	2000	2600	2200	1650
60			1990	IR	2000	2550	2200	1650
60			1991	IR	2000	2500	2200	1650
60			1992	IR	2150	2650	2350	1850
60			1993	IR	2150	2650	2200	1750
60			1994	IR	2150	2650	2350	1800
60			1995	IR	2200	2700	2400	1850
60			1996	IR	2250	2800	2500	1900
60			1997	IR	2300	2900	2600	1950
60			1998	IR	2350	2900	2650	1950
60			1999	IR	2400	3000	2650	2000
60			2000	IR	2500	3050	2750	2100
60			2001	IR	2550	3150	2850	2150
60			2002	IR	2600	3200	2900	2200
60			2003	IR	2650	3200	2900	2250
60			2004	IR	2700	3350	3000	2300
60			2005	IR	2750	3300	3000	2350
60			2006	LR	2800	4350	3500	1900
60			2007	LR	2850	4450	4300	1900
60			2008	LR	2950	4600	4500	2000
60			2009	LR	3000	4550	3700	2050
60			2010	LR	3050	4550	3750	2050
60			2011	LR	3100	4800	4500	2150
60			2012	LT	2500	3250	3100	1900
60			2013	LT	2600	3400	3400	1950
60			2014	LT	3050	4000	4050	2300
60			2015	LT	3050	4000	4050	2300
60			2016	LT	3100	4050	4100	2350
60			2017	LT	3100	4350	4300	2400
60			2018	LT	3200	4500	4450	2450
60			2019	LT	3200	4500	4450	2450
60	0.290 KM W OF IRVIN LANE (S) (PRIVATE)	14.7	1988	IR	1950	2550	2150	1550
60			1989	IR	2000	2600	2200	1650
60			1990	IR	2000	2550	2200	1650
60			1991	IR	2000	2500	2200	1650
60			1992	IR	2150	2650	2350	1850
60			1993	IR	2150	2650	2200	1750
60			1994	IR	2150	2650	2350	1800
60			1995	IR	2200	2700	2400	1850
60			1996	IR	2250	2800	2500	1900
60			1997	IR	2350	2950	2650	2000
60			1998	IR	2300	2850	2600	1950
60			1999	IR	2350	2900	2600	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2000	IR	2350	2900	2600	2000
60			2001	IR	2400	2950	2650	2050
60			2002	IR	2450	3000	2700	2100
60			2003	IR	2500	3050	2750	2100
60			2004	IR	2550	3150	2850	2150
60			2005	IR	2550	3100	2800	2150
60			2006	LR	2600	4050	3250	1750
60			2007	LR	2650	4150	4000	1800
60			2008	LR	2650	4150	4050	1800
60			2009	LR	2700	4100	3350	1850
60			2010	LR	2750	4100	3350	1850
60			2011	LR	2800	4350	4050	1950
60			2012	LT	2700	3500	3350	2050
60			2013	LT	2650	3450	3450	2000
60			2014	LT	2700	3550	3600	2050
60			2015	LT	2700	3550	3600	2050
60			2016	LT	2750	3600	3650	2100
60			2017	LT	2650	3700	3650	2050
60			2018	LT	2800	3900	3900	2150
60			2019	LT	2800	3900	3900	2150
60	RENFREW CTY RD58 (N) RENFREW CTY RD 512 (S)	2.9	1994	IR	1700	2100	1850	1400
60			1995	IR	1800	2200	2000	1550
60			1996	IR	1900	2350	2100	1600
60			1997	IR	1750	2200	1950	1500
60			1998	IR	1750	2150	1950	1450
60			1999	IR	1900	2350	2100	1600
60			2000	IR	1950	2400	2150	1650
60			2001	IR	2000	2450	2200	1700
60			2002	IR	2000	2450	2200	1700
60			2003	IR	2100	2550	2300	1800
60			2004	IR	2100	2600	2350	1800
60			2005	IR	2150	2600	2350	1850
60			2006	LR	2150	3350	2700	1450
60			2007	LR	2200	3450	3300	1500
60			2008	LR	2250	3500	3400	1550
60			2009	LR	2300	3500	2850	1550
60			2010	LR	2350	3500	2900	1600
60			2011	LR	2350	3650	3400	1650
60			2012	LT	1700	2200	2100	1300
60			2013	LT	2250	2950	2950	1700
60			2014	LT	2300	3000	3050	1750
60			2015	LT	2300	3000	3050	1750
60			2016	LT	2350	3050	3100	1750
60			2017	LT	2250	3150	3100	1750
60			2018	LT	2400	3350	3350	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2019	LT	2400	3350	3350	1850
60	LISK RD (S)	7.3	1994	UC	1800	1900	2050	1650
60			1995	UC	1800	1900	2050	1700
60			1996	UC	1800	1900	2100	1700
60			1997	UC	1900	2000	2200	1800
60			1998	UC	1900	2000	2200	1800
60			1999	UC	2100	2250	2450	2000
60			2000	UC	2200	2350	2600	2050
60			2001	UC	2300	2450	2700	2150
60			2002	UC	2400	2550	2800	2250
60			2003	IR	2550	3100	2800	2150
60			2004	IR	2550	3150	2850	2150
60			2005	IR	2600	3150	2850	2200
60			2006	LR	2750	4300	3450	1850
60			2007	LR	2750	4300	4150	1850
60			2008	LR	2850	4450	4350	1950
60			2009	LR	2850	4350	3550	1950
60			2010	LR	3000	4500	3650	2050
60			2011	LR	3100	4800	4500	2150
60			2012	LT	2150	2800	2650	1650
60			2013	LT	2100	2750	2750	1600
60			2014	LT	2900	3800	3850	2200
60			2015	LT	2950	3850	3900	2250
60			2016	LT	3000	3900	4000	2250
60			2017	LT	3050	4250	4250	2350
60			2018	LT	3100	4350	4300	2400
60			2019	LT	3150	4400	4350	2450
60	SHRINE HILL DR EAST JCT (S) HWY 7025	3.7	2013	LT	3550	4650	4650	2700
60			2014	LT	3650	4750	4850	2750
60			2015	LT	3750	4900	5000	2850
60			2016	LT	3850	5050	5100	2900
60			2017	LT	3400	4750	4700	2600
60			2018	LT	3600	5050	5000	2750
60			2019	LT	3600	5050	5000	2750
60	REFREW RD 66/WILNO SOUTH RD (S)	9.3	1994	IR	3150	3900	3450	2650
60			1995	IR	3250	4000	3600	2750
60			1996	IR	3250	4050	3650	2750
60			1997	IR	3300	4100	3700	2800
60			1998	IR	3400	4200	3800	2850
60			1999	IR	3450	4300	3850	2900
60			2000	IR	3500	4300	3900	2950
60			2001	IR	3550	4400	3950	3000
60			2002	IR	3600	4450	4000	3050
60			2003	IR	3650	4450	4000	3100
60			2004	IR	3700	4550	4100	3150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2005	IR	3750	4550	4100	3200
60			2006	IR	3800	4600	4150	3250
60			2007	IR	3850	4650	4650	3250
60			2008	IR	3900	4700	4650	3350
60			2009	IR	3950	4750	4300	3350
60			2010	IR	4000	4750	4350	3400
60			2011	IR	4050	4850	4750	3450
60			2012	LT	3250	4250	4050	2450
60			2013	LT	3500	4550	4550	2650
60			2014	LT	3600	4700	4800	2700
60			2015	LT	3700	4850	4900	2800
60			2016	LT	3800	4950	5050	2850
60			2017	LT	3900	5450	5400	3000
60			2018	LT	4050	5650	5600	3100
60			2019	LT	4050	5700	5600	3100
60	A PT 9 KM W OF STATION RD WILNO START OF NA	1.3	9999					
60	BARRY'S BAY W LTS END OF NA	4.9	1994	CR	1450	1800	1650	1300
60			1995	CR	1500	1850	1750	1300
60			1996	CR	1550	1900	1800	1300
60			1997	LT	1550	2200	2150	1150
60			1998	LT	1600	2250	2200	1150
60			1999	LT	1500	2100	2050	1100
60			2000	LT	1500	2100	2050	1100
60			2001	LT	1500	2100	2050	1100
60			2002	LT	1500	2100	2050	1100
60			2003	LT	1500	2050	2000	1100
60			2004	LT	1500	2100	2050	1100
60			2005	LT	1500	2050	2000	1100
60			2006	LT	1500	2050	2000	1100
60			2007	LT	1450	2000	2050	1050
60			2008	LT	1500	2050	1950	1100
60			2009	LT	1500	2050	2000	1100
60			2010	LT	1500	2000	2000	1100
60			2011	LT	1500	1900	1950	1250
60			2012	LT	1800	2350	2250	1350
60			2013	LT	1700	2200	2200	1300
60			2014	LT	1600	2100	2100	1200
60			2015	LT	1600	2100	2100	1200
60			2016	LT	1600	2100	2100	1200
60			2017	LT	1650	2300	2300	1250
60			2018	LT	1600	2250	2200	1250
60			2019	LT	1600	2250	2200	1250
60	5.440 KM W OF RENFREW RD 62 (S)	9.4	1994	CR	1450	1800	1650	1300
60			1995	CR	1500	1850	1750	1300
60			1996	CR	1550	1900	1800	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			1997	LT	1550	2200	2150	1150
60			1998	LT	1600	2250	2200	1150
60			1999	LT	1500	2100	2050	1100
60			2000	LT	1500	2100	2050	1100
60			2001	LT	1500	2100	2050	1100
60			2002	LT	1500	2100	2050	1100
60			2003	LT	1500	2050	2000	1100
60			2004	LT	1500	2100	2050	1100
60			2005	LT	1500	2050	2000	1100
60			2006	LT	1500	2050	2000	1100
60			2007	LT	1450	2000	2050	1050
60			2008	LT	1500	2050	1950	1100
60			2009	LT	1450	1950	1900	1050
60			2010	LT	1500	2000	2000	1100
60			2011	LT	1500	1900	1950	1250
60			2012	LT	1500	1950	1850	1150
60			2013	LT	1400	1850	1850	1050
60			2014	LT	1200	1550	1600	910
60			2015	T	1100	1600	1600	700
60			2016	T	1350	1950	1950	860
60			2017	T	1400	1900	1950	1100
60			2018	T	1350	1850	1850	1050
60			2019	T	1350	1850	1850	1050
60			1994	CR	1450	1800	1650	1300
60			1995	CR	1500	1850	1750	1300
60			1996	CR	1550	1900	1800	1300
60			1997	LT	1550	2200	2150	1150
60			1998	LT	1600	2250	2200	1150
60			1999	LT	1500	2100	2050	1100
60			2000	LT	1500	2100	2050	1100
60			2001	LT	1500	2100	2050	1100
60			2002	LT	1500	2100	2050	1100
60			2003	LT	1500	2050	2000	1100
60			2004	LT	1500	2100	2050	1100
60			2005	LT	1500	2050	2000	1100
60			2006	LT	1500	2050	2000	1100
60			2007	LT	1450	2000	2050	1050
60			2008	LT	1500	2050	1950	1100
60			2009	LT	1500	2050	2000	1100
60			2010	LT	1500	2000	2000	1100
60			2011	LT	1500	1900	1950	1250
60			2012	LT	1500	1950	1850	1150
60			2013	LT	1500	1950	1950	1150
60			2014	LT	1500	1950	2000	1150
60			2015	LT	1500	1950	2000	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2016	LT	1500	1950	2000	1150
60			2017	LT	1500	2100	2100	1150
60			2018	LT	1500	2100	2100	1150
60			2019	LT	1500	2100	2100	1150
60	**RENFREW CTY NIPISSING DIST BDY**	**13.48**	**2019**	**LT**	**1500**	**2100**	**2100**	**1150**
60	SEC HWY 523 (S) MAJOR LAKE RD (N)	18.9	1988	T	950	1750	1650	580
60			1989	T	950	1700	1650	600
60			1990	T	950	1750	1650	590
60			1991	T	950	1700	1650	590
60			1992	LR	800	1300	1050	530
60			1993	LR	800	1300	1050	520
60			1994	LR	900	1500	1200	590
60			1995	LR	1000	1700	1350	660
60			1996	LR	1100	1850	1500	730
60			1997	LR	1200	2000	1600	800
60			1998	LR	1250	2050	1650	820
60			1999	LR	1350	2200	1800	890
60			2000	LR	1400	2250	1850	930
60			2001	LR	1550	2550	2000	1050
60			2002	LR	1500	2450	1950	1000
60			2003	LR	1400	2200	1800	940
60			2004	LR	1600	2600	2100	1050
60			2005	LR	1500	2350	1900	1000
60			2006	LR	1550	2400	1950	1050
60			2007	LR	1200	1900	1800	810
60			2008	LR	1600	2500	2450	1100
60			2009	LR	1650	2500	2050	1100
60			2010	LR	1700	2550	2100	1150
60			2011	LR	1750	2700	2550	1250
60			2012	LR	1750	2600	2550	1200
60			2013	LR	1800	2700	3050	1200
60			2014	LR	1500	2250	2300	1000
60			2015	CTR	1400	1700	1700	1200
60			2016	CTR	1400	1700	1700	1200
60			2017	CTR	1750	2350	2350	1450
60			2018	CTR	1750	2350	2350	1450
60			2019	CTR	1800	2400	2400	1450
60	HWY 127 (S)	17.9	1988	T	1100	2000	1900	670
60			1989	T	1100	2000	1900	690
60			1990	T	1100	2000	1900	680
60			1991	T	1100	2000	1900	680
60			1992	LR	1100	1750	1400	730
60			1993	LR	1100	1750	1400	720
60			1994	LR	1200	1950	1600	780
60			1995	LR	1300	2200	1750	850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			1996	LR	1400	2350	1900	930
60			1997	LR	1500	2500	2050	1000
60			1998	LR	1550	2550	2050	1000
60			1999	LR	1650	2700	2200	1100
60			2000	LR	1700	2750	2200	1150
60			2001	LR	1850	3050	2400	1250
60			2002	LR	1850	3000	2400	1250
60			2003	LR	1750	2750	2250	1200
60			2004	LR	1900	3100	2500	1250
60			2005	LR	1850	2900	2350	1250
60			2006	LR	1900	2950	2400	1300
60			2007	LR	1600	2500	2400	1100
60			2008	LR	2000	3100	3050	1350
60			2009	LR	2050	3100	2550	1400
60			2010	LR	2100	3150	2550	1400
60			2011	LR	2150	3350	3100	1500
60			2012	LR	2200	3300	3200	1500
60			2013	LR	2250	3350	3850	1550
60			2014	LR	2050	3050	3100	1400
60			2015	CTR	1650	2000	2050	1400
60			2016	CTR	2200	2700	2700	1850
60			2017	CTR	2250	3000	3000	1850
60			2018	CTR	2300	3050	3050	1850
60			2019	CTR	2300	3050	3050	1850
60	OPEONGO LAKE RD (N)	23.7	1994	LR	2250	3700	3000	1450
60			1995	LR	2250	3800	3050	1500
60			1996	LR	2300	3850	3100	1550
60			1997	LR	2350	3950	3150	1550
60			1998	LR	2350	3900	3150	1550
60			1999	LR	2400	3950	3150	1600
60			2000	LR	2400	3900	3150	1600
60			2001	LR	2450	4000	3200	1650
60			2002	LR	2500	4050	3250	1700
60			2003	LR	2500	3950	3200	1700
60			2004	LR	2550	4150	3300	1700
60			2005	LR	2550	4000	3200	1750
60			2006	LR	2600	4050	3250	1750
60			2007	LR	2650	4150	4000	1800
60			2008	LR	2650	4150	4050	1800
60			2009	LR	2700	4100	3350	1850
60			2010	LR	2700	4050	3300	1850
60			2011	LR	2750	4250	4000	1950
60			2012	LR	2800	4200	4050	1900
60			2013	LR	2800	4200	4800	1900
60			2014	LR	2850	4250	4350	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2015	LR	2850	4250	4350	1950
60			2016	LR	2700	4050	4100	1850
60			2017	LR	2900	4850	4700	2000
60			2018	LR	2900	4850	4700	2000
60			2019	LR	2950	4950	4800	2000
60	STATION RD ALGONQUIN PROV PK	9.6	1994	LT	2000	2950	2850	1450
60			1995	LT	1450	2100	2000	1050
60			1996	LT	1450	2050	2000	1050
60			1997	LR	1650	2750	2250	1100
60			1998	LR	1550	2550	2050	1000
60			1999	LR	1550	2550	2050	1000
60			2000	LR	1450	2350	1900	970
60			2001	LR	1450	2350	1900	970
60			2002	LR	1450	2350	1900	980
60			2003	LR	1500	2350	1900	1000
60			2004	LR	1400	2300	1800	940
60			2005	LR	1350	2100	1700	920
60			2006	LR	1300	2050	1650	880
60			2007	LR	1300	2050	1950	880
60			2008	LR	1250	1950	1900	860
60			2009	LR	1200	1800	1500	820
60			2010	LR	1200	1800	1450	810
60			2011	LR	1150	1800	1650	810
60			2012	LR	1150	1700	1650	790
60			2013	CTR	1100	1350	1400	930
60			2014	CTR	1050	1300	1300	890
60			2015	CTR	1050	1300	1300	890
60			2016	CTR	1000	1200	1250	850
60			2017	CTR	970	1300	1300	790
60			2018	CTR	940	1250	1250	770
60			2019	CTR	910	1200	1200	740
60	SMOKE LAKE RD (S) CANOE LAKE RD (N)	24.0	1994	LR	2000	3300	2650	1300
60			1995	LR	2050	3450	2800	1350
60			1996	LR	2000	3350	2700	1350
60			1997	LR	2150	3600	2900	1450
60			1998	LR	1850	3050	2450	1200
60			1999	LR	1800	2950	2400	1200
60			2000	LR	1600	2600	2100	1050
60			2001	LR	1700	2800	2200	1150
60			2002	LR	1600	2600	2100	1100
60			2003	LR	1500	2350	1900	1000
60			2004	LR	1550	2550	2000	1050
60			2005	LR	1450	2250	1850	990
60			2006	LR	1350	2100	1700	910
60			2007	LR	1350	2100	2050	910

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2008	LR	1300	2050	2000	890
60			2009	LR	1300	2000	1600	880
60			2010	LR	1150	1700	1400	780
60			2011	LR	1100	1700	1600	770
60			2012	LR	1050	1550	1500	720
60			2013	R	1000	1700	2000	550
60			2014	R	940	1600	1650	510
60			2015	LR	880	1300	1350	600
60			2016	LR	1600	2400	2450	1100
60			2017	LR	900	1500	1450	620
60			2018	LR	850	1400	1350	580
60			2019	LR	800	1350	1300	550
60	MCCLINTOCK TWP RD L 8 9	10.8	1988	T	1600	2950	2800	980
60			1989	T	1650	3000	2900	1050
60			1990	T	1700	3100	2950	1050
60			1991	T	1300	2350	2250	810
60			1992	T	1300	2350	2300	810
60			1993	T	1350	2450	2400	840
60			1994	T	1650	3000	2900	1000
60			1995	T	1700	2950	2900	1050
60			1996	T	1700	2950	2900	1050
60			1997	T	1750	3000	2950	1100
60			1998	T	1750	3000	2900	1050
60			1999	T	1900	3200	3100	1200
60			2000	LR	2100	3400	2750	1400
60			2001	LR	2000	3250	2600	1350
60			2002	LR	2050	3350	2650	1400
60			2003	LR	2200	3500	2800	1500
60			2004	LR	2150	3500	2800	1450
60			2005	LR	2200	3450	2750	1500
60			2006	LR	2200	3450	2750	1500
60			2007	LR	2300	3600	3450	1550
60			2008	LR	2350	3650	3550	1600
60			2009	LR	2300	3500	2850	1550
60			2010	LR	2450	3650	3000	1650
60			2011	LR	2050	3150	2950	1450
60			2012	LR	2450	3650	3550	1700
60			2013	R	2500	4200	5000	1350
60			2014	R	2550	4300	4450	1400
60			2015	LR	5200	7800	7900	3550
60			2016	LR	3200	4800	4850	2150
60			2017	LR	3200	5350	5200	2200
60			2018	LR	3250	5400	5250	2250
60			2019	LR	3350	5600	5450	2300
60	HWY 35 FRANKLIN TWP RD C 9	10.9	1988	T	3000	5500	5250	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			1989	T	3100	5600	5400	1950
60			1990	T	3200	5800	5550	2000
60			1991	LT	2850	4000	3850	2100
60			1992	LT	2850	3950	3850	2200
60			1993	LT	2900	4000	3600	2150
60			1994	HR	3250	5800	4700	2000
60			1995	HR	3350	5950	4750	2000
60			1996	HR	3400	5950	4800	2000
60			1997	LR	3500	5900	4700	2350
60			1998	LR	3550	5850	4700	2350
60			1999	LR	3750	6150	4950	2500
60			2000	LR	3900	6300	5100	2600
60			2001	LR	3950	6450	5150	2650
60			2002	LR	4050	6600	5300	2750
60			2003	LR	4150	6550	5300	2800
60			2004	LR	4250	6950	5550	2850
60			2005	LR	4300	6700	5400	2950
60			2006	LR	4450	6950	5550	3000
60			2007	LR	4500	7050	6750	3050
60			2008	LR	4600	7200	7000	3150
60			2009	LR	4550	6900	5650	3100
60			2010	LR	4800	7200	5850	3250
60			2011	LR	4300	6650	6250	3000
60			2012	LR	4850	7250	7050	3350
60			2013	LT	4900	6400	6400	3700
60			2014	LT	5000	6550	6650	3750
60			2015	LT	3850	5050	5100	2900
60			2016	LT	5000	6550	6650	3750
60			2017	LT	5050	7050	7000	3900
60			2018	LT	5100	7150	7050	3950
60			2019	LT	5200	7300	7200	4000
60	MUSKOKA RD 8 LIMERLOST RD	6.0	1988	T	4900	8950	8600	3000
60			1989	T	5100	9250	8900	3200
60			1990	T	5200	9450	9050	3200
60			1991	LT	4650	6500	6300	3450
60			1992	LT	4850	6750	6550	3750
60			1993	LT	5050	7000	6250	3700
60			1994	LR	5200	8550	6900	3400
60			1995	LR	5300	8900	7200	3500
60			1996	LR	5400	9050	7250	3600
60			1997	LR	5550	9300	7500	3700
60			1998	LR	5600	9250	7450	3700
60			1999	LR	6000	9850	7900	3950
60			2000	LR	5650	9150	7400	3750
60			2001	LR	6450	10600	8400	4300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2002	LR	6700	10900	8750	4550
60			2003	LT	5950	8200	8000	4400
60			2004	LT	7150	10000	9750	5250
60			2005	LT	7400	10100	9900	5450
60			2006	LT	8700	11900	11600	6400
60			2007	LT	7850	10800	11100	5750
60			2008	LT	8100	11100	10600	5950
60			2009	LT	8350	11300	11000	6200
60			2010	LT	8550	11500	11300	6300
60			2011	LT	6300	8050	8250	5200
60			2012	LT	6750	8800	8400	5100
60			2013	LT	6800	8900	8850	5150
60			2014	LT	6850	8950	9100	5150
60			2015	LT	6450	8400	8550	4850
60			2016	LT	7700	10100	10200	5800
60			2017	LT	7800	10900	10800	6000
60			2018	LT	7900	11100	11000	6100
60			2019	LT	7300	9900	10000	5750
60	MUSKOKA RD 23 DEERHURST CANAL RD	4.2	1988	T	7700	14100	13500	4700
60			1989	T	7900	14300	13800	5000
60			1990	T	8000	14600	13900	4950
60			1991	LT	7350	10300	9900	5450
60			1992	LT	7350	10200	9900	5650
60			1993	LT	7400	10200	9200	5450
60			1994	LR	8250	13600	10900	5400
60			1995	LR	8500	14300	11600	5600
60			1996	LR	8750	14600	11700	5850
60			1997	LT	8850	12500	12200	6550
60			1998	LT	9300	13000	12700	6800
60			1999	LT	9150	12700	12400	6700
60			2000	LT	9850	13700	13400	7200
60			2001	LT	8800	12300	12000	6450
60			2002	LT	8600	12000	11700	6300
60			2003	LT	8650	11900	11600	6400
60			2004	LT	8100	11300	11000	5950
60			2005	LT	7950	10900	10600	5850
60			2006	LT	7400	10100	9900	5450
60			2007	LT	7650	10500	10800	5600
60			2008	LT	6650	9100	8700	4900
60			2009	LT	7500	10100	9900	5550
60			2010	LT	7400	9950	9750	5450
60			2011	LR	8500	13100	12300	5950
60			2012	LR	7450	11100	10800	5100
60			2013	LT	9350	12200	12200	7050
60			2014	LT	7650	10000	10200	5800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			2015	LT	7650	10000	10200	5800
60			2016	LT	7550	9850	10000	5700
60			2017	LT	7450	10400	10300	5750
60			2018	LT	7400	10400	10300	5700
60			2019	LT	8500	11900	11800	6550
60	MUSKOKA RD 3 HUNTSVILLE	1.1	1988	T	3950	7250	6900	2400
60			1989	T	4100	7400	7200	2600
60			1990	T	4200	7650	7300	2600
60			1991	LT	4150	5800	5600	3050
60			1992	LT	4300	6000	5800	3300
60			1993	LT	4400	6100	5450	3250
60			1994	LT	5100	7500	7200	3700
60			1995	LT	5350	7700	7450	3900
60			1996	LT	5650	8000	7800	4150
60			1997	LT	5750	8100	7950	4250
60			1998	LT	6250	8750	8550	4550
60			1999	LT	6600	9150	9000	4800
60			2000	LT	7000	9750	9550	5100
60			2001	LT	7200	10100	9800	5300
60			2002	LT	7500	10500	10200	5500
60			2003	LT	7850	10800	10600	5800
60			2004	LT	8150	11400	11100	5950
60			2005	LT	8450	11600	11300	6200
60			2006	LT	8750	12000	11700	6450
60			2007	LT	9100	12500	12800	6700
60			2008	LT	9400	12900	12300	6950
60			2009	LT	9700	13100	12800	7200
60			2010	IC	10000	11100	11200	8850
60			2011	IC	10300	11300	11700	9250
60			2012	CTR	9350	11300	11200	7950
60			2013	CTR	10000	12200	12600	8500
60			2014	CTR	9600	11700	11800	8150
60			2015	CTR	10900	13300	13400	9250
60			2016	CTR	11100	13500	13700	9450
60			2017	CTR	11400	15200	15200	9300
60			2018	CTR	11700	15600	15600	9550
60			2019	CR	11900	13800	13900	10700
60	HUNTSVILLE HANES RD (S) EARL'S RD (N)	1.4	1988	T	3950	7250	6900	2400
60			1989	T	4100	7400	7200	2600
60			1990	T	4200	7650	7300	2600
60			1991	LT	4150	5800	5600	3050
60			1992	LT	4300	6000	5800	3300
60			1993	LT	4400	6100	5450	3250
60			1994	LT	5100	7500	7200	3700
60			1995	LT	5350	7700	7450	3900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
60			1996	LT	5650	8000	7800	4150
60			1997	LT	5750	8100	7950	4250
60			1998	LT	6250	8750	8550	4550
60			1999	LT	6450	8950	8750	4700
60			2000	LT	7000	9750	9550	5100
60			2001	LT	7050	9850	9600	5150
60			2002	LT	7300	10200	9950	5350
60			2003	LT	7450	10200	10000	5500
60			2004	LT	7850	11000	10700	5750
60			2005	LT	8150	11200	10900	6000
60			2006	LT	8400	11500	11200	6200
60			2007	LT	8700	11900	12300	6400
60			2008	LT	8950	12300	11700	6600
60			2009	LT	9250	12500	12200	6850
60			2010	LT	9500	12800	12500	7000
60			2011	LT	8850	11300	11600	7300
60			2012	LT	9500	12400	11800	7200
60			2013	LT	8750	11400	11400	6600
60			2014	LT	10000	13100	13300	7550
60			2015	LT	8950	11700	11900	6750
60			2016	LT	9200	12000	12200	6950
60			2017	LT	10300	13100	13100	8600
60			2018	LT	10500	13400	13400	8800
60			2019	LT	10700	13600	13600	8950
60	HWY 11 HUNTSVILLE BYPASS HWY END		9999					
61	INTERNATIONAL BR PIGEON RIVER	3.1	1988	IT	950	1400	1250	700
61			1989	IT	1000	1400	1350	780
61			1990	LR	900	1600	1250	570
61			1991	LR	1250	2200	1750	790
61			1992	LR	1400	2250	1800	920
61			1993	LR	1300	2100	1650	850
61			1994	LT	1300	1900	1850	940
61			1995	LT	1550	2250	2150	1150
61			1996	T	1450	2500	2450	890
61			1997	LT	1500	2100	2050	1100
61			1998	LT	1550	2150	2100	1150
61			1999	LT	1700	2350	2300	1250
61			2000	LT	1500	2100	2050	1100
61			2001	LT	1250	1750	1700	920
61			2002	LT	1300	1800	1750	950
61			2003	LT	1300	1800	1750	960
61			2004	LT	1850	2600	2500	1350
61			2005	LT	1850	2550	2500	1350
61			2006	LT	1800	2450	2400	1350
61			2007	LT	1700	2350	2400	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
61			2008	LT	1650	2250	2150	1200
61			2009	IR	1550	1850	1700	1300
61			2010	IR	1400	1650	1500	1200
61			2011	LT	1500	1900	1950	1250
61			2012	LT	1600	2100	2000	1200
61			2013	LT	1650	2150	2150	1250
61			2014	LT	1650	2150	2200	1250
61			2015	LT	1300	1700	1750	980
61			2016	LT	1250	1650	1650	940
61			2017	LT	1200	1700	1650	920
61			2018	LT	1200	1700	1650	920
61			2019	LT	1150	1600	1600	890
61	SEC HWY 593 (W) PARDEE TWP(IN C 10)	32.2	1988	IT	1600	2300	2150	1200
61			1989	IT	1650	2300	2200	1300
61			1990	IT	1550	1950	1900	1300
61			1991	IT	2000	2600	2450	1700
61			1992	LR	2250	3600	2900	1500
61			1993	LR	2500	4050	3200	1650
61			1994	LR	2700	4450	3550	1750
61			1995	LR	2900	4850	3950	1900
61			1996	HR	2400	4200	3400	1450
61			1997	LT	2300	3250	3150	1700
61			1998	LT	2150	3000	2950	1550
61			1999	LT	2250	3150	3050	1650
61			2000	LT	2150	3000	2950	1550
61			2001	LT	2000	2800	2700	1450
61			2002	LT	1800	2500	2450	1300
61			2003	LT	2200	3050	2950	1600
61			2004	LT	2100	2950	2850	1550
61			2005	LT	1950	2650	2600	1450
61			2006	LT	1550	2100	2050	1150
61			2007	LT	1700	2350	2400	1250
61			2008	LT	1750	2400	2300	1300
61			2009	LT	1700	2300	2250	1250
61			2010	LT	2000	2700	2650	1500
61			2011	LT	1400	1800	1850	1150
61			2012	LT	1550	2000	1950	1150
61			2013	LT	1500	1950	1950	1150
61			2014	LT	1800	2350	2400	1350
61			2015	LT	1400	1850	1850	1050
61			2016	LT	1350	1750	1800	1000
61			2017	LT	2100	2850	2850	1650
61			2018	LT	2100	2950	2900	1600
61			2019	LT	2100	2950	2900	1600
61	SEC HWY 608 (W)	4.7	1988	IT	2500	3600	3300	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
61			1989	IT	2600	3600	3500	2050
61			1990	IT	2200	2800	2750	1850
61			1991	IT	2800	3650	3450	2400
61			1992	LR	3100	5000	4000	2050
61			1993	LR	3600	5800	4650	2350
61			1994	LR	4100	6750	5450	2700
61			1995	CTR	4850	6200	5950	4050
61			1996	CTR	3950	5050	4850	3300
61			1997	CTR	3600	4600	4450	3000
61			1998	CTR	3300	4200	4050	2750
61			1999	CTR	3100	3900	3750	2600
61			2000	CTR	3050	3850	3700	2550
61			2001	CTR	3450	4350	4150	2900
61			2002	CTR	3350	4250	4050	2850
61			2003	CTR	3250	4050	3900	2750
61			2004	CTR	3250	4100	3950	2750
61			2005	CTR	3250	4050	3850	2750
61			2006	CTR	3200	3950	3800	2700
61			2007	CTR	3250	4050	4000	2750
61			2008	CTR	3250	4000	3950	2750
61			2009	CTR	3150	3850	3700	2700
61			2010	CTR	3300	4000	3850	2800
61			2011	CTR	3850	4700	4500	3250
61			2012	CTR	3350	4050	4000	2850
61			2013	CTR	3400	4150	4300	2900
61			2014	CTR	3450	4200	4250	2950
61			2015	CTR	3150	3850	3850	2700
61			2016	CTR	3100	3800	3800	2650
61			2017	CTR	3100	4150	4100	2550
61			2018	CTR	3050	4050	4050	2500
61			2019	CTR	3050	4050	4050	2500
61	HWY 130 (W)	6.5	1988	IT	3200	4650	4250	2350
61			1989	IT	3500	4850	4700	2750
61			1990	IT	3850	4900	4750	3250
61			1991	IT	3650	4750	4500	3150
61			1992	CTR	3450	4250	4100	3000
61			1993	CTR	3600	4550	4350	3050
61			1994	CTR	3800	4850	4650	3200
61			1995	CTR	4050	5200	5000	3400
61			1996	CTR	4150	5300	5100	3500
61			1997	CTR	3800	4850	4650	3200
61			1998	CTR	3350	4250	4100	2800
61			1999	CTR	3600	4550	4350	3000
61			2000	CTR	3500	4400	4250	2950
61			2001	CTR	3550	4500	4300	3000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
61			2002	CTR	3400	4300	4100	2850
61			2003	CTR	2550	3150	3050	2150
61			2004	CTR	3050	3850	3700	2550
61			2005	CTR	3500	4350	4150	2950
61			2006	CTR	4500	5550	5350	3800
61			2007	CTR	4450	5500	5450	3750
61			2008	CTR	4100	5050	5000	3500
61			2009	CTR	3450	4200	4050	2950
61			2010	CTR	3950	4800	4600	3350
61			2011	CTR	3550	4300	4150	3000
61			2012	CTR	3950	4800	4750	3350
61			2013	CTR	3650	4450	4600	3100
61			2014	CTR	3650	4450	4500	3100
61			2015	CTR	3750	4600	4600	3200
61			2016	CTR	3750	4600	4600	3200
61			2017	CTR	3750	5000	5000	3050
61			2018	CTR	3750	5000	5000	3050
61			2019	IR	3750	4550	4550	3200
61	LITTLE NORWAY RD (E)	6.3	1988	CTR	3750	4900	4600	3150
61			1989	CTR	4100	5200	4950	3550
61			1990	CTR	4500	5600	5300	3900
61			1991	CTR	4350	5500	5450	3800
61			1992	CTR	4150	5100	4950	3600
61			1993	CTR	4150	5250	5000	3550
61			1994	CTR	4600	5900	5600	3850
61			1995	IC	5250	5850	5900	4700
61			1996	IC	4800	5400	5400	4250
61			1997	CTR	4850	6200	5950	4050
61			1998	CTR	4950	6300	6050	4150
61			1999	CTR	4800	6050	5800	4050
61			2000	CTR	4800	6050	5800	4050
61			2001	CTR	4700	5950	5700	3950
61			2002	CTR	4650	5850	5650	3950
61			2003	CTR	4650	5800	5550	3950
61			2004	CTR	4600	5800	5550	3900
61			2005	CTR	4500	5600	5350	3800
61			2006	CTR	4550	5650	5400	3850
61			2007	CTR	4500	5550	5550	3800
61			2008	CTR	4450	5500	5400	3800
61			2009	CTR	4450	5450	5250	3800
61			2010	CTR	4400	5350	5150	3750
61			2011	IC	4350	4800	4950	3900
61			2012	IC	4600	5100	4950	4100
61			2013	IC	4300	4750	4750	3800
61			2014	CTR	4250	5200	5250	3600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
61			2015	CTR	4300	5250	5300	3650
61			2016	CTR	4250	5200	5250	3600
61			2017	CTR	4250	5700	5650	3450
61			2018	CTR	4200	5600	5600	3400
61			2019	IR	4250	4800	4850	3700
61	CHIPPEWA RD (E) THUNDER BAY	1.7	1988	C	6950	7700	7700	6250
61			1989	C	7050	7850	7900	6350
61			1990	C	7200	8000	8000	6500
61			1991	C	7350	8100	8150	6700
61			1992	C	7100	7650	7900	6550
61			1993	C	7900	8600	8750	7250
61			1994	C	8700	9550	9700	7850
61			1995	C	9550	10400	10700	8750
61			1996	C	9500	10800	10800	8600
61			1997	C	9400	10600	10700	8450
61			1998	C	9250	10500	10500	8300
61			1999	C	9550	10700	10800	8600
61			2000	C	9650	10900	10900	8700
61			2001	C	9750	11000	11000	8800
61			2002	C	9850	11000	11100	8850
61			2003	C	9950	11100	11200	9000
61			2004	C	10000	11300	11300	9000
61			2005	C	10100	11200	11300	9050
61			2006	C	10200	11300	11400	9200
61			2007	C	10300	11400	11600	9250
61			2008	C	10400	11500	11300	9350
61			2009	C	10500	11600	11700	9450
61			2010	C	10600	11700	11800	9550
61			2011	IC	10700	11800	12200	9600
61			2012	IC	10700	11900	11500	9500
61			2013	IC	10900	12100	12000	9650
61			2014	IC	16500	18300	18200	14600
61			2015	IC	12100	13400	13300	10700
61			2016	IC	12300	13600	13600	10900
61			2017	IC	12400	13600	13700	11300
61			2018	IC	12600	13900	13900	11400
61			2019	IC	12800	14100	14100	11600
61	BROADWAY AVE (E&W) THUNDER BAY	2.4	1988	SC	8450	9150	9950	7600
61			1989	SC	9150	10100	11100	8150
61			1990	SC	9900	10900	11900	8800
61			1991	SC	10600	11700	12800	9450
61			1992	SC	8800	9250	10300	8100
61			1993	SC	7900	8750	9650	7050
61			1994	SC	9900	10300	11400	9100
61			1995	UC	10600	11200	12100	9900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
61			1996	UC	11000	11600	12900	10500
61			1997	UC	11200	11800	13100	10500
61			1998	UC	11300	12000	13200	10700
61			1999	UC	11600	12300	13600	11000
61			2000	UC	12000	12700	14200	11300
61			2001	UC	11900	12700	14000	11200
61			2002	UC	12200	13000	14400	11400
61			2003	UC	12200	12900	14300	11500
61			2004	UC	13200	14100	15500	12400
61			2005	UC	12200	12900	14300	11400
61			2006	UC	12300	13000	14400	11600
61			2007	UC	12000	12700	13900	11300
61			2008	UC	12500	13200	12400	11700
61			2009	SC	11400	12100	13300	10000
61			2010	SC	12800	13500	15000	11300
61			2011	SC	12900	16500	15100	10300
61			2012	SC	11000	11600	11000	9700
61			2013	SC	12700	13400	12200	11200
61			2014	C	15400	16900	16500	13900
61			2015	C	13400	14700	14300	12100
61			2016	C	13500	14900	14400	12200
61			2017	C	13600	14900	14800	12300
61			2018	C	13800	15100	15000	12500
61			2019	C	13900	15200	15100	12600
61	PRINCESS ST (W) NEEBING AVE (E)	1.1	1988	UC	15600	16400	17600	14700
61			1989	UC	15900	16700	18000	15100
61			1990	UC	16300	17400	18900	15500
61			1991	UC	15200	16100	17500	14700
61			1992	UC	14200	15100	16300	13600
61			1993	UC	14900	15700	16900	14000
61			1994	UC	15500	16400	17700	14400
61			1995	UC	16200	17100	18500	15100
61			1996	UC	16900	17900	19800	16100
61			1997	UC	17200	18100	20100	16200
61			1998	UC	17500	18600	20500	16600
61			1999	UC	16700	17700	19500	15900
61			2000	UC	16800	17800	19800	15800
61			2001	UC	16900	18100	19900	15900
61			2002	UC	16200	17300	19100	15200
61			2003	UC	17000	18000	19900	16100
61			2004	UC	17100	18300	20100	16100
61			2005	UC	17100	18100	20000	16000
61			2006	UC	17200	18200	20100	16200
61			2007	UC	17300	18300	20000	16200
61			2008	UC	17300	18300	17200	16200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
61			2009	UC	17400	18400	20400	16400
61			2010	UC	17500	18500	20400	16500
61			2011	UC	17500	17600	18200	16600
61			2012	UC	17600	17700	18800	16700
61			2013	UC	17700	17800	17800	16800
61			2014	UC	17700	17800	17000	16800
61			2015	UC	17800	17900	17100	16900
61			2016	UC	17900	18000	17200	17000
61			2017	UC	17900	17800	18000	17200
61			2018	UC	18000	17900	18100	17300
61			2019	UC	18100	17800	18100	17400
61	ARTHUR ST (E&W)	3.0	1994	UC	16900	17900	19300	15700
61			1995	UC	17500	18500	20000	16300
61			1996	UC	18300	19400	21400	17400
61			1997	SC	19000	20100	22200	16900
61			1998	SC	19600	20800	22900	17400
61			1999	SC	19700	20900	23000	17500
61			2000	SC	20200	21400	23600	17800
61			2001	SC	19800	21100	23200	17500
61			2002	SC	20900	22200	24500	18400
61			2003	SC	20500	21600	23900	18100
61			2004	SC	20800	22200	24400	18300
61			2005	SC	20200	21400	23600	17800
61			2006	SC	21500	22700	25100	19000
61			2007	SC	21900	23200	25300	19300
61			2008	SC	22200	23300	22000	19500
61			2009	SC	22500	23800	26300	19800
61			2010	SC	22800	24100	26700	20100
61			2011	SC	23100	29600	27000	18400
61			2012	SC	23500	24900	23400	20700
61			2013	SC	23800	25200	22900	21000
61			2014	UC	18900	19000	18200	17900
61			2015	UC	23400	23500	22500	22200
61			2016	UC	23700	23800	22800	22500
61			2017	UC	23900	23700	24000	22900
61			2018	UC	24200	24000	24400	23200
61			2019	UC	24400	24000	24400	23500
61	HWYS 11/17 (W) HARBOR EXPRESSWAY (E) END OF HWY		9999					
62	HWY 33 WELLINGTON ST START OF NA	0.6	9999					
62	BLOOMFIELD W LTS END OF NA	4.7	1988	CR	1600	2050	1900	1350
62			1989	CR	1650	2100	1950	1400
62			1990	CR	1650	2050	1900	1500
62			1991	CR	1650	2050	1900	1500
62			1992	LT	1650	2300	2250	1250
62			1993	LT	1650	2300	2050	1200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			1994	LT	1650	2400	2350	1200
62			1995	LT	1650	2350	2300	1200
62			1996	LT	1700	2400	2350	1250
62			1997	LT	1700	2400	2350	1250
62			1998	LT	1750	2450	2400	1300
62			1999	LT	1750	2450	2400	1300
62			2000	LT	1800	2500	2450	1300
62			2001	LT	1800	2500	2450	1300
62			2002	LT	1850	2600	2500	1350
62			2003	LT	1850	2550	2500	1350
62			2004	LT	1850	2600	2500	1350
62			2005	LT	1900	2600	2550	1400
62			2006	LT	1900	2600	2550	1400
62			2007	LT	1950	2700	2750	1450
62			2008	LT	1950	2650	2550	1450
62			2009	LT	2000	2700	2650	1500
62			2010	LT	2000	2700	2650	1500
62			2011	LT	2050	2650	2700	1700
62			2012	LT	1800	2350	2250	1350
62			2013	T	2050	3000	2950	1300
62			2014	T	2050	3000	2950	1300
62			2015	T	2050	3000	2950	1300
62			2016	T	2100	3050	3050	1350
62			2017	T	2100	2900	2900	1650
62			2018	T	2100	2900	2900	1650
62			2019	T	2150	2950	2950	1700
62	INVENTORY STA 030	3.1	1988	CR	2150	2750	2600	1800
62			1989	CR	2200	2800	2600	1850
62			1990	CR	2200	2750	2550	2000
62			1991	CR	2200	2700	2550	2000
62			1992	LT	2300	3200	3100	1750
62			1993	LT	2300	3200	2850	1700
62			1994	LT	2500	3650	3550	1800
62			1995	LT	2350	3400	3300	1700
62			1996	LT	2400	3400	3300	1750
62			1997	LT	2450	3450	3400	1800
62			1998	LT	2500	3500	3450	1800
62			1999	LT	2450	3400	3350	1800
62			2000	LT	2500	3500	3400	1800
62			2001	LT	2500	3500	3400	1850
62			2002	LT	2500	3500	3400	1850
62			2003	LT	2500	3450	3350	1850
62			2004	LT	2550	3550	3450	1850
62			2005	LT	2550	3500	3400	1850
62			2006	LT	2550	3500	3400	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2007	LT	2550	3500	3600	1850
62			2008	LT	2550	3500	3350	1900
62			2009	LT	2600	3500	3450	1900
62			2010	LT	2600	3500	3400	1900
62			2011	LT	2600	3350	3400	2150
62			2012	LT	2600	3400	3250	1950
62			2013	LT	2600	3400	3400	1950
62			2014	LT	2650	3450	3500	2000
62			2015	LT	2650	3450	3500	2000
62			2016	LT	2650	3450	3500	2000
62			2017	LT	2650	3700	3650	2050
62			2018	LT	2850	4000	3950	2200
62			2019	LT	2700	3800	3750	2100
62	BEN GILL RD/PRINCE EDWARD RD 4	4.0	1988	IC	3400	3950	3850	3000
62			1989	IC	3450	3950	3900	3050
62			1990	IC	3500	4000	3900	3100
62			1991	IC	3500	3950	3900	3100
62			1992	IC	4100	4550	4500	3750
62			1993	IC	4100	4650	4600	3650
62			1994	IC	4000	4500	4500	3550
62			1995	IC	4100	4600	4600	3700
62			1996	IC	4100	4600	4600	3650
62			1997	IC	4150	4650	4700	3650
62			1998	IC	4150	4650	4650	3700
62			1999	IC	4200	4700	4700	3750
62			2000	IC	4400	4950	4950	3900
62			2001	IC	4300	4800	4850	3800
62			2002	IC	4600	5150	5150	4050
62			2003	IC	4650	5200	5250	4100
62			2004	IC	4900	5500	5500	4350
62			2005	IC	4800	5350	5400	4250
62			2006	IC	4900	5450	5500	4350
62			2007	IC	4950	5500	5650	4400
62			2008	IC	5050	5600	5400	4450
62			2009	IC	5100	5650	5700	4550
62			2010	IC	5200	5750	5800	4600
62			2011	IC	5300	5850	6050	4750
62			2012	IC	4700	5200	5050	4150
62			2013	C	4900	5400	5350	4400
62			2014	C	5300	5850	5650	4750
62			2015	C	5350	5900	5700	4800
62			2016	C	5400	5950	5800	4850
62			2017	C	5500	6000	6000	5000
62			2018	C	5550	6100	6050	5000
62			2019	C	5600	6100	6100	5050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62	BURR RD (W) DEMORESTVILLE RD/PE CTY RD 14 (E)	7.6	1988	IC	3950	4600	4450	3500
62			1989	IC	4100	4700	4650	3650
62			1990	IC	4150	4750	4650	3700
62			1991	IC	4150	4700	4600	3700
62			1992	IC	4600	5100	5050	4200
62			1993	IC	4600	5200	5150	4100
62			1994	IC	4750	5300	5300	4250
62			1995	IC	4900	5500	5550	4400
62			1996	IC	5050	5650	5700	4500
62			1997	IC	5200	5800	5900	4600
62			1998	IC	5350	6000	6000	4750
62			1999	IC	5500	6150	6150	4900
62			2000	IC	5650	6350	6350	5050
62			2001	IC	5800	6500	6500	5150
62			2002	IC	5950	6650	6700	5250
62			2003	IC	6000	6700	6750	5300
62			2004	IC	5950	6650	6700	5250
62			2005	IC	5950	6600	6700	5250
62			2006	IC	6150	6850	6900	5450
62			2007	IC	5850	6500	6700	5150
62			2008	IC	6250	6900	6700	5500
62			2009	IC	6350	7050	7100	5650
62			2010	IT	6550	8200	8200	5400
62			2011	IT	6600	8850	8850	5450
62			2012	IT	5400	6750	6500	4500
62			2013	C	5000	5500	5450	4500
62			2014	C	6300	6950	6750	5650
62			2015	C	6350	7000	6800	5700
62			2016	C	6400	7050	6850	5750
62			2017	C	6450	7050	7050	5850
62			2018	C	6500	7100	7100	5850
62			2019	C	6550	7150	7100	5950
62	VICTORIA RD (W)	4.8	1988	IC	5400	6250	6100	4750
62			1989	IC	5650	6500	6400	5050
62			1990	IC	5850	6650	6550	5200
62			1991	IC	5850	6600	6500	5200
62			1992	IC	6650	7400	7300	6050
62			1993	IC	6650	7500	7450	5900
62			1994	IC	6800	7600	7600	6050
62			1995	IC	6900	7700	7800	6200
62			1996	IC	7000	7850	7900	6250
62			1997	IC	7100	7950	8000	6250
62			1998	IC	7250	8100	8100	6450
62			1999	IC	7700	8600	8600	6850
62			2000	IC	7800	8750	8750	6950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2001	IC	7900	8850	8850	7000
62			2002	IC	8100	9050	9100	7150
62			2003	IC	8350	9300	9400	7400
62			2004	IC	8700	9750	9750	7700
62			2005	IC	8750	9750	9800	7700
62			2006	IC	8900	9900	10000	7900
62			2007	IC	9100	10100	10400	8050
62			2008	IC	9300	10300	9950	8200
62			2009	IC	9500	10500	10600	8450
62			2010	IC	9700	10700	10800	8600
62			2011	IC	9850	10800	11200	8850
62			2012	IC	7850	8700	8450	6950
62			2013	IC	9800	10800	10800	8700
62			2014	IC	9950	11000	11000	8800
62			2015	IC	10100	11200	11100	8950
62			2016	IC	10300	11400	11300	9150
62			2017	IC	10400	11400	11500	9450
62			2018	IC	10600	11700	11700	9600
62			2019	IC	10700	11800	11800	9650
62	N JCT PRINCE EDWARD RD 28	1.0	1988	IC	7000	8100	7900	6150
62			1989	IC	7500	8600	8500	6700
62			1990	IC	7800	8900	8750	6950
62			1991	IC	7800	8800	8650	6950
62			1992	IC	8200	9100	9000	7450
62			1993	IC	8200	9250	9200	7300
62			1994	IC	8200	9200	9200	7300
62			1995	IC	8200	9150	9250	7350
62			1996	IC	8400	9450	9450	7500
62			1997	IC	8600	9650	9700	7550
62			1998	IC	8850	9900	9900	7900
62			1999	IC	9300	10400	10400	8300
62			2000	IC	9400	10500	10500	8350
62			2001	IC	9500	10600	10700	8400
62			2002	IC	9800	10900	11000	8650
62			2003	IC	10200	11400	11500	9050
62			2004	IC	10700	12000	12000	9450
62			2005	IC	10700	11900	12000	9450
62			2006	IC	10800	12000	12100	9550
62			2007	IC	11200	12400	12800	9900
62			2008	IC	11200	12400	12000	9900
62			2009	IC	11400	12700	12800	10100
62			2010	IC	11200	12400	12500	9950
62			2011	IC	11900	13100	13600	10700
62			2012	IC	10100	11200	10800	8950
62			2013	C	10500	11600	11400	9450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2014	C	11800	13000	12600	10600
62			2015	C	12000	13200	12800	10800
62			2016	C	12200	13400	13100	11000
62			2017	C	12300	13500	13400	11200
62			2018	C	12500	13700	13600	11300
62			2019	C	12700	13900	13800	11500
62	PRINCE EDWARD RD 3 (W) HENESSY ST(E)	1.1	1988	IC	10800	12500	12200	9500
62			1989	IC	11300	13000	12800	10100
62			1990	IC	11600	13200	13000	10300
62			1991	IC	11700	13200	13000	10400
62			1992	IC	12100	13400	13300	11000
62			1993	IC	12100	13700	13600	10800
62			1994	IC	12200	13700	13700	10900
62			1995	IC	12300	13800	13900	11000
62			1996	IC	12400	13900	14000	11000
62			1997	UC	12500	13100	14600	11800
62			1998	UC	12600	13400	14700	12000
62			1999	UC	13900	14700	16300	13200
62			2000	UC	14000	14800	16500	13200
62			2001	IT	14000	18300	17800	11400
62			2002	IT	14100	18400	18000	11600
62			2003	IT	14300	18200	18200	11700
62			2004	UC	14200	15200	16700	13300
62			2005	UC	14800	15700	17300	13900
62			2006	UC	14900	15800	17400	14000
62			2007	UC	15300	16200	17700	14400
62			2008	UC	15300	16200	15200	14300
62			2009	UC	15600	16500	18300	14700
62			2010	C	15300	16900	17000	13800
62			2011	C	16000	17600	17800	14400
62			2012	C	15000	16500	16200	13500
62			2013	C	15500	17100	16900	14000
62			2014	C	16300	17900	17400	14700
62			2015	C	16500	18200	17700	14800
62			2016	C	16700	18400	17900	15000
62			2017	C	16900	18500	18400	15300
62			2018	C	17100	18700	18600	15400
62			2019	C	17300	18900	18800	15700
62	BELLEVILLE START OF NA	5.3	9999					
62			1988	SC	10600	11400	12500	9550
62			1989	SC	11000	12100	13300	9800
62			1990	SC	11300	12400	13600	10100
62			1991	SC	11400	12500	13800	10100
62			1992	UC	11900	12600	13700	11400
62			1993	UC	11900	12500	13500	11100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			1994	UC	12200	12900	13900	11300
62			1995	UC	12500	13200	14300	11700
62			1996	UC	12700	13400	14900	12100
62			1997	UC	13000	13600	15200	12200
62			1998	UC	13200	14000	15400	12500
62			1999	UC	13200	14000	15400	12500
62			2000	UC	13300	14100	15700	12500
62			2001	UC	13300	14200	15600	12500
62			2002	UC	13600	14500	16000	12700
62			2003	UC	13800	14600	16200	13000
62			2004	UC	14000	15000	16500	13200
62			2005	UC	14100	14900	16500	13200
62			2006	UC	14300	15100	16700	13500
62			2007	UC	14400	15300	16700	13500
62			2008	UC	14600	15400	14500	13700
62			2009	UC	14700	15600	17200	13800
62			2010	UC	14900	15800	17300	14000
62			2011	UC	15100	15100	15700	14300
62			2012	UC	15200	15300	16300	14400
62			2013	UC	15400	15400	15500	14600
62			2014	UC	15500	15500	14900	14700
62			2015	UC	15700	15800	15100	14900
62			2016	UC	15800	15900	15200	15000
62			2017	UC	16000	15900	16000	15300
62			2018	UC	16200	16100	16300	15500
62			2019	UC	16300	16100	16300	15700
62	**HWY 401 M/C FRWY IC**	**4.53**	**2019**	**UC**	**16300**	**16100**	**16300**	**15700**
62	ASHLEY STREET (E)	2.0	1988	IC	6800	7900	7700	6000
62			1989	IC	7150	8200	8100	6350
62			1990	IC	7400	8450	8300	6600
62			1991	IC	7450	8400	8250	6650
62			1992	C	8500	9200	9450	7800
62			1993	C	8500	9250	9400	7800
62			1994	C	8800	9650	9800	7950
62			1995	C	9150	10000	10300	8350
62			1996	C	9400	10700	10700	8500
62			1997	UC	9600	10100	11200	9000
62			1998	UC	9800	10400	11500	9300
62			1999	UC	9100	9650	10600	8650
62			2000	UC	9100	9650	10700	8550
62			2001	UC	9100	9750	10700	8550
62			2002	UC	9200	9800	10800	8600
62			2003	UC	9350	9900	11000	8850
62			2004	UC	9500	10200	11200	8950
62			2005	UC	9400	9950	11000	8800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2006	UC	9500	10000	11100	8950
62			2007	UC	9450	10000	10900	8850
62			2008	UC	9550	10100	9450	8950
62			2009	UC	9600	10200	11200	9000
62			2010	UC	9800	10400	11400	9200
62			2011	UC	9650	9700	10000	9150
62			2012	UC	10100	10200	10800	9600
62			2013	UC	9700	9750	9750	9200
62			2014	UC	9800	9850	9400	9300
62			2015	UC	9850	9900	9450	9350
62			2016	UC	9900	9950	9500	9400
62			2017	UC	9900	9850	9950	9500
62			2018	UC	9950	9850	10000	9550
62			2019	UC	10000	9850	10000	9650
62	FRANKFORD RD CTY RD 5	1.4	1988	IC	6700	7750	7550	5900
62			1989	IC	7050	8100	7950	6250
62			1990	IC	7400	8450	8300	6600
62			1991	IC	7450	8400	8250	6650
62			1992	C	8300	8950	9200	7650
62			1993	C	8300	9050	9200	7650
62			1994	C	8350	9150	9300	7550
62			1995	C	8300	9050	9300	7600
62			1996	C	8300	9400	9450	7500
62			1997	SC	8350	8850	9750	7450
62			1998	SC	8350	8850	9750	7450
62			1999	SC	8550	9050	10000	7600
62			2000	SC	8750	9300	10200	7700
62			2001	SC	8800	9400	10300	7750
62			2002	SC	9000	9550	10500	7950
62			2003	SC	9050	9550	10600	8000
62			2004	SC	9350	9950	10900	8250
62			2005	SC	9300	9850	10900	8200
62			2006	SC	9400	9950	11000	8300
62			2007	SC	9500	10000	11000	8350
62			2008	SC	9600	10100	9500	8450
62			2009	SC	9700	10300	11300	8550
62			2010	SC	9800	10400	11500	8650
62			2011	SC	9900	12700	11600	7900
62			2012	SC	9500	10100	9450	8400
62			2013	UC	9500	9550	9550	9000
62			2014	UC	10000	10000	9600	9500
62			2015	UC	10100	10100	9700	9600
62			2016	UC	10200	10200	9800	9700
62			2017	UC	10300	10200	10300	9850
62			2018	UC	10400	10300	10500	10000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2019	UC	10500	10300	10500	10100
62	HASTINGS RD 14 (W) DOUCETTE RD€	10.8	1988	IC	2750	3200	3100	2400
62			1989	IC	2900	3350	3300	2600
62			1990	IC	3100	3550	3450	2750
62			1991	IC	3100	3500	3450	2750
62			1992	IC	3500	3900	3850	3200
62			1993	IC	3500	3950	3900	3100
62			1994	IC	3500	3900	3900	3100
62			1995	IC	3500	3900	3950	3150
62			1996	IC	3600	4050	4050	3200
62			1997	IC	3650	4100	4100	3200
62			1998	IC	3750	4200	4200	3350
62			1999	IC	4000	4500	4500	3550
62			2000	IC	4100	4600	4600	3650
62			2001	IC	4350	4850	4900	3850
62			2002	IC	4350	4850	4900	3850
62			2003	IC	4450	4950	5000	3950
62			2004	IC	4600	5150	5150	4050
62			2005	IC	4650	5150	5200	4100
62			2006	IC	4750	5300	5350	4200
62			2007	IC	4800	5350	5500	4250
62			2008	IC	4950	5500	5300	4350
62			2009	IC	5050	5600	5650	4500
62			2010	IC	5100	5650	5700	4500
62			2011	IC	5300	5850	6050	4750
62			2012	IC	4600	5100	4950	4100
62			2013	UC	4950	4950	5000	4700
62			2014	UC	5350	5350	5150	5100
62			2015	UC	5450	5450	5250	5150
62			2016	UC	5550	5550	5350	5250
62			2017	UC	5650	5600	5650	5400
62			2018	UC	5750	5700	5800	5500
62			2019	UC	5800	5700	5800	5600
62	RIDGERD/HASTINGSRD8 (W) MOIRARD/HASTINGSRD8 (E)	10.4	1988	IC	3200	3700	3600	2800
62			1989	IC	3250	3750	3650	2900
62			1990	IC	3300	3750	3700	2950
62			1991	IC	3300	3750	3650	2950
62			1992	IC	3800	4200	4200	3450
62			1993	IC	3800	4300	4250	3400
62			1994	IC	3800	4250	4250	3400
62			1995	CR	3900	4850	4600	3350
62			1996	CR	3950	4900	4650	3350
62			1997	CR	4000	4950	4700	3400
62			1998	CR	4050	5000	4750	3450
62			1999	CR	4300	5300	5050	3650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2000	CR	4500	5550	5250	3800
62			2001	IR	4650	5750	5150	3950
62			2002	IR	4800	5900	5300	4100
62			2003	IR	4850	5900	5350	4100
62			2004	IR	4850	6000	5350	4100
62			2005	IR	4850	5850	5300	4150
62			2006	IR	4950	5950	5400	4200
62			2007	IR	4900	5950	5900	4150
62			2008	IR	5150	6250	6100	4400
62			2009	IR	5250	6300	5700	4450
62			2010	IC	5200	5750	5800	4600
62			2011	IC	5450	6000	6200	4900
62			2012	IC	5550	6150	5950	4900
62			2013	C	4800	5300	5200	4300
62			2014	C	5550	6100	5950	5000
62			2015	C	5650	6200	6050	5100
62			2016	C	5700	6250	6100	5150
62			2017	C	5800	6350	6350	5250
62			2018	C	5900	6450	6450	5350
62			2019	C	5950	6500	6450	5400
62	CROOKSTOWN RD HASTINGS RD 38 (E)	5.7	1988	IC	3050	3550	3450	2700
62			1989	IC	3100	3550	3500	2750
62			1990	IC	3150	3600	3550	2800
62			1991	IC	3150	3550	3500	2800
62			1992	IR	3700	4550	4050	3150
62			1993	IR	3700	4550	3850	3050
62			1994	IR	3850	4750	4250	3250
62			1995	IT	4000	5100	4900	3400
62			1996	IT	4150	5450	5300	3400
62			1997	CR	4300	5350	5050	3650
62			1998	CR	4450	5450	5200	3800
62			1999	CR	4300	5300	5050	3650
62			2000	CR	4350	5350	5100	3700
62			2001	CR	4250	5250	5000	3600
62			2002	CR	4500	5550	5300	3800
62			2003	CR	4550	5550	5300	3850
62			2004	CR	4600	5650	5400	3900
62			2005	CR	4650	5650	5400	3900
62			2006	CR	4750	5750	5550	4000
62			2007	IC	4800	5350	5500	4250
62			2008	IC	4850	5350	5200	4300
62			2009	IC	4900	5450	5500	4350
62			2010	IC	5000	5550	5600	4450
62			2011	IC	5050	5550	5750	4550
62			2012	IC	4650	5150	5000	4150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2013	C	4650	5100	5050	4200
62			2014	C	5050	5550	5400	4550
62			2015	C	5100	5600	5450	4600
62			2016	C	5150	5650	5500	4650
62			2017	C	5200	5700	5700	4700
62			2018	C	5250	5750	5700	4750
62			2019	C	5300	5800	5750	4800
62	MACDONALD CRES N JCT (E)	1.5	1988	IC	3050	3550	3450	2700
62			1989	IC	3100	3550	3500	2750
62			1990	IC	3150	3600	3550	2800
62			1991	IC	3150	3550	3500	2800
62			1992	IR	3700	4550	4050	3150
62			1993	IR	3700	4550	3850	3050
62			1994	IR	3850	4750	4250	3250
62			1995	IT	4000	5100	4900	3400
62			1996	IT	4150	5450	5300	3400
62			1997	CR	4300	5350	5050	3650
62			1998	CR	4450	5450	5200	3800
62			1999	CR	4550	5600	5300	3850
62			2000	CR	4700	5800	5500	4000
62			2001	CR	4250	5250	5000	3600
62			2002	CR	4800	5900	5650	4050
62			2003	CR	5100	6200	5950	4300
62			2004	CR	5700	7000	6700	4800
62			2005	CR	5400	6550	6300	4550
62			2006	CR	5500	6650	6400	4650
62			2007	CR	5700	6900	6900	4800
62			2008	CR	5750	6950	6900	4850
62			2009	CR	5900	7100	6850	5000
62			2010	CR	5850	7000	6750	4950
62			2011	CR	6150	7150	7250	5450
62			2012	CR	5500	6600	6500	4650
62			2013	CTR	5700	6950	7150	4850
62			2014	CTR	6300	7700	7750	5350
62			2015	CTR	6400	7800	7850	5450
62			2016	CTR	6500	7950	8000	5500
62			2017	CTR	6600	8800	8750	5400
62			2018	CTR	6750	9000	9000	5500
62			2019	CTR	6850	9150	9100	5550
62	SHORELINE RD (E) START OF NA	2.7	9999					
62			1988	IR	2350	3050	2600	1900
62			1989	IR	2550	3300	2850	2100
62			1990	IR	2650	3350	2950	2150
62			1991	IR	2650	3350	2950	2200
62			1992	IR	2500	3100	2750	2100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			1993	IR	2500	3100	2600	2050
62			1994	IR	2550	3150	2800	2150
62			1995	IR	2650	3250	2900	2250
62			1996	IR	2750	3400	3050	2350
62			1997	IR	2850	3550	3200	2400
62			1998	IR	2950	3650	3300	2500
62			1999	IR	2850	3550	3150	2400
62			2000	IR	2900	3550	3200	2450
62			2001	IR	2800	3450	3100	2350
62			2002	IR	2950	3650	3250	2500
62			2003	IR	2950	3600	3250	2500
62			2004	IR	3050	3750	3400	2600
62			2005	IR	3050	3700	3350	2600
62			2006	IR	3050	3700	3350	2600
62			2007	IR	3000	3650	3600	2550
62			2008	IR	3100	3750	3700	2650
62			2009	IR	3150	3800	3450	2700
62			2010	IR	3100	3700	3400	2650
62			2011	IR	3200	3800	3750	2750
62			2012	IR	2650	3150	3050	2250
62			2013	IC	2800	3100	3100	2500
62			2014	IC	3100	3450	3400	2750
62			2015	IC	3100	3450	3400	2750
62			2016	IC	3100	3450	3400	2750
62			2017	IC	3150	3450	3500	2850
62			2018	IC	3150	3450	3500	2850
62			2019	IC	3150	3450	3500	2850
62	**HWY 7**	**16.01**	**2019**	**IC**	**3150**	**3450**	**3500**	**2850**
62	BANNOCKBURN RD (E)	6.5	1988	IR	1700	2200	1850	1350
62			1989	IR	1700	2200	1900	1400
62			1990	IR	1750	2200	1950	1450
62			1991	IR	1750	2200	1950	1450
62			1992	IR	1750	2150	1950	1500
62			1993	IR	1850	2300	1900	1500
62			1994	IR	2000	2450	2200	1700
62			1995	IR	2150	2650	2350	1850
62			1996	IR	2250	2800	2500	1900
62			1997	IR	2350	2950	2650	2000
62			1998	IR	2500	3100	2800	2100
62			1999	IR	2350	2900	2600	1950
62			2000	IR	2300	2800	2550	1950
62			2001	IR	2250	2800	2500	1900
62			2002	IR	2300	2850	2550	1950
62			2003	IR	2300	2800	2550	1950
62			2004	IR	2250	2800	2500	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2005	IR	2350	2850	2550	2000
62			2006	IR	2300	2750	2500	1950
62			2007	IR	2300	2800	2800	1950
62			2008	IR	2050	2500	2450	1750
62			2009	IR	1900	2300	2050	1600
62			2010	IR	1700	2000	1850	1450
62			2011	IR	2050	2450	2400	1750
62			2012	IR	1750	2100	2050	1500
62			2013	CTR	1750	2150	2200	1500
62			2014	CTR	1900	2300	2350	1600
62			2015	CTR	1900	2300	2350	1600
62			2016	CTR	1850	2250	2300	1550
62			2017	CTR	1850	2450	2450	1500
62			2018	CTR	1800	2400	2400	1450
62			2019	CTR	1800	2400	2400	1450
62	CENTRE MILLBRIDGE RD (W) STONEY SETTLEMENT (E)	17.7	1988	IR	1700	2200	1850	1350
62			1989	IR	1700	2200	1900	1400
62			1990	IR	1750	2200	1950	1450
62			1991	IR	1750	2200	1950	1450
62			1992	IR	1750	2150	1950	1500
62			1993	IR	1850	2300	1900	1500
62			1994	IR	2000	2450	2200	1700
62			1995	IR	2150	2650	2350	1850
62			1996	IR	2250	2800	2500	1900
62			1997	IR	2350	2950	2650	2000
62			1998	IR	2500	3100	2800	2100
62			1999	IR	2350	2900	2600	1950
62			2000	IR	2200	2700	2450	1850
62			2001	IR	1900	2350	2100	1600
62			2002	IR	2200	2700	2450	1850
62			2003	IR	2150	2600	2350	1850
62			2004	IR	2000	2450	2200	1700
62			2005	IR	2100	2550	2300	1800
62			2006	IR	2100	2550	2300	1800
62			2007	IR	2100	2550	2550	1800
62			2008	IR	2100	2550	2500	1800
62			2009	IR	2050	2450	2250	1750
62			2010	IR	2050	2450	2250	1750
62			2011	IR	2050	2450	2400	1750
62			2012	IR	1750	2100	2050	1500
62			2013	IR	1950	2300	2500	1650
62			2014	IR	1950	2300	2350	1650
62			2015	IR	1900	2250	2250	1600
62			2016	IR	1900	2250	2250	1600
62			2017	IR	1900	2250	2250	1700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2018	IR	1850	2150	2150	1650
62			2019	IR	1850	2150	2150	1650
62	STEENBURG LAKE NORTH RD (W) ST OLA RD (E)	8.0	1988	IR	1350	1750	1500	1100
62			1989	IR	1350	1750	1500	1100
62			1990	IR	1400	1800	1550	1150
62			1991	IR	1400	1750	1550	1150
62			1992	IR	1450	1800	1600	1250
62			1993	IR	1450	1800	1500	1200
62			1994	IR	1500	1850	1650	1250
62			1995	LT	1600	2300	2250	1150
62			1996	LT	1600	2250	2200	1200
62			1997	LT	1550	2200	2150	1150
62			1998	LT	1550	2150	2100	1150
62			1999	LT	1600	2200	2200	1150
62			2000	LT	1600	2250	2200	1150
62			2001	LT	1600	2250	2200	1150
62			2002	LT	1600	2250	2200	1150
62			2003	LT	1600	2200	2150	1200
62			2004	LT	1600	2250	2200	1150
62			2005	LT	1600	2200	2150	1200
62			2006	LT	1650	2250	2200	1200
62			2007	LT	1650	2250	2350	1200
62			2008	LT	1700	2350	2250	1250
62			2009	LT	1700	2300	2250	1250
62			2010	IR	1800	2150	1950	1550
62			2011	IR	1700	2050	2000	1450
62			2012	IR	1700	2000	1950	1450
62			2013	CTR	1750	2150	2200	1500
62			2014	CTR	1750	2150	2150	1500
62			2015	CTR	1750	2150	2150	1500
62			2016	CTR	1750	2150	2150	1500
62			2017	CTR	1750	2350	2350	1450
62			2018	CTR	1800	2400	2400	1450
62			2019	CTR	1800	2400	2400	1450
62	HASTINGS RD 620 (W) BRINKLOW RD (E)	20.3	1988	LT	1400	2000	1950	1050
62			1989	LT	1400	1950	1950	1050
62			1990	LT	1450	2100	2050	1050
62			1991	LT	1450	2050	1950	1050
62			1992	IR	1550	1900	1700	1300
62			1993	IR	1550	1900	1600	1250
62			1994	IR	1700	2100	1850	1400
62			1995	LT	1800	2600	2500	1300
62			1996	LT	1950	2750	2700	1450
62			1997	LT	2050	2900	2850	1500
62			1998	LT	2200	3100	3000	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			1999	LT	2050	2850	2800	1500
62			2000	LT	2000	2800	2750	1450
62			2001	LT	1800	2500	2450	1300
62			2002	LT	1850	2600	2500	1350
62			2003	LT	1950	2700	2600	1450
62			2004	LT	1950	2750	2650	1450
62			2005	LT	2000	2750	2700	1450
62			2006	LT	2000	2750	2650	1450
62			2007	LT	2000	2750	2800	1450
62			2008	LT	2050	2800	2700	1500
62			2009	LT	2050	2750	2700	1500
62			2010	LT	2150	2900	2850	1600
62			2011	LT	2100	2700	2750	1750
62			2012	LT	2000	2600	2500	1500
62			2013	LT	1950	2550	2550	1450
62			2014	LT	2050	2700	2700	1550
62			2015	LT	2050	2700	2700	1550
62			2016	LT	2100	2750	2800	1600
62			2017	LT	2100	2850	2850	1650
62			2018	LT	2100	2850	2850	1650
62			2019	LT	2100	2850	2850	1650
62	BANCROFT S LTS START OF NA	7.8	9999					
62	BANCROFT N LTS. END OF NA	6.6	1988	LT	3200	4550	4500	2450
62			1989	LT	3200	4450	4400	2350
62			1990	LT	3250	4750	4550	2350
62			1991	LT	3250	4550	4400	2400
62			1992	LT	4200	5850	5650	3250
62			1993	LT	4300	5950	5350	3150
62			1994	LT	4100	6000	5800	3000
62			1995	LT	4550	6550	6350	3350
62			1996	LT	4350	6150	6000	3200
62			1997	LT	4450	6250	6150	3300
62			1998	LT	4900	6850	6700	3600
62			1999	LT	4900	6800	6650	3600
62			2000	LT	4950	6900	6750	3600
62			2001	CTR	5200	6550	6300	4400
62			2002	CTR	5200	6550	6300	4400
62			2003	CTR	5300	6600	6350	4500
62			2004	CTR	5350	6750	6450	4500
62			2005	CTR	5500	6800	6550	4650
62			2006	CTR	5600	6950	6650	4750
62			2007	IR	5600	6800	6750	4750
62			2008	IR	5850	7100	6950	5000
62			2009	IR	5950	7150	6500	5050
62			2010	IR	6050	7200	6600	5150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
62			2011	IR	6150	7350	7200	5250
62			2012	IR	5050	6000	5850	4300
62			2013	CTR	5700	6950	7150	4850
62			2014	CTR	6150	7500	7550	5250
62			2015	CTR	6250	7600	7700	5300
62			2016	CTR	6300	7700	7750	5350
62			2017	CTR	6400	8550	8500	5200
62			2018	CTR	6500	8700	8650	5300
62			2019	CTR	6550	8750	8700	5350
62	HYBLA RD (E)	11.8	1988	IR	2500	3250	2750	2000
62			1989	IR	2500	3200	2800	2050
62			1990	IR	2550	3250	2850	2100
62			1991	IR	2550	3200	2850	2100
62			1992	LT	2500	3450	3400	1900
62			1993	LT	2500	3450	3100	1850
62			1994	LT	2650	3900	3750	1950
62			1995	LT	2700	3900	3750	2000
62			1996	LT	2800	3950	3850	2050
62			1997	LT	2900	4100	4000	2150
62			1998	LT	3000	4200	4100	2200
62			1999	LT	3100	4300	4200	2250
62			2000	LT	3050	4250	4150	2250
62			2001	LR	3050	5000	3950	2050
62			2002	LR	3200	5200	4150	2150
62			2003	LR	2950	4650	3750	2000
62			2004	LT	2950	4150	4000	2150
62			2005	LT	2950	4050	3950	2150
62			2006	LT	3100	4250	4150	2300
62			2007	LT	3000	4100	4250	2200
62			2008	LT	3150	4300	4150	2300
62			2009	LT	3150	4250	4150	2350
62			2010	IR	3200	3800	3500	2700
62			2011	IR	3200	3800	3750	2750
62			2012	IR	3250	3850	3750	2800
62			2013	CTR	3250	3950	4100	2750
62			2014	CTR	3300	4050	4050	2800
62			2015	CTR	3300	4050	4050	2800
62			2016	CTR	3350	4100	4100	2850
62			2017	CTR	3350	4500	4450	2750
62			2018	CTR	3400	4550	4500	2750
62			2019	CTR	3400	4550	4500	2750
62	HWY 127 MAYNOOTH END OF HWY		9999					
63	HWYS 17B/11B MAIN ST START OF NA	5.4	9999					
63	LEES RD NORTH BAY	5.0	1988	IT	4550	6600	6050	3350
63			1989	LT	5000	6950	6900	3700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
63			1990	LT	5150	7500	7200	3750
63			1991	LT	5150	7200	6950	3800
63			1992	LT	5150	7150	6950	3950
63			1993	LT	5200	7200	6450	3800
63			1994	LT	5550	8150	7850	4050
63			1995	LT	5750	8250	8000	4200
63			1996	LT	5900	8350	8100	4350
63			1997	CR	6100	7550	7200	5200
63			1998	CR	6150	7550	7200	5250
63			1999	CR	6050	7450	7100	5150
63			2000	CR	6100	7500	7150	5200
63			2001	CR	6250	7700	7350	5300
63			2002	CR	6200	7600	7250	5200
63			2003	CR	6250	7600	7300	5300
63			2004	CR	6200	7650	7250	5250
63			2005	CR	6300	7650	7350	5300
63			2006	IC	6300	7000	7050	5600
63			2007	IC	6350	7050	7250	5600
63			2008	IC	6400	7100	6850	5650
63			2009	IC	6250	6950	7000	5550
63			2010	IC	6500	7200	7250	5750
63			2011	IC	5500	6050	6250	4950
63			2012	IC	6350	7050	6800	5650
63			2013	CTR	5700	6950	7150	4850
63			2014	CTR	6250	7600	7700	5300
63			2015	IC	5600	6200	6150	4950
63			2016	IC	6150	6800	6800	5450
63			2017	IC	6150	6750	6800	5600
63			2018	IC	6150	6750	6800	5550
63			2019	IC	6150	6750	6800	5550
63	PENINSULA RD NORTH BAY	9.2	1989	IT	2750	3800	3700	2150
63			1990	IT	2850	3600	3550	2400
63			1991	IT	2850	3700	3500	2450
63			1992	IT	2650	3450	3300	2250
63			1993	IT	2700	3300	3350	2300
63			1994	IT	2850	3700	3550	2400
63			1995	CR	2800	3450	3300	2400
63			1996	CR	2900	3600	3400	2500
63			1997	CR	2950	3650	3500	2500
63			1998	CR	3100	3800	3650	2650
63			1999	CR	2850	3500	3350	2400
63			2000	CR	2850	3500	3350	2400
63			2001	CR	2700	3300	3150	2300
63			2002	CR	2850	3500	3350	2400
63			2003	CR	2800	3400	3300	2350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
63			2004	CR	2800	3450	3300	2350
63			2005	CR	2800	3400	3250	2350
63			2006	IC	2800	3100	3150	2500
63			2007	IC	2800	3100	3200	2450
63			2008	IC	2750	3050	2950	2400
63			2009	IC	2750	3050	3100	2450
63			2010	IC	2750	3050	3050	2450
63			2011	IC	3300	3650	3750	2950
63			2012	IC	2850	3150	3050	2550
63			2013	CTR	3300	4000	4150	2800
63			2014	CTR	2950	3600	3650	2500
63			2015	IC	3450	3800	3800	3050
63			2016	IC	3050	3400	3350	2700
63			2017	IC	3050	3350	3350	2750
63			2018	IC	3050	3350	3400	2750
63			2019	IC	3100	3400	3400	2800
63	SONGIS RD NORTH BAY E LTS	5.3	1988	IT	1900	2750	2550	1400
63			1989	IC	2050	2350	2300	1800
63			1990	IC	2200	2500	2450	1950
63			1991	IC	2200	2500	2450	1950
63			1992	IC	2200	2450	2400	2000
63			1993	IC	2250	2550	2500	2000
63			1994	IC	2300	2600	2600	2050
63			1995	IC	2400	2700	2700	2150
63			1996	IC	2450	2750	2750	2200
63			1997	IC	2550	2850	2900	2250
63			1998	IC	2450	2750	2750	2200
63			1999	IC	2400	2700	2700	2150
63			2000	IC	2300	2600	2600	2050
63			2001	IC	2350	2650	2650	2100
63			2002	IC	2400	2700	2700	2100
63			2003	IC	2450	2750	2750	2150
63			2004	IC	2400	2700	2700	2100
63			2005	IC	2400	2650	2700	2100
63			2006	IC	2400	2650	2700	2150
63			2007	IC	2400	2650	2750	2100
63			2008	IC	2350	2600	2500	2050
63			2009	IC	2400	2650	2700	2150
63			2010	IC	2400	2650	2700	2150
63			2011	IC	2400	2650	2750	2150
63			2012	IC	2400	2650	2600	2150
63			2013	CTR	2400	2900	3000	2050
63			2014	CR	2400	2850	2800	2050
63			2015	IC	2400	2650	2650	2150
63			2016	IC	2400	2650	2650	2150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
63			2017	IC	2400	2650	2650	2200
63			2018	IC	2400	2650	2650	2150
63			2019	IC	2400	2650	2650	2150
63	ALLEN'S RD PHELPS TWP	16.2	1988	IT	1050	1500	1400	780
63			1989	IT	1150	1600	1550	900
63			1990	IT	1150	1450	1450	970
63			1991	IT	1150	1500	1400	990
63			1992	LT	1200	1650	1600	920
63			1993	LT	1200	1650	1500	880
63			1994	LT	1300	1900	1850	940
63			1995	LT	1350	1950	1900	990
63			1996	LT	1400	2000	1950	1050
63			1997	CR	1400	1750	1650	1200
63			1998	CR	1450	1800	1700	1250
63			1999	CR	1450	1800	1700	1250
63			2000	CR	1450	1800	1700	1250
63			2001	CR	1450	1800	1700	1200
63			2002	CR	1500	1850	1750	1250
63			2003	CR	1550	1900	1800	1300
63			2004	CR	1550	1900	1800	1300
63			2005	CR	1600	1950	1850	1350
63			2006	IC	1600	1800	1800	1400
63			2007	IC	1600	1800	1850	1400
63			2008	IC	1650	1850	1750	1450
63			2009	IC	1650	1850	1850	1450
63			2010	IC	1700	1900	1900	1500
63			2011	IC	1550	1700	1750	1400
63			2012	IC	1700	1900	1850	1500
63			2013	CTR	1500	1850	1900	1250
63			2014	CTR	1700	2050	2100	1450
63			2015	IC	1700	1900	1850	1500
63			2016	IC	1700	1900	1850	1500
63			2017	IC	1750	1900	1950	1600
63			2018	IC	1750	1950	1950	1600
63			2019	IC	1750	1900	1950	1600
63	SEC HWY 533 JOCKO TWP	23.2	1988	IT	1550	2250	2050	1150
63			1989	IT	1650	2300	2200	1300
63			1990	IT	1700	2150	2100	1450
63			1991	IT	1700	2200	2100	1450
63			1992	LT	1400	1950	1900	1100
63			1993	LT	1500	2050	1850	1100
63			1994	LT	1700	2500	2400	1250
63			1995	CR	1700	2100	2000	1450
63			1996	CR	1800	2200	2100	1550
63			1997	IR	1850	2300	2050	1550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
63			1998	IR	1900	2350	2150	1600
63			1999	IR	1800	2250	2000	1500
63			2000	IR	1800	2200	2000	1500
63			2001	IR	1750	2150	1950	1500
63			2002	IR	1800	2200	2000	1550
63			2003	IR	1800	2200	2000	1550
63			2004	CR	1850	2300	2150	1550
63			2005	CR	1850	2250	2150	1550
63			2006	IR	1800	2150	1950	1550
63			2007	IR	1850	2250	2250	1550
63			2008	IR	1850	2250	2200	1600
63			2009	IR	1850	2200	2000	1550
63			2010	IR	1850	2200	2000	1550
63			2011	IR	1850	2200	2150	1600
63			2012	IR	1850	2200	2150	1600
63			2013	CTR	1900	2300	2400	1600
63			2014	CTR	1900	2300	2350	1600
63			2015	CTR	1650	2000	2050	1400
63			2016	CTR	1850	2250	2300	1550
63			2017	CTR	1850	2450	2450	1500
63			2018	CTR	1850	2450	2450	1500
63			2019	CTR	1850	2450	2450	1500
63	OAK ST POITRAS TWP	1.3	1988	IT	1750	2550	2350	1300
63			1989	C	1800	2000	2000	1600
63			1990	C	1850	2050	2050	1650
63			1991	C	1850	2050	2050	1700
63			1992	LT	1850	2550	2500	1400
63			1993	LT	1850	2550	2300	1350
63			1994	LT	2000	2950	2850	1450
63			1995	LT	2050	2950	2850	1500
63			1996	LT	2150	3050	2950	1600
63			1997	CTR	2200	2800	2700	1850
63			1998	CTR	2200	2800	2700	1850
63			1999	CTR	2150	2700	2600	1800
63			2000	CTR	2150	2700	2600	1800
63			2001	CTR	2050	2600	2500	1750
63			2002	CTR	2100	2650	2550	1750
63			2003	CTR	2100	2600	2500	1800
63			2004	CTR	2100	2650	2550	1750
63			2005	CTR	2100	2600	2500	1800
63			2006	IC	2100	2350	2350	1850
63			2007	IC	2100	2350	2400	1850
63			2008	IC	2100	2350	2250	1850
63			2009	IC	2100	2350	2350	1850
63			2010	IC	2100	2300	2350	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
63			2011	IC	2100	2300	2400	1900
63			2012	IC	2100	2350	2250	1850
63			2013	CTR	2100	2550	2650	1800
63			2014	CTR	2100	2550	2600	1800
63			2015	IC	2100	2300	2300	1850
63			2016	IC	2100	2300	2300	1850
63			2017	IC	2100	2300	2300	1900
63			2018	IC	2100	2300	2300	1900
63			2019	IC	2100	2300	2300	1900
63	OTTAWA RIV BR PROV BDY HWY END		9999					
64	HWY 69	5.2	1988	LT	1900	2700	2700	1450
64			1989	CR	2150	2750	2550	1800
64			1990	CR	2250	2800	2600	2000
64			1991	CR	2250	2750	2600	2000
64			1992	LR	2150	3450	2750	1400
64			1993	LR	2150	3450	2750	1400
64			1994	LR	2300	3800	3050	1500
64			1995	LR	2350	3950	3200	1550
64			1996	LR	2400	4000	3200	1600
64			1997	LR	2500	4200	3400	1700
64			1998	LR	2350	3900	3150	1550
64			1999	LR	2250	3700	2950	1500
64			2000	LR	2200	3550	2850	1450
64			2001	LR	2200	3600	2850	1450
64			2002	LR	2150	3500	2800	1450
64			2003	LR	2100	3300	2650	1400
64			2004	LR	2000	3250	2600	1350
64			2005	LR	2050	3200	2600	1400
64			2006	T	2000	3100	2950	1250
64			2007	T	1950	3000	2900	1250
64			2008	T	1950	2950	2900	1250
64			2009	LT	1900	2550	2500	1400
64			2010	LT	1850	2500	2450	1350
64			2011	CTR	2100	2550	2450	1800
64			2012	CTR	1850	2250	2200	1600
64			2013	LT	2250	2950	2950	1700
64			2014	LT	2200	2850	2900	1650
64			2015	LT	2200	2850	2900	1650
64			2016	LT	2200	2850	2900	1650
64			2017	LT	1950	2500	2500	1650
64			2018	LT	1950	2500	2500	1650
64			2019	LT	2200	2800	2800	1850
64	SEC HWY 607 BIGWOOD RD	13.2	1988	LT	1400	2000	1950	1050
64			1989	CR	1500	1900	1800	1250
64			1990	CR	1600	2000	1850	1450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
64			1991	CR	1600	1950	1850	1450
64			1992	LR	1500	2400	1950	990
64			1993	LR	1500	2400	1950	980
64			1994	LR	1550	2550	2050	1000
64			1995	LR	1500	2500	2050	980
64			1996	LR	1650	2750	2200	1100
64			1997	LR	1650	2750	2250	1100
64			1998	LR	1600	2650	2150	1050
64			1999	LR	1550	2550	2050	1000
64			2000	LR	1500	2450	1950	1000
64			2001	LR	1500	2450	1950	1000
64			2002	LR	1450	2350	1900	980
64			2003	LR	1450	2300	1850	980
64			2004	LT	1450	2050	1950	1050
64			2005	LT	1400	1900	1900	1050
64			2006	LT	1350	1850	1800	990
64			2007	LT	1400	1900	2000	1050
64			2008	LT	1350	1850	1750	1000
64			2009	LT	1350	1800	1800	1000
64			2010	LT	1350	1800	1800	1000
64			2011	CTR	1300	1600	1500	1100
64			2012	CTR	1300	1600	1550	1100
64			2013	LT	1700	2200	2200	1300
64			2014	LT	1350	1750	1800	1000
64			2015	LT	1350	1750	1800	1000
64			2016	LT	1300	1700	1750	980
64			2017	LT	1300	1650	1650	1100
64			2018	LT	1300	1650	1650	1100
64			2019	LT	1400	1800	1800	1150
64	SEC HWY 528(TO WOLSELEY BAY)	3.2	1988	LT	1500	2150	2100	1150
64			1989	CR	1600	2050	1900	1350
64			1990	CR	1700	2100	1950	1550
64			1991	CR	1700	2100	1950	1550
64			1992	LR	1600	2600	2050	1050
64			1993	LR	1600	2600	2050	1050
64			1994	LR	1650	2700	2200	1100
64			1995	LT	1550	2250	2150	1150
64			1996	LT	1700	2400	2350	1250
64			1997	LT	1700	2400	2350	1250
64			1998	LT	1750	2450	2400	1300
64			1999	LT	1700	2350	2300	1250
64			2000	LT	1700	2350	2300	1250
64			2001	LT	1700	2400	2300	1250
64			2002	LT	1700	2400	2300	1250
64			2003	LT	1700	2350	2300	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
64			2004	LT	1700	2400	2300	1250
64			2005	LT	1750	2400	2350	1300
64			2006	LT	1750	2400	2350	1300
64			2007	LT	1750	2400	2450	1300
64			2008	LT	1750	2400	2300	1300
64			2009	LT	1750	2350	2300	1300
64			2010	LT	1750	2350	2300	1300
64			2011	CTR	1600	1950	1850	1350
64			2012	CTR	1750	2100	2100	1500
64			2013	CTR	1750	2150	2200	1500
64			2014	CTR	1750	2150	2150	1500
64			2015	CTR	1750	2150	2150	1500
64			2016	CTR	1750	2150	2150	1500
64			2017	CTR	1750	2350	2350	1450
64			2018	CTR	1750	2350	2350	1450
64			2019	CTR	1750	2350	2300	1400
64	SEC HWY 535 NOELVILLE	22.0	1988	LT	700	990	990	530
64			1989	CR	750	960	890	630
64			1990	CR	800	990	920	720
64			1991	CR	800	980	920	720
64			1992	LR	800	1300	1050	530
64			1993	LR	800	1300	1050	520
64			1994	LR	850	1400	1100	560
64			1995	LR	870	1450	1200	570
64			1996	LR	900	1500	1200	600
64			1997	LT	920	1300	1250	680
64			1998	LT	930	1300	1250	680
64			1999	LT	880	1200	1200	640
64			2000	LT	880	1250	1200	640
64			2001	LT	840	1200	1150	620
64			2002	LT	880	1250	1200	650
64			2003	LT	880	1200	1200	650
64			2004	LT	880	1250	1200	640
64			2005	LT	880	1200	1200	650
64			2006	LT	880	1200	1150	650
64			2007	LT	880	1200	1250	650
64			2008	LT	880	1200	1150	650
64			2009	LT	880	1200	1150	650
64			2010	LT	880	1200	1150	650
64			2011	CTR	790	960	920	670
64			2012	CTR	860	1050	1050	730
64			2013	CTR	850	1050	1050	720
64			2014	CTR	850	1050	1050	720
64			2015	CTR	850	1050	1050	720
64			2016	CTR	850	1050	1050	720

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
64			2017	CTR	850	1150	1150	690
64			2018	CTR	850	1150	1150	690
64			2019	CTR	840	1100	1100	680
64	SUDBURY NIPISSING DIST BDY SIGN	28.5	1988	LT	1200	1700	1700	910
64			1989	CR	1300	1650	1550	1100
64			1990	CR	1350	1650	1550	1200
64			1991	CR	1350	1650	1550	1200
64			1992	LT	1250	1750	1700	960
64			1993	LT	1250	1750	1550	920
64			1994	LT	1400	2050	2000	1000
64			1995	LT	1450	2100	2000	1050
64			1996	LT	1500	2100	2050	1100
64			1997	LT	1550	2200	2150	1150
64			1998	LT	1550	2150	2100	1150
64			1999	LT	1400	1950	1900	1000
64			2000	LT	1400	1950	1900	1000
64			2001	LT	1300	1800	1750	950
64			2002	LT	1350	1900	1850	990
64			2003	LT	1350	1850	1800	1000
64			2004	LT	1350	1900	1850	990
64			2005	LT	1300	1800	1750	960
64			2006	CTR	1300	1600	1550	1100
64			2007	CTR	1300	1600	1600	1100
64			2008	CTR	1250	1550	1500	1050
64			2009	CTR	1250	1500	1500	1050
64			2010	CTR	1250	1500	1450	1050
64			2011	CTR	1200	1450	1400	1000
64			2012	CTR	1200	1450	1450	1000
64			2013	CTR	1200	1450	1500	1000
64			2014	CTR	1150	1400	1400	980
64			2015	CTR	1300	1600	1600	1100
64			2016	CTR	1300	1600	1600	1100
64			2017	CTR	1150	1550	1550	940
64			2018	CTR	1150	1550	1550	940
64			2019	CTR	1200	1600	1600	980
64	W JCT HWY 17 CALDWELL TWP VERNER OVERLAP HWY 17 (20970)	15.1	9999					
64	STURGEON FALLS START OF NA	2.4	9999					
64	STURGEON FALLS N LTS END OF NA	20.3	1988	CTR	1300	1700	1600	1100
64			1989	CR	1300	1650	1550	1100
64			1990	CR	1200	1500	1400	1100
64			1991	CR	1200	1500	1400	1100
64			1992	CR	1200	1500	1350	1100
64			1993	CR	1250	1550	1450	1100
64			1994	CR	1300	1600	1500	1150
64			1995	CR	1300	1600	1550	1100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
64			1996	CR	1300	1600	1550	1100
64			1997	IT	1300	1700	1700	1100
64			1998	IT	1350	1750	1750	1100
64			1999	IT	1350	1750	1700	1100
64			2000	IT	1350	1750	1700	1100
64			2001	CR	1350	1650	1600	1150
64			2002	CR	1400	1700	1650	1200
64			2003	CR	1400	1700	1650	1200
64			2004	CR	1450	1800	1700	1200
64			2005	CR	1450	1750	1700	1200
64			2006	CR	1450	1750	1700	1200
64			2007	CR	1500	1800	1800	1250
64			2008	CR	1500	1800	1800	1250
64			2009	CR	1550	1850	1800	1300
64			2010	IC	1550	1700	1750	1350
64			2011	CR	1550	1800	1850	1400
64			2012	CR	1550	1850	1850	1300
64			2013	CTR	1600	1950	2000	1350
64			2014	CTR	1600	1950	1950	1350
64			2015	CTR	1650	2000	2050	1400
64			2016	CTR	1650	2000	2050	1400
64			2017	CTR	1650	2200	2200	1350
64			2018	CTR	1700	2250	2250	1400
64			2019	CTR	1700	2250	2250	1400
64	SEC HWY 575	0.6	1988	IC	1300	1500	1450	1150
64			1989	IC	900	1050	1000	800
64			1990	IC	800	910	900	710
64			1991	IC	950	1050	1050	850
64			1992	IR	1200	1500	1300	1000
64			1993	IR	1100	1350	1150	900
64			1994	IR	990	1200	1100	830
64			1995	IC	920	1050	1050	830
64			1996	IC	910	1000	1050	810
64			1997	IT	870	1150	1100	720
64			1998	IT	1000	1300	1300	810
64			1999	IT	1050	1350	1350	850
64			2000	IT	1100	1400	1400	900
64			2001	IC	1000	1100	1100	880
64			2002	IC	1200	1350	1350	1050
64			2003	IC	1250	1400	1400	1100
64			2004	IC	1250	1400	1400	1100
64			2005	IC	1350	1500	1500	1200
64			2006	IR	1550	1850	1700	1300
64			2007	IR	1450	1750	1750	1250
64			2008	IR	1500	1800	1800	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
64			2009	CR	1500	1800	1750	1300
64			2010	CR	1550	1850	1800	1300
64			2011	CR	1600	1850	1900	1400
64			2012	CR	1650	2000	1950	1400
64			2013	CTR	1950	2350	2450	1650
64			2014	CTR	1800	2200	2200	1550
64			2015	CTR	1850	2250	2300	1550
64			2016	CTR	1900	2300	2350	1600
64			2017	CTR	1950	2600	2600	1600
64			2018	CTR	2000	2650	2650	1650
64			2019	CTR	2050	2750	2700	1650
64	SEC HWY 539 FIELD	34.6	1988	IC	700	810	790	620
64			1989	IC	700	800	790	620
64			1990	IC	550	630	620	490
64			1991	IC	550	620	610	490
64			1992	IC	600	670	660	550
64			1993	IR	650	800	670	530
64			1994	IC	650	730	730	580
64			1995	IC	640	720	720	570
64			1996	IC	630	710	710	560
64			1997	IR	630	790	710	540
64			1998	IR	630	780	710	530
64			1999	IR	670	830	740	560
64			2000	IR	650	800	720	550
64			2001	IR	650	800	720	550
64			2002	IR	650	800	720	550
64			2003	IR	650	790	720	550
64			2004	IR	650	800	720	550
64			2005	IR	700	840	770	600
64			2006	IR	660	800	720	560
64			2007	IR	720	870	870	610
64			2008	IR	730	880	870	620
64			2009	IR	860	1050	940	730
64			2010	IR	750	890	820	640
64			2011	IR	760	910	890	650
64			2012	CR	770	920	910	650
64			2013	CTR	780	950	980	660
64			2014	CTR	790	960	970	670
64			2015	CTR	800	980	980	680
64			2016	CTR	810	990	1000	690
64			2017	CTR	820	1100	1100	670
64			2018	CTR	830	1100	1100	680
64			2019	CTR	840	1100	1100	680
64	HWY 11 HWY END		9999					
65	QUEBEC ONTARIO PROV BDY	4.8	1997	CTR	1500	1900	1850	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
65			1998	CTR	1550	1950	1900	1300
65			1999	CTR	1600	2000	1950	1350
65			2000	CTR	1650	2100	2000	1400
65			2001	CTR	1700	2150	2050	1450
65			2002	CTR	1750	2200	2100	1500
65			2003	CTR	1800	2250	2150	1550
65			2004	CTR	1800	2250	2200	1500
65			2005	CTR	1850	2300	2200	1550
65			2006	CTR	1900	2350	2250	1600
65			2007	CTR	1950	2400	2400	1650
65			2008	CTR	1950	2400	2350	1650
65			2009	CTR	2000	2450	2350	1700
65			2010	CTR	2050	2500	2400	1750
65			2011	CTR	2100	2550	2450	1800
65			2012	CTR	2150	2600	2600	1850
65			2013	CTR	2200	2700	2750	1850
65			2014	CTR	2250	2750	2750	1900
65			2015	CTR	2250	2750	2750	1900
65			2016	CTR	2300	2800	2850	1950
65			2017	CTR	2350	3150	3100	1900
65			2018	CTR	2400	3200	3200	1950
65			2019	CTR	2450	3250	3250	2000
65	CASEY MINE RD (S) DEVELOPMENT RD (N)	17.1	1988	IC	1250	1450	1400	1100
65			1989	IC	1300	1500	1450	1150
65			1990	IR	1300	1650	1450	1050
65			1991	IR	1450	1850	1600	1200
65			1992	IR	1600	1950	1750	1350
65			1993	IR	1750	2150	1800	1450
65			1994	IR	1700	2100	1850	1400
65			1995	IR	1750	2150	1950	1500
65			1996	IR	1850	2300	2050	1600
65			1997	IR	1900	2400	2150	1600
65			1998	IR	1950	2400	2200	1650
65			1999	CR	2050	2500	2400	1750
65			2000	CR	2100	2600	2450	1800
65			2001	CR	2150	2650	2500	1800
65			2002	CR	2250	2750	2650	1900
65			2003	CR	2250	2750	2650	1900
65			2004	CR	2350	2900	2750	2000
65			2005	CR	2400	2900	2800	2000
65			2006	CR	2400	2900	2800	2050
65			2007	CR	2500	3050	3000	2100
65			2008	CR	2550	3100	3050	2150
65			2009	IC	2650	2950	2950	2350
65			2010	IC	2700	3000	3000	2400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
65			2011	CR	2750	3200	3250	2450
65			2012	CR	2800	3350	3300	2350
65			2013	CTR	2900	3550	3650	2450
65			2014	CTR	2950	3600	3650	2500
65			2015	CTR	2800	3400	3450	2400
65			2016	CTR	3050	3700	3750	2600
65			2017	CTR	3100	4150	4100	2550
65			2018	CTR	3150	4200	4200	2550
65			2019	CTR	3200	4250	4250	2600
65	ARMSTRONG ST (S) NEW LISKEARD	0.8	2009	IC	4050	4500	4550	3600
65			2010	IC	4200	4650	4700	3700
65			2011	IC	4350	4800	4950	3900
65			2012	IC	4500	5000	4850	4000
65			2013	IC	2600	2900	2850	2300
65			2014	IC	3100	3450	3400	2750
65			2015	IC	2400	2650	2650	2150
65			2016	IC	2550	2800	2800	2250
65			2017	IC	2300	2500	2550	2100
65			2018	IC	2250	2500	2500	2050
65			2019	IC	2500	2750	2750	2250
65	N JCT HWY 65 AND HWY 11 OVERLAP HWY 11 (17315)	2.7	9999					
65	S JCT HWY 65 AND HWY 11	0.7	1988	CTR	1450	1900	1750	1200
65			1989	CTR	1500	1900	1800	1300
65			1990	LT	1500	2200	2100	1100
65			1991	LT	1650	2300	2250	1200
65			1992	LT	1800	2500	2450	1400
65			1993	LT	2000	2750	2500	1450
65			1994	LT	1700	2500	2400	1250
65			1995	LT	1750	2500	2450	1300
65			1996	LT	1800	2550	2500	1300
65			1997	LT	1850	2600	2550	1350
65			1998	LT	1850	2600	2550	1350
65			1999	LT	1650	2300	2250	1200
65			2000	LT	1700	2350	2300	1250
65			2001	LT	1700	2400	2300	1250
65			2002	LT	1650	2300	2250	1200
65			2003	LT	1650	2250	2200	1200
65			2004	LT	1650	2300	2250	1200
65			2005	LT	1650	2250	2200	1200
65			2006	SC	1600	1700	1850	1400
65			2007	SC	1600	1700	1850	1400
65			2008	SC	1600	1700	1600	1400
65			2009	UC	1550	1650	1800	1450
65			2010	UC	1550	1650	1800	1450
65			2011	LT	1550	2000	2000	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
65			2012	LT	1500	1950	1850	1150
65			2013	LT	1500	1950	1950	1150
65			2014	LT	1500	1950	2000	1150
65			2015	LT	1500	1950	2000	1150
65			2016	LT	1500	1950	2000	1150
65			2017	LT	1450	1850	1850	1200
65			2018	LT	1450	1850	1850	1200
65			2019	LT	1450	1850	1850	1200
65	0.9 KM W OF NEW LISKEARD W LTS	5.7	1993	LT	1550	2150	1900	1150
65			1994	LT	1450	2150	2050	1050
65			1995	LT	1450	2100	2000	1050
65			1996	LT	1450	2050	2000	1050
65			1997	LT	1450	2050	2000	1050
65			1998	LT	1450	2050	2000	1050
65			1999	LT	1400	1950	1900	1000
65			2000	LT	1450	2000	2000	1050
65			2001	LT	1450	2050	1950	1050
65			2002	LT	1400	1950	1900	1050
65			2003	LT	1450	2000	1950	1050
65			2004	LT	1450	2050	1950	1050
65			2005	LT	1500	2050	2000	1100
65			2006	SC	1500	1600	1750	1300
65			2007	SC	1500	1600	1750	1300
65			2008	SC	1500	1550	1500	1300
65			2009	UC	1650	1750	1950	1550
65			2010	UC	1550	1650	1800	1450
65			2011	UC	1850	1850	1900	1750
65			2012	UC	1600	1600	1700	1500
65			2013	IC	1950	2150	2150	1750
65			2014	IC	2000	2200	2200	1750
65			2015	CTR	2050	2500	2500	1750
65			2016	CTR	2000	2450	2450	1700
65			2017	CTR	1900	2550	2550	1550
65			2018	CTR	1950	2600	2600	1600
65			2019	CTR	1950	2600	2600	1600
65	DYMOND HUDSON TWP BDY	20.2	1988	CTR	500	650	610	420
65			1989	CTR	500	640	600	430
65			1990	LT	550	800	770	400
65			1991	LT	550	770	740	410
65			1992	LT	550	760	740	420
65			1993	LT	600	830	740	440
65			1994	LT	580	850	820	420
65			1995	LT	600	860	840	440
65			1996	LT	620	880	850	460
65			1997	LT	640	900	880	470

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
65			1998	LT	660	920	900	480
65			1999	LT	610	850	830	450
65			2000	LT	660	920	900	480
65			2001	LT	680	950	930	500
65			2002	LT	670	940	910	490
65			2003	LT	700	960	940	520
65			2004	LT	720	1000	980	530
65			2005	LT	730	1000	980	540
65			2006	SC	760	800	890	670
65			2007	SC	760	800	880	670
65			2008	SC	770	810	760	680
65			2009	SC	780	830	910	690
65			2010	SC	800	850	940	710
65			2011	LT	810	1050	1050	670
65			2012	LT	820	1050	1000	620
65			2013	LT	830	1100	1100	630
65			2014	LT	850	1100	1150	640
65			2015	LT	860	1100	1150	650
65			2016	LT	870	1150	1150	660
65			2017	LT	890	1150	1150	740
65			2018	LT	900	1150	1150	750
65			2019	LT	910	1150	1150	760
65	SEC HWY 562 KERNS HENWOOD TWP BDY	37.4	1988	IC	700	810	790	620
65			1989	IC	750	860	850	670
65			1990	LT	700	1000	980	510
65			1991	LT	800	1100	1100	590
65			1992	LT	950	1300	1300	730
65			1993	LT	1150	1600	1450	840
65			1994	LT	850	1250	1200	620
65			1995	LT	870	1250	1200	640
65			1996	LT	890	1250	1250	650
65			1997	LT	910	1300	1250	670
65			1998	LT	930	1300	1250	680
65			1999	LT	710	990	970	520
65			2000	LT	800	1100	1100	580
65			2001	LT	780	1100	1050	570
65			2002	LT	650	910	880	480
65			2003	LT	750	1050	1000	550
65			2004	LT	730	1000	990	530
65			2005	LT	740	1000	990	540
65			2006	SC	770	810	900	680
65			2007	SC	710	750	820	620
65			2008	SC	700	730	690	620
65			2009	SC	730	770	850	640
65			2010	SC	670	710	780	590

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
65			2011	SC	820	1050	960	650
65			2012	UC	820	820	880	780
65			2013	UC	870	870	870	830
65			2014	LT	740	970	980	560
65			2015	LT	720	940	960	540
65			2016	LT	720	940	960	540
65			2017	LT	710	900	900	590
65			2018	LT	710	900	900	600
65			2019	LT	700	890	890	580
65	E JCT SEC HWY 560 ELK LAKE	1.0	1988	LT	700	990	990	530
65			1989	LT	750	1050	1050	560
65			1990	LT	700	1000	980	510
65			1991	LT	750	1050	1000	560
65			1992	LT	800	1100	1100	620
65			1993	SC	950	1050	1150	850
65			1994	SC	760	790	870	700
65			1995	SC	770	810	890	700
65			1996	SC	780	830	910	700
65			1997	SC	790	840	920	700
65			1998	SC	800	850	940	710
65			1999	SC	650	690	760	580
65			2000	SC	730	770	850	640
65			2001	SC	720	770	840	630
65			2002	SC	730	770	850	640
65			2003	SC	710	750	830	630
65			2004	SC	700	750	820	620
65			2005	SC	690	730	810	610
65			2006	SC	680	720	790	600
65			2007	SC	670	710	770	590
65			2008	SC	670	700	660	590
65			2009	LT	660	890	870	490
65			2010	LT	650	870	860	480
65			2011	LT	640	820	840	530
65			2012	LT	630	820	780	480
65			2013	CTR	630	770	790	540
65			2014	CTR	620	760	760	530
65			2015	CTR	610	740	750	520
65			2016	CTR	600	730	740	510
65			2017	CTR	590	790	780	480
65			2018	CTR	580	770	770	470
65			2019	CTR	580	770	770	470
65	W JCT SEC HWY 560 GOWGANDA RD ELK LAKE	32.9	1988	CTR	300	390	370	250
65			1989	CTR	300	380	360	260
65			1990	LT	250	360	350	180
65			1991	LT	250	350	340	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
65			1992	LT	300	420	400	230
65			1993	SC	350	390	430	310
65			1994	SC	280	290	320	260
65			1995	SC	280	290	330	250
65			1996	SC	290	310	340	260
65			1997	SC	290	310	340	260
65			1998	SC	290	310	340	260
65			1999	SC	230	240	270	200
65			2000	SC	250	260	290	220
65			2001	SC	250	270	290	220
65			2002	SC	240	250	280	210
65			2003	SC	230	240	270	200
65			2004	SC	230	250	270	200
65			2005	SC	220	230	260	190
65			2006	SC	220	230	260	190
65			2007	SC	210	220	240	180
65			2008	SC	200	210	200	180
65			2009	LT	200	270	260	150
65			2010	LT	190	260	250	140
65			2011	LT	400	510	520	330
65			2012	LT	400	520	500	300
65			2013	IR	480	570	610	410
65			2014	IR	450	540	540	380
65			2015	CTR	440	540	540	370
65			2016	CTR	450	550	550	380
65			2017	CTR	380	510	510	310
65			2018	CTR	390	520	520	320
65			2019	CTR	400	530	530	330
65	HWY 66 HWY END		9999					
66			1988	CTR	850	1100	1050	710
66			1989	CTR	850	1100	1050	730
66			1990	IR	700	890	780	570
66			1991	IR	700	880	780	580
66			1992	IR	700	860	770	600
66			1993	IR	750	920	780	610
66			1994	IR	700	860	770	590
66			1995	IR	680	840	750	580
66			1996	IR	700	870	780	600
66			1997	IR	660	820	740	560
66			1998	IR	650	810	730	550
66			1999	IR	570	710	630	480
66			2000	IR	600	740	660	510
66			2001	IR	590	730	650	500
66			2002	IR	540	670	600	460
66			2003	IR	560	680	620	480

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			2004	IR	540	670	600	460
66			2005	IR	540	650	590	460
66			2006	IR	540	650	590	460
66			2007	IR	510	620	620	430
66			2008	IR	500	610	590	430
66			2009	IR	510	610	560	430
66			2010	IR	470	560	510	400
66			2011	IR	460	550	540	390
66			2012	IC	520	580	560	460
66			2013	IC	440	490	480	390
66			2014	CTR	440	540	540	370
66			2015	CTR	420	510	520	360
66			2016	CTR	410	500	500	350
66			2017	CTR	400	530	530	330
66			2018	CTR	380	510	510	310
66			2019	CTR	370	490	490	300
66	**QUEBEC ONTARIO PROV BDY**	**3.81**	**2019**	**CTR**	**370**	**490**	**490**	**300**
66	KEARNS AV (S)	2.7	1988	CTR	1650	2150	2000	1400
66			1989	CTR	1700	2150	2050	1450
66			1990	IR	1500	1900	1650	1250
66			1991	IR	1500	1900	1650	1250
66			1992	IR	1500	1850	1650	1300
66			1993	IR	1450	1800	1500	1200
66			1994	IR	1550	1900	1700	1300
66			1995	IR	1550	1900	1700	1300
66			1996	IR	1500	1850	1650	1300
66			1997	IR	1550	1950	1750	1300
66			1998	IR	1550	1900	1750	1300
66			1999	IR	1550	1900	1700	1300
66			2000	IR	1500	1850	1650	1250
66			2001	IR	1500	1850	1650	1250
66			2002	IR	1550	1900	1700	1300
66			2003	IR	1450	1750	1600	1250
66			2004	IR	1450	1800	1600	1250
66			2005	IR	1400	1700	1550	1200
66			2006	IR	1350	1650	1500	1150
66			2007	IR	1350	1650	1650	1150
66			2008	IR	1300	1550	1550	1100
66			2009	CR	1150	1400	1350	980
66			2010	CR	1250	1500	1450	1050
66			2011	CR	1000	1150	1200	890
66			2012	CTR	950	1150	1150	810
66			2013	CTR	1000	1200	1250	850
66			2014	CTR	880	1050	1100	750
66			2015	CTR	990	1200	1200	840

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			2016	CTR	950	1150	1150	810
66			2017	CTR	920	1250	1200	750
66			2018	CTR	890	1200	1200	720
66			2019	C	900	980	980	810
66	WEBSTER ST (S)	11.1	1988	IC	1500	1750	1700	1300
66			1989	IC	1550	1800	1750	1400
66			1990	IR	1350	1700	1500	1100
66			1991	IR	1350	1700	1500	1100
66			1992	IR	1300	1600	1450	1100
66			1993	CR	1200	1500	1400	1100
66			1994	CR	1300	1600	1500	1150
66			1995	CR	1300	1600	1550	1100
66			1996	IR	1250	1550	1400	1050
66			1997	IR	1300	1600	1450	1100
66			1998	IR	1300	1600	1450	1100
66			1999	IR	1200	1500	1350	1000
66			2000	IR	1150	1400	1250	970
66			2001	IR	1150	1400	1250	970
66			2002	IR	1100	1350	1200	940
66			2003	IR	1100	1350	1200	930
66			2004	IR	1050	1300	1150	890
66			2005	IR	1050	1250	1150	900
66			2006	IR	990	1200	1100	840
66			2007	IR	980	1200	1200	830
66			2008	IR	950	1150	1150	810
66			2009	CR	920	1100	1050	780
66			2010	CR	900	1100	1050	760
66			2011	CR	870	1000	1050	770
66			2012	CTR	840	1000	1000	720
66			2013	CTR	810	990	1000	690
66			2014	CTR	790	960	970	670
66			2015	CTR	850	1050	1050	720
66			2016	CTR	850	1050	1050	720
66			2017	CTR	740	990	980	600
66			2018	CTR	710	950	940	580
66			2019	CTR	710	950	940	580
66	SEC HWY 624 ONTARIO ST (S)	12.8	1988	IC	1500	1750	1700	1300
66			1989	IC	1550	1800	1750	1400
66			1990	IC	1450	1650	1600	1300
66			1991	IC	1450	1650	1600	1300
66			1992	IC	1400	1550	1550	1250
66			1993	C	1500	1650	1650	1400
66			1994	C	1500	1650	1650	1350
66			1995	C	1550	1700	1750	1400
66			1996	C	1550	1750	1750	1400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			1997	C	1550	1750	1750	1400
66			1998	C	1600	1800	1800	1450
66			1999	C	1550	1750	1750	1400
66			2000	C	1500	1700	1700	1350
66			2001	C	1450	1650	1650	1300
66			2002	C	1450	1600	1650	1300
66			2003	C	1400	1550	1550	1250
66			2004	C	1400	1600	1600	1250
66			2005	C	1400	1550	1550	1250
66			2006	IC	1300	1450	1450	1150
66			2007	IC	1350	1500	1550	1200
66			2008	IC	1300	1450	1400	1150
66			2009	IC	1300	1450	1450	1150
66			2010	IC	1300	1450	1450	1150
66			2011	IC	1250	1350	1450	1100
66			2012	UC	1250	1250	1350	1200
66			2013	UC	1250	1250	1250	1200
66			2014	CTR	1200	1450	1500	1000
66			2015	CTR	1200	1450	1500	1000
66			2016	CTR	1200	1450	1500	1000
66			2017	CTR	1150	1550	1550	940
66			2018	CTR	1150	1550	1550	940
66			2019	CTR	1100	1450	1450	900
66	SEC HWY 672	7.2	1988	IC	1850	2150	2100	1650
66			1989	IC	1900	2200	2150	1700
66			1990	IC	1950	2200	2200	1750
66			1991	IC	1950	2200	2150	1750
66			1992	IC	1900	2100	2100	1750
66			1993	IC	1800	2050	2000	1600
66			1994	IC	1900	2150	2150	1700
66			1995	IC	1900	2150	2150	1700
66			1996	IC	1900	2150	2150	1700
66			1997	IC	1900	2150	2150	1650
66			1998	IC	1950	2200	2200	1750
66			1999	IC	1900	2150	2150	1700
66			2000	IC	1950	2200	2200	1750
66			2001	IC	1950	2200	2200	1700
66			2002	IC	1950	2150	2200	1700
66			2003	IC	1950	2150	2200	1750
66			2004	IC	1950	2200	2200	1700
66			2005	IC	1950	2150	2200	1700
66			2006	CR	1950	2350	2250	1650
66			2007	CR	1950	2350	2350	1650
66			2008	CR	1950	2350	2350	1650
66			2009	IC	1850	2050	2050	1650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			2010	IC	1950	2150	2200	1750
66			2011	IC	1950	2150	2200	1750
66			2012	UC	1950	1950	2100	1850
66			2013	UC	1950	1950	1950	1850
66			2014	CTR	1750	2150	2150	1500
66			2015	CTR	1900	2300	2350	1600
66			2016	CTR	1900	2300	2350	1600
66			2017	CTR	1900	2550	2550	1550
66			2018	CTR	1900	2550	2550	1550
66			2019	CTR	1900	2550	2500	1550
66	7.2 KM N OF SEC HWY 672	5.4	1988	IC	3050	3550	3450	2700
66			1989	IC	3200	3700	3600	2850
66			1990	IR	3300	4200	3650	2700
66			1991	IR	3400	4300	3750	2800
66			1992	IR	3400	4200	3750	2900
66			1993	IR	3400	4200	3500	2800
66			1994	IR	3200	3950	3500	2700
66			1995	IR	3250	4000	3600	2750
66			1996	IR	3200	3950	3550	2750
66			1997	CR	3350	4150	3950	2850
66			1998	CR	3400	4200	4000	2900
66			1999	CR	3000	3700	3500	2550
66			2000	CR	3050	3750	3550	2600
66			2001	CR	3000	3700	3500	2550
66			2002	CR	2850	3500	3350	2400
66			2003	CR	2900	3550	3400	2450
66			2004	CR	2850	3500	3350	2400
66			2005	CR	2800	3400	3250	2350
66			2006	CR	2800	3400	3250	2350
66			2007	CR	2750	3350	3350	2300
66			2008	CR	2700	3250	3250	2300
66			2009	CR	2650	3200	3050	2250
66			2010	CR	2600	3100	3000	2200
66			2011	CR	2550	2950	3000	2250
66			2012	UC	2500	2500	2700	2400
66			2013	UC	2450	2450	2450	2300
66			2014	CTR	2700	3300	3300	2300
66			2015	CTR	2400	2950	2950	2050
66			2016	CTR	2400	2950	2950	2050
66			2017	CTR	2350	3150	3100	1900
66			2018	CTR	2300	3050	3050	1850
66			2019	CTR	2600	3450	3450	2100
66	KIRKLAND LAKE E LTS START OF NA	4.0	9999					
66	GOLDTHORPE RD END OF NA	3.0	1988	IC	5700	6600	6450	5000
66			1989	IC	5850	6750	6600	5200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			1990	IR	6000	7600	6650	4900
66			1991	IR	6000	7550	6650	5000
66			1992	IR	6000	7400	6600	5100
66			1993	C	6000	6550	6650	5500
66			1994	C	6000	6550	6700	5450
66			1995	C	6100	6650	6850	5600
66			1996	IC	6100	6850	6900	5450
66			1997	IC	6250	7000	7050	5500
66			1998	IC	6300	7050	7050	5600
66			1999	IC	6050	6800	6800	5400
66			2000	IC	6200	6950	6950	5500
66			2001	IC	6250	7000	7000	5550
66			2002	IC	6450	7200	7250	5700
66			2003	IC	6250	6950	7050	5550
66			2004	IC	6300	7050	7100	5550
66			2005	IC	6200	6900	6950	5450
66			2006	IC	6200	6900	6950	5500
66			2007	IC	6200	6900	7100	5500
66			2008	IC	6200	6850	6650	5450
66			2009	CR	5950	7150	6900	5050
66			2010	CR	6200	7450	7150	5250
66			2011	CR	6200	7200	7300	5500
66			2012	UC	6200	6250	6650	5900
66			2013	UC	6200	6200	6250	5900
66			2014	CTR	6200	7550	7650	5250
66			2015	CTR	6200	7550	7650	5250
66			2016	CTR	6200	7550	7650	5250
66			2017	CTR	6200	8300	8250	5050
66			2018	CTR	6200	8300	8250	5050
66			2019	CTR	6200	8250	8200	5050
66	HWY 112 (S) KIRKLAND LAKE	2.5	1988	IC	4000	4650	4500	3500
66			1989	IC	4200	4850	4750	3750
66			1990	IR	4350	5500	4850	3550
66			1991	IR	4100	5150	4550	3400
66			1992	IR	3800	4650	4200	3250
66			1993	CTR	3500	4400	4250	3000
66			1994	CTR	3900	5000	4750	3300
66			1995	CTR	3900	5000	4800	3250
66			1996	CTR	3950	5050	4850	3300
66			1997	CTR	4000	5100	4900	3350
66			1998	CTR	4050	5150	4950	3400
66			1999	CTR	3650	4600	4400	3050
66			2000	CTR	3750	4700	4550	3150
66			2001	CTR	3700	4650	4500	3100
66			2002	CTR	3800	4800	4600	3200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			2003	CTR	3650	4550	4350	3100
66			2004	CTR	3600	4550	4350	3050
66			2005	CTR	3500	4350	4150	2950
66			2006	IC	3400	3800	3800	3000
66			2007	IC	3400	3800	3900	3000
66			2008	IC	3350	3700	3600	2950
66			2009	IC	3200	3550	3600	2850
66			2010	IC	3250	3600	3650	2900
66			2011	IC	3200	3500	3650	2850
66			2012	UC	3150	3150	3350	3000
66			2013	UC	3100	3100	3100	2950
66			2014	CTR	3050	3700	3750	2600
66			2015	CTR	3000	3650	3700	2550
66			2016	CTR	2950	3600	3650	2500
66			2017	CTR	2900	3900	3850	2350
66			2018	CTR	2850	3800	3800	2300
66			2019	CTR	3000	4000	4000	2450
66	CULVER PARK RD (S) GOLD RD (N)	6.7	1988	IC	2500	2900	2800	2200
66			1989	IC	2600	3000	2950	2300
66			1990	IR	2500	3200	2800	2050
66			1991	IR	2350	2950	2600	1950
66			1992	IR	2200	2700	2400	1850
66			1993	CTR	2050	2600	2500	1750
66			1994	CTR	2400	3050	2950	2000
66			1995	CTR	2450	3150	3000	2050
66			1996	IC	2400	2700	2700	2150
66			1997	IC	2550	2850	2900	2250
66			1998	IC	2550	2850	2850	2250
66			1999	IC	2550	2850	2850	2250
66			2000	IC	2450	2750	2750	2200
66			2001	IC	2450	2750	2750	2150
66			2002	IC	2400	2700	2700	2100
66			2003	IC	2400	2650	2700	2150
66			2004	IC	2400	2700	2700	2100
66			2005	IC	2400	2650	2700	2100
66			2006	IC	2350	2600	2650	2100
66			2007	IC	2350	2600	2700	2100
66			2008	IC	2350	2600	2500	2050
66			2009	IC	2250	2500	2500	2000
66			2010	IC	2300	2550	2550	2050
66			2011	IC	2300	2550	2600	2050
66			2012	UC	2300	2300	2450	2200
66			2013	UC	2300	2300	2300	2200
66			2014	CTR	2050	2500	2500	1750
66			2015	CTR	2200	2700	2700	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			2016	CTR	2200	2700	2700	1850
66			2017	CTR	2200	2950	2900	1800
66			2018	CTR	2150	2850	2850	1750
66			2019	CTR	2150	2850	2850	1750
66			1988	IC	650	750	730	570
66			1989	IC	700	800	790	620
66			1990	IR	650	830	720	530
66			1991	IR	600	760	670	500
66			1992	IR	550	680	600	470
66			1993	IR	500	620	520	410
66			1994	IR	570	700	630	480
66			1995	IR	560	690	620	480
66			1996	IR	540	670	600	460
66			1997	IR	550	690	620	470
66			1998	IR	550	680	620	460
66			1999	IR	530	660	590	450
66			2000	IR	530	650	590	450
66			2001	IR	520	640	580	440
66			2002	IR	520	640	580	440
66			2003	IR	510	620	560	430
66			2004	IR	510	630	570	430
66			2005	IR	500	600	550	430
66			2006	CR	500	610	580	420
66			2007	CR	490	590	590	410
66			2008	CR	490	590	590	410
66			2009	IT	480	600	600	400
66			2010	IT	480	600	600	400
66			2011	IT	470	630	630	390
66			2012	UC	800	800	860	760
66			2013	UC	700	700	700	660
66			2014	CTR	560	680	690	480
66			2015	CTR	700	850	860	600
66			2016	CTR	700	850	860	600
66			2017	CTR	610	820	810	500
66			2018	CTR	620	830	820	500
66			2019	CTR	750	1000	990	610
66	**HWY 11**	**40.20**	**2019**	**CTR**	**750**	**1000**	**990**	**610**
66	HWY 65	4.6	1988	IC	450	520	510	400
66			1989	IC	500	580	560	440
66			1990	IR	500	640	560	410
66			1991	IR	500	630	560	420
66			1992	IR	450	550	500	380
66			1993	C	400	440	440	370
66			1994	C	440	480	490	400
66			1995	C	450	490	500	410

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
66			1996	C	450	510	510	410
66			1997	C	460	520	520	410
66			1998	C	460	520	520	410
66			1999	C	390	440	440	350
66			2000	C	390	440	440	350
66			2001	C	380	430	430	340
66			2002	C	340	380	380	310
66			2003	C	350	390	390	320
66			2004	C	340	380	380	310
66			2005	C	330	370	370	300
66			2006	C	310	340	350	280
66			2007	C	310	340	350	280
66			2008	C	300	330	330	270
66			2009	LT	300	400	400	220
66			2010	LT	270	360	360	200
66			2011	LT	260	330	340	210
66			2012	UC	1000	1000	1050	950
66			2013	UC	750	750	750	710
66			2014	CTR	920	1100	1150	780
66			2015	CTR	800	980	980	680
66			2016	CTR	800	980	980	680
66			2017	CTR	660	880	880	540
66			2018	CTR	670	890	890	550
66			2019	CTR	800	1050	1050	650
66	SEC HWY 566 HWY END		9999					
67	N JCT HWY 11(PORQUIS)IROQUOIS FALLS	9.9	1988	SC	2000	2150	2350	1800
67			1989	SC	2100	2300	2550	1850
67			1990	IR	2100	2650	2350	1700
67			1991	IR	2100	2650	2350	1750
67			1992	IR	2000	2450	2200	1700
67			1993	UC	1950	2050	2200	1850
67			1994	UC	2050	2150	2350	1900
67			1995	UC	2050	2150	2350	1900
67			1996	UC	2100	2200	2450	2000
67			1997	UC	2100	2200	2450	1950
67			1998	UC	2150	2300	2500	2050
67			1999	UC	1950	2050	2300	1850
67			2000	UC	2050	2150	2400	1950
67			2001	UC	2050	2200	2400	1950
67			2002	UC	2050	2200	2400	1900
67			2003	UC	2000	2100	2350	1900
67			2004	UC	2000	2150	2350	1900
67			2005	UC	2000	2100	2350	1900
67			2006	UC	2050	2150	2400	1950
67			2007	UC	1850	1950	2150	1750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
67			2008	UC	1950	2050	1950	1800
67			2009	UC	1950	2050	2300	1850
67			2010	UC	1950	2050	2250	1850
67			2011	UC	1950	1950	2000	1850
67			2012	UC	1900	1900	2050	1800
67			2013	C	1900	2100	2050	1700
67			2014	C	1900	2100	2050	1700
67			2015	C	1900	2100	2050	1700
67			2016	C	1850	2050	2000	1650
67			2017	C	1850	2000	2000	1700
67			2018	C	1800	1950	1950	1600
67			2019	C	1850	2000	2000	1650
67	SEC HWY 578 END OF NA HWY END		9999					
69	END OF HWY 400 (1.84 KM NORTH OF HWY 559)	14.9	1988	IT	4300	6250	5700	3200
69			1989	IT	4700	6550	6300	3650
69			1990	IT	5100	6500	6300	4300
69			1991	IR	5550	7000	6150	4600
69			1992	LT	5500	7650	7450	4250
69			1993	LT	5400	7450	6700	3950
69			1994	IT	5800	7550	7200	4950
69			1995	IT	5800	7400	7100	4950
69			1996	IT	5800	7650	7400	4800
69			1997	IR	5850	7300	6550	4950
69			1998	IR	5900	7300	6600	4950
69			1999	IR	6050	7500	6700	5100
69			2000	IR	6000	7350	6650	5050
69			2001	IR	6400	7900	7100	5400
69			2002	IR	6600	8150	7300	5600
69			2003	IR	6100	7400	6700	5200
69			2004	IR	6950	8600	7700	5900
69			2005	IR	6650	8050	7300	5650
69			2006	IR	7400	8950	8100	6300
69			2007	IR	6900	8350	8350	5850
69			2008	IR	7000	8500	8300	6000
69			2009	IR	7150	8600	7800	6100
69			2010	IR	7250	8650	7900	6150
69			2011	IR	7400	8850	8650	6300
69			2012	IR	7500	8900	8700	6400
69			2013	IR	7600	9050	9700	6450
69			2014	IR	7700	9150	9200	6550
69			2015	IR	7800	9300	9300	6650
69			2016	IR	7900	9400	9400	6700
69			2017	IR	8000	9800	9850	6800
69			2018	IR	8100	9950	9950	6950
69			2019	IR	8200	10100	10100	7000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69	HWY 559/SHEBESHEKONG RD IC	9.5	1988	IT	4450	6450	5900	3300
69			1989	IT	4750	6600	6350	3700
69			1990	IT	4900	6200	6100	4100
69			1991	IR	5100	6450	5650	4250
69			1992	IR	5100	6250	5600	4350
69			1993	IR	5150	6350	5350	4200
69			1994	IT	5250	6800	6500	4450
69			1995	IT	5400	6900	6600	4600
69			1996	IT	5500	7250	7050	4550
69			1997	IR	5550	6950	6200	4700
69			1998	IR	5700	7050	6400	4800
69			1999	IR	5800	7200	6450	4850
69			2000	IR	5900	7250	6550	5000
69			2001	IR	6000	7400	6650	5050
69			2002	IR	6100	7500	6750	5200
69			2003	LR	6200	9800	7900	4200
69			2004	LR	6300	10300	8200	4200
69			2005	LR	6400	10000	8050	4350
69			2006	LR	6500	10100	8150	4400
69			2007	LR	6600	10300	9950	4450
69			2008	LR	6700	10500	10200	4600
69			2009	IR	6800	8150	7400	5800
69			2010	IR	6900	8200	7500	5850
69			2011	IR	7000	8350	8150	6000
69			2012	IR	7100	8450	8200	6050
69			2013	LT	7200	9400	9400	5450
69			2014	LT	7300	9550	9700	5500
69			2015	LT	7400	9650	9850	5600
69			2016	LT	7500	9800	9950	5650
69			2017	LT	7600	9650	9650	6350
69			2018	LT	7700	9800	9800	6450
69			2019	LT	7800	9900	9900	6500
69	SEC HWY 644 (W) N ARCHIPELAGO TWP	1.9	1988	IT	5000	7250	6650	3700
69			1989	IT	5200	7250	6950	4050
69			1990	IT	5300	6750	6550	4450
69			1991	IR	5150	6500	5700	4250
69			1992	IR	5100	6250	5600	4350
69			1993	IR	5100	6250	5250	4150
69			1994	IT	5300	6900	6550	4500
69			1995	IT	5350	6850	6550	4550
69			1996	IT	5400	7100	6900	4450
69			1997	IR	5450	6800	6100	4650
69			1998	IR	5500	6800	6150	4600
69			1999	IR	5550	6900	6150	4650
69			2000	IR	5600	6850	6200	4750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			2001	IR	5650	7000	6250	4800
69			2002	IR	5700	7050	6300	4850
69			2003	LR	5750	9100	7300	3900
69			2004	LR	5800	9500	7550	3900
69			2005	LR	5850	9150	7350	4000
69			2006	LR	5900	9200	7400	4000
69			2007	LR	5950	9300	8950	4000
69			2008	LR	6000	9350	9100	4100
69			2009	LR	6050	9200	7500	4100
69			2010	LR	6100	9150	7450	4150
69			2011	LR	6150	9500	8900	4300
69			2012	LR	6200	9250	9000	4250
69			2013	LT	6250	8150	8150	4700
69			2014	LT	6300	8250	8350	4750
69			2015	LT	6350	8300	8450	4800
69			2016	LT	6400	8350	8500	4850
69			2017	LT	6450	8200	8200	5400
69			2018	LT	6500	8250	8300	5450
69			2019	LT	6550	8300	8350	5450
69	S JCT SEC HWY 529 (W) N ARCHIPELAGO TWP	20.0	1988	IT	5050	7300	6700	3750
69			1989	IT	5200	7250	6950	4050
69			1990	IT	5300	6750	6550	4450
69			1991	IR	5050	6350	5600	4200
69			1992	IR	5000	6150	5500	4250
69			1993	IR	5000	6150	5150	4100
69			1994	IT	4900	6350	6100	4150
69			1995	IT	5000	6400	6100	4250
69			1996	IT	5100	6700	6550	4200
69			1997	IR	5200	6500	5800	4400
69			1998	IR	5250	6500	5900	4400
69			1999	IR	5400	6700	6000	4550
69			2000	IR	5550	6800	6150	4700
69			2001	IR	5650	7000	6250	4800
69			2002	IR	5750	7100	6350	4900
69			2003	IR	5850	7100	6450	4950
69			2004	IR	5950	7350	6600	5050
69			2005	IR	6050	7300	6650	5150
69			2006	IR	6150	7400	6700	5200
69			2007	IR	6250	7550	7550	5300
69			2008	IR	6400	7750	7600	5450
69			2009	IR	6500	7800	7100	5500
69			2010	IR	6600	7850	7200	5600
69			2011	IR	6700	8000	7800	5700
69			2012	IR	6800	8100	7850	5800
69			2013	LT	6900	9000	9000	5200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			2014	LT	7000	9150	9300	5300
69			2015	LT	7150	9350	9500	5400
69			2016	LT	7250	9450	9650	5450
69			2017	LT	7350	9350	9350	6150
69			2018	LT	7450	9500	9500	6250
69			2019	LT	7550	9600	9600	6300
69	N JCT SEC HWY 529 (W) MAGNETAWAN I R 1 BDY	5.2	1988	IT	4350	6300	5800	3200
69			1989	IT	4600	6400	6150	3600
69			1990	IT	4700	5950	5850	3950
69			1991	IR	4800	6050	5350	4000
69			1992	IR	4900	6050	5400	4150
69			1993	IR	5000	6150	5150	4100
69			1994	IT	5000	6500	6200	4250
69			1995	IT	5150	6600	6300	4400
69			1996	IT	5300	7000	6800	4350
69			1997	IR	5500	6900	6150	4700
69			1998	IR	5700	7050	6400	4800
69			1999	IR	5700	7050	6350	4800
69			2000	IR	6000	7350	6650	5050
69			2001	IR	5950	7350	6600	5050
69			2002	IR	6050	7450	6700	5150
69			2003	IR	6000	7300	6600	5100
69			2004	IR	6300	7800	7000	5350
69			2005	IR	6450	7800	7050	5500
69			2006	IR	6550	7900	7150	5550
69			2007	IR	6650	8050	8050	5650
69			2008	IR	6800	8250	8100	5800
69			2009	IR	6900	8300	7500	5850
69			2010	IR	7050	8400	7700	6000
69			2011	IR	7150	8550	8350	6100
69			2012	IR	7300	8700	8450	6250
69			2013	CTR	7400	9000	9300	6300
69			2014	CTR	7000	8550	8600	5950
69			2015	CTR	6100	7450	7500	5200
69			2016	CTR	7000	8550	8600	5950
69			2017	CTR	7450	9950	9900	6050
69			2018	CTR	7550	10100	10000	6150
69			2019	CTR	7600	10100	10100	6200
69	SEC HWY 526 (W) HENVEY TWP	12.8	1988	IT	5050	7300	6700	3750
69			1989	IT	5200	7250	6950	4050
69			1990	IT	5300	6750	6550	4450
69			1991	IR	4950	6250	5500	4100
69			1992	IR	4850	5950	5350	4100
69			1993	IR	4750	5850	4900	3900
69			1994	IT	5000	6500	6200	4250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			1995	IT	5000	6400	6100	4250
69			1996	IT	5050	6650	6450	4150
69			1997	IR	5050	6300	5650	4300
69			1998	IR	5300	6550	5950	4450
69			1999	IR	5550	6900	6150	4650
69			2000	IR	6000	7350	6650	5050
69			2001	IR	5800	7150	6450	4900
69			2002	IR	5950	7350	6600	5050
69			2003	IR	6250	7600	6900	5300
69			2004	IR	6200	7650	6850	5250
69			2005	IR	6250	7550	6850	5350
69			2006	IR	6300	7600	6900	5350
69			2007	IR	6500	7850	7850	5500
69			2008	IR	6650	8050	7900	5700
69			2009	IR	6600	7900	7200	5600
69			2010	IR	6900	8200	7500	5850
69			2011	IR	7000	8350	8150	6000
69			2012	IR	7150	8500	8300	6100
69			2013	CTR	7250	8800	9100	6150
69			2014	CTR	7400	9050	9100	6300
69			2015	CTR	6200	7550	7650	5250
69			2016	CTR	7200	8800	8850	6100
69			2017	CTR	7450	9950	9900	6050
69			2018	CTR	7550	10100	10000	6150
69			2019	CTR	7650	10200	10100	6200
69	SEC HWY 522 (E) MOWAT TWP	14.6	1999	LT	5200	7250	7050	3800
69			2000	LT	5250	7300	7150	3850
69			2001	LT	5300	7400	7200	3900
69			2002	LT	5350	7500	7300	3950
69			2003	LT	5400	7450	7250	4000
69			2004	LT	5450	7650	7400	4000
69			2005	LT	5500	7550	7350	4050
69			2006	LT	5550	7600	7400	4100
69			2007	LT	5600	7700	7900	4100
69			2008	LT	5650	7750	7400	4150
69			2009	LT	5700	7700	7500	4200
69			2010	LT	5750	7700	7550	4250
69			2011	LT	5800	7450	7600	4750
69			2012	LT	5850	7650	7250	4450
69			2013	CTR	5900	7200	7400	5000
69			2014	CTR	5950	7250	7300	5050
69			2015	CTR	6000	7300	7400	5100
69			2016	CTR	6050	7400	7450	5150
69			2017	CTR	6100	8150	8100	4950
69			2018	CTR	6150	8200	8200	5000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			2019	CTR	6200	8250	8200	5050
69	SEC HWY 607 (E) BIGWOOD TWP	9.5	1988	IT	4200	6100	5600	3100
69			1989	IT	4250	5900	5700	3300
69			1990	IT	4300	5450	5350	3600
69			1991	IR	4400	5550	4900	3650
69			1992	LR	4200	6750	5400	2750
69			1993	LR	4200	6750	5400	2750
69			1994	LR	4200	6900	5550	2750
69			1995	LR	4300	7200	5850	2800
69			1996	LR	4400	7350	5900	2950
69			1997	LR	4500	7550	6100	3000
69			1998	LR	4650	7650	6200	3050
69			1999	LR	4750	7800	6250	3150
69			2000	LR	4850	7850	6350	3250
69			2001	LT	4950	6950	6750	3650
69			2002	LT	5050	7050	6900	3700
69			2003	LT	5200	7150	7000	3850
69			2004	LT	5300	7400	7200	3900
69			2005	LT	5400	7400	7250	3950
69			2006	LT	5500	7550	7350	4050
69			2007	LT	5600	7700	7900	4100
69			2008	LT	5750	7900	7550	4250
69			2009	LT	5850	7900	7700	4350
69			2010	LT	5950	8000	7850	4400
69			2011	LT	6050	7750	7900	4950
69			2012	LT	6150	8000	7650	4650
69			2013	CTR	6300	7650	7900	5350
69			2014	CTR	6400	7800	7850	5450
69			2015	CTR	6500	7950	8000	5500
69			2016	CTR	6600	8050	8100	5600
69			2017	CTR	6700	8950	8900	5450
69			2018	CTR	6850	9150	9100	5600
69			2019	CTR	6950	9250	9200	5650
69	HWY 64 (E) GRAVEL RD (W)	16.8	1988	IT	4700	6800	6250	3500
69			1989	IR	5150	6650	5700	4200
69			1990	IR	5300	6750	5900	4350
69			1991	IR	5450	6850	6050	4500
69			1992	LR	5200	8350	6700	3450
69			1993	LR	5200	8350	6700	3400
69			1994	LR	5100	8400	6750	3350
69			1995	LT	5000	7200	7000	3650
69			1996	LT	5150	7250	7100	3800
69			1997	LT	5300	7450	7300	3900
69			1998	LT	5550	7750	7600	4050
69			1999	LT	5550	7700	7550	4050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			2000	LT	5700	7950	7750	4150
69			2001	LT	5800	8100	7900	4250
69			2002	LT	5900	8250	8050	4350
69			2003	LT	6050	8300	8150	4450
69			2004	LT	6150	8600	8350	4500
69			2005	LT	6250	8550	8350	4600
69			2006	LT	6400	8750	8550	4700
69			2007	LT	6500	8950	9150	4800
69			2008	LT	6650	9100	8700	4900
69			2009	LT	6750	9100	8900	5000
69			2010	LT	6850	9200	9000	5050
69			2011	LT	6950	8900	9100	5700
69			2012	LT	7100	9250	8850	5400
69			2013	CTR	7200	8750	9050	6100
69			2014	CTR	7350	8950	9050	6250
69			2015	CTR	7450	9100	9150	6350
69			2016	CTR	7550	9200	9300	6400
69			2017	CTR	7700	10300	10200	6250
69			2018	CTR	7800	10400	10400	6350
69			2019	CTR	7900	10500	10500	6450
69	SEC HEY 637W)SERVOS TWP	6.1	1988	IT	4900	7100	6500	3650
69			1989	IR	5050	6500	5600	4150
69			1990	IR	5200	6600	5750	4250
69			1991	IR	5300	6700	5900	4400
69			1992	LR	5300	8550	6850	3500
69			1993	LR	5300	8550	6800	3450
69			1994	LR	5300	8700	7000	3450
69			1995	LT	5300	7600	7400	3900
69			1996	LT	5300	7500	7300	3900
69			1997	LT	5600	7900	7750	4150
69			1998	LT	5900	8250	8100	4300
69			1999	LT	5850	8150	7950	4250
69			2000	LT	6100	8500	8300	4450
69			2001	LT	6100	8550	8300	4450
69			2002	LT	6200	8650	8450	4550
69			2003	LT	6250	8600	8400	4600
69			2004	LT	6350	8900	8650	4650
69			2005	LT	6450	8850	8650	4750
69			2006	LT	6700	9150	8950	4950
69			2007	LT	6450	8850	9100	4750
69			2008	IR	6600	8000	7850	5650
69			2009	IR	6850	8200	7450	5800
69			2010	IR	6950	8250	7550	5900
69			2011	IR	7050	8400	8250	6000
69			2012	IR	7150	8500	8300	6100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			2013	IR	7250	8650	9250	6150
69			2014	IR	7350	8750	8750	6250
69			2015	IR	7450	8850	8900	6350
69			2016	CTR	7550	9200	9300	6400
69			2017	CTR	7650	10200	10200	6250
69			2018	CTR	7750	10400	10300	6300
69			2019	CTR	7850	10500	10400	6400
69	MTO Inspection Station	5.5	1988	IT	4900	7100	6500	3650
69			1989	IR	5050	6500	5600	4150
69			1990	IR	5200	6600	5750	4250
69			1991	IR	5300	6700	5900	4400
69			1992	LR	5300	8550	6850	3500
69			1993	LR	5300	8550	6800	3450
69			1994	LR	5300	8700	7000	3450
69			1995	LT	5300	7600	7400	3900
69			1996	LT	5300	7500	7300	3900
69			1997	LT	5600	7900	7750	4150
69			1998	LT	5900	8250	8100	4300
69			1999	LT	5850	8150	7950	4250
69			2000	LT	6100	8500	8300	4450
69			2001	LT	6100	8550	8300	4450
69			2002	LT	6200	8650	8450	4550
69			2003	LT	6250	8600	8400	4600
69			2004	LT	6350	8900	8650	4650
69			2005	LT	6450	8850	8650	4750
69			2006	LT	6700	9150	8950	4950
69			2007	LT	6450	8850	9100	4750
69			2008	IR	6600	8000	7850	5650
69			2009	IR	6850	8200	7450	5800
69			2010	IR	6950	8250	7550	5900
69			2011	IR	7050	8400	8250	6000
69			2012	IR	7150	8500	8300	6100
69			2013	IR	7250	8650	9250	6150
69			2014	CTR	7350	8950	9050	6250
69			2015	CTR	7450	9100	9150	6350
69			2016	CTR	7550	9200	9300	6400
69			2017	CTR	7650	10200	10200	6250
69			2018	CTR	7750	10400	10300	6300
69			2019	CTR	7850	10500	10400	6400
69	NELSON RD IC UNDERPASS	9.1	1988	CR	5300	6800	6350	4400
69			1989	IR	5650	7300	6250	4650
69			1990	IR	5800	7350	6450	4750
69			1991	IR	5950	7500	6600	4950
69			1992	LR	6050	9750	7800	4000
69			1993	LR	6050	9750	7800	3950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			1994	LR	6050	9950	8000	3950
69			1995	LT	6050	8700	8450	4450
69			1996	LT	6050	8550	8350	4450
69			1997	CR	6100	7550	7200	5200
69			1998	CR	6200	7650	7250	5250
69			1999	CR	6250	7700	7300	5300
69			2000	CR	6350	7800	7450	5400
69			2001	CR	6400	7850	7500	5400
69			2002	LT	6450	9000	8800	4750
69			2003	LT	6500	8950	8750	4800
69			2004	LT	6350	8900	8650	4650
69			2005	LT	6650	9100	8900	4900
69			2006	LT	6900	9450	9200	5100
69			2007	LT	6750	9250	9500	4950
69			2008	LT	6800	9300	8900	5000
69			2009	LT	6850	9250	9050	5050
69			2010	LT	6850	9200	9000	5050
69			2011	LT	6950	8900	9100	5700
69			2012	LT	7050	9200	8750	5350
69			2013	LT	7100	9250	9250	5350
69			2014	LT	7150	9350	9500	5400
69			2015	CTR	7200	8800	8850	6100
69			2016	CTR	7250	8850	8900	6150
69			2017	CTR	7300	9750	9700	5950
69			2018	CTR	7400	9900	9850	6050
69			2019	CTR	7450	9950	9900	6050
69	HWY 537 WANUP UNDERPASS	6.0	1988	CR	5600	7150	6700	4650
69			1989	IR	6000	7750	6650	4900
69			1990	IR	6150	7800	6850	5050
69			1991	IR	6300	7950	7000	5250
69			1992	LR	6100	9800	7850	4050
69			1993	LR	6100	9800	7850	4000
69			1994	LR	6350	10400	8400	4150
69			1995	LR	6500	10900	8850	4250
69			1996	LR	6700	11200	9000	4450
69			1997	LT	6850	9650	9450	5050
69			1998	LT	7000	9800	9600	5100
69			1999	LT	7000	9750	9500	5100
69			2000	LT	7050	9800	9600	5150
69			2001	LT	8250	11500	11200	6050
69			2002	LT	7200	10100	9800	5300
69			2003	LT	7300	10000	9850	5400
69			2004	LT	6850	9600	9350	5000
69			2005	LT	7450	10200	10000	5500
69			2006	IR	7300	8800	8000	6200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69			2007	IR	7600	9200	9200	6450
69			2008	IR	7700	9350	9150	6600
69			2009	IR	7750	9300	8450	6600
69			2010	IR	7750	9250	8450	6600
69			2011	IR	7900	9400	9250	6750
69			2012	IR	7950	9450	9200	6800
69			2013	IR	8050	9600	10300	6850
69			2014	IR	8100	9650	9650	6900
69			2015	IR	8200	9750	9800	7000
69			2016	CTR	8250	10100	10100	7000
69			2017	CTR	8350	11200	11100	6800
69			2018	CTR	8400	11200	11200	6850
69			2019	CTR	8500	11300	11300	6900
69	Estaire Rd Underpass	6.4	1988	CR	7400	9450	8900	6150
69			1989	IR	7750	10000	8600	6350
69			1990	IR	8400	10700	9300	6900
69			1991	IR	8650	10900	9600	7200
69			1992	IR	8600	10600	9450	7300
69			1993	IR	8600	10600	8900	7050
69			1994	CR	8600	10600	9800	7750
69			1995	CR	8600	10700	10200	7400
69			1996	CR	8900	11000	10400	7600
69			1997	CR	9200	11400	10900	7800
69			1998	CR	9500	11700	11100	8100
69			1999	CR	9500	11700	11100	8100
69			2000	CR	9700	11900	11300	8250
69			2001	IR	10200	12600	11300	8600
69			2002	IR	10000	12300	11100	8500
69			2003	IR	10200	12400	11200	8650
69			2004	IR	10400	12900	11500	8800
69			2005	IR	10200	12300	11200	8700
69			2006	LT	10500	14400	14000	7750
69			2007	LT	10500	14400	14800	7700
69			2008	LT	10600	14500	13900	7800
69			2009	LT	10000	13500	13200	7400
69			2010	LT	10000	13400	13200	7400
69			2011	LT	9400	12000	12300	7750
69			2012	LT	10600	13800	13200	8050
69			2013	CTR	10800	13100	13600	9150
69			2014	CTR	10800	13200	13300	9200
69			2015	CTR	10900	13300	13400	9250
69			2016	CTR	11000	13400	13500	9350
69			2017	CTR	11100	14800	14800	9050
69			2018	CTR	11200	15000	14900	9100
69			2019	CTR	11300	15100	15000	9200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
69	HWY 17 IC UP END OF HWY		9999					
71	INTERNATIONAL BRIDGE TOWN OF FORT FRANCES START OF NA TOWN OF FORT FRAI	0.3	9999					
71	E JCT HWY 11 OVERLAP HWY 11 (18320) TOWN OF FORT FRANCES C/L 4.02 KM	4.0	9999					
71	PIT RD NO 2 (S) END OF NA OVERLAP HWY 11 (18330)	35.9	9999					
71	W JCT HWY 11	18.4	1988	T	1000	1850	1750	610
71			1989	T	1050	1900	1850	660
71			1990	T	1100	2000	1900	680
71			1991	T	1100	2000	1900	680
71			1992	T	1150	2100	2000	710
71			1993	T	1200	2150	2100	740
71			1994	T	1200	2150	2100	740
71			1995	T	1100	1900	1850	680
71			1996	T	1250	2150	2100	770
71			1997	LT	1300	1850	1800	960
71			1998	LT	1350	1900	1850	990
71			1999	LT	1200	1650	1650	880
71			2000	LT	1250	1750	1700	910
71			2001	T	1350	2200	2150	840
71			2002	T	1250	2050	1950	780
71			2003	T	1300	2050	1950	820
71			2004	T	1400	2300	2200	870
71			2005	T	1250	1950	1850	780
71			2006	LT	1200	1650	1600	880
71			2007	LT	1200	1650	1700	880
71			2008	LT	1100	1500	1450	810
71			2009	LT	1200	1600	1600	890
71			2010	LT	1100	1500	1450	810
71			2011	LT	1100	1400	1450	900
71			2012	CTR	1100	1350	1300	940
71			2013	CTR	950	1150	1200	810
71			2014	CTR	1100	1350	1350	940
71			2015	CTR	1100	1350	1350	940
71			2016	CTR	1100	1350	1350	940
71			2017	CTR	1100	1450	1450	900
71			2018	CTR	1200	1600	1600	980
71			2019	CTR	1100	1450	1450	900
71	SEC HWY 600 (W TO BLACKHAWK) & HWY 615 (E)	35.2	1988	HT	700	1400	1250	310
71			1989	HT	750	1500	1350	340
71			1990	HT	750	1500	1350	340
71			1991	HT	750	1500	1350	340
71			1992	HR	800	1450	1150	470
71			1993	HR	900	1600	1300	550
71			1994	HR	840	1500	1200	510
71			1995	LT	850	1200	1200	620
71			1996	LT	880	1250	1200	650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
71			1997	LT	890	1250	1250	660
71			1998	LT	910	1250	1250	660
71			1999	LT	920	1300	1250	670
71			2000	LT	940	1300	1300	690
71			2001	LT	970	1350	1300	710
71			2002	LT	970	1350	1300	710
71			2003	LT	980	1350	1300	720
71			2004	LT	1050	1450	1450	770
71			2005	LT	960	1300	1300	710
71			2006	LT	970	1350	1300	710
71			2007	LT	970	1350	1350	710
71			2008	LT	880	1200	1150	650
71			2009	LT	990	1350	1300	730
71			2010	LT	960	1300	1250	710
71			2011	LT	1000	1300	1300	820
71			2012	CTR	910	1100	1100	770
71			2013	CTR	870	1050	1100	740
71			2014	CTR	980	1200	1200	830
71			2015	CTR	980	1200	1200	830
71			2016	CTR	980	1200	1200	830
71			2017	CTR	990	1300	1300	810
71			2018	CR	1050	1200	1250	940
71			2019	CR	1000	1150	1150	900
71	DOCK RD (W) (7102)	45.2	1988	HT	700	1400	1250	310
71			1989	HT	750	1500	1350	340
71			1990	HT	750	1500	1350	340
71			1991	HT	750	1500	1350	340
71			1992	HR	800	1450	1150	470
71			1993	HR	900	1600	1300	550
71			1994	HR	880	1550	1250	540
71			1995	LT	960	1400	1350	700
71			1996	LT	920	1300	1250	680
71			1997	LT	940	1350	1300	700
71			1998	LT	970	1350	1350	710
71			1999	LT	1050	1450	1450	770
71			2000	LT	1050	1450	1450	770
71			2001	LT	1150	1600	1550	840
71			2002	LT	1150	1600	1550	840
71			2003	LT	1150	1600	1550	850
71			2004	LT	1200	1700	1650	880
71			2005	LT	1200	1650	1600	880
71			2006	LT	1250	1700	1650	920
71			2007	LT	1250	1700	1750	920
71			2008	LT	1300	1800	1700	960
71			2009	LT	1300	1750	1700	960

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
71			2010	LT	1250	1700	1650	920
71			2011	LT	1350	1750	1750	1100
71			2012	CTR	1350	1650	1600	1150
71			2013	CTR	1150	1400	1450	980
71			2014	CTR	1350	1650	1650	1150
71			2015	CTR	1400	1700	1700	1200
71			2016	CTR	1400	1700	1700	1200
71			2017	CTR	1450	1950	1950	1200
71			2018	CTR	1400	1850	1850	1150
71			2019	CTR	1450	1950	1900	1200
71	GOVT DOCK RD (E) SIOUX NARROWS	35.1	1988	HT	1100	2200	2000	480
71			1989	HT	1200	2400	2150	550
71			1990	HT	1150	2300	2050	520
71			1991	HT	1150	2300	2050	530
71			1992	LT	1100	1550	1500	850
71			1993	LT	1200	1650	1500	880
71			1994	LT	1300	1900	1850	940
71			1995	LT	1350	1950	1900	990
71			1996	LT	1350	1900	1850	990
71			1997	UNCL	1400	2400	2200	880
71			1998	UNCL	1450	2400	2250	900
71			1999	UNCL	1450	2450	2250	900
71			2000	UNCL	1500	2500	2300	940
71			2001	UNCL	1550	2600	2350	960
71			2002	UNCL	1550	2600	2350	970
71			2003	UNCL	1600	2650	2450	990
71			2004	UNCL	1650	2700	2450	1050
71			2005	UNCL	1350	2200	2000	850
71			2006	UNCL	950	1550	1400	590
71			2007	UNCL	960	1550	1550	600
71			2008	UNCL	920	1450	1350	580
71			2009	UNCL	920	1450	1300	580
71			2010	UNCL	940	1450	1350	590
71			2011	UNCL	1050	1600	1500	660
71			2012	UNCL	1000	1550	1450	630
71			2013	UNCL	970	1500	1400	610
71			2014	UNCL	940	1450	1350	590
71			2015	UNCL	910	1400	1300	570
71			2016	UNCL	880	1350	1250	550
71			2017	UNCL	950	1400	1400	690
71			2018	UNCL	950	1400	1400	690
71			2019	UNCL	950	1400	1400	690
71	ANDY LAKE RD (W) MCMEEKIN TWP	20.1	1995	LR	1300	2200	1750	850
71			1996	LR	1300	2200	1750	870
71			1997	LR	1350	2250	1800	900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
71			1998	LR	1400	2300	1850	920
71			1999	LR	1400	2300	1850	920
71			2000	LR	1450	2350	1900	970
71			2001	LR	1450	2350	1900	970
71			2002	LR	1500	2450	1950	1000
71			2003	LR	1500	2350	1900	1000
71			2004	CTR	1600	2000	1950	1350
71			2005	CTR	1550	1900	1850	1300
71			2006	CTR	1550	1900	1850	1300
71			2007	CTR	1400	1750	1700	1200
71			2008	CTR	1150	1400	1400	980
71			2009	CTR	1150	1400	1350	980
71			2010	CTR	1100	1350	1300	930
71			2011	CTR	1300	1600	1500	1100
71			2012	CTR	1250	1500	1500	1050
71			2013	CTR	1350	1650	1700	1150
71			2014	CTR	1300	1600	1600	1100
71			2015	CTR	1300	1600	1600	1100
71			2016	CTR	1300	1600	1600	1100
71			2017	CTR	1300	1750	1750	1050
71			2018	CTR	1400	1850	1850	1150
71			2019	CTR	1300	1750	1700	1050
71	HWY 17 LONGBOW CORNERS HWY END		9999					
72			1988	IT	550	800	730	410
72			1989	IT	600	830	800	470
72			1990	IT	650	830	810	550
72			1991	IT	650	840	800	560
72			1992	LT	700	970	950	540
72			1993	LT	850	1200	1050	620
72			1994	LT	860	1250	1200	620
72			1995	LT	980	1400	1350	720
72			1996	LT	950	1350	1300	700
72			1997	LT	1000	1400	1400	740
72			1998	LT	1050	1450	1450	770
72			1999	LT	970	1350	1300	710
72			2000	LT	980	1350	1350	720
72			2001	CR	900	1100	1050	760
72			2002	CR	1000	1250	1150	840
72			2003	CR	1000	1200	1150	850
72			2004	LT	980	1350	1350	720
72			2005	LT	1000	1350	1350	740
72			2006	LT	1050	1450	1400	770
72			2007	LT	1050	1450	1500	770
72			2008	LT	1050	1450	1400	770
72			2009	LT	1050	1400	1400	780

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
72			2010	LT	1050	1400	1400	780
72			2011	LT	1100	1400	1450	900
72			2012	CTR	1100	1350	1300	940
72			2013	CTR	1050	1300	1300	890
72			2014	CTR	980	1200	1200	830
72			2015	CTR	1100	1350	1350	940
72			2016	CTR	1100	1350	1350	940
72			2017	CR	1100	1300	1300	990
72			2018	CR	1100	1300	1300	990
72			2019	CR	1100	1300	1300	990
72	**HWY 17**	**60.47**	**2019**	**CR**	**1100**	**1300**	**1300**	**990**
72	SEC HWY 664 (W) PATRICIA CORS	6.7	1988	IT	1900	2750	2550	1400
72			1989	LT	2000	2800	2750	1500
72			1990	LT	2150	3150	3000	1550
72			1991	LT	2300	3200	3100	1700
72			1992	LT	2450	3400	3300	1900
72			1993	LT	2500	3450	3100	1850
72			1994	LT	2600	3800	3650	1900
72			1995	LT	2700	3900	3750	2000
72			1996	LT	2850	4000	3900	2100
72			1997	LT	2950	4150	4050	2200
72			1998	LT	3050	4250	4200	2250
72			1999	LT	3000	4150	4100	2200
72			2000	LT	3050	4250	4150	2250
72			2001	LT	3100	4350	4200	2250
72			2002	LT	3200	4450	4350	2350
72			2003	LT	3250	4450	4350	2400
72			2004	IT	3300	4300	4200	2700
72			2005	IT	3300	4200	4200	2750
72			2006	CR	3350	4050	3900	2850
72			2007	CR	3150	3800	3800	2650
72			2008	CR	2800	3400	3350	2350
72			2009	CR	3150	3800	3650	2700
72			2010	CR	2900	3500	3350	2450
72			2011	CR	2950	3450	3500	2600
72			2012	CTR	2950	3600	3550	2500
72			2013	CTR	3200	3900	4000	2700
72			2014	CTR	3300	4050	4050	2800
72			2015	CTR	3250	3950	4000	2750
72			2016	CTR	3300	4050	4050	2800
72			2017	IR	3450	4200	4150	2950
72			2018	IR	3300	4000	4000	2800
72			2019	IR	3350	4050	4050	2850
72	ED ARIANO BYPASS (E) FIRST AVE (N)	1.3	2005	IT	3300	4200	4200	2750
72			2006	CR	3350	4050	3900	2850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
72			2007	CR	3150	3800	3800	2650
72			2008	CR	2800	3400	3350	2350
72			2009	CR	3150	3800	3650	2700
72			2010	CR	2900	3500	3350	2450
72			2011	CR	2950	3450	3500	2600
72			2012	CTR	2950	3600	3550	2500
72			2013	CTR	3150	3850	3950	2700
72			2014	CTR	3300	4050	4050	2800
72			2015	CTR	3200	3900	3950	2700
72			2016	CTR	3200	3900	3950	2700
72			2017	CTR	5650	7550	7500	4600
72			2018	IC	5650	6200	6250	5100
72			2019	IC	5650	6200	6250	5100
72	HWY 642 (E) HWY 516 (N) END OF HWY		9999					
77	HWY 3/18 TALBOT ST START OF NA	1.7	9999					
77	HWY 3 (W) ESSEX RD 33 (E)	6.0	1988	C	5000	5550	5550	4500
77			1989	C	5100	5650	5700	4600
77			1990	C	5100	5650	5650	4600
77			1991	C	5350	5900	5950	4850
77			1992	C	5400	5850	6000	4950
77			1993	C	5450	5950	6050	5000
77			1994	CTR	5500	7050	6700	4600
77			1995	CTR	5550	7100	6850	4650
77			1996	CTR	5650	7250	6950	4750
77			1997	IC	5700	6400	6450	5000
77			1998	IC	5800	6500	6500	5150
77			1999	IC	5750	6450	6450	5100
77			2000	IC	5900	6600	6600	5250
77			2001	IC	5850	6550	6550	5150
77			2002	IC	5850	6500	6550	5150
77			2003	IC	5800	6450	6550	5150
77			2004	IC	5850	6550	6550	5150
77			2005	IC	6000	6650	6750	5300
77			2006	IC	5700	6350	6400	5050
77			2007	IC	5650	6300	6450	5000
77			2008	IC	5500	6100	5900	4850
77			2009	IC	5800	6450	6500	5150
77			2010	IC	5800	6400	6450	5150
77			2011	IC	4150	4550	4750	3700
77			2012	IC	4150	4600	4450	3700
77			2013	C	4350	4800	4750	3900
77			2014	C	4950	5450	5300	4450
77			2015	UC	5100	5100	4900	4850
77			2016	UC	4900	4900	4700	4650
77			2017	UC	4850	4800	4850	4650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
77			2018	UC	4800	4750	4850	4600
77			2019	UC	4750	4700	4750	4600
77	MERSEA RD 8	5.7	1988	C	2400	2650	2650	2150
77			1989	C	2450	2700	2750	2200
77			1990	C	2500	2800	2800	2250
77			1991	C	2750	3050	3050	2500
77			1992	C	2800	3000	3100	2600
77			1993	C	2850	3100	3150	2600
77			1994	IC	2900	3250	3250	2600
77			1995	IC	2950	3300	3350	2650
77			1996	IC	3000	3350	3400	2650
77			1997	IC	3050	3400	3450	2700
77			1998	IC	3100	3450	3450	2750
77			1999	IC	3050	3400	3400	2700
77			2000	IC	3200	3600	3600	2850
77			2001	IC	3050	3400	3450	2700
77			2002	IC	3100	3450	3500	2750
77			2003	IC	2950	3300	3300	2600
77			2004	IC	3000	3350	3350	2650
77			2005	IC	3000	3350	3350	2650
77			2006	IC	3000	3350	3350	2650
77			2007	IC	3050	3400	3500	2700
77			2008	IC	3000	3300	3200	2650
77			2009	IC	2800	3100	3150	2500
77			2010	IC	3000	3300	3350	2650
77			2011	CR	3000	3500	3550	2650
77			2012	CR	3000	3600	3550	2550
77			2013	C	2950	3250	3200	2650
77			2014	C	2950	3250	3150	2650
77			2015	UC	3300	3300	3150	3150
77			2016	UC	3000	3000	2900	2850
77			2017	UC	3000	3000	3000	2900
77			2018	UC	3000	3000	3000	2900
77			2019	UC	3000	2950	3000	2900
77	W JCT ESSEX RD 8 STAPLES	9.3	1988	C	2600	2900	2900	2350
77			1989	C	2650	2950	2950	2400
77			1990	C	2700	3000	3000	2450
77			1991	C	2900	3200	3200	2650
77			1992	C	2800	3000	3100	2600
77			1993	C	2750	3000	3050	2550
77			1994	IC	2800	3150	3150	2500
77			1995	IC	2800	3150	3150	2500
77			1996	IC	2850	3200	3200	2550
77			1997	IC	2850	3200	3200	2500
77			1998	IC	2900	3250	3250	2600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
77			1999	IC	2900	3250	3250	2600
77			2000	CTR	2950	3700	3550	2500
77			2001	CTR	2950	3700	3550	2500
77			2002	CTR	2950	3700	3550	2500
77			2003	CTR	3050	3800	3650	2600
77			2004	CTR	3000	3800	3650	2550
77			2005	IC	2900	3200	3250	2550
77			2006	IC	3000	3350	3350	2650
77			2007	IC	3050	3400	3500	2700
77			2008	IC	3050	3400	3250	2700
77			2009	CTR	3050	3700	3600	2600
77			2010	CTR	3100	3750	3650	2650
77			2011	CR	3250	3800	3850	2900
77			2012	CR	3200	3850	3750	2700
77			2013	C	3200	3550	3500	2900
77			2014	C	3200	3500	3400	2900
77			2015	UC	3600	3600	3450	3400
77			2016	UC	3300	3300	3150	3150
77			2017	UC	3350	3350	3350	3200
77			2018	UC	3350	3300	3400	3200
77			2019	UC	3400	3350	3400	3300
77	COMBER ESSEX RD 46 MIDDLE RD	1.6	1988	C	3000	3350	3350	2700
77			1989	C	3050	3400	3400	2750
77			1990	C	3100	3450	3450	2800
77			1991	C	3300	3650	3650	3000
77			1992	C	3300	3550	3650	3050
77			1993	C	3400	3700	3750	3150
77			1994	IC	3500	3900	3900	3100
77			1995	IC	3600	4050	4050	3250
77			1996	IC	3650	4100	4100	3250
77			1997	C	3950	4450	4500	3550
77			1998	C	4150	4700	4700	3750
77			1999	C	4200	4700	4750	3800
77			2000	C	4200	4750	4750	3800
77			2001	C	4300	4850	4850	3850
77			2002	C	4400	4950	4950	3950
77			2003	C	4550	5100	5100	4100
77			2004	C	4550	5100	5150	4100
77			2005	C	4550	5050	5100	4100
77			2006	C	4550	5050	5100	4100
77			2007	C	4550	5050	5150	4100
77			2008	C	4550	5000	4950	4100
77			2009	C	4850	5350	5400	4350
77			2010	C	4950	5450	5500	4450
77			2011	C	5000	5500	5550	4500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
77			2012	C	5100	5600	5500	4600
77			2013	C	5150	5700	5600	4650
77			2014	C	5250	5800	5600	4700
77			2015	UC	5300	5300	5100	5050
77			2016	UC	5400	5400	5200	5100
77			2017	UC	5500	5450	5500	5250
77			2018	UC	5550	5500	5600	5350
77			2019	UC	5650	5550	5650	5450
77	HWY 401 IC-48 COMBER HWY END		9999					
85	HWY 7 IC VICTORIA ST KITCHENER	0.3	1988	UC	60100	63100	67900	56500
85			1989	UC	62000	65100	70100	58900
85			1990	UC	64000	68500	74200	60800
85			1991	UC	65700	69600	75600	63700
85			1992	UC	66900	70900	76900	64200
85			1993	UC	68700	72400	78100	64300
85			1994	UC	73200	77600	83700	68100
85			1995	UC	75700	79900	86500	70600
85			1996	UC	78300	82900	91600	74500
85			1997	UC	80900	84900	94700	76000
85			1998	UC	83400	88400	97600	79200
85			1999	UC	86000	91200	100600	81700
85			2000	UC	88600	93900	104500	83300
85			2001	UC	91100	97600	107200	85600
85			2002	UC	93700	99800	110200	87700
85			2003	UC	96300	101800	112800	91000
85			2004	UC	97800	104800	115100	91900
85			2005	UC	99800	105600	116700	93600
85			2006	UC	101800	107700	119000	95800
85			2007	UC	103800	110100	120100	97400
85			2008	UC	105800	111800	104900	99000
85			2009	UC	107800	114300	126100	101300
85			2010	UC	111200	117600	129400	104600
85			2011	UC	111200	111600	115400	105500
85			2012	UC	115300	116000	123400	109500
85			2013	UC	116400	116800	117000	110500
85			2014	UC	116500	116900	112000	110600
85			2015	UC	116600	117000	112100	110600
85			2016	UC	116700	117100	112200	110700
85			2017	UC	123800	123000	124200	118600
85			2018	UC	125900	124900	126900	120800
85			2019	UC	128000	126100	128100	123300
85	WELLINGTON ST UP IC KITCHENER	1.5	1988	UC	53300	56000	60200	50100
85			1989	UC	55000	57800	62100	52200
85			1990	UC	58600	62700	68000	55700
85			1991	UC	61000	64700	70200	59200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
85			1992	UC	60300	63900	69300	57900
85			1993	UC	60300	63500	68500	56500
85			1994	UC	66600	70600	76100	61900
85			1995	UC	69200	73000	79100	64500
85			1996	UC	71800	76000	84000	68300
85			1997	UC	74400	78100	87000	69900
85			1998	UC	76900	81500	90000	73100
85			1999	UC	79100	83800	92500	75100
85			2000	UC	81400	86300	96100	76500
85			2001	UC	83600	89500	98300	78600
85			2002	UC	85800	91400	100900	80300
85			2003	UC	88000	93000	103100	83100
85			2004	UC	86100	92200	101300	80900
85			2005	UC	72400	76600	84700	67900
85			2006	UC	72000	76100	84100	67800
85			2007	UC	74800	79300	86600	70200
85			2008	UC	88400	93400	87700	82700
85			2009	UC	80400	85200	94100	75600
85			2010	UC	92200	97500	107300	86700
85			2011	UC	86900	87200	90200	82500
85			2012	UC	86700	87200	92800	82400
85			2013	UC	87600	87900	88100	83100
85			2014	UC	86300	86600	83000	81900
85			2015	UC	85000	85300	81700	80700
85			2016	UC	85900	86200	82600	81500
85			2017	UC	89600	89000	89900	85900
85			2018	UC	90300	89600	91000	86700
85			2019	UC	91000	89700	91000	87700
85	LANCASTER ST UP IC KITCHENER	0.9	1988	UC	53600	56300	60600	50400
85			1989	UC	56500	59300	63800	53700
85			1990	UC	61500	65800	71300	58400
85			1991	UC	63300	67100	72800	61400
85			1992	UC	63300	67100	72800	60800
85			1993	UC	63300	66700	72000	59300
85			1994	UC	69300	73500	79200	64400
85			1995	UC	72000	76000	82300	67100
85			1996	UC	74600	78900	87300	70900
85			1997	UC	77300	81200	90400	72700
85			1998	UC	80000	84800	93600	76000
85			1999	UC	82300	87200	96300	78200
85			2000	UC	84600	89700	99800	79500
85			2001	UC	86900	93100	102200	81700
85			2002	UC	89300	95100	105100	83600
85			2003	UC	91600	96800	107300	86500
85			2004	UC	93100	99700	109500	87500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
85			2005	UC	94600	100100	110600	88700
85			2006	UC	96000	101500	112200	90300
85			2007	UC	97500	103400	112800	91500
85			2008	UC	99000	104600	98200	92600
85			2009	UC	103000	109200	120500	96800
85			2010	UC	105100	111100	122300	98800
85			2011	UC	105100	105400	109100	99700
85			2012	UC	83000	83500	88800	78900
85			2013	UC	83900	84200	84400	79600
85			2014	UC	91100	91400	87600	86400
85			2015	UC	98300	98600	94500	93300
85			2016	UC	99300	99600	95500	94200
85			2017	UC	103200	102500	103500	98900
85			2018	UC	104400	103600	105200	100200
85			2019	UC	105500	103900	105500	101700
85	BRIDGEPORT RD IC WATERLOO RD 9	1.5	1988	UC	44300	46500	50100	41600
85			1989	UC	47700	50100	53900	45300
85			1990	UC	47900	51300	55600	45500
85			1991	UC	49100	52000	56500	47600
85			1992	UC	51500	54600	59200	49400
85			1993	UC	52600	55400	59800	49300
85			1994	UC	56700	60100	64800	52700
85			1995	UC	59000	62300	67500	55000
85			1996	UC	61400	65000	71800	58400
85			1997	UC	63700	66900	74500	59900
85			1998	UC	66000	70000	77200	62700
85			1999	UC	71700	76000	83900	68100
85			2000	UC	71700	76000	84600	67400
85			2001	UC	71800	76900	84500	67500
85			2002	UC	71800	76500	84500	67200
85			2003	UC	71900	76000	84200	67900
85			2004	UC	71900	77000	84600	67600
85			2005	UC	61500	65100	71900	57700
85			2006	UC	60800	64300	71000	57200
85			2007	UC	62300	66100	72100	58400
85			2008	UC	63700	67300	63200	59600
85			2009	UC	65200	69100	76300	61300
85			2010	UC	74400	78700	86600	70000
85			2011	UC	72600	72800	75400	68900
85			2012	UC	74800	75300	80100	71100
85			2013	UC	77000	77200	77400	73100
85			2014	UC	79500	79800	76500	75400
85			2015	UC	82600	82900	79400	78400
85			2016	UC	85000	85300	81700	80700
85			2017	UC	79100	78600	79300	75800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
85			2018	UC	79900	79300	80500	76700
85			2019	UC	80700	79500	80700	77800
85	UNIVERSITY AV UP IC KITCHENER	2.4	1988	UC	30900	32400	34900	29000
85			1989	UC	33700	35400	38100	32000
85			1990	UC	36900	39500	42800	35100
85			1991	UC	38000	40300	43700	36900
85			1992	UC	36400	38600	41900	34900
85			1993	UC	37500	39500	42600	35100
85			1994	UC	41200	43700	47100	38300
85			1995	UC	42600	44900	48700	39700
85			1996	UC	45000	47600	52600	42800
85			1997	SC	46900	49700	54900	41700
85			1998	SC	47600	50500	55700	42400
85			1999	SC	49800	52800	58300	44300
85			2000	SC	50400	53400	59000	44400
85			2001	SC	53200	56700	62300	46900
85			2002	SC	53200	56400	62300	46900
85			2003	SC	53300	56300	62200	47200
85			2004	SC	54700	58300	64000	48200
85			2005	SC	55800	59100	65200	49100
85			2006	SC	56400	59700	65900	49700
85			2007	SC	57600	60900	66600	50700
85			2008	SC	58700	61600	58100	51600
85			2009	SC	59800	63400	70000	52600
85			2010	SC	58000	61400	67900	51200
85			2011	SC	58000	74200	67800	46200
85			2012	UC	55200	55500	59100	52400
85			2013	UC	55700	55900	56000	52900
85			2014	UC	53700	53900	51600	51000
85			2015	C	51700	56900	55300	46500
85			2016	C	52200	57400	55900	47000
85			2017	C	59200	64800	64600	53700
85			2018	C	59800	65500	65200	54000
85			2019	C	60300	65900	65500	54600
85	KING ST IC WATERLOO RD 15	1.3	1988	UC	22300	23400	25200	21000
85			1989	UC	22500	23600	25400	21400
85			1990	UC	23900	25600	27700	22700
85			1991	UC	24600	26100	28300	23900
85			1992	UC	25800	27300	29700	24800
85			1993	UC	26300	27700	29900	24600
85			1994	UC	28100	29800	32100	26100
85			1995	UC	29300	30900	33500	27300
85			1996	UC	30400	32200	35600	28900
85			1997	UC	31600	33200	37000	29700
85			1998	UC	32700	34700	38300	31100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
85			1999	UC	34500	36600	40400	32800
85			2000	UC	35000	37100	41300	32900
85			2001	UC	35500	38000	41800	33400
85			2002	UC	36000	38400	42400	33700
85			2003	UC	36700	38800	43000	34700
85			2004	UC	37000	39600	43500	34800
85			2005	UC	37300	39500	43600	35000
85			2006	UC	38300	40500	44800	36000
85			2007	UC	39100	41500	45300	36700
85			2008	UC	39800	42000	39500	37200
85			2009	UC	40500	42900	47400	38100
85			2010	UC	39600	41900	46100	37200
85			2011	UC	39600	39700	41100	37600
85			2012	UC	36400	36600	39000	34600
85			2013	UC	36800	36900	37000	34900
85			2014	UC	38100	38200	36600	36200
85			2015	UC	39400	39500	37900	37400
85			2016	UC	39800	39900	38300	37800
85			2017	UC	41600	41300	41700	39900
85			2018	UC	42000	41700	42300	40300
85			2019	UC	42500	41900	42500	41000
85	NORTHFIELD DR IC WATERLOO RD 50	1.9	1988	C	13900	15400	15400	12500
85			1989	C	13900	15400	15600	12500
85			1990	C	14000	15500	15500	12600
85			1991	C	14000	15400	15500	12700
85			1992	C	13100	14100	14500	12100
85			1993	C	13300	14500	14700	12200
85			1994	C	15300	16800	17100	13800
85			1995	C	15800	17200	17700	14500
85			1996	C	16300	18500	18500	14700
85			1997	C	16900	19100	19300	15200
85			1998	C	17400	19700	19700	15700
85			1999	C	17900	20000	20200	16100
85			2000	C	17400	19700	19700	15700
85			2001	C	17700	19900	20000	15900
85			2002	C	17900	20000	20200	16100
85			2003	C	18200	20300	20500	16400
85			2004	UC	18200	19500	21400	17100
85			2005	UC	18900	20000	22100	17700
85			2006	UC	19100	20200	22300	18000
85			2007	UC	19400	20600	22500	18200
85			2008	UC	19700	20800	19500	18400
85			2009	UC	20000	21200	23400	18800
85			2010	UC	20300	21500	23600	19100
85			2011	UC	20500	20600	21300	19500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
85			2012	UC	21400	21500	22900	20300
85			2013	UC	21600	21700	21700	20500
85			2014	UC	21600	21700	20800	20500
85			2015	UC	21700	21800	20900	20600
85			2016	UC	22100	22200	21300	21000
85			2017	UC	22400	22300	22500	21500
85			2018	UC	22700	22500	22900	21800
85			2019	UC	23000	22700	23000	22200
85	0.35KM N OF WATERLOO RD15IC HWY END		9999					
89	HWY 11 START OF NA	5.4	9999					
89			1988	CR	5850	7500	7000	4850
89			1989	CR	6750	8650	8050	5650
89			1990	C	7000	7750	7750	6300
89			1991	C	7600	8350	8450	6900
89			1992	C	8200	8850	9100	7550
89			1993	C	8900	9700	9850	8200
89			1994	C	9000	9850	10000	8150
89			1995	C	9450	10300	10600	8650
89			1996	C	9900	11200	11300	8950
89			1997	C	10400	11800	11900	9350
89			1998	C	10900	12300	12300	9800
89			1999	C	11300	12700	12800	10200
89			2000	C	12500	14100	14100	11200
89			2001	C	13000	14600	14700	11700
89			2002	C	14300	16000	16100	12900
89			2003	C	14000	15600	15700	12600
89			2004	C	14500	16300	16400	13100
89			2005	C	15200	16900	17100	13700
89			2006	C	15100	16800	16900	13600
89			2007	C	14800	16400	16700	13300
89			2008	C	14500	16000	15800	13000
89			2009	C	13600	15000	15100	12200
89			2010	C	14000	15400	15600	12600
89			2011	C	14500	16000	16100	13000
89			2012	C	14500	16000	15600	13100
89			2013	UC	15000	15000	15100	14200
89			2014	UC	16200	16300	15600	15400
89			2015	UC	17600	17700	16900	16700
89			2016	UC	17000	17100	16300	16100
89			2017	UC	17300	17200	17400	16600
89			2018	UC	17600	17500	17700	16900
89			2019	UC	17900	17600	17900	17200
89	**HWY 400 IC**	**3.30**	**2019**	**UC**	**17900**	**17600**	**17900**	**17200**
89	COOKSTOWN E LTS L 1 2 START OF NA	1.2	9999					
89	COOKSTOWN END OF NA	10.1	1988	CR	8250	10600	9900	6850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			1989	CR	9500	12200	11300	8000
89			1990	C	11000	12200	12200	9900
89			1991	C	11600	12800	12900	10600
89			1992	C	12400	13400	13800	11400
89			1993	IC	12900	14600	14400	11500
89			1994	IC	12800	14300	14300	11400
89			1995	IC	13500	15100	15200	12100
89			1996	IC	14000	15700	15800	12500
89			1997	CTR	14800	18900	18200	12400
89			1998	CTR	15500	19700	18900	13000
89			1999	CTR	15200	19200	18400	12800
89			2000	CTR	15500	19500	18800	13000
89			2001	CTR	15900	20100	19200	13400
89			2002	CTR	18100	22800	21900	15300
89			2003	CTR	16600	20600	19800	14100
89			2004	CTR	16300	20600	19700	13700
89			2005	CTR	16500	20400	19600	14000
89			2006	IC	16100	17900	18100	14300
89			2007	IC	16800	18700	19200	14800
89			2008	IC	16100	17800	17300	14200
89			2009	IC	17200	19100	19300	15300
89			2010	IC	16600	18400	18500	14700
89			2011	IC	15500	17000	17700	13900
89			2012	IC	15300	17000	16400	13600
89			2013	IC	17100	18900	18800	15200
89			2014	CTR	15000	18300	18400	12800
89			2015	CTR	15300	18700	18800	13000
89			2016	CTR	16800	20500	20700	14300
89			2017	CTR	16900	22600	22500	13800
89			2018	CTR	17000	22700	22600	13800
89			2019	CTR	17100	22800	22700	13900
89	ALLISTON E LTS C 1 2 START OF NA	5.3	9999					
89	TOWN OF NEW TECUMSETH W LTS END OF NA	2.0	1988	CR	7500	9600	9000	6200
89			1989	CR	7900	10100	9400	6650
89			1990	CTR	8300	10400	9800	7200
89			1991	CTR	8550	10800	10700	7450
89			1992	CTR	8900	10900	10600	7750
89			1993	CTR	9300	11700	11300	7900
89			1994	CTR	9450	12100	11500	7950
89			1995	CTR	9750	12500	12000	8200
89			1996	CTR	9900	12700	12200	8300
89			1997	CTR	10400	13300	12800	8750
89			1998	CTR	10700	13600	13100	9000
89			1999	CTR	11000	13900	13300	9250
89			2000	CTR	11300	14200	13700	9500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			2001	CTR	11600	14600	14000	9800
89			2002	CTR	11900	15000	14400	10000
89			2003	CTR	12100	15000	14500	10300
89			2004	CTR	12400	15700	15000	10500
89			2005	IR	12900	15600	14100	11000
89			2006	IR	12500	15100	13700	10600
89			2007	IR	13100	15900	15800	11100
89			2008	IR	13000	15700	15500	11100
89			2009	CR	11800	14200	13700	10000
89			2010	CR	13400	16100	15500	11300
89			2011	CR	11200	13000	13200	9950
89			2012	CR	11500	13800	13600	9700
89			2013	CR	11900	14300	14600	10100
89			2014	IC	11900	13200	13100	10600
89			2015	IC	13000	14400	14300	11500
89			2016	IC	13100	14500	14400	11600
89			2017	IC	13200	14500	14600	12000
89			2018	IC	13300	14600	14700	12000
89			2019	IC	13500	14800	14900	12200
89	SIMCOE RD 50	6.8	1988	IR	6300	8200	6950	5050
89			1989	IR	6600	8500	7350	5400
89			1990	IR	7000	8900	7750	5750
89			1991	IR	7200	9050	8000	6000
89			1992	IR	7400	9100	8150	6300
89			1993	IR	6800	8350	7050	5550
89			1994	IR	7000	8600	7700	5850
89			1995	IR	7500	9250	8250	6400
89			1996	IR	8000	9950	8900	6800
89			1997	IT	8400	11000	10800	6950
89			1998	IT	8800	11400	11300	7150
89			1999	IT	9200	11900	11700	7450
89			2000	IT	9700	12500	12300	7950
89			2001	IT	10100	13200	12900	8200
89			2002	IT	10600	13800	13500	8750
89			2003	IT	11000	14000	14000	9000
89			2004	IT	11400	14900	14500	9250
89			2005	IT	11900	15100	15100	9900
89			2006	CTR	11200	13900	13300	9500
89			2007	CTR	11500	14200	14100	9750
89			2008	CTR	11800	14600	14300	10000
89			2009	CTR	12100	14800	14300	10300
89			2010	IC	10300	11400	11500	9150
89			2011	IC	10500	11500	12000	9400
89			2012	IC	10500	11600	11300	9300
89			2013	IC	10500	11600	11600	9300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			2014	IC	10800	12000	11900	9600
89			2015	IC	11000	12200	12100	9750
89			2016	IC	11200	12400	12300	9950
89			2017	IC	12100	13300	13400	11000
89			2018	IC	12300	13500	13600	11100
89			2019	IC	12400	13600	13700	11200
89	MONO ADJALA TOWNLINE RD (S)	12.0	1988	IR	6300	8200	6950	5050
89			1989	IR	6600	8500	7350	5400
89			1990	IR	7000	8900	7750	5750
89			1991	IR	7200	9050	8000	6000
89			1992	IR	7400	9100	8150	6300
89			1993	IR	6800	8350	7050	5550
89			1994	IR	7000	8600	7700	5850
89			1995	IR	7500	9250	8250	6400
89			1996	IR	8000	9950	8900	6800
89			1997	IT	8400	11000	10800	6950
89			1998	IT	8800	11400	11300	7150
89			1999	IT	9200	11900	11700	7450
89			2000	IT	9700	12500	12300	7950
89			2001	IT	10100	13200	12900	8200
89			2002	IT	10600	13800	13500	8750
89			2003	IT	10900	13900	13900	8950
89			2004	IT	9150	12000	11700	7450
89			2005	IT	8750	11100	11100	7250
89			2006	CTR	8350	10300	9900	7100
89			2007	CTR	8050	9950	9900	6800
89			2008	CTR	7500	9300	9100	6350
89			2009	CTR	7500	9150	8850	6400
89			2010	CTR	7350	8950	8600	6250
89			2011	CTR	7400	9000	8650	6300
89			2012	CR	7000	8400	8250	5900
89			2013	CR	7000	8400	8600	5900
89			2014	CTR	6700	8150	8250	5700
89			2015	CTR	6800	8300	8350	5800
89			2016	CTR	6900	8400	8500	5850
89			2017	CTR	7100	9500	9450	5800
89			2018	CTR	7000	9350	9300	5700
89			2019	CTR	6900	9200	9150	5600
89	E JCT HWYS 10/24 OVERLAP HWY 10 (16520) - PRIMROSE	4.3	9999					
89	SHELBURNE START OF NA	1.6	9999					
89	SHELBURNE END OF NA	11.8	1988	IR	2250	2900	2500	1800
89			1989	IR	2350	3050	2600	1950
89			1990	IR	2450	3100	2700	2000
89			1991	IR	2500	3150	2800	2100
89			1992	IR	2400	2950	2650	2050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			1993	IR	2850	3500	2950	2350
89			1994	IR	2600	3200	2850	2200
89			1995	IR	2700	3350	3000	2300
89			1996	IR	2650	3300	2950	2250
89			1997	IR	2800	3500	3150	2400
89			1998	IR	2850	3550	3200	2400
89			1999	IR	3000	3700	3350	2500
89			2000	IR	3100	3800	3450	2600
89			2001	IR	3200	3950	3550	2700
89			2002	IR	3500	4300	3900	3000
89			2003	IR	3600	4350	3950	3050
89			2004	IR	3500	4350	3900	2950
89			2005	IR	3500	4200	3850	3000
89			2006	IR	3500	4200	3850	2950
89			2007	IR	3500	4250	4250	2950
89			2008	CR	3500	4250	4200	2950
89			2009	CR	3600	4300	4200	3050
89			2010	CR	3100	3700	3600	2600
89			2011	CR	3100	3600	3650	2750
89			2012	CR	2800	3350	3300	2350
89			2013	CR	2800	3350	3450	2350
89			2014	CTR	2700	3300	3300	2300
89			2015	CTR	2700	3300	3300	2300
89			2016	CTR	2750	3350	3400	2350
89			2017	CTR	3150	4200	4200	2550
89			2018	CTR	3150	4200	4200	2550
89			2019	CTR	3150	4200	4200	2550
89	DUFFERIN ROAD 25 GRAND VALLEY	18.3	1988	IR	1850	2400	2050	1500
89			1989	IR	1950	2500	2150	1600
89			1990	IR	2050	2600	2300	1700
89			1991	IR	2100	2650	2350	1750
89			1992	IR	2100	2600	2300	1800
89			1993	IR	2300	2850	2400	1900
89			1994	IR	2100	2600	2300	1750
89			1995	IR	2150	2650	2350	1850
89			1996	IR	2250	2800	2500	1900
89			1997	IR	2250	2800	2500	1900
89			1998	IR	2300	2850	2600	1950
89			1999	IR	2550	3150	2850	2150
89			2000	IR	2500	3050	2750	2100
89			2001	IR	2550	3150	2850	2150
89			2002	IR	2700	3350	3000	2300
89			2003	IR	3300	4000	3650	2800
89			2004	IR	2700	3350	3000	2300
89			2005	IR	2800	3400	3050	2400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			2006	IR	2850	3450	3100	2400
89			2007	IR	2900	3500	3500	2450
89			2008	IR	2850	3450	3400	2450
89			2009	IR	3000	3600	3250	2550
89			2010	IR	2750	3250	3000	2350
89			2011	IR	2750	3300	3200	2350
89			2012	LT	2600	3400	3250	1950
89			2013	LT	2600	3400	3400	1950
89			2014	CTR	2500	3050	3100	2100
89			2015	CTR	2550	3100	3150	2150
89			2016	CTR	2600	3150	3200	2200
89			2017	CTR	2850	3800	3800	2300
89			2018	CTR	2900	3850	3850	2350
89			2019	CTR	2900	3850	3850	2350
89	WELLINGTON RD 14 (S) & GREY RD 14 CONN (N)	12.0	1988	IR	2250	2900	2500	1800
89			1989	IR	2250	2900	2500	1850
89			1990	IR	2300	2900	2550	1900
89			1991	IR	2350	2950	2600	1950
89			1992	IR	2350	2900	2600	2000
89			1993	IR	2400	2950	2500	1950
89			1994	IR	2450	3000	2700	2050
89			1995	IR	2500	3100	2750	2150
89			1996	IR	2600	3250	2900	2200
89			1997	IR	2650	3300	2950	2250
89			1998	IR	2700	3350	3000	2250
89			1999	IR	2750	3400	3050	2300
89			2000	IR	2750	3350	3050	2300
89			2001	IR	2800	3450	3100	2350
89			2002	IR	2800	3450	3100	2400
89			2003	IR	2800	3400	3100	2400
89			2004	IR	2850	3500	3150	2400
89			2005	IR	2900	3500	3200	2450
89			2006	IR	2950	3550	3200	2500
89			2007	IR	3000	3650	3600	2550
89			2008	IR	3050	3700	3650	2600
89			2009	IR	3050	3650	3300	2600
89			2010	IR	3100	3700	3400	2650
89			2011	IR	3150	3750	3700	2700
89			2012	LT	2750	3600	3400	2100
89			2013	LT	2750	3600	3600	2100
89			2014	IR	2900	3450	3450	2450
89			2015	CTR	3200	3900	3950	2700
89			2016	CTR	3100	3800	3800	2650
89			2017	CTR	3150	4200	4200	2550
89			2018	CTR	3150	4200	4200	2550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			2019	CTR	3200	4250	4250	2600
89	MOUNT FOREST E LTS START OF NA	3.2	9999					
89	GREY RD 106/LOVERS LANE (S) SLIGO RD (N)	9.7	1988	CR	2150	2750	2600	1800
89			1989	CR	2150	2750	2550	1800
89			1990	IR	2200	2800	2450	1800
89			1991	IR	2200	2750	2450	1850
89			1992	IR	2200	2700	2400	1850
89			1993	IR	2250	2750	2350	1850
89			1994	IR	2450	3000	2700	2050
89			1995	IR	2700	3350	3000	2300
89			1996	IR	2700	3350	3000	2300
89			1997	IR	2700	3400	3000	2300
89			1998	IR	2700	3350	3000	2250
89			1999	IR	2850	3550	3150	2400
89			2000	IR	2900	3550	3200	2450
89			2001	IR	2900	3600	3200	2450
89			2002	IR	3000	3700	3300	2550
89			2003	IR	3200	3900	3500	2700
89			2004	IR	3200	3950	3550	2700
89			2005	IR	3150	3800	3450	2700
89			2006	IR	3250	3900	3550	2750
89			2007	IR	3250	3950	3950	2750
89			2008	CR	3250	3950	3900	2750
89			2009	CR	3400	4100	3950	2900
89			2010	CR	3350	4000	3850	2850
89			2011	CR	3350	3900	3950	3000
89			2012	IC	3300	3650	3550	2950
89			2013	IC	3300	3650	3650	2950
89			2014	CTR	3650	4450	4500	3100
89			2015	CTR	3350	4100	4100	2850
89			2016	CTR	3600	4400	4450	3050
89			2017	CTR	3650	4900	4850	2950
89			2018	CTR	3700	4950	4900	3000
89			2019	CTR	3750	5000	4950	3050
89	WELLINGTON RD 2 (N)	4.8	1988	IC	2200	2550	2500	1950
89			1989	CR	2300	2950	2750	1950
89			1990	CR	2300	2850	2650	2050
89			1991	CR	2300	2850	2650	2050
89			1992	IC	2300	2550	2550	2100
89			1993	IC	2450	2750	2750	2200
89			1994	IC	2550	2850	2850	2250
89			1995	CR	2850	3550	3350	2450
89			1996	CR	3000	3700	3500	2550
89			1997	IR	3250	4050	3650	2750
89			1998	IR	3550	4400	4000	3000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
89			1999	IR	3400	4200	3750	2850
89			2000	IR	3500	4300	3900	2950
89			2001	IR	3600	4450	4000	3050
89			2002	IR	3700	4550	4100	3150
89			2003	IR	3900	4750	4300	3300
89			2004	IR	3900	4800	4300	3300
89			2005	IR	3900	4700	4250	3300
89			2006	IR	3950	4750	4300	3350
89			2007	IR	4000	4850	4850	3400
89			2008	IR	4050	4900	4800	3450
89			2009	IR	4150	5000	4500	3550
89			2010	IR	3700	4400	4050	3150
89			2011	IR	3700	4400	4300	3150
89			2012	IC	3700	4100	3950	3300
89			2013	IC	3700	4100	4050	3300
89			2014	CTR	3600	4400	4450	3050
89			2015	IR	3400	4050	4050	2900
89			2016	IR	3450	4100	4100	2950
89			2017	IR	3950	4450	4500	3400
89			2018	IR	4000	4500	4550	3450
89			2019	IR	4000	4550	4550	3500
89	HARRISTON START OF NA	0.5	9999					
89	HWY 9 & E JCT WLGTN RD 87 END OF NA END OF HWY		9999					
93	HWYS 11/400A START OF NA	15.3	9999					
93	HWY 400	12.7	1988	IR	4950	6450	5450	3950
93			1989	IR	5200	6700	5750	4250
93			1990	IR	5550	7050	6150	4550
93			1991	IR	5600	7050	6200	4650
93			1992	IR	5700	7000	6250	4850
93			1993	IR	5750	7050	5950	4700
93			1994	IR	5850	7200	6450	4900
93			1995	IR	6000	7400	6600	5100
93			1996	IR	6100	7600	6800	5200
93			1997	IR	6250	7800	7000	5300
93			1998	IR	6450	8000	7200	5400
93			1999	IR	6550	8100	7250	5500
93			2000	IR	6600	8100	7300	5600
93			2001	IR	6700	8300	7400	5650
93			2002	IR	6850	8450	7600	5800
93			2003	IR	6850	8300	7550	5800
93			2004	IR	6950	8600	7700	5900
93			2005	IR	7050	8500	7700	6000
93			2006	IR	7100	8550	7750	6050
93			2007	IR	7050	8550	8500	5950
93			2008	IR	7150	8650	8500	6100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
93			2009	IR	7200	8650	7850	6100
93			2010	CR	6800	8150	7850	5750
93			2011	CR	7350	8550	8650	6550
93			2012	CR	7450	8900	8800	6300
93			2013	CR	7500	9000	9200	6350
93			2014	CR	7600	8950	8900	6450
93			2015	CR	7650	9000	8950	6500
93			2016	CR	7750	9150	9100	6600
93			2017	CR	7800	9050	9100	7000
93			2018	CR	7900	9200	9250	7100
93			2019	CR	7950	9200	9300	7150
93	SIMCOE RD 27 (W) SIMCOE RD 23 VASEY RD (E)	11.2	1988	IR	5700	7400	6250	4550
93			1989	IR	5800	7500	6450	4750
93			1990	CTR	5900	7400	6950	5150
93			1991	CTR	5950	7500	7450	5200
93			1992	CTR	6000	7400	7150	5200
93			1993	CTR	6500	8200	7850	5500
93			1994	CTR	6250	8000	7600	5250
93			1995	CTR	6350	8150	7800	5350
93			1996	CTR	6400	8200	7900	5350
93			1997	CTR	6550	8400	8050	5500
93			1998	CTR	6700	8500	8150	5650
93			1999	CTR	6950	8750	8400	5850
93			2000	CTR	7150	9000	8650	6000
93			2001	CTR	7300	9200	8850	6150
93			2002	CTR	7600	9600	9200	6400
93			2003	CTR	7650	9500	9150	6500
93			2004	CTR	7800	9850	9450	6600
93			2005	CTR	7950	9850	9450	6750
93			2006	IC	8150	9050	9150	7200
93			2007	IC	8300	9200	9500	7350
93			2008	IC	9100	10100	9750	8000
93			2009	IC	8450	9400	9450	7500
93			2010	IC	12000	13300	13400	10600
93			2011	IC	7600	8350	8650	6800
93			2012	IC	7650	8500	8200	6800
93			2013	IR	8650	10300	11000	7350
93			2014	IR	9350	11100	11200	7950
93			2015	IR	8550	10200	10200	7300
93			2016	IR	9500	11300	11300	8100
93			2017	IR	9650	10900	11000	8350
93			2018	IR	9800	11100	11200	8500
93			2019	IR	9950	11700	11700	8900
93	HWY 12 (E) SIMC RD 93 ANG.SCHMDT FORESTER RD (W)	0.2	1988	IR	5700	7400	6250	4550
93			1989	IR	5800	7500	6450	4750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
93			1990	CTR	5900	7400	6950	5150
93			1991	CTR	5950	7500	7450	5200
93			1992	CTR	6000	7400	7150	5200
93			1993	CTR	6500	8200	7850	5500
93			1994	CTR	6250	8000	7600	5250
93			1995	CTR	6350	8150	7800	5350
93			1996	CTR	6400	8200	7900	5350
93			1997	CTR	6550	8400	8050	5500
93			1998	CTR	6700	8500	8150	5650
93			1999	CTR	6950	8750	8400	5850
93			2000	CTR	7150	9000	8650	6000
93			2001	CTR	7300	9200	8850	6150
93			2002	CTR	7600	9600	9200	6400
93			2003	CTR	7650	9500	9150	6500
93			2004	CTR	7800	9850	9450	6600
93			2005	CTR	8000	9900	9500	6800
93			2006	CTR	8150	10100	9650	6900
93			2007	CTR	8300	10300	10200	7050
93			2008	CTR	11200	13900	13600	9500
93			2009	CTR	12000	14600	14200	10200
93			2010	CTR	13000	15800	15200	11000
93			2011	CTR	14000	17000	16400	11900
93			2012	IC	14200	15700	15300	12600
93			2013	IC	13000	14400	14300	11500
93			2014	CTR	11500	14000	14100	9800
93			2015	CTR	13500	16500	16600	11500
93			2016	CTR	13900	17000	17100	11800
93			2017	CTR	14300	19100	19000	11700
93			2018	CTR	14700	19600	19600	12000
93			2019	CTR	15100	20100	20000	12300
93	0.2 KM N OF HWY 12 END OF HWY		9999					
94	SEC HWY 654 (W) NOSBONSING RD (E)	1.6	1988	IC	2150	2500	2450	1900
94			1989	IC	2250	2600	2550	2000
94			1990	IC	2400	2750	2700	2150
94			1991	IC	2550	2900	2850	2250
94			1992	IC	2750	3050	3050	2500
94			1993	IC	2950	3350	3300	2650
94			1994	IC	3050	3400	3400	2700
94			1995	IC	3200	3600	3600	2850
94			1996	IC	3350	3750	3800	3000
94			1997	CTR	3700	4750	4550	3100
94			1998	CTR	3700	4700	4500	3100
94			1999	CTR	3800	4800	4600	3200
94			2000	CTR	3750	4700	4550	3150
94			2001	CTR	3900	4900	4700	3300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
94			2002	CTR	4000	5050	4850	3400
94			2003	CTR	4250	5300	5100	3600
94			2004	CTR	4100	5200	4950	3450
94			2005	CTR	4150	5150	4950	3500
94			2006	CR	4150	5050	4850	3500
94			2007	CR	4350	5250	5250	3650
94			2008	CR	4400	5350	5300	3700
94			2009	IC	4250	4700	4750	3800
94			2010	IC	4550	5050	5100	4050
94			2011	IC	3950	4350	4500	3550
94			2012	IC	4550	5050	4900	4050
94			2013	CTR	4600	5600	5800	3900
94			2014	CTR	4650	5650	5700	3950
94			2015	IR	4300	5100	5150	3650
94			2016	IR	4750	5650	5650	4050
94			2017	IR	4850	5700	5700	4350
94			2018	IR	5050	6150	6100	4300
94			2019	IR	4950	6000	6000	4200
94	S JCT CALLANDER BYPASS	1.5	1988	CR	2350	3000	2800	1950
94			1989	CR	2700	3450	3200	2250
94			1990	CR	2900	3600	3350	2600
94			1991	CR	3100	3800	3550	2800
94			1992	CR	3000	3700	3400	2700
94			1993	CR	2950	3650	3400	2650
94			1994	IC	2600	2900	2900	2300
94			1995	IC	2250	2500	2550	2000
94			1996	IC	1950	2200	2200	1750
94			1997	IC	2400	2700	2700	2100
94			1998	IC	2200	2450	2450	1950
94			1999	IC	2700	3000	3000	2400
94			2000	CTR	3000	3800	3650	2500
94			2001	CTR	2900	3650	3500	2450
94			2002	CTR	3050	3850	3700	2600
94			2003	CTR	3300	4100	3950	2800
94			2004	CTR	3250	4100	3950	2750
94			2005	CTR	3250	4050	3850	2750
94			2006	IC	3500	3900	3900	3100
94			2007	IC	3450	3850	3950	3050
94			2008	IC	3550	3950	3800	3150
94			2009	IC	3350	3700	3750	3000
94			2010	IC	3750	4150	4200	3350
94			2011	IC	3150	3450	3600	2850
94			2012	IC	3800	4200	4100	3350
94			2013	CTR	3850	4700	4850	3250
94			2014	CTR	3950	4800	4850	3350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
94			2015	IC	3600	4000	3950	3200
94			2016	IC	4050	4500	4450	3600
94			2017	IC	4100	4500	4500	3700
94			2018	IC	4200	4600	4650	3800
94			2019	IC	4300	4700	4750	3900
94	LANSDOWNE ST (W) CALLANDER BAY DR (N)	7.2	1988	IC	2150	2500	2450	1900
94			1989	IC	2250	2600	2550	2000
94			1990	IC	2400	2750	2700	2150
94			1991	IC	2550	2900	2850	2250
94			1992	IC	2550	2850	2800	2300
94			1993	IC	2600	2950	2900	2300
94			1994	IC	2700	3000	3000	2400
94			1995	IC	2800	3150	3150	2500
94			1996	IC	2950	3300	3350	2650
94			1997	IC	3000	3350	3400	2650
94			1998	IC	3150	3550	3550	2800
94			1999	IC	3150	3550	3550	2800
94			2000	IC	3150	3550	3550	2800
94			2001	IC	3150	3500	3550	2800
94			2002	IC	3150	3500	3550	2800
94			2003	IC	3200	3550	3600	2850
94			2004	IC	3150	3500	3550	2800
94			2005	IC	3200	3550	3600	2800
94			2006	IC	3150	3500	3550	2800
94			2007	IC	3300	3650	3800	2900
94			2008	IC	3300	3650	3550	2900
94			2009	IC	3250	3600	3650	2900
94			2010	IC	3350	3700	3750	2950
94			2011	IC	3050	3350	3500	2750
94			2012	IC	3350	3700	3600	2950
94			2013	CTR	3350	4100	4200	2850
94			2014	CTR	3400	4150	4200	2900
94			2015	IC	3400	3750	3750	3000
94			2016	IC	3450	3800	3800	3050
94			2017	IC	3450	3800	3800	3150
94			2018	IC	3500	3850	3850	3150
94			2019	IC	3500	3850	3850	3150
94	E JCT ASTORVILLE RD (S) EAST FERRIS TWP	2.1	1988	IC	1950	2250	2200	1700
94			1989	IC	2000	2300	2250	1800
94			1990	IC	2050	2350	2300	1800
94			1991	IC	2200	2500	2450	1950
94			1992	IC	2400	2650	2650	2200
94			1993	IC	2500	2800	2800	2200
94			1994	IC	2500	2800	2800	2200
94			1995	IC	2550	2850	2900	2300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
94			1996	IC	2600	2900	2950	2300
94			1997	IC	2600	2900	2950	2300
94			1998	IC	2800	3150	3150	2500
94			1999	IC	2850	3200	3200	2550
94			2000	C	2800	3150	3150	2500
94			2001	C	2850	3200	3200	2550
94			2002	C	2900	3250	3250	2600
94			2003	C	3000	3350	3350	2700
94			2004	C	2900	3250	3250	2600
94			2005	C	2950	3300	3300	2650
94			2006	C	2850	3150	3200	2550
94			2007	C	3050	3400	3450	2750
94			2008	C	3100	3400	3350	2800
94			2009	C	3100	3400	3450	2800
94			2010	C	3150	3450	3500	2850
94			2011	IC	3000	3300	3400	2700
94			2012	IC	3200	3550	3450	2850
94			2013	CTR	3200	3900	4000	2700
94			2014	CTR	3250	3950	4000	2750
94			2015	IC	3300	3650	3650	2950
94			2016	IC	3300	3650	3650	2950
94			2017	IC	3350	3650	3700	3050
94			2018	IC	3400	3750	3750	3100
94			2019	IC	3400	3750	3750	3050
94	HWY 17 HWY END		9999					
101	QUEBEC ONTARIO BDY	22.7	1997	IR	910	1150	1000	770
101			1998	IR	930	1150	1050	780
101			1999	IR	880	1100	980	740
101			2000	IR	810	990	900	680
101			2001	IR	760	940	840	640
101			2002	IR	710	880	790	600
101			2003	IR	670	810	740	570
101			2004	IR	610	750	680	520
101			2005	IR	580	700	640	490
101			2006	IR	490	590	540	420
101			2007	IR	490	590	590	420
101			2008	IR	440	530	520	380
101			2009	IT	430	540	540	360
101			2010	IT	350	440	440	290
101			2011	IT	550	740	740	450
101			2012	UC	480	480	510	460
101			2013	IR	470	560	600	400
101			2014	CTR	450	550	550	380
101			2015	CTR	500	610	620	420
101			2016	CTR	500	610	620	420

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2017	CTR	330	440	440	270
101			2018	CTR	310	410	410	250
101			2019	CTR	550	730	730	450
101	SEC HWY 672 (S) GRAVEL RD (N)	36.3	1988	IC	550	640	620	480
101			1989	IC	600	690	680	530
101			1990	IR	500	640	560	410
101			1991	IR	550	690	610	460
101			1992	IR	600	740	660	510
101			1993	IR	750	920	780	610
101			1994	IR	640	790	700	540
101			1995	IR	650	800	720	550
101			1996	IR	670	830	750	570
101			1997	IR	690	860	770	590
101			1998	IR	710	880	800	600
101			1999	LR	660	1100	870	440
101			2000	LR	680	1100	890	450
101			2001	LR	680	1100	890	450
101			2002	LR	670	1100	870	450
101			2003	LR	690	1100	880	470
101			2004	LR	690	1150	900	460
101			2005	LR	690	1100	870	470
101			2006	IR	700	840	770	590
101			2007	IR	690	840	830	580
101			2008	IR	690	840	820	590
101			2009	IT	680	860	860	560
101			2010	IT	700	880	880	580
101			2011	IR	700	840	820	600
101			2012	IR	700	830	810	600
101			2013	IR	710	850	910	600
101			2014	IR	710	850	850	600
101			2015	IC	710	790	780	630
101			2016	IC	710	790	780	630
101			2017	IC	710	780	780	640
101			2018	IC	720	790	800	650
101			2019	IC	720	790	790	650
101	SEC HWY 572 HOLTYRE RD (S)	14.8	1988	IC	550	640	620	480
101			1989	IC	600	690	680	530
101			1990	IR	500	640	560	410
101			1991	IR	500	630	560	420
101			1992	IR	550	680	600	470
101			1993	IR	600	740	620	490
101			1994	IR	610	750	670	510
101			1995	IR	620	760	680	530
101			1996	IR	640	790	710	550
101			1997	IR	660	820	740	560

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			1998	IR	670	830	750	560
101			1999	IR	700	870	780	590
101			2000	IR	660	810	730	560
101			2001	IR	660	820	730	560
101			2002	IR	670	830	740	570
101			2003	IR	670	810	740	570
101			2004	IR	680	840	750	570
101			2005	IR	670	810	730	570
101			2006	IR	660	800	720	560
101			2007	IR	680	820	820	580
101			2008	IR	680	820	810	580
101			2009	IT	670	840	840	560
101			2010	IT	690	860	870	570
101			2011	IR	690	820	810	590
101			2012	IR	690	820	800	590
101			2013	IR	700	830	890	600
101			2014	IR	700	830	840	600
101			2015	CTR	640	780	790	540
101			2016	CTR	690	840	850	590
101			2017	CTR	700	940	930	570
101			2018	CTR	700	930	930	570
101			2019	CTR	700	930	930	570
101	BLACK RIVER BRIDGE START OF NA	0.7	9999					
101	E JCT HWY 11 (S) END OF NA	6.4	9999					
101	W JCT HWY 11 (N)	9.7	1988	IC	1800	2100	2050	1600
101			1989	IC	1850	2150	2100	1650
101			1990	IR	1950	2500	2150	1600
101			1991	IR	1950	2450	2150	1600
101			1992	IR	2000	2450	2200	1700
101			1993	LT	2050	2850	2550	1500
101			1994	LT	2000	2950	2850	1450
101			1995	LT	2000	2850	2800	1450
101			1996	LT	2050	2900	2800	1500
101			1997	LT	2100	2950	2900	1550
101			1998	LT	2100	2950	2900	1550
101			1999	LT	1950	2700	2650	1400
101			2000	LT	2150	3000	2950	1550
101			2001	LT	2150	3000	2950	1600
101			2002	LT	2250	3150	3050	1650
101			2003	LT	2200	3050	2950	1600
101			2004	LT	2250	3150	3050	1650
101			2005	LT	2250	3100	3000	1650
101			2006	LT	2300	3150	3050	1700
101			2007	LT	2300	3150	3250	1700
101			2008	LT	2350	3200	3100	1750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2009	LT	2350	3150	3100	1750
101			2010	LT	2400	3200	3150	1750
101			2011	LT	2150	2750	2800	1750
101			2012	UC	2350	2350	2500	2250
101			2013	CR	2050	2450	2500	1750
101			2014	CTR	2350	2850	2900	2000
101			2015	CTR	2350	2850	2900	2000
101			2016	CTR	2400	2950	2950	2050
101			2017	CTR	2400	3200	3200	1950
101			2018	CR	2400	2800	2800	2150
101			2019	CR	2450	2850	2850	2200
101	SEC HWY 577 (N) SHILLINGTON	15.6	1988	IC	1950	2250	2200	1700
101			1989	IC	1950	2250	2200	1750
101			1990	IR	1950	2500	2150	1600
101			1991	IR	1950	2450	2150	1600
101			1992	IR	2000	2450	2200	1700
101			1993	IR	2150	2650	2200	1750
101			1994	IR	2150	2650	2350	1800
101			1995	IR	2200	2700	2400	1850
101			1996	IR	2250	2800	2500	1900
101			1997	IR	2300	2900	2600	1950
101			1998	IR	2350	2900	2650	1950
101			1999	IR	2350	2900	2600	1950
101			2000	IR	2350	2900	2600	2000
101			2001	IR	2400	2950	2650	2050
101			2002	IR	2400	2950	2650	2050
101			2003	IR	2450	2950	2700	2100
101			2004	IR	2500	3100	2750	2100
101			2005	IR	2500	3000	2750	2150
101			2006	CR	2500	3050	2900	2100
101			2007	CR	2550	3100	3100	2150
101			2008	CR	2600	3150	3100	2200
101			2009	CR	2600	3100	3000	2200
101			2010	CR	2650	3200	3050	2250
101			2011	CR	2350	2750	2750	2100
101			2012	CR	2650	3150	3100	2250
101			2013	CR	2250	2700	2750	1900
101			2014	CR	2600	3050	3050	2200
101			2015	CTR	2600	3150	3200	2200
101			2016	CTR	2650	3250	3250	2250
101			2017	CTR	2650	3550	3500	2150
101			2018	CR	2650	3100	3100	2400
101			2019	CR	2700	3150	3150	2400
101	MUNICIPAL RD (N) TIMMINS	5.8	1988	CTR	3500	4550	4250	2950
101			1989	CTR	3700	4700	4500	3200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			1990	IR	3750	4750	4150	3100
101			1991	IR	3550	4450	3950	2950
101			1992	IR	3400	4200	3750	2900
101			1993	IT	3250	4000	4050	2750
101			1994	IT	3600	4700	4450	3050
101			1995	IT	3650	4650	4450	3100
101			1996	IT	3600	4750	4600	2950
101			1997	IR	3800	4750	4250	3250
101			1998	IR	3900	4850	4350	3300
101			1999	IR	3750	4650	4150	3150
101			2000	IR	3900	4800	4300	3300
101			2001	IR	3950	4900	4400	3350
101			2002	IR	4000	4950	4450	3400
101			2003	IR	4050	4900	4450	3450
101			2004	IR	4100	5050	4550	3450
101			2005	IR	4000	4850	4400	3400
101			2006	CR	4200	5100	4900	3550
101			2007	CR	4100	4950	4950	3450
101			2008	CR	4100	4950	4900	3450
101			2009	CR	3800	4550	4400	3250
101			2010	CR	4150	4950	4800	3500
101			2011	CR	3700	4300	4350	3300
101			2012	CR	4100	4900	4850	3450
101			2013	CR	3600	4300	4450	3050
101			2014	CR	3950	4650	4650	3350
101			2015	CTR	3750	4600	4600	3200
101			2016	CTR	3950	4800	4850	3350
101			2017	CTR	4000	5350	5300	3250
101			2018	CTR	3850	5150	5100	3150
101			2019	CTR	4000	5350	5300	3250
101	PENINSULA RD (S) TIMMINS	6.8	1988	CTR	2800	3650	3400	2350
101			1989	CTR	2900	3700	3500	2500
101			1990	UC	3000	3200	3500	2850
101			1991	UC	3300	3500	3800	3200
101			1992	UC	3600	3800	4150	3450
101			1993	CR	3900	4800	4500	3500
101			1994	CR	3600	4450	4100	3250
101			1995	CR	3700	4600	4350	3200
101			1996	CR	3800	4700	4450	3250
101			1997	CR	3950	4900	4650	3350
101			1998	CR	4050	5000	4750	3450
101			1999	CR	3900	4800	4550	3300
101			2000	CR	4050	5000	4750	3450
101			2001	CR	4100	5050	4800	3450
101			2002	CR	4150	5100	4850	3500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2003	CR	4200	5100	4900	3550
101			2004	CR	4250	5250	5000	3600
101			2005	CR	4200	5100	4900	3550
101			2006	CR	4350	5300	5050	3650
101			2007	CR	4300	5200	5200	3600
101			2008	CR	4350	5250	5200	3650
101			2009	CR	4000	4800	4650	3400
101			2010	CR	4400	5250	5100	3700
101			2011	CR	3800	4450	4500	3400
101			2012	CR	4350	5200	5150	3700
101			2013	CR	3750	4500	4600	3150
101			2014	CR	4200	4950	4900	3600
101			2015	CTR	3950	4800	4850	3350
101			2016	CTR	4250	5200	5250	3600
101			2017	CTR	4250	5700	5650	3450
101			2018	CR	4250	4950	4950	3800
101			2019	CR	4300	5000	5000	3850
101	SEC HWY 610 FREDRICKHOUSE LK RD	1.5	1988	CTR	3850	5000	4700	3250
101			1989	CTR	4000	5100	4850	3450
101			1990	UC	4200	4500	4850	4000
101			1991	UC	4250	4500	4900	4100
101			1992	UC	4250	4500	4900	4100
101			1993	CTR	4250	5350	5150	3600
101			1994	CTR	4200	5400	5100	3550
101			1995	CTR	4300	5500	5300	3600
101			1996	CTR	4350	5550	5350	3650
101			1997	CTR	4400	5650	5400	3700
101			1998	CTR	4500	5700	5500	3800
101			1999	CTR	4100	5150	4950	3450
101			2000	CTR	4500	5650	5450	3800
101			2001	CTR	4550	5750	5500	3850
101			2002	CTR	4600	5800	5550	3900
101			2003	CTR	4650	5800	5550	3950
101			2004	CTR	4700	5950	5700	3950
101			2005	CTR	4250	5250	5050	3600
101			2006	C	4900	5450	5500	4400
101			2007	C	4350	4850	4900	3900
101			2008	C	4450	4900	4850	4000
101			2009	C	4950	5450	5500	4450
101			2010	C	4750	5250	5300	4300
101			2011	IC	4650	5100	5300	4150
101			2012	UC	4800	4850	5150	4550
101			2013	CR	4200	5050	5150	3550
101			2014	CTR	4700	5750	5800	4000
101			2015	CTR	4400	5350	5400	3750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2016	CTR	4700	5750	5800	4000
101			2017	CTR	4700	6300	6250	3850
101			2018	CR	4700	5450	5500	4200
101			2019	CR	4750	5500	5550	4250
101	KIDD CK RD TIMMINS	3.9	1997	IC	6050	6800	6850	5300
101			1998	IC	6050	6800	6800	5400
101			1999	IC	5800	6500	6500	5150
101			2000	IC	5850	6550	6550	5200
101			2001	IC	5750	6450	6450	5100
101			2002	IC	5700	6350	6400	5000
101			2003	IC	5600	6250	6300	4950
101			2004	IC	5550	6200	6250	4900
101			2005	IC	5450	6050	6100	4800
101			2006	IC	5400	6000	6050	4800
101			2007	IC	5300	5900	6050	4700
101			2008	IC	5250	5800	5650	4650
101			2009	CR	5200	6250	6050	4400
101			2010	CR	5100	6100	5900	4300
101			2011	IC	5050	5550	5750	4550
101			2012	IC	4950	5500	5300	4400
101			2013	CR	4900	5850	6050	4150
101			2014	CR	4800	5650	5600	4100
101			2015	CTR	4750	5800	5850	4050
101			2016	CTR	4650	5650	5700	3950
101			2017	CTR	4600	6150	6100	3750
101			2018	CTR	4500	6000	6000	3650
101			2019	CTR	4450	5950	5900	3600
101	PAMOUR PORCUPINE MINE ENT (N)	5.7	1988	IC	5700	6600	6450	5000
101			1989	IC	5900	6800	6650	5250
101			1990	IC	6100	6950	6850	5450
101			1991	IC	6000	6800	6650	5350
101			1992	IC	5900	6550	6500	5350
101			1993	UC	5800	6100	6600	5450
101			1994	UC	6000	6350	6850	5600
101			1995	UC	6050	6400	6900	5650
101			1996	UC	6100	6450	7150	5800
101			1997	IC	6200	6950	7000	5450
101			1998	IC	6250	7000	7000	5550
101			1999	IC	6000	6700	6700	5350
101			2000	IC	6400	7150	7150	5700
101			2001	IC	6300	7050	7100	5550
101			2002	IC	6350	7100	7150	5600
101			2003	IC	6100	6800	6850	5400
101			2004	IC	6100	6800	6850	5400
101			2005	IC	6050	6750	6800	5350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2006	IC	6050	6700	6800	5350
101			2007	IC	5800	6450	6650	5150
101			2008	IC	6100	6750	6550	5400
101			2009	IC	5850	6500	6550	5200
101			2010	IC	6000	6650	6700	5300
101			2011	IC	6000	6600	6850	5400
101			2012	IC	6000	6650	6450	5300
101			2013	IC	5950	6600	6550	5300
101			2014	IC	5950	6600	6550	5300
101			2015	IC	5950	6600	6550	5300
101			2016	IC	5950	6600	6550	5300
101			2017	IC	5900	6450	6500	5350
101			2018	IC	5900	6500	6550	5350
101			2019	IC	5900	6500	6500	5350
101	ONR S RAMORE START OF NA	21.3	9999					
101	0.2 KM E OF HWY 576 END OF NA	0.2	1988	IC	5100	5900	5750	4500
101			1989	IC	5200	6000	5900	4650
101			1990	IC	5250	6000	5900	4650
101			1991	IC	5700	6450	6350	5050
101			1992	IC	6200	6900	6800	5650
101			1993	IC	6750	7650	7550	6000
101			1994	IC	6650	7450	7450	5900
101			1995	IC	6900	7700	7800	6200
101			1996	IC	7300	8200	8250	6500
101			1997	IC	7400	8300	8350	6500
101			1998	IC	7650	8550	8550	6800
101			1999	IC	7750	8700	8700	6900
101			2000	IC	7950	8900	8900	7100
101			2001	IC	7900	8850	8850	7000
101			2002	IC	8300	9250	9300	7300
101			2003	IC	8150	9100	9150	7200
101			2004	IC	8300	9300	9300	7350
101			2005	IC	8150	9050	9150	7200
101			2006	IC	8450	9400	9500	7500
101			2007	IC	8550	9500	9800	7550
101			2008	IC	8650	9600	9250	7650
101			2009	IC	8750	9700	9800	7800
101			2010	IC	9000	9950	10000	8000
101			2011	IC	9250	10200	10600	8300
101			2012	IC	9250	10200	9950	8200
101			2013	CR	9300	11100	11400	7850
101			2014	CR	9500	11200	11100	8100
101			2015	CR	9650	11400	11300	8200
101			2016	CR	9750	11500	11400	8300
101			2017	CR	9900	11500	11500	8900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2018	CR	10000	11600	11700	8950
101			2019	CR	10100	11700	11800	9050
101	SEC HWY 576 GOVERNMENT RD	2.8	1988	IC	3600	4200	4050	3150
101			1989	IC	3700	4250	4200	3300
101			1990	LT	3750	5500	5250	2750
101			1991	LT	3850	5400	5200	2850
101			1992	LT	3950	5500	5350	3050
101			1993	LT	4100	5650	5100	3000
101			1994	LT	4300	6300	6100	3100
101			1995	LT	4450	6400	6200	3250
101			1996	CR	4650	5750	5450	3950
101			1997	CR	4750	5900	5600	4050
101			1998	CR	4900	6050	5750	4150
101			1999	CR	5000	6150	5850	4250
101			2000	IC	5050	5650	5650	4500
101			2001	IC	5100	5700	5750	4500
101			2002	IC	5200	5800	5850	4600
101			2003	IC	5250	5850	5900	4650
101			2004	IC	5100	5700	5750	4500
101			2005	IC	5100	5650	5750	4500
101			2006	IC	5300	5900	5950	4700
101			2007	IC	4750	5300	5450	4200
101			2008	IC	5100	5650	5450	4500
101			2009	IC	5200	5750	5800	4650
101			2010	IC	5350	5900	5950	4750
101			2011	IC	4250	4650	4850	3800
101			2012	UC	5150	5200	5500	4900
101			2013	CR	4450	5350	5450	3750
101			2014	CTR	4350	5300	5350	3700
101			2015	CTR	4950	6050	6100	4200
101			2016	CTR	4900	6000	6050	4150
101			2017	CTR	4900	6550	6500	4000
101			2018	CR	4600	5350	5400	4150
101			2019	CR	4900	5700	5700	4400
101	NOTRE DAME VILLA MOBILE HOMES (N)	12.2	1997	LT	2050	2900	2850	1500
101			1998	LT	2100	2950	2900	1550
101			1999	LT	2150	3000	2900	1550
101			2000	LT	2200	3050	3000	1600
101			2001	LT	2250	3150	3050	1650
101			2002	LT	2200	3050	3000	1600
101			2003	LT	2200	3050	2950	1600
101			2004	LT	2300	3200	3150	1700
101			2005	LT	2300	3150	3100	1700
101			2006	LT	2350	3200	3150	1750
101			2007	IT	2350	3000	3150	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2008	IR	2400	2900	2850	2050
101			2009	IT	2450	3100	3100	2050
101			2010	IT	2450	3050	3100	2000
101			2011	IR	2800	3350	3250	2400
101			2012	CTR	2600	3150	3100	2200
101			2013	CR	2650	3200	3250	2250
101			2014	CTR	2700	3300	3300	2300
101			2015	CTR	3100	3800	3800	2650
101			2016	CTR	2850	3500	3500	2400
101			2017	CTR	2900	3900	3850	2350
101			2018	CR	3050	3550	3550	2750
101			2019	CR	3000	3500	3500	2700
101	HWY 144 (S) TIMMINS	21.3	1988	IC	1000	1150	1150	880
101			1989	IC	1050	1200	1200	930
101			1990	LT	900	1300	1250	660
101			1991	LT	900	1250	1200	670
101			1992	LT	900	1250	1200	690
101			1993	LT	900	1250	1100	660
101			1994	LT	930	1350	1300	680
101			1995	LT	940	1350	1300	690
101			1996	LT	900	1250	1250	660
101			1997	LT	950	1350	1300	700
101			1998	LT	950	1350	1300	690
101			1999	LT	980	1350	1350	720
101			2000	LT	950	1300	1300	690
101			2001	IT	970	1250	1250	790
101			2002	IT	1000	1300	1250	820
101			2003	LT	990	1350	1350	730
101			2004	LT	970	1350	1300	710
101			2005	LT	980	1350	1300	720
101			2006	LT	980	1350	1300	720
101			2007	LT	970	1350	1350	710
101			2008	LT	960	1300	1250	710
101			2009	LT	990	1350	1300	730
101			2010	LT	1000	1350	1300	740
101			2011	LT	1000	1300	1300	820
101			2012	CTR	1000	1200	1200	850
101			2013	CTR	1000	1200	1250	850
101			2014	CTR	1000	1200	1250	850
101			2015	CTR	1000	1200	1250	850
101			2016	CTR	1000	1200	1250	850
101			2017	CTR	1000	1350	1350	810
101			2018	CTR	1050	1400	1400	860
101			2019	CTR	1000	1350	1350	810
101	COCHRANE TIMISKAMING DIST BDY	57.4	1988	LT	900	1300	1250	680

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			1989	LT	950	1300	1300	700
101			1990	LT	600	880	840	440
101			1991	LT	600	840	810	440
101			1992	LT	600	830	810	460
101			1993	LT	500	690	620	370
101			1994	LT	630	920	890	460
101			1995	LT	620	890	860	450
101			1996	LT	500	710	690	370
101			1997	LT	600	850	830	440
101			1998	LT	590	830	810	430
101			1999	LT	650	900	880	470
101			2000	LT	590	820	800	430
101			2001	LT	590	830	800	430
101			2002	LT	570	800	780	420
101			2003	LT	630	870	850	470
101			2004	LT	590	830	800	430
101			2005	LT	680	930	910	500
101			2006	LT	620	850	830	460
101			2007	LT	620	850	870	460
101			2008	LT	600	820	790	440
101			2009	LT	620	840	820	460
101			2010	LT	630	850	830	470
101			2011	LT	630	810	820	520
101			2012	CTR	630	760	750	540
101			2013	CTR	630	770	790	540
101			2014	CTR	450	550	550	380
101			2015	CTR	600	730	740	510
101			2016	CTR	600	730	740	510
101			2017	CTR	600	800	800	490
101			2018	CR	600	700	700	540
101			2019	CR	600	700	700	540
101	YOUNG ST(7072)FOLYET TWP	48.3	1988	LT	600	850	850	460
101			1989	LT	650	900	900	480
101			1990	LT	550	800	770	400
101			1991	LT	550	770	740	410
101			1992	LT	550	760	740	420
101			1993	LT	550	760	680	400
101			1994	LT	590	870	830	430
101			1995	LT	590	850	820	430
101			1996	LT	550	780	760	400
101			1997	LT	600	850	830	440
101			1998	LT	600	840	820	440
101			1999	LT	660	920	900	480
101			2000	LT	600	840	820	440
101			2001	LT	600	840	820	440

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2002	LT	560	780	760	410
101			2003	LT	600	830	810	440
101			2004	LT	590	830	800	430
101			2005	IT	600	760	760	500
101			2006	IT	580	740	730	480
101			2007	IT	580	740	780	470
101			2008	CTR	550	680	670	470
101			2009	CTR	580	710	680	490
101			2010	CTR	580	710	680	490
101			2011	CTR	580	710	680	490
101			2012	CTR	460	560	550	390
101			2013	CTR	550	670	690	470
101			2014	CTR	390	480	480	330
101			2015	CTR	510	620	630	430
101			2016	CTR	510	620	630	430
101			2017	CTR	500	670	660	410
101			2018	CTR	500	670	670	410
101			2019	CTR	490	650	650	400
101	SHAWMERE R BR SANDY TWP	45.6	1988	LT	650	920	920	490
101			1989	LT	680	950	940	500
101			1990	LT	680	990	950	500
101			1991	LT	600	840	810	440
101			1992	LT	600	830	810	460
101			1993	LT	600	830	740	440
101			1994	LT	650	950	920	470
101			1995	LT	680	980	950	500
101			1996	LT	690	970	950	510
101			1997	LT	700	990	970	520
101			1998	LT	710	990	970	520
101			1999	LT	720	1000	980	530
101			2000	LT	800	1100	1100	580
101			2001	LT	800	1100	1100	590
101			2002	LT	820	1150	1100	600
101			2003	LT	850	1150	1150	630
101			2004	LT	860	1200	1150	630
101			2005	LT	890	1200	1200	650
101			2006	LT	910	1250	1200	670
101			2007	LT	930	1300	1300	680
101			2008	LT	950	1300	1250	700
101			2009	LT	970	1300	1300	720
101			2010	LT	1000	1350	1300	740
101			2011	LT	1000	1300	1300	820
101			2012	IC	880	970	950	780
101			2013	IC	900	1000	990	800
101			2014	IC	840	930	930	740

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2015	IC	1000	1100	1100	890
101			2016	IC	1000	1100	1100	890
101			2017	IC	1050	1150	1150	950
101			2018	IC	1050	1150	1150	950
101			2019	IC	1050	1150	1150	950
101	N JCT HWY 129 CHAPLEAU	7.6	1988	LT	1000	1400	1400	760
101			1989	LT	1050	1450	1450	780
101			1990	LT	1050	1550	1450	770
101			1991	LT	1050	1450	1400	780
101			1992	LT	1050	1450	1400	810
101			1993	LT	1050	1450	1300	770
101			1994	LT	1100	1600	1550	800
101			1995	LT	1150	1650	1600	840
101			1996	LT	1200	1700	1650	880
101			1997	LT	1200	1700	1650	890
101			1998	LT	1250	1750	1700	910
101			1999	LT	1250	1750	1700	910
101			2000	LT	1300	1800	1750	950
101			2001	LT	1300	1800	1750	950
101			2002	LT	1300	1800	1750	950
101			2003	LT	1300	1800	1750	960
101			2004	LT	1350	1900	1850	990
101			2005	LT	1300	1800	1750	960
101			2006	LT	1350	1850	1800	990
101			2007	LT	1400	1900	2000	1050
101			2008	IC	1400	1550	1500	1250
101			2009	IC	1400	1550	1550	1250
101			2010	IC	1450	1600	1600	1300
101			2011	IC	1450	1600	1650	1300
101			2012	CTR	1500	1800	1800	1300
101			2013	CTR	1500	1850	1900	1250
101			2014	IC	1500	1650	1650	1350
101			2015	IC	1550	1700	1700	1350
101			2016	IC	1550	1700	1700	1350
101			2017	IC	1550	1700	1700	1400
101			2018	IC	1600	1750	1750	1450
101			2019	IC	1600	1750	1750	1450
101	S JCT HWY 129	49.4	1988	LT	300	430	420	230
101			1989	LT	300	420	410	220
101			1990	LT	300	440	420	220
101			1991	LT	280	390	380	210
101			1992	LT	280	390	380	220
101			1993	LT	280	390	350	210
101			1994	LT	280	410	400	200
101			1995	LT	320	460	450	230

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			1996	LT	320	450	440	240
101			1997	LT	380	540	520	280
101			1998	LT	340	480	470	250
101			1999	LT	340	470	460	250
101			2000	LT	350	490	480	260
101			2001	LT	360	500	490	260
101			2002	LT	360	500	490	260
101			2003	LT	350	480	470	260
101			2004	LT	370	520	500	270
101			2005	SC	380	400	440	330
101			2006	SC	380	400	440	340
101			2007	SC	390	410	450	340
101			2008	SC	400	420	400	350
101			2009	SC	400	420	470	350
101			2010	SC	390	410	460	340
101			2011	SC	410	520	480	330
101			2012	CTR	370	450	440	320
101			2013	CTR	410	500	520	350
101			2014	CTR	330	400	410	280
101			2015	CTR	400	490	490	340
101			2016	CTR	410	500	500	350
101			2017	CTR	410	550	550	330
101			2018	CTR	420	560	560	340
101			2019	CTR	420	560	560	340
101	SUDBURY ALGOMA DIST BDY	13.8	2000	LT	300	420	410	220
101			2001	LT	310	430	420	230
101			2002	LT	320	450	440	230
101			2003	LT	320	440	430	240
101			2004	LT	340	480	460	250
101			2005	IC	330	370	370	290
101			2006	IC	350	390	390	310
101			2007	IC	350	390	400	310
101			2008	IC	380	420	410	340
101			2009	IC	370	410	410	330
101			2010	IC	370	410	410	330
101			2011	IC	390	430	440	350
101			2012	CTR	350	420	420	300
101			2013	CTR	390	470	490	330
101			2014	CTR	320	390	390	270
101			2015	CTR	380	460	470	320
101			2016	CTR	390	480	480	330
101			2017	CTR	390	520	520	320
101			2018	CTR	400	530	530	330
101			2019	CTR	400	530	530	330
101	SEC HWY 651	43.3	1988	LT	450	640	630	340

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			1989	LT	450	630	620	330
101			1990	LT	450	660	630	330
101			1991	LT	450	630	610	330
101			1992	LT	450	630	610	350
101			1993	LT	450	620	560	330
101			1994	LT	570	840	810	410
101			1995	LT	580	830	810	420
101			1996	LT	600	850	830	440
101			1997	LT	620	870	860	460
101			1998	LT	640	900	880	470
101			1999	LT	760	1050	1050	550
101			2000	LT	780	1100	1050	570
101			2001	LT	770	1100	1050	560
101			2002	LT	780	1100	1050	570
101			2003	LT	730	1000	980	540
101			2004	LT	790	1100	1100	580
101			2005	IC	870	970	980	770
101			2006	IC	750	830	840	660
101			2007	IC	690	770	790	610
101			2008	IC	540	600	580	480
101			2009	IC	700	780	780	620
101			2010	IC	470	520	520	420
101			2011	IC	480	530	550	430
101			2012	CTR	490	590	590	420
101			2013	CTR	620	750	780	530
101			2014	IC	550	610	610	490
101			2015	IC	600	660	660	530
101			2016	IC	590	650	650	520
101			2017	IC	590	650	650	540
101			2018	CR	580	670	680	520
101			2019	CR	580	670	680	520
101	SEC HWY 547(TO HAWK JCT)	6.7	1988	LT	700	990	990	530
101			1989	LT	700	970	970	520
101			1990	LT	700	1000	980	510
101			1991	LT	700	980	950	520
101			1992	LT	700	970	950	540
101			1993	LT	700	970	870	510
101			1994	LT	750	1100	1050	550
101			1995	LT	770	1100	1050	560
101			1996	LT	780	1100	1050	570
101			1997	LT	800	1150	1100	590
101			1998	LT	810	1150	1100	590
101			1999	LT	820	1150	1100	600
101			2000	T	870	1450	1350	540
101			2001	T	880	1450	1400	550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2002	T	900	1450	1400	560
101			2003	T	920	1450	1400	580
101			2004	T	890	1450	1400	550
101			2005	CR	960	1150	1100	810
101			2006	CR	840	1000	980	710
101			2007	CR	840	1000	1000	710
101			2008	IC	840	930	900	740
101			2009	IC	840	930	940	750
101			2010	IC	610	680	680	540
101			2011	IC	660	730	750	590
101			2012	CTR	700	850	840	600
101			2013	CTR	780	950	980	660
101			2014	CTR	690	840	850	590
101			2015	CTR	760	930	930	650
101			2016	CTR	750	920	920	640
101			2017	CTR	750	1000	1000	610
101			2018	CR	740	860	870	660
101			2019	CR	740	860	860	660
101	TWIN LAKES CAMP ROAD	11.3	1988	LT	850	1200	1200	650
101			1989	LT	850	1200	1150	630
101			1990	LT	800	1150	1100	580
101			1991	LT	800	1100	1100	590
101			1992	LT	800	1100	1100	620
101			1993	LT	800	1100	990	590
101			1994	LT	800	1150	1150	580
101			1995	LT	840	1200	1150	610
101			1996	LT	850	1200	1150	620
101			1997	LT	900	1250	1250	670
101			1998	LT	870	1200	1200	640
101			1999	LT	880	1200	1200	640
101			2000	LT	850	1200	1150	620
101			2001	LT	1000	1400	1350	730
101			2002	LT	1050	1450	1450	770
101			2003	CTR	1050	1300	1250	890
101			2004	CTR	980	1250	1200	830
101			2005	IR	1200	1450	1300	1000
101			2006	IR	970	1150	1050	820
101			2007	IR	980	1200	1200	830
101			2008	IT	790	1000	960	660
101			2009	IC	880	980	990	780
101			2010	IC	1000	1100	1100	890
101			2011	IT	870	1150	1150	720
101			2012	CTR	750	910	900	640
101			2013	CTR	930	1150	1150	790
101			2014	IC	810	900	890	720

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
101			2015	IC	800	890	880	710
101			2016	IC	900	1000	990	800
101			2017	IC	900	990	990	820
101			2018	CR	900	1050	1050	810
101			2019	CR	900	1050	1050	810
101	WAWA E LTS START OF NA	1.3	9999					
101	WINSTON CHURCHILL AV END OF NA	2.0	1988	LT	2950	4200	4150	2250
101			1989	LT	3100	4300	4300	2300
101			1990	LT	3250	4750	4550	2350
101			1991	LT	3400	4750	4600	2500
101			1992	LT	3400	4750	4600	2600
101			1993	LT	3400	4700	4200	2500
101			1994	LT	3400	5000	4800	2450
101			1995	LT	3500	5050	4900	2550
101			1996	LT	3600	5100	4950	2650
101			1997	LT	3600	5100	4950	2650
101			1998	LT	3750	5250	5150	2750
101			1999	LT	3800	5300	5150	2750
101			2000	LT	3750	5200	5100	2750
101			2001	LT	3850	5400	5250	2800
101			2002	LT	3950	5500	5400	2900
101			2003	LT	4000	5500	5400	2950
101			2004	LT	3950	5550	5400	2900
101			2005	CTR	4100	5100	4900	3500
101			2006	CTR	4000	4950	4750	3400
101			2007	CTR	4000	4950	4900	3400
101			2008	CTR	4000	4950	4850	3400
101			2009	CTR	4100	5000	4850	3500
101			2010	IT	3900	4900	4900	3200
101			2011	IT	4150	5550	5550	3400
101			2012	IT	4200	5250	5050	3500
101			2013	CTR	3750	4550	4700	3200
101			2014	CTR	3650	4450	4500	3100
101			2015	CTR	4100	5000	5050	3500
101			2016	CTR	4150	5050	5100	3550
101			2017	CTR	4150	5550	5500	3400
101			2018	CTR	4200	5600	5600	3400
101			2019	CTR	4200	5600	5550	3400
101	HWY 17 HWY END		9999					
102	HWYS 11/17	0.2	1988	IC	18900	21900	21400	16600
102			1989	IC	19000	21800	21500	16900
102			1990	IC	19200	21900	21500	17100
102			1991	IC	19300	21800	21400	17200
102			1992	IC	19300	21400	21200	17600
102			1993	IC	19300	21800	21600	17200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
102			1994	IC	19500	21800	21800	17400
102			1995	IC	19600	21900	22100	17600
102			1996	IC	19700	22100	22200	17500
102			1997	IC	19900	22300	22500	17500
102			1998	IC	20000	22400	22400	17800
102			1999	IC	20100	22500	22500	17900
102			2000	IC	20200	22600	22600	18000
102			2001	IC	20300	22700	22800	18000
102			2002	IC	20400	22700	22900	18000
102			2003	IC	20500	22800	23100	18200
102			2004	IC	20600	23000	23100	18200
102			2005	IC	20700	23000	23200	18200
102			2006	IC	20800	23100	23300	18400
102			2007	IC	20900	23200	23900	18500
102			2008	IC	21000	23300	22500	18500
102			2009	IC	21100	23400	23600	18800
102			2010	IC	21200	23500	23700	18800
102			2011	IC	21300	23400	24300	19100
102			2012	IC	21400	23700	23000	19000
102			2013	IC	21500	23800	23700	19100
102			2014	IC	21600	23900	23800	19200
102			2015	IC	21700	24000	23900	19200
102			2016	IC	21800	24100	24000	19300
102			2017	IC	21900	24000	24200	19900
102			2018	IC	22000	24200	24300	19900
102			2019	IC	22100	24300	24400	20000
102	CITY OF THUNDER BAY START OF NA	6.7	9999					
102	0.157 KM W OF SEC HWY 589 END OF NA	3.5	1988	IC	3550	4100	4000	3100
102			1989	IC	3600	4150	4050	3200
102			1990	CTR	3600	4500	4250	3150
102			1991	CTR	3450	4350	4300	3000
102			1992	CTR	3250	4000	3850	2850
102			1993	CTR	3450	4350	4150	2950
102			1994	LT	3550	5200	5000	2600
102			1995	LT	3600	5150	5000	2650
102			1996	IC	3900	4400	4400	3450
102			1997	LT	3650	5150	5050	2700
102			1998	LT	3650	5100	5000	2650
102			1999	LT	3650	5050	4950	2650
102			2000	LT	3750	5200	5100	2750
102			2001	LT	3800	5300	5150	2800
102			2002	LT	3800	5300	5150	2800
102			2003	LT	3850	5300	5200	2850
102			2004	LT	3850	5400	5250	2800
102			2005	CR	3900	4750	4550	3300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
102			2006	CR	4050	4900	4700	3400
102			2007	CTR	4100	5100	5050	3450
102			2008	CTR	4100	5050	5000	3500
102			2009	CTR	4050	4950	4800	3450
102			2010	CTR	4200	5100	4900	3550
102			2011	CR	4150	4850	4900	3700
102			2012	CR	4200	5050	4950	3550
102			2013	CR	4250	5100	5250	3600
102			2014	IC	4250	4700	4700	3750
102			2015	IC	4300	4750	4750	3800
102			2016	CR	4350	5150	5100	3700
102			2017	CR	4350	5050	5050	3900
102			2018	CR	4400	5100	5150	3950
102			2019	CR	4450	5150	5200	4000
102	MAPLEWARD RD (N&S) THUNDER BAY	22.6	1988	C	2050	2300	2300	1850
102			1989	C	2050	2300	2300	1850
102			1990	IR	2100	2650	2350	1700
102			1991	IR	2100	2650	2350	1750
102			1992	IR	2100	2600	2300	1800
102			1993	IR	2100	2600	2150	1700
102			1994	IR	2150	2650	2350	1800
102			1995	IR	2300	2850	2550	1950
102			1996	IR	2300	2850	2550	1950
102			1997	CR	2350	2900	2750	2000
102			1998	CR	2400	2950	2800	2050
102			1999	CR	2500	3100	2900	2100
102			2000	CR	2400	2950	2800	2050
102			2001	CR	2350	2900	2750	2000
102			2002	CR	2400	2950	2800	2000
102			2003	CR	2400	2900	2800	2050
102			2004	C	2350	2650	2650	2100
102			2005	CR	2350	2850	2750	2000
102			2006	CR	2450	2950	2850	2050
102			2007	CTR	2450	3050	3000	2100
102			2008	CTR	2450	3050	2950	2100
102			2009	CTR	2450	3000	2900	2100
102			2010	CTR	2500	3050	2900	2100
102			2011	CR	2500	2900	2950	2200
102			2012	CR	2350	2800	2750	2000
102			2013	CR	2500	3000	3050	2100
102			2014	CTR	2500	3050	3100	2100
102			2015	CTR	2500	3050	3100	2100
102			2016	CR	2550	3000	3000	2150
102			2017	CR	2550	2950	2950	2300
102			2018	CR	2550	2950	3000	2300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
102			2019	CR	2550	2950	3000	2300
102	W JCT HWYS 11/17 HWY END		9999					
105			1988	IC	1200	1400	1350	1050
105			1989	IC	1200	1400	1350	1050
105			1990	IC	1200	1350	1350	1050
105			1991	IC	1100	1250	1200	980
105			1992	IR	1000	1250	1100	850
105			1993	IR	1000	1250	1050	820
105			1994	IR	1050	1300	1150	880
105			1995	LT	1000	1450	1400	730
105			1996	LT	1000	1400	1400	730
105			1997	LT	980	1400	1350	730
105			1998	LT	960	1350	1300	700
105			1999	LT	1000	1400	1350	730
105			2000	LT	1000	1400	1350	730
105			2001	IT	900	1200	1150	730
105			2002	IT	1050	1350	1350	870
105			2003	IT	1050	1350	1350	860
105			2004	LT	1100	1550	1500	810
105			2005	LT	1050	1450	1400	770
105			2006	LT	1100	1500	1450	810
105			2007	LT	1050	1450	1500	770
105			2008	LT	1050	1450	1400	770
105			2009	LT	1050	1400	1400	780
105			2010	LT	1100	1500	1450	810
105			2011	LT	1100	1400	1450	900
105			2012	CTR	1100	1350	1300	940
105			2013	CTR	940	1150	1200	800
105			2014	CTR	1100	1350	1350	940
105			2015	CTR	1100	1350	1350	940
105			2016	CTR	1100	1350	1350	940
105			2017	CTR	1100	1450	1450	900
105			2018	CR	1150	1350	1350	1050
105			2019	CR	1100	1300	1300	990
105	**HWY 17**	**13.21**	**2019**	**CR**	**1100**	**1300**	**1300**	**990**
105	SEC HWY 609 TO QUIBEL (W) JONES RD (E)	86.2	1988	IC	750	870	850	660
105			1989	IT	800	1100	1050	620
105			1990	IT	800	1000	990	670
105			1991	IT	800	1050	980	690
105			1992	IT	850	1100	1050	720
105			1993	IT	850	1050	1050	720
105			1994	IT	840	1100	1050	710
105			1995	IT	840	1050	1000	720
105			1996	IT	870	1150	1100	720
105			1997	IR	880	1100	990	750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
105			1998	IR	890	1100	1000	750
105			1999	IR	870	1100	970	730
105			2000	IR	870	1050	960	740
105			2001	IT	850	1100	1100	690
105			2002	IT	880	1150	1100	730
105			2003	IT	880	1100	1100	720
105			2004	IT	880	1150	1100	720
105			2005	IT	870	1100	1100	720
105			2006	IR	890	1050	970	760
105			2007	IR	860	1050	1050	730
105			2008	IR	770	930	920	660
105			2009	IR	830	1000	900	710
105			2010	IR	850	1000	930	720
105			2011	IR	710	850	830	610
105			2012	CTR	710	860	850	600
105			2013	CTR	700	850	880	590
105			2014	CTR	760	930	930	650
105			2015	CTR	760	930	930	650
105			2016	CTR	750	920	920	640
105			2017	CTR	740	990	980	600
105			2018	CTR	740	990	980	600
105			2019	CTR	730	970	970	590
105	TERTIARY RD 804 (W) GOLDEN FAWN RD (E)	3.8	1988	IC	850	990	960	750
105			1989	IT	850	1200	1150	660
105			1990	IT	850	1100	1050	710
105			1991	IT	850	1100	1050	730
105			1992	IT	750	980	930	640
105			1993	IT	750	920	930	640
105			1994	IT	680	880	840	580
105			1995	IT	740	950	900	630
105			1996	IT	590	780	760	490
105			1997	IT	540	710	700	450
105			1998	IT	500	640	640	400
105			1999	IT	730	940	930	590
105			2000	IT	760	980	970	620
105			2001	IT	790	1050	1000	640
105			2002	IT	830	1100	1050	680
105			2003	IT	860	1100	1100	700
105			2004	IT	930	1200	1200	760
105			2005	IT	950	1200	1200	790
105			2006	IC	1000	1100	1100	890
105			2007	IC	950	1050	1100	840
105			2008	IR	940	1150	1100	800
105			2009	IR	970	1150	1050	820
105			2010	CTR	990	1200	1150	840

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
105			2011	CTR	840	1000	980	710
105			2012	CTR	840	1000	1000	720
105			2013	CTR	860	1050	1100	730
105			2014	CTR	1000	1200	1250	850
105			2015	CTR	1050	1300	1300	890
105			2016	CTR	1050	1300	1300	890
105			2017	CTR	1050	1400	1400	860
105			2018	IC	1100	1200	1200	1000
105			2019	IC	1100	1200	1200	990
105	SEC HWY 657 GOLD PINES RD (E)	67.6	1988	IC	750	870	850	660
105			1989	C	700	780	780	630
105			1990	C	700	780	780	630
105			1991	C	700	770	780	640
105			1992	C	700	760	780	640
105			1993	C	800	870	890	740
105			1994	C	730	800	810	660
105			1995	IC	830	930	940	740
105			1996	IC	710	800	800	630
105			1997	IC	700	780	790	620
105			1998	IC	700	780	780	620
105			1999	IC	790	880	880	700
105			2000	IC	810	910	910	720
105			2001	IC	820	920	920	730
105			2002	IC	840	940	940	740
105			2003	IC	850	950	960	750
105			2004	CTR	940	1200	1150	790
105			2005	CTR	910	1150	1100	770
105			2006	CTR	880	1100	1050	750
105			2007	CTR	890	1100	1100	750
105			2008	CTR	830	1050	1000	710
105			2009	CTR	920	1100	1100	780
105			2010	IT	930	1150	1150	770
105			2011	IT	940	1250	1250	770
105			2012	CTR	980	1200	1150	830
105			2013	CTR	970	1200	1200	820
105			2014	CTR	990	1200	1200	840
105			2015	CTR	1000	1200	1250	850
105			2016	CTR	1000	1200	1250	850
105			2017	CTR	1050	1400	1400	860
105			2018	CR	1050	1200	1250	940
105			2019	CR	1050	1200	1250	940
105	HWY 125 BALMERTOWN RD (E)	2.8	1988	IC	2800	3250	3150	2450
105			1989	C	2850	3150	3200	2550
105			1990	C	2900	3200	3200	2600
105			1991	C	3000	3300	3350	2750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
105			1992	IC	3050	3400	3350	2800
105			1993	IC	3100	3500	3450	2750
105			1994	IC	3250	3650	3650	2900
105			1995	IC	3450	3850	3900	3100
105			1996	IC	3400	3800	3850	3050
105			1997	IC	3500	3900	3950	3100
105			1998	IC	3600	4050	4050	3200
105			1999	IC	3650	4100	4100	3250
105			2000	IC	3700	4150	4150	3300
105			2001	IC	3750	4200	4200	3300
105			2002	IC	3800	4250	4250	3350
105			2003	IC	3900	4350	4400	3450
105			2004	IC	4050	4550	4550	3600
105			2005	IC	4000	4450	4500	3550
105			2006	IC	4000	4450	4500	3550
105			2007	IC	4100	4550	4700	3600
105			2008	IC	4100	4550	4400	3600
105			2009	IC	4250	4700	4750	3800
105			2010	IC	4300	4750	4800	3800
105			2011	IC	4350	4800	4950	3900
105			2012	IC	4500	5000	4850	4000
105			2013	IC	4450	4950	4900	3950
105			2014	IC	4550	5050	5000	4050
105			2015	IC	4600	5100	5050	4100
105			2016	IC	4650	5150	5100	4100
105			2017	IC	4750	5200	5250	4300
105			2018	IC	4700	5150	5200	4250
105			2019	IC	4850	5350	5350	4400
105	SEC HWY 618 HWY END		9999					
108			1988	IC	2650	3050	3000	2350
108			1989	IC	2650	3050	3000	2350
108			1990	IC	2350	2700	2650	2100
108			1991	SC	2250	2500	2700	2000
108			1992	SC	1400	1450	1650	1300
108			1993	SC	2300	2550	2800	2050
108			1994	SC	2150	2250	2450	2000
108			1995	C	2200	2400	2450	2000
108			1996	C	2050	2300	2350	1850
108			1997	UC	2000	2100	2350	1900
108			1998	UC	2200	2350	2550	2100
108			1999	UC	2100	2250	2450	2000
108			2000	UC	2100	2250	2500	1950
108			2001	C	2050	2300	2300	1850
108			2002	C	2150	2400	2450	1950
108			2003	C	2150	2400	2400	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
108			2004	C	2150	2400	2450	1950
108			2005	CR	2200	2650	2550	1850
108			2006	CR	2150	2600	2500	1800
108			2007	CR	2150	2600	2600	1800
108			2008	IC	2150	2400	2300	1900
108			2009	IC	2150	2400	2400	1900
108			2010	CR	2150	2600	2500	1800
108			2011	CR	2150	2500	2550	1900
108			2012	CTR	2150	2600	2600	1850
108			2013	CTR	2150	2600	2700	1850
108			2014	CTR	2150	2600	2650	1850
108			2015	CTR	2150	2600	2650	1850
108			2016	CTR	2150	2600	2650	1850
108			2017	CTR	2150	2850	2850	1750
108			2018	CTR	2150	2850	2850	1750
108			2019	CTR	2150	2850	2850	1750
108	**HWY 17**	**20.70**	**2019**	**CTR**	**2150**	**2850**	**2850**	**1750**
108	ALGOM NORDIC MINE RD ELLIOT LAKE	4.0	1988	C	3700	4100	4100	3350
108			1989	IC	3550	4100	4000	3150
108			1990	IC	3250	3700	3650	2900
108			1991	SC	2900	3200	3500	2600
108			1992	CTR	3000	3700	3550	2600
108			1993	CTR	3000	3800	3650	2550
108			1994	CTR	2850	3650	3500	2400
108			1995	C	2850	3100	3200	2600
108			1996	C	2600	2950	2950	2350
108			1997	C	2500	2800	2850	2250
108			1998	C	2400	2700	2700	2150
108			1999	C	2550	2850	2900	2300
108			2000	C	2500	2800	2800	2250
108			2001	C	2350	2650	2650	2100
108			2002	C	2550	2850	2900	2300
108			2003	CTR	2500	3100	3000	2100
108			2004	CTR	2350	2950	2850	2000
108			2005	CTR	2400	2950	2850	2050
108			2006	C	2300	2550	2600	2050
108			2007	CTR	2300	2850	2800	1950
108			2008	IC	2350	2600	2500	2050
108			2009	IC	2350	2600	2650	2100
108			2010	IC	2250	2500	2500	2000
108			2011	IC	2350	2600	2700	2100
108			2012	CTR	2200	2650	2650	1850
108			2013	CTR	2200	2700	2750	1850
108			2014	CTR	2150	2600	2650	1850
108			2015	CTR	2150	2600	2650	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
108			2016	CTR	2100	2550	2600	1800
108			2017	CTR	2100	2800	2800	1700
108			2018	CTR	2050	2750	2750	1650
108			2019	CTR	2050	2750	2700	1650
108	A POINT 24.7 KM N OF HWY 17 START OF NA	5.7	9999					
108	30.4 KM NORTH OF HWY 17 END OF NA	6.6	1988	UC	4100	4300	4650	3850
108			1989	UC	3450	3600	3900	3300
108			1990	UC	2100	2250	2450	2000
108			1991	SC	1900	2100	2300	1700
108			1992	SC	1000	1050	1150	920
108			1993	SC	1000	1100	1200	890
108			1994	SC	1100	1150	1250	1000
108			1995	T	460	800	780	280
108			1996	T	460	800	780	280
108			1997	LT	460	650	630	340
108			1998	LT	460	640	630	340
108			1999	LT	540	750	730	390
108			2000	LT	630	880	860	460
108			2001	LT	690	970	940	510
108			2002	LT	660	920	900	480
108			2003	LT	670	920	900	490
108			2004	LT	760	1050	1050	560
108			2005	LT	740	1000	990	540
108			2006	LT	730	1000	970	540
108			2007	LT	750	1050	1050	550
108			2008	LT	870	1200	1150	640
108			2009	LT	770	1050	1000	570
108			2010	C	790	870	880	710
108			2011	C	800	880	890	720
108			2012	CTR	820	990	980	700
108			2013	CTR	830	1000	1050	700
108			2014	CTR	840	1000	1050	710
108			2015	CTR	860	1050	1050	730
108			2016	CTR	870	1050	1050	740
108			2017	CTR	880	1200	1150	720
108			2018	CTR	900	1200	1200	730
108			2019	IR	910	1050	1050	790
108	STANROCK MINE RD ELLIOT RD	3.0	1988	UC	3900	4100	4400	3650
108			1989	UC	3200	3350	3600	3050
108			1990	UC	1950	2100	2250	1850
108			1991	SC	1400	1550	1700	1250
108			1992	SC	600	630	700	550
108			1993	SC	600	670	730	530
108			1994	SC	660	690	760	610
108			1995	T	600	1050	1000	370

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
108			1996	T	520	900	880	320
108			1997	IR	440	550	490	370
108			1998	IR	370	460	410	310
108			1999	IR	400	500	440	340
108			2000	IR	420	510	470	350
108			2001	T	370	610	580	230
108			2002	T	490	800	770	300
108			2003	T	480	760	720	300
108			2004	T	390	640	620	240
108			2005	T	680	1050	1000	430
108			2006	T	480	740	710	300
108			2007	T	470	730	690	300
108			2008	CTR	430	530	520	370
108			2009	CTR	470	570	550	400
108			2010	IR	550	650	600	470
108			2011	IR	460	550	540	390
108			2012	CTR	390	470	470	330
108			2013	CTR	450	550	570	380
108			2014	IT	440	550	540	360
108			2015	IT	420	530	520	350
108			2016	IT	420	530	520	350
108			2017	IT	410	540	540	350
108			2018	IT	410	540	540	350
108			2019	IR	340	390	390	300
108	DENISON MINE RD ELLIOT LAKE	1.0	1988	UC	2200	2300	2500	2050
108			1989	UC	1750	1850	2000	1650
108			1990	UC	900	960	1050	860
108			1991	IC	400	450	440	360
108			1992	IC	350	390	390	320
108			1993	IC	350	400	390	310
108			1994	IC	310	350	350	280
108			1995	IR	300	370	330	260
108			1996	IR	300	370	330	260
108			1997	CTR	300	380	370	250
108			1998	CTR	310	390	380	260
108			1999	CTR	300	380	360	250
108			2000	CTR	300	380	360	250
108			2001	LT	300	420	410	220
108			2002	LT	360	500	490	260
108			2003	LT	370	510	500	270
108			2004	LT	350	490	480	260
108			2005	LT	440	600	590	320
108			2006	LT	350	480	470	260
108			2007	LT	350	480	490	260
108			2008	CTR	340	420	410	290

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
108			2009	CTR	360	440	420	310
108			2010	CR	310	370	360	260
108			2011	CR	370	430	440	330
108			2012	CTR	310	380	370	260
108			2013	CTR	360	440	450	310
108			2014	IT	360	450	440	300
108			2015	IT	370	460	460	310
108			2016	IT	370	460	460	310
108			2017	IT	370	490	490	310
108			2018	IT	380	500	500	320
108			2019	IT	380	500	500	320
108	PANEL MINE RD ELLIOT LAKE	0.6	1988	UC	1150	1200	1300	1100
108			1989	UC	850	890	960	810
108			1990	UC	500	540	580	480
108			1991	IC	400	450	440	360
108			1992	HT	200	400	360	90
108			1993	HT	200	400	360	90
108			1994	HT	290	570	530	130
108			1995	HT	300	570	520	140
108			1996	HT	340	640	580	150
108			1997	HT	380	720	650	170
108			1998	HT	410	750	690	190
108			1999	HT	350	630	580	160
108			2000	HT	330	580	520	150
108			2001	T	300	490	470	190
108			2002	T	330	540	520	210
108			2003	T	330	520	500	210
108			2004	LR	330	540	430	220
108			2005	LR	320	500	400	220
108			2006	HT	280	450	400	130
108			2007	HT	270	440	400	130
108			2008	HT	270	430	420	130
108			2009	HT	270	410	360	130
108			2010	HT	280	420	370	140
108			2011	HT	280	430	430	180
108			2012	CTR	220	270	260	190
108			2013	CTR	260	320	330	220
108			2014	IT	250	310	310	210
108			2015	IT	250	310	310	210
108			2016	IT	240	300	300	200
108			2017	IT	240	320	320	200
108			2018	IT	230	300	300	190
108			2019	CTR	230	310	310	190
108	SEC HWY 639 HWY END		9999					
112	HWY 11 ROUND LAKE DIVERSION	12.4	1988	IC	1400	1600	1600	1250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
112			1989	IC	1450	1650	1650	1300
112			1990	IC	1450	1650	1600	1300
112			1991	IC	1450	1650	1600	1300
112			1992	IC	1450	1600	1600	1300
112			1993	IC	1450	1650	1600	1300
112			1994	IC	1500	1700	1700	1350
112			1995	IC	1500	1700	1700	1350
112			1996	IC	1550	1750	1750	1400
112			1997	IC	1550	1750	1750	1350
112			1998	IC	1600	1800	1800	1400
112			1999	IC	1500	1700	1700	1350
112			2000	IC	1450	1600	1600	1300
112			2001	IC	1450	1600	1650	1300
112			2002	IC	1400	1550	1550	1250
112			2003	IC	1400	1550	1600	1250
112			2004	IC	1400	1550	1550	1250
112			2005	IC	1400	1550	1550	1250
112			2006	IC	1350	1500	1500	1200
112			2007	IC	1350	1500	1550	1200
112			2008	IC	1350	1500	1450	1200
112			2009	CR	1400	1700	1600	1200
112			2010	CR	1350	1600	1550	1150
112			2011	CR	1300	1500	1550	1150
112			2012	UC	1550	1550	1650	1450
112			2013	UC	1350	1350	1350	1300
112			2014	UC	1350	1350	1300	1300
112			2015	UC	1350	1350	1300	1300
112			2016	UC	1300	1300	1250	1250
112			2017	UC	1300	1300	1300	1250
112			2018	UC	1300	1300	1300	1250
112			2019	UC	1300	1300	1300	1250
112	SEC HWY 650 DANE	7.4	1988	IC	2000	2300	2250	1750
112			1989	IC	2050	2350	2300	1800
112			1990	IC	2050	2350	2300	1800
112			1991	IC	2050	2300	2300	1800
112			1992	IC	2050	2300	2250	1850
112			1993	IC	2150	2450	2400	1900
112			1994	IC	2100	2350	2350	1850
112			1995	IC	2150	2400	2400	1950
112			1996	IC	2150	2400	2400	1900
112			1997	IC	2200	2450	2500	1950
112			1998	IC	2200	2450	2450	1950
112			1999	IC	2100	2350	2350	1850
112			2000	IC	2100	2350	2350	1850
112			2001	IC	2100	2350	2350	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
112			2002	IC	2000	2250	2250	1750
112			2003	IC	2050	2300	2300	1800
112			2004	IC	2050	2300	2300	1800
112			2005	IC	2050	2300	2300	1800
112			2006	IC	2000	2200	2250	1750
112			2007	IC	2000	2200	2300	1750
112			2008	IC	2000	2200	2150	1750
112			2009	IC	1950	2150	2200	1750
112			2010	IC	1950	2150	2200	1750
112			2011	IC	1950	2150	2200	1750
112			2012	UC	2200	2200	2350	2100
112			2013	UC	1950	1950	1950	1850
112			2014	UC	2000	2000	1900	1900
112			2015	UC	1950	1950	1900	1850
112			2016	UC	1950	1950	1900	1850
112			2017	UC	1950	1950	1950	1850
112			2018	UC	1950	1950	1950	1850
112			2019	UC	1900	1850	1900	1850
112	HWY 66 KIRKLAND LAKE HWY END		9999					
115	HWY 401 M/C FRWY IC S JCT HWY 35 OVERLAP HWY 35(27800 - 27829)	18.9	9999					
115	N JCT HWY 35 IC(ENTERPRISE HILL)	2.5	1992	IR	11500	14100	12700	9800
115			1993	IR	11500	14100	11900	9400
115			1994	IR	12800	15800	14100	10700
115			1995	IR	13300	16400	14700	11300
115			1996	IR	13800	17100	15400	11800
115			1997	IR	14300	17900	16000	12200
115			1998	IR	14800	18400	16600	12400
115			1999	IR	15400	19100	17100	12900
115			2000	IR	15900	19500	17600	13400
115			2001	IR	16400	20300	18200	13900
115			2002	IR	16900	20800	18700	14400
115			2003	IR	17100	20800	18800	14500
115			2004	IR	17500	21600	19400	14800
115			2005	IR	18000	21700	19700	15300
115			2006	IR	18400	22200	20100	15600
115			2007	IR	18500	22400	22300	15700
115			2008	IR	19400	23500	23100	16600
115			2009	CTR	19800	24200	23400	16800
115			2010	CTR	20300	24700	23700	17200
115			2011	IR	19700	23500	23000	16800
115			2012	IC	14000	15500	15000	12400
115			2013	IC	19900	22000	21900	17600
115			2014	CR	21800	25700	25500	18600
115			2015	CR	20900	24600	24500	17800
115			2016	CR	21200	25000	24800	18100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
115			2017	CR	21600	25000	25200	19400
115			2018	CR	21900	25400	25600	19700
115			2019	CR	22300	25900	26000	20000
115	BOUNDARY ROAD IC-129	3.5	1990	IR	11500	14600	12800	9450
115			1991	IR	11700	14700	13000	9700
115			1992	IR	11500	14100	12700	9800
115			1993	IR	11500	14100	11900	9400
115			1994	IR	12800	15800	14100	10700
115			1995	IR	13300	16400	14700	11300
115			1996	IR	13800	17100	15400	11800
115			1997	IR	14300	17900	16000	12200
115			1998	IR	14800	18400	16600	12400
115			1999	IR	15400	19100	17100	12900
115			2000	IR	15900	19500	17600	13400
115			2001	IR	16300	20100	18100	13800
115			2002	IR	16800	20700	18600	14300
115			2003	IR	17300	21000	19000	14700
115			2004	IR	17800	22000	19700	15000
115			2005	IR	18300	22100	20000	15600
115			2006	IR	18800	22700	20500	16000
115			2007	IR	19300	23400	23300	16400
115			2008	IR	19800	24000	23500	16900
115			2009	IR	20300	24400	22100	17300
115			2010	IR	20800	24800	22700	17700
115			2011	IR	21300	25400	24900	18200
115			2012	IR	21800	25900	25200	18600
115			2013	IR	22300	26500	28500	19000
115			2014	IR	22800	27100	27200	19400
115			2015	IR	23300	27700	27800	19800
115			2016	IR	23800	28300	28400	20300
115			2017	IR	24300	29800	29900	20700
115			2018	IR	24800	30500	30400	21200
115			2019	IR	25300	31300	31200	21600
115	SANDARASKA PARK RD (S)	4.6	1990	IR	11500	14600	12800	9450
115			1991	IR	11700	14700	13000	9700
115			1992	IR	11500	14100	12700	9800
115			1993	IR	11500	14100	11900	9400
115			1994	IR	12800	15800	14100	10700
115			1995	IR	13300	16400	14700	11300
115			1996	IR	13800	17100	15400	11800
115			1997	IR	14300	17900	16000	12200
115			1998	IR	14800	18400	16600	12400
115			1999	IR	15400	19100	17100	12900
115			2000	IR	15900	19500	17600	13400
115			2001	IR	16300	20100	18100	13800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
115			2002	IR	16800	20700	18600	14300
115			2003	IR	17300	21000	19000	14700
115			2004	IR	17800	22000	19700	15000
115			2005	IR	18300	22100	20000	15600
115			2006	IR	18800	22700	20500	16000
115			2007	IR	19300	23400	23300	16400
115			2008	IR	19800	24000	23500	16900
115			2009	IR	20300	24400	22100	17300
115			2010	IR	20800	24800	22700	17700
115			2011	IR	21300	25400	24900	18200
115			2012	IR	21800	25900	25200	18600
115			2013	IR	19500	23200	24900	16600
115			2014	IR	22200	26400	26500	18900
115			2015	IR	22700	27000	27100	19300
115			2016	IR	23200	27600	27700	19700
115			2017	IR	23600	28600	28500	20100
115			2018	IR	24100	29300	29100	20500
115			2019	IR	24500	29800	29700	20900
115	VICTORIA RD 12(TO PONTYPOOL)	8.5	1990	IR	11500	14600	12800	9450
115			1991	IR	11700	14700	13000	9700
115			1992	IR	11500	14100	12700	9800
115			1993	IR	11500	14100	11900	9400
115			1994	IR	12800	15800	14100	10700
115			1995	IR	13300	16400	14700	11300
115			1996	IR	13800	17100	15400	11800
115			1997	IR	14300	17900	16000	12200
115			1998	IR	14800	18400	16600	12400
115			1999	IR	15400	19100	17100	12900
115			2000	IR	15900	19500	17600	13400
115			2001	IR	16400	20300	18200	13900
115			2002	IR	16900	20800	18700	14400
115			2003	IR	17400	21100	19100	14800
115			2004	IR	17900	22100	19800	15100
115			2005	IR	18400	22200	20200	15700
115			2006	IR	18900	22800	20700	16100
115			2007	IR	19400	23500	23400	16400
115			2008	IR	19900	24100	23700	17000
115			2009	IR	20400	24500	22200	17300
115			2010	IR	20900	24900	22800	17800
115			2011	IR	20100	24000	23500	17200
115			2012	IR	20000	23800	23200	17100
115			2013	IR	18700	22300	23900	15900
115			2014	IR	21600	25700	25800	18400
115			2015	IR	22000	26200	26200	18700
115			2016	IR	22400	26700	26700	19100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
115			2017	IR	22800	27700	27500	19400
115			2018	IR	23300	28300	28100	19800
115			2019	IR	23700	28800	28700	20200
115	PETERBOROUGH RD 10 UP IC	2.4	1990	IR	11500	14600	12800	9450
115			1991	IR	11700	14700	13000	9700
115			1992	IR	11700	14400	12900	9950
115			1993	IR	11700	14400	12100	9550
115			1994	IR	11800	14500	13000	9900
115			1995	IR	11900	14700	13100	10100
115			1996	IR	11900	14800	13300	10100
115			1997	IR	12000	15000	13400	10200
115			1998	IR	12000	14900	13400	10100
115			1999	IR	15000	18600	16600	12600
115			2000	IR	15000	18400	16600	12700
115			2001	IR	15700	19400	17400	13300
115			2002	IR	18000	22200	19900	15300
115			2003	IR	17200	20900	18900	14600
115			2004	IR	17900	22100	19800	15100
115			2005	IR	18300	22100	20000	15600
115			2006	IR	20900	25200	22800	17700
115			2007	IR	21200	25700	25600	18000
115			2008	IR	21600	26200	25700	18500
115			2009	IR	22000	26400	24000	18700
115			2010	IR	22400	26700	24400	19100
115			2011	IR	23600	28200	27600	20200
115			2012	IR	24400	29000	28300	20900
115			2013	IR	19500	23200	24900	16600
115			2014	IR	24800	29500	29600	21100
115			2015	IR	25500	30400	30400	21700
115			2016	IR	26200	31200	31300	22300
115			2017	IR	26900	33000	33100	22900
115			2018	IR	27600	34000	33800	23600
115			2019	IR	28200	34900	34700	24100
115	W JCT HWY 7A(TO PORT PERRY)	4.7	1988	IR	11900	15500	13100	9500
115			1989	IR	13300	17200	14800	10900
115			1990	IR	14800	18800	16400	12100
115			1991	IR	15200	19200	16900	12600
115			1992	IR	15500	19100	17000	13200
115			1993	IR	15700	19300	16200	12800
115			1994	IR	17100	21100	18800	14300
115			1995	IR	17900	22000	19700	15300
115			1996	IR	18700	23200	20900	15900
115			1997	IR	19500	24400	21800	16600
115			1998	IR	20300	25200	22700	17100
115			1999	IR	20100	24900	22300	16900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
115			2000	IR	20600	25200	22800	17400
115			2001	IR	20900	25800	23200	17700
115			2002	IR	21100	26000	23400	17900
115			2003	IR	21800	26500	24000	18500
115			2004	IR	21600	26700	23900	18300
115			2005	IR	22500	27200	24700	19200
115			2006	IR	22100	26700	24200	18800
115			2007	IR	22400	27100	27100	19000
115			2008	IR	21900	26500	26000	18700
115			2009	IR	23100	27700	25200	19600
115			2010	IR	22500	26800	24500	19200
115			2011	IR	23700	28300	27700	20200
115			2012	IR	24000	28600	27800	20500
115			2013	IR	22500	26800	28700	19200
115			2014	IR	24300	28900	29000	20700
115			2015	IR	24600	29300	29300	20900
115			2016	IR	24900	29600	29700	21200
115			2017	IR	25200	28500	28600	21700
115			2018	IR	25500	28800	29100	22100
115			2019	IR	25800	29200	29500	22400
115	JCT HWY 7 & JCT HWY 115 IC	6.4	9999					
115	HWY 7 QUEENSWAY PETERBOROUGH	0.8	1988	CR	12200	15600	14600	10100
115			1989	CR	12400	15900	14800	10400
115			1990	CR	13200	16400	15200	11900
115			1991	CR	13200	16200	15200	11900
115			1992	CR	14200	17500	16200	12800
115			1993	CR	14900	18300	17100	13400
115			1994	CR	15500	19100	17700	14000
115			1995	CR	16000	19800	18900	13800
115			1996	IC	16700	18800	18800	14900
115			1997	IC	17300	19400	19500	15200
115			1998	IC	17800	19900	19900	15800
115			1999	IC	18400	20600	20600	16400
115			2000	IC	19000	21300	21300	16900
115			2001	IC	19600	21900	22000	17300
115			2002	IC	20200	22500	22700	17800
115			2003	IC	20800	23200	23400	18400
115			2004	IC	21400	23900	24000	18900
115			2005	IC	20600	22900	23100	18200
115			2006	IC	21100	23400	23700	18700
115			2007	IC	21500	23900	24600	19000
115			2008	IC	21900	24300	23500	19300
115			2009	IC	22300	24800	25000	19800
115			2010	IC	22700	25100	25300	20100
115			2011	IC	23500	25800	26800	21100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
115			2012	IC	24000	26600	25800	21300
115			2013	IC	24400	27000	26900	21600
115			2014	IC	24900	27600	27400	22100
115			2015	IC	25300	28000	27900	22400
115			2016	IC	25700	28400	28300	22800
115			2017	IC	26200	28700	28900	23800
115			2018	IC	26600	29300	29400	24100
115			2019	IC	27100	29800	29900	24500
115	PETERBOROUGH START OF NA	2.2	9999					
115	HWY 7B&N JCT HWY 28 END OF NA HWY END		9999					
118			1988	IT	1350	1950	1800	1000
118			1989	IT	1400	1950	1900	1100
118			1990	IT	1450	1850	1800	1200
118			1991	IT	1450	1900	1800	1250
118			1992	IR	1500	1850	1650	1300
118			1993	IR	1500	1850	1550	1250
118			1994	IR	1550	1900	1700	1300
118			1995	IR	1600	1950	1750	1350
118			1996	IR	1650	2050	1850	1400
118			1997	IR	1700	2100	1900	1450
118			1998	IR	1750	2150	1950	1450
118			1999	IR	1800	2250	2000	1500
118			2000	IR	1850	2250	2050	1550
118			2001	IR	1900	2350	2100	1600
118			2002	IR	1950	2400	2150	1650
118			2003	IR	2000	2450	2200	1700
118			2004	IR	2050	2550	2250	1750
118			2005	IR	2100	2550	2300	1800
118			2006	IR	2100	2550	2300	1800
118			2007	IR	2200	2650	2650	1850
118			2008	IR	2000	2400	2400	1700
118			2009	IR	1900	2300	2050	1600
118			2010	IR	1800	2150	1950	1550
118			2011	IR	2150	2550	2500	1850
118			2012	IR	1900	2250	2200	1600
118			2013	CTR	1850	2250	2350	1550
118			2014	CTR	2100	2550	2600	1800
118			2015	CTR	2100	2550	2600	1800
118			2016	CTR	2150	2600	2650	1850
118			2017	CTR	2150	2850	2850	1750
118			2018	CTR	2200	2950	2950	1800
118			2019	CTR	2200	2950	2900	1800
118	**HWY 28**	**3.30**	**2019**	**CTR**	**2200**	**2950**	**2900**	**1800**
118	HALIBURTON DIST HASTINGS CTY BDY	8.2	1988	LT	700	990	990	530
118			1989	LT	700	970	970	520

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			1990	LT	750	1100	1050	550
118			1991	LT	750	1050	1000	560
118			1992	R	800	1350	1050	460
118			1993	R	800	1350	1050	460
118			1994	R	900	1650	1300	490
118			1995	LR	1050	1750	1450	690
118			1996	LR	1100	1850	1500	730
118			1997	LR	1200	2000	1600	800
118			1998	LR	1300	2150	1750	860
118			1999	LR	1250	2050	1650	820
118			2000	LR	1300	2100	1700	870
118			2001	LR	1250	2050	1650	840
118			2002	LR	1400	2300	1800	950
118			2003	LR	1400	2200	1800	940
118			2004	LR	1350	2200	1750	900
118			2005	LR	1350	2100	1700	920
118			2006	LR	1400	2200	1750	950
118			2007	LR	1300	2050	1950	880
118			2008	LR	1450	2250	2200	990
118			2009	LR	1450	2200	1800	990
118			2010	LR	1450	2150	1750	980
118			2011	LR	1550	2400	2250	1100
118			2012	LR	1550	2300	2250	1050
118			2013	CTR	1700	2050	2150	1450
118			2014	CTR	1650	2000	2050	1400
118			2015	CTR	1650	2000	2050	1400
118			2016	CTR	1700	2050	2100	1450
118			2017	CTR	1700	2250	2250	1400
118			2018	CTR	1750	2350	2350	1450
118			2019	CTR	1750	2350	2300	1400
118	E JCT HALIBURTON RD 648 LOOP RD (N)	1.8	1988	R	750	1400	1050	400
118			1989	R	800	1450	1100	440
118			1990	R	850	1600	1250	460
118			1991	R	850	1500	1200	490
118			1992	R	900	1550	1200	510
118			1993	R	900	1550	1200	510
118			1994	R	950	1750	1400	510
118			1995	R	1000	1850	1450	540
118			1996	R	1050	2000	1500	570
118			1997	R	1100	2100	1600	600
118			1998	R	1150	2150	1650	610
118			1999	R	1150	2150	1600	610
118			2000	R	1300	2400	1800	700
118			2001	R	1200	2250	1700	650
118			2002	R	1400	2600	1950	760

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2003	R	1400	2500	1900	760
118			2004	LR	1600	2600	2100	1050
118			2005	LR	1550	2400	1950	1050
118			2006	LR	1550	2400	1950	1050
118			2007	LR	1550	2450	2350	1050
118			2008	LR	1500	2350	2300	1050
118			2009	LR	1450	2200	1800	990
118			2010	LR	1400	2100	1700	950
118			2011	LR	1650	2550	2400	1150
118			2012	LR	1900	2850	2750	1300
118			2013	CTR	1300	1600	1650	1100
118			2014	CTR	1700	2050	2100	1450
118			2015	CTR	1750	2150	2150	1500
118			2016	CTR	1800	2200	2200	1550
118			2017	CTR	1800	2400	2400	1450
118			2018	CTR	1850	2450	2450	1500
118			2019	CTR	1900	2550	2500	1550
118	HALIBURTON RD 48 DYNO RD (S)	9.8	1988	IR	750	980	830	600
118			1989	IR	800	1050	890	660
118			1990	IR	850	1100	940	700
118			1991	IR	850	1050	940	710
118			1992	R	900	1550	1200	510
118			1993	R	900	1550	1200	510
118			1994	R	950	1750	1400	510
118			1995	LR	1000	1700	1350	660
118			1996	LR	1050	1750	1400	700
118			1997	LR	1000	1700	1350	670
118			1998	LR	1150	1900	1550	760
118			1999	LR	1150	1900	1500	760
118			2000	LR	1200	1950	1550	800
118			2001	LR	1250	2050	1650	840
118			2002	LR	1300	2100	1700	880
118			2003	LR	1350	2150	1700	910
118			2004	LR	1400	2300	1800	940
118			2005	LR	1400	2200	1750	950
118			2006	LR	1450	2250	1800	980
118			2007	LR	1500	2350	2250	1000
118			2008	LR	1550	2400	2350	1050
118			2009	LR	1600	2450	2000	1100
118			2010	LR	1650	2450	2000	1100
118			2011	LR	1700	2650	2450	1200
118			2012	LR	1750	2600	2550	1200
118			2013	CTR	1400	1700	1750	1200
118			2014	CTR	1750	2150	2150	1500
118			2015	CTR	1800	2200	2200	1550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2016	CTR	1800	2200	2200	1550
118			2017	CTR	1850	2450	2450	1500
118			2018	CTR	1900	2550	2550	1550
118			2019	CTR	1950	2600	2600	1600
118	W JCT HALIBURYON RD 648 LOOP RD (N)	3.8	1988	LR	1100	1950	1400	680
118			1989	LR	1150	1950	1500	760
118			1990	LR	1200	2100	1650	760
118			1991	LR	1200	2100	1650	760
118			1992	LR	1500	2400	1950	990
118			1993	LR	1500	2400	1950	980
118			1994	LR	1450	2400	1900	950
118			1995	LR	1500	2500	2050	980
118			1996	LR	1500	2500	2000	1000
118			1997	R	1550	3000	2250	850
118			1998	LR	1600	2650	2150	1050
118			1999	LR	1650	2700	2200	1100
118			2000	LR	1650	2650	2150	1100
118			2001	LR	1700	2800	2200	1150
118			2002	LR	1750	2850	2300	1200
118			2003	LR	1800	2850	2300	1200
118			2004	LR	1800	2950	2350	1200
118			2005	LR	1650	2600	2100	1100
118			2006	LR	1850	2900	2300	1250
118			2007	LR	1900	3000	2850	1300
118			2008	LR	1900	2950	2900	1300
118			2009	LR	1950	2950	2400	1350
118			2010	LR	1950	2900	2400	1300
118			2011	LR	2000	3100	2900	1400
118			2012	LR	2050	3050	3000	1400
118			2013	CTR	1850	2250	2350	1550
118			2014	CTR	2050	2500	2500	1750
118			2015	CTR	2100	2550	2600	1800
118			2016	CTR	2100	2550	2600	1800
118			2017	CTR	2150	2850	2850	1750
118			2018	CTR	2150	2850	2850	1750
118			2019	CTR	2200	2950	2900	1800
118	HALIBURTON RD 503 FURNACE RD (S)	9.1	1988	T	900	1650	1600	550
118			1989	T	950	1700	1650	600
118			1990	T	1000	1800	1750	620
118			1991	T	1000	1800	1750	620
118			1992	T	1000	1800	1750	620
118			1993	T	1050	1900	1850	650
118			1994	T	1100	2000	1950	680
118			1995	T	1150	2000	1950	710
118			1996	T	1150	2000	1950	710

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			1997	T	1200	2050	2050	740
118			1998	T	1250	2100	2100	760
118			1999	T	1250	2100	2050	780
118			2000	LT	1300	1800	1750	950
118			2001	LT	1350	1900	1850	990
118			2002	LT	1350	1900	1850	990
118			2003	LT	1400	1950	1900	1050
118			2004	LT	1450	2050	1950	1050
118			2005	LT	1450	2000	1950	1050
118			2006	LT	1500	2050	2000	1100
118			2007	LT	1550	2150	2200	1150
118			2008	LT	1550	2100	2050	1150
118			2009	LT	1600	2150	2100	1200
118			2010	LT	1650	2200	2150	1200
118			2011	LT	1650	2100	2150	1350
118			2012	LT	1700	2200	2100	1300
118			2013	LT	1750	2300	2300	1300
118			2014	LT	1750	2300	2300	1300
118			2015	LT	1800	2350	2400	1350
118			2016	LT	1850	2400	2450	1400
118			2017	LT	1850	2600	2550	1400
118			2018	LT	1900	2650	2650	1450
118			2019	LT	1950	2750	2700	1500
118	DUDLEY MONMOUTH TWP BDY	6.6	1988	T	900	1650	1600	550
118			1989	T	950	1700	1650	600
118			1990	T	1000	1800	1750	620
118			1991	T	1000	1800	1750	620
118			1992	T	1000	1800	1750	620
118			1993	T	1050	1900	1850	650
118			1994	T	1100	2000	1950	680
118			1995	T	1150	2000	1950	710
118			1996	T	1150	2000	1950	710
118			1997	T	1200	2050	2050	740
118			1998	T	1250	2100	2100	760
118			1999	T	1250	2100	2050	780
118			2000	LT	1300	1800	1750	950
118			2001	LT	1350	1900	1850	990
118			2002	LT	1350	1900	1850	990
118			2003	LT	1400	1950	1900	1050
118			2004	LT	1450	2050	1950	1050
118			2005	LT	1450	2000	1950	1050
118			2006	LT	1500	2050	2000	1100
118			2007	LT	1550	2150	2200	1150
118			2008	LT	1550	2100	2050	1150
118			2009	LT	1600	2150	2100	1200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2010	LT	1650	2200	2150	1200
118			2011	LT	1650	2100	2150	1350
118			2012	LT	1700	2200	2100	1300
118			2013	LT	1750	2300	2300	1300
118			2014	LT	1750	2300	2300	1300
118			2015	LT	1800	2350	2400	1350
118			2016	LT	1850	2400	2450	1400
118			2017	LT	1850	2600	2550	1400
118			2018	LT	1900	2650	2650	1450
118			2019	LT	1950	2750	2700	1500
118	KENNAWAY RD (N)	7.3	1988	T	1850	3400	3250	1150
118			1989	T	1950	3550	3400	1250
118			1990	T	2050	3750	3550	1250
118			1991	T	2050	3700	3550	1250
118			1992	T	2100	3800	3700	1300
118			1993	T	2150	3900	3800	1350
118			1994	T	2250	4050	3950	1400
118			1995	T	2350	4100	4000	1450
118			1996	T	2400	4150	4050	1500
118			1997	T	2400	4150	4050	1500
118			1998	T	2550	4350	4250	1550
118			1999	T	2600	4350	4250	1600
118			2000	LT	2700	3750	3700	1950
118			2001	LT	2750	3850	3750	2000
118			2002	LT	2850	4000	3900	2100
118			2003	LT	2900	4000	3900	2150
118			2004	LT	3000	4200	4100	2200
118			2005	LT	3050	4200	4100	2250
118			2006	LT	3150	4300	4200	2300
118			2007	LT	3200	4400	4500	2350
118			2008	LT	3300	4500	4350	2450
118			2009	LT	3350	4500	4400	2500
118			2010	LT	3450	4650	4550	2550
118			2011	CTR	3200	3900	3750	2700
118			2012	CTR	3500	4250	4200	3000
118			2013	LT	3550	4650	4650	2700
118			2014	LT	3650	4750	4850	2750
118			2015	LT	3300	4300	4400	2500
118			2016	LT	3700	4850	4900	2800
118			2017	LT	3750	5250	5200	2900
118			2018	LT	3850	5400	5350	2950
118			2019	LT	3900	5450	5400	3000
118	CONC 7 8 HALIBURTON START OF NA	1.2	9999					
118	SUNNYSIDE ST END OF NA	4.8	1988	LT	2750	3900	3900	2100
118			1989	LT	2850	3950	3950	2100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			1990	LT	2950	4300	4150	2150
118			1991	LT	3000	4200	4050	2200
118			1992	LT	3100	4300	4200	2400
118			1993	LT	3200	4450	3950	2350
118			1994	R	3500	6500	5100	1900
118			1995	R	3650	6650	5250	2000
118			1996	R	3750	7150	5400	2050
118			1997	LT	3950	5550	5450	2900
118			1998	LT	4000	5600	5500	2900
118			1999	LT	4250	5900	5800	3100
118			2000	LT	4450	6200	6050	3250
118			2001	LT	4550	6350	6200	3350
118			2002	LT	4700	6550	6400	3450
118			2003	LT	4850	6650	6550	3600
118			2004	LT	5000	7000	6800	3650
118			2005	LT	5000	6850	6700	3700
118			2006	LT	5300	7250	7050	3900
118			2007	LT	5250	7200	7400	3850
118			2008	LT	5350	7350	7000	3950
118			2009	LT	5050	6800	6650	3750
118			2010	LT	5600	7500	7350	4150
118			2011	LT	4600	5900	6000	3800
118			2012	LT	5600	7300	6950	4250
118			2013	LT	4800	6250	6250	3600
118			2014	LT	5650	7400	7500	4250
118			2015	LT	4750	6200	6300	3600
118			2016	LT	5650	7400	7500	4250
118			2017	LT	5750	8050	7950	4450
118			2018	LT	5800	8100	8050	4450
118			2019	LT	5900	8250	8200	4550
118	DETROYES AVE END OF HWY	5.9	1988	T	1800	3300	3150	1100
118			1989	T	1900	3450	3300	1200
118			1990	T	2000	3650	3500	1250
118			1991	LT	2000	2800	2700	1500
118			1992	LT	2000	2800	2700	1550
118			1993	LT	2050	2850	2550	1500
118			1994	R	2050	3800	3000	1100
118			1995	R	2200	4000	3150	1200
118			1996	R	2250	4300	3250	1200
118			1997	LT	2200	3100	3050	1650
118			1998	LT	2400	3350	3300	1750
118			1999	LT	2450	3400	3350	1800
118			2000	LT	2500	3500	3400	1800
118			2001	LT	2550	3550	3450	1850
118			2002	LT	2650	3700	3600	1950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2003	LT	2700	3700	3650	2000
118			2004	LT	2750	3850	3750	2000
118			2005	LT	2800	3850	3750	2050
118			2006	LT	2900	3950	3850	2150
118			2007	LT	2900	4000	4100	2150
118			2008	LT	3000	4100	3950	2200
118			2009	LT	2950	4000	3900	2200
118			2010	LT	3100	4150	4100	2300
118			2011	LT	2800	3600	3650	2300
118			2012	LT	3150	4100	3900	2400
118			2013	LT	3200	4200	4150	2400
118			2014	LT	3250	4250	4300	2450
118			2015	LT	2950	3850	3900	2250
118			2016	LT	3300	4300	4400	2500
118			2017	LT	3350	4700	4650	2600
118			2018	LT	3400	4750	4700	2600
118			2019	LT	3450	4850	4800	2650
118	HALIBURTON RD 7 KENNISIS LAKE RD (N)	12.7	1988	R	1700	3200	2350	900
118			1989	R	1750	3200	2400	960
118			1990	R	1750	3250	2550	950
118			1991	LR	1600	2800	2200	1000
118			1992	LR	1700	2750	2200	1100
118			1993	LR	1800	2900	2300	1200
118			1994	LR	1900	3100	2500	1250
118			1995	LR	1950	3300	2650	1300
118			1996	LR	2000	3350	2700	1350
118			1997	LR	2100	3550	2850	1400
118			1998	LR	2050	3400	2750	1350
118			1999	LR	2150	3550	2850	1400
118			2000	LR	2200	3550	2850	1450
118			2001	LR	2250	3700	2950	1500
118			2002	LR	2300	3750	3000	1550
118			2003	LR	2350	3700	3000	1600
118			2004	LR	2400	3950	3150	1600
118			2005	LR	2450	3850	3100	1650
118			2006	LR	2500	3900	3150	1700
118			2007	LR	2550	4000	3850	1700
118			2008	LR	2600	4050	3950	1800
118			2009	LR	2650	4050	3300	1800
118			2010	LR	2700	4050	3300	1850
118			2011	LR	2750	4250	4000	1950
118			2012	LR	2800	4200	4050	1900
118			2013	LT	2850	3700	3700	2150
118			2014	LT	2900	3800	3850	2200
118			2015	T	2950	4300	4250	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2016	T	3000	4400	4350	1900
118			2017	T	3050	4200	4200	2400
118			2018	T	3100	4250	4250	2450
118			2019	T	3150	4300	4350	2500
118	HWY 35 CARNARVON	23.1	1988	R	1150	2150	1600	610
118			1989	R	1200	2200	1650	660
118			1990	R	1200	2250	1750	650
118			1991	LR	1200	2100	1650	760
118			1992	LR	1200	1950	1550	790
118			1993	LR	1250	2000	1600	820
118			1994	LR	1400	2300	1850	910
118			1995	LR	1350	2250	1850	890
118			1996	LR	1350	2250	1800	900
118			1997	LR	1400	2350	1900	940
118			1998	LR	1400	2300	1850	920
118			1999	LR	1450	2400	1900	960
118			2000	LR	1500	2450	1950	1000
118			2001	LR	1500	2450	1950	1000
118			2002	LR	1500	2450	1950	1000
118			2003	LR	1500	2350	1900	1000
118			2004	LR	1550	2550	2000	1050
118			2005	LR	1600	2500	2000	1100
118			2006	LR	1650	2550	2050	1100
118			2007	LR	1650	2600	2500	1100
118			2008	LR	1650	2600	2500	1150
118			2009	LR	1650	2500	2050	1100
118			2010	LR	1700	2550	2100	1150
118			2011	LR	1700	2650	2450	1200
118			2012	LR	1750	2600	2550	1200
118			2013	LT	1750	2300	2300	1300
118			2014	LT	1800	2350	2400	1350
118			2015	T	1800	2650	2600	1150
118			2016	T	1850	2700	2700	1200
118			2017	T	1850	2550	2550	1450
118			2018	T	1900	2600	2600	1500
118			2019	T	1900	2600	2600	1500
118	HALIBURTON CTY/MUSKOKA DIST BDY	13.7	1997	LR	1100	1850	1500	740
118			1998	LR	1150	1900	1550	760
118			1999	LR	1200	1950	1600	790
118			2000	LR	1250	2050	1650	830
118			2001	LR	1300	2150	1700	870
118			2002	LR	1350	2200	1750	910
118			2003	LR	1400	2200	1800	940
118			2004	LR	1400	2300	1800	940
118			2005	LR	1400	2200	1750	950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2006	LR	1550	2400	1950	1050
118			2007	LR	1600	2500	2400	1100
118			2008	LR	1350	2100	2050	920
118			2009	LR	1500	2300	1850	1000
118			2010	LR	1600	2400	1950	1100
118			2011	LR	1600	2450	2300	1100
118			2012	LR	1650	2450	2400	1150
118			2013	LT	1700	2200	2200	1300
118			2014	LT	1700	2200	2250	1300
118			2015	T	1350	1950	1950	860
118			2016	T	1600	2350	2300	1000
118			2017	T	1700	2350	2350	1350
118			2018	T	1750	2400	2400	1400
118			2019	T	1750	2400	2400	1400
118	MILNE RD (N)	17.3	1988	T	2000	3650	3500	1200
118			1989	T	2100	3800	3700	1300
118			1990	T	2150	3900	3750	1350
118			1991	LR	2000	3500	2800	1250
118			1992	LR	2300	3700	2950	1500
118			1993	LR	2600	4200	3350	1700
118			1994	LR	2650	4350	3500	1750
118			1995	LR	2750	4600	3750	1800
118			1996	LR	2850	4750	3800	1900
118			1997	LR	2950	4950	4000	2000
118			1998	LR	3100	5100	4100	2050
118			1999	LR	3300	5400	4350	2200
118			2000	IR	3450	4250	3800	2900
118			2001	IR	3650	4500	4050	3100
118			2002	IR	3800	4700	4200	3250
118			2003	IR	4000	4850	4400	3400
118			2004	IR	4100	5050	4550	3450
118			2005	IR	4250	5150	4650	3600
118			2006	IR	4400	5300	4800	3750
118			2007	IR	4550	5500	5500	3850
118			2008	IR	4700	5700	5600	4000
118			2009	IR	4850	5800	5300	4100
118			2010	IR	5000	5950	5450	4250
118			2011	IR	3900	4650	4550	3350
118			2012	IR	5050	6000	5850	4300
118			2013	LT	4200	5500	5500	3150
118			2014	LT	4300	5600	5700	3250
118			2015	LT	4250	5550	5650	3200
118			2016	LT	4300	5600	5700	3250
118			2017	LT	5000	6350	6350	4200
118			2018	LT	5100	6500	6500	4300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
118			2019	LT	5200	6600	6600	4350
118	HWY 11 BRACEBRIDGE START OF NA	38.3	9999					
118	HWY 169 END OF NA HWY END		9999					
124	HWY 69 (N & S) PARRY SOUND DR (W) IC	1.9	1988	LT	2850	4050	4000	2150
124			1989	LT	3000	4150	4150	2200
124			1990	LT	3100	4550	4350	2250
124			1991	LT	3000	4200	4050	2200
124			1992	LT	3600	5000	4850	2750
124			1993	LT	3800	5250	4700	2800
124			1994	LT	3700	5450	5250	2700
124			1995	LT	3850	5550	5350	2800
124			1996	LT	4000	5650	5500	2950
124			1997	LT	4200	5900	5800	3100
124			1998	LT	4300	6000	5900	3150
124			1999	LT	4400	6100	6000	3200
124			2000	LT	4500	6250	6150	3300
124			2001	LT	4700	6600	6400	3450
124			2002	LT	4800	6700	6550	3500
124			2003	LT	4950	6800	6650	3650
124			2004	LT	5100	7150	6950	3750
124			2005	LT	5200	7150	6950	3800
124			2006	LT	5350	7300	7150	3950
124			2007	LT	5500	7550	7750	4050
124			2008	LT	5650	7750	7400	4150
124			2009	LT	5750	7750	7600	4250
124			2010	LT	5900	7900	7750	4350
124			2011	LT	5550	7100	7250	4550
124			2012	LT	6050	7900	7500	4600
124			2013	CTR	6150	7500	7750	5200
124			2014	CTR	6300	7700	7750	5350
124			2015	CTR	5600	6850	6900	4750
124			2016	CTR	5550	6750	6850	4700
124			2017	CTR	6350	8500	8450	5150
124			2018	CTR	6500	8700	8650	5300
124			2019	CTR	6600	8800	8750	5350
124	BURNSIDE BRIDGE RD (S) MCDOUGALL TWP	8.5	1988	LT	2850	4050	4000	2150
124			1989	LT	3000	4150	4150	2200
124			1990	LT	3100	4550	4350	2250
124			1991	LT	3000	4200	4050	2200
124			1992	LT	3100	4300	4200	2400
124			1993	LT	3100	4300	3850	2250
124			1994	LT	3350	4900	4750	2450
124			1995	LT	3450	4950	4800	2550
124			1996	LT	3550	5000	4900	2600
124			1997	LT	3700	5200	5100	2750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
124			1998	LT	3750	5250	5150	2750
124			1999	LT	3850	5350	5250	2800
124			2000	LT	3900	5450	5300	2850
124			2001	LT	4000	5600	5450	2950
124			2002	LT	4100	5750	5600	3000
124			2003	LT	4200	5800	5650	3100
124			2004	LT	4300	6000	5850	3150
124			2005	LT	4400	6050	5900	3250
124			2006	LT	4500	6150	6000	3300
124			2007	LT	4600	6300	6500	3400
124			2008	LT	4650	6350	6100	3450
124			2009	LT	4750	6400	6250	3500
124			2010	LT	4850	6500	6400	3600
124			2011	LT	4650	5950	6050	3800
124			2012	LT	5000	6500	6200	3800
124			2013	CTR	5050	6150	6350	4300
124			2014	CTR	5150	6300	6350	4400
124			2015	CTR	5250	6400	6450	4450
124			2016	CTR	5350	6550	6600	4550
124			2017	CTR	5400	7200	7200	4400
124			2018	CTR	5500	7350	7300	4500
124			2019	CTR	5600	7450	7450	4550
124	HURDVILLE RD (S) FERGUSON TWP	9.0	1988	LT	1600	2250	2250	1200
124			1989	LT	1650	2300	2300	1200
124			1990	LT	1750	2550	2450	1300
124			1991	T	1750	3150	3050	1100
124			1992	T	1750	3150	3100	1100
124			1993	T	1800	3250	3150	1100
124			1994	LT	1950	2850	2750	1400
124			1995	LT	2050	2950	2850	1500
124			1996	LT	2100	2950	2900	1550
124			1997	LT	2200	3100	3050	1650
124			1998	LT	2250	3150	3100	1650
124			1999	LT	2300	3200	3150	1700
124			2000	LT	2350	3250	3200	1700
124			2001	LT	2400	3350	3250	1750
124			2002	LT	2450	3400	3350	1800
124			2003	LT	2550	3500	3450	1900
124			2004	LT	2500	3500	3400	1850
124			2005	LT	2550	3500	3400	1850
124			2006	LT	2600	3550	3450	1900
124			2007	LT	2500	3450	3550	1850
124			2008	LT	2700	3700	3550	2000
124			2009	LT	2750	3700	3650	2050
124			2010	LT	2800	3750	3700	2050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
124			2011	LT	2850	3650	3700	2350
124			2012	LT	2900	3800	3600	2200
124			2013	CTR	2950	3600	3700	2500
124			2014	CTR	3000	3650	3700	2550
124			2015	IT	3050	3800	3750	2500
124			2016	CTR	3100	3800	3800	2650
124			2017	CTR	3150	4200	4200	2550
124			2018	CTR	3200	4250	4250	2600
124			2019	CTR	3250	4350	4300	2650
124	MCKELLAR CENTER RD (S) MCKELLAR TWP	18.4	1988	IC	1200	1400	1350	1050
124			1989	IC	1250	1450	1400	1100
124			1990	IC	1300	1500	1450	1150
124			1991	T	1300	2350	2250	810
124			1992	T	1250	2250	2200	780
124			1993	T	1200	2150	2100	740
124			1994	LT	1200	1750	1700	870
124			1995	LT	1300	1850	1800	950
124			1996	LT	1300	1850	1800	960
124			1997	LT	1250	1750	1700	920
124			1998	LT	1350	1900	1850	990
124			1999	LT	1300	1800	1750	950
124			2000	LT	1350	1900	1850	990
124			2001	LT	1350	1900	1850	990
124			2002	LT	1350	1900	1850	990
124			2003	LT	1400	1950	1900	1050
124			2004	LT	1400	1950	1900	1050
124			2005	LT	1400	1900	1900	1050
124			2006	LT	1400	1900	1850	1050
124			2007	LT	1450	2000	2050	1050
124			2008	LT	1450	2000	1900	1050
124			2009	LT	1450	1950	1900	1050
124			2010	LT	1500	2000	2000	1100
124			2011	LT	1500	1900	1950	1250
124			2012	LT	1500	1950	1850	1150
124			2013	CTR	1500	1850	1900	1250
124			2014	CTR	1550	1900	1900	1300
124			2015	IT	1550	1950	1900	1300
124			2016	CTR	1550	1900	1900	1300
124			2017	CTR	1600	2150	2150	1300
124			2018	CTR	1600	2150	2150	1300
124			2019	CTR	1600	2150	2100	1300
124	W JCT SEC HWY 520 (N)HAGERMAN TWP	15.4	1988	IT	750	1100	1000	560
124			1989	IT	800	1100	1050	620
124			1990	IT	850	1100	1050	710
124			1991	T	850	1550	1450	530

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
124			1992	T	850	1550	1500	530
124			1993	T	850	1550	1500	530
124			1994	T	840	1500	1500	520
124			1995	T	900	1550	1500	550
124			1996	T	910	1600	1550	560
124			1997	LT	940	1350	1300	700
124			1998	LT	940	1300	1300	690
124			1999	LT	970	1350	1300	710
124			2000	LT	1000	1400	1350	730
124			2001	LT	1000	1400	1350	730
124			2002	LT	1050	1450	1450	770
124			2003	LT	1050	1450	1400	780
124			2004	LT	1100	1550	1500	810
124			2005	LT	1100	1500	1450	810
124			2006	LT	1100	1500	1450	810
124			2007	LT	1150	1600	1600	840
124			2008	LT	1150	1600	1500	850
124			2009	LT	1200	1600	1600	890
124			2010	LT	1200	1600	1600	890
124			2011	LT	1250	1600	1650	1050
124			2012	LT	1250	1650	1550	950
124			2013	CTR	1250	1500	1550	1050
124			2014	CTR	1300	1600	1600	1100
124			2015	CTR	1300	1600	1600	1100
124			2016	CTR	1350	1650	1650	1150
124			2017	CTR	1350	1800	1800	1100
124			2018	CTR	1400	1850	1850	1150
124			2019	CTR	1400	1850	1850	1150
124	E JCT SEC HWY 520 (S) CROFT CHAPMAN TWPS	1.9	1988	CTR	450	580	550	380
124			1989	CTR	450	570	540	390
124			1990	CTR	450	560	530	390
124			1991	CTR	450	570	560	390
124			1992	CTR	450	550	540	390
124			1993	CTR	450	570	540	380
124			1994	T	480	870	840	300
124			1995	T	530	930	900	330
124			1996	T	540	940	920	330
124			1997	LT	560	790	770	410
124			1998	LT	560	780	770	410
124			1999	LT	630	880	860	460
124			2000	LT	680	950	930	500
124			2001	LT	680	950	930	500
124			2002	LT	710	990	970	520
124			2003	LT	740	1000	1000	550
124			2004	LT	770	1100	1050	560

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
124			2005	LT	780	1050	1050	570
124			2006	LT	830	1150	1100	610
124			2007	LT	830	1150	1150	610
124			2008	LT	860	1200	1150	630
124			2009	LT	840	1150	1100	620
124			2010	LT	910	1200	1200	670
124			2011	LT	800	1000	1050	660
124			2012	LT	930	1200	1150	700
124			2013	CTR	950	1150	1200	810
124			2014	CTR	980	1200	1200	830
124			2015	CTR	920	1100	1150	780
124			2016	CTR	880	1050	1100	750
124			2017	CTR	1000	1350	1350	810
124			2018	CTR	1050	1400	1400	860
124			2019	CTR	1050	1400	1400	850
124	SEC HWY 510 (S) NIPISSING RD(N)	19.9	1988	CTR	950	1250	1150	800
124			1989	CTR	950	1200	1150	820
124			1990	CTR	950	1200	1100	830
124			1991	CTR	950	1200	1200	830
124			1992	CTR	1000	1250	1200	870
124			1993	CTR	1050	1300	1250	890
124			1994	CTR	1100	1400	1350	920
124			1995	CTR	1100	1400	1350	920
124			1996	CTR	1100	1400	1350	920
124			1997	CTR	1100	1400	1350	920
124			1998	CTR	1150	1450	1400	970
124			1999	CTR	1150	1450	1400	970
124			2000	CTR	1200	1500	1450	1000
124			2001	CTR	1200	1500	1450	1000
124			2002	CTR	1200	1500	1450	1000
124			2003	CTR	1200	1500	1450	1000
124			2004	CTR	1200	1500	1450	1000
124			2005	CTR	1250	1550	1500	1050
124			2006	CTR	1250	1550	1500	1050
124			2007	CTR	1250	1550	1550	1050
124			2008	CR	1300	1550	1550	1100
124			2009	CR	1300	1550	1500	1100
124			2010	CR	1300	1550	1500	1100
124			2011	CR	1200	1400	1400	1050
124			2012	CR	1300	1550	1550	1100
124			2013	CTR	1300	1600	1650	1100
124			2014	IR	1300	1550	1550	1100
124			2015	CTR	1250	1500	1550	1050
124			2016	CTR	1350	1650	1650	1150
124			2017	CTR	1350	1800	1800	1100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
124			2018	CTR	1350	1800	1800	1100
124			2019	CTR	1350	1800	1800	1100
124	HWY 11 STRONG TWP	3.7	1988	IR	6800	8850	7500	5450
124			1989	IR	7300	9400	8100	6000
124			1990	IR	7450	9450	8250	6100
124			1991	IR	7550	9500	8400	6250
124			1992	IR	7950	9800	8750	6750
124			1993	IR	8450	10400	8750	6900
124			1994	IR	8750	10800	9600	7350
124			1995	IR	8900	11000	9800	7600
124			1996	IR	9100	11300	10200	7750
124			1997	IR	8000	10000	8950	6800
124			1998	IR	8350	10400	9350	7000
124			1999	IR	8650	10700	9600	7250
124			2000	IR	9000	11000	9950	7600
124			2001	IR	8600	10600	9550	7250
124			2002	IR	8600	10600	9550	7300
124			2003	IR	8550	10400	9400	7250
124			2004	IR	8550	10600	9450	7250
124			2005	IR	8550	10300	9350	7300
124			2006	IR	8500	10300	9300	7200
124			2007	IR	8500	10300	10300	7200
124			2008	IR	8450	10200	10000	7200
124			2009	IR	8450	10100	9200	7200
124			2010	IR	8450	10100	9200	7200
124			2011	IR	8400	10000	9800	7150
124			2012	IR	8400	10000	9750	7200
124			2013	IR	8400	10000	10700	7150
124			2014	IR	8350	9950	9950	7100
124			2015	IR	8350	9950	9950	7100
124			2016	CTR	2550	3100	3150	2150
124			2017	CTR	2550	3400	3400	2100
124			2018	CTR	6450	8600	8600	5250
124			2019	CTR	3200	4250	4250	2600
124	3.650 KM N OF HWY 11 STRONG TWP	7.6	1988	CTR	6500	8450	7950	5450
124			1989	CTR	6900	8750	8350	5950
124			1990	CTR	7100	8900	8400	6200
124			1991	IR	7300	9200	8100	6050
124			1992	IR	7300	9000	8050	6200
124			1993	IR	7500	9200	7750	6150
124			1994	IR	7500	9250	8250	6300
124			1995	IR	7500	9250	8250	6400
124			1996	IR	7500	9300	8350	6400
124			1997	IR	7500	9400	8400	6400
124			1998	IR	7600	9400	8500	6400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
124			1999	IR	7650	9500	8500	6450
124			2000	IR	7800	9550	8650	6600
124			2001	IR	7750	9600	8600	6550
124			2002	IR	7800	9600	8650	6650
124			2003	IR	7850	9550	8650	6650
124			2004	IR	7900	9750	8750	6700
124			2005	IR	7950	9600	8700	6800
124			2006	IR	8000	9650	8750	6800
124			2007	IR	8050	9750	9700	6800
124			2008	IR	8100	9800	9650	6900
124			2009	IR	8150	9800	8900	6950
124			2010	IR	8200	9750	8950	7000
124			2011	IR	8250	9850	9650	7050
124			2012	IR	8300	9850	9600	7100
124			2013	IR	8350	9950	10700	7100
124			2014	IR	8400	10000	10000	7150
124			2015	IR	8450	10100	10100	7200
124			2016	CTR	3100	3800	3800	2650
124			2017	CTR	3100	4150	4100	2550
124			2018	CTR	3150	4200	4200	2550
124			2019	CTR	3100	4150	4100	2500
124	EAGLE LAKE RD (W) OTTAWA AV (E)	2.0	2004	IR	6550	8100	7250	5550
124			2005	IR	6900	8350	7550	5900
124			2006	IR	7200	8700	7850	6100
124			2007	IR	7550	9150	9100	6400
124			2008	IR	7900	9550	9400	6750
124			2009	IR	8350	10000	9100	7100
124			2010	IR	8500	10100	9250	7250
124			2011	IR	8900	10600	10400	7600
124			2012	IR	9250	11000	10700	7900
124			2013	IR	9600	11400	12300	8150
124			2014	IR	9950	11800	11900	8450
124			2015	IR	10300	12300	12300	8750
124			2016	CTR	1850	2250	2300	1550
124			2017	CTR	1850	2450	2450	1500
124			2018	CTR	6500	8700	8650	5300
124			2019	CTR	1900	2550	2500	1550
124			2016	CR	100	120	120	90
124			2017	CR	110	130	130	100
124			2018	CR	120	140	140	110
124			2019	CR	130	150	150	120
124	**HWY 11**	**5.20**	**2019**	**CR**	**130**	**150**	**150**	**120**
124	GOREVILLE RD (W) SUMMIT RD (E) LAURIER TWP C 8 9 HWY END		9999					
125	HWY 105	7.4	1988	UC	2450	2550	2750	2300
125			1989	C	2500	2800	2800	2250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
125			1990	C	2500	2800	2800	2250
125			1991	C	2500	2750	2800	2300
125			1992	UC	2500	2650	2900	2400
125			1993	UC	2650	2800	3000	2500
125			1994	UC	2750	2900	3150	2550
125			1995	UC	2900	3050	3300	2700
125			1996	UC	2850	3000	3350	2700
125			1997	C	2950	3350	3350	2650
125			1998	C	3000	3400	3400	2700
125			1999	C	3050	3400	3450	2750
125			2000	C	3100	3500	3500	2800
125			2001	C	3200	3600	3600	2900
125			2002	C	3250	3650	3650	2900
125			2003	C	3300	3700	3700	3000
125			2004	C	3350	3750	3800	3000
125			2005	C	3400	3800	3800	3050
125			2006	C	3450	3850	3850	3100
125			2007	C	3550	3950	4000	3200
125			2008	C	3600	3950	3900	3250
125			2009	C	3750	4100	4150	3400
125			2010	SC	3900	4150	4550	3450
125			2011	SC	3850	4950	4500	3050
125			2012	UC	4300	4350	4600	4100
125			2013	CTR	3950	4800	4950	3350
125			2014	CTR	4100	5000	5050	3500
125			2015	CTR	4150	5050	5100	3550
125			2016	CTR	4250	5200	5250	3600
125			2017	CTR	4300	5750	5700	3500
125			2018	IC	4250	4700	4700	3850
125			2019	IC	4400	4850	4850	3950
125	DICKENSON RD TO BALMERTOWN (S)	6.2	1988	UC	1450	1500	1650	1350
125			1989	C	1500	1650	1700	1350
125			1990	C	1450	1600	1600	1300
125			1991	C	1450	1600	1600	1300
125			1992	UC	1400	1500	1600	1350
125			1993	UC	1400	1450	1600	1300
125			1994	UC	1500	1600	1700	1400
125			1995	UC	1450	1550	1650	1350
125			1996	UC	1500	1600	1750	1450
125			1997	UC	1550	1650	1800	1450
125			1998	UC	1550	1650	1800	1450
125			1999	UC	1550	1650	1800	1450
125			2000	UC	1550	1650	1850	1450
125			2001	UC	1550	1650	1800	1450
125			2002	UC	1550	1650	1800	1450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
125			2003	UC	1600	1700	1850	1500
125			2004	UC	1600	1700	1900	1500
125			2005	UC	1600	1700	1850	1500
125			2006	UC	1600	1700	1850	1500
125			2007	UC	1650	1750	1900	1550
125			2008	UC	1650	1750	1650	1550
125			2009	UC	1650	1750	1950	1550
125			2010	UC	1650	1750	1900	1550
125			2011	UC	1650	1650	1700	1550
125			2012	UC	2000	2000	2150	1900
125			2013	CTR	1700	2050	2150	1450
125			2014	CTR	1750	2150	2150	1500
125			2015	CTR	1800	2200	2200	1550
125			2016	CTR	1800	2200	2200	1550
125			2017	CTR	1800	2400	2400	1450
125			2018	IC	1700	1850	1900	1550
125			2019	IC	1800	2000	2000	1650
125	COCHENOUR DOCK HWY END		9999					
127	HWY 62 (W) HASTINGS RD 62 (E)	13.4	1988	T	600	1100	1050	370
127			1989	T	600	1100	1050	380
127			1990	T	600	1100	1050	370
127			1991	T	600	1100	1050	370
127			1992	T	700	1250	1250	430
127			1993	T	700	1250	1250	430
127			1994	T	800	1450	1400	500
127			1995	LT	950	1350	1350	700
127			1996	LT	1050	1500	1450	770
127			1997	LT	1150	1600	1600	850
127			1998	LT	1250	1750	1700	910
127			1999	LT	1250	1750	1700	910
127			2000	LT	1350	1900	1850	990
127			2001	LT	1350	1900	1850	990
127			2002	LT	1500	2100	2050	1100
127			2003	LT	1400	1950	1900	1050
127			2004	LT	1300	1800	1750	950
127			2005	LT	1150	1600	1550	850
127			2006	LT	1250	1700	1650	920
127			2007	LT	950	1300	1350	700
127			2008	LT	1300	1800	1700	960
127			2009	LT	1300	1750	1700	960
127			2010	LT	1200	1600	1600	890
127			2011	LT	1350	1750	1750	1100
127			2012	LT	1100	1450	1350	830
127			2013	SC	1100	1150	1050	970
127			2014	SC	1300	1400	1350	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
127			2015	SC	1300	1400	1350	1150
127			2016	SC	1300	1400	1350	1150
127			2017	SC	1300	1400	1400	1150
127			2018	SC	1300	1400	1400	1150
127			2019	SC	1300	1400	1350	1150
127	BOULTER LAKE RD (W) LAKE ST PETER RD (E)	3.5	1988	T	600	1100	1050	370
127			1989	T	600	1100	1050	380
127			1990	T	600	1100	1050	370
127			1991	T	600	1100	1050	370
127			1992	LR	600	970	770	400
127			1993	LR	600	970	770	390
127			1994	LR	650	1050	860	420
127			1995	LT	650	930	910	480
127			1996	LT	650	920	900	480
127			1997	CTR	650	830	800	550
127			1998	CTR	650	830	790	550
127			1999	CTR	650	820	790	550
127			2000	CTR	650	820	790	550
127			2001	CTR	650	820	790	550
127			2002	CTR	650	820	790	550
127			2003	CTR	640	800	760	540
127			2004	LT	650	910	880	480
127			2005	LT	640	880	860	470
127			2006	LT	640	880	850	470
127			2007	LT	610	840	860	450
127			2008	LT	630	860	830	460
127			2009	LT	630	850	830	470
127			2010	LT	630	850	830	470
127			2011	LT	630	810	820	520
127			2012	LT	1000	1300	1250	760
127			2013	LT	700	910	910	530
127			2014	LT	710	930	940	540
127			2015	LT	710	930	940	540
127			2016	LT	710	930	940	540
127			2017	LT	720	1000	1000	550
127			2018	LT	720	1000	1000	550
127			2019	LT	730	1000	1000	560
127	HASTINGS CTY NIPISSING DIST BDY	21.7	1988	T	600	1100	1050	370
127			1989	T	600	1100	1050	380
127			1990	T	600	1100	1050	370
127			1991	T	600	1100	1050	370
127			1992	LR	600	970	770	400
127			1993	LR	600	970	770	390
127			1994	LR	650	1050	860	420
127			1995	LT	650	930	910	480

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
127			1996	LT	650	920	900	480
127			1997	CTR	650	830	800	550
127			1998	CTR	650	830	790	550
127			1999	CTR	650	820	790	550
127			2000	CTR	650	820	790	550
127			2001	CTR	650	820	790	550
127			2002	CTR	650	820	790	550
127			2003	CTR	640	800	760	540
127			2004	LT	650	910	880	480
127			2005	LT	640	880	860	470
127			2006	LT	640	880	850	470
127			2007	LT	610	840	860	450
127			2008	LT	630	860	830	460
127			2009	LT	630	850	830	470
127			2010	LT	630	850	830	470
127			2011	LT	630	810	820	520
127			2012	LT	630	820	780	480
127			2013	LT	630	820	820	480
127			2014	LT	620	810	820	470
127			2015	LT	620	810	820	470
127			2016	LT	620	810	820	470
127			2017	LT	620	790	790	520
127			2018	LT	620	790	790	520
127			2019	LT	620	790	790	520
127	HWY 60 HWY END		9999					
129	HWYS 17 RIVER ST START OF NA	0.9	9999					
129	FORMER TOWN OF THESSALON(N LTS) END OF NA	2.5	1988	LT	900	1300	1250	680
129			1989	LT	900	1250	1250	670
129			1990	LT	900	1300	1250	660
129			1991	LT	950	1350	1300	700
129			1992	LT	950	1300	1300	730
129			1993	LT	950	1300	1200	700
129			1994	IR	990	1200	1100	830
129			1995	IR	960	1200	1050	820
129			1996	IR	970	1200	1100	830
129			1997	LT	980	1400	1350	730
129			1998	LT	990	1400	1350	720
129			1999	LT	970	1350	1300	710
129			2000	LT	960	1350	1300	700
129			2001	LT	970	1350	1300	710
129			2002	LT	960	1350	1300	700
129			2003	LT	960	1300	1300	710
129			2004	LT	950	1350	1300	700
129			2005	LT	950	1300	1250	700
129			2006	LT	960	1300	1300	710

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
129			2007	LT	960	1300	1350	710
129			2008	LT	900	1250	1200	660
129			2009	LT	940	1250	1250	700
129			2010	LT	930	1250	1200	690
129			2011	LT	930	1200	1200	760
129			2012	CTR	820	990	980	700
129			2013	CTR	900	1100	1150	760
129			2014	CTR	800	980	980	680
129			2015	CTR	870	1050	1050	740
129			2016	CTR	870	1050	1050	740
129			2017	CTR	860	1150	1150	700
129			2018	CTR	850	1150	1150	690
129			2019	CTR	850	1150	1150	690
129	LITTLE RAPIDS RD (W)	6.9	1988	IC	550	640	620	480
129			1989	IC	550	630	620	490
129			1990	IC	550	630	620	490
129			1991	IC	550	620	610	490
129			1992	IC	550	610	600	500
129			1993	IC	550	620	620	490
129			1994	LT	530	780	750	390
129			1995	LT	570	820	800	420
129			1996	LT	580	820	800	430
129			1997	LT	530	750	730	390
129			1998	LT	600	840	820	440
129			1999	LT	590	820	800	430
129			2000	LT	650	910	890	470
129			2001	LT	610	850	830	450
129			2002	LT	620	870	840	450
129			2003	LT	640	880	860	470
129			2004	LT	630	880	860	460
129			2005	LT	630	860	840	460
129			2006	LT	620	850	830	460
129			2007	LT	650	890	920	480
129			2008	LT	650	890	850	480
129			2009	LT	640	860	840	470
129			2010	LT	670	900	880	490
129			2011	LT	500	640	650	410
129			2012	CTR	450	550	540	380
129			2013	CTR	590	720	740	500
129			2014	IT	510	640	630	420
129			2015	IT	590	740	730	490
129			2016	IT	590	740	730	490
129			2017	IT	590	780	780	500
129			2018	IT	590	780	780	500
129			2019	IT	590	780	780	500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
129	MNR THESSALON TREE NURSERY RD (W)	20.5	1988	LT	350	500	490	270
129			1989	LT	350	490	480	260
129			1990	LT	350	510	490	260
129			1991	LT	350	490	470	260
129			1992	LT	350	490	470	270
129			1993	LT	350	480	430	260
129			1994	LT	370	540	520	270
129			1995	LT	350	500	490	260
129			1996	LT	350	490	480	260
129			1997	LT	360	510	500	270
129			1998	LT	360	500	490	260
129			1999	LT	370	510	500	270
129			2000	LT	350	490	480	260
129			2001	LT	380	530	520	280
129			2002	LT	380	530	520	280
129			2003	LT	370	510	500	270
129			2004	LT	370	520	500	270
129			2005	LT	410	560	550	300
129			2006	LT	370	510	490	270
129			2007	LT	370	510	520	270
129			2008	LT	350	480	460	260
129			2009	LT	370	500	490	270
129			2010	SC	350	370	410	310
129			2011	SC	370	470	430	290
129			2012	CTR	320	390	380	270
129			2013	CTR	360	440	450	310
129			2014	IT	360	450	440	300
129			2015	IT	360	450	440	300
129			2016	IT	360	450	440	300
129			2017	IT	360	480	480	300
129			2018	IT	360	480	480	300
129			2019	IT	360	480	480	310
129	SEC HWY 554	65.8	1988	LT	300	430	420	230
129			1989	LT	300	420	410	220
129			1990	LT	300	440	420	220
129			1991	LT	330	460	450	240
129			1992	LT	330	460	450	250
129			1993	LT	330	460	410	240
129			1994	IR	310	380	340	260
129			1995	IR	330	410	360	280
129			1996	IR	330	410	370	280
129			1997	LT	340	480	470	250
129			1998	LT	340	480	470	250
129			1999	LT	340	470	460	250
129			2000	LT	340	470	460	250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
129			2001	LT	400	560	540	290
129			2002	LT	420	590	570	310
129			2003	T	480	760	720	300
129			2004	T	410	670	650	250
129			2005	LT	430	590	580	320
129			2006	LT	410	560	550	300
129			2007	LT	410	560	580	300
129			2008	LT	400	550	520	300
129			2009	LT	420	570	550	310
129			2010	SC	350	370	410	310
129			2011	SC	430	550	500	340
129			2012	CTR	330	400	400	280
129			2013	CTR	420	510	530	360
129			2014	CTR	300	370	370	260
129			2015	CTR	350	430	430	300
129			2016	CTR	350	430	430	300
129			2017	CTR	390	520	520	320
129			2018	CTR	390	520	520	320
129			2019	CTR	390	520	520	320
129	SEC HWY 556	87.7	1988	LT	200	280	280	150
129			1989	LT	200	280	280	150
129			1990	LT	200	290	280	150
129			1991	LT	250	350	340	180
129			1992	LT	250	350	340	190
129			1993	LT	250	350	310	180
129			1994	LT	260	380	370	190
129			1995	LT	250	360	350	180
129			1996	LT	250	350	340	180
129			1997	LT	200	280	280	150
129			1998	LT	270	380	370	200
129			1999	LT	280	390	380	200
129			2000	LT	290	400	400	210
129			2001	LT	280	390	380	210
129			2002	LT	290	410	390	210
129			2003	LT	300	410	400	220
129			2004	LT	280	390	380	210
129			2005	LT	330	450	440	240
129			2006	LT	260	360	350	190
129			2007	LT	250	340	350	180
129			2008	LT	300	410	390	220
129			2009	LT	260	350	340	190
129			2010	LT	290	390	380	210
129			2011	LT	220	280	290	180
129			2012	CTR	200	240	240	170
129			2013	CTR	210	260	260	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
129			2014	CTR	180	220	220	150
129			2015	CTR	240	290	300	200
129			2016	CTR	240	290	300	200
129			2017	CTR	240	320	320	200
129			2018	CTR	230	310	310	190
129			2019	CTR	230	310	310	190
129	SUNSET VIEW RD FIVE MILE PROV PK (W)	25.8	1988	LT	350	500	490	270
129			1989	LT	350	490	480	260
129			1990	LT	400	580	560	290
129			1991	LT	400	560	540	300
129			1992	LT	400	560	540	310
129			1993	LT	400	550	500	290
129			1994	LT	470	690	660	340
129			1995	LT	450	650	630	330
129			1996	LT	470	660	650	350
129			1997	LT	480	680	660	360
129			1998	LT	500	700	680	360
129			1999	LT	510	710	690	370
129			2000	LT	500	700	680	360
129			2001	LT	520	730	710	380
129			2002	LT	530	740	720	390
129			2003	LT	530	730	710	390
129			2004	LT	530	740	720	390
129			2005	LT	540	740	720	400
129			2006	LT	530	730	710	390
129			2007	LT	530	730	750	390
129			2008	SC	540	570	530	470
129			2009	SC	520	550	610	460
129			2010	SC	510	540	600	450
129			2011	SC	500	640	580	400
129			2012	CTR	440	530	530	370
129			2013	CTR	520	630	650	440
129			2014	CTR	410	500	500	350
129			2015	CTR	500	610	620	420
129			2016	CTR	500	610	620	420
129			2017	CTR	500	670	660	410
129			2018	CTR	500	670	670	410
129			2019	CTR	500	670	660	410
129	S JCT HWY 101 OVERLAP HWY 101 (40440)	7.6	9999					
129	N JCT HWY 101 FOLEYET RD	3.0	1988	LT	1500	2150	2100	1150
129			1989	LT	1550	2150	2150	1150
129			1990	LT	1550	2250	2150	1150
129			1991	LT	1550	2150	2100	1150
129			1992	LT	1550	2150	2100	1200
129			1993	LT	1550	2150	1900	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
129			1994	LT	1700	2500	2400	1250
129			1995	LT	1800	2600	2500	1300
129			1996	LT	1850	2600	2550	1350
129			1997	CTR	1850	2350	2300	1550
129			1998	CTR	1950	2500	2400	1650
129			1999	CTR	1950	2450	2350	1650
129			2000	CTR	2100	2650	2550	1750
129			2001	CTR	1850	2350	2250	1550
129			2002	CTR	1850	2350	2250	1550
129			2003	IT	1800	2300	2300	1450
129			2004	IT	1800	2350	2300	1450
129			2005	LT	1800	2450	2400	1300
129			2006	IT	1650	2100	2100	1350
129			2007	CTR	1650	2050	2050	1400
129			2008	IC	1750	1950	1900	1550
129			2009	IC	1750	1950	1950	1550
129			2010	IC	1750	1950	1950	1550
129			2011	IC	1750	1900	2000	1550
129			2012	UC	1700	1700	1800	1600
129			2013	CTR	1450	1750	1800	1250
129			2014	CTR	1450	1750	1800	1250
129			2015	CTR	1600	1950	1950	1350
129			2016	CTR	1600	1950	1950	1350
129			2017	CTR	1550	2050	2050	1250
129			2018	CTR	1550	2050	2050	1250
129			2019	CTR	1550	2050	2050	1250
129	CHAPLEAU S LTS HWY END		9999					
130	HWY 61	5.1	1988	CTR	700	910	850	590
130			1989	CTR	750	950	910	640
130			1990	CTR	750	940	880	650
130			1991	CTR	750	940	940	650
130			1992	CTR	750	920	890	650
130			1993	CTR	1500	1900	1800	1300
130			1994	CTR	1050	1350	1300	880
130			1995	CTR	1100	1400	1350	920
130			1996	CTR	1100	1400	1350	920
130			1997	CTR	1250	1600	1550	1050
130			1998	CTR	1300	1650	1600	1100
130			1999	CTR	1350	1700	1650	1150
130			2000	CTR	1400	1750	1700	1200
130			2001	CTR	1150	1450	1400	970
130			2002	CTR	1150	1450	1400	970
130			2003	CTR	1150	1450	1350	980
130			2004	CTR	1150	1450	1400	970
130			2005	CTR	1050	1300	1250	890

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
130			2006	CTR	1100	1350	1300	930
130			2007	IR	1000	1200	1200	850
130			2008	IR	1100	1350	1300	940
130			2009	CR	1050	1250	1200	890
130			2010	CR	1100	1300	1250	930
130			2011	IR	960	1150	1100	820
130			2012	IR	920	1100	1050	790
130			2013	IR	1000	1200	1300	850
130			2014	CR	1000	1200	1150	850
130			2015	CR	1000	1200	1150	850
130			2016	CR	990	1150	1150	840
130			2017	CR	980	1150	1150	880
130			2018	CR	970	1150	1150	870
130			2019	IR	1050	1200	1200	910
130	BARRIE DRIVE (W)	6.4	1988	CTR	1200	1550	1450	1000
130			1989	CTR	1300	1650	1550	1100
130			1990	CTR	1350	1700	1600	1150
130			1991	CTR	1450	1850	1800	1250
130			1992	CTR	1550	1900	1850	1350
130			1993	CTR	1650	2100	2000	1400
130			1994	CTR	1450	1850	1750	1200
130			1995	CTR	1450	1850	1800	1200
130			1996	CTR	1150	1450	1400	970
130			1997	CTR	1550	2000	1900	1300
130			1998	CTR	1600	2050	1950	1350
130			1999	CTR	1300	1650	1550	1100
130			2000	CTR	1250	1600	1500	1050
130			2001	CTR	1200	1500	1450	1000
130			2002	CTR	1050	1300	1250	890
130			2003	CTR	1150	1450	1350	980
130			2004	CTR	1100	1400	1350	930
130			2005	CTR	1050	1300	1250	890
130			2006	CTR	870	1100	1050	740
130			2007	CTR	970	1200	1200	820
130			2008	CTR	1000	1250	1200	850
130			2009	CTR	970	1200	1150	820
130			2010	CTR	1200	1450	1400	1000
130			2011	CR	1000	1150	1200	890
130			2012	CR	1250	1500	1450	1050
130			2013	CR	950	1150	1150	800
130			2014	CTR	1000	1200	1250	850
130			2015	CTR	910	1100	1100	770
130			2016	CTR	880	1050	1100	750
130			2017	CTR	1300	1750	1750	1050
130			2018	CTR	1300	1750	1750	1050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
130			2019	CTR	1300	1750	1700	1050
130	ROSSLYN RD (E&W)	1.9	1988	IC	1800	2100	2050	1600
130			1989	IC	1900	2200	2150	1700
130			1990	IC	2000	2300	2250	1800
130			1991	IC	2100	2350	2350	1850
130			1992	IC	2150	2400	2350	1950
130			1993	IC	2250	2550	2500	2000
130			1994	IC	2100	2350	2350	1850
130			1995	IC	2150	2400	2400	1950
130			1996	UC	2000	2100	2350	1900
130			1997	IC	2250	2500	2550	2000
130			1998	IC	2300	2600	2600	2050
130			1999	IC	2150	2400	2400	1900
130			2000	IC	2250	2500	2500	2000
130			2001	IC	2300	2550	2600	2050
130			2002	IC	2300	2550	2600	2050
130			2003	IC	2350	2600	2650	2100
130			2004	IC	2350	2650	2650	2100
130			2005	UC	2400	2550	2800	2250
130			2006	UC	2400	2550	2800	2250
130			2007	C	2450	2700	2750	2200
130			2008	C	2500	2750	2700	2250
130			2009	C	2500	2750	2800	2250
130			2010	C	2550	2800	2850	2300
130			2011	CR	2550	2950	3000	2250
130			2012	CR	2550	3050	3000	2150
130			2013	CR	2600	3100	3200	2200
130			2014	CTR	2650	3250	3250	2250
130			2015	CTR	2650	3250	3250	2250
130			2016	CTR	2700	3300	3300	2300
130			2017	CTR	2700	3600	3600	2200
130			2018	CTR	2750	3650	3650	2250
130			2019	CTR	2750	3650	3650	2250
130	ARTHUR ST (E) TWINCITY CROSSROAD (N)	2.0	1994	IC	7350	8250	8250	6550
130			1995	IC	7400	8300	8350	6650
130			1996	IC	7500	8400	8450	6700
130			1997	IC	7300	8200	8250	6400
130			1998	IC	7100	7950	7950	6300
130			1999	IC	7200	8050	8050	6400
130			2000	IC	7200	8050	8050	6400
130			2001	IC	7200	8050	8100	6350
130			2002	IC	7100	7900	8000	6250
130			2003	IC	7100	7900	8000	6300
130			2004	IC	7050	7900	7900	6250
130			2005	IC	7000	7800	7850	6150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
130			2006	IC	6400	7100	7200	5650
130			2007	IC	5850	6500	6700	5150
130			2008	IC	5350	5950	5750	4700
130			2009	IT	4500	5650	5650	3750
130			2010	IT	4500	5650	5650	3700
130			2011	IT	5650	7600	7600	4650
130			2012	IT	3850	4800	4650	3200
130			2013	IT	4700	5900	5950	3900
130			2014	C	4450	4900	4750	4000
130			2015	C	4450	4900	4750	4000
130			2016	C	4250	4700	4550	3800
130			2017	C	4100	4500	4500	3700
130			2018	C	3950	4350	4300	3550
130			2019	C	4200	4600	4550	3800
130	HWYS 11/17 HWY END		9999					
132	HWY 60 RAGLAN ST START OF NA	1.8	9999					
132			1988	CTR	2500	3250	3050	2100
132			1989	CTR	2500	3200	3000	2150
132			1990	CTR	2600	3250	3050	2250
132			1991	CTR	2600	3300	3250	2250
132			1992	CTR	2600	3200	3100	2250
132			1993	CTR	2600	3300	3150	2200
132			1994	CTR	2600	3350	3150	2200
132			1995	IR	3250	4000	3600	2750
132			1996	IR	3350	4150	3750	2850
132			1997	IR	3450	4300	3850	2950
132			1998	IR	3550	4400	4000	3000
132			1999	IR	1500	1850	1650	1250
132			2000	IR	1700	2100	1900	1450
132			2001	IR	1900	2350	2100	1600
132			2002	IR	2100	2600	2350	1800
132			2003	CTR	2300	2850	2750	1950
132			2004	CTR	2500	3150	3000	2100
132			2005	CTR	2550	3150	3050	2150
132			2006	IR	2900	3500	3150	2450
132			2007	IR	2550	3100	3100	2150
132			2008	IR	2500	3050	2950	2150
132			2009	IR	3350	4000	3650	2850
132			2010	IR	2500	3000	2700	2150
132			2011	IR	2450	2900	2850	2100
132			2012	IR	3800	4500	4400	3250
132			2013	IR	3800	4500	4850	3250
132			2014	IR	3850	4600	4600	3300
132			2015	IR	3900	4650	4650	3300
132			2016	IR	3950	4700	4700	3350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
132			2017	IR	4000	4700	4700	3550
132			2018	IR	4050	4750	4750	3600
132			2019	IR	4100	4800	4800	3650
132	**RENFREW W LTS END OF NA**	**3.92**	**2019**	**IR**	**4100**	**4800**	**4800**	**3650**
132	RENFREW RD 5 (W)	24.6	1988	LR	950	1700	1200	590
132			1989	LR	950	1600	1250	630
132			1990	LR	1000	1750	1400	630
132			1991	LR	1000	1750	1400	630
132			1992	LR	1000	1600	1300	660
132			1993	LR	1100	1750	1400	720
132			1994	LR	1150	1900	1500	750
132			1995	LR	1200	2000	1650	790
132			1996	LR	1250	2100	1700	830
132			1997	LR	1300	2200	1750	870
132			1998	LR	1350	2250	1800	890
132			1999	LR	1300	2150	1700	860
132			2000	LR	1350	2200	1750	900
132			2001	LR	1350	2200	1750	900
132			2002	LR	1400	2300	1800	950
132			2003	LR	1450	2300	1850	980
132			2004	LR	1450	2350	1900	970
132			2005	LR	1500	2350	1900	1000
132			2006	LR	1450	2250	1800	980
132			2007	LR	1500	2350	2250	1000
132			2008	LR	1550	2400	2350	1050
132			2009	LR	1550	2350	1900	1050
132			2010	LR	1600	2400	1950	1100
132			2011	LR	1600	2450	2300	1100
132			2012	IR	1300	1550	1500	1100
132			2013	IR	1300	1550	1650	1100
132			2014	IR	1350	1600	1600	1150
132			2015	IR	1350	1600	1600	1150
132			2016	IR	1400	1650	1650	1200
132			2017	IR	1400	1650	1650	1250
132			2018	IR	1450	1700	1700	1300
132			2019	IR	1450	1700	1700	1300
132	HWY 41 HWY END		9999					
137	CANADA USA BORDER	2.7	1988	HT	5500	11100	9900	2400
137			1989	HT	6100	12100	11000	2800
137			1990	LR	5000	8750	6950	3150
137			1991	LR	5200	9150	7250	3300
137			1992	LR	5200	8350	6700	3450
137			1993	HR	4950	8850	7100	3000
137			1994	LR	5100	8400	6750	3350
137			1995	LR	5100	8550	6950	3350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
137			1996	LR	5150	8600	6900	3450
137			1997	LR	4900	8250	6600	3300
137			1998	LR	5100	8400	6800	3350
137			1999	LR	4750	7800	6250	3150
137			2000	LR	5500	8900	7200	3650
137			2001	LR	4600	7550	6000	3100
137			2002	LR	6000	9800	7800	4050
137			2003	LR	5700	9000	7250	3850
137			2004	LR	5800	9500	7550	3900
137			2005	LR	5700	8900	7200	3900
137			2006	CR	4850	5900	5650	4100
137			2007	CR	5550	6700	6700	4700
137			2008	CR	5600	6800	6700	4700
137			2009	IR	5450	6550	5950	4650
137			2010	IR	5700	6800	6200	4850
137			2011	IR	5650	6750	6600	4800
137			2012	LT	4100	5350	5100	3100
137			2013	LT	4800	6250	6250	3600
137			2014	LT	5700	7450	7550	4300
137			2015	LT	4900	6400	6500	3700
137			2016	LT	5450	7100	7250	4100
137			2017	LT	5350	6800	6800	4450
137			2018	LT	5350	6800	6800	4500
137			2019	LT	5350	6800	6800	4450
137	THOUSAND ISLANDS PKWY IC	1.6	1988	HT	4100	8250	7400	1800
137			1989	HT	4200	8350	7600	1950
137			1990	IR	4300	5450	4750	3550
137			1991	LR	4300	7550	6000	2700
137			1992	IR	4300	5300	4750	3650
137			1993	IR	4300	5300	4450	3500
137			1994	IR	4500	5550	4950	3750
137			1995	IR	4300	5300	4750	3650
137			1996	IR	4350	5400	4850	3700
137			1997	IR	4350	5450	4850	3700
137			1998	IR	4400	5450	4950	3700
137			1999	IR	5250	6500	5850	4400
137			2000	IR	5500	6750	6100	4650
137			2001	IR	5800	7150	6450	4900
137			2002	IR	6050	7450	6700	5150
137			2003	IR	6300	7650	6950	5350
137			2004	IR	7200	8900	8000	6100
137			2005	IR	6400	7700	7000	5450
137			2006	IR	6900	8300	7550	5850
137			2007	IR	6650	8050	8050	5650
137			2008	IR	6450	7800	7650	5500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
137			2009	CTR	6150	7500	7250	5250
137			2010	CTR	6000	7300	7000	5100
137			2011	CTR	7150	8700	8350	6050
137			2012	CTR	4100	4950	4900	3500
137			2013	UC	4200	4200	4200	4000
137			2014	UC	6400	6400	6150	6050
137			2015	UC	7800	7850	7500	7400
137			2016	UC	6800	6800	6550	6450
137			2017	UC	6900	6850	6900	6600
137			2018	UC	6950	6900	7000	6650
137			2019	UC	7050	6950	7050	6800
137	HWY 401 IC-661 HWY END		9999					
138	VINCENT MASSEY DR START OF NA	4.3	9999					
138	CENTRE RD (E) END OF NA	4.6	1988	IC	7200	8350	8150	6350
138			1989	IC	7500	8600	8500	6700
138			1990	UC	7600	8150	8800	7200
138			1991	UC	7700	8150	8850	7450
138			1992	UC	7900	8350	9100	7600
138			1993	UC	8400	8850	9550	7850
138			1994	IC	8900	9950	9950	7900
138			1995	IC	9200	10300	10400	8250
138			1996	IC	9500	10700	10700	8450
138			1997	IC	9750	10900	11000	8600
138			1998	IC	9600	10800	10800	8550
138			1999	IC	11000	12300	12300	9800
138			2000	IC	10300	11500	11500	9150
138			2001	IC	11100	12400	12500	9800
138			2002	IC	11100	12400	12500	9800
138			2003	IR	12300	14900	13500	10400
138			2004	IR	11700	14500	13000	9900
138			2005	IR	11000	13300	12100	9400
138			2006	IC	10300	11400	11500	9100
138			2007	IC	10100	11200	11600	8950
138			2008	IC	10100	11200	10800	8900
138			2009	IC	10200	11300	11400	9100
138			2010	IC	11200	12400	12500	9950
138			2011	IC	11300	12400	12900	10100
138			2012	IC	11600	12900	12500	10300
138			2013	IC	11500	12700	12700	10200
138			2014	IC	11600	12800	12800	10300
138			2015	IC	11700	13000	12900	10400
138			2016	IC	11800	13100	13000	10500
138			2017	IC	11900	13000	13100	10800
138			2018	IC	12000	13200	13300	10900
138			2019	IC	12100	13300	13400	10900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
138	CTY RD 18 DUNDAS ST	12.9	1988	IC	5550	6450	6250	4900
138			1989	IC	5800	6650	6550	5150
138			1990	IC	5900	6750	6600	5250
138			1991	IC	6000	6800	6650	5350
138			1992	IC	6200	6900	6800	5650
138			1993	IC	6400	7250	7150	5700
138			1994	IC	6850	7650	7650	6100
138			1995	IC	6900	7700	7800	6200
138			1996	IC	6900	7750	7800	6150
138			1997	IC	6850	7650	7750	6050
138			1998	IC	6800	7600	7600	6050
138			1999	IC	7050	7900	7900	6250
138			2000	IC	6750	7550	7550	6000
138			2001	IC	7200	8050	8100	6350
138			2002	IC	7250	8100	8150	6400
138			2003	IC	7650	8500	8600	6800
138			2004	IC	7400	8300	8300	6550
138			2005	IC	7450	8300	8350	6550
138			2006	IC	7500	8350	8400	6650
138			2007	IC	7600	8450	8700	6700
138			2008	IC	7650	8450	8200	6750
138			2009	IC	7700	8550	8600	6850
138			2010	IC	7800	8650	8700	6900
138			2011	IC	7850	8650	8950	7050
138			2012	IC	7500	8300	8050	6650
138			2013	IC	8400	9300	9250	7450
138			2014	IC	8050	8900	8850	7150
138			2015	IC	8100	8950	8900	7200
138			2016	IC	8200	9100	9050	7250
138			2017	IC	8250	9050	9100	7500
138			2018	IC	8300	9150	9200	7500
138			2019	IC	8400	9250	9250	7600
138	STORMONT DUNDAS & GLENGARY RD 43	8.8	1988	IC	3400	3950	3850	3000
138			1989	IC	3650	4200	4100	3250
138			1990	IR	3800	4850	4200	3100
138			1991	IR	3900	4900	4350	3250
138			1992	IR	4200	5150	4600	3550
138			1993	IR	4200	5150	4350	3450
138			1994	IR	4400	5400	4850	3700
138			1995	IR	4500	5550	4950	3850
138			1996	IR	4700	5850	5250	4000
138			1997	CR	4850	6000	5700	4100
138			1998	CR	4750	5850	5550	4050
138			1999	CR	4650	5700	5450	3950
138			2000	CR	4600	5650	5400	3900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
138			2001	CR	4650	5700	5450	3950
138			2002	CR	4700	5750	5500	3950
138			2003	CR	4600	5600	5400	3900
138			2004	CR	4800	5900	5650	4050
138			2005	CR	5000	6050	5850	4200
138			2006	IR	5200	6250	5700	4400
138			2007	IC	5350	5950	6150	4750
138			2008	IC	5100	5650	5450	4500
138			2009	IC	5150	5700	5750	4600
138			2010	IC	5200	5750	5800	4600
138			2011	IC	5250	5750	6000	4700
138			2012	IC	6000	6650	6450	5300
138			2013	IC	6100	6750	6700	5400
138			2014	IC	5650	6250	6250	5000
138			2015	CTR	5450	6650	6700	4650
138			2016	CTR	5750	7000	7050	4900
138			2017	CTR	5800	7750	7700	4750
138			2018	CTR	5850	7800	7800	4750
138			2019	CTR	5950	7950	7900	4850
138	MCNEIL RD (W) CTY RD 22/ DYER RD (E)	8.1	1988	IC	3400	3950	3850	3000
138			1989	IC	3650	4200	4100	3250
138			1990	IR	3800	4850	4200	3100
138			1991	IR	3900	4900	4350	3250
138			1992	IR	4200	5150	4600	3550
138			1993	IR	4200	5150	4350	3450
138			1994	IR	4350	5350	4800	3650
138			1995	IR	4400	5400	4850	3750
138			1996	IR	4550	5650	5100	3900
138			1997	IR	4650	5800	5200	3950
138			1998	IR	4650	5750	5200	3900
138			1999	IR	4900	6100	5450	4100
138			2000	CR	4700	5800	5500	4000
138			2001	CR	5200	6400	6100	4400
138			2002	CR	5300	6500	6200	4450
138			2003	CR	5300	6450	6200	4500
138			2004	CR	5400	6650	6350	4550
138			2005	CR	5500	6650	6400	4650
138			2006	CR	5600	6800	6500	4750
138			2007	IC	5750	6400	6600	5100
138			2008	IC	5800	6450	6200	5100
138			2009	IC	5850	6500	6550	5200
138			2010	IC	6050	6700	6750	5350
138			2011	IC	6150	6750	7000	5500
138			2012	IC	6150	6800	6600	5450
138			2013	IC	6350	7050	7000	5650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
138			2014	IC	6450	7150	7100	5700
138			2015	CTR	6550	8000	8050	5550
138			2016	CTR	6650	8100	8200	5650
138			2017	CTR	6750	9000	8950	5500
138			2018	CTR	6850	9150	9100	5600
138			2019	CTR	6950	9250	9200	5650
138	HWY 417 IC-58 SDG/PR HWY END		9999					
140	HWY 3 MAIN ST E PORT COLBORNE	5.1	1988	UC	3250	3400	3650	3050
140			1989	UC	3150	3300	3550	3000
140			1990	UC	3050	3250	3550	2900
140			1991	UC	2950	3150	3400	2850
140			1992	UC	2900	3050	3350	2800
140			1993	UC	3300	3500	3750	3100
140			1994	UC	3150	3350	3600	2950
140			1995	UC	3500	3700	4000	3250
140			1996	UC	3550	3750	4150	3400
140			1997	UC	4700	4950	5500	4400
140			1998	UC	3650	3850	4250	3450
140			1999	UC	4950	5250	5800	4700
140			2000	UC	5300	5600	6250	5000
140			2001	UC	6350	6800	7450	5950
140			2002	UC	6050	6450	7100	5650
140			2003	UC	6450	6800	7550	6100
140			2004	UC	7000	7500	8250	6600
140			2005	UC	7200	7600	8400	6750
140			2006	UC	7250	7650	8450	6800
140			2007	UC	7550	8000	8750	7100
140			2008	UC	7900	8350	7850	7400
140			2009	UC	8200	8700	9600	7700
140			2010	UC	7700	8150	8950	7250
140			2011	UC	7500	7500	7800	7100
140			2012	UC	8000	8050	8550	7600
140			2013	UC	8600	8650	8650	8150
140			2014	UC	8000	8050	7700	7600
140			2015	UC	8500	8550	8150	8050
140			2016	UC	7800	7850	7500	7400
140			2017	UC	9400	9350	9450	9000
140			2018	UC	9650	9550	9700	9250
140			2019	UC	9900	9750	9900	9550
140	NIAGARA RD 23 FORKS RD PORT COLBORNE	2.0	1988	UC	4200	4400	4750	3950
140			1989	UC	3900	4100	4400	3700
140			1990	UC	3600	3850	4200	3400
140			1991	UC	3350	3550	3850	3250
140			1992	UC	3700	3900	4250	3550
140			1993	UC	4300	4550	4900	4050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
140			1994	UC	3950	4200	4500	3650
140			1995	UC	4350	4600	4950	4050
140			1996	UC	4450	4700	5200	4250
140			1997	UC	5300	5550	6200	5000
140			1998	UC	4600	4900	5400	4350
140			1999	UC	5700	6050	6650	5400
140			2000	UC	6100	6450	7200	5750
140			2001	UC	6750	7250	7950	6350
140			2002	UC	6850	7300	8050	6400
140			2003	UC	7950	8400	9300	7500
140			2004	UC	7950	8500	9350	7450
140			2005	UC	7950	8400	9300	7450
140			2006	UC	8050	8500	9400	7600
140			2007	UC	7950	8450	9200	7450
140			2008	UC	8700	9200	8650	8150
140			2009	SC	8200	8700	9600	7200
140			2010	SC	9350	9900	10900	8250
140			2011	SC	7200	9200	8400	5750
140			2012	SC	7450	7900	7400	6550
140			2013	UC	7700	7700	7750	7300
140			2014	UC	9250	9300	8900	8800
140			2015	UC	9500	9550	9150	9000
140			2016	UC	9700	9750	9350	9200
140			2017	UC	9950	9900	10000	9550
140			2018	UC	10200	10100	10300	9800
140			2019	UC	10400	10200	10400	10000
140	HWY 58A (E) TOWNLINE RD (W)	1.6	1988	UC	3550	3750	4000	3350
140			1989	UC	3400	3550	3850	3250
140			1990	UC	3300	3550	3850	3150
140			1991	UC	3150	3350	3600	3050
140			1992	UC	3600	3800	4150	3450
140			1993	UC	4100	4300	4650	3850
140			1994	UC	3950	4200	4500	3650
140			1995	UC	4400	4650	5050	4100
140			1996	UC	4550	4800	5300	4350
140			1997	UC	5400	5650	6300	5100
140			1998	UC	4850	5150	5650	4600
140			1999	UC	5900	6250	6900	5600
140			2000	UC	6300	6700	7450	5900
140			2001	UC	7300	7800	8600	6850
140			2002	UC	7100	7550	8350	6650
140			2003	UC	7500	7950	8800	7100
140			2004	UC	8300	8900	9750	7800
140			2005	UC	8300	8800	9700	7800
140			2006	UC	8200	8650	9600	7700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
140			2007	UC	8850	9400	10200	8300
140			2008	UC	9200	9700	9100	8600
140			2009	UC	9600	10200	11200	9000
140			2010	UC	8150	8600	9500	7650
140			2011	UC	7500	7500	7800	7100
140			2012	UC	8200	8250	8800	7800
140			2013	UC	8500	8550	8550	8050
140			2014	UC	9450	9500	9100	8950
140			2015	C	10500	11600	11200	9450
140			2016	C	10300	11300	11000	9250
140			2017	C	10600	11600	11600	9600
140			2018	C	10800	11800	11800	9750
140			2019	C	11100	12100	12100	10000
140			1988	UC	4400	4600	4950	4150
140			1989	UC	4450	4650	5050	4250
140			1990	UC	4550	4850	5300	4300
140			1991	UC	4550	4800	5250	4400
140			1992	UC	5000	5300	5750	4800
140			1993	UC	5500	5800	6250	5150
140			1994	UC	5500	5850	6300	5100
140			1995	UC	5550	5850	6350	5200
140			1996	UC	5700	6050	6650	5400
140			1997	IR	5900	7400	6600	5000
140			1998	IR	6050	7500	6800	5100
140			1999	IR	7300	9050	8100	6150
140			2000	IR	7800	9550	8650	6600
140			2001	UC	8950	9600	10500	8400
140			2002	UC	7950	8450	9350	7450
140			2003	UC	8450	8950	9900	8000
140			2004	UC	8800	9450	10400	8250
140			2005	UC	8500	9000	9950	7950
140			2006	UC	9250	9800	10800	8700
140			2007	UC	9850	10400	11400	9250
140			2008	UC	9850	10400	9750	9200
140			2009	UC	9400	9950	11000	8850
140			2010	UC	10500	11100	12200	9850
140			2011	UC	8000	8050	8300	7600
140			2012	UC	10500	10600	11200	10000
140			2013	UC	10600	10600	10700	10100
140			2014	UC	11000	11000	10600	10400
140			2015	UC	11100	11100	10700	10500
140			2016	UC	11400	11400	11000	10800
140			2017	UC	11600	11500	11600	11100
140			2018	UC	11900	11800	12000	11400
140			2019	UC	11600	11400	11600	11200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
140	**RIDGE RD**	**1.05**	**2019**	**UC**	**11600**	**11400**	**11600**	**11200**
140	BUCHNER RD	1.1	1988	UC	4950	5200	5600	4650
140			1989	UC	5000	5250	5650	4750
140			1990	UC	5100	5450	5900	4850
140			1991	UC	5200	5500	6000	5050
140			1992	UC	5600	5950	6450	5400
140			1993	UC	6000	6300	6800	5600
140			1994	UC	6100	6450	6950	5650
140			1995	UC	6600	6950	7550	6150
140			1996	UC	6850	7250	8000	6500
140			1997	UC	7850	8250	9200	7400
140			1998	UC	7350	7800	8600	7000
140			1999	UC	7950	8450	9300	7550
140			2000	UC	8300	8800	9800	7800
140			2001	UC	9000	9650	10600	8450
140			2002	UC	8950	9550	10500	8400
140			2003	UC	9300	9850	10900	8800
140			2004	UC	9450	10100	11100	8900
140			2005	UC	9950	10500	11600	9350
140			2006	UC	10200	10800	11900	9600
140			2007	UC	10600	11200	12300	9950
140			2008	UC	10900	11500	10800	10200
140			2009	UC	11300	12000	13200	10600
140			2010	UC	11600	12300	13500	10900
140			2011	UC	11900	11900	12400	11300
140			2012	UC	12300	12400	13200	11700
140			2013	UC	12600	12600	12700	12000
140			2014	C	11200	12300	12000	10100
140			2015	C	12900	14200	13800	11600
140			2016	C	13200	14500	14100	11900
140			2017	C	13500	14800	14700	12200
140			2018	C	13800	15100	15000	12500
140			2019	C	14100	15400	15300	12800
140	NIAGARA RD 27 E MAIN ST HWY END		9999					
141	HWY 11 MUSKOKA RD 10 HUNTSVILLE	1.3	1988	LT	1600	2250	2250	1200
141			1989	LT	1700	2350	2350	1250
141			1990	LT	1750	2550	2450	1300
141			1991	LT	1800	2500	2450	1350
141			1992	LT	1800	2500	2450	1400
141			1993	LT	1850	2550	2300	1350
141			1994	LT	1850	2700	2600	1350
141			1995	LT	2050	2950	2850	1500
141			1996	LT	2100	2950	2900	1550
141			1997	LT	2150	3050	2950	1600
141			1998	LT	2250	3150	3100	1650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
141			1999	LT	2300	3200	3150	1700
141			2000	LT	2350	3250	3200	1700
141			2001	LT	2450	3450	3350	1800
141			2002	LT	2550	3550	3450	1850
141			2003	LT	2600	3600	3500	1900
141			2004	LT	2700	3800	3700	2000
141			2005	LT	2700	3700	3600	2000
141			2006	LT	2850	3900	3800	2100
141			2007	LT	2800	3850	3950	2050
141			2008	LT	2900	3950	3800	2150
141			2009	LT	2750	3700	3650	2050
141			2010	LT	3000	4050	3950	2200
141			2011	CTR	2900	3550	3400	2450
141			2012	CTR	3100	3750	3700	2650
141			2013	CTR	2750	3350	3450	2350
141			2014	CTR	2000	2450	2450	1700
141			2015	CTR	2950	3600	3650	2500
141			2016	CTR	3000	3650	3700	2550
141			2017	CTR	3050	4100	4050	2500
141			2018	CTR	3100	4150	4100	2500
141			2019	CTR	3150	4200	4200	2550
141	OLD MUSKOKA RD	6.4	1988	LT	1600	2250	2250	1200
141			1989	LT	1700	2350	2350	1250
141			1990	LT	1750	2550	2450	1300
141			1991	LT	1800	2500	2450	1350
141			1992	LT	1800	2500	2450	1400
141			1993	LT	1850	2550	2300	1350
141			1994	LT	1850	2700	2600	1350
141			1995	LT	2050	2950	2850	1500
141			1996	LT	2100	2950	2900	1550
141			1997	LT	2150	3050	2950	1600
141			1998	LT	2250	3150	3100	1650
141			1999	LT	2100	2900	2850	1550
141			2000	LT	1900	2650	2600	1400
141			2001	LT	2150	3000	2950	1600
141			2002	LT	2200	3050	3000	1600
141			2003	LT	2250	3100	3050	1650
141			2004	LT	2700	3800	3700	2000
141			2005	LT	2700	3700	3600	2000
141			2006	LT	2850	3900	3800	2100
141			2007	LT	2800	3850	3950	2050
141			2008	LT	2900	3950	3800	2150
141			2009	LT	2750	3700	3650	2050
141			2010	LT	3000	4050	3950	2200
141			2011	LT	3000	3850	3900	2450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
141			2012	LT	3100	4050	3850	2350
141			2013	LT	3150	4100	4100	2400
141			2014	LT	3200	4200	4250	2400
141			2015	CTR	2800	3400	3450	2400
141			2016	CTR	3250	3950	4000	2750
141			2017	CTR	3350	4500	4450	2750
141			2018	CTR	3400	4550	4500	2750
141			2019	CTR	3450	4600	4600	2800
141	MUSKOKA RD 35 HUNTSVILLE W LTS	10.1	1988	T	900	1650	1600	550
141			1989	T	1050	1900	1850	660
141			1990	T	1200	2200	2100	740
141			1991	LR	1350	2400	1900	850
141			1992	LR	1350	2150	1750	890
141			1993	LR	1300	2100	1650	850
141			1994	LR	1300	2150	1700	850
141			1995	LR	1450	2450	1950	950
141			1996	LR	1500	2500	2000	1000
141			1997	LR	1450	2450	1950	970
141			1998	LR	1650	2700	2200	1100
141			1999	LR	1750	2850	2300	1150
141			2000	LR	1750	2850	2300	1150
141			2001	LR	1800	2950	2350	1200
141			2002	LR	1850	3000	2400	1250
141			2003	LT	1950	2700	2600	1450
141			2004	LT	1900	2650	2600	1400
141			2005	LT	1900	2600	2550	1400
141			2006	LT	1950	2650	2600	1450
141			2007	LT	2000	2750	2800	1450
141			2008	LT	2050	2800	2700	1500
141			2009	LT	1900	2550	2500	1400
141			2010	LT	2150	2900	2850	1600
141			2011	CTR	1900	2300	2200	1600
141			2012	CTR	2150	2600	2600	1850
141			2013	CTR	2200	2700	2750	1850
141			2014	CTR	2250	2750	2750	1900
141			2015	CTR	2300	2800	2850	1950
141			2016	CTR	2350	2850	2900	2000
141			2017	CTR	2350	3150	3100	1900
141			2018	CTR	2400	3200	3200	1950
141			2019	CTR	2450	3250	3250	2000
141	MUSKOKA RD 24 DEE BANK RD ULLSWATER	14.8	1988	HT	600	1200	1100	260
141			1989	HT	700	1400	1250	320
141			1990	HT	800	1600	1450	360
141			1991	LR	850	1500	1200	540
141			1992	LR	850	1350	1100	560

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
141			1993	LR	800	1300	1050	520
141			1994	LR	800	1300	1050	520
141			1995	LR	930	1550	1250	610
141			1996	LR	970	1600	1300	650
141			1997	LR	980	1650	1300	660
141			1998	LR	1050	1750	1400	690
141			1999	LR	1100	1800	1450	730
141			2000	LR	1150	1850	1500	770
141			2001	LR	1150	1900	1500	770
141			2002	LR	1200	1950	1550	810
141			2003	LT	1300	1800	1750	960
141			2004	LT	1300	1800	1750	950
141			2005	LT	1350	1850	1800	990
141			2006	LT	1350	1850	1800	990
141			2007	LT	1450	2000	2050	1050
141			2008	LT	1500	2050	1950	1100
141			2009	LT	1500	2050	2000	1100
141			2010	LT	1550	2100	2050	1150
141			2011	LT	1250	1600	1650	1050
141			2012	LT	1550	2000	1950	1150
141			2013	LT	1600	2100	2100	1200
141			2014	LT	1650	2150	2200	1250
141			2015	LT	1700	2200	2250	1300
141			2016	LT	1700	2200	2250	1300
141			2017	LT	1750	2450	2400	1350
141			2018	LT	1800	2500	2500	1400
141			2019	LT	1850	2600	2550	1450
141	SEC HWY 632 PINE ST ROSSEAU	17.3	1988	LT	1200	1700	1700	910
141			1989	LT	1300	1800	1800	960
141			1990	LT	1350	1950	1900	990
141			1991	LT	1300	1800	1750	960
141			1992	LT	1250	1750	1700	960
141			1993	LT	1200	1650	1500	880
141			1994	LT	1200	1750	1700	870
141			1995	LT	1350	1950	1900	990
141			1996	LT	1400	2000	1950	1050
141			1997	LT	1400	1950	1950	1050
141			1998	LT	1450	2050	2000	1050
141			1999	LT	1450	2000	1950	1050
141			2000	LT	1450	2000	2000	1050
141			2001	LT	1550	2150	2100	1150
141			2002	LT	1550	2150	2100	1150
141			2003	LT	1600	2200	2150	1200
141			2004	LT	1650	2300	2250	1200
141			2005	LT	1650	2250	2200	1200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
141			2006	LT	1700	2350	2250	1250
141			2007	LT	1750	2400	2450	1300
141			2008	LT	1800	2450	2350	1350
141			2009	LT	1800	2450	2400	1350
141			2010	LT	1850	2500	2450	1350
141			2011	LR	1900	2950	2750	1350
141			2012	LR	1900	2850	2750	1300
141			2013	CTR	1950	2350	2450	1650
141			2014	CTR	2000	2450	2450	1700
141			2015	CTR	2000	2450	2450	1700
141			2016	CTR	2050	2500	2500	1750
141			2017	CTR	2100	2800	2800	1700
141			2018	CTR	2150	2850	2850	1750
141			2019	CTR	2150	2850	2850	1750
141	HWY 69/141 N JCT	3.5	2017	CTR	2100	2800	2800	1700
141			2018	CTR	2100	2800	2800	1700
141			2019	CTR	2150	2850	2850	1750
141	HWY 69/141 S JCT	0.9	2003	UNCL	N/A			
141			2004	UNCL	N/A			
141			2005	UNCL	N/A			
141			2006	UNCL	N/A			
141			2007	UNCL	N/A			
141			2008	UNCL	N/A			
141			2009	UNCL	N/A			
141			2010	UNCL	N/A			
141			2011	UNCL	N/A			
141			2012	UNCL	N/A			
141			2013	UNCL	N/A			
141			2014	UNCL	N/A			
141			2015	UNCL	N/A			
141			2016	UNCL	N/A			
141			2017	CTR	2100	2800	2800	1700
141			2018	CTR	2200	2950	2950	1800
141			2019	CTR	2250	3000	3000	1850
141	HWY 400/141 IC-207 HWY END		9999					
144	HWY 17 OP IC	4.0	1988	SC	1300	1400	1550	1150
144			1989	IT	1350	1900	1800	1050
144			1990	IT	1400	1800	1750	1200
144			1991	IT	1450	1900	1800	1250
144			1992	C	1500	1600	1650	1400
144			1993	C	1550	1700	1700	1450
144			1994	C	1600	1750	1800	1450
144			1995	LT	1650	2350	2300	1200
144			1996	LT	1800	2550	2500	1300
144			1997	IT	1900	2500	2450	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			1998	IT	1850	2400	2350	1500
144			1999	IT	1950	2500	2500	1600
144			2000	LT	2100	2950	2850	1550
144			2001	IR	2000	2450	2200	1700
144			2002	IR	2150	2650	2400	1850
144			2003	IR	2150	2600	2350	1850
144			2004	IR	2200	2700	2450	1850
144			2005	IR	2200	2650	2400	1900
144			2006	IR	2250	2700	2450	1900
144			2007	CR	2250	2700	2700	1900
144			2008	IC	2400	2650	2550	2100
144			2009	IT	2300	2900	2900	1900
144			2010	IT	2450	3050	3100	2000
144			2011	IC	2500	2750	2850	2250
144			2012	UC	2550	2550	2750	2400
144			2013	CTR	2600	3150	3250	2200
144			2014	CR	2650	3100	3100	2250
144			2015	CR	2700	3200	3150	2300
144			2016	CR	2750	3250	3200	2350
144			2017	CR	2800	3250	3250	2500
144			2018	CR	2850	3300	3350	2550
144			2019	CR	2900	3350	3400	2600
144	SUDBURY REG RD 24 (W)	13.6	1988	SC	1900	2050	2250	1700
144			1989	IT	2100	2900	2800	1650
144			1990	IT	2200	2800	2750	1850
144			1991	IT	2300	3000	2850	2000
144			1992	C	2300	2500	2550	2100
144			1993	C	2350	2550	2600	2150
144			1994	C	2350	2550	2600	2150
144			1995	LT	2300	3300	3200	1700
144			1996	LT	2500	3550	3450	1850
144			1997	LT	2550	3600	3500	1900
144			1998	LT	2500	3500	3450	1800
144			1999	LT	2600	3600	3550	1900
144			2000	LT	2650	3700	3600	1950
144			2001	LT	2700	3800	3700	2000
144			2002	LT	2750	3850	3750	2000
144			2003	LT	2800	3850	3750	2050
144			2004	IR	3100	3850	3450	2600
144			2005	IR	2900	3500	3200	2450
144			2006	IR	3250	3900	3550	2750
144			2007	IR	3350	4050	4050	2850
144			2008	IC	3850	4250	4150	3400
144			2009	IC	3550	3950	4000	3150
144			2010	IC	3750	4150	4200	3350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			2011	IC	3700	4050	4200	3300
144			2012	UC	3800	3800	4050	3600
144			2013	UC	3900	3900	3900	3700
144			2014	CR	4000	4700	4700	3400
144			2015	CR	4100	4850	4800	3500
144			2016	CR	4200	4950	4900	3600
144			2017	CR	4250	4950	4950	3850
144			2018	CR	4350	5050	5100	3900
144			2019	CR	4450	5150	5200	4000
144	REG RD 15 (N) REG RD 35 (E)	1.1	1988	SC	11700	12600	13800	10500
144			1989	SC	14000	15400	16900	12500
144			1990	SC	15000	16500	18000	13400
144			1991	SC	15700	17300	19000	14000
144			1992	SC	16500	17300	19300	15200
144			1993	SC	17300	19200	21100	15400
144			1994	SC	17400	18100	20000	16000
144			1995	SC	18300	19100	21300	16700
144			1996	SC	19100	20300	22300	17100
144			1997	IC	20000	22400	22600	17600
144			1998	IC	19300	21600	21600	17200
144			1999	IC	19400	21700	21700	17300
144			2000	IC	19600	22000	22000	17400
144			2001	IC	19200	21500	21600	17000
144			2002	IC	20100	22400	22600	17700
144			2003	IC	20300	22600	22800	18000
144			2004	IC	20600	23000	23100	18200
144			2005	IC	20800	23100	23400	18300
144			2006	IC	21000	23300	23500	18600
144			2007	IC	21300	23700	24400	18800
144			2008	IC	21500	23800	23000	19000
144			2009	IC	21700	24100	24300	19300
144			2010	IC	22000	24400	24600	19500
144			2011	IC	22200	24400	25300	19900
144			2012	UC	23000	23100	24600	21900
144			2013	UC	22800	22900	22900	21600
144			2014	C	22900	25200	24500	20600
144			2015	C	23300	25600	24900	21000
144			2016	C	23500	25900	25100	21200
144			2017	C	23700	25900	25900	21500
144			2018	C	24000	26300	26200	21700
144			2019	C	24200	26500	26300	21900
144	ST ALBERT ST (W) CHARETTE ST (E)	5.4	1988	SC	9000	9700	10600	8100
144			1989	SC	9750	10700	11800	8700
144			1990	SC	10000	11000	12000	8900
144			1991	SC	10600	11700	12800	9450

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			1992	SC	10700	11200	12500	9850
144			1993	SC	11200	12400	13700	9950
144			1994	SC	11200	11600	12900	10300
144			1995	SC	11700	12200	13600	10600
144			1996	SC	12100	12900	14200	10800
144			1997	C	12500	14100	14200	11200
144			1998	C	12000	13600	13600	10800
144			1999	C	11900	13300	13400	10700
144			2000	C	11900	13400	13400	10700
144			2001	C	11500	13000	13000	10400
144			2002	C	12000	13400	13500	10800
144			2003	C	12000	13400	13500	10800
144			2004	C	12200	13700	13800	11000
144			2005	C	12000	13400	13500	10800
144			2006	C	12100	13400	13600	10900
144			2007	C	12100	13400	13600	10900
144			2008	C	12900	14200	14000	11600
144			2009	C	12200	13400	13500	11000
144			2010	C	11600	12800	12900	10400
144			2011	C	12200	13400	13600	11000
144			2012	UC	12300	12400	13200	11700
144			2013	UC	12300	12300	12400	11700
144			2014	C	12300	13500	13200	11100
144			2015	C	12400	13600	13300	11200
144			2016	C	12400	13600	13300	11200
144			2017	C	12400	13600	13500	11300
144			2018	C	12400	13600	13500	11200
144			2019	C	12500	13700	13600	11300
144	REG RD 13 VERMILION LK RD (W)	4.1	1988	SC	7050	7600	8300	6350
144			1989	C	7250	8050	8100	6500
144			1990	C	7200	8000	8000	6500
144			1991	C	7200	7900	8000	6550
144			1992	SC	7200	7550	8400	6600
144			1993	SC	7200	8000	8800	6400
144			1994	SC	7600	7900	8750	7000
144			1995	SC	7750	8100	9000	7050
144			1996	IR	8500	10600	9500	7250
144			1997	IR	8100	10100	9050	6900
144			1998	IR	8050	10000	9000	6750
144			1999	IR	7950	9850	8800	6700
144			2000	SC	8000	8500	9350	7050
144			2001	SC	7850	8350	9200	6900
144			2002	SC	7650	8100	8950	6750
144			2003	SC	7950	8400	9300	7050
144			2004	SC	8200	8750	9600	7250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			2005	SC	8250	8750	9650	7250
144			2006	SC	8250	8750	9650	7300
144			2007	SC	8050	8500	9300	7100
144			2008	SC	8950	9400	8850	7850
144			2009	UC	8400	8900	9850	7900
144			2010	UC	8400	8900	9800	7900
144			2011	UC	10100	10100	10500	9600
144			2012	UC	8950	9000	9600	8500
144			2013	CTR	9000	11000	11300	7650
144			2014	IC	9100	10100	10000	8050
144			2015	IC	9100	10100	10000	8050
144			2016	IC	9200	10200	10100	8150
144			2017	IC	9250	10100	10200	8400
144			2018	IC	9300	10200	10300	8400
144			2019	IC	9400	10300	10400	8500
144	LARCHWOOD AV ONAPING FALLS	12.7	1988	SC	5200	5600	6150	4700
144			1989	SC	5750	6350	6950	5100
144			1990	SC	6000	6600	7200	5350
144			1991	SC	6400	7050	7750	5700
144			1992	SC	6200	6500	7250	5700
144			1993	SC	6200	6900	7550	5500
144			1994	SC	6100	6350	7000	5600
144			1995	UC	5900	6250	6750	5500
144			1996	UC	6400	6750	7500	6100
144			1997	UC	6600	6950	7700	6200
144			1998	UC	5800	6150	6800	5500
144			1999	UC	6900	7300	8050	6550
144			2000	UC	6200	6550	7300	5850
144			2001	UC	6250	6700	7350	5850
144			2002	UC	6300	6700	7400	5900
144			2003	UC	6300	6650	7400	5950
144			2004	UC	6250	6700	7350	5850
144			2005	UC	6450	6850	7550	6050
144			2006	UC	6600	7000	7700	6200
144			2007	UC	6700	7100	7750	6300
144			2008	UC	7150	7550	7100	6700
144			2009	UC	6750	7150	7900	6350
144			2010	UC	6800	7200	7900	6400
144			2011	UC	6850	6850	7100	6500
144			2012	UC	6900	6950	7400	6550
144			2013	UC	6950	6950	7000	6600
144			2014	UC	7000	7000	6750	6650
144			2015	UC	7050	7050	6800	6700
144			2016	UC	7100	7100	6850	6750
144			2017	UC	7150	7100	7150	6850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			2018	UC	7200	7150	7250	6900
144			2019	UC	7250	7150	7250	7000
144	SUDBURY RD 8	16.1	1988	LT	2000	2850	2800	1500
144			1989	LR	2100	3550	2750	1400
144			1990	LR	2200	3850	3050	1400
144			1991	LR	2300	4050	3200	1450
144			1992	LR	1850	3000	2400	1200
144			1993	LR	1850	3000	2400	1200
144			1994	LR	2700	4450	3550	1750
144			1995	LR	3450	5800	4700	2250
144			1996	LR	2950	4950	3950	1950
144			1997	LR	3050	5100	4100	2050
144			1998	LR	3350	5550	4450	2200
144			1999	LR	3350	5500	4400	2200
144			2000	LR	3450	5600	4500	2300
144			2001	LR	3550	5800	4650	2350
144			2002	LR	3650	5950	4750	2450
144			2003	LR	3750	5950	4750	2550
144			2004	LR	3450	5650	4500	2300
144			2005	LT	3900	5350	5200	2850
144			2006	LT	3550	4850	4750	2600
144			2007	LT	3250	4450	4600	2400
144			2008	LT	2850	3900	3750	2100
144			2009	LT	2600	3500	3450	1900
144			2010	LT	2350	3150	3100	1750
144			2011	LT	2200	2800	2850	1800
144			2012	LT	2150	2800	2650	1650
144			2013	LT	2700	3550	3500	2050
144			2014	LT	2350	3050	3100	1750
144			2015	LT	2550	3350	3400	1950
144			2016	LT	2500	3250	3300	1900
144			2017	LT	2450	3100	3100	2050
144			2018	LT	2450	3100	3100	2050
144			2019	LT	2400	3250	3300	1900
144	MAIN ST (E) OLD CARTIER RD (W)	16.9	1988	IR	1100	1450	1200	880
144			1989	IR	1200	1550	1350	980
144			1990	IR	1300	1650	1450	1050
144			1991	IR	1400	1750	1550	1150
144			1992	IR	1400	1700	1550	1200
144			1993	IR	1400	1700	1450	1150
144			1994	IR	1400	1700	1550	1150
144			1995	IR	1450	1800	1600	1250
144			1996	IR	1450	1800	1600	1250
144			1997	IR	1500	1900	1700	1300
144			1998	IR	1350	1650	1500	1150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			1999	IR	1400	1750	1550	1200
144			2000	IR	1500	1850	1650	1250
144			2001	IR	1500	1850	1650	1250
144			2002	IR	1550	1900	1700	1300
144			2003	IR	1550	1900	1700	1300
144			2004	IR	1600	2000	1750	1350
144			2005	CR	1600	1950	1850	1350
144			2006	CR	1600	1950	1850	1350
144			2007	CR	1600	1950	1950	1350
144			2008	CR	1650	2000	2000	1400
144			2009	CR	1650	2000	1900	1400
144			2010	CR	1700	2050	1950	1450
144			2011	CR	1700	2000	2000	1500
144			2012	LT	1450	1900	1800	1100
144			2013	LT	1700	2200	2200	1300
144			2014	LT	1700	2200	2250	1300
144			2015	LT	1700	2200	2250	1300
144			2016	LT	1700	2200	2250	1300
144			2017	LT	1750	2200	2250	1450
144			2018	LT	1750	2250	2250	1450
144			2019	LT	1750	2200	2250	1450
144	ONAPING LAKE RD (E) ULSTER TWP	80.1	1988	IT	800	1150	1050	590
144			1989	IT	950	1300	1250	740
144			1990	IT	1100	1400	1350	920
144			1991	IT	1200	1550	1500	1050
144			1992	IT	1100	1450	1350	940
144			1993	IT	1200	1500	1500	1000
144			1994	IR	1050	1300	1150	880
144			1995	IR	1000	1250	1100	850
144			1996	IR	880	1100	980	750
144			1997	IR	1100	1400	1250	940
144			1998	IR	1100	1350	1250	920
144			1999	IR	850	1050	940	710
144			2000	IR	960	1200	1050	810
144			2001	IR	990	1200	1100	840
144			2002	IR	870	1050	960	740
144			2003	IR	1000	1200	1100	850
144			2004	IR	1050	1300	1150	890
144			2005	IC	1100	1200	1250	970
144			2006	IC	1050	1150	1200	930
144			2007	IC	1050	1150	1200	930
144			2008	IR	1150	1400	1350	980
144			2009	IR	1050	1250	1150	890
144			2010	IR	1100	1300	1200	940
144			2011	IR	1100	1300	1300	940

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			2012	IR	1100	1300	1250	940
144			2013	IR	1100	1300	1400	940
144			2014	CTR	1100	1350	1350	940
144			2015	CTR	1150	1400	1400	980
144			2016	CTR	1150	1400	1400	980
144			2017	CTR	1150	1550	1550	940
144			2018	CTR	1150	1550	1550	940
144			2019	IR	1200	1450	1450	1000
144	SEC HWY 560	85.3	1988	LT	650	920	920	490
144			1989	LT	700	970	970	520
144			1990	LT	750	1100	1050	550
144			1991	LT	750	1050	1000	560
144			1992	LT	750	1050	1000	580
144			1993	IT	750	920	930	640
144			1994	IR	710	870	780	590
144			1995	IR	760	940	840	650
144			1996	IR	800	990	890	680
144			1997	IT	790	1050	1000	660
144			1998	IT	810	1050	1050	660
144			1999	IT	730	940	930	590
144			2000	IT	830	1050	1050	680
144			2001	IT	880	1150	1100	720
144			2002	IT	890	1150	1150	730
144			2003	IT	930	1200	1200	760
144			2004	IT	940	1250	1200	760
144			2005	IT	1000	1250	1250	830
144			2006	IT	990	1250	1250	810
144			2007	IT	1000	1300	1350	820
144			2008	IR	1050	1250	1250	900
144			2009	IR	1050	1250	1150	890
144			2010	IR	1100	1300	1200	940
144			2011	IR	1100	1300	1300	940
144			2012	IR	1150	1350	1350	980
144			2013	IR	1150	1350	1450	980
144			2014	CTR	970	1200	1200	820
144			2015	CTR	1150	1400	1400	980
144			2016	CTR	1200	1450	1500	1000
144			2017	CTR	1200	1600	1600	980
144			2018	CTR	1200	1600	1600	980
144			2019	CTR	1250	1650	1650	1000
144	HASSARD DOYLE TWP BDY	32.4	1988	IR	950	1250	1050	760
144			1989	IR	1050	1350	1150	860
144			1990	IR	1200	1500	1350	980
144			1991	IR	1100	1400	1200	910
144			1992	IR	1000	1250	1100	850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
144			1993	IR	950	1150	980	780
144			1994	IR	1150	1400	1250	960
144			1995	IR	1200	1500	1300	1000
144			1996	CTR	1200	1550	1500	1000
144			1997	IR	1250	1550	1400	1050
144			1998	IR	1300	1600	1450	1100
144			1999	IR	1200	1500	1350	1000
144			2000	CR	1250	1550	1450	1050
144			2001	CR	1300	1600	1500	1100
144			2002	CR	1300	1600	1500	1100
144			2003	CR	1250	1500	1450	1050
144			2004	CR	1300	1600	1500	1100
144			2005	CR	1300	1600	1500	1100
144			2006	CR	1350	1650	1550	1150
144			2007	CR	1350	1650	1650	1150
144			2008	IR	1350	1650	1600	1150
144			2009	IR	1350	1600	1450	1150
144			2010	IR	1400	1650	1500	1200
144			2011	IR	1400	1650	1650	1200
144			2012	IR	1400	1650	1600	1200
144			2013	CTR	1150	1400	1450	980
144			2014	CTR	1350	1650	1650	1150
144			2015	CTR	1400	1700	1700	1200
144			2016	CTR	1400	1700	1700	1200
144			2017	CTR	1400	1850	1850	1150
144			2018	CTR	1400	1850	1850	1150
144			2019	CTR	1400	1850	1850	1150
144	HWY 101 TIMMINS HWY END		9999					
148	ONTARIO QUEBEC BDY	1.8	1988	CTR	3900	5050	4750	3300
148			1989	CTR	4000	5100	4850	3450
148			1990	CTR	4050	5050	4800	3500
148			1991	CTR	4150	5250	5200	3600
148			1992	CTR	4250	5250	5050	3700
148			1993	CTR	4250	5350	5150	3600
148			1994	CTR	4400	5650	5350	3700
148			1995	CTR	4500	5800	5550	3750
148			1996	CTR	4650	5950	5700	3900
148			1997	CTR	4700	6000	5800	3950
148			1998	CTR	4700	5950	5750	3950
148			1999	CTR	4800	6050	5800	4050
148			2000	CTR	4850	6100	5850	4050
148			2001	CTR	4900	6200	5950	4150
148			2002	CTR	5000	6300	6050	4200
148			2003	CTR	5150	6400	6150	4350
148			2004	CTR	5100	6450	6150	4300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
148			2005	CTR	5150	6400	6100	4350
148			2006	CTR	5150	6400	6100	4350
148			2007	CTR	5300	6550	6500	4500
148			2008	CTR	5350	6600	6500	4550
148			2009	CTR	5450	6650	6450	4650
148			2010	CTR	5500	6700	6450	4650
148			2011	CTR	5550	6750	6500	4700
148			2012	CTR	5650	6850	6750	4800
148			2013	CTR	5700	6950	7150	4850
148			2014	CTR	5750	7000	7050	4900
148			2015	CTR	5800	7100	7150	4950
148			2016	CTR	5900	7200	7250	5000
148			2017	CTR	5950	7950	7900	4850
148			2018	CTR	6000	8000	8000	4900
148			2019	CTR	6100	8150	8100	4950
148	RENFREW RD 40 (S)	3.2	1988	CTR	7900	10300	9650	6650
148			1989	CTR	8000	10200	9700	6900
148			1990	IC	8100	9250	9050	7200
148			1991	IC	8200	9250	9100	7300
148			1992	IC	8450	9400	9300	7700
148			1993	IC	8650	9750	9700	7700
148			1994	CTR	8850	11300	10800	7450
148			1995	CTR	9000	11600	11100	7550
148			1996	CTR	9200	11800	11300	7700
148			1997	CTR	9450	12100	11600	7950
148			1998	CTR	9600	12200	11700	8050
148			1999	CTR	9750	12300	11800	8200
148			2000	IC	9900	11100	11100	8800
148			2001	IC	10100	11300	11300	8950
148			2002	IC	10300	11500	11600	9100
148			2003	IC	10500	11700	11800	9300
148			2004	IC	10700	12000	12000	9450
148			2005	IC	10800	12000	12100	9500
148			2006	IC	11000	12200	12300	9750
148			2007	IC	11200	12400	12800	9900
148			2008	IC	11400	12600	12200	10100
148			2009	IC	11600	12900	13000	10300
148			2010	IC	11800	13100	13200	10500
148			2011	IC	11900	13100	13600	10700
148			2012	IC	11000	12200	11800	9750
148			2013	IC	10800	12000	11900	9600
148			2014	IC	10900	12100	12000	9650
148			2015	IC	11000	12200	12100	9750
148			2016	IC	11100	12300	12200	9850
148			2017	IC	11200	12300	12400	10200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
148			2018	IC	11300	12400	12500	10200
148			2019	IC	11400	12500	12600	10300
148	CEDAR LANE L24 25 START OF NA	9.4	9999					
148	HWY 17 & 62 END OF NA HWY END		9999					
400	MAPLE LEAF DR NORTH YORK	0.4	1988	UC	51000	53600	57600	47900
400			1989	UC	53600	56300	60600	50900
400			1990	UC	53000	56700	61500	50400
400			1991	UC	54000	57200	62100	52400
400			1992	UC	57900	61400	66600	55600
400			1993	UC	58300	61400	66300	54600
400			1994	UC	58800	62300	67200	54700
400			1995	UC	59200	62500	67700	55200
400			1996	UC	59600	63100	69700	56700
400			1997	UC	60900	63900	71300	57200
400			1998	UC	65800	69700	77000	62500
400			1999	UC	63000	66800	73700	59800
400			2000	UC	63800	67600	75300	60000
400			2001	UC	64000	68500	75300	60100
400			2002	UC	64200	68400	75500	60100
400			2003	UC	66000	69700	77300	62300
400			2004	UC	66800	71500	78600	62800
400			2005	UC	123800	131000	144800	116100
400			2006	UC	77200	81600	90200	72700
400			2007	UC	78800	83600	91200	73900
400			2008	UC	80500	85000	79800	75300
400			2009	UC	82100	87000	96100	77200
400			2010	UC	66100	69900	76900	62200
400			2011	UC	68000	68200	70600	64500
400			2012	UC	83200	83700	89100	79000
400			2013	UC	55000	55200	55300	52200
400			2014	UC	79900	80200	76800	75800
400			2015	UC	80900	81200	77800	76800
400			2016	UC	81800	82100	78700	77600
400			2017	UC	82700	82200	83000	79300
400			2018	UC	83600	82900	84200	80200
400			2019	UC	84500	83300	84500	81400
400	JANE ST IC-20 NORTH YORK	1.2	1988	UC	72900	76500	82400	68500
400			1989	UC	75000	78800	84700	71200
400			1990	UC	74000	79200	85800	70300
400			1991	UC	75500	80000	86800	73200
400			1992	UC	79100	83800	91000	75900
400			1993	UC	80000	84300	90900	74900
400			1994	UC	81000	85900	92600	75300
400			1995	UC	82600	87200	94400	77000
400			1996	UC	83200	88000	97300	79100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1997	UC	84200	88400	98500	79100
400			1998	UC	85100	90200	99600	80800
400			1999	UC	86100	91300	100700	81800
400			2000	UC	85400	90500	100800	80300
400			2001	UC	84300	90300	99200	79200
400			2002	UC	84000	89500	98800	78600
400			2003	UC	82000	86600	96100	77500
400			2004	UC	77900	83400	91600	73200
400			2005	UC	77000	81500	90100	72200
400			2006	UC	78300	82800	91500	73700
400			2007	UC	75200	79800	87000	70600
400			2008	UC	64900	68600	64400	60700
400			2009	UC	73800	78200	86300	69400
400			2010	UC	73000	77200	85000	68600
400			2011	UC	72100	72300	74800	68400
400			2012	C	71300	78600	76900	64200
400			2013	C	70400	77600	76600	63400
400			2014	C	69500	76400	74400	62600
400			2015	C	68700	75600	73500	61800
400			2016	CTR	67800	82700	83400	57600
400			2017	CR	71600	83000	83500	64500
400			2018	CR	66900	77700	78300	60000
400			2019	CR	66000	76600	77100	59200
400	HWY 401 M/C FRWY IC-21 NORTH YORK	4.4	1988	UC	148000	155400	167200	139100
400			1989	UC	151000	158600	170600	143400
400			1990	UC	149000	159400	172800	141600
400			1991	UC	152000	161100	174800	147400
400			1992	UC	159500	169100	183400	153100
400			1993	UC	159500	168000	181300	149400
400			1994	UC	159500	169100	182400	148300
400			1995	UC	159500	168300	182400	148700
400			1996	UC	159500	168800	186600	151700
400			1997	UC	163500	171700	191300	153700
400			1998	UC	167600	177700	196100	159200
400			1999	UC	168000	178100	196600	159600
400			2000	UC	170000	180200	200600	159800
400			2001	UC	172000	184200	202300	161600
400			2002	UC	174100	185500	204800	163000
400			2003	UC	176100	186100	206300	166400
400			2004	UC	178100	190800	209500	167400
400			2005	UC	183600	194300	214700	172200
400			2006	UC	188900	199800	220700	177800
400			2007	UC	191800	203400	222000	179900
400			2008	UC	186200	196700	184600	174200
400			2009	C	203600	224000	226000	183200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2010	C	212100	233700	235900	190900
400			2011	C	210000	231400	233500	189000
400			2012	C	207800	229000	224100	187100
400			2013	C	210800	232300	229400	189800
400			2014	C	213800	235200	228800	192400
400			2015	C	216800	238500	232000	195100
400			2016	C	219800	241800	235200	197800
400			2017	C	222800	243700	243200	202200
400			2018	C	225900	247600	246200	203900
400			2019	C	228900	250200	248700	207200
400	FINCH AV IC-25 NORTH YORK	2.1	1988	IC	117400	136200	132700	103300
400			1989	IC	124000	142600	140100	110400
400			1990	IC	122500	139600	137200	109000
400			1991	IC	125500	141800	139300	111700
400			1992	IC	134300	149100	147700	122200
400			1993	IC	134300	151800	150400	119500
400			1994	IC	134300	150400	150400	119500
400			1995	IC	134300	150300	151500	120500
400			1996	IC	134300	150800	151400	119600
400			1997	UC	144600	151800	169200	135900
400			1998	UC	154900	164200	181200	147200
400			1999	UC	166000	176000	194200	157700
400			2000	UC	162700	172500	192000	152900
400			2001	UC	168000	179900	197600	157900
400			2002	UC	169200	180300	199000	158400
400			2003	UC	178600	188700	209200	168700
400			2004	UC	183900	197000	216300	172800
400			2005	UC	189200	200200	221300	177400
400			2006	UC	194100	205300	226800	182700
400			2007	UC	199400	211500	230800	187100
400			2008	UC	205200	216800	203500	192000
400			2009	C	210500	231600	233700	189400
400			2010	C	213500	235300	237400	192200
400			2011	C	220400	242900	245100	198400
400			2012	C	225700	248700	243400	203200
400			2013	C	231000	254600	251400	208000
400			2014	C	215000	236500	230000	193500
400			2015	C	218000	239800	233300	196200
400			2016	C	222000	244200	237500	199800
400			2017	C	240700	263300	262700	218400
400			2018	C	245300	268900	267400	221400
400			2019	C	249800	273000	271400	226100
400	STEELES AV IC-27 NORTH YORK	1.2	1988	IC	105000	121800	118600	92400
400			1989	IC	110000	126500	124300	97900
400			1990	IC	108000	123100	121000	96100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1991	IC	110200	124500	122300	98100
400			1992	IC	118000	131000	129800	107400
400			1993	IC	118000	133300	132200	105000
400			1994	IC	119000	133300	133300	105900
400			1995	IC	120500	134800	135900	108200
400			1996	IC	122500	137600	138100	109100
400			1997	IC	124500	139400	140700	109600
400			1998	IC	132600	148500	148500	118000
400			1999	IC	111000	124300	124300	98800
400			2000	IC	108800	121900	121900	96800
400			2001	IC	105500	118000	118500	93300
400			2002	IC	102200	113900	114800	90000
400			2003	IC	122400	136400	137700	108400
400			2004	IC	128900	144100	144800	114000
400			2005	IC	137100	152400	153900	120900
400			2006	IC	139700	155200	156700	123700
400			2007	IC	147100	163400	168400	130000
400			2008	IC	161000	178400	172600	142000
400			2009	CR	164400	197300	190700	139700
400			2010	CR	150100	179900	173600	126900
400			2011	CR	152700	177900	180000	135800
400			2012	CR	155300	186000	183000	131300
400			2013	CR	157900	189200	194200	133500
400			2014	CR	178000	209800	208500	151600
400			2015	CR	180000	212100	210800	153300
400			2016	CR	182000	214500	213200	155000
400			2017	CR	176500	204600	205800	158900
400			2018	CR	179600	208700	210100	161200
400			2019	CR	182700	212000	213400	163900
400	407 IC	0.9	1997	CR	108500	134500	128000	92200
400			1998	CR	113200	139200	132400	96200
400			1999	CR	109400	134600	128000	93000
400			2000	CR	108600	133600	127100	92300
400			2001	CR	107800	132600	126400	91100
400			2002	CR	107000	131400	125500	90100
400			2003	CR	106200	129400	124300	89900
400			2004	CR	107600	132400	126200	90900
400			2005	CR	105900	128500	123500	89200
400			2006	CR	128500	155800	149500	108500
400			2007	CR	133000	161000	160900	112100
400			2008	CR	137600	166500	165200	116000
400			2009	CR	103500	124200	120100	88000
400			2010	CR	146800	175900	169800	124100
400			2011	CR	131100	152700	154500	116600
400			2012	CR	133100	159400	156900	112500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2013	CR	148000	177400	182000	125100
400			2014	CR	140200	165200	164200	119400
400			2015	CR	142400	167800	166800	121300
400			2016	CR	144700	170500	169500	123300
400			2017	CR	147000	170400	171400	132300
400			2018	CR	149200	173400	174500	133900
400			2019	CR	151500	175800	176900	135900
400	HWY 7 IC-29 VAUGHAN	2.0	1988	CR	75700	96900	90800	62800
400			1989	CR	80400	102900	95700	67500
400			1990	CR	78800	97700	90600	70900
400			1991	CR	85100	104700	97900	76600
400			1992	CR	91600	112700	104400	82400
400			1993	CR	91600	112700	105300	82400
400			1994	CR	91600	112700	104400	82400
400			1995	CR	91600	113500	108100	78900
400			1996	CR	91600	113200	107500	78200
400			1997	CR	92500	114700	109200	78600
400			1998	CR	93700	115300	109600	79600
400			1999	CR	94600	116400	110700	80400
400			2000	CR	97300	119700	113800	82700
400			2001	CR	106300	130800	124700	89800
400			2002	CR	108600	133400	127400	91500
400			2003	CR	116000	141300	135700	98200
400			2004	CR	121700	149700	142700	102800
400			2005	CR	127400	154600	148600	107300
400			2006	CR	133100	161400	154900	112400
400			2007	CR	138900	168100	168100	117000
400			2008	CR	140100	169600	168200	118100
400			2009	CR	144500	173400	167600	122800
400			2010	CR	145200	174000	167900	122800
400			2011	CR	149100	173700	175700	132600
400			2012	CR	153100	183400	180400	129400
400			2013	CR	162800	195100	200200	137600
400			2014	CR	172500	203300	202000	146900
400			2015	CR	182300	214800	213500	155300
400			2016	CR	192000	226300	224900	163600
400			2017	CR	182500	211600	212700	164300
400			2018	CR	187100	217400	218900	167900
400			2019	CR	191600	222300	223700	171900
400	LANGSTAFF RD IC-30	2.1	1991	CR	76600	94200	88100	68900
400			1992	CR	82400	101400	93900	74200
400			1993	CR	82400	101400	94800	74200
400			1994	CR	82400	101400	93900	74200
400			1995	CR	82400	102100	97300	70900
400			1996	CR	82400	101800	96700	70400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1997	CR	90100	111700	106300	76600
400			1998	CR	98300	120900	115000	83600
400			1999	CR	108000	132800	126400	91800
400			2000	CR	115000	141400	134600	97800
400			2001	CR	113500	139600	133100	95900
400			2002	CR	115200	141500	135100	97100
400			2003	CR	124200	151300	145300	105100
400			2004	CR	129300	159100	151600	109200
400			2005	CR	134400	163100	156800	113200
400			2006	CR	139600	169300	162400	117900
400			2007	CR	144700	175100	175100	121900
400			2008	CR	149800	181300	179900	126200
400			2009	IC	150100	166600	168100	133600
400			2010	IC	158900	175900	177400	140900
400			2011	IC	163900	180200	187000	147000
400			2012	IC	168900	187100	181400	149900
400			2013	CTR	175400	213500	220600	149000
400			2014	CTR	179200	218600	220400	152300
400			2015	CTR	184800	225500	227300	157100
400			2016	CTR	189900	231700	233600	161400
400			2017	CTR	195000	260600	259200	158900
400			2018	CTR	200100	267200	266200	163000
400			2019	IR	207300	252100	250900	176700
400	RUTHERFORD RD IC-33	2.1	1988	CR	68000	87000	81600	56400
400			1989	CR	73000	93400	86900	61300
400			1990	CR	71500	88700	82200	64400
400			1991	CR	73000	89800	84000	65700
400			1992	CR	73500	90400	83800	66200
400			1993	CR	73500	90400	84500	66200
400			1994	CR	82600	101600	94200	74300
400			1995	CR	85600	106000	101000	73700
400			1996	CR	88600	109500	104000	75700
400			1997	CR	91500	113500	108000	77800
400			1998	CR	94500	116200	110600	80300
400			1999	CR	103500	127300	121100	88000
400			2000	CR	104500	128500	122300	88800
400			2001	CR	108300	133200	127000	91500
400			2002	CR	112100	137700	131500	94400
400			2003	CR	115900	141200	135600	98100
400			2004	CR	118900	146300	139400	100400
400			2005	CR	123600	150000	144200	104100
400			2006	CR	126400	153300	147100	106700
400			2007	CR	130100	157500	157400	109600
400			2008	CR	132000	159800	158500	111200
400			2009	CR	137400	164900	159400	116800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2010	IC	141100	156200	157500	125100
400			2011	IC	144800	159200	165200	129900
400			2012	IC	143200	158700	153800	127100
400			2013	IC	151100	167200	166300	134000
400			2014	IC	154500	171000	170200	137000
400			2015	CTR	143800	175400	176900	122200
400			2016	CTR	158900	193900	195400	135100
400			2017	CTR	162600	217300	216200	132500
400			2018	CTR	166100	221800	220900	135300
400			2019	CTR	169500	225800	224900	137900
400	400 MAJOR MACKENZIE DR IC-35	2.1	2013	IC	128200	141900	141100	113700
400			2014	IC	132900	147100	146400	117800
400			2015	IC	132700	146900	146200	117700
400			2016	CTR	132400	161500	162900	112500
400			2017	CTR	135100	180500	179600	110100
400			2018	CTR	136200	181900	181200	110900
400			2019	CTR	137500	183200	182400	111900
400	400 TESTON RD IC	6.3	1988	CR	58100	74400	69700	48200
400			1989	CR	64200	82200	76400	53900
400			1990	CR	62200	77100	71500	56000
400			1991	CR	63500	78100	73000	57200
400			1992	CR	65500	80600	74700	59000
400			1993	CR	71500	87900	82200	64400
400			1994	CR	75200	92500	85700	67700
400			1995	CR	78200	96900	92300	67300
400			1996	CR	81200	100300	95300	69300
400			1997	CR	84200	104400	99400	71600
400			1998	CR	87200	107300	102000	74100
400			1999	CR	84000	103300	98300	71400
400			2000	CR	82500	101500	96500	70100
400			2001	CR	85500	105200	100300	72200
400			2002	CR	86500	106200	101400	72900
400			2003	IC	87300	97300	98200	77300
400			2004	CR	90000	110700	105500	76000
400			2005	CR	97100	117800	113300	81800
400			2006	CR	106000	128500	123300	89500
400			2007	CR	106700	129100	129100	89900
400			2008	CR	104600	126600	125600	88200
400			2009	CR	104700	125600	121500	89000
400			2010	CR	106600	127700	123300	90100
400			2011	CR	109100	127100	128600	97100
400			2012	CR	111100	133100	130900	93900
400			2013	CTR	113200	137800	142300	96100
400			2014	IC	115200	127500	126900	102100
400			2015	IC	117200	129700	129100	103900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2016	CTR	119200	145400	146600	101300
400			2017	CTR	121200	162000	161100	98800
400			2018	CTR	123200	164500	163900	100300
400			2019	CTR	125200	166800	166100	101900
400	YORK RD 11 (TO KING CITY)IC 43	9.2	1988	CR	51400	65800	61700	42700
400			1989	CR	53100	68000	63200	44600
400			1990	CR	51700	64100	59500	46500
400			1991	CR	53000	65200	60900	47700
400			1992	CR	54600	67200	62200	49100
400			1993	CR	54600	67200	62800	49100
400			1994	CR	54900	67500	62600	49400
400			1995	CR	55200	68400	65200	47500
400			1996	CR	55500	68600	65100	47400
400			1997	CR	64700	80200	76300	55000
400			1998	CR	76900	94600	90000	65400
400			1999	CR	83700	103000	97900	71100
400			2000	CR	84900	104400	99300	72200
400			2001	CR	87200	107300	102300	73700
400			2002	CR	87500	107500	102600	73700
400			2003	CR	91900	111900	107500	77800
400			2004	CR	94200	115900	110500	79600
400			2005	CR	87800	106500	102400	74000
400			2006	CR	94000	114000	109400	79400
400			2007	CR	95700	115800	115800	80600
400			2008	CR	97300	117800	116800	82000
400			2009	CR	99000	118800	114800	84200
400			2010	CR	94500	113200	109300	79900
400			2011	CR	107600	125300	126800	95700
400			2012	CR	110400	132200	130100	93300
400			2013	IC	95800	106000	105400	84900
400			2014	IC	112500	124500	124000	99800
400			2015	CTR	101700	124100	125100	86400
400			2016	CTR	101600	124000	125000	86400
400			2017	CTR	115100	153800	153000	93800
400			2018	CTR	117400	156800	156200	95600
400			2019	CTR	119600	159300	158700	97300
400	AURORA RD/LOYDTOWN RD IC-52	3.2	1988	IR	47000	61100	51700	37600
400			1989	IR	50300	64900	55800	41200
400			1990	IR	49500	62900	54900	40600
400			1991	IR	50800	64000	56400	42200
400			1992	IR	52000	64000	57200	44200
400			1993	IR	52000	64000	53800	42500
400			1994	IR	52300	64400	57500	43800
400			1995	IR	52600	64800	58000	44800
400			1996	IR	52900	65700	59000	45100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1997	IR	59000	73800	66100	50200
400			1998	IR	66700	82700	74700	56000
400			1999	IR	67300	83500	74700	56500
400			2000	IR	68700	84200	76100	58100
400			2001	CTR	74300	93800	89900	62600
400			2002	CTR	77800	98200	94100	65700
400			2003	CR	81300	99000	95100	68800
400			2004	CR	82200	101100	96400	69400
400			2005	CR	81000	98300	94500	68200
400			2006	CR	88400	107200	102900	74700
400			2007	CR	91600	110900	110800	77200
400			2008	CR	94700	114600	113700	79800
400			2009	CR	97900	117500	113600	83200
400			2010	CR	101000	121000	116800	85400
400			2011	CR	104200	121400	122800	92700
400			2012	CR	107300	128500	126500	90700
400			2013	CTR	93100	113300	117100	79100
400			2014	CTR	95000	115900	116800	80800
400			2015	CTR	97500	119000	119900	82900
400			2016	CTR	99800	121800	122800	84800
400			2017	CTR	111200	148600	147800	90600
400			2018	CTR	113700	151900	151200	92600
400			2019	CTR	116100	154700	154000	94500
400	HWY 9 IC-55	2.4	1988	IR	41500	54000	45700	33200
400			1989	IR	45900	59200	50900	37600
400			1990	IR	50400	64000	55900	41300
400			1991	IR	51700	65100	57400	42900
400			1992	IR	54100	66500	59500	46000
400			1993	IR	55300	68000	57200	45200
400			1994	IR	55900	68900	61500	46800
400			1995	IR	56500	69600	62300	48100
400			1996	CTR	57100	73000	70300	47900
400			1997	IR	61200	76500	68500	52000
400			1998	IR	65300	81000	73100	54900
400			1999	CTR	69400	87400	84000	58300
400			2000	CTR	73400	92500	88800	61700
400			2001	CTR	74400	93900	90000	62700
400			2002	CTR	77300	97500	93500	65300
400			2003	CTR	79200	98400	94600	67200
400			2004	CTR	82600	104300	99900	69600
400			2005	CTR	81400	100900	96800	69000
400			2006	CTR	83700	103600	99300	71000
400			2007	CTR	88200	109300	108300	74800
400			2008	CTR	88200	109200	107000	75000
400			2009	CTR	81600	99600	96300	69400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2010	CTR	92700	112800	108400	78700
400			2011	CTR	95000	115600	111200	80700
400			2012	LT	97300	126900	121000	73700
400			2013	LT	85200	111200	111100	64300
400			2014	LT	98500	128600	130800	74400
400			2015	LT	100300	131000	133200	75700
400			2016	CTR	103000	125700	126700	87600
400			2017	CTR	101000	135000	134300	82300
400			2018	CTR	106300	142000	141400	86600
400			2019	CTR	108300	144300	143700	88100
400	YORK REG SIMCOE CTY BDY	6.1	1988	IR	41500	54000	45700	33200
400			1989	IR	45900	59200	50900	37600
400			1990	IR	50400	64000	55900	41300
400			1991	IR	51700	65100	57400	42900
400			1992	IR	54100	66500	59500	46000
400			1993	IR	55300	68000	57200	45200
400			1994	IR	55900	68900	61500	46800
400			1995	IR	56500	69600	62300	48100
400			1996	CTR	57100	73000	70300	47900
400			1997	IR	61200	76500	68500	52000
400			1998	IR	65300	81000	73100	54900
400			1999	CTR	69400	87400	84000	58300
400			2000	CTR	73400	92500	88800	61700
400			2001	CTR	73100	92300	88400	61600
400			2002	CTR	75700	95500	91600	63900
400			2003	CTR	78300	97300	93500	66400
400			2004	CTR	82600	104300	99900	69600
400			2005	CTR	83000	102800	98700	70400
400			2006	CTR	83600	103500	99200	70900
400			2007	CTR	83600	103600	102600	70900
400			2008	CTR	83800	103700	101700	71200
400			2009	IR	84000	100800	91600	71400
400			2010	IR	91400	108800	99500	77800
400			2011	IR	87200	104000	101800	74500
400			2012	IR	94300	112200	109200	80600
400			2013	IR	87000	103600	111100	74100
400			2014	IC	98100	108600	108100	87000
400			2015	IC	98800	109400	108900	87600
400			2016	IC	100700	111500	111000	89300
400			2017	IC	102700	112500	113300	93200
400			2018	IC	104600	115100	115800	94600
400			2019	IC	106600	117100	117700	96200
400	SIMCOE RD 88 IC-64	11.4	1988	IR	39700	51600	43700	31800
400			1989	IR	44300	57100	49200	36300
400			1990	IR	49000	62200	54400	40200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1991	IR	50200	63300	55700	41700
400			1992	IR	51700	63600	56900	43900
400			1993	IR	53100	65300	54900	43400
400			1994	IR	54000	66500	59400	45300
400			1995	IR	54900	67600	60500	46800
400			1996	IR	55800	69300	62200	47500
400			1997	IR	55800	69800	62500	47400
400			1998	IR	57500	71300	64400	48300
400			1999	IR	64800	80400	71900	54400
400			2000	IR	63300	77500	70100	53500
400			2001	IR	65100	80500	72100	55000
400			2002	IR	66900	82500	74100	56900
400			2003	IR	68600	83300	75500	58200
400			2004	IR	70400	87000	78000	59500
400			2005	IR	72200	87100	79100	61600
400			2006	IR	74400	89700	81300	63200
400			2007	IR	76300	92400	92200	64600
400			2008	IC	77500	85900	83100	68300
400			2009	CTR	79300	96700	93600	67400
400			2010	CTR	83800	102000	98000	71200
400			2011	CTR	83600	101700	97800	71000
400			2012	CTR	85500	103700	102400	72800
400			2013	CTR	87300	106300	109800	74100
400			2014	CTR	89100	108700	109600	75700
400			2015	CTR	91000	111000	111900	77400
400			2016	CTR	92800	113200	114100	78900
400			2017	CTR	94600	126400	125800	77100
400			2018	CTR	96500	128900	128400	78600
400			2019	CTR	98300	131000	130400	80000
400	HWY 89 IC-75 SIMCOE RD 89	9.7	1988	IR	41000	53300	45100	32800
400			1989	IR	44000	56800	48800	36100
400			1990	IR	45000	57200	50000	36900
400			1991	IR	46400	58500	51500	38500
400			1992	IR	46600	57300	51300	39600
400			1993	IR	46800	57600	48400	38300
400			1994	IR	47000	57900	51700	39400
400			1995	IR	51200	63100	56400	43600
400			1996	IR	55400	68800	61800	47200
400			1997	IR	59000	73800	66100	50200
400			1998	IR	61800	76600	69200	51900
400			1999	IR	65600	81300	72800	55100
400			2000	IR	67800	83100	75100	57300
400			2001	IR	72200	89200	80000	61000
400			2002	IR	75700	93300	83900	64400
400			2003	IR	79200	96100	87100	67200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2004	IR	82700	102200	91600	69900
400			2005	IR	77400	93400	84800	66000
400			2006	IR	81200	97900	88700	69000
400			2007	IR	83500	101200	100900	70700
400			2008	IR	85800	103900	102000	73300
400			2009	IR	85600	102700	93300	72800
400			2010	IR	94500	112500	102900	80400
400			2011	IR	95800	114300	111900	81800
400			2012	IR	98500	117200	114100	84200
400			2013	IR	85000	101200	108500	72300
400			2014	CTR	84000	102500	103300	71400
400			2015	CTR	85000	103700	104600	72200
400			2016	CTR	90000	109800	110700	76500
400			2017	CTR	99700	133200	132500	81200
400			2018	CTR	101600	135700	135100	82700
400			2019	CTR	103500	137900	137300	84200
400	INNISFIL BEACH RD IC-85 SIMCOE RD 21	5.0	1988	IR	41100	53400	45200	32900
400			1989	IR	44000	56800	48800	36100
400			1990	IR	45000	57200	50000	36900
400			1991	IR	46100	58100	51200	38300
400			1992	IR	47700	58700	52500	40500
400			1993	IR	49400	60800	51100	40400
400			1994	IR	50000	61600	55000	41900
400			1995	IR	50600	62300	55800	43100
400			1996	IR	51200	63600	57100	43600
400			1997	IR	58600	73200	65600	49800
400			1998	IR	64500	80000	72200	54200
400			1999	IR	72400	89800	80400	60800
400			2000	CR	75000	92200	87800	63800
400			2001	CR	74200	91300	87000	62700
400			2002	CR	78000	95800	91500	65700
400			2003	CR	81800	99600	95700	69200
400			2004	CR	83300	102500	97700	70400
400			2005	CR	85700	104000	100000	72200
400			2006	CR	85600	103800	99600	72300
400			2007	CR	85300	103200	103200	71900
400			2008	CR	85400	103400	102500	72000
400			2009	CR	84800	101800	98400	72100
400			2010	CR	84300	101000	97500	71300
400			2011	CR	95700	111500	112800	85100
400			2012	CR	98100	117500	115600	82900
400			2013	CTR	85000	103500	106900	72200
400			2014	CTR	99900	121900	122900	84900
400			2015	CTR	98400	120000	121000	83600
400			2016	CTR	99000	120800	121800	84200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2017	CTR	105100	140500	139700	85600
400			2018	CTR	107200	143200	142600	87300
400			2019	CTR	109300	145600	145000	88900
400	MOLSON PARK DR MAPLEVIEW DR IC-90	3.8	1988	IR	39200	51000	43100	31400
400			1989	IR	42400	54700	47100	34800
400			1990	IR	45600	57900	50600	37400
400			1991	IR	47200	59500	52400	39200
400			1992	IR	48800	60000	53700	41500
400			1993	IR	50500	62100	52200	41300
400			1994	IR	51800	63800	57000	43400
400			1995	IR	53100	65400	58500	45200
400			1996	IR	54400	67600	60700	46300
400			1997	IR	59300	74100	66400	50400
400			1998	IR	64400	79900	72100	54100
400			1999	IR	69500	86200	77100	58400
400			2000	CR	74000	91000	86600	62900
400			2001	CR	76100	93600	89200	64300
400			2002	CR	79900	98100	93700	67300
400			2003	CR	88400	107700	103400	74800
400			2004	IC	87600	98000	98400	77500
400			2005	IC	86400	96100	97000	76200
400			2006	IC	89500	99400	100400	79300
400			2007	IC	92500	102800	105900	81800
400			2008	IC	88000	97500	94300	77600
400			2009	IC	95300	105800	106700	84800
400			2010	IC	97000	107400	108300	86000
400			2011	IC	98000	107800	111800	87900
400			2012	IC	98700	109400	106000	87600
400			2013	IC	90000	99600	99100	79800
400			2014	IC	93100	103000	102600	82600
400			2015	IC	106300	117700	117100	94300
400			2016	IC	108700	120300	119800	96400
400			2017	IC	111000	121600	122500	100700
400			2018	IC	113400	124800	125500	102600
400			2019	IC	115700	127100	127800	104500
400	SIMCOE RD 27 IC-94 ESSA RD BARRIE	2.4	1988	IR	46000	59800	50600	36800
400			1989	IR	50000	64500	55500	41000
400			1990	IR	54000	68600	59900	44300
400			1991	IR	55800	70300	61900	46300
400			1992	IR	57900	71200	63700	49200
400			1993	IR	59900	73700	61900	49000
400			1994	IR	60700	74800	66800	50900
400			1995	IR	61500	75700	67800	52400
400			1996	IR	62300	77400	69500	53100
400			1997	IR	70100	87600	78500	59600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1998	IR	77400	96000	86700	65000
400			1999	IR	84000	104200	93200	70600
400			2000	IR	88200	108000	97700	74500
400			2001	IR	89100	110100	98700	75300
400			2002	IR	93500	115300	103600	79500
400			2003	IR	97900	118800	107700	83100
400			2004	IR	105600	130500	117000	89300
400			2005	IR	105500	127300	115600	89900
400			2006	IR	103300	124600	112900	87700
400			2007	IR	101000	122400	122000	85600
400			2008	IR	98800	119700	117400	84400
400			2009	IR	96500	115800	105200	82000
400			2010	CTR	94300	114800	110300	80100
400			2011	CTR	98500	119900	115200	83600
400			2012	CTR	99100	120200	118700	84400
400			2013	UC	100000	100300	100600	94900
400			2014	UC	111400	111800	107100	105700
400			2015	UC	111100	111500	106800	105400
400			2016	CTR	119100	145300	146500	101200
400			2017	CTR	117900	157600	156700	96100
400			2018	CTR	120000	160300	159600	97700
400			2019	CTR	122100	162700	162000	99300
400	SIMCOE RD 90 DUNLOP ST IC-96 BARRIE	2.4	1988	IR	48400	62900	53200	38700
400			1989	IR	52000	67100	57700	42600
400			1990	IR	55600	70600	61700	45600
400			1991	IR	56000	70600	62200	46500
400			1992	IR	58000	71300	63800	49300
400			1993	IR	60100	73900	62100	49200
400			1994	IR	64900	80000	71400	54400
400			1995	IR	65400	80500	72100	55700
400			1996	IR	66400	82500	74100	56600
400			1997	IR	74100	92600	83000	63000
400			1998	IR	78600	97500	88000	66000
400			1999	IR	84700	105000	94000	71100
400			2000	IR	88900	108900	98500	75100
400			2001	IR	90300	111600	100100	76300
400			2002	IR	94200	116200	104400	80100
400			2003	IR	98200	119200	108000	83400
400			2004	IR	101300	125200	112200	85600
400			2005	IR	98300	118600	107700	83800
400			2006	IR	108600	131000	118700	92200
400			2007	IR	103900	125900	125500	88000
400			2008	IR	106700	129200	126800	91200
400			2009	IC	91100	101100	102000	81100
400			2010	IC	112300	124300	125300	99600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2011	IC	105000	115500	119800	94200
400			2012	IC	110200	122100	118400	97800
400			2013	IC	112300	124300	123600	99600
400			2014	IC	105600	116900	116400	93600
400			2015	IC	106700	118100	117600	94600
400			2016	CTR	109400	133500	134600	93000
400			2017	CTR	119300	159400	158600	97200
400			2018	CTR	121400	162100	161500	98900
400			2019	CTR	123400	164400	163700	100400
400	HWY 26 IC-98 BAYFIELD ST BARRIE	2.7	1988	IR	35300	45900	38800	28200
400			1989	IR	39000	50300	43300	32000
400			1990	IR	42500	54000	47200	34800
400			1991	IR	44200	55700	49100	36700
400			1992	IR	45900	56500	50500	39000
400			1993	IR	47700	58700	49300	39000
400			1994	IR	51400	63300	56500	43100
400			1995	IR	54000	66500	59500	46000
400			1996	IR	56700	70400	63300	48300
400			1997	IR	59300	74100	66400	50400
400			1998	IR	61900	76800	69300	52000
400			1999	IR	64600	80100	71700	54300
400			2000	IR	67300	82400	74500	56900
400			2001	IR	69900	86400	77500	59100
400			2002	IR	72600	89500	80400	61700
400			2003	IR	75200	91300	82700	63800
400			2004	IR	77800	96100	86200	65800
400			2005	IR	87900	106100	96300	74900
400			2006	IR	82800	99900	90500	70300
400			2007	IR	85400	103500	103200	72400
400			2008	IR	88000	106600	104600	75200
400			2009	IR	90500	108600	98600	76900
400			2010	IR	88200	105000	96100	75100
400			2011	IR	85000	101400	99300	72600
400			2012	IR	88800	105600	102800	75900
400			2013	UC	90600	90900	91100	86000
400			2014	UC	86200	86500	82900	81800
400			2015	UC	87300	87600	84000	82800
400			2016	CTR	80200	97800	98600	68200
400			2017	CTR	96700	129200	128600	78800
400			2018	CTR	98400	131400	130900	80100
400			2019	CTR	100100	133400	132800	81400
400	DUCKWORTH ST IC-102	2.7	1988	IR	32500	42200	35800	26000
400			1989	IR	35300	45500	39200	28900
400			1990	IR	38200	48500	42400	31300
400			1991	IR	40200	50700	44600	33400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1992	IR	42200	51900	46400	35900
400			1993	IR	44300	54500	45800	36200
400			1994	IR	47000	57900	51700	39400
400			1995	IR	49300	60700	54300	42000
400			1996	IR	51600	64100	57600	44000
400			1997	IR	54000	67500	60500	45900
400			1998	IR	56300	69800	63100	47300
400			1999	IR	58600	72700	65000	49200
400			2000	IR	61600	75500	68200	52100
400			2001	IR	61400	75900	68000	51900
400			2002	IR	63300	78100	70100	53800
400			2003	IR	65300	79300	71800	55400
400			2004	IR	65600	81100	72700	55500
400			2005	IR	63300	76400	69300	54000
400			2006	IR	61500	74200	67200	52200
400			2007	SC	58700	62100	67900	51600
400			2008	SC	57400	60200	56800	50500
400			2009	SC	57600	61100	67400	50700
400			2010	SC	57800	61100	67700	51000
400			2011	SC	63800	81600	74600	50800
400			2012	LT	64400	84000	80100	48800
400			2013	LT	65000	84900	84800	49100
400			2014	LT	65600	85700	87100	49500
400			2015	LT	66200	86400	87900	50000
400			2016	LT	66800	87200	88700	50400
400			2017	LT	67400	85600	85700	56400
400			2018	LT	68000	86500	86600	57000
400			2019	LT	68600	87100	87300	57300
400	HWY 400 EXT IC	6.6	1988	LR	11000	19500	13900	6800
400			1989	LR	12000	20300	15600	7900
400			1990	LR	12600	22000	17500	7950
400			1991	LR	13300	23400	18500	8400
400			1992	LR	14000	22500	18100	9250
400			1993	LR	14900	24000	19200	9750
400			1994	LR	15700	25800	20800	10300
400			1995	LR	16500	27700	22400	10800
400			1996	LR	17300	29000	23200	11500
400			1997	LR	17600	29600	23800	11800
400			1998	LR	17700	29200	23500	11700
400			1999	LR	23900	39200	31500	15800
400			2000	LR	26200	42400	34200	17500
400			2001	LR	28400	46500	37000	19000
400			2002	LR	30600	49900	39900	20700
400			2003	LR	29200	46200	37200	19700
400			2004	LR	28400	46500	37000	19000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2005	LR	21000	32800	26500	14300
400			2006	LR	21600	33700	27000	14600
400			2007	T	26100	40300	38500	16400
400			2008	T	28100	42500	41800	17800
400			2009	T	28800	42300	40900	18400
400			2010	LT	26900	36100	35400	19900
400			2011	LT	25000	32000	32700	20600
400			2012	LT	25200	32900	31300	19100
400			2013	LT	25000	32600	32600	18900
400			2014	LT	29100	38000	38600	22000
400			2015	LT	29600	38600	39300	22300
400			2016	CTR	27600	33700	33900	23500
400			2017	CTR	30200	40400	40200	24600
400			2018	CTR	30600	40900	40700	24900
400			2019	CTR	31100	41400	41300	25300
400	SIMCOE RD 11/FORBES RD IC-111	6.3	1988	LR	11100	19600	14000	6900
400			1989	LR	11900	20100	15500	7850
400			1990	LR	12600	22000	17500	7950
400			1991	LR	13000	22900	18100	8200
400			1992	LR	13400	21600	17300	8850
400			1993	LR	13800	22200	17800	9000
400			1994	LR	14100	23200	18700	9200
400			1995	LR	14600	24500	19800	9600
400			1996	LT	14500	20500	20000	10700
400			1997	LR	15700	26400	21200	10500
400			1998	LR	16200	26700	21500	10700
400			1999	LR	17500	28700	23100	11600
400			2000	LR	17700	28700	23100	11800
400			2001	LR	18400	30100	24000	12300
400			2002	LR	19000	31000	24800	12900
400			2003	LR	19700	31100	25100	13300
400			2004	LR	20300	33200	26500	13600
400			2005	LR	20400	31900	25700	13900
400			2006	LR	21700	33800	27200	14700
400			2007	LR	21300	33400	32000	14400
400			2008	LR	21800	34000	33100	14900
400			2009	LR	22300	33900	27700	15200
400			2010	LR	23400	35000	28600	15900
400			2011	LR	24000	37100	34800	16800
400			2012	LR	24600	36700	35700	16900
400			2013	CTR	25300	30800	31800	21500
400			2014	CTR	25800	31500	31700	21900
400			2015	CTR	26400	32200	32500	22400
400			2016	CTR	26900	32800	33100	22900
400			2017	CTR	27500	36800	36600	22400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2018	CTR	28100	37500	37400	22900
400			2019	CTR	28700	38200	38100	23400
400	SIMCOE RD 22/HORSESHOE VALLEY RD IC-117	3.5	1988	LR	11100	19600	14000	6900
400			1989	LR	11600	19600	15100	7650
400			1990	LR	12200	21400	17000	7700
400			1991	LR	13000	22900	18100	8200
400			1992	LR	13400	21600	17300	8850
400			1993	LR	14300	23000	18400	9350
400			1994	LR	16200	26600	21400	10600
400			1995	LR	16700	28000	22700	11000
400			1996	LR	17200	28800	23100	11500
400			1997	LR	18200	30600	24600	12200
400			1998	LR	18700	30900	24900	12300
400			1999	LR	18200	29800	24000	12000
400			2000	LR	18500	30000	24200	12300
400			2001	LR	18700	30600	24400	12500
400			2002	LR	19000	31000	24800	12900
400			2003	LR	19300	30500	24600	13000
400			2004	LR	19600	32100	25500	13100
400			2005	LR	19600	30600	24700	13300
400			2006	LR	19800	30800	24800	13400
400			2007	LR	20000	31300	30100	13500
400			2008	IR	20700	25100	24600	17700
400			2009	IR	19400	23300	21100	16500
400			2010	IR	20800	24800	22700	17700
400			2011	IR	21000	25100	24500	17900
400			2012	IR	21200	25200	24600	18100
400			2013	IR	21500	25600	27400	18300
400			2014	IR	21700	25800	25900	18500
400			2015	IR	21900	26100	26100	18600
400			2016	IR	22200	26400	26500	18900
400			2017	IR	22400	27500	27500	19100
400			2018	IR	22700	27900	27800	19400
400			2019	IR	22900	28300	28200	19600
400	HWY 93/SIMCOE RD 93 PENETANGUISHENE RD IC-121	10.4	1988	LR	7950	14100	10000	4950
400			1989	LR	8150	13800	10600	5400
400			1990	LR	8350	14600	11600	5250
400			1991	LR	8750	15400	12200	5500
400			1992	LR	9100	14700	11700	6000
400			1993	LR	9250	14900	11900	6050
400			1994	LR	9400	15400	12400	6150
400			1995	LR	9550	16000	13000	6250
400			1996	LR	9550	16000	12800	6350
400			1997	LR	9900	16600	13400	6650
400			1998	LR	10200	16800	13600	6750

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1999	LR	11700	19200	15400	7700
400			2000	LR	12300	19900	16100	8200
400			2001	LR	12900	21100	16800	8600
400			2002	LR	13600	22200	17700	9200
400			2003	LR	14200	22400	18100	9600
400			2004	LR	14800	24200	19300	9900
400			2005	LR	15500	24200	19500	10500
400			2006	LR	16500	25700	20600	11100
400			2007	LR	16700	26200	25100	11300
400			2008	LR	17300	27000	26300	11800
400			2009	LR	18000	27400	22300	12200
400			2010	IR	18600	22100	20300	15800
400			2011	IR	19200	22900	22400	16400
400			2012	LT	15600	20400	19400	11800
400			2013	LT	19600	25600	25600	14800
400			2014	LT	20100	26200	26700	15200
400			2015	LT	20700	27000	27500	15600
400			2016	LT	21300	27800	28300	16100
400			2017	LT	20800	29100	28800	16000
400			2018	LT	22200	31100	30800	17100
400			2019	LT	22800	32000	31600	17600
400	MT ST LOUIS RD IC-131	4.9	1988	LR	7800	13800	9850	4850
400			1989	LR	8000	13500	10400	5300
400			1990	LR	8250	14400	11500	5200
400			1991	LR	8650	15200	12000	5450
400			1992	LR	9000	14500	11600	5950
400			1993	LR	9350	15100	12000	6100
400			1994	LR	9600	15800	12700	6250
400			1995	LR	9750	16400	13300	6400
400			1996	LR	9950	16700	13400	6650
400			1997	LR	10100	17000	13600	6750
400			1998	LR	10400	17200	13800	6850
400			1999	LR	11000	18000	14500	7250
400			2000	LR	11300	18300	14800	7550
400			2001	LR	11600	19000	15100	7750
400			2002	LR	11900	19400	15500	8050
400			2003	LR	12300	19400	15700	8300
400			2004	LR	12600	20600	16400	8400
400			2005	LR	16500	25800	20800	11200
400			2006	LR	16900	26300	21100	11400
400			2007	LT	13600	18700	19200	10000
400			2008	LT	16000	21900	21000	11800
400			2009	LT	16500	22300	21800	12200
400			2010	LR	18100	27100	22100	12300
400			2011	LR	17600	27200	25500	12300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2012	LR	15500	23100	22500	10600
400			2013	LR	16800	25200	28700	11400
400			2014	LR	12100	18100	18400	8200
400			2015	LR	17300	25900	26300	11700
400			2016	LR	17700	26500	26900	12000
400			2017	LR	18400	30700	29800	12600
400			2018	LR	18400	30700	29800	12600
400			2019	LR	17500	29300	28400	11900
400	SIMCOE RD 19 MOONSTONE RD IC-136	2.6	1988	LR	7600	13500	9600	4700
400			1989	LR	7950	13400	10300	5250
400			1990	LR	8300	14500	11500	5250
400			1991	LR	8700	15300	12100	5500
400			1992	LR	9100	14700	11700	6000
400			1993	LR	9400	15100	12100	6150
400			1994	LR	9650	15900	12800	6300
400			1995	LR	10000	16800	13600	6550
400			1996	LR	10300	17200	13800	6850
400			1997	LR	10700	18000	14400	7150
400			1998	LR	11000	18200	14600	7250
400			1999	LR	10800	17700	14300	7150
400			2000	LR	11000	17800	14400	7350
400			2001	LR	11100	18200	14500	7400
400			2002	LR	11300	18400	14700	7650
400			2003	LR	11500	18200	14600	7750
400			2004	LR	11400	18700	14900	7600
400			2005	LR	11800	18400	14900	8050
400			2006	LR	12000	18700	15000	8100
400			2007	LR	12100	19000	18200	8150
400			2008	LR	12300	19200	18700	8400
400			2009	LR	12500	19000	15500	8500
400			2010	LR	12600	18900	15400	8550
400			2011	LR	12800	19800	18600	8950
400			2012	LR	13000	19400	18900	8900
400			2013	LR	13000	19500	22200	8800
400			2014	LR	13300	19900	20200	9000
400			2015	LR	14000	21000	21300	9500
400			2016	LR	14200	21300	21600	9650
400			2017	LR	14000	23400	22700	9550
400			2018	LR	14200	23700	23000	9750
400			2019	LR	14300	23900	23200	9750
400	LOWER BIG CHUTE RD IC-137 COLDWATER	2.8	1988	LR	7100	12600	8950	4400
400			1989	LR	7400	12500	9600	4900
400			1990	LR	7750	13600	10800	4900
400			1991	LR	8000	14100	11100	5050
400			1992	LR	8200	13200	10600	5400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1993	LR	8500	13700	10900	5550
400			1994	LR	8900	14600	11800	5800
400			1995	LR	9200	15500	12500	6050
400			1996	LR	9500	15900	12700	6350
400			1997	LR	9900	16600	13400	6650
400			1998	LR	10200	16800	13600	6750
400			1999	LR	10300	16900	13600	6800
400			2000	LR	10400	16800	13600	6950
400			2001	LR	10600	17300	13800	7100
400			2002	LR	11300	18400	14700	7650
400			2003	LR	11000	17400	14000	7400
400			2004	LR	10700	17500	13900	7150
400			2005	HR	11500	18200	14800	7050
400			2006	HR	11700	18400	14900	7150
400			2007	HR	11900	18800	16900	7250
400			2008	HR	12100	19300	19700	7500
400			2009	LR	12300	18700	15300	8350
400			2010	LR	12500	18700	15300	8500
400			2011	LR	12700	19600	18400	8900
400			2012	LT	13000	17000	16200	9850
400			2013	LT	13200	17200	17200	9950
400			2014	LT	13400	17500	17800	10100
400			2015	LT	13600	17800	18100	10300
400			2016	LT	13800	18000	18300	10400
400			2017	LT	14000	17800	17800	11700
400			2018	LT	14200	18100	18100	11900
400			2019	LT	14400	18300	18300	12000
400	SIMCOE RD 23 VASEY RD/HWY 12 S JCT IC-141	5.9	1988	LR	6900	12200	8700	4300
400			1989	LR	7300	12300	9500	4800
400			1990	LR	7800	13600	10800	4900
400			1991	LR	8200	14400	11400	5150
400			1992	LR	8600	13800	11100	5700
400			1993	LR	9000	14500	11600	5900
400			1994	LR	9000	14800	11900	5900
400			1995	LR	9300	15600	12600	6100
400			1996	LR	8450	14100	11300	5650
400			1997	LR	9950	16700	13400	6650
400			1998	LR	10300	17000	13700	6800
400			1999	LR	11200	18400	14800	7400
400			2000	LR	10700	17300	14000	7150
400			2001	LR	11000	18000	14300	7350
400			2002	LR	11300	18400	14700	7650
400			2003	LR	11600	18300	14800	7850
400			2004	LR	11600	19000	15100	7750
400			2005	LR	11700	18300	14700	7950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2006	LR	12500	19500	15600	8450
400			2007	LR	12400	19400	18700	8350
400			2008	LR	13100	20400	19900	8950
400			2009	IR	10600	12700	11600	9000
400			2010	IR	12600	15000	13700	10700
400			2011	IR	13000	15500	15200	11100
400			2012	LT	13300	17400	16500	10100
400			2013	LT	13500	17600	17600	10200
400			2014	LT	13800	18000	18300	10400
400			2015	LT	13900	18100	18500	10500
400			2016	LT	14200	18500	18900	10700
400			2017	LT	15100	21100	20900	11600
400			2018	LT	14700	20600	20400	11300
400			2019	LT	15000	21000	20800	11600
400	N JCT HWY 12/SIMCOE RD 16 IC-147	2.3	1988	LR	8700	15400	11000	5400
400			1989	LR	9000	15200	11700	5950
400			1990	LR	9250	16200	12900	5850
400			1991	LR	9650	17000	13400	6100
400			1992	LR	9800	15800	12600	6450
400			1993	LR	10500	16900	13500	6850
400			1994	LR	10700	17600	14200	7000
400			1995	LR	11100	18600	15100	7300
400			1996	LR	11400	19100	15300	7600
400			1997	LR	11800	19800	15900	7900
400			1998	LR	12100	20000	16100	8000
400			1999	LR	12400	20300	16400	8200
400			2000	LR	12200	19800	15900	8150
400			2001	LR	12400	20300	16200	8300
400			2002	LR	12600	20500	16400	8550
400			2003	LR	12800	20200	16300	8650
400			2004	LR	12700	20800	16500	8500
400			2005	LR	13200	20600	16600	9000
400			2006	LR	13700	21300	17100	9250
400			2007	LR	14100	22100	21200	9500
400			2008	LR	14600	22800	22200	10000
400			2009	LR	15000	22800	18600	10200
400			2010	LR	15500	23200	19000	10500
400			2011	LR	15200	23500	22000	10600
400			2012	LT	14900	19400	18500	11300
400			2013	LT	15600	20400	20300	11800
400			2014	LT	15600	20400	20700	11800
400			2015	LT	16100	21000	21400	12200
400			2016	LT	16300	21300	21600	12300
400			2017	LT	16600	23200	23000	12800
400			2018	LT	16800	23500	23300	12900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2019	LT	17100	24000	23700	13200
400	QUARRY RD/SIMCOE RD 59 IC-149	4.0	1988	LR	8700	15400	11000	5400
400			1989	LR	9000	15200	11700	5950
400			1990	LR	9250	16200	12900	5850
400			1991	LR	9650	17000	13400	6100
400			1992	LR	9800	15800	12600	6450
400			1993	LR	10500	16900	13500	6850
400			1994	LR	10700	17600	14200	7000
400			1995	LR	11100	18600	15100	7300
400			1996	LR	11400	19100	15300	7600
400			1997	LR	11800	19800	15900	7900
400			1998	LR	12100	20000	16100	8000
400			1999	LR	12400	20300	16400	8200
400			2000	LR	12800	20700	16700	8550
400			2001	LR	13200	21600	17200	8800
400			2002	LR	13500	22000	17600	9150
400			2003	LR	13900	22000	17700	9400
400			2004	LR	12800	20900	16700	8550
400			2005	LR	14600	22800	18400	9950
400			2006	LR	16200	25200	20300	10900
400			2007	LR	15500	24300	23300	10400
400			2008	LR	14800	23100	22500	10100
400			2009	LR	14100	21400	17500	9600
400			2010	LR	13400	20100	16400	9100
400			2011	LR	15500	24000	22500	10900
400			2012	LR	15800	23600	22900	10800
400			2013	LT	16300	21300	21300	12300
400			2014	LT	16300	21300	21600	12300
400			2015	LT	16600	21700	22000	12500
400			2016	LT	16900	22100	22400	12800
400			2017	LT	17100	23900	23700	13200
400			2018	LT	17400	24400	24100	13400
400			2019	LT	17600	24700	24400	13600
400	PORT SEVERN RD S IC-153	0.9	1988	LR	8950	15800	11300	5550
400			1989	LR	9050	15300	11800	5950
400			1990	LR	9150	16000	12700	5750
400			1991	LR	9600	16900	13300	6050
400			1992	LR	10100	16300	13000	6650
400			1993	LR	10500	16900	13500	6850
400			1994	LR	10900	17900	14400	7100
400			1995	LR	11300	19000	15400	7400
400			1996	LR	11800	19800	15800	7850
400			1997	LR	12200	20500	16500	8150
400			1998	LR	11900	19600	15800	7850
400			1999	LR	11800	19400	15600	7800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2000	LR	11400	18500	14900	7600
400			2001	LR	12000	19600	15600	8000
400			2002	LR	12100	19700	15800	8200
400			2003	LR	12200	19300	15500	8250
400			2004	LR	12300	20100	16000	8200
400			2005	LR	12400	19400	15600	8450
400			2006	LR	12500	19500	15600	8450
400			2007	LR	12200	19100	18400	8200
400			2008	LR	12400	19400	18900	8500
400			2009	LR	12700	19300	15700	8650
400			2010	LR	12900	19300	15800	8750
400			2011	LR	13500	20900	19600	9450
400			2012	LR	12900	19300	18700	8850
400			2013	LR	13100	19600	22400	8900
400			2014	LR	13100	19600	19900	8900
400			2015	LR	13300	19900	20200	9000
400			2016	LR	13400	20100	20400	9100
400			2017	LR	13500	22600	21900	9250
400			2018	LR	13600	22700	22000	9350
400			2019	LR	13700	22900	22300	9350
400	GEORGIAN BAY TWP SEVERN R BR	1.2	1988	LR	8950	15800	11300	5550
400			1989	LR	9050	15300	11800	5950
400			1990	LR	9150	16000	12700	5750
400			1991	LR	9600	16900	13300	6050
400			1992	LR	10100	16300	13000	6650
400			1993	LR	10500	16900	13500	6850
400			1994	LR	10900	17900	14400	7100
400			1995	LR	11300	19000	15400	7400
400			1996	LR	11800	19800	15800	7850
400			1997	LR	12200	20500	16500	8150
400			1998	LR	11900	19600	15800	7850
400			1999	LR	11800	19400	15600	7800
400			2000	LR	11400	18500	14900	7600
400			2001	LR	12000	19600	15600	8000
400			2002	LR	12100	19700	15800	8200
400			2003	LR	12200	19300	15500	8250
400			2004	LR	12300	20100	16000	8200
400			2005	LR	12400	19400	15600	8450
400			2006	LR	12500	19500	15600	8450
400			2007	LR	12200	19100	18400	8200
400			2008	LR	12400	19400	18900	8500
400			2009	LR	12700	19300	15700	8650
400			2010	LR	12900	19300	15800	8750
400			2011	LR	13500	20900	19600	9450
400			2012	LR	13100	19600	19000	9000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2013	LR	13200	19800	22500	8950
400			2014	LR	13300	19900	20200	9000
400			2015	LR	13400	20100	20400	9100
400			2016	LR	13500	20200	20600	9150
400			2017	LR	13600	22700	22000	9300
400			2018	LR	13700	22800	22200	9400
400			2019	LR	13800	23100	22400	9400
400	MUSKOKA RD 5 IC-156	6.3	1988	R	6900	13000	9450	3650
400			1989	R	7050	13000	9650	3900
400			1990	R	7650	14300	11100	4150
400			1991	R	8200	14600	11500	4750
400			1992	R	8350	14300	11200	4750
400			1993	R	8500	14500	11400	4850
400			1994	R	8300	15400	12100	4500
400			1995	R	8400	15400	12100	4550
400			1996	R	8300	15800	11900	4500
400			1997	R	8350	16000	12100	4600
400			1998	R	8400	15600	12000	4450
400			1999	R	8450	15700	11900	4500
400			2000	R	9050	16700	12700	4900
400			2001	R	9500	17700	13300	5100
400			2002	R	9250	17100	12900	5050
400			2003	R	9400	16800	12800	5100
400			2004	R	9550	17800	13400	5150
400			2005	R	10400	18300	14000	5700
400			2006	R	11300	19900	15100	6150
400			2007	R	11700	20700	19800	6350
400			2008	R	11500	20300	19600	6350
400			2009	R	12000	20600	15800	6600
400			2010	R	11900	20100	15500	6500
400			2011	LR	12100	18700	17600	8450
400			2012	LT	12400	16200	15400	9400
400			2013	LT	12700	16600	16600	9600
400			2014	LT	12900	16800	17100	9750
400			2015	LT	13200	17200	17500	9950
400			2016	LT	13500	17600	17900	10200
400			2017	LT	13700	19200	19000	10500
400			2018	LT	14000	19600	19400	10800
400			2019	LT	14300	20000	19800	11000
400	GEORGIAN BAY TWP MUSKOKA 48/34 IC-162	7.3	1997	LR	10500	17600	14200	7050
400			1998	LR	10000	16500	13300	6600
400			1999	LR	9800	16100	12900	6450
400			2000	LR	9000	14600	11800	6000
400			2001	LR	9550	15600	12400	6400
400			2002	LR	9450	15400	12300	6400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2003	LR	9150	14500	11600	6150
400			2004	LR	9200	15100	12000	6150
400			2005	LR	9900	15500	12500	6750
400			2006	LR	9300	14500	11600	6300
400			2007	LR	9950	15600	15000	6700
400			2008	LR	10000	15600	15200	6850
400			2009	LR	11500	17500	14300	7800
400			2010	LR	10100	15100	12400	6850
400			2011	LR	12200	18900	17700	8550
400			2012	LR	10700	16000	15500	7350
400			2013	LT	11000	14400	14300	8300
400			2014	LT	11000	14400	14600	8300
400			2015	LT	11100	14500	14700	8400
400			2016	LT	11200	14600	14900	8450
400			2017	LT	11300	15800	15700	8700
400			2018	LT	11400	16000	15800	8800
400			2019	LT	11500	16100	16000	8850
400	GEORGIAN BAY RD CROOKED BAY RD IC-168	8.6	1997	LR	11100	18600	15000	7450
400			1998	LR	10600	17500	14100	7000
400			1999	LR	10300	16900	13600	6800
400			2000	LR	9600	15600	12500	6400
400			2001	LR	9700	15900	12600	6500
400			2002	LR	9350	15200	12200	6350
400			2003	LR	9250	14600	11800	6250
400			2004	LR	8750	14300	11400	5850
400			2005	LR	9250	14400	11700	6300
400			2006	LR	8150	12700	10200	5500
400			2007	LR	9000	14100	13500	6050
400			2008	LR	8850	13800	13500	6050
400			2009	LR	10200	15500	12600	6950
400			2010	LR	8600	12900	10500	5850
400			2011	LR	10400	16100	15100	7300
400			2012	LR	8850	13200	12800	6050
400			2013	LT	8900	11600	11600	6700
400			2014	LT	8700	11400	11600	6550
400			2015	LT	8600	11200	11400	6500
400			2016	LT	8550	11200	11400	6450
400			2017	LT	8450	11800	11700	6500
400			2018	LT	8350	11700	11600	6450
400			2019	LT	8250	11600	11500	6350
400	MUSKOKA RD 32 (GO HOME LAKE RD)/MUSKOKA RD 38 IC-177	4.6	1997	R	7000	13400	10200	3850
400			1998	R	7050	13100	10100	3750
400			1999	R	7100	13200	10000	3750
400			2000	R	7200	13200	10100	3900
400			2001	R	7250	13500	10100	3900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2002	R	7300	13500	10200	4000
400			2003	R	7350	13100	10000	4000
400			2004	R	7400	13800	10400	4000
400			2005	R	7450	13100	10000	4100
400			2006	R	7500	13200	10000	4100
400			2007	R	7550	13400	12800	4100
400			2008	R	7600	13400	13000	4200
400			2009	LR	8800	13400	10900	6000
400			2010	LR	8600	12900	10500	5850
400			2011	LR	8300	12800	12000	5800
400			2012	LR	8400	12500	12200	5750
400			2013	LT	13100	17100	17100	9900
400			2014	LT	9700	12700	12900	7300
400			2015	LT	10500	13700	13900	7950
400			2016	LT	10200	13300	13500	7700
400			2017	LT	10400	14600	14400	8000
400			2018	LT	10600	14800	14700	8150
400			2019	LT	10800	15100	15000	8300
400	HWY 400 IC-182 IROQUOIS CRANBERRY GROWERS DR	7.2	1997	R	7000	13400	10200	3850
400			1998	R	7050	13100	10100	3750
400			1999	R	7100	13200	10000	3750
400			2000	R	7200	13200	10100	3900
400			2001	R	7250	13500	10100	3900
400			2002	R	7300	13500	10200	4000
400			2003	R	7350	13100	10000	4000
400			2004	R	7400	13800	10400	4000
400			2005	R	7450	13100	10000	4100
400			2006	R	7500	13200	10000	4100
400			2007	R	7550	13400	12800	4100
400			2008	R	7600	13400	13000	4200
400			2009	LR	8800	13400	10900	6000
400			2010	LR	8600	12900	10500	5850
400			2011	LR	8300	12800	12000	5800
400			2012	LR	8400	12500	12200	5750
400			2013	LT	13100	17100	17100	9900
400			2014	LT	9700	12700	12900	7300
400			2015	LT	10500	13700	13900	7950
400			2016	LT	10200	13300	13500	7700
400			2017	LT	10400	14600	14400	8000
400			2018	LT	10600	14800	14700	8150
400			2019	LT	10800	15100	15000	8300
400	HWY 400/7289 (F HWY 69) IC-189	18.4	1988	IT	6450	9350	8600	4750
400			1989	IT	6700	9300	9000	5250
400			1990	IT	6900	8750	8550	5800
400			1991	R	6750	12000	9450	3900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1992	R	6750	11500	9050	3850
400			1993	R	6700	11500	9000	3800
400			1994	R	6100	11300	8900	3300
400			1995	R	6200	11300	8900	3350
400			1996	R	6300	12000	9050	3400
400			1997	R	6400	12300	9300	3500
400			1998	R	6500	12100	9300	3450
400			1999	R	6750	12600	9500	3600
400			2000	R	6700	12300	9400	3600
400			2001	R	7050	13100	9850	3800
400			2002	R	7150	13200	10000	3900
400			2003	R	7500	13400	10200	4100
400			2004	R	7450	13900	10400	4000
400			2005	R	7600	13400	10200	4150
400			2006	R	7750	13600	10300	4200
400			2007	R	7900	14000	13400	4300
400			2008	LR	9000	14000	13700	6150
400			2009	LR	8800	13400	10900	6000
400			2010	LR	8600	12900	10500	5850
400			2011	LR	8900	13800	12900	6250
400			2012	LT	9000	11700	11200	6800
400			2013	LT	9150	11900	11900	6900
400			2014	LT	9350	12200	12400	7050
400			2015	LT	9550	12500	12700	7200
400			2016	LT	9700	12700	12900	7300
400			2017	LT	9900	13900	13700	7600
400			2018	LT	10100	14100	14000	7800
400			2019	LT	10200	14300	14200	7850
400	HWY 141 IC-207	9.0	1988	IT	8000	11600	10600	5900
400			1989	IT	9000	12500	12100	7000
400			1990	IT	8900	11300	11000	7500
400			1991	IR	10400	13100	11500	8650
400			1992	R	10000	17100	13400	5700
400			1993	R	9600	16400	12900	5450
400			1994	R	8000	14800	11700	4300
400			1995	R	8100	14800	11600	4400
400			1996	R	8200	15600	11800	4450
400			1997	R	8300	15900	12000	4550
400			1998	R	8450	15700	12100	4500
400			1999	R	8500	15800	12000	4500
400			2000	R	8600	15800	12000	4650
400			2001	R	8700	16200	12200	4700
400			2002	R	8800	16300	12300	4800
400			2003	LR	8950	14100	11400	6050
400			2004	LR	11400	18700	14900	7600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2005	LR	11400	17800	14400	7750
400			2006	LR	11400	17800	14300	7700
400			2007	LR	11400	17900	17200	7700
400			2008	IR	11400	13800	13600	9750
400			2009	LR	10200	15500	12600	6950
400			2010	LR	10200	15300	12500	6900
400			2011	LR	9700	15000	14100	6800
400			2012	LT	10600	13800	13200	8050
400			2013	LT	10700	14000	14000	8100
400			2014	LT	11500	15000	15300	8700
400			2015	LT	11600	15100	15400	8750
400			2016	LT	11800	15400	15700	8900
400			2017	LT	12000	16800	16600	9250
400			2018	LT	12200	17100	16900	9400
400			2019	LT	12300	17200	17100	9500
400	HORSESHOE LK RD /SEGUIN TRAIL IC-214	3.2	2003	LR	8950	14100	11400	6050
400			2004	LR	9400	15400	12200	6300
400			2005	LR	9550	14900	12000	6500
400			2006	LR	10000	15600	12500	6750
400			2007	LR	9850	15400	14800	6650
400			2008	LR	10000	15600	15200	6850
400			2009	LT	12600	17000	16600	9300
400			2010	LT	12600	16900	16600	9300
400			2011	LR	12400	19200	18000	8700
400			2012	LR	13100	19600	19000	9000
400			2013	LT	13300	17400	17300	10000
400			2014	LT	14000	18300	18600	10600
400			2015	LT	14400	18800	19100	10900
400			2016	LT	14900	19500	19800	11200
400			2017	LT	15400	21600	21300	11900
400			2018	LT	15900	22300	22000	12200
400			2019	LT	16400	23000	22800	12600
400	OASTLER PARK DR (HWY 7241)/BADGER RD IC-217	3.4	1988	IT	8450	12300	11200	6250
400			1989	IT	9350	13000	12500	7300
400			1990	IT	9950	12600	12300	8350
400			1991	IR	10500	13200	11700	8700
400			1992	R	10200	17400	13700	5800
400			1993	R	9950	17000	13300	5650
400			1994	IT	10500	13600	13000	8900
400			1995	IT	10500	13400	12800	8950
400			1996	IT	10500	13800	13400	8650
400			1997	LT	10500	14800	14500	7750
400			1998	LT	10600	14800	14500	7750
400			1999	LT	10700	14900	14600	7800
400			2000	LT	10800	15000	14700	7900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2001	LT	10800	15100	14700	7900
400			2002	LT	10800	15100	14700	7900
400			2003	IR	10900	13200	12000	9250
400			2004	LT	11700	16400	15900	8550
400			2005	LT	11700	16000	15700	8600
400			2006	LT	11700	16000	15600	8600
400			2007	LT	11700	16100	16500	8600
400			2008	LT	11700	16000	15300	8650
400			2009	LT	11700	15800	15400	8650
400			2010	LT	11700	15700	15400	8650
400			2011	LR	11600	17900	16800	8100
400			2012	LT	11700	15300	14500	8850
400			2013	LT	11800	15400	15400	8900
400			2014	LT	12100	15800	16100	9150
400			2015	LT	12200	15900	16200	9200
400			2016	LT	12300	16100	16300	9300
400			2017	LT	12300	17200	17000	9450
400			2018	LT	12400	17400	17200	9550
400			2019	LT	12500	17500	17400	9650
400	SEC HWY 518 (E)/HUNTER DR (W) IC-220	3.6	1988	IT	9100	13200	12100	6750
400			1989	IT	10300	14300	13800	8050
400			1990	IT	11200	14200	13900	9400
400			1991	IR	11900	15000	13200	9900
400			1992	R	9600	16400	12900	5450
400			1993	R	10500	18000	14100	6000
400			1994	IT	12000	15600	14900	10200
400			1995	IT	12100	15500	14800	10300
400			1996	IT	12300	16200	15700	10100
400			1997	LT	12400	17500	17100	9200
400			1998	LT	12500	17500	17100	9100
400			1999	LT	12100	16800	16500	8850
400			2000	LT	12100	16900	16500	8850
400			2001	LT	12000	16800	16300	8800
400			2002	LT	12000	16800	16300	8800
400			2003	IR	11700	14200	12900	9950
400			2004	IR	12100	15000	13400	10200
400			2005	IR	12100	14600	13300	10300
400			2006	IR	12100	14600	13200	10300
400			2007	IR	12100	14700	14600	10300
400			2008	IR	12100	14700	14400	10300
400			2009	LT	12100	16300	16000	8950
400			2010	LT	12100	16200	15900	8950
400			2011	LT	11900	15200	15500	9800
400			2012	LT	11900	15500	14800	9000
400			2013	LT	11900	15500	15500	9000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2014	LT	11900	15500	15800	9000
400			2015	LT	11900	15500	15800	9000
400			2016	LT	11900	15500	15800	9000
400			2017	LT	11900	16700	16500	9150
400			2018	LT	11900	16700	16500	9150
400			2019	LT	11900	16700	16500	9150
400	BOWES ST/MCDOUGALL DR IC-224	2.5	1988	IT	9100	13200	12100	6750
400			1989	IT	10300	14300	13800	8050
400			1990	IT	11200	14200	13900	9400
400			1991	IR	11900	15000	13200	9900
400			1992	R	9600	16400	12900	5450
400			1993	R	10500	18000	14100	6000
400			1994	IT	12000	15600	14900	10200
400			1995	IT	12100	15500	14800	10300
400			1996	IT	12300	16200	15700	10100
400			1997	LT	12400	17500	17100	9200
400			1998	LT	12500	17500	17100	9100
400			1999	LT	12100	16800	16500	8850
400			2000	LT	12100	16900	16500	8850
400			2001	LT	12000	16800	16300	8800
400			2002	LT	12000	16800	16300	8800
400			2003	IR	11700	14200	12900	9950
400			2004	IR	12100	15000	13400	10200
400			2005	IR	12100	14600	13300	10300
400			2006	IR	12100	14600	13200	10300
400			2007	IR	12100	14700	14600	10300
400			2008	IR	12100	14700	14400	10300
400			2009	LT	12100	16300	16000	8950
400			2010	LT	12100	16200	15900	8950
400			2011	LT	11900	15200	15500	9800
400			2012	LT	11900	15500	14800	9000
400			2013	LT	11900	15500	15500	9000
400			2014	LT	11900	15500	15800	9000
400			2015	LT	11900	15500	15800	9000
400			2016	LT	12000	15700	15900	9050
400			2017	LT	11900	16700	16500	9150
400			2018	LT	11900	16700	16500	9150
400			2019	LT	11900	16700	16500	9150
400	PARRY SOUND DR (W) HALL'S QUARRY RD (E) IC UP 227	2.6	1990	IT	6600	8400	8200	5550
400			1991	IR	7300	9200	8100	6050
400			1992	R	5900	10100	7900	3350
400			1993	R	5900	10100	7900	3350
400			1994	IT	7300	9500	9050	6200
400			1995	IT	7300	9350	8900	6250
400			1996	IT	7300	9600	9350	6000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			1997	R	7300	14000	10600	4000
400			1998	R	7550	14000	10800	4000
400			1999	R	7950	14800	11200	4200
400			2000	LR	8250	13400	10800	5500
400			2001	LR	8400	13700	10900	5600
400			2002	LR	8450	13800	11000	5700
400			2003	LR	8650	13700	11000	5850
400			2004	LR	8800	14400	11500	5900
400			2005	LR	11300	17600	14200	7700
400			2006	LR	11700	18200	14600	7900
400			2007	LR	12100	19000	18200	8150
400			2008	LR	12500	19500	19000	8550
400			2009	LR	12900	19600	16000	8750
400			2010	LR	13300	19900	16300	9000
400			2011	LR	13200	20400	19100	9250
400			2012	LR	13600	20300	19700	9350
400			2013	LR	14100	21100	24100	9550
400			2014	LR	14500	21700	22100	9850
400			2015	LR	14900	22300	22700	10100
400			2016	LR	15300	22900	23300	10400
400			2017	LR	15700	26200	25400	10700
400			2018	LR	16100	26800	26000	11100
400			2019	LR	16600	27800	27000	11300
400	HWY 124 (E) PARRY SOUND DR (W) IC UP 230	5.2	1990	IT	7200	9150	8950	6050
400			1991	IR	7950	10000	8800	6600
400			1992	R	6000	10300	8050	3400
400			1993	R	6150	10500	8250	3500
400			1994	IT	8300	10800	10300	7050
400			1995	IT	8300	10600	10100	7100
400			1996	IT	8300	10900	10600	6850
400			1997	IR	8900	11100	9950	7550
400			1998	IR	9350	11600	10500	7850
400			1999	IR	9850	12200	10900	8250
400			2000	IR	10200	12500	11300	8600
400			2001	IR	10400	12900	11500	8800
400			2002	IR	10800	13300	12000	9200
400			2003	IR	10900	13200	12000	9250
400			2004	IR	11200	13800	12400	9450
400			2005	IR	11500	13900	12600	9800
400			2006	IR	11800	14200	12900	10000
400			2007	IR	11900	14400	14400	10100
400			2008	IR	12400	15000	14700	10600
400			2009	IR	12700	15200	13800	10800
400			2010	IR	13100	15600	14300	11200
400			2011	IR	13400	16000	15600	11400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400			2012	IR	13700	16300	15900	11700
400			2013	IR	14000	16700	17900	11900
400			2014	IR	14300	17000	17100	12200
400			2015	IR	14600	17400	17400	12400
400			2016	IR	14900	17700	17800	12700
400			2017	IR	15200	18400	18300	13000
400			2018	IR	15500	18800	18700	13200
400			2019	IR	15800	19200	19100	13500
400	HWY 7910 (AVRO ARROW RD) IC UP 235	7.2	1988	IT	6800	9850	9050	5050
400			1989	IT	7300	10100	9800	5700
400			1990	IT	7700	9800	9550	6450
400			1991	IR	8000	10100	8900	6650
400			1992	LT	6850	9500	9250	5250
400			1993	LT	6950	9600	8600	5100
400			1994	IT	7700	10000	9550	6550
400			1995	IT	7700	9850	9400	6550
400			1996	IT	7700	10100	9850	6350
400			1997	IR	8100	10100	9050	6900
400			1998	IR	8250	10200	9250	6950
400			1999	IR	8300	10300	9200	6950
400			2000	IR	8100	9900	8950	6850
400			2001	IR	8600	10600	9550	7250
400			2002	IR	8750	10800	9700	7450
400			2003	IR	8900	10800	9800	7550
400			2004	IR	9050	11200	10000	7650
400			2005	IR	9950	12000	10900	8500
400			2006	IR	9450	11400	10300	8050
400			2007	IR	10400	12600	12600	8800
400			2008	IR	10600	12800	12600	9050
400			2009	IR	10900	13100	11900	9250
400			2010	IR	10700	12700	11700	9100
400			2011	IR	10900	13000	12700	9300
400			2012	IR	11100	13200	12900	9500
400			2013	IR	11400	13600	14600	9700
400			2014	CTR	9500	11600	11700	8100
400			2015	IT	11100	13900	13700	9150
400			2016	IT	11500	14400	14200	9500
400			2017	IT	11700	15500	15500	9850
400			2018	IT	11900	15700	15700	10100
400			2019	IT	12100	16100	16100	10300
400	END OF HWY 400		9999					
400A	HWY 400(TO PARRY SOUND)	1.1	1988	IR	8300	10800	9150	6650
400A			1989	IR	8400	10800	9300	6900
400A			1990	IR	8300	10500	9200	6800
400A			1991	IR	8350	10500	9250	6950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
400A			1992	IR	8400	10300	9250	7150
400A			1993	IR	8450	10400	8750	6900
400A			1994	IR	9050	11100	9950	7600
400A			1995	IR	10500	12900	11600	8950
400A			1996	IR	10000	12400	11200	8500
400A			1997	IR	9500	11900	10600	8100
400A			1998	IR	9000	11200	10100	7550
400A			1999	IR	11100	13800	12300	9300
400A			2000	IR	10600	13000	11700	8950
400A			2001	IR	10700	13200	11900	9050
400A			2002	IR	10900	13400	12100	9250
400A			2003	IR	11100	13500	12200	9400
400A			2004	IR	11300	14000	12500	9550
400A			2005	IR	17300	20900	19000	14700
400A			2006	IR	19600	23600	21400	16600
400A			2007	IR	21100	25600	25500	17900
400A			2008	IR	22500	27300	26700	19200
400A			2009	CTR	34600	42200	40800	29400
400A			2010	CTR	35000	42600	40900	29700
400A			2011	CTR	35500	43200	41500	30100
400A			2012	CTR	36500	44300	43700	31100
400A			2013	C	38500	42400	41900	34700
400A			2014	C	40000	44000	42800	36000
400A			2015	C	38800	42700	41500	34900
400A			2016	C	40500	44600	43300	36400
400A			2017	C	42200	46200	46100	38300
400A			2018	C	43900	48100	47800	39600
400A			2019	C	45700	50000	49700	41400
400A	HWY 11 SIMCOE RD 93 IC HWY END		9999					
401			1988	IT	13600	19700	18100	10100
401			1989	IT	13200	18300	17700	10300
401			1990	CR	14200	17600	16300	12800
401			1991	IT	14300	18600	17600	12300
401			1992	IT	14900	19400	18500	12700
401			1993	IT	15100	18600	18700	12800
401			1994	IT	15300	19900	19000	13000
401			1995	CR	15500	19200	18300	13300
401			1996	CR	15700	19400	18400	13400
401			1997	IT	15800	20700	20400	13100
401			1998	IT	16100	20800	20600	13000
401			1999	IT	16500	21300	21000	13400
401			2000	IT	17000	21900	21600	13900
401			2001	IT	16600	21700	21100	13500
401			2002	IT	16800	21900	21400	13800
401			2003	IT	17100	21800	21800	14000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2004	IT	17300	22600	22000	14100
401			2005	CR	17400	21100	20300	14700
401			2006	CR	17700	21500	20600	14900
401			2007	CR	17900	21700	21700	15100
401			2008	CR	18100	21900	21700	15300
401			2009	IR	18300	22000	19900	15600
401			2010	IR	18500	22000	20100	15700
401			2011	IR	18700	22300	21800	16000
401			2012	CTR	18400	22300	22000	15700
401			2013	IC	19100	21100	21000	16900
401			2014	IC	19200	21300	21200	17000
401			2015	IC	19400	21500	21400	17200
401			2016	CTR	19700	24000	24200	16700
401			2017	CTR	19800	26500	26300	16100
401			2018	CTR	20000	26700	26600	16300
401			2019	CTR	20200	26900	26800	16400
401	**QUEBEC ONTARIO BDY**	**3.18**	**2019**	**CTR**	**20200**	**26900**	**26800**	**16400**
401	S D&G RD 23 4TH LINE RD IC-825	11.2	1988	IT	14000	20300	18600	10400
401			1989	IT	13600	18900	18200	10600
401			1990	CR	14300	17700	16400	12900
401			1991	IT	14600	19000	18000	12600
401			1992	IT	14900	19400	18500	12700
401			1993	IT	15300	18800	19000	13000
401			1994	IT	15800	20500	19600	13400
401			1995	IT	16200	20700	19800	13800
401			1996	IT	16700	22000	21400	13800
401			1997	IT	17100	22400	22100	14200
401			1998	IT	17000	21900	21800	13800
401			1999	IT	16900	21800	21500	13700
401			2000	IT	17000	21900	21600	13900
401			2001	IT	17200	22500	21900	14000
401			2002	IT	17400	22600	22200	14300
401			2003	IR	17600	21400	19400	14900
401			2004	IR	17800	22000	19700	15000
401			2005	IR	17700	21400	19400	15100
401			2006	IR	18100	21800	19800	15400
401			2007	IR	18300	22200	22100	15500
401			2008	IR	18300	22200	21800	15600
401			2009	IR	18600	22300	20300	15800
401			2010	IR	18700	22300	20400	15900
401			2011	IR	18900	22500	22100	16100
401			2012	IR	18200	21700	21100	15600
401			2013	IR	19200	22900	24500	16300
401			2014	IR	19200	22900	22900	16300
401			2015	IR	19300	23000	23000	16400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2016	CTR	19700	24000	24200	16700
401			2017	CTR	19700	26300	26200	16100
401			2018	CTR	19800	26400	26300	16100
401			2019	CTR	20000	26600	26500	16300
401	SD&G CTY RDS 2&34 IC-814 LANCASTER	9.1	1988	IT	14100	20400	18800	10400
401			1989	IT	14400	20000	19300	11200
401			1990	CR	14700	18200	16900	13200
401			1991	IT	15200	19800	18700	13100
401			1992	IT	15500	20200	19200	13200
401			1993	IT	15700	19300	19500	13300
401			1994	IT	16100	20900	20000	13700
401			1995	IT	16500	21100	20100	14100
401			1996	IT	16900	22300	21600	13900
401			1997	IT	17300	22700	22300	14400
401			1998	IT	16900	21800	21600	13700
401			1999	IT	17100	22100	21700	13900
401			2000	IT	17200	22200	21800	14100
401			2001	IR	17400	21500	19300	14700
401			2002	IR	17400	21500	19300	14800
401			2003	IT	17500	22300	22300	14300
401			2004	CTR	17500	22100	21200	14800
401			2005	CR	17800	21600	20800	15000
401			2006	CR	17900	21700	20800	15100
401			2007	CR	18000	21800	21800	15200
401			2008	CR	18100	21900	21700	15300
401			2009	CTR	18200	22200	21500	15500
401			2010	CTR	18400	22400	21500	15600
401			2011	CTR	18500	22500	21600	15700
401			2012	CTR	19200	23300	23000	16300
401			2013	CTR	18700	22800	23500	15900
401			2014	CTR	18900	23100	23200	16100
401			2015	CTR	19100	23300	23500	16200
401			2016	CTR	19100	23300	23500	16200
401			2017	CTR	19300	25800	25700	15700
401			2018	CTR	19400	25900	25800	15800
401			2019	CTR	19500	26000	25900	15900
401	SUMMERSTOWN RD IC-804 S D & G RD 27	8.5	1988	IT	14900	21600	19800	11000
401			1989	IT	14500	20200	19400	11300
401			1990	CR	15000	18600	17200	13500
401			1991	IT	15500	20200	19100	13300
401			1992	IT	15800	20500	19600	13400
401			1993	IT	15800	19400	19600	13400
401			1994	IT	16200	21100	20100	13800
401			1995	IT	16600	21200	20300	14200
401			1996	IT	17000	22400	21800	14000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1997	IT	17400	22800	22400	14400
401			1998	IT	17800	23000	22800	14400
401			1999	IT	18000	23200	22900	14600
401			2000	IT	18300	23600	23200	15000
401			2001	LT	19000	26600	25900	13900
401			2002	LT	18900	26400	25700	13900
401			2003	LT	19200	26400	25800	14200
401			2004	LT	19500	27300	26500	14300
401			2005	IC	19500	21700	21900	17200
401			2006	IR	20100	24200	22000	17100
401			2007	IR	20400	24700	24600	17300
401			2008	IR	20700	25100	24600	17700
401			2009	IR	21100	25300	23000	17900
401			2010	CTR	21400	26000	25000	18200
401			2011	CTR	21700	26400	25400	18400
401			2012	CTR	22000	26700	26400	18700
401			2013	CTR	22300	27100	28000	18900
401			2014	CTR	22600	27600	27800	19200
401			2015	CTR	22900	27900	28200	19500
401			2016	CTR	23200	28300	28500	19700
401			2017	CTR	23500	31400	31200	19100
401			2018	CTR	23800	31800	31700	19400
401			2019	CTR	24100	32100	32000	19600
401	BOUNDARY RD IC-796	4.1	1988	IC	12300	14300	13900	10800
401			1989	IC	12700	14600	14400	11300
401			1990	IC	13000	14800	14600	11600
401			1991	IC	13400	15100	14900	11900
401			1992	IC	13700	15200	15100	12500
401			1993	IC	14100	15900	15800	12500
401			1994	IC	14400	16100	16100	12800
401			1995	IC	14800	16600	16700	13300
401			1996	IC	15100	17000	17000	13400
401			1997	LT	15500	21900	21400	11500
401			1998	LT	15500	21700	21200	11300
401			1999	LT	16000	22200	21800	11700
401			2000	LT	16300	22700	22200	11900
401			2001	LT	16500	23100	22500	12100
401			2002	LT	16900	23600	23000	12400
401			2003	LT	17300	23800	23300	12800
401			2004	LT	17600	24600	24000	12900
401			2005	IC	17700	19700	19900	15600
401			2006	IC	18600	20700	20900	16500
401			2007	CTR	18600	23000	22800	15800
401			2008	CTR	18900	23400	22900	16100
401			2009	CR	19200	23000	22300	16300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2010	CR	19500	23400	22600	16500
401			2011	CR	19900	23200	23500	17700
401			2012	CTR	22000	26700	26400	18700
401			2013	CTR	19000	23100	23900	16100
401			2014	CTR	20900	25500	25700	17800
401			2015	CTR	21200	25900	26100	18000
401			2016	CTR	21500	26200	26400	18300
401			2017	CTR	21800	29100	29000	17800
401			2018	CTR	22200	29600	29500	18100
401			2019	CTR	22500	30000	29800	18300
401	MCCONNELL AV IC-792 CORNWALL	2.7	1988	IC	12900	15000	14600	11400
401			1989	IC	12500	14400	14100	11100
401			1990	IC	13100	14900	14700	11700
401			1991	IC	13600	15400	15100	12100
401			1992	IC	13700	15200	15100	12500
401			1993	IC	13700	15500	15300	12200
401			1994	IC	13700	15300	15300	12200
401			1995	IC	13700	15300	15500	12300
401			1996	IC	13700	15400	15400	12200
401			1997	LT	13900	19600	19200	10300
401			1998	LT	14000	19600	19200	10200
401			1999	LT	15000	20800	20400	11000
401			2000	UC	15800	16700	18600	14900
401			2001	CTR	15800	19900	19100	13300
401			2002	CTR	16400	20700	19800	13800
401			2003	CTR	16500	20500	19700	14000
401			2004	IC	16900	18900	19000	14900
401			2005	IC	17300	19200	19400	15300
401			2006	CTR	17700	21900	21000	15000
401			2007	CTR	18000	22300	22100	15300
401			2008	CTR	18400	22800	22300	15600
401			2009	IR	18800	22600	20500	16000
401			2010	CR	19200	23000	22200	16200
401			2011	CR	19500	22700	23000	17300
401			2012	CTR	19900	24100	23800	16900
401			2013	CTR	19500	23700	24500	16600
401			2014	CTR	20500	25000	25200	17400
401			2015	CTR	20900	25500	25700	17800
401			2016	CTR	21400	26100	26300	18200
401			2017	CTR	21600	28900	28700	17600
401			2018	CTR	22000	29400	29300	17900
401			2019	CTR	22400	29800	29700	18200
401	HWY 138 IC-789 CORNWALL	3.0	1988	IT	12000	17400	16000	8900
401			1989	IT	11600	16100	15500	9050
401			1990	CR	12300	15300	14100	11100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1991	IT	13000	16900	16000	11200
401			1992	IT	12300	16000	15300	10500
401			1993	IT	12300	15100	15300	10500
401			1994	IT	12800	16600	15900	10900
401			1995	IT	13100	16700	16000	11200
401			1996	IT	13300	17500	17000	11000
401			1997	SC	13600	14400	15900	12100
401			1998	SC	13900	14700	16300	12400
401			1999	IT	16400	21200	20800	13300
401			2000	CTR	16400	20700	19800	13800
401			2001	IT	16800	21900	21400	13700
401			2002	IT	16500	21500	21000	13600
401			2003	IT	17000	21700	21700	13900
401			2004	IT	16400	21400	20900	13300
401			2005	IC	18000	20000	20200	15900
401			2006	IT	18500	23500	23400	15200
401			2007	IT	18900	24200	25300	15500
401			2008	IT	19300	24800	23500	16200
401			2009	CR	19900	23900	23100	16900
401			2010	CR	19800	23700	22900	16700
401			2011	CR	20700	24100	24400	18400
401			2012	CTR	19100	23200	22900	16300
401			2013	CTR	21200	25800	26700	18000
401			2014	CTR	21600	26400	26600	18400
401			2015	CTR	22000	26800	27100	18700
401			2016	CTR	22500	27400	27700	19100
401			2017	CTR	22900	30600	30400	18700
401			2018	CTR	23300	31100	31000	19000
401			2019	CTR	23800	31700	31600	19400
401	S D & G RD 33 POWER DAM DR IC-786	8.4	1988	IT	12500	18100	16600	9250
401			1989	IT	12100	16800	16200	9450
401			1990	CR	12800	15900	14700	11500
401			1991	IT	13600	17700	16700	11700
401			1992	IT	12800	16600	15900	10900
401			1993	IT	12800	15700	15900	10900
401			1994	IT	13300	17300	16500	11300
401			1995	IT	13600	17400	16600	11600
401			1996	IT	13800	18200	17700	11400
401			1997	LT	14100	19900	19500	10400
401			1998	LT	14200	19900	19500	10400
401			1999	IT	14700	19000	18700	11900
401			2000	CTR	14900	18800	18000	12500
401			2001	IR	15300	18900	17000	12900
401			2002	IR	15700	19400	17400	13300
401			2003	IT	16000	20400	20400	13100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2004	IT	16300	21300	20800	13300
401			2005	IT	16800	21400	21300	14000
401			2006	IT	16900	21500	21400	13900
401			2007	IT	17200	22000	23000	14100
401			2008	IT	17500	22500	21300	14700
401			2009	CR	17800	21400	20600	15100
401			2010	CTR	18100	22000	21200	15400
401			2011	CR	18400	21400	21700	16400
401			2012	CTR	18100	22000	21700	15400
401			2013	CTR	19100	23200	24000	16200
401			2014	CTR	19300	23500	23700	16400
401			2015	CTR	19600	23900	24100	16700
401			2016	CTR	20000	24400	24600	17000
401			2017	CTR	20200	27000	26900	16500
401			2018	CTR	20500	27400	27300	16700
401			2019	CTR	20800	27700	27600	16900
401	MOULINETTE RD IC-778 S D & G RD 35	8.2	1988	IT	12200	17700	16200	9050
401			1989	IT	11800	16400	15800	9200
401			1990	CR	12300	15300	14100	11100
401			1991	IT	13000	16900	16000	11200
401			1992	IT	12300	16000	15300	10500
401			1993	IT	12700	15600	15700	10800
401			1994	IT	13100	17000	16200	11100
401			1995	IT	13600	17400	16600	11600
401			1996	IT	14000	18400	17900	11500
401			1997	IT	14400	18900	18600	12000
401			1998	IT	14800	19100	18900	12000
401			1999	IT	15200	19600	19300	12300
401			2000	IT	15600	20100	19800	12800
401			2001	IT	16000	20900	20400	13000
401			2002	IT	16400	21300	20900	13500
401			2003	IT	16900	21600	21500	13800
401			2004	CTR	17300	21800	20900	14600
401			2005	CTR	17700	21900	21000	15000
401			2006	CTR	17800	22000	21100	15100
401			2007	CTR	18400	22800	22600	15600
401			2008	CTR	18800	23300	22800	16000
401			2009	CR	19200	23000	22300	16300
401			2010	CTR	19600	23900	22900	16600
401			2011	CR	20000	23300	23600	17800
401			2012	CTR	20400	24700	24400	17400
401			2013	CTR	20800	25300	26200	17700
401			2014	CTR	21200	25900	26100	18000
401			2015	CTR	21600	26400	26600	18400
401			2016	CTR	22000	26800	27100	18700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2017	CTR	22400	29900	29800	18300
401			2018	CTR	22800	30500	30300	18600
401			2019	CTR	23200	30900	30800	18900
401	S D & G RD 14 DICKINSON DR IC-770	11.3	1988	IT	12500	18100	16600	9250
401			1989	IT	12000	16700	16100	9350
401			1990	CR	12800	15900	14700	11500
401			1991	IT	13900	18100	17100	12000
401			1992	IT	12700	16500	15700	10800
401			1993	LT	14700	20300	18200	10800
401			1994	IR	14700	18100	16200	12300
401			1995	IR	15000	18500	16500	12800
401			1996	LT	14300	20200	19700	10500
401			1997	LT	14400	20300	19900	10700
401			1998	LT	14500	20300	19900	10600
401			1999	LT	14800	20600	20100	10800
401			2000	LT	15000	20900	20400	11000
401			2001	CTR	15100	19100	18300	12700
401			2002	CTR	15400	19400	18600	13000
401			2003	CTR	15200	18900	18200	12900
401			2004	CTR	15300	19300	18500	12900
401			2005	CTR	15400	19100	18300	13100
401			2006	CTR	15500	19200	18400	13200
401			2007	CTR	15600	19300	19200	13200
401			2008	CTR	15700	19400	19100	13300
401			2009	CTR	15800	19300	18600	13400
401			2010	CTR	15900	19400	18600	13500
401			2011	CTR	15900	19400	18600	13500
401			2012	CTR	16000	19400	19200	13600
401			2013	CTR	19800	24100	24900	16800
401			2014	CTR	16900	20600	20800	14400
401			2015	CTR	17100	20900	21000	14500
401			2016	CTR	16400	20000	20200	13900
401			2017	CTR	17200	23000	22900	14000
401			2018	CTR	17300	23100	23000	14100
401			2019	CTR	17500	23300	23200	14200
401	UPPER CANADA RD IC-758 S D & G RD 8A	8.1	1988	IT	12300	17800	16400	9100
401			1989	IT	14000	19500	18800	10900
401			1990	CR	14500	18000	16700	13000
401			1991	IT	14500	18800	17800	12500
401			1992	IT	12900	16800	16000	11000
401			1993	CTR	15100	19000	18300	12800
401			1994	CR	14400	17700	16400	13000
401			1995	CR	14900	18500	17600	12800
401			1996	CR	14500	17900	17000	12400
401			1997	IT	14700	19300	19000	12200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1998	IT	14800	19100	18900	12000
401			1999	IT	15400	19900	19600	12500
401			2000	IT	15600	20100	19800	12800
401			2001	IT	15700	20500	20000	12800
401			2002	IT	15800	20600	20100	13000
401			2003	IT	16000	20400	20400	13100
401			2004	CR	16400	20200	19200	13900
401			2005	CR	16400	19900	19100	13800
401			2006	CR	16500	20000	19200	13900
401			2007	CR	16400	19800	19800	13800
401			2008	CR	16800	20300	20200	14200
401			2009	IR	17000	20400	18500	14400
401			2010	IR	17200	20500	18700	14600
401			2011	IR	17400	20800	20300	14900
401			2012	IR	16800	20000	19500	14400
401			2013	CR	17600	21100	21600	14900
401			2014	CR	17700	20900	20700	15100
401			2015	CR	17900	21100	21000	15200
401			2016	CTR	18200	22200	22400	15500
401			2017	CTR	18200	24300	24200	14800
401			2018	CTR	18400	24600	24500	15000
401			2019	CTR	18600	24800	24700	15100
401	SD&G CTY RD 31 IC-750 MORRISBURG	12.5	1988	IT	11200	16200	14900	8300
401			1989	IT	15000	20800	20100	11700
401			1990	IT	15400	19600	19100	12900
401			1991	IT	12800	16600	15700	11000
401			1992	IT	12700	16500	15700	10800
401			1993	IT	14800	18200	18400	12600
401			1994	IT	14700	19100	18200	12500
401			1995	IT	15100	19300	18400	12900
401			1996	IT	15600	20500	20000	12900
401			1997	IT	16100	21100	20800	13400
401			1998	IT	16600	21400	21200	13400
401			1999	IT	17000	21900	21600	13800
401			2000	IT	17100	22100	21700	14000
401			2001	IT	17700	23100	22600	14400
401			2002	IT	18100	23600	23100	14900
401			2003	IT	18600	23700	23700	15200
401			2004	IT	19000	24800	24200	15500
401			2005	IT	18300	23300	23200	15200
401			2006	IT	17700	22500	22400	14500
401			2007	IT	17100	21900	22900	14000
401			2008	IT	16700	21500	20300	14000
401			2009	IT	16700	21000	21000	13900
401			2010	IT	17100	21400	21500	14100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2011	IR	18200	21700	21300	15500
401			2012	CTR	16900	20500	20200	14400
401			2013	CR	16000	19200	19700	13500
401			2014	CR	17900	21100	21000	15200
401			2015	CR	17900	21100	21000	15200
401			2016	CTR	18200	22200	22400	15500
401			2017	CTR	18100	24200	24100	14700
401			2018	CTR	18200	24300	24200	14800
401			2019	CTR	18300	24400	24300	14900
401	CARMAN RD IC-738 S D & G RD 1	7.9	1988	IT	12000	17400	16000	8900
401			1989	IT	13700	19000	18400	10700
401			1990	IT	14200	18000	17600	11900
401			1991	IT	13900	18100	17100	12000
401			1992	IT	13400	17400	16600	11400
401			1993	IT	14400	17700	17900	12200
401			1994	IT	15400	20000	19100	13100
401			1995	IT	16000	20500	19500	13700
401			1996	IT	16600	21900	21200	13700
401			1997	IT	17100	22400	22100	14200
401			1998	IT	17700	22800	22700	14300
401			1999	IT	16900	21800	21500	13700
401			2000	IT	17100	22100	21700	14000
401			2001	IT	17200	22500	21900	14000
401			2002	IT	17200	22400	21900	14200
401			2003	IT	16300	20800	20800	13400
401			2004	IT	16900	22100	21500	13700
401			2005	IT	16700	21300	21200	13900
401			2006	IT	16700	21300	21100	13700
401			2007	CR	16300	19700	19700	13700
401			2008	CR	17000	20600	20400	14300
401			2009	CR	17000	20400	19700	14400
401			2010	CR	17000	20400	19700	14400
401			2011	CR	17000	19800	20000	15100
401			2012	CTR	16900	20500	20200	14400
401			2013	CR	19000	22800	23400	16100
401			2014	CR	17500	20600	20500	14900
401			2015	CR	17500	20600	20500	14900
401			2016	CTR	17200	21000	21200	14600
401			2017	CTR	17600	23500	23400	14300
401			2018	CTR	17600	23500	23400	14300
401			2019	CTR	17700	23600	23500	14400
401	SHANLY RD IC-730 L & G RD 22	8.7	1988	IT	12300	17800	16400	9100
401			1989	IT	12800	17800	17200	10000
401			1990	IT	13200	16800	16400	11100
401			1991	IT	13600	17700	16700	11700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1992	IT	13900	18100	17200	11800
401			1993	IT	14600	18000	18100	12400
401			1994	IT	15300	19900	19000	13000
401			1995	IT	16000	20500	19500	13700
401			1996	IT	15400	20300	19700	12700
401			1997	IR	15400	19200	17200	13100
401			1998	IR	15500	19200	17400	13000
401			1999	IT	16300	21000	20700	13200
401			2000	LT	17800	24800	24300	13000
401			2001	LT	16800	23500	22900	12300
401			2002	LT	17000	23800	23100	12500
401			2003	LT	16800	23100	22600	12400
401			2004	LT	17400	24400	23700	12700
401			2005	LT	17600	24100	23600	12900
401			2006	LT	17800	24400	23800	13100
401			2007	LT	18000	24700	25400	13200
401			2008	LT	18200	24900	23900	13400
401			2009	LT	18400	24800	24300	13600
401			2010	LT	18600	25000	24500	13700
401			2011	IR	18800	22400	22000	16100
401			2012	IR	19000	22600	22000	16200
401			2013	IR	17500	20800	22300	14900
401			2014	IR	19100	22700	22800	16300
401			2015	IR	19300	23000	23000	16400
401			2016	CTR	19900	24300	24500	16900
401			2017	CTR	19700	26300	26200	16100
401			2018	CTR	19900	26600	26500	16200
401			2019	CTR	20100	26800	26700	16400
401	HWY 16 IC-721B JOHNSTOWN	1.1	1988	IT	16500	23900	21900	12200
401			1989	IT	18900	26300	25300	14700
401			1990	IR	19900	25300	22100	16300
401			1991	IT	20100	26100	24700	17300
401			1992	IT	20300	26400	25200	17300
401			1993	T	23200	42000	40800	14400
401			1994	LR	25000	41100	33100	16300
401			1995	IT	21000	26800	25600	17900
401			1996	IR	21400	26600	23900	18200
401			1997	IR	22000	27500	24600	18700
401			1998	IR	22800	28300	25500	19200
401			1999	IR	24900	30900	27600	20900
401			2000	IR	24600	30100	27200	20800
401			2001	IR	22500	27800	24900	19000
401			2002	IR	22300	27500	24700	19000
401			2003	IR	23200	28200	25500	19700
401			2004	IR	20500	25300	22700	17300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2005	IR	20200	24400	22100	17200
401			2006	IR	19000	22900	20800	16100
401			2007	IR	17600	21300	21300	14900
401			2008	IR	19000	23000	22600	16200
401			2009	IR	19000	22800	20700	16200
401			2010	IR	18700	22300	20400	15900
401			2011	IR	18400	21900	21500	15700
401			2012	CTR	18400	22300	22000	15700
401			2013	CTR	17700	21500	22300	15000
401			2014	CTR	17400	21200	21400	14800
401			2015	CTR	17100	20900	21000	14500
401			2016	CTR	16800	20500	20700	14300
401			2017	CTR	16400	21900	21800	13400
401			2018	CTR	16100	21500	21400	13100
401			2019	CTR	15800	21100	21000	12900
401	HWY 416 IC-721A	4.0	1988	IT	16500	23900	21900	12200
401			1989	IT	18900	26300	25300	14700
401			1990	IR	19900	25300	22100	16300
401			1991	IT	20100	26100	24700	17300
401			1992	IT	20300	26400	25200	17300
401			1993	T	23200	42000	40800	14400
401			1994	LR	25000	41100	33100	16300
401			1995	IT	21000	26800	25600	17900
401			1996	IR	21400	26600	23900	18200
401			1997	IR	22000	27500	24600	18700
401			1998	IR	22800	28300	25500	19200
401			1999	IR	23900	29600	26500	20100
401			2000	IR	24600	30100	27200	20800
401			2001	IR	25000	30900	27700	21100
401			2002	IR	25800	31800	28600	21900
401			2003	IR	26400	32000	29000	22400
401			2004	IR	26000	32100	28800	22000
401			2005	IR	26400	31900	28900	22500
401			2006	IR	26800	32300	29300	22800
401			2007	IR	27200	33000	32900	23000
401			2008	IR	27800	33700	33000	23800
401			2009	IR	28200	33800	30700	24000
401			2010	IR	28600	34000	31100	24300
401			2011	IR	29000	34600	33900	24800
401			2012	CTR	29400	35700	35200	25000
401			2013	CTR	29800	36300	37500	25300
401			2014	CTR	30300	37000	37300	25800
401			2015	CTR	30700	37500	37800	26100
401			2016	CTR	31100	37900	38300	26400
401			2017	CTR	31500	42100	41900	25700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2018	CTR	31900	42600	42400	26000
401			2019	CTR	32400	43200	43000	26400
401	EDWARD ST IC-716 L & G RD 18	11.4	1988	IT	14700	21300	19600	10900
401			1989	IT	15200	21100	20400	11900
401			1990	IR	15800	20100	17500	13000
401			1991	IT	16100	20900	19800	13800
401			1992	IT	16900	22000	21000	14400
401			1993	IT	17600	21600	21800	15000
401			1994	IT	19700	25600	24400	16700
401			1995	IT	21800	27900	26600	18600
401			1996	IR	23900	29700	26700	20400
401			1997	IT	24100	31600	31100	20000
401			1998	IT	24300	31300	31100	19700
401			1999	IT	25000	32200	31800	20200
401			2000	IR	24900	30500	27600	21000
401			2001	IT	26600	34700	33900	21600
401			2002	IT	26700	34800	34000	22000
401			2003	IR	27700	33600	30500	23500
401			2004	IR	27900	34500	30900	23600
401			2005	IT	28300	36000	35900	23500
401			2006	IR	28500	34400	31100	24200
401			2007	IR	29900	36200	36100	25300
401			2008	IR	30500	36900	36300	26100
401			2009	IR	31200	37400	34000	26500
401			2010	IR	31900	38000	34700	27200
401			2011	IR	32500	38800	38000	27800
401			2012	CTR	30800	37400	36900	26200
401			2013	CTR	33800	41100	42500	28700
401			2014	CTR	34000	41500	41800	28900
401			2015	CTR	34600	42200	42600	29400
401			2016	CTR	35800	43700	44000	30400
401			2017	CTR	36000	48100	47900	29300
401			2018	CTR	36600	48900	48700	29800
401			2019	CTR	37200	49600	49300	30300
401	MAITLAND RD IC-705 L & G RD 15	6.6	1988	IT	17200	24900	22900	12700
401			1989	IT	17700	24600	23700	13800
401			1990	IR	18400	23400	20400	15100
401			1991	IT	18600	24200	22900	16000
401			1992	IT	18700	24300	23200	15900
401			1993	IT	21300	26200	26400	18100
401			1994	IT	21100	27400	26200	17900
401			1995	IT	21700	27700	26500	18500
401			1996	IT	22400	29500	28700	18500
401			1997	IT	23100	30300	29800	19200
401			1998	IT	23800	30700	30500	19300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1999	IT	24500	31600	31100	19800
401			2000	IT	25200	32500	32000	20700
401			2001	IT	25800	33700	32900	21000
401			2002	IT	26500	34500	33800	21800
401			2003	IR	27200	33000	29900	23100
401			2004	IR	28900	35700	32000	24400
401			2005	IR	29000	35000	31800	24700
401			2006	IR	29000	35000	31700	24600
401			2007	IR	30200	36600	36500	25600
401			2008	IR	30900	37400	36700	26400
401			2009	IR	31600	37900	34400	26900
401			2010	IR	32300	38500	35200	27500
401			2011	IR	33000	39400	38500	28200
401			2012	CTR	31100	37700	37300	26500
401			2013	C	34400	37900	37400	31000
401			2014	C	34700	38200	37100	31200
401			2015	C	35300	38800	37800	31800
401			2016	UC	36500	36600	35100	34600
401			2017	UC	36800	36600	36900	35300
401			2018	UC	37400	37100	37700	35900
401			2019	UC	38100	37500	38100	36700
401	N AUGUSTA RD IC-698 BROCKVILLE	1.8	1988	IT	15300	22200	20300	11300
401			1989	IT	16000	22200	21400	12500
401			1990	IR	16600	21100	18400	13600
401			1991	IT	16900	22000	20800	14500
401			1992	IT	17500	22800	21700	14900
401			1993	IT	18100	22300	22400	15400
401			1994	IT	18800	24400	23300	16000
401			1995	IT	19400	24800	23700	16600
401			1996	IT	20000	26300	25600	16500
401			1997	IT	20600	27000	26600	17100
401			1998	IT	21200	27300	27100	17200
401			1999	IT	22300	28800	28300	18100
401			2000	IT	23100	29800	29300	18900
401			2001	IT	23800	31100	30300	19400
401			2002	IT	24600	32000	31300	20300
401			2003	IR	25200	30600	27700	21400
401			2004	IR	26400	32600	29300	22300
401			2005	IR	26800	32300	29400	22800
401			2006	IR	27600	33300	30200	23400
401			2007	IR	28400	34400	34300	24100
401			2008	IR	29100	35200	34600	24900
401			2009	IR	29400	35300	32000	25000
401			2010	IR	29800	35500	32500	25400
401			2011	IR	27000	32200	31500	23100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2012	CTR	33300	40400	39900	28400
401			2013	C	31600	34800	34400	28400
401			2014	C	32700	36000	35000	29400
401			2015	C	33400	36700	35700	30100
401			2016	CTR	33600	41000	41300	28600
401			2017	CTR	34700	46400	46100	28300
401			2018	CTR	35400	47300	47100	28800
401			2019	CTR	36100	48100	47900	29400
401	HWY 29 IC-696 STEWART BV BROCKVILLE	9.8	1988	IT	15000	21800	20000	11100
401			1989	IT	15700	21800	21000	12200
401			1990	IR	16400	20800	18200	13400
401			1991	IT	16800	21800	20700	14400
401			1992	IT	17500	22800	21700	14900
401			1993	IT	19100	23500	23700	16200
401			1994	IT	19100	24800	23700	16200
401			1995	IT	19900	25400	24300	17000
401			1996	IT	20600	27100	26400	17000
401			1997	IT	21300	27900	27500	17700
401			1998	IT	22000	28400	28200	17800
401			1999	IT	22100	28500	28100	17900
401			2000	IT	22600	29200	28700	18500
401			2001	IT	23100	30200	29400	18800
401			2002	IT	23700	30800	30200	19500
401			2003	IR	23900	29000	26300	20300
401			2004	IR	24700	30500	27400	20900
401			2005	IR	25200	30400	27600	21500
401			2006	IR	25700	31000	28100	21800
401			2007	IR	26300	31900	31800	22300
401			2008	IR	26800	32500	31900	22900
401			2009	IR	27300	32800	29800	23200
401			2010	IR	27800	33100	30300	23700
401			2011	IR	28300	33800	33000	24200
401			2012	CTR	26000	31500	31100	22100
401			2013	CTR	26500	32300	33300	22500
401			2014	CTR	28800	35100	35400	24500
401			2015	CTR	29200	35600	35900	24800
401			2016	CTR	31000	37800	38100	26400
401			2017	CTR	30300	40500	40300	24700
401			2018	CTR	30800	41100	41000	25100
401			2019	CTR	31300	41700	41500	25500
401	HWY 2 IC-687	1.9	1988	IT	14200	20600	18900	10500
401			1989	IT	15200	21100	20400	11900
401			1990	IR	16000	20300	17800	13100
401			1991	IT	16400	21300	20200	14100
401			1992	IT	17000	22100	21100	14400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1993	IT	17700	21800	21900	15000
401			1994	IT	18400	23900	22800	15600
401			1995	IT	19200	24500	23400	16400
401			1996	IT	19900	26200	25500	16400
401			1997	IT	20600	27000	26600	17100
401			1998	IT	21300	27500	27300	17300
401			1999	IT	20100	25900	25500	16300
401			2000	IT	21100	27200	26800	17300
401			2001	IT	22100	28900	28200	18000
401			2002	IT	23100	30100	29400	19000
401			2003	IR	25000	30300	27500	21200
401			2004	IR	25000	30900	27700	21100
401			2005	IR	26400	31900	28900	22500
401			2006	IR	27000	32600	29500	22900
401			2007	IR	27000	32700	32600	22900
401			2008	IR	27800	33700	33000	23800
401			2009	IR	28500	34200	31100	24200
401			2010	IR	29200	34800	31800	24900
401			2011	IR	27900	33300	32600	23800
401			2012	CTR	28500	34600	34100	24300
401			2013	CTR	30600	37200	38500	26000
401			2014	CTR	31100	37900	38300	26400
401			2015	CTR	31800	38800	39100	27000
401			2016	CTR	32400	39500	39900	27500
401			2017	CTR	33000	44100	43900	26900
401			2018	CTR	33700	45000	44800	27400
401			2019	CTR	34300	45700	45500	27900
401	THOUSAND ISLANDS PKWY(WBL) IC-685	9.2	1988	IT	15600	22600	20700	11500
401			1989	IT	16800	23400	22500	13100
401			1990	IR	18000	22900	20000	14800
401			1991	IT	18200	23700	22400	15700
401			1992	IT	17900	23300	22200	15200
401			1993	IT	18500	22800	22900	15700
401			1994	IT	19000	24700	23600	16200
401			1995	IT	19600	25100	23900	16700
401			1996	CTR	20100	25700	24700	16900
401			1997	CTR	21900	28000	26900	18400
401			1998	IT	22700	29300	29100	18400
401			1999	CTR	22300	28100	27000	18700
401			2000	CTR	22900	28900	27700	19200
401			2001	CTR	23500	29700	28400	19800
401			2002	CTR	24100	30400	29200	20300
401			2003	IR	24700	30000	27200	21000
401			2004	IR	24900	30800	27600	21000
401			2005	IR	25900	31300	28400	22100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2006	IR	26200	31600	28600	22300
401			2007	HT	27000	43600	39700	12700
401			2008	HT	27600	43700	42900	13200
401			2009	IR	28200	33800	30700	24000
401			2010	IR	28800	34300	31400	24500
401			2011	IR	23000	27400	26900	19600
401			2012	CTR	25700	31200	30800	21900
401			2013	CTR	28400	34600	35700	24100
401			2014	CTR	28800	35100	35400	24500
401			2015	CTR	29300	35700	36000	24900
401			2016	CTR	30400	37100	37400	25800
401			2017	CTR	30200	40400	40200	24600
401			2018	CTR	30700	41000	40800	25000
401			2019	CTR	31100	41400	41300	25300
401	MALLORYTOWN RD IC-675 L & G RD 5	14.3	1988	IT	14900	21600	19800	11000
401			1989	IT	15600	21700	20900	12200
401			1990	IR	16000	20300	17800	13100
401			1991	IT	16600	21600	20400	14300
401			1992	IT	17600	22900	21800	15000
401			1993	IT	18700	23000	23200	15900
401			1994	IT	19800	25700	24600	16800
401			1995	IT	21000	26800	25600	17900
401			1996	IT	22500	29600	28800	18500
401			1997	IT	23200	30400	29900	19300
401			1998	IT	24300	31300	31100	19700
401			1999	IT	25400	32800	32300	20600
401			2000	IT	26500	34200	33700	21700
401			2001	IT	27600	36100	35200	22500
401			2002	IT	28200	36700	35900	23200
401			2003	IT	29600	37800	37700	24200
401			2004	IT	30000	39200	38200	24400
401			2005	IT	26400	33600	33500	21900
401			2006	IT	26900	34200	34000	22100
401			2007	IT	29500	37800	39500	24100
401			2008	IT	30000	38600	36500	25200
401			2009	IR	28000	33600	30500	23800
401			2010	IR	30200	36000	32900	25700
401			2011	IR	31500	37600	36800	26900
401			2012	CTR	25700	31200	30800	21900
401			2013	CTR	26500	32300	33300	22500
401			2014	CTR	30800	37600	37900	26200
401			2015	CTR	31200	38100	38400	26500
401			2016	CTR	34300	41800	42200	29200
401			2017	CTR	32500	43400	43200	26500
401			2018	CTR	32900	43900	43800	26800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2019	CTR	33300	44400	44200	27100
401	HWY 137 IC-661 HILL ISLAND BR TO USA	2.0	1988	IT	14200	20600	18900	10500
401			1989	IT	15000	20800	20100	11700
401			1990	IR	15500	19700	17200	12700
401			1991	IT	16300	21200	20000	14000
401			1992	IT	18800	24400	23300	16000
401			1993	IT	19400	23900	24100	16500
401			1994	IT	19900	25900	24700	16900
401			1995	IT	20600	26300	25100	17600
401			1996	IT	21600	28400	27600	17800
401			1997	IT	22500	29500	29000	18700
401			1998	IT	23400	30200	30000	19000
401			1999	IT	23100	29800	29300	18700
401			2000	IT	23600	30400	30000	19400
401			2001	IT	24100	31500	30700	19600
401			2002	IT	24600	32000	31300	20300
401			2003	IR	25400	30800	27900	21600
401			2004	IR	25600	31600	28400	21600
401			2005	IR	25700	31000	28200	21900
401			2006	IR	26700	32200	29200	22700
401			2007	IR	26800	32500	32400	22700
401			2008	IR	24200	29300	28800	20700
401			2009	IR	25200	30200	27500	21400
401			2010	IR	27100	32300	29500	23100
401			2011	IR	27500	32800	32100	23500
401			2012	CTR	27900	33800	33400	23800
401			2013	CTR	28300	34400	35600	24000
401			2014	CTR	28600	34900	35200	24300
401			2015	CTR	24700	30100	30400	21000
401			2016	CTR	28500	34800	35100	24200
401			2017	CTR	28900	38600	38400	23500
401			2018	CTR	29200	39000	38800	23800
401			2019	CTR	29600	39400	39300	24100
401	REYNOLDS RD IC-659	11.1	1988	IT	14300	20700	19000	10600
401			1989	IT	15100	21000	20200	11800
401			1990	IR	15800	20100	17500	13000
401			1991	IT	16400	21300	20200	14100
401			1992	IT	18900	24600	23400	16100
401			1993	IT	19500	24000	24200	16600
401			1994	IR	19900	24500	21900	16700
401			1995	IR	20900	25700	23000	17800
401			1996	IR	21400	26600	23900	18200
401			1997	IR	21900	27400	24500	18600
401			1998	IR	22500	27900	25200	18900
401			1999	IR	23200	28800	25800	19500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2000	IR	23900	29300	26500	20200
401			2001	IR	24500	30300	27100	20700
401			2002	IR	25000	30800	27700	21300
401			2003	IR	25600	31100	28200	21700
401			2004	IR	26300	32500	29100	22200
401			2005	IR	26500	32000	29000	22600
401			2006	IR	26800	32300	29300	22800
401			2007	IR	26900	32600	32500	22800
401			2008	IR	27000	32700	32100	23100
401			2009	IR	28100	33700	30600	23900
401			2010	IR	26300	31300	28600	22400
401			2011	IR	26300	31400	30700	22500
401			2012	CTR	25100	30500	30100	21400
401			2013	CTR	29100	35400	36600	24700
401			2014	CTR	28900	35300	35500	24600
401			2015	CTR	29300	35700	36000	24900
401			2016	CTR	30400	37100	37400	25800
401			2017	CTR	30200	40400	40200	24600
401			2018	CTR	30600	40900	40700	24900
401			2019	CTR	31000	41300	41100	25200
401	HWY 2 IC-648	1.4	1988	IT	13400	19400	17800	9900
401			1989	IT	14200	19700	19000	11100
401			1990	IR	15000	19000	16600	12300
401			1991	IT	15800	20500	19400	13600
401			1992	IT	16700	21700	20700	14200
401			1993	IT	17500	21500	21700	14900
401			1994	IT	18500	24000	22900	15700
401			1995	IT	19500	24900	23800	16700
401			1996	IT	20000	26300	25600	16500
401			1997	IT	20800	27200	26800	17300
401			1998	IT	21700	28000	27800	17600
401			1999	IT	21300	27500	27100	17300
401			2000	IT	21700	28000	27600	17800
401			2001	IR	22000	27200	24400	18600
401			2002	IR	22500	27700	24900	19100
401			2003	IR	22700	27600	25000	19300
401			2004	IR	23400	28900	25900	19800
401			2005	IR	23900	28800	26200	20400
401			2006	IR	24300	29300	26600	20600
401			2007	IR	24000	29100	29000	20300
401			2008	IR	23100	28000	27500	19700
401			2009	IR	24900	29900	27100	21200
401			2010	IR	25200	30000	27400	21400
401			2011	IR	25600	30500	29900	21900
401			2012	IR	26000	30900	30100	22200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2013	IR	26300	31300	33600	22400
401			2014	IR	26700	31800	31900	22700
401			2015	IR	27100	32300	32300	23100
401			2016	CTR	27400	33400	33700	23300
401			2017	CTR	27800	37200	37000	22700
401			2018	CTR	28200	37700	37500	23000
401			2019	CTR	28500	38000	37800	23200
401	THOUSAND ISLANDS PKWY(EBL) IC-647	1.5	1988	IT	14800	21500	19700	11000
401			1989	IT	15500	21500	20800	12100
401			1990	IR	16400	20800	18200	13400
401			1991	IT	17000	22100	20900	14600
401			1992	IT	19400	25200	24100	16500
401			1993	IT	22100	27200	27400	18800
401			1994	IT	20000	26000	24800	17000
401			1995	IT	21000	26800	25600	17900
401			1996	IT	21500	28300	27500	17700
401			1997	IT	22300	29200	28800	18500
401			1998	IT	23100	29800	29600	18700
401			1999	IT	23200	29900	29500	18800
401			2000	IT	23800	30700	30200	19500
401			2001	IT	24300	31700	31000	19800
401			2002	IT	24900	32400	31700	20500
401			2003	CTR	25500	31700	30500	21600
401			2004	IR	25700	31800	28500	21700
401			2005	IR	26600	32100	29100	22700
401			2006	IR	27100	32700	29600	23000
401			2007	IR	27700	33600	33500	23500
401			2008	IR	28200	34200	33500	24100
401			2009	IR	24700	29600	26900	21000
401			2010	IR	28300	33700	30800	24100
401			2011	IR	28800	34400	33600	24600
401			2012	IR	32100	38200	37200	27400
401			2013	IR	28000	33300	35700	23800
401			2014	IR	30400	36200	36300	25900
401			2015	IR	30900	36800	36900	26300
401			2016	CTR	31100	37900	38300	26400
401			2017	CTR	31800	42500	42300	25900
401			2018	CTR	32300	43100	43000	26300
401			2019	CTR	32700	43600	43400	26600
401	HWY 32 IC-645	15.8	1988	IT	15500	22500	20600	11500
401			1989	IT	16400	22800	22000	12800
401			1990	IR	17300	22000	19200	14200
401			1991	IT	18000	23400	22100	15500
401			1992	IT	18900	24600	23400	16100
401			1993	IT	19900	24500	24700	16900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1994	IT	20900	27200	25900	17800
401			1995	IT	21900	28000	26700	18700
401			1996	IT	22500	29600	28800	18500
401			1997	IT	23300	30500	30100	19300
401			1998	IT	24100	31100	30800	19500
401			1999	IT	24200	31200	30700	19600
401			2000	IT	24700	31900	31400	20300
401			2001	IT	25300	33100	32200	20600
401			2002	IT	25900	33700	33000	21300
401			2003	IT	26400	33700	33600	21600
401			2004	IR	27300	33700	30200	23100
401			2005	IT	27000	34400	34300	22400
401			2006	IR	28100	33900	30700	23900
401			2007	IR	28200	34200	34100	23900
401			2008	CR	29100	35200	34900	24500
401			2009	IR	29600	35500	32300	25200
401			2010	IR	30200	36000	32900	25700
401			2011	IR	30700	36600	35900	26200
401			2012	CTR	31300	38000	37500	26700
401			2013	CTR	26500	32300	33300	22500
401			2014	CTR	31300	38200	38500	26600
401			2015	CTR	31800	38800	39100	27000
401			2016	CTR	32300	39400	39700	27500
401			2017	CTR	32700	43700	43500	26600
401			2018	CTR	33200	44300	44200	27000
401			2019	CTR	33700	44900	44700	27400
401	JOYCEVILLE RD IC-632	9.1	1988	IT	16400	23800	21800	12100
401			1989	IT	18800	26100	25200	14700
401			1990	IR	19900	25300	22100	16300
401			1991	IT	20300	26400	25000	17500
401			1992	IT	20600	26800	25500	17500
401			1993	IT	21000	25800	26000	17800
401			1994	IT	21300	27700	26400	18100
401			1995	IT	21700	27700	26500	18500
401			1996	IT	20500	27000	26200	16900
401			1997	IT	21900	28700	28300	18200
401			1998	IT	23300	30100	29800	18900
401			1999	IT	22000	28400	27900	17800
401			2000	IT	23500	30300	29800	19300
401			2001	IT	25000	32700	31900	20300
401			2002	IT	26500	34500	33800	21800
401			2003	CR	28500	34700	33400	24100
401			2004	CR	28700	35300	33700	24200
401			2005	IR	31200	37700	34200	26600
401			2006	IR	31300	37800	34200	26600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2007	IR	31600	38300	38200	26800
401			2008	IR	32500	39400	38600	27800
401			2009	IR	33400	40100	36400	28400
401			2010	IR	34400	41000	37500	29300
401			2011	IR	35300	42100	41200	30100
401			2012	IR	34300	40800	39700	29300
401			2013	IR	36800	43800	47000	31300
401			2014	IR	37700	44900	45000	32100
401			2015	IR	38600	46000	46000	32900
401			2016	CTR	34600	42200	42600	29400
401			2017	CTR	39500	52800	52500	32200
401			2018	CTR	40400	54000	53700	32900
401			2019	CTR	41200	54900	54700	33500
401	HWY 15 IC-623	3.8	1988	IT	20300	29400	27000	15000
401			1989	IT	21200	29500	28400	16500
401			1990	IR	23200	29500	25800	19000
401			1991	IT	25000	32500	30800	21500
401			1992	IT	26900	35000	33400	22900
401			1993	IT	28100	34600	34800	23900
401			1994	IT	30100	39100	37300	25600
401			1995	IT	32500	41500	39600	27800
401			1996	IT	33500	44100	42900	27600
401			1997	IT	34400	45100	44400	28600
401			1998	IT	36100	46600	46200	29200
401			1999	IT	34100	44000	43300	27600
401			2000	IT	34400	44400	43700	28200
401			2001	IT	34800	45500	44300	28300
401			2002	IT	35100	45700	44700	28900
401			2003	IC	34000	37900	38300	30100
401			2004	IC	35800	40000	40200	31700
401			2005	IC	38200	42500	42900	33700
401			2006	IC	39000	43300	43700	34500
401			2007	IC	39600	44000	45300	35000
401			2008	IC	40100	44400	43000	35400
401			2009	IC	40600	45100	45500	36100
401			2010	IC	41200	45600	46000	36500
401			2011	IC	41300	45400	47100	37100
401			2012	IC	41900	46400	45000	37200
401			2013	IC	42500	47000	46800	37700
401			2014	IC	43100	47700	47500	38200
401			2015	IC	43700	48400	48200	38700
401			2016	IC	44200	48900	48700	39200
401			2017	IC	44800	49100	49400	40700
401			2018	IC	45400	50000	50200	41100
401			2019	IC	46000	50500	50800	41500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401	MONTREAL ST IC-619	2.3	1988	IT	19400	28100	25800	14400
401			1989	IT	20000	27800	26800	15600
401			1990	IR	21000	26700	23300	17200
401			1991	IT	21900	28500	26900	18800
401			1992	IT	29600	38500	36700	25200
401			1993	IT	33800	41600	41900	28700
401			1994	IT	30900	40200	38300	26300
401			1995	IT	32700	41800	39900	27900
401			1996	IT	34400	45300	44000	28400
401			1997	IT	36200	47400	46700	30000
401			1998	IT	37900	48900	48500	30700
401			1999	IT	36000	46400	45700	29200
401			2000	IT	36600	47200	46500	30000
401			2001	IT	37200	48600	47400	30300
401			2002	IT	37900	49300	48300	31200
401			2003	CR	36900	44900	43200	31200
401			2004	CR	38100	46900	44700	32200
401			2005	CR	38600	46800	45000	32500
401			2006	CR	40400	49000	47000	34100
401			2007	CR	40300	48800	48800	34000
401			2008	CR	38700	46800	46500	32600
401			2009	CR	41000	49200	47600	34800
401			2010	CR	41500	49700	48000	35100
401			2011	CR	42000	48900	49500	37400
401			2012	CR	42500	50900	50100	35900
401			2013	CR	43000	51500	52900	36400
401			2014	CR	43500	51300	50900	37100
401			2015	CR	44000	51900	51500	37500
401			2016	CR	44500	52400	52100	37900
401			2017	CR	45100	52300	52600	40600
401			2018	CR	45600	53000	53300	40900
401			2019	CR	46100	53500	53800	41400
401	DIVISION ST IC-617 KINGSTON	1.6	1988	IT	19400	28100	25800	14400
401			1989	IT	21100	29300	28300	16500
401			1990	IR	22000	27900	24400	18000
401			1991	IT	23000	29900	28300	19800
401			1992	IT	31000	40300	38400	26400
401			1993	IT	35400	43500	43900	30100
401			1994	IT	32700	42500	40500	27800
401			1995	IT	34700	44400	42300	29600
401			1996	IT	36700	48300	47000	30200
401			1997	IT	38700	50700	49900	32100
401			1998	IT	40600	52400	52000	32900
401			1999	IT	40000	51600	50800	32400
401			2000	IT	41200	53100	52300	33800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2001	IT	42400	55400	54000	34500
401			2002	IT	43600	56700	55500	35900
401			2003	CR	41700	50800	48800	35300
401			2004	CR	43600	53600	51100	36800
401			2005	CR	45700	55500	53300	38500
401			2006	CR	40100	48600	46700	33900
401			2007	CR	40500	49000	49000	34100
401			2008	CR	41000	49600	49200	34600
401			2009	CR	41400	49700	48000	35200
401			2010	CR	41900	50200	48500	35400
401			2011	CR	44200	51500	52100	39300
401			2012	CR	44700	53500	52700	37800
401			2013	CR	45100	54000	55500	38100
401			2014	CR	45500	53600	53300	38800
401			2015	CR	45900	54100	53800	39100
401			2016	CR	46400	54700	54300	39500
401			2017	CR	46800	54300	54600	42100
401			2018	CR	47200	54800	55200	42400
401			2019	CR	47600	55200	55600	42700
401	SIR JOHN A MACDONALD BV IC-615	2.2	1992	IC	31800	35300	35000	28900
401			1993	IC	33100	37400	37100	29500
401			1994	IC	34300	38400	38400	30500
401			1995	IC	35600	39800	40100	32000
401			1996	IC	36800	41300	41500	32800
401			1997	IC	38100	42700	43100	33500
401			1998	IC	39800	44600	44600	35400
401			1999	IC	38200	42800	42800	34000
401			2000	IC	38800	43500	43500	34500
401			2001	IC	39300	43900	44100	34800
401			2002	IC	39800	44400	44700	35100
401			2003	IC	39600	44100	44600	35100
401			2004	IC	41000	45800	46100	36300
401			2005	IC	41600	46200	46700	36700
401			2006	IC	42100	46800	47200	37300
401			2007	IC	42700	47400	48900	37700
401			2008	IC	43200	47900	46300	38100
401			2009	IC	43800	48600	49100	39000
401			2010	IC	44300	49000	49400	39300
401			2011	IC	44900	49400	51200	40300
401			2012	IC	45400	50300	48800	40300
401			2013	IC	45900	50800	50500	40700
401			2014	IC	46500	51500	51200	41200
401			2015	IC	47000	52000	51800	41700
401			2016	IC	47600	52700	52400	42200
401			2017	IC	48100	52700	53100	43700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2018	IC	48700	53600	53900	44100
401			2019	IC	49200	54000	54300	44400
401	SYDENHAM RD IC-613	2.3	1988	IT	20700	30000	27500	15300
401			1989	IT	21500	29900	28800	16800
401			1990	IR	22300	28300	24800	18300
401			1991	IT	23400	30400	28800	20100
401			1992	IT	24900	32400	30900	21200
401			1993	IT	26300	32300	32600	22400
401			1994	IT	27800	36100	34500	23600
401			1995	IT	29300	37500	35700	25000
401			1996	IT	30800	40600	39400	25400
401			1997	IT	32200	42200	41500	26700
401			1998	CTR	34900	44300	42600	29300
401			1999	CTR	35600	44900	43100	29900
401			2000	CTR	35800	45100	43300	30100
401			2001	CTR	37000	46700	44800	31200
401			2002	CTR	38200	48200	46200	32300
401			2003	CTR	39400	49000	47100	33400
401			2004	CTR	39500	49900	47800	33300
401			2005	CTR	41800	51800	49700	35500
401			2006	CTR	42900	53100	50900	36400
401			2007	CTR	44200	54800	54300	37500
401			2008	CTR	45400	56200	55100	38600
401			2009	CTR	46600	56900	55000	39600
401			2010	CTR	47800	58200	55900	40600
401			2011	CTR	49000	59600	57300	41600
401			2012	CTR	50200	60900	60100	42700
401			2013	CTR	51400	62600	64600	43700
401			2014	CTR	52600	64200	64700	44700
401			2015	CTR	53800	65600	66200	45700
401			2016	CTR	55000	67100	67600	46800
401			2017	CTR	56200	75100	74700	45800
401			2018	CTR	57400	76700	76300	46700
401			2019	CTR	58600	78100	77700	47700
401	HWY 38 IC-611	11.9	1988	IT	21800	31600	29000	16100
401			1989	IT	22300	31000	29900	17400
401			1990	IR	23300	29600	25900	19100
401			1991	IT	24300	31600	29900	20900
401			1992	IT	25000	32500	31000	21200
401			1993	IT	25500	31400	31600	21700
401			1994	IR	25900	31900	28500	21700
401			1995	IR	27400	33700	30200	23300
401			1996	IR	28100	34900	31300	23900
401			1997	IR	28900	36100	32400	24600
401			1998	IR	29800	37000	33400	25000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1999	IR	31000	38400	34400	26000
401			2000	IR	32600	39900	36100	27500
401			2001	IR	31600	39100	35000	26700
401			2002	IR	32000	39500	35500	27200
401			2003	IR	32500	39400	35800	27600
401			2004	IR	33000	40800	36600	27900
401			2005	IR	33500	40400	36700	28600
401			2006	IR	34000	41000	37200	28900
401			2007	IR	34600	41900	41800	29300
401			2008	IR	35200	42600	41800	30100
401			2009	IT	34900	44000	44000	29000
401			2010	IC	35500	39300	39600	31500
401			2011	IC	33800	37200	38600	30300
401			2012	IC	35000	38800	37600	31100
401			2013	IC	36800	40700	40500	32600
401			2014	IC	37300	41300	41100	33100
401			2015	IC	37800	41800	41600	33500
401			2016	CTR	38700	47200	47600	32900
401			2017	CTR	38800	51900	51600	31600
401			2018	CTR	39300	52500	52300	32000
401			2019	CTR	39800	53000	52800	32400
401	WILTON RD IC-599	5.6	1988	IT	20000	29000	26600	14800
401			1989	IT	20200	28100	27100	15800
401			1990	IR	21200	26900	23500	17400
401			1991	IT	22900	29800	28200	19700
401			1992	IT	24500	31800	30400	20800
401			1993	IT	25000	30800	31000	21200
401			1994	IT	25600	33300	31700	21800
401			1995	IT	26200	33500	32000	22400
401			1996	IT	26800	35300	34300	22100
401			1997	IT	27400	35900	35300	22700
401			1998	CTR	28100	35700	34300	23600
401			1999	CTR	30000	37800	36300	25200
401			2000	CTR	29300	36900	35500	24600
401			2001	CTR	30000	37900	36300	25300
401			2002	CTR	30600	38600	37000	25800
401			2003	IT	30300	38600	38600	24800
401			2004	CTR	31700	40000	38400	26700
401			2005	CTR	32300	40000	38400	27400
401			2006	CTR	32900	40700	39000	27900
401			2007	CTR	33500	41500	41100	28400
401			2008	CR	34100	41300	40900	28700
401			2009	CR	34700	41600	40300	29500
401			2010	CR	35300	42300	40800	29800
401			2011	CR	35900	41800	42300	31900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2012	IC	34100	37800	36600	30300
401			2013	IC	36600	40500	40300	32500
401			2014	IC	37100	41100	40900	32900
401			2015	IC	37700	41700	41500	33400
401			2016	CTR	38800	47300	47700	33000
401			2017	CTR	38900	52000	51700	31700
401			2018	CTR	39500	52800	52500	32200
401			2019	CTR	40000	53300	53100	32500
401	IC 593 CAMDEN E RD	11.2	1988	IT	18800	27300	25000	13900
401			1989	IT	20700	28800	27700	16100
401			1990	IR	22700	28800	25200	18600
401			1991	IR	25000	31500	27800	20800
401			1992	IR	24500	30100	27000	20800
401			1993	T	25000	45200	44000	15500
401			1994	IR	25500	31400	28100	21400
401			1995	IR	26600	32800	29300	22700
401			1996	C	26600	30100	30300	24000
401			1997	C	27000	30500	30800	24300
401			1998	IR	27300	33900	30600	22900
401			1999	IR	28700	35600	31900	24100
401			2000	IR	30000	36800	33200	25400
401			2001	IR	30000	37100	33200	25400
401			2002	IR	30600	37700	33900	26000
401			2003	IR	31300	38000	34400	26600
401			2004	IR	31900	39400	35300	27000
401			2005	IR	32100	38700	35200	27400
401			2006	IR	32700	39400	35700	27800
401			2007	IR	33300	40300	40200	28200
401			2008	IR	33900	41100	40300	29000
401			2009	IR	33800	40600	36800	28700
401			2010	IR	35100	41800	38200	29900
401			2011	IR	35700	42600	41700	30500
401			2012	CTR	36000	43700	43100	30700
401			2013	CTR	34000	41400	42800	28900
401			2014	CTR	36800	44900	45300	31300
401			2015	CTR	37300	45500	45900	31700
401			2016	CTR	38600	47100	47500	32800
401			2017	CTR	38600	51600	51300	31500
401			2018	CTR	39100	52200	52000	31800
401			2019	CTR	39700	52900	52700	32300
401	PALACE RD IC-582	3.4	1988	IT	19700	28600	26200	14600
401			1989	IT	20000	27800	26800	15600
401			1990	IR	20900	26500	23200	17100
401			1991	IR	22000	27700	24400	18300
401			1992	IR	23800	29300	26200	20200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1993	IR	24300	29900	25100	19900
401			1994	IR	25100	30900	27600	21000
401			1995	IR	26000	32000	28700	22200
401			1996	IR	26900	33400	30000	22900
401			1997	IR	27800	34800	31100	23600
401			1998	IR	28800	35700	32300	24200
401			1999	IR	29000	36000	32200	24400
401			2000	IR	32600	39900	36100	27500
401			2001	IR	29000	35800	32100	24500
401			2002	IR	30000	37000	33200	25500
401			2003	IR	31300	38000	34400	26600
401			2004	IR	32300	39900	35800	27300
401			2005	IR	29500	35600	32300	25200
401			2006	IR	32400	39100	35400	27500
401			2007	IR	33000	40000	39900	28000
401			2008	IR	33500	40600	39800	28600
401			2009	IR	34000	40800	37100	28900
401			2010	IR	34600	41200	37700	29500
401			2011	IR	35100	41900	41000	30000
401			2012	CTR	34800	42200	41700	29600
401			2013	CTR	36000	43800	45300	30600
401			2014	CTR	36500	44500	44900	31000
401			2015	CTR	37000	45100	45500	31400
401			2016	CTR	37700	46000	46400	32000
401			2017	CTR	38100	50900	50700	31000
401			2018	CTR	38600	51600	51300	31400
401			2019	CTR	39100	52100	51900	31800
401	L&A CTY RD 41 IC-579 CENTRE ST	8.3	1988	IT	17200	24900	22900	12700
401			1989	IT	17700	24600	23700	13800
401			1990	IR	18500	23500	20500	15200
401			1991	IR	20000	25200	22200	16600
401			1992	IR	20000	24600	22000	17000
401			1993	IR	20400	25100	21100	16700
401			1994	IR	21900	27000	24100	18400
401			1995	IR	22700	28000	25000	19300
401			1996	IR	23600	29300	26300	20100
401			1997	IR	24400	30500	27300	20700
401			1998	IR	25200	31200	28200	21200
401			1999	IR	26100	32400	29000	21900
401			2000	IR	26900	33000	29800	22700
401			2001	IR	27700	34200	30700	23400
401			2002	IR	28300	34900	31400	24100
401			2003	IR	29300	35600	32200	24900
401			2004	IR	30100	37200	33400	25400
401			2005	IR	31700	38300	34700	27000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2006	IR	32300	39000	35300	27400
401			2007	IR	32800	39700	39600	27800
401			2008	IR	33300	40300	39600	28500
401			2009	IR	34200	41000	37300	29100
401			2010	IR	34800	41400	37900	29600
401			2011	IR	36000	42900	42000	30700
401			2012	IR	36800	43800	42600	31500
401			2013	IR	34000	40500	43400	28900
401			2014	IR	37700	44900	45000	32100
401			2015	IR	38500	45800	45900	32800
401			2016	IR	39300	46800	46900	33500
401			2017	IR	40100	45300	45600	34600
401			2018	IR	40800	46100	46500	35300
401			2019	IR	41600	47100	47500	36200
401	DESERONTO RD IC-570	4.1	1988	IT	18600	27000	24700	13800
401			1989	IT	19100	26500	25600	14900
401			1990	IR	19800	25100	22000	16200
401			1991	IR	20300	25600	22500	16800
401			1992	IR	20900	25700	23000	17800
401			1993	IR	21400	26300	22100	17500
401			1994	IR	22700	28000	25000	19000
401			1995	IR	23500	28900	25900	20000
401			1996	IR	24200	30100	27000	20600
401			1997	IR	25000	31200	28000	21200
401			1998	IR	25800	32000	28900	21700
401			1999	IR	26500	32900	29400	22300
401			2000	IR	27300	33400	30200	23100
401			2001	IR	28100	34700	31100	23800
401			2002	IR	28800	35500	31900	24500
401			2003	IR	29600	35900	32600	25100
401			2004	IR	30500	37700	33800	25800
401			2005	IR	31100	37500	34100	26500
401			2006	IR	31900	38500	34900	27100
401			2007	IR	32700	39600	39500	27700
401			2008	IR	31800	38500	37800	27200
401			2009	IR	33800	40600	36800	28700
401			2010	IR	34500	41100	37600	29400
401			2011	IR	35200	42000	41100	30100
401			2012	IR	36000	42800	41700	30800
401			2013	IR	29900	35600	38200	25400
401			2014	IC	28600	31700	31500	25400
401			2015	IC	35300	39100	38900	31300
401			2016	CTR	35300	43100	43400	30000
401			2017	CTR	36300	48500	48300	29600
401			2018	CTR	36800	49100	48900	30000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2019	CTR	37300	49700	49500	30300
401	HWY 49 IC-566 HASTINGS RD 15 MARYSVILLE RD	10.5	1988	IT	19000	27600	25300	14100
401			1989	IT	20300	28200	27200	15800
401			1990	IR	21800	27700	24200	17900
401			1991	IR	23900	30100	26500	19800
401			1992	IR	23500	28900	25900	20000
401			1993	IR	24200	29800	25000	19800
401			1994	IR	24800	30600	27300	20800
401			1995	IR	25500	31400	28100	21700
401			1996	IR	26100	32400	29100	22200
401			1997	IR	26800	33500	30000	22800
401			1998	IR	27400	34000	30700	23000
401			1999	IR	28000	34700	31100	23500
401			2000	IR	28600	35000	31700	24200
401			2001	IR	29300	36200	32500	24800
401			2002	IR	29900	36900	33100	25400
401			2003	IR	30500	37000	33600	25900
401			2004	IR	31200	38600	34600	26400
401			2005	IR	31800	38400	34800	27100
401			2006	IR	32400	39100	35400	27500
401			2007	IR	33100	40100	40000	28000
401			2008	IR	33700	40800	40100	28800
401			2009	IR	34300	41200	37400	29200
401			2010	IR	35000	41700	38100	29800
401			2011	IR	35600	42500	41600	30400
401			2012	IR	36200	43100	41900	30900
401			2013	IR	36900	43900	47100	31400
401			2014	IR	37500	44600	44700	31900
401			2015	IR	38100	45400	45500	32400
401			2016	CTR	38800	47300	47700	33000
401			2017	CTR	39400	52700	52400	32100
401			2018	CTR	40000	53400	53200	32600
401			2019	CTR	40700	54200	54000	33100
401	SHANNONVILLE RD IC-556 CTY RD 7	12.5	1988	IT	19800	28700	26300	14700
401			1989	IT	20600	28600	27600	16100
401			1990	IR	21300	27100	23600	17500
401			1991	IR	22500	28400	25000	18700
401			1992	IR	23900	29400	26300	20300
401			1993	IR	24400	30000	25200	20000
401			1994	IR	24500	30200	27000	20500
401			1995	IR	24600	30300	27100	21000
401			1996	IR	24700	30700	27600	21000
401			1997	IR	25800	32200	28900	21900
401			1998	IR	27000	33500	30200	22700
401			1999	IR	27600	34200	30600	23200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2000	IR	28800	35300	31900	24300
401			2001	IR	29200	36100	32400	24700
401			2002	IR	29800	36700	33000	25300
401			2003	IR	30500	37000	33600	25900
401			2004	IR	31400	38800	34800	26500
401			2005	IR	31800	38400	34800	27100
401			2006	IR	31200	37600	34100	26500
401			2007	IR	30000	36300	36200	25400
401			2008	IR	30600	37100	36400	26200
401			2009	IR	32800	39400	35800	27900
401			2010	IR	33400	39800	36400	28400
401			2011	IR	33900	40400	39600	28900
401			2012	CTR	34400	41700	41200	29300
401			2013	CTR	35000	42600	44000	29700
401			2014	IC	27700	30700	30500	24600
401			2015	IC	34600	38300	38100	30700
401			2016	CTR	35000	42700	43000	29800
401			2017	CTR	35500	47400	47200	28900
401			2018	CTR	35900	47900	47800	29200
401			2019	CTR	36300	48400	48200	29500
401	HWY 37 IC-544 CANNIFTON RD	0.7	1988	IT	22500	32600	29900	16600
401			1989	IT	23300	32400	31200	18200
401			1990	IR	24000	30500	26600	19700
401			1991	IR	25500	32100	28300	21200
401			1992	IR	25500	31400	28100	21700
401			1993	IR	27800	34200	28700	22700
401			1994	IR	28400	35000	31200	23800
401			1995	IR	29300	36100	32300	25000
401			1996	IR	30300	37600	33800	25800
401			1997	IR	31300	39100	35100	26600
401			1998	IR	33200	41200	37200	27900
401			1999	IR	35400	43900	39300	29700
401			2000	IR	35200	43100	39000	29700
401			2001	IR	35500	43900	39300	30000
401			2002	IR	36300	44800	40200	30900
401			2003	IR	38100	46200	41900	32300
401			2004	IR	39200	48400	43400	33100
401			2005	IR	37700	45500	41300	32100
401			2006	IR	38000	45800	41500	32300
401			2007	IR	38400	46500	46400	32500
401			2008	IR	38900	47100	46200	33200
401			2009	IR	39300	47200	42800	33400
401			2010	IR	39800	47400	43300	33900
401			2011	IR	41800	49900	48800	35700
401			2012	IR	42500	50600	49200	36300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2013	IR	43200	51400	55100	36800
401			2014	IR	43900	52300	52400	37400
401			2015	IR	44600	53100	53200	38000
401			2016	IR	45300	53900	54000	38600
401			2017	IR	46000	56400	56600	39200
401			2018	IR	46700	57500	57200	40000
401			2019	IR	47400	58600	58400	40500
401	HWY 62 UP IC-543	4.2	1988	IT	22100	32000	29400	16400
401			1989	IT	23000	32000	30800	17900
401			1990	IR	24400	31000	27100	20000
401			1991	IR	26400	33300	29300	21900
401			1992	IR	26400	32500	29000	22400
401			1993	IR	28800	35400	29800	23600
401			1994	IR	29200	36000	32100	24500
401			1995	IR	30400	37400	33500	25900
401			1996	IR	31600	39300	35300	26900
401			1997	IR	32800	41000	36700	27900
401			1998	IR	34000	42200	38100	28600
401			1999	IR	35200	43600	39100	29600
401			2000	IR	36400	44600	40300	30800
401			2001	IR	37600	46500	41700	31800
401			2002	IR	38400	47400	42500	32600
401			2003	IR	39800	48300	43800	33800
401			2004	IR	41000	50700	45400	34700
401			2005	IR	37600	45400	41200	32100
401			2006	IR	38000	45800	41500	32300
401			2007	IR	38400	46500	46400	32500
401			2008	IR	38800	47000	46100	33200
401			2009	IR	40900	49100	44600	34800
401			2010	IR	39700	47300	43200	33800
401			2011	IR	34000	40600	39700	29000
401			2012	IR	34500	41000	40000	29500
401			2013	IR	40200	47900	51300	34200
401			2014	IR	40600	48300	48400	34600
401			2015	IR	41000	48800	48900	34900
401			2016	CTR	43100	52600	53000	36600
401			2017	CTR	42100	56300	56000	34300
401			2018	CTR	42500	56800	56500	34600
401			2019	CTR	42900	57200	56900	34900
401	WALLBRIDGE LOYALIST RD IC-538 HASTINGS RD 1	12.2	1988	IT	23000	33400	30600	17000
401			1989	IT	25400	35300	34000	19800
401			1990	IR	27600	35100	30600	22600
401			1991	IR	29100	36700	32300	24200
401			1992	IR	30700	37800	33800	26100
401			1993	IR	32200	39600	33300	26300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1994	IR	32600	40200	35900	27300
401			1995	IR	32900	40500	36300	28000
401			1996	CTR	33300	42600	41000	27900
401			1997	IR	33600	42000	37600	28600
401			1998	IR	33900	42000	38000	28500
401			1999	IR	36200	44900	40200	30400
401			2000	IR	35800	43900	39600	30300
401			2001	IR	34400	42500	38100	29100
401			2002	IR	35900	44300	39800	30500
401			2003	IR	36500	44300	40200	31000
401			2004	IR	36900	45600	40900	31200
401			2005	IR	36900	44500	40400	31500
401			2006	IR	37600	45400	41100	31900
401			2007	IR	38000	46000	45900	32200
401			2008	IR	38400	46500	45600	32800
401			2009	IR	38800	46600	42300	33000
401			2010	IR	39200	46700	42700	33400
401			2011	IR	39600	47200	46200	33800
401			2012	IR	40100	47700	46400	34300
401			2013	IR	40500	48200	51700	34500
401			2014	IR	40900	48700	48800	34800
401			2015	IR	41300	49200	49300	35200
401			2016	CTR	41700	50900	51300	35400
401			2017	CTR	42100	56300	56000	34300
401			2018	CTR	42500	56800	56500	34600
401			2019	CTR	42900	57200	56900	34900
401	GLEN MILLER RD IC-526 HASTINGS RD 4	1.1	1988	IT	21800	31600	29000	16100
401			1989	IT	22300	31000	29900	17400
401			1990	IR	24000	30500	26600	19700
401			1991	IR	26000	32800	28900	21600
401			1992	IR	26800	33000	29500	22800
401			1993	IR	28100	34600	29100	23000
401			1994	IR	29400	36200	32300	24600
401			1995	IR	30700	37800	33800	26200
401			1996	IR	32000	39700	35700	27300
401			1997	IR	32500	40600	36400	27600
401			1998	IR	33100	41000	37100	27800
401			1999	IR	35000	43400	38800	29400
401			2000	IR	36000	44100	39900	30400
401			2001	IR	35000	43300	38800	29600
401			2002	IR	35700	44000	39600	30400
401			2003	IR	37300	45300	41000	31700
401			2004	IR	35500	43900	39300	30000
401			2005	IR	37300	45000	40900	31800
401			2006	IR	38400	46300	42000	32600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2007	IR	39100	47400	47200	33100
401			2008	IR	39800	48200	47300	34000
401			2009	IR	40400	48500	44000	34300
401			2010	IR	41100	48900	44800	35000
401			2011	IR	41800	49900	48800	35700
401			2012	IR	42400	50400	49100	36200
401			2013	IR	43100	51300	55000	36700
401			2014	IR	43700	52000	52100	37200
401			2015	IR	44400	52900	53000	37800
401			2016	CTR	45100	55000	55500	38300
401			2017	CTR	45700	61100	60800	37200
401			2018	CTR	46400	62000	61700	37800
401			2019	CTR	47100	62800	62500	38300
401	QUINTE WEST RD 33 IC-525	3.1	1988	IT	22200	32200	29500	16400
401			1989	IT	24700	34300	33100	19300
401			1990	IR	27100	34400	30100	22200
401			1991	IR	27400	34500	30400	22700
401			1992	IR	27800	34200	30600	23600
401			1993	IR	28100	34600	29100	23000
401			1994	IR	30500	37600	33600	25600
401			1995	IR	31800	39200	35000	27100
401			1996	IR	33100	41100	36900	28200
401			1997	IR	34300	42900	38400	29200
401			1998	IR	35600	44100	39900	29900
401			1999	IR	34800	43200	38600	29200
401			2000	IR	35400	43400	39200	29900
401			2001	IR	36000	44500	39900	30400
401			2002	IR	36600	45100	40600	31100
401			2003	IR	36500	44300	40200	31000
401			2004	IR	37000	45700	41000	31300
401			2005	IR	36400	43900	39900	31000
401			2006	IR	37300	45000	40800	31700
401			2007	IR	35900	43500	43400	30400
401			2008	CR	36300	43900	43600	30600
401			2009	IR	35500	42600	38700	30200
401			2010	IR	37800	45000	41200	32200
401			2011	IR	38100	45500	44500	32500
401			2012	CTR	38000	46100	45500	32400
401			2013	C	39600	43600	43100	35600
401			2014	C	30500	33600	32600	27400
401			2015	C	37800	41600	40400	34000
401			2016	C	38000	41800	40700	34200
401			2017	C	38200	41800	41700	34700
401			2018	C	38400	42100	41900	34700
401			2019	C	38600	42200	41900	34900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401	WOOLER RD IC-522 CTY RD 40	12.4	1988	IT	21200	30700	28200	15700
401			1989	IT	25000	34800	33500	19500
401			1990	IR	26800	34000	29700	22000
401			1991	IR	27100	34100	30100	22500
401			1992	IR	27800	34200	30600	23600
401			1993	IR	28500	35100	29500	23300
401			1994	IR	29100	35900	32000	24400
401			1995	IR	30400	37400	33500	25900
401			1996	IR	32200	40000	35900	27400
401			1997	IR	33400	41800	37400	28400
401			1998	IR	34600	42900	38800	29100
401			1999	IR	32600	40400	36200	27400
401			2000	IR	32900	40300	36400	27800
401			2001	IR	33200	41000	36800	28100
401			2002	IR	33600	41400	37200	28600
401			2003	IR	33200	40300	36500	28200
401			2004	IR	33900	41900	37600	28700
401			2005	IR	34100	41200	37400	29100
401			2006	IR	33700	40700	36800	28600
401			2007	IR	31700	38400	38300	26900
401			2008	IR	32700	39600	38900	27900
401			2009	IR	34000	40800	37100	28900
401			2010	IR	34100	40600	37100	29000
401			2011	IR	34300	40900	40100	29300
401			2012	CTR	34500	41900	41300	29400
401			2013	CTR	37500	45600	47200	31800
401			2014	CTR	35300	43100	43400	30000
401			2015	CTR	35500	43300	43700	30200
401			2016	CTR	35100	42800	43200	29800
401			2017	CTR	35800	47800	47600	29200
401			2018	CTR	36000	48100	47900	29300
401			2019	CTR	36200	48200	48000	29500
401	NORTHUMBERLAND CTY RD 30 IC-509	12.4	1988	IT	22500	32600	29900	16600
401			1989	IT	24800	34500	33200	19300
401			1990	IR	27200	34500	30200	22300
401			1991	IR	27600	34800	30600	22900
401			1992	IR	28100	34600	30900	23900
401			1993	IR	29100	35800	30100	23800
401			1994	IR	29900	36800	32900	25100
401			1995	IR	30700	37800	33800	26200
401			1996	IR	31500	39100	35100	26800
401			1997	IR	32300	40400	36200	27500
401			1998	IR	33100	41000	37100	27800
401			1999	IR	33800	41900	37500	28400
401			2000	IR	33800	41400	37400	28600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2001	IR	33800	41800	37500	28600
401			2002	IR	33100	40800	36700	28100
401			2003	IR	33900	41100	37300	28800
401			2004	IR	34900	43100	38700	29500
401			2005	IR	34800	42000	38100	29700
401			2006	IR	35100	42300	38400	29800
401			2007	IR	35500	43000	42900	30100
401			2008	IR	35800	43400	42600	30600
401			2009	IR	35300	42400	38500	30000
401			2010	IR	36500	43500	39700	31100
401			2011	IR	36800	43900	43000	31400
401			2012	CTR	37200	45100	44600	31700
401			2013	CTR	37500	45600	47200	31800
401			2014	CTR	37900	46200	46600	32200
401			2015	CTR	38200	46600	47000	32500
401			2016	CTR	38600	47100	47500	32800
401			2017	CTR	38900	52000	51700	31700
401			2018	CTR	39200	52400	52100	31900
401			2019	CTR	39600	52800	52500	32200
401	PERCY ST IC-497 CTY RD 25 BIG APPLE DRIVE	10.2	1988	IT	24000	34800	31900	17800
401			1989	IT	26000	36100	34800	20300
401			1990	IR	28000	35600	31100	23000
401			1991	IR	28400	35800	31500	23600
401			1992	IR	28900	35500	31800	24600
401			1993	IR	29900	36800	30900	24500
401			1994	IR	30400	37500	33400	25500
401			1995	IR	30900	38100	34000	26300
401			1996	IR	31400	39000	35000	26700
401			1997	IR	31900	39900	35700	27100
401			1998	IR	32400	40200	36300	27200
401			1999	IR	32900	40800	36500	27600
401			2000	IR	33700	41300	37300	28500
401			2001	IR	34100	42100	37800	28800
401			2002	IR	34400	42400	38100	29200
401			2003	IR	32400	39300	35600	27500
401			2004	IR	33200	41000	36800	28100
401			2005	IR	32600	39300	35700	27800
401			2006	IR	33400	40300	36500	28400
401			2007	IR	34600	41900	41800	29300
401			2008	IR	34500	41800	41000	29500
401			2009	IR	34700	41600	37800	29500
401			2010	IR	35000	41700	38100	29800
401			2011	IR	35200	42000	41100	30100
401			2012	CTR	43800	53100	52500	37300
401			2013	CTR	38500	46900	48400	32700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2014	CTR	38000	46400	46700	32300
401			2015	CTR	38400	46800	47200	32600
401			2016	CTR	36400	44400	44800	30900
401			2017	CTR	38700	51700	51500	31500
401			2018	CTR	39100	52200	52000	31800
401			2019	CTR	39500	52600	52400	32100
401	LYLE ST IC-487 CTY RD 23	12.5	1988	IT	23500	34100	31300	17400
401			1989	IT	25900	36000	34700	20200
401			1990	IT	28400	36100	35200	23900
401			1991	IT	29300	38100	36000	25200
401			1992	IT	30200	39300	37400	25700
401			1993	IT	31100	38300	38600	26400
401			1994	IT	32000	41600	39700	27200
401			1995	IT	32900	42100	40100	28100
401			1996	IT	33700	44400	43100	27800
401			1997	IT	34600	45300	44600	28700
401			1998	IT	35500	45800	45400	28800
401			1999	IT	35300	45500	44800	28600
401			2000	IT	35900	46300	45600	29400
401			2001	IR	36100	44600	40000	30500
401			2002	IR	36900	45500	40900	31400
401			2003	IR	36400	44200	40000	30900
401			2004	IR	36100	44600	40000	30500
401			2005	IR	38200	46100	41900	32600
401			2006	IR	40400	48700	44200	34300
401			2007	IR	36800	44600	44500	31200
401			2008	IR	38500	46600	45800	32900
401			2009	IR	39400	47300	42900	33500
401			2010	IR	39900	47500	43500	34000
401			2011	IR	40300	48100	47100	34400
401			2012	CTR	41100	49900	49200	35000
401			2013	IC	41200	45600	45300	36500
401			2014	IC	41700	46200	45900	37000
401			2015	IC	42100	46600	46400	37300
401			2016	CTR	42500	51800	52300	36100
401			2017	CTR	43000	57500	57200	35000
401			2018	CTR	43400	58000	57700	35300
401			2019	CTR	43900	58500	58200	35700
401	HWY 45 IC-474 COBOURG DIVISION ST COBOURG	2.0	1988	IR	29300	38100	32200	23400
401			1989	IR	30400	39200	33700	24900
401			1990	IR	31800	40400	35300	26100
401			1991	IR	32400	40800	36000	26900
401			1992	IR	32900	40500	36200	28000
401			1993	IR	33500	41200	34600	27400
401			1994	IR	34000	41900	37400	28500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1995	IR	34600	42600	38100	29500
401			1996	IR	35100	43600	39200	29900
401			1997	IR	35700	44600	40000	30300
401			1998	IR	36200	44900	40500	30400
401			1999	IR	36800	45600	40800	30900
401			2000	IR	37400	45800	41400	31600
401			2001	IR	37900	46800	42000	32000
401			2002	IR	38700	47700	42900	32900
401			2003	IR	39100	47500	43000	33200
401			2004	IR	39000	48200	43200	33000
401			2005	IR	39300	47400	43100	33500
401			2006	IR	40500	48900	44300	34400
401			2007	IR	38300	46400	46300	32400
401			2008	IR	39100	47400	46500	33400
401			2009	IR	40700	48800	44400	34600
401			2010	IR	41100	48900	44800	35000
401			2011	IR	41500	49500	48500	35400
401			2012	CTR	41900	50800	50200	35700
401			2013	CTR	42300	51500	53200	35900
401			2014	CTR	42700	52100	52500	36300
401			2015	CTR	43100	52600	53000	36600
401			2016	CTR	43500	53100	53500	37000
401			2017	CTR	43900	58700	58400	35800
401			2018	CTR	44300	59200	58900	36100
401			2019	CTR	44700	59600	59300	36400
401	BURNHAM ST IC-472 CTY RD 18 COBOURG	7.8	1988	IR	31200	40600	34300	25000
401			1989	IR	32000	41300	35500	26200
401			1990	IR	33900	43100	37600	27800
401			1991	IR	34400	43300	38200	28600
401			1992	IR	34900	42900	38400	29700
401			1993	IR	35400	43500	36600	29000
401			1994	IR	35900	44200	39500	30100
401			1995	IR	36400	44800	40100	31000
401			1996	IR	36900	45800	41200	31400
401			1997	IR	37400	46800	41900	31800
401			1998	IR	37900	47000	42400	31800
401			1999	IR	38400	47600	42600	32300
401			2000	IR	38800	47500	43000	32800
401			2001	IR	39300	48600	43500	33200
401			2002	IR	40100	49400	44400	34100
401			2003	IR	40400	49000	44400	34300
401			2004	IR	40900	50500	45300	34600
401			2005	IR	41400	50000	45400	35300
401			2006	IR	41900	50500	45800	35600
401			2007	IR	43000	52100	51900	36400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2008	IR	42900	52000	51000	36700
401			2009	IC	43400	48200	48600	38600
401			2010	IR	49000	58300	53400	41700
401			2011	IR	47400	56500	55400	40500
401			2012	CTR	46700	56700	55900	39800
401			2013	CTR	47300	57600	59500	40200
401			2014	CTR	48000	58600	59000	40800
401			2015	CTR	48600	59300	59800	41300
401			2016	CTR	49200	60000	60500	41800
401			2017	CTR	49900	66700	66300	40700
401			2018	CTR	50500	67400	67200	41100
401			2019	CTR	51200	68200	67900	41700
401	NORTHUMBERLAND CTY RD 28 ONTARIO ST IC-464	3.4	1988	IR	30200	39300	33200	24200
401			1989	IR	31100	40100	34500	25500
401			1990	IR	33700	42800	37400	27600
401			1991	IR	34200	43100	38000	28400
401			1992	IR	34600	42600	38100	29400
401			1993	IR	35100	43200	36300	28700
401			1994	IR	35500	43700	39000	29700
401			1995	IR	36000	44300	39700	30700
401			1996	IR	36400	45200	40600	31000
401			1997	IR	36900	46100	41300	31400
401			1998	IR	37300	46300	41800	31300
401			1999	IR	37700	46700	41800	31700
401			2000	IR	38000	46600	42100	32100
401			2001	IR	38500	47600	42700	32500
401			2002	IR	39300	48500	43500	33400
401			2003	IR	39500	47900	43500	33500
401			2004	IR	40000	49400	44300	33800
401			2005	IR	42200	50900	46200	36000
401			2006	IR	43200	52100	47200	36700
401			2007	IR	44000	53300	53100	37300
401			2008	IR	44900	54400	53400	38400
401			2009	IR	45800	55000	49900	38900
401			2010	IR	46700	55600	50900	39700
401			2011	IR	46400	55400	54200	39600
401			2012	IR	45000	53500	52100	38500
401			2013	IR	47400	56400	60500	40300
401			2014	IR	48100	57300	57400	40900
401			2015	IR	48700	58000	58100	41500
401			2016	CTR	50000	61000	61500	42500
401			2017	CTR	50200	67100	66700	40900
401			2018	CTR	50900	68000	67700	41500
401			2019	CTR	51500	68600	68300	41900
401	NORTHUMBERLAND CTY RD 2 TORONTO RD IC-461	4.7	1988	IR	31400	40800	34500	25100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1989	IR	33300	43000	37000	27300
401			1990	IR	35300	44800	39200	28900
401			1991	IR	35700	45000	39600	29600
401			1992	IR	35900	44200	39500	30500
401			1993	IR	37000	45500	38300	30300
401			1994	IR	37100	45700	40800	31100
401			1995	IR	37100	45700	40900	31600
401			1996	IR	37100	46100	41400	31600
401			1997	IR	37200	46500	41700	31600
401			1998	IR	37400	46400	41900	31400
401			1999	IR	37500	46500	41600	31500
401			2000	IR	41200	50500	45600	34800
401			2001	IR	41500	51300	46000	35100
401			2002	IR	42400	52300	47000	36000
401			2003	IR	42300	51300	46500	35900
401			2004	IR	43000	53100	47600	36400
401			2005	IR	42400	51200	46500	36100
401			2006	IR	43500	52500	47500	36900
401			2007	IR	44400	53800	53600	37600
401			2008	IR	45300	54900	53800	38700
401			2009	IR	46600	55900	50800	39600
401			2010	IR	46900	55800	51100	39900
401			2011	IR	47500	56700	55500	40600
401			2012	CTR	48100	58400	57600	41000
401			2013	CTR	48800	59400	61400	41400
401			2014	CTR	49400	60300	60800	42000
401			2015	CTR	50100	61100	61600	42600
401			2016	CTR	50800	62000	62500	43200
401			2017	CTR	51500	68800	68500	42000
401			2018	CTR	52100	69600	69300	42400
401			2019	CTR	52800	70300	70000	43000
401	WESLEYVILLE RD IC-456	5.2	1988	IR	34500	44800	38000	27600
401			1989	IR	36900	47600	41000	30300
401			1990	IR	35700	45300	39600	29300
401			1991	IR	36000	45400	40000	29900
401			1992	IR	36000	44300	39600	30600
401			1993	IR	37900	46600	39200	31000
401			1994	IR	37800	46600	41600	31700
401			1995	IR	37300	45900	41100	31800
401			1996	IR	37600	46700	41900	32000
401			1997	IR	38100	47600	42700	32400
401			1998	IR	38600	47900	43200	32400
401			1999	IR	38900	48200	43200	32700
401			2000	IR	39500	48400	43700	33400
401			2001	IR	39600	48900	43900	33500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2002	IR	39900	49200	44200	33900
401			2003	IR	40300	48900	44300	34200
401			2004	IR	40600	50200	45000	34300
401			2005	IR	40900	49400	44800	34900
401			2006	IR	46400	56000	50700	39400
401			2007	IR	46200	56000	55800	39100
401			2008	IR	45200	54800	53700	38600
401			2009	IR	45300	54400	49400	38500
401			2010	IR	46900	55800	51100	39900
401			2011	IR	47300	56400	55200	40400
401			2012	IR	47500	56500	55000	40600
401			2013	IR	48100	57300	61400	40900
401			2014	IR	48800	58100	58200	41500
401			2015	IR	49400	58800	58900	42000
401			2016	IR	50000	59500	59600	42600
401			2017	IR	50700	62100	62300	43300
401			2018	IR	51300	63100	62900	43900
401			2019	IR	51900	64100	63900	44300
401	BANCROFT TORONTO MTO DIST BDY	3.3	1988	IR	34500	44800	38000	27600
401			1989	IR	36900	47600	41000	30300
401			1990	IR	35700	45300	39600	29300
401			1991	IR	36000	45400	40000	29900
401			1992	IR	36000	44300	39600	30600
401			1993	IR	37900	46600	39200	31000
401			1994	IR	37800	46600	41600	31700
401			1995	IR	37300	45900	41100	31800
401			1996	IR	37600	46700	41900	32000
401			1997	IR	38100	47600	42700	32400
401			1998	IR	38600	47900	43200	32400
401			1999	IR	38900	48200	43200	32700
401			2000	IR	39500	48400	43700	33400
401			2001	IR	39600	48900	43900	33500
401			2002	IR	39900	49200	44200	33900
401			2003	IR	40300	48900	44300	34200
401			2004	IR	40600	50200	45000	34300
401			2005	IR	40900	49400	44800	34900
401			2006	IR	46400	56000	50700	39400
401			2007	IR	46200	56000	55800	39100
401			2008	IR	45200	54800	53700	38600
401			2009	IR	45300	54400	49400	38500
401			2010	IR	46900	55800	51100	39900
401			2011	IR	47300	56400	55200	40400
401			2012	IR	47500	56500	55000	40600
401			2013	IR	48100	57300	61400	40900
401			2014	IR	48800	58100	58200	41500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2015	IR	49400	58800	58900	42000
401			2016	IR	50000	59500	59600	42600
401			2017	IR	50700	62100	62300	43300
401			2018	IR	51300	63100	62900	43900
401			2019	IR	51900	64100	63900	44300
401	NEWTONVILLE RD IC-448 REG RD 18	8.0	1988	IR	32500	42200	35800	26000
401			1989	IR	35000	45200	38800	28700
401			1990	IR	37200	47200	41300	30500
401			1991	IR	36200	45600	40200	30000
401			1992	IR	36800	45300	40500	31300
401			1993	IR	38700	47600	40000	31700
401			1994	IR	39100	48200	43000	32800
401			1995	IR	39500	48600	43500	33700
401			1996	IR	39900	49600	44500	34000
401			1997	IR	40400	50500	45200	34300
401			1998	IR	41900	52000	46900	35200
401			1999	IR	43300	53700	48100	36400
401			2000	CR	43800	53900	51200	37200
401			2001	IR	44500	55000	49300	37600
401			2002	IR	45400	56000	50300	38600
401			2003	CR	46200	56300	54100	39100
401			2004	CR	47100	57900	55200	39800
401			2005	CR	47900	58100	55900	40400
401			2006	IR	48800	58900	53300	41400
401			2007	IR	48400	58600	58500	41000
401			2008	IR	48100	58300	57200	41100
401			2009	IR	50400	60500	54900	42800
401			2010	IC	51200	56700	57100	45400
401			2011	IR	51900	61900	60600	44300
401			2012	IR	52700	62700	61000	45100
401			2013	CTR	52800	64300	66400	44800
401			2014	CTR	52900	64500	65100	45000
401			2015	CTR	55000	67100	67600	46800
401			2016	CTR	54500	66500	67000	46300
401			2017	IR	57100	69300	68800	48700
401			2018	IR	56900	69100	68700	48400
401			2019	IR	57700	70200	69800	49200
401	MILL ST IC-440 REG RD 17 NEWCASTLE	3.2	1988	IR	33400	43400	36700	26700
401			1989	IR	35000	45200	38800	28700
401			1990	IR	37300	47400	41400	30600
401			1991	IR	36100	45500	40100	30000
401			1992	IR	36400	44800	40000	30900
401			1993	IR	38200	47000	39500	31200
401			1994	IR	38500	47400	42400	32300
401			1995	IR	38500	47400	42400	32800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1996	IR	39500	49100	44100	33600
401			1997	IR	41600	52000	46600	35400
401			1998	IR	43800	54300	49100	36800
401			1999	IR	45600	56500	50600	38300
401			2000	IR	46300	56700	51300	39100
401			2001	IR	47100	58200	52200	39800
401			2002	IR	47900	59100	53100	40700
401			2003	IR	48700	59100	53600	41300
401			2004	CR	49100	60400	57600	41500
401			2005	CR	50500	61300	58900	42500
401			2006	CR	51500	62500	59900	43500
401			2007	CR	52600	63700	63600	44300
401			2008	CR	53600	64900	64400	45200
401			2009	CR	53100	63700	61600	45100
401			2010	CR	55800	66900	64500	47200
401			2011	CR	56800	66200	66900	50500
401			2012	CR	57900	69400	68200	48900
401			2013	CR	59000	70700	72600	49900
401			2014	CR	51700	60900	60600	44000
401			2015	CR	59500	70100	69700	50700
401			2016	CR	60500	71300	70900	51500
401			2017	CR	61400	71200	71600	55300
401			2018	CR	62400	72500	73000	56000
401			2019	CR	63300	73400	73900	56800
401	HWYS 35/115 IC-436 NEWCASTLE	1.5	1988	IR	41600	54100	45800	33300
401			1989	IR	43000	55500	47700	35300
401			1990	IR	45000	57200	50000	36900
401			1991	IR	44600	56200	49500	37000
401			1992	IR	45100	55500	49600	38300
401			1993	IR	45100	55500	46600	36900
401			1994	IR	47300	58300	52000	39600
401			1995	IR	48300	59500	53200	41200
401			1996	IR	49300	61200	55000	42000
401			1997	IR	50300	62900	56300	42800
401			1998	IR	51300	63600	57500	43100
401			1999	IR	52300	64900	58100	43900
401			2000	IR	53300	65300	59000	45000
401			2001	IR	58300	72000	64600	49300
401			2002	IR	55300	68200	61300	47000
401			2003	IR	61200	74300	67300	52000
401			2004	IR	62900	77700	69700	53200
401			2005	IR	71000	85700	77800	60500
401			2006	IR	68700	82900	75100	58300
401			2007	IR	67100	81300	81100	56900
401			2008	IR	72200	87500	85800	61700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2009	IR	73900	88700	80600	62800
401			2010	IR	75700	90100	82400	64400
401			2011	IR	69200	82600	80800	59100
401			2012	IR	70500	83900	81600	60300
401			2013	IR	76300	90800	97400	64900
401			2014	CTR	69300	84500	85200	58900
401			2015	CTR	79400	96900	97700	67500
401			2016	CTR	81000	98800	99600	68800
401			2017	IR	85300	103500	102800	72700
401			2018	IR	84100	102100	101600	71500
401			2019	IR	85700	104200	103700	73000
401	BENNETT RD IC-435 NEWCASTLE	2.5	1988	IR	45000	58500	49500	36000
401			1989	IR	49400	63700	54800	40500
401			1990	IR	53800	68300	59700	44100
401			1991	IR	52700	66400	58500	43700
401			1992	IR	52500	64600	57800	44600
401			1993	IR	52300	64300	54100	42800
401			1994	IR	56200	69200	61800	47100
401			1995	IR	58000	71400	63900	49400
401			1996	IR	59900	74400	66800	51000
401			1997	IR	61700	77100	69100	52400
401			1998	IR	63600	78900	71200	53400
401			1999	IR	63700	79000	70700	53500
401			2000	IR	65700	80500	72800	55500
401			2001	IR	67200	83000	74500	56800
401			2002	IR	68700	84700	76100	58400
401			2003	IR	70900	86100	78000	60200
401			2004	IR	72500	89600	80300	61300
401			2005	IR	73000	88100	80000	62200
401			2006	IR	73100	88200	79900	62100
401			2007	IR	73900	89500	89300	62600
401			2008	IR	75100	91000	89300	64200
401			2009	IR	76300	91600	83200	64900
401			2010	IR	72800	86700	79300	62000
401			2011	IR	78700	93900	91900	67200
401			2012	IR	79900	95100	92500	68300
401			2013	IR	79300	94400	101200	67500
401			2014	CR	71200	83900	83400	60700
401			2015	CR	80700	95100	94500	68700
401			2016	CR	82600	97300	96700	70400
401			2017	CR	85800	99500	100000	77200
401			2018	CR	84700	98400	99100	76000
401			2019	CR	85800	99500	100200	77000
401	LIBERTY ST IC-432 REG RD 14 BOWMANVILLE	1.2	1988	IR	48000	62400	52800	38400
401			1989	IR	51000	65800	56600	41800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1990	IR	54900	69700	60900	45000
401			1991	IR	53800	67800	59700	44700
401			1992	IR	53500	65800	58900	45500
401			1993	IR	53300	65600	55100	43600
401			1994	IR	58800	72400	64700	49300
401			1995	IR	60700	74800	66900	51700
401			1996	IR	62600	77800	69800	53300
401			1997	IR	64500	80600	72200	54800
401			1998	IR	66300	82200	74300	55700
401			1999	IR	69100	85700	76700	58000
401			2000	IR	68200	83500	75500	57600
401			2001	IR	69600	86000	77100	58800
401			2002	IR	70900	87400	78600	60300
401			2003	IR	70600	85700	77700	59900
401			2004	CR	73700	90700	86400	62200
401			2005	CR	75100	91100	87600	63300
401			2006	CR	74500	90300	86700	62900
401			2007	CR	77800	94200	94100	65600
401			2008	CR	79200	95900	95100	66700
401			2009	CR	77800	93400	90200	66100
401			2010	CR	71800	86000	83000	60700
401			2011	CR	80100	93300	94400	71300
401			2012	CR	81200	97300	95700	68600
401			2013	CTR	82300	100200	103500	69900
401			2014	CTR	83800	102200	103100	71200
401			2015	CTR	85000	103700	104600	72200
401			2016	CTR	86100	105000	105900	73200
401			2017	CTR	88900	118800	118200	72400
401			2018	CTR	88400	118100	117600	72000
401			2019	CTR	89500	119200	118700	72800
401	WAVERLEY RD IC-431 NEWCASTLE	2.9	1988	IR	52800	68600	58100	42200
401			1989	IR	56600	73000	62800	46400
401			1990	IR	60400	76700	67000	49500
401			1991	IR	59200	74600	65700	49100
401			1992	IR	59600	73300	65600	50700
401			1993	IR	59600	73300	61600	48800
401			1994	IR	64400	79300	70800	54000
401			1995	IR	66400	81800	73200	56600
401			1996	IR	68400	85000	76300	58300
401			1997	IR	70500	88100	79000	59900
401			1998	IR	72500	89900	81200	60900
401			1999	IR	74000	91800	82100	62200
401			2000	IR	73400	89900	81300	62000
401			2001	IR	74600	92200	82700	63100
401			2002	IR	75800	93500	84000	64400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2003	IR	77000	93500	84700	65400
401			2004	IR	78200	96600	86600	66100
401			2005	IR	76900	92800	84200	65600
401			2006	IR	79300	95700	86700	67300
401			2007	IR	78100	94600	94300	66200
401			2008	IR	79100	95800	94000	67600
401			2009	IR	80200	96200	87400	68200
401			2010	IR	84600	100700	92100	72000
401			2011	IR	83900	100100	98000	71600
401			2012	CR	86100	103100	101500	72800
401			2013	CR	86200	103300	106000	72900
401			2014	CR	89200	105100	104500	76000
401			2015	CR	88600	104400	103800	75500
401			2016	CR	89600	105600	104900	76300
401			2017	CR	90700	105200	105700	81600
401			2018	CR	91700	106600	107300	82300
401			2019	CR	92800	107700	108400	83300
401	HOLT RD IC-428 NEWCASTLE	3.3	1988	CR	53000	67800	63600	44000
401			1989	CR	56000	71700	66600	47000
401			1990	IR	59300	75300	65800	48600
401			1991	IR	58100	73200	64500	48200
401			1992	IR	58600	72100	64500	49800
401			1993	IR	58600	72100	60600	47900
401			1994	IR	59100	72800	65000	49500
401			1995	IR	62400	76900	68800	53200
401			1996	IR	65700	81600	73300	56000
401			1997	CR	69000	85600	81400	58600
401			1998	CR	72800	89500	85200	61900
401			1999	CR	76500	94100	89500	65000
401			2000	CR	76600	94200	89600	65100
401			2001	CR	79300	97600	93000	67000
401			2002	CR	82000	100700	96200	69100
401			2003	CR	82600	100600	96700	69900
401			2004	CR	87400	107500	102500	73800
401			2005	CR	89900	109100	104900	75700
401			2006	CR	87800	106500	102200	74100
401			2007	CR	95400	115500	115400	80400
401			2008	CR	91800	111100	110200	77400
401			2009	CR	95100	114100	110300	80800
401			2010	CR	81600	97800	94400	69000
401			2011	CR	97900	114000	115400	87100
401			2012	CR	99900	119700	117700	84400
401			2013	CR	101900	122100	125300	86200
401			2014	CR	100400	118300	117600	85500
401			2015	CR	99200	116900	116200	84500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2016	CR	98000	115500	114800	83500
401			2017	CR	106600	123600	124300	96000
401			2018	CR	108400	126000	126800	97300
401			2019	CR	110200	127900	128700	98900
401	COURTICE RD IC-425 REG RD 34 NEWCASTLE	5.6	1988	CR	57200	73200	68600	47500
401			1989	CR	62400	79900	74300	52400
401			1990	IR	67700	86000	75100	55500
401			1991	IR	64800	81600	71900	53800
401			1992	IR	61900	76100	68100	52600
401			1993	CR	58900	72400	67700	53000
401			1994	CR	62300	76600	71000	56100
401			1995	CR	65800	81500	77700	56600
401			1996	CR	69200	85500	81200	59100
401			1997	CR	72600	90000	85700	61700
401			1998	CR	76100	93600	89000	64700
401			1999	CR	79500	97800	93000	67600
401			2000	CR	78900	97000	92300	67100
401			2001	CR	81300	100000	95300	68700
401			2002	CR	83700	102800	98200	70500
401			2003	CR	84400	102800	98800	71400
401			2004	CR	89400	110000	104800	75500
401			2005	CR	91900	111500	107200	77400
401			2006	C	90700	100800	101600	81600
401			2007	C	95600	106200	107700	85900
401			2008	C	98000	108200	106700	87900
401			2009	C	100400	110400	111400	90400
401			2010	C	102800	113300	114300	92500
401			2011	C	105200	115900	117000	94700
401			2012	C	107500	118400	115900	96800
401			2013	C	109900	121100	119600	98900
401			2014	C	95000	104500	101600	85500
401			2015	C	97000	106700	103800	87300
401			2016	C	98500	108400	105400	88600
401			2017	C	110800	121200	120900	100500
401			2018	C	112600	123400	122700	101600
401			2019	C	114500	125200	124400	103600
401	BLOOR ST/HARMONY RD IC-419 REG RD 33	1.4	1988	C	63600	70600	70600	57200
401			1989	C	68100	75600	76300	61300
401			1990	C	72700	80700	80700	65400
401			1991	C	70500	77600	78300	64200
401			1992	C	71200	76900	79000	65500
401			1993	C	71400	77800	79000	65700
401			1994	C	77800	85200	86700	70400
401			1995	C	80400	87800	90100	73500
401			1996	C	82900	94000	94300	74800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1997	C	85500	96600	97500	77000
401			1998	C	88100	99600	99600	79300
401			1999	C	90400	101200	102200	81400
401			2000	C	92500	104500	104500	83200
401			2001	C	94900	106900	107100	85500
401			2002	C	97300	109000	109800	87600
401			2003	C	100700	112500	113200	90900
401			2004	C	101500	114300	114500	91400
401			2005	C	105800	117800	118800	95000
401			2006	C	104600	116200	117100	94100
401			2007	C	106300	118100	119800	95500
401			2008	C	110600	122100	120400	99200
401			2009	C	112900	124200	125300	101600
401			2010	C	115200	127000	128100	103700
401			2011	C	101900	112300	113300	91700
401			2012	C	116300	128100	125400	104700
401			2013	CR	117500	140800	144500	99300
401			2014	CR	120200	141700	140800	102400
401			2015	IC	122100	135100	134500	108300
401			2016	IC	124200	137500	136800	110100
401			2017	IR	126200	142500	143500	108900
401			2018	IR	128200	145000	146200	111000
401			2019	IR	130200	147500	148700	113200
401	RITSON RD IC-418 REG RD 16 OSHAWA	0.8	1988	C	69400	77000	77000	62500
401			1989	C	73200	81300	82000	65900
401			1990	C	76300	84700	84700	68700
401			1991	C	74000	81400	82100	67300
401			1992	C	74600	80600	82800	68600
401			1993	C	74600	81300	82600	68600
401			1994	C	82200	90000	91700	74400
401			1995	C	84800	92600	95000	77600
401			1996	C	87300	98900	99300	78800
401			1997	C	89900	101600	102500	80900
401			1998	C	92500	104500	104500	83200
401			1999	C	99000	110900	111900	89100
401			2000	C	97500	110200	110200	87800
401			2001	C	99900	112500	112700	90000
401			2002	C	102300	114600	115400	92100
401			2003	C	105500	117800	118600	95200
401			2004	C	107000	120500	120700	96400
401			2005	C	109000	121400	122400	97900
401			2006	C	110300	122600	123500	99200
401			2007	C	112200	124700	126400	100800
401			2008	C	114500	126400	124600	102700
401			2009	C	116500	128200	129300	104800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2010	C	114200	125900	127000	102800
401			2011	C	120800	133100	134300	108700
401			2012	C	123000	135500	132700	110800
401			2013	C	122400	134900	133200	110200
401			2014	UC	113300	113700	109000	107500
401			2015	UC	126300	126700	121500	119900
401			2016	UC	128200	128600	123300	121700
401			2017	C	130200	142400	142100	118100
401			2018	C	132100	144800	144000	119200
401			2019	C	134100	146600	145700	121400
401	SIMCOE ST IC-417 REG RD 2 OSHAWA	1.7	1988	C	79000	87700	87700	71100
401			1989	C	83300	92500	93300	75000
401			1990	C	87800	97500	97500	79000
401			1991	C	85200	93700	94600	77500
401			1992	C	85700	92600	95100	78800
401			1993	C	85700	93400	94800	78800
401			1994	C	93600	102500	104400	84700
401			1995	C	96600	105500	108200	88400
401			1996	C	99600	112900	113300	89900
401			1997	C	102600	115900	117000	92300
401			1998	C	105600	119300	119300	95000
401			1999	C	107000	119800	120900	96300
401			2000	C	110000	124300	124300	99000
401			2001	C	112800	127000	127300	101600
401			2002	C	115600	129500	130400	104000
401			2003	C	118800	132700	133600	107200
401			2004	C	119400	134500	134700	107500
401			2005	C	124300	138400	139500	111600
401			2006	C	117900	131000	132000	106100
401			2007	C	103500	115000	116600	93000
401			2008	C	121100	133700	131800	108700
401			2009	C	119600	131600	132800	107600
401			2010	C	124400	137100	138300	112000
401			2011	C	126000	138900	140100	113400
401			2012	C	127700	140700	137700	115000
401			2013	UC	129300	129700	130000	122700
401			2014	UC	130900	131300	125900	124200
401			2015	UC	132600	133000	127500	125800
401			2016	UC	134200	134600	129100	127300
401			2017	UC	140800	139900	141200	134900
401			2018	UC	138300	137200	139400	132700
401			2019	UC	140000	137900	140100	134900
401	STEVENSON RD IC-415 OSHAWA	2.5	1988	C	83300	92500	92500	75000
401			1989	C	89500	99300	100200	80600
401			1990	C	95300	105800	105800	85800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1991	C	92400	101600	102600	84100
401			1992	C	93100	100500	103300	85700
401			1993	C	93100	101500	103000	85700
401			1994	C	95100	104100	106000	86100
401			1995	C	97200	106100	108900	88900
401			1996	C	99200	112400	112800	89500
401			1997	C	101300	114500	115500	91200
401			1998	C	112500	127100	127100	101200
401			1999	C	105400	118000	119100	94900
401			2000	C	107000	120900	120900	96300
401			2001	C	108700	122400	122700	97900
401			2002	C	110300	123500	124500	99300
401			2003	UC	108800	115000	127400	102800
401			2004	UC	113600	121700	133600	106800
401			2005	UC	112700	119300	131800	105700
401			2006	UC	114200	120800	133500	107500
401			2007	UC	115400	122400	133600	108300
401			2008	UC	116500	123100	115500	109000
401			2009	UC	117700	124800	137700	110600
401			2010	UC	122300	129300	142300	115000
401			2011	UC	122000	122400	126600	115800
401			2012	UC	123400	124100	132100	117200
401			2013	UC	124800	125200	125500	118400
401			2014	UC	126300	126700	121500	119900
401			2015	UC	127700	128100	122800	121200
401			2016	UC	129100	129500	124200	122500
401			2017	UC	130500	129700	130900	125100
401			2018	UC	131900	130800	132900	126600
401			2019	UC	133300	131300	133400	128400
401	THICKSON RD IC-412 REG RD 26 WHITBY	2.5	1988	C	90300	100200	100200	81300
401			1989	C	94800	105200	106200	85300
401			1990	C	99500	110400	110400	89600
401			1991	C	96500	106200	107100	87800
401			1992	C	94700	102300	105100	87100
401			1993	C	92800	101200	102700	85400
401			1994	C	100900	110500	112500	91300
401			1995	C	107000	116800	119900	97900
401			1996	C	110100	124800	125200	99400
401			1997	C	113200	127900	129000	101900
401			1998	C	116300	131400	131400	104700
401			1999	C	117600	131700	132900	105800
401			2000	C	122500	138400	138400	110200
401			2001	C	125700	141600	141800	113200
401			2002	C	129000	144500	145600	116100
401			2003	C	132300	147800	148700	119400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2004	C	135600	152700	153000	122100
401			2005	C	132400	147400	148600	118900
401			2006	C	132300	147000	148200	119000
401			2007	C	133000	147800	149800	119500
401			2008	C	132000	145700	143700	118400
401			2009	C	131600	144800	146100	118400
401			2010	C	132900	146500	147800	119600
401			2011	C	141400	155800	157200	127300
401			2012	UC	143400	144300	153500	136200
401			2013	UC	145400	145900	146200	138000
401			2014	UC	147300	147800	141700	139800
401			2015	UC	149300	149800	143600	141700
401			2016	UC	151200	151700	145400	143500
401			2017	UC	153200	152200	153700	146800
401			2018	UC	155200	153900	156400	149000
401			2019	UC	157100	154800	157200	151400
401	HWY 12 IC-410 BROCK ST WHITBY	6.3	1988	C	94000	104300	104300	84600
401			1989	C	99000	109900	110900	89100
401			1990	C	104000	115400	115400	93600
401			1991	C	100900	111000	112000	91800
401			1992	C	101800	109900	113000	93700
401			1993	C	100600	109700	111300	92600
401			1994	C	108900	119200	121400	98600
401			1995	C	114400	124900	128200	104600
401			1996	C	117900	133600	134100	106400
401			1997	UC	121400	127500	142000	114100
401			1998	UC	124900	132400	146100	118700
401			1999	UC	127000	134600	148600	120600
401			2000	UC	128400	136100	151500	120700
401			2001	UC	131200	140500	154300	123300
401			2002	UC	133900	142700	157500	125400
401			2003	UC	141300	149300	165500	133500
401			2004	UC	137500	147300	161800	129200
401			2005	UC	142200	150500	166300	133400
401			2006	C	145000	161100	162400	130500
401			2007	C	134600	149600	151600	120900
401			2008	C	147400	162700	160400	132300
401			2009	C	149900	164900	166400	134900
401			2010	C	152300	167800	169400	137100
401			2011	C	154700	170500	172000	139200
401			2012	C	157200	173200	169500	141600
401			2013	UC	159600	160100	160500	151500
401			2014	UC	162000	162500	155800	153700
401			2015	UC	164500	165000	158200	156100
401			2016	UC	166900	167400	160500	158400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2017	UC	169300	168200	169800	162200
401			2018	UC	171800	170400	173100	164900
401			2019	UC	174200	171600	174300	167800
401	SALEM RD IC-404	2.3	1988	C	94000	104300	104300	84600
401			1989	C	99000	109900	110900	89100
401			1990	C	116400	129200	129200	104800
401			1991	C	100900	111000	112000	91800
401			1992	C	101800	109900	113000	93700
401			1993	C	101400	110500	112200	93300
401			1994	C	118800	130100	132500	107500
401			1995	C	123000	134300	137800	112500
401			1996	C	127100	144100	144600	114700
401			1997	C	131300	148400	149700	118200
401			1998	C	135400	153000	153000	121900
401			1999	C	139500	156200	157600	125600
401			2000	C	143700	162400	162400	129300
401			2001	C	147800	166500	166800	133100
401			2002	C	152000	170200	171500	136800
401			2003	C	156100	174400	175500	140900
401			2004	C	160300	180500	180900	144400
401			2005	C	164400	183000	184600	147700
401			2006	C	182100	202300	203900	163800
401			2007	C	185200	205800	208600	166400
401			2008	C	188300	207800	205000	168900
401			2009	C	191300	210400	212300	172200
401			2010	C	180000	198400	200200	162000
401			2011	C	175800	193700	195500	158200
401			2012	UC	183600	184700	196500	174400
401			2013	UC	184500	185100	185500	175100
401			2014	UC	185000	185600	177900	175600
401			2015	UC	187200	187800	180000	177600
401			2016	UC	202800	203500	195000	192400
401			2017	UC	205700	204400	206300	197100
401			2018	UC	209200	207500	210800	200800
401			2019	UC	212800	209700	212900	205000
401	WESTNEY RD IC-401	2.6	1988	C	104600	116100	116100	94100
401			1989	C	116200	129000	130100	104600
401			1990	C	127900	142000	142000	115100
401			1991	C	121500	133600	134900	110600
401			1992	C	122900	132700	136400	113100
401			1993	C	124200	135400	137400	114300
401			1994	C	126800	138800	141400	114800
401			1995	C	129300	141200	144900	118300
401			1996	C	131900	149500	150000	119100
401			1997	C	134500	152000	153300	121000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1998	C	137100	154900	154900	123400
401			1999	C	139600	156400	157700	125600
401			2000	C	142200	160700	160700	128000
401			2001	C	144800	163100	163400	130400
401			2002	C	147400	165100	166300	132600
401			2003	C	150000	167600	168600	135400
401			2004	C	152500	171800	172100	137300
401			2005	C	155100	172700	174100	139300
401			2006	C	157700	175200	176600	141900
401			2007	C	160300	178100	180600	144000
401			2008	C	162900	179800	177300	146200
401			2009	C	165400	181900	183600	148900
401			2010	C	168000	185100	186800	151200
401			2011	C	170600	188000	189700	153500
401			2012	C	173200	190800	186800	156000
401			2013	C	175800	193700	191300	158300
401			2014	C	188000	206800	201200	169200
401			2015	C	205000	225500	219400	184500
401			2016	C	210000	231000	224700	189000
401			2017	C	196000	214400	213900	177800
401			2018	C	199200	218400	217100	179800
401			2019	C	202400	221200	219900	183200
401	BROCK RD IC-399 REG RD 1 PICKERING	1.7	1988	C	108500	120400	120400	97600
401			1989	C	110000	122100	123200	99000
401			1990	C	118800	131900	131900	106900
401			1991	C	113000	124300	125400	102800
401			1992	C	114500	123700	127100	105300
401			1993	C	116500	127000	128900	107200
401			1994	C	124700	136500	139000	112900
401			1995	C	128100	139800	143500	117200
401			1996	C	131500	149000	149600	118700
401			1997	C	134800	152300	153700	121300
401			1998	C	138200	156200	156200	124400
401			1999	C	148000	165800	167200	133200
401			2000	C	151600	171300	171300	136400
401			2001	C	156500	176300	176600	141000
401			2002	C	161400	180800	182100	145200
401			2003	SC	172000	181600	200700	152200
401			2004	SC	180000	192000	210800	158600
401			2005	SC	189000	200100	220700	166300
401			2006	SC	187100	198000	218700	165000
401			2007	SC	190700	201600	220500	167700
401			2008	SC	194300	203800	192200	170900
401			2009	SC	202300	214400	236700	178000
401			2010	SC	201500	213100	235900	177700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2011	SC	212300	271700	248100	169000
401			2012	SC	217700	230600	216800	192100
401			2013	SC	223000	235900	214900	196700
401			2014	SC	213000	225300	219900	187900
401			2015	SC	220000	232700	227200	194000
401			2016	SC	223000	235900	230300	196700
401			2017	SC	237100	252100	252300	210400
401			2018	SC	242000	258500	257100	212900
401			2019	SC	246900	262100	260500	218200
401	LIVERPOOL RD IC-397 REG RD 29 PICKERING	2.6	1988	C	122000	135400	135400	109800
401			1989	C	125100	138900	140100	112600
401			1990	C	128300	142400	142400	115500
401			1991	C	131400	144500	145900	119600
401			1992	C	134600	145400	149400	123800
401			1993	C	137700	150100	152400	126700
401			1994	C	140900	154300	157100	127500
401			1995	C	144000	157200	161400	131700
401			1996	C	147200	166800	167400	132900
401			1997	C	150300	169800	171300	135300
401			1998	C	153500	173500	173500	138200
401			1999	C	165300	185100	186800	148800
401			2000	C	171100	193300	193300	154000
401			2001	C	172500	194300	194700	155400
401			2002	C	174400	195300	196800	156900
401			2003	C	178800	199700	201000	161400
401			2004	C	183200	206300	206700	165000
401			2005	C	187700	209000	210700	168600
401			2006	C	193000	214400	216100	173600
401			2007	C	197400	219400	222400	177400
401			2008	C	201900	222800	219800	181100
401			2009	C	206300	226900	229000	185700
401			2010	C	210800	232300	234400	189800
401			2011	C	215200	237200	239300	193700
401			2012	C	219700	242100	237000	197800
401			2013	C	222000	244700	241600	199800
401			2014	C	224000	246400	239700	201600
401			2015	C	228000	250800	244000	205200
401			2016	C	230000	253000	246100	207000
401			2017	C	238800	261200	260600	216700
401			2018	C	243100	266500	265000	219400
401			2019	C	247300	270300	268700	223800
401	WHITES RD IC-394 REG RD 38 PICKERING	3.7	1988	C	140700	156200	156200	126600
401			1989	C	143300	159100	160500	129000
401			1990	C	145800	161800	161800	131200
401			1991	C	148400	163200	164700	135000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1992	C	151000	163100	167600	138900
401			1993	C	153500	167300	169900	141200
401			1994	C	156100	170900	174100	141300
401			1995	C	158600	173100	177700	145100
401			1996	C	161200	182700	183400	145500
401			1997	C	163800	185100	186700	147400
401			1998	C	166300	187900	187900	149700
401			1999	C	183900	206000	207800	165500
401			2000	C	191000	215800	215800	171900
401			2001	C	196000	220700	221200	176500
401			2002	C	198000	221700	223400	178200
401			2003	C	204900	228900	230400	184900
401			2004	C	210900	237500	238000	189900
401			2005	C	203600	226700	228600	182900
401			2006	C	210600	234000	235800	189500
401			2007	C	216100	240100	243500	194200
401			2008	C	221700	244700	241300	198900
401			2009	C	227200	249900	252200	204500
401			2010	C	232700	256500	258800	209500
401			2011	C	238400	262700	265100	214600
401			2012	C	243400	268200	262500	219200
401			2013	C	248300	273600	270200	223500
401			2014	C	224000	246400	239700	201600
401			2015	C	225000	247500	240800	202500
401			2016	C	226000	248600	241800	203400
401			2017	C	251700	275400	274700	228400
401			2018	C	255600	280200	278600	230700
401			2019	C	259600	283800	282100	235000
401	401 HWY 2 KINGSTON RD IC-392	1.3	1988	C	131700	146200	146200	118500
401			1989	C	137500	152600	154000	123800
401			1990	C	149900	166400	166400	134900
401			1991	C	140900	155000	156400	128200
401			1992	C	142700	154100	158400	131300
401			1993	C	143800	156700	159100	132300
401			1994	C	157900	172900	176100	142900
401			1995	C	163200	178200	182900	149300
401			1996	C	168500	191000	191700	152100
401			1997	C	173700	196300	198000	156300
401			1998	C	179000	202300	202300	161100
401			1999	C	183000	205000	206800	164700
401			2000	C	187900	212300	212300	169100
401			2001	C	195800	220500	221000	176300
401			2002	C	201200	225300	227000	181100
401			2003	C	207800	232100	233600	187600
401			2004	C	212200	239000	239500	191100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2005	C	217700	242400	244400	195500
401			2006	C	215600	239600	241400	194000
401			2007	C	220100	244600	248000	197800
401			2008	C	224600	247900	244500	201500
401			2009	C	229100	252000	254300	206200
401			2010	C	220400	242900	245100	198400
401			2011	C	238100	262400	264800	214300
401			2012	C	242600	267300	261600	218500
401			2013	C	247100	272300	268900	222400
401			2014	C	228000	250800	244000	205200
401			2015	C	229000	251900	245000	206100
401			2016	C	230000	253000	246100	207000
401			2017	C	251900	275600	274900	228600
401			2018	C	255600	280200	278600	230700
401			2019	C	259300	283400	281700	234700
401	MEADOWVALE RD IC-389 SCARBOROUGH	2.5	1988	C	141700	157300	157300	127500
401			1989	C	148100	164400	165900	133300
401			1990	C	159900	177500	177500	143900
401			1991	C	150300	165300	166800	136800
401			1992	C	152000	164200	168700	139800
401			1993	C	153000	166800	169300	140800
401			1994	C	167600	183500	186900	151700
401			1995	C	172900	188800	193700	158100
401			1996	C	178200	202000	202700	160900
401			1997	C	183500	207400	209200	165200
401			1998	C	188700	213200	213200	169800
401			1999	C	192500	215600	217500	173200
401			2000	C	198300	224100	224100	178500
401			2001	C	203400	229100	229500	183200
401			2002	C	208400	233400	235200	187500
401			2003	C	213500	238500	240000	192700
401			2004	C	218600	246200	246700	196900
401			2005	C	223500	248800	250900	200700
401			2006	C	221800	246400	248400	199600
401			2007	C	225700	250800	254300	202800
401			2008	C	229500	253300	249800	205900
401			2009	C	237100	260800	263200	213400
401			2010	C	237300	261500	263900	213600
401			2011	C	245700	270800	273200	221100
401			2012	C	250100	275600	269700	225200
401			2013	C	254500	280500	276900	229100
401			2014	C	227000	249700	242900	204300
401			2015	C	228000	250800	244000	205200
401			2016	C	230000	253000	246100	207000
401			2017	C	255100	279100	278400	231500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2018	C	258500	283400	281700	233300
401			2019	C	261800	286200	284400	237000
401	MORNINGSIDE AV IC-387 SCARBOROUGH	1.5	1988	UC	161200	169300	182200	151500
401			1989	UC	170100	178600	192200	161600
401			1990	UC	180300	192900	209100	171300
401			1991	UC	171300	181600	197000	166200
401			1992	UC	172900	183300	198800	166000
401			1993	UC	174000	183300	197800	163000
401			1994	UC	179900	190700	205700	167300
401			1995	UC	185800	196000	212400	173300
401			1996	UC	191700	202900	224300	182300
401			1997	UC	197600	207500	231200	185700
401			1998	UC	203500	215700	238100	193300
401			1999	UC	209400	222000	245000	198900
401			2000	UC	215300	228200	254100	202400
401			2001	UC	221200	236900	260200	207900
401			2002	UC	227100	242000	267200	212600
401			2003	UC	233000	246200	272900	220100
401			2004	UC	238900	255900	281000	224500
401			2005	UC	244800	259000	286300	229600
401			2006	UC	250700	265100	293000	235900
401			2007	UC	256600	272200	297000	240700
401			2008	UC	262500	277300	260300	245600
401			2009	UC	268400	284500	314000	252300
401			2010	UC	274300	290000	319300	257900
401			2011	UC	280200	281100	290800	265900
401			2012	UC	286100	287800	306300	271800
401			2013	UC	280000	280900	281600	265700
401			2014	UC	250000	250800	240400	237200
401			2015	UC	255000	255800	245200	242000
401			2016	UC	260000	260800	250000	246700
401			2017	UC	290200	288300	291100	278100
401			2018	UC	294600	292200	296900	282800
401			2019	UC	298900	294500	299000	288000
401	NEILSON RD IC-385	1.8	1988	UC	176100	184900	199000	165500
401			1989	UC	186900	196200	211200	177600
401			1990	UC	196200	209900	227600	186400
401			1991	UC	186400	197600	214400	180800
401			1992	UC	188100	199400	216300	180600
401			1993	UC	197400	207900	224400	184900
401			1994	UC	206700	219100	236300	192200
401			1995	UC	213100	224800	243600	198700
401			1996	UC	219400	232200	256700	208600
401			1997	C	225700	255000	257300	203100
401			1998	C	232100	262300	262300	208900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1999	C	235000	263200	265600	211500
401			2000	C	244800	276600	276600	220300
401			2001	C	249700	281200	281800	224900
401			2002	C	255800	286500	288700	230200
401			2003	C	261900	292500	294500	236400
401			2004	C	268000	301800	302400	241400
401			2005	C	265100	295200	297600	238100
401			2006	C	266800	296400	298800	240000
401			2007	C	269600	299600	303700	242200
401			2008	C	272300	300500	296400	244300
401			2009	C	276700	304400	307100	249000
401			2010	C	277900	306300	309000	250200
401			2011	C	280000	308600	311400	252000
401			2012	C	285000	314000	307400	256600
401			2013	C	287000	316300	312300	258400
401			2014	C	270000	297000	288900	243000
401			2015	C	275000	302500	294200	247500
401			2016	C	280000	308000	299600	252000
401			2017	C	297000	324900	324200	269500
401			2018	C	300300	329200	327300	271000
401			2019	C	303600	331900	329900	274800
401	HWY 48 IC-383 MARKHAM RD SCARBOROUGH	1.6	1988	UC	213300	224000	241000	200500
401			1989	UC	223000	234200	252000	211800
401			1990	UC	231900	248100	269000	220300
401			1991	UC	222600	236000	256000	215900
401			1992	UC	236700	250900	272200	227200
401			1993	UC	250800	264200	285100	234900
401			1994	UC	255800	271100	292500	237900
401			1995	UC	258500	272700	295500	241100
401			1996	UC	261100	276300	305500	248300
401			1997	UC	264500	277700	309500	248600
401			1998	UC	269300	285500	315100	255800
401			1999	UC	274000	290400	320600	260300
401			2000	UC	271600	287900	320500	255300
401			2001	UC	271200	290500	319000	254900
401			2002	UC	273000	290900	321200	255600
401			2003	UC	275300	290900	322500	260100
401			2004	UC	276500	296200	325300	259800
401			2005	UC	274000	289900	320500	257000
401			2006	UC	275000	290800	321400	258800
401			2007	UC	276100	292800	319600	259000
401			2008	UC	277100	292700	274800	259200
401			2009	CTR	278100	339300	328200	236400
401			2010	CTR	281900	343100	329800	239400
401			2011	CTR	283200	344700	331300	240400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2012	CTR	290000	351800	347400	246900
401			2013	CTR	287000	349300	360900	243700
401			2014	CTR	288400	351800	354700	245100
401			2015	CTR	289800	353600	356500	246300
401			2016	CTR	291200	355300	358200	247500
401			2017	CTR	292600	391000	389000	238400
401			2018	CTR	294000	392700	391100	239400
401			2019	CTR	295400	393600	391900	240400
401	MCCOWAN RD IC-381 SCARBOROUGH	0.8	1988	UC	235200	247000	265800	221100
401			1989	UC	247600	260000	279800	235200
401			1990	UC	260000	278200	301600	247000
401			1991	UC	249600	264600	287000	242100
401			1992	UC	265400	281300	305200	254800
401			1993	UC	281100	296100	319500	263300
401			1994	UC	286700	303900	327800	266600
401			1995	UC	287400	303200	328600	268000
401			1996	UC	288000	304800	336900	273900
401			1997	UC	288700	303100	337800	271400
401			1998	UC	290600	308000	340000	276100
401			1999	UC	292400	309900	342100	277800
401			2000	UC	301000	319100	355200	282900
401			2001	UC	302000	323500	355300	283800
401			2002	UC	302300	322100	355600	283000
401			2003	UC	304600	321900	356800	287700
401			2004	UC	306800	328600	360900	288300
401			2005	UC	309100	327100	361500	289900
401			2006	UC	311400	329300	363900	293100
401			2007	UC	313600	332600	363000	294200
401			2008	UC	315900	333700	313200	295500
401			2009	UC	318200	337300	372300	299100
401			2010	UC	320400	338700	372900	301300
401			2011	UC	322700	323700	334900	306200
401			2012	UC	315000	316900	337200	299300
401			2013	UC	318000	319000	319800	301800
401			2014	UC	325800	326800	313300	309200
401			2015	UC	327800	328900	315200	311100
401			2016	UC	329800	330900	317200	313000
401			2017	UC	331800	329700	332800	318000
401			2018	UC	333800	331100	336400	320400
401			2019	UC	335800	330900	335900	323600
401	BRIMLEY RD IC-380	1.6	1988	UC	245500	257800	277400	230800
401			1989	UC	259300	272300	293000	246300
401			1990	UC	272300	291400	315900	258700
401			1991	UC	261400	277100	300600	253600
401			1992	UC	274400	290900	315600	263400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1993	UC	287400	302700	326700	269200
401			1994	UC	300400	318400	343500	279400
401			1995	UC	301000	317600	344100	280700
401			1996	UC	301500	319100	352700	286700
401			1997	UC	302100	317200	353500	284000
401			1998	UC	304600	322900	356400	289400
401			1999	UC	294600	312300	344700	279900
401			2000	UC	292400	309900	345000	274900
401			2001	UC	290300	310900	341500	272800
401			2002	UC	288100	307000	338900	269700
401			2003	SC	281600	297300	328500	249100
401			2004	SC	283800	302600	332300	250100
401			2005	SC	338700	358600	395600	298100
401			2006	SC	344300	364300	402500	303700
401			2007	SC	349900	369900	404500	307700
401			2008	SC	355500	372900	351700	312700
401			2009	SC	361100	382800	422500	317800
401			2010	SC	345400	365400	404300	304600
401			2011	SC	340000	435100	397300	270600
401			2012	SC	338000	358000	336600	298300
401			2013	SC	330000	349100	318100	291000
401			2014	SC	326000	344800	336600	287500
401			2015	SC	328000	346900	338700	289300
401			2016	SC	330000	349100	340700	291000
401			2017	SC	348100	370100	370500	308800
401			2018	SC	350600	374500	372500	308400
401			2019	SC	353100	374800	372600	312100
401	KENNEDY RD IC-379 SCARBOROUGH	1.6	1988	UC	263700	276900	298000	247900
401			1989	UC	279800	293800	316200	265800
401			1990	UC	296600	317400	344100	281800
401			1991	UC	287700	305000	330900	279100
401			1992	UC	289200	306600	332600	277600
401			1993	UC	323600	340900	367800	303100
401			1994	UC	330000	349800	377300	306900
401			1995	UC	330800	349000	378200	308500
401			1996	UC	331600	350900	387900	315300
401			1997	UC	332500	349100	389000	312600
401			1998	UC	334800	354900	391700	318100
401			1999	UC	336600	356800	393800	319800
401			2000	UC	338300	358600	399200	318000
401			2001	UC	340000	364200	400000	319500
401			2002	UC	341800	364200	402100	320000
401			2003	UC	343500	363000	402400	324500
401			2004	UC	345000	369500	405900	324200
401			2005	UC	346300	366400	405000	324800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2006	UC	347900	367900	406500	327400
401			2007	UC	349500	370700	404500	327900
401			2008	UC	351100	370900	348100	328500
401			2009	UC	352700	373900	412700	331500
401			2010	UC	354300	374600	412400	333100
401			2011	UC	355900	357000	369400	337700
401			2012	UC	336000	338000	359700	319200
401			2013	UC	340000	341100	341900	322600
401			2014	UC	352900	354000	339400	334900
401			2015	UC	353900	355000	340300	335800
401			2016	UC	355000	356100	341400	336900
401			2017	UC	356000	353700	357100	341200
401			2018	UC	357100	354200	359800	342800
401			2019	UC	358100	352800	358200	345000
401	WARDEN AV IC-378 SCARBOROUGH	1.3	1988	UC	275000	288800	310700	258500
401			1989	UC	292600	307200	330600	278000
401			1990	UC	305600	327000	354500	290300
401			1991	UC	296400	314200	340900	287500
401			1992	UC	305300	323600	351100	293100
401			1993	UC	314200	331000	357100	294300
401			1994	UC	323100	342500	369400	300500
401			1995	UC	332000	350300	379600	309600
401			1996	UC	340900	360800	398800	324200
401			1997	UC	349800	367300	409300	328800
401			1998	UC	358700	380200	419700	340800
401			1999	UC	337200	357400	394500	320300
401			2000	UC	338300	358600	399200	318000
401			2001	UC	339300	363400	399100	318900
401			2002	UC	340300	362600	400300	318600
401			2003	UC	341300	360700	399800	322400
401			2004	UC	326000	349200	383500	306400
401			2005	UC	343800	363800	402100	322400
401			2006	UC	348700	368800	407500	328200
401			2007	UC	353600	375000	409300	331700
401			2008	UC	358500	378700	355500	335400
401			2009	UC	363300	385100	425100	341500
401			2010	UC	355000	375300	413200	333800
401			2011	UC	356400	357500	369900	338200
401			2012	UC	333000	335000	356500	316400
401			2013	UC	320000	321000	321800	303700
401			2014	UC	330000	331100	317400	313200
401			2015	UC	332000	333100	319300	315100
401			2016	UC	334000	335100	321200	316900
401			2017	UC	341500	339300	342600	327300
401			2018	UC	341500	338700	344100	327800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2019	UC	341500	336500	341600	329000
401	VICTORIA PARK AV IC-376 SCARBOROUGH	1.4	1988	UC	282100	296200	318800	265200
401			1989	UC	293000	307600	331100	278400
401			1990	UC	280600	300200	325500	266600
401			1991	UC	274200	290700	315300	266000
401			1992	UC	275700	292200	317100	264700
401			1993	UC	308500	325000	350700	289000
401			1994	UC	314600	333500	359700	292600
401			1995	UC	317400	334900	362900	296000
401			1996	UC	324800	343700	380000	308900
401			1997	UC	332100	348700	388600	312200
401			1998	UC	339400	359800	397100	322400
401			1999	UC	317400	336400	371400	301500
401			2000	UC	320500	339700	378200	301300
401			2001	UC	323700	346700	380800	304200
401			2002	UC	326800	348200	384400	306000
401			2003	UC	330000	348700	386600	311700
401			2004	UC	329400	352800	387500	309500
401			2005	UC	330300	349500	386300	309800
401			2006	UC	328200	347100	383500	308900
401			2007	UC	328700	348600	380400	308400
401			2008	UC	329200	347700	326400	308000
401			2009	UC	329700	349500	385700	309900
401			2010	C	324900	358100	361300	292500
401			2011	C	330600	364300	367600	297500
401			2012	C	331100	364800	357100	298100
401			2013	C	331600	365400	360800	298500
401			2014	C	332100	365300	355300	298900
401			2015	C	332600	365900	355900	299300
401			2016	C	333000	366300	356300	299700
401			2017	C	333500	364800	364000	302600
401			2018	C	334000	366100	364000	301400
401			2019	C	334500	365600	363400	302800
401	HWY 404 IC-375 DON VALLEY PKWY NORTH YORK	2.0	1988	UC	277100	291000	313100	260500
401			1989	UC	294900	309600	333200	280200
401			1990	UC	280500	300100	325400	266500
401			1991	UC	274900	291400	316100	266700
401			1992	UC	276500	293100	318000	265400
401			1993	UC	309000	325500	351200	289400
401			1994	UC	315200	334100	360400	293100
401			1995	UC	321700	339400	367800	300000
401			1996	UC	330100	349300	386200	313900
401			1997	SC	338500	358800	396000	301300
401			1998	SC	346900	367700	405900	308700
401			1999	SC	327500	347200	383200	291500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2000	SC	330700	350500	386900	291000
401			2001	SC	333800	356000	390800	294200
401			2002	SC	337000	357600	394600	297100
401			2003	SC	339500	358500	396100	300400
401			2004	SC	342100	364800	400600	301500
401			2005	SC	344000	364200	401700	302800
401			2006	SC	345800	365900	404200	305000
401			2007	SC	347600	367400	401900	305700
401			2008	SC	349400	366500	345700	307300
401			2009	SC	351300	372400	411000	309100
401			2010	SC	353100	373500	413300	311400
401			2011	SC	354900	454200	414700	282400
401			2012	SC	335000	354800	333600	295600
401			2013	SC	330000	349100	318100	291000
401			2014	SC	338000	357500	349000	298100
401			2015	SC	343000	362800	354200	302500
401			2016	SC	348000	368100	359300	306900
401			2017	SC	349900	372000	372400	310400
401			2018	SC	350800	374700	372800	308600
401			2019	SC	351700	373300	371100	310800
401	LESLIE ST IC-373 NORTH YORK	1.9	1988	UC	286000	300300	323200	268800
401			1989	UC	305900	321200	345700	290600
401			1990	UC	285000	305000	330600	270800
401			1991	UC	279300	296100	321200	270900
401			1992	UC	296400	314200	340900	284500
401			1993	UC	313500	330200	356300	293600
401			1994	UC	317100	336100	362600	294900
401			1995	UC	324800	342700	371300	302900
401			1996	UC	332600	352000	389100	316300
401			1997	UC	340300	357300	398200	319900
401			1998	UC	348100	369000	407300	330700
401			1999	UC	338700	359000	396300	321800
401			2000	UC	341300	361800	402700	320800
401			2001	UC	343900	368300	404600	323200
401			2002	UC	337900	360000	397500	316400
401			2003	UC	349100	368900	408900	329800
401			2004	UC	351700	376700	413700	330500
401			2005	UC	354300	374900	414400	332300
401			2006	UC	357600	378200	417900	336500
401			2007	UC	360800	382700	417600	338500
401			2008	UC	364000	384500	360900	340500
401			2009	UC	360500	382100	421800	338900
401			2010	UC	355000	375300	413200	333800
401			2011	UC	345900	347000	359000	328200
401			2012	UC	338000	340000	361800	321100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2013	UC	335000	336100	336900	317900
401			2014	UC	334000	335100	321200	316900
401			2015	UC	333000	334100	320200	316000
401			2016	UC	332000	333100	319300	315100
401			2017	UC	348400	346100	349500	333900
401			2018	UC	348800	346000	351500	334800
401			2019	UC	349200	344100	349300	336500
401	BAYVIEW AV IC-371 NORTH YORK	2.0	1988	UC	291200	305800	329100	273700
401			1989	UC	311800	327400	352300	296200
401			1990	UC	285500	305500	331200	271200
401			1991	UC	279800	296600	321800	271400
401			1992	UC	281300	298200	323500	270000
401			1993	UC	314500	331300	357500	294600
401			1994	UC	316800	335800	362200	294600
401			1995	UC	319100	336700	364800	297600
401			1996	UC	325600	344600	380900	309600
401			1997	SC	332100	352000	388600	295600
401			1998	SC	337100	357300	394400	300000
401			1999	SC	337500	357800	394900	300400
401			2000	C	346000	391000	391000	311400
401			2001	C	350000	394200	395000	315200
401			2002	C	354900	397500	400500	319400
401			2003	C	359700	401800	404400	324700
401			2004	C	361100	406700	407500	325200
401			2005	C	354500	394700	398000	318400
401			2006	C	353600	392900	396000	318100
401			2007	C	355800	395400	400800	319700
401			2008	C	366500	404500	398900	328800
401			2009	C	368600	405500	409100	331700
401			2010	C	321500	354300	357500	289400
401			2011	C	350000	385700	389200	315000
401			2012	C	340000	374600	366700	306200
401			2013	C	345000	380200	375400	310600
401			2014	C	340000	374000	363800	306000
401			2015	C	341000	375100	364900	306900
401			2016	C	341500	375700	365400	307400
401			2017	C	353600	386800	385900	320900
401			2018	C	354400	388500	386300	319900
401			2019	C	355200	388300	385900	321500
401	HWY 11 IC-369 YONGE ST NORTH YORK	1.7	1988	UC	298000	312900	336700	280100
401			1989	UC	319000	335000	360500	303000
401			1990	UC	290500	310800	337000	276000
401			1991	UC	284700	301800	327400	276200
401			1992	UC	286100	303300	329000	274700
401			1993	UC	320100	337200	363800	299800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1994	UC	324200	343700	370700	301500
401			1995	UC	328400	346500	375500	306200
401			1996	UC	332500	351900	389000	316200
401			1997	UC	336600	353400	393800	316400
401			1998	UC	340700	361100	398600	323700
401			1999	UC	344900	365600	403500	327700
401			2000	UC	349000	369900	411800	328100
401			2001	UC	353100	378200	415400	331800
401			2002	UC	357200	380600	420200	334400
401			2003	UC	361400	381900	423300	341400
401			2004	UC	365500	391500	430000	343500
401			2005	UC	369600	391100	432300	346600
401			2006	UC	373700	395200	436700	351700
401			2007	UC	377900	400800	437400	354500
401			2008	UC	382000	403500	378800	357400
401			2009	UC	386100	409300	451700	362900
401			2010	UC	380000	401700	442300	357300
401			2011	UC	360000	361200	373600	341600
401			2012	UC	330000	332000	353300	313500
401			2013	UC	340000	341100	341900	322600
401			2014	UC	335000	336100	322200	317900
401			2015	UC	333500	334600	320700	316500
401			2016	UC	332000	333100	319300	315100
401			2017	UC	359100	356800	360200	344100
401			2018	UC	359700	356800	362500	345300
401			2019	UC	360300	355000	360400	347200
401	AVENUE RD IC-367 NORTH YORK	1.1	1988	UC	292000	306600	330000	274500
401			1989	UC	310600	326100	351000	295100
401			1990	UC	290000	310300	336400	275500
401			1991	UC	287100	304300	330200	278500
401			1992	UC	288600	305900	331900	277100
401			1993	UC	303900	320100	345400	284700
401			1994	UC	324000	343400	370400	301300
401			1995	UC	326100	344100	372800	304100
401			1996	UC	329000	348200	384900	312900
401			1997	C	330100	373000	376300	297100
401			1998	C	331300	374400	374400	298200
401			1999	C	332000	371800	375200	298800
401			2000	C	340300	384500	384500	306300
401			2001	C	348500	392500	393300	313900
401			2002	C	356800	399600	402600	321100
401			2003	UC	360000	380400	421700	340100
401			2004	UC	362100	387800	426000	340300
401			2005	UC	364900	386100	426800	342200
401			2006	UC	349000	369100	407800	328400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2007	UC	351000	372300	406200	329300
401			2008	UC	353000	372900	350000	330200
401			2009	UC	355000	376300	415400	333700
401			2010	UC	357000	377400	415500	335700
401			2011	UC	366000	367200	379900	347300
401			2012	UC	340000	342000	364000	323000
401			2013	UC	345000	346100	346900	327400
401			2014	UC	341000	342100	327900	323600
401			2015	UC	342000	343100	328900	324500
401			2016	UC	343000	344100	329900	325500
401			2017	UC	356500	354200	357600	341700
401			2018	UC	357400	354500	360100	343100
401			2019	UC	358300	353000	358400	345200
401	BATHURST ST IC-366 NORTH YORK	1.4	1988	UC	282000	296100	318700	265100
401			1989	UC	299300	314300	338200	284300
401			1990	UC	270100	289000	313300	256600
401			1991	UC	267400	283400	307500	259400
401			1992	UC	268900	285000	309200	258100
401			1993	UC	276000	290700	313700	258500
401			1994	UC	283000	300000	323600	263200
401			1995	UC	290000	306000	331600	270400
401			1996	UC	297000	314300	347500	282400
401			1997	UC	304000	319200	355700	285800
401			1998	UC	311100	329800	364000	295500
401			1999	UC	318100	337200	372200	302200
401			2000	UC	325100	344600	383600	305600
401			2001	UC	332100	355700	390700	312100
401			2002	UC	339100	361300	398900	317500
401			2003	UC	346100	365700	405400	326900
401			2004	UC	353100	378200	415400	331800
401			2005	UC	348700	369000	407800	327000
401			2006	UC	352000	372200	411300	331300
401			2007	UC	354300	375800	410100	332400
401			2008	UC	356600	376700	353600	333600
401			2009	C	352100	387300	390800	316900
401			2010	C	361300	398200	401800	325200
401			2011	C	374800	413000	416800	337300
401			2012	C	350000	385600	377500	315200
401			2013	C	352000	387900	383000	316900
401			2014	C	348000	382800	372400	313200
401			2015	C	349000	383900	373400	314100
401			2016	C	350000	385000	374500	315000
401			2017	C	373700	408800	407900	339100
401			2018	C	376800	413000	410700	340100
401			2019	C	379900	415300	412800	343900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401	ALLEN RD IC-365 NORTH YORK	0.8	1988	UC	268400	281800	303300	252300
401			1989	UC	284000	298200	320900	269800
401			1990	UC	255000	272800	295800	242200
401			1991	UC	252500	267600	290400	244900
401			1992	UC	253900	269100	292000	243700
401			1993	UC	263800	277900	299900	247100
401			1994	UC	273600	290000	312800	254400
401			1995	UC	283500	299100	324100	264400
401			1996	UC	289200	306100	338300	275000
401			1997	UC	291300	305900	340800	273800
401			1998	UC	293500	311100	343400	278800
401			1999	UC	332400	352300	388900	315800
401			2000	UC	335500	355600	395900	315400
401			2001	UC	338700	362800	398400	318300
401			2002	UC	341800	364200	402100	320000
401			2003	UC	345000	364600	404100	325900
401			2004	UC	361400	387100	425100	339600
401			2005	UC	370300	391800	433100	347300
401			2006	UC	369300	390500	431600	347600
401			2007	UC	368400	390700	426400	345600
401			2008	UC	367400	388100	364300	343700
401			2009	UC	366400	388400	428700	344400
401			2010	UC	365500	386400	425400	343700
401			2011	UC	373000	374200	387100	354000
401			2012	UC	370000	372200	396100	351500
401			2013	UC	366000	367200	368000	347300
401			2014	UC	366000	367200	352000	347300
401			2015	UC	367000	368200	352900	348300
401			2016	UC	368000	369200	353900	349200
401			2017	UC	395000	392400	396200	378500
401			2018	UC	399300	396100	402400	383300
401			2019	UC	403600	397700	403800	388900
401	DUFFERIN ST IC-364 NORTH YORK	2.0	1988	UC	304000	319200	343500	285800
401			1989	UC	321700	337800	363500	305600
401			1990	UC	289600	309900	335900	275100
401			1991	UC	288400	305700	331700	279700
401			1992	UC	289800	307200	333300	278200
401			1993	UC	323900	341200	368200	303400
401			1994	UC	331000	350900	378400	307800
401			1995	UC	323100	340900	369400	301300
401			1996	UC	323100	341900	378000	307300
401			1997	UC	325900	342200	381300	306300
401			1998	UC	326900	346500	382500	310600
401			1999	UC	337400	357600	394800	320500
401			2000	UC	340500	360900	401800	320100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2001	UC	343700	368100	404300	323000
401			2002	UC	346800	369500	408000	324700
401			2003	UC	350000	369800	410000	330600
401			2004	UC	351900	376900	414000	330700
401			2005	UC	354500	375100	414600	332500
401			2006	UC	357500	378100	417800	336400
401			2007	UC	360600	382500	417400	338300
401			2008	UC	363600	384100	360500	340200
401			2009	C	366600	403300	406900	329900
401			2010	C	369600	407300	411000	332700
401			2011	C	372600	410600	414300	335300
401			2012	C	375700	414000	405200	338300
401			2013	C	378700	417400	412100	340900
401			2014	C	381700	419900	408400	343500
401			2015	C	384700	423200	411600	346200
401			2016	C	387700	426500	414800	348900
401			2017	C	390800	427500	426500	354600
401			2018	C	393800	431700	429200	355400
401			2019	C	396800	433700	431100	359200
401	KEELE ST IC-362 NORTH YORK	3.1	1988	UC	301000	316000	340100	282900
401			1989	UC	318500	334400	359900	302600
401			1990	UC	334400	357800	387900	317700
401			1991	UC	332700	352700	382600	322700
401			1992	UC	334100	354100	384200	320700
401			1993	UC	337400	355400	383500	316000
401			1994	UC	340800	361200	389600	316900
401			1995	UC	344100	363100	393400	320900
401			1996	UC	347400	367700	406400	330400
401			1997	C	350700	396300	399800	315600
401			1998	C	354100	400100	400100	318700
401			1999	C	357400	400300	403900	321700
401			2000	C	359500	406200	406200	323600
401			2001	C	364000	409900	410800	327800
401			2002	C	367300	411300	414500	330500
401			2003	C	370700	414100	416800	334600
401			2004	C	373700	420900	421700	336600
401			2005	C	377000	419700	423200	338600
401			2006	C	369700	410800	414000	332600
401			2007	C	373200	414700	420500	335300
401			2008	C	376700	415800	410000	338000
401			2009	C	380300	418300	422100	342300
401			2010	C	383800	423000	426800	345500
401			2011	C	387100	426600	430500	348400
401			2012	C	389700	429400	420300	350900
401			2013	C	380000	418800	413500	342100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2014	C	392300	431500	419800	353100
401			2015	C	394700	434200	422300	355200
401			2016	C	397100	436800	424900	357400
401			2017	C	399500	437000	436000	362500
401			2018	C	401900	440500	438000	362700
401			2019	C	404200	441800	439200	365900
401	HWY 400 IC-359 NORTH YORK	1.5	1988	UC	319600	335600	361100	300400
401			1989	UC	338200	355100	382200	321300
401			1990	UC	351700	376300	408000	334100
401			1991	UC	350000	371000	402500	339500
401			1992	UC	351200	372300	403900	337200
401			1993	UC	357500	376600	406400	334900
401			1994	UC	363700	385500	415800	338200
401			1995	UC	370000	390400	423000	345000
401			1996	UC	376200	398100	440100	357800
401			1997	UC	382500	401600	447500	359600
401			1998	UC	388700	412000	454800	369300
401			1999	UC	395000	418700	462200	375200
401			2000	UC	401700	425800	474000	377600
401			2001	UC	407800	436800	479700	383200
401			2002	UC	409000	435800	481100	382900
401			2003	UC	410000	433200	480300	387300
401			2004	UC	420800	450700	495000	395400
401			2005	UC	389400	412000	455400	365200
401			2006	UC	392200	414800	458300	369100
401			2007	UC	395000	418900	457200	370600
401			2008	UC	397700	420100	394400	372100
401			2009	C	400500	440600	444600	360400
401			2010	C	403300	444500	448500	363100
401			2011	C	405000	446300	450400	364500
401			2012	C	405000	446200	436800	364700
401			2013	C	410000	451800	446100	369100
401			2014	C	413200	454500	442100	371900
401			2015	C	414800	456300	443800	373300
401			2016	C	416500	458200	445700	374800
401			2017	C	418100	457400	456300	379400
401			2018	C	419700	460100	457400	378800
401			2019	C	421300	460500	457700	381300
401	WESTON RD IC-357 NORTH YORK	1.4	1988	UC	316500	332300	357600	297500
401			1989	UC	334900	351600	378400	318200
401			1990	UC	348300	372700	404000	330900
401			1991	UC	346500	367300	398500	336100
401			1992	UC	347800	368700	400000	333900
401			1993	UC	352400	371200	400600	330100
401			1994	UC	356900	378300	408100	331900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1995	UC	361500	381400	413300	337100
401			1996	UC	366000	387300	428200	348100
401			1997	C	370600	418800	422500	333500
401			1998	C	375100	423900	423900	337600
401			1999	C	379700	425300	429100	341700
401			2000	C	381000	430500	430500	342900
401			2001	C	386900	435700	436600	348500
401			2002	C	391200	438100	441500	352000
401			2003	UC	395400	417800	463200	373500
401			2004	UC	399600	428000	470100	375500
401			2005	UC	397900	421000	465400	373200
401			2006	UC	396200	419000	463000	372900
401			2007	UC	394500	418400	456600	370100
401			2008	UC	392700	414800	389400	367400
401			2009	C	391000	430100	434000	351900
401			2010	C	389300	429000	432900	350500
401			2011	C	390000	429800	433700	351000
401			2012	C	403500	444600	435200	363300
401			2013	C	405500	446900	441200	365000
401			2014	C	407500	448300	436000	366800
401			2015	C	409500	450500	438200	368600
401			2016	C	411600	452800	440400	370400
401			2017	C	413600	452500	451400	375300
401			2018	C	415600	455600	453000	375100
401			2019	C	417700	456600	453800	378100
401	ISLINGTON AV IC-356 ETOBICOKE	2.4	1988	UC	213500	224200	241300	200700
401			1989	UC	220800	231800	249500	209800
401			1990	UC	230700	246800	267600	219200
401			1991	UC	229600	243400	264000	222700
401			1992	UC	230800	244600	265400	221600
401			1993	UC	253000	266500	287600	237000
401			1994	UC	275100	291600	314500	255800
401			1995	UC	285800	301600	326800	266500
401			1996	UC	296500	313800	346900	282000
401			1997	UC	307200	322600	359400	288800
401			1998	UC	317900	337000	371900	302000
401			1999	UC	328900	348600	384800	312500
401			2000	UC	339300	359700	400400	318900
401			2001	UC	345000	369500	405900	324200
401			2002	UC	347500	370300	408800	325400
401			2003	UC	350000	369800	410000	330600
401			2004	UC	367800	393900	432700	345600
401			2005	UC	376700	398600	440600	353300
401			2006	UC	369900	391200	432300	348100
401			2007	UC	363100	385100	420200	340700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2008	UC	356300	376400	353300	333300
401			2009	UC	349500	370500	408900	328500
401			2010	UC	342700	362300	398900	322200
401			2011	UC	360000	361200	373600	341600
401			2012	UC	360000	362200	385400	342000
401			2013	UC	365000	366200	367000	346400
401			2014	UC	382600	383800	367900	363100
401			2015	UC	386700	387900	371900	367000
401			2016	UC	390700	392000	375700	370800
401			2017	UC	394800	392200	396000	378400
401			2018	UC	398800	395600	401900	382800
401			2019	UC	402800	396900	403000	388100
401	DIXON RD IC-354 ETOBICOKE	2.4	1988	UC	215000	225800	242900	202100
401			1989	UC	222300	233400	251200	211200
401			1990	UC	232300	248600	269500	220700
401			1991	UC	231100	245000	265800	224200
401			1992	UC	232400	246300	267300	223100
401			1993	UC	241500	254400	274500	226200
401			1994	UC	250600	265600	286500	233100
401			1995	UC	259700	274000	296900	242200
401			1996	UC	264900	280300	309900	251900
401			1997	UC	270800	284300	316800	254600
401			1998	UC	276700	293300	323700	262900
401			1999	UC	282600	299600	330600	268500
401			2000	UC	288500	305800	340400	271200
401			2001	UC	295000	316000	347000	277200
401			2002	UC	301100	320800	354200	281900
401			2003	UC	307200	324600	359900	290200
401			2004	UC	313300	335600	368600	294400
401			2005	UC	327000	346000	382400	306700
401			2006	UC	349800	369900	408800	329200
401			2007	UC	345200	366100	399500	323900
401			2008	UC	340600	359800	337700	318600
401			2009	C	311400	342500	345700	280300
401			2010	C	236500	260600	263000	212900
401			2011	C	240000	264500	266900	216000
401			2012	C	240000	264400	258800	216100
401			2013	C	244000	268900	265500	219700
401			2014	C	252000	277200	269600	226800
401			2015	C	260000	286000	278200	234000
401			2016	C	275000	302500	294200	247500
401			2017	C	277700	303800	303100	252000
401			2018	C	277100	303700	302000	250100
401			2019	C	276600	302300	300500	250400
401	HWY 427 IC-352	0.8	1988	C	143200	159000	159000	128900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1989	C	148400	164700	166200	133600
401			1990	C	147600	163800	163800	132800
401			1991	C	159500	175400	177000	145100
401			1992	C	171300	185000	190100	157600
401			1993	C	183200	199700	202700	168500
401			1994	C	195100	213600	217500	176600
401			1995	C	206900	225900	231800	189200
401			1996	C	218800	248000	248900	197500
401			1997	C	230700	260700	263000	207600
401			1998	C	242500	274000	274000	218200
401			1999	C	254400	284900	287500	229000
401			2000	C	266300	300900	300900	239700
401			2001	C	278100	313200	313800	250500
401			2002	C	290000	324800	327300	261000
401			2003	C	301900	337200	339400	272500
401			2004	C	313700	353300	354000	282500
401			2005	C	325600	362500	365500	292500
401			2006	C	337500	375000	378000	303700
401			2007	C	349300	388100	393500	313800
401			2008	C	361200	398600	393100	324100
401			2009	C	373100	410400	414100	335800
401			2010	C	384900	424200	428000	346500
401			2011	C	396800	437300	441200	357100
401			2012	C	385000	424200	415200	346700
401			2013	C	394200	434400	428900	354900
401			2014	C	403400	443700	431600	363100
401			2015	C	412600	453900	441500	371300
401			2016	C	421800	464000	451300	379600
401			2017	C	431000	471500	470400	391100
401			2018	C	440600	483000	480200	397700
401			2019	C	450300	492200	489300	407600
401	RENFORTH DR IC-349	4.3	1988	C	188500	209200	209200	169600
401			1989	C	195400	216900	218800	175900
401			1990	C	194400	215800	215800	175000
401			1991	C	200600	220700	222700	182500
401			1992	C	207000	223600	229800	190400
401			1993	C	213700	232900	236500	196600
401			1994	C	220500	241400	245900	199600
401			1995	C	227600	248500	255000	208200
401			1996	C	234800	266100	267100	212000
401			1997	C	242400	273900	276300	218200
401			1998	C	250100	282600	282600	225100
401			1999	C	270700	303200	305900	243600
401			2000	C	282200	318900	318900	254000
401			2001	C	293700	330800	331400	264500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2002	C	305200	341800	344400	274700
401			2003	C	322500	360200	362600	291100
401			2004	C	328200	369600	370400	295600
401			2005	C	327900	365100	368100	294500
401			2006	C	333900	371000	373900	300400
401			2007	C	339900	377700	382900	305400
401			2008	C	345900	381800	376500	310300
401			2009	C	385600	424200	428000	347000
401			2010	C	381400	420300	424100	343300
401			2011	C	391700	431700	435600	352500
401			2012	C	350000	385600	377500	315200
401			2013	C	352000	387900	383000	316900
401			2014	C	363700	400100	389200	327300
401			2015	C	375400	412900	401700	337900
401			2016	C	387100	425800	414200	348400
401			2017	C	398800	436300	435300	361900
401			2018	C	405800	444800	442300	366300
401			2019	C	412800	451200	448500	373600
401	DIXIE RD IC-346	1.5	1988	C	201000	223100	223100	180900
401			1989	C	209000	232000	234100	188100
401			1990	C	221600	246000	246000	199400
401			1991	C	220500	242600	244800	200700
401			1992	C	221000	238700	245300	203300
401			1993	C	228700	249300	253100	210400
401			1994	C	236500	259000	263700	214000
401			1995	C	244200	266600	273600	223400
401			1996	C	252000	285600	286700	227500
401			1997	C	259700	293500	296100	233700
401			1998	C	267500	302300	302300	240800
401			1999	C	275200	308200	311000	247700
401			2000	C	283000	319800	319800	254700
401			2001	C	290700	327400	328000	261800
401			2002	C	298500	334300	336800	268600
401			2003	C	306200	342000	344300	276400
401			2004	C	314000	353600	354300	282800
401			2005	C	326600	363600	366600	293400
401			2006	C	328500	365000	367900	295600
401			2007	C	336100	373500	378700	302000
401			2008	C	343700	379300	374100	308400
401			2009	C	352700	388000	391500	317400
401			2010	C	353100	389100	392600	317900
401			2011	C	366500	403900	407500	329800
401			2012	C	335000	369100	361300	301700
401			2013	C	340000	374700	370000	306100
401			2014	C	340000	374000	363800	306000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2015	C	340000	374000	363800	306000
401			2016	C	340000	374000	363800	306000
401			2017	C	373500	408600	407700	338900
401			2018	C	378800	415200	412900	341900
401			2019	C	384100	419800	417300	347700
401	HWYS 410 & 403 IC-344 END OF COMPLEX FRWY	2.8	1988	C	108900	120900	120900	98000
401			1989	C	113200	125700	126800	101900
401			1990	C	120000	133200	133200	108000
401			1991	C	119400	131300	132500	108700
401			1992	C	119900	129500	133100	110300
401			1993	C	123700	134800	136900	113800
401			1994	C	127400	139500	142100	115300
401			1995	C	131200	143200	147000	120000
401			1996	C	135000	153000	153600	121900
401			1997	C	138700	156700	158100	124800
401			1998	C	142500	161000	161000	128200
401			1999	C	146200	163700	165200	131600
401			2000	C	150000	169500	169500	135000
401			2001	C	153800	173200	173600	138500
401			2002	C	157500	176400	177700	141700
401			2003	C	161300	180200	181400	145600
401			2004	C	165100	185900	186300	148700
401			2005	C	168800	187900	189500	151600
401			2006	C	172600	191800	193300	155300
401			2007	C	176400	196000	198700	158500
401			2008	C	180100	198800	196000	161600
401			2009	C	183900	202300	204100	165500
401			2010	C	187700	206900	208700	169000
401			2011	C	191400	210900	212800	172300
401			2012	C	195200	215100	210500	175800
401			2013	C	200000	220400	217600	180000
401			2014	C	202900	223200	217100	182600
401			2015	C	206700	227400	221200	186000
401			2016	C	210500	231600	225200	189400
401			2017	C	214300	234400	233900	194500
401			2018	C	218100	239100	237700	196800
401			2019	C	221800	242400	241000	200800
401	HWY 10 IC-342 HURONTARIO ST MISSISSAUGA	2.1	1988	C	97100	107800	107800	87400
401			1989	C	101300	112400	113500	91200
401			1990	C	107300	119100	119100	96600
401			1991	C	106900	117600	118700	97300
401			1992	C	107000	115600	118800	98400
401			1993	C	109400	119200	121100	100600
401			1994	C	111800	122400	124700	101200
401			1995	C	114100	124600	127900	104400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1996	C	116500	132000	132500	105200
401			1997	C	118900	134400	135500	107000
401			1998	C	121300	137100	137100	109200
401			1999	C	140000	156800	158200	126000
401			2000	C	142500	161000	161000	128200
401			2001	C	145000	163300	163600	130600
401			2002	C	147500	165200	166400	132700
401			2003	C	150000	167600	168600	135400
401			2004	C	157700	177600	178000	142000
401			2005	C	162600	181000	182500	146000
401			2006	C	167500	186100	187600	150700
401			2007	C	172400	191600	194200	154900
401			2008	C	177300	195700	193000	159100
401			2009	C	182200	200400	202200	164000
401			2010	C	187100	206200	208100	168400
401			2011	C	192000	211600	213500	172800
401			2012	C	196900	216900	212400	177300
401			2013	C	201800	222400	219600	181700
401			2014	C	206700	227400	221200	186000
401			2015	C	211600	232800	226400	190400
401			2016	C	216500	238200	231700	194800
401			2017	C	221400	242200	241700	200900
401			2018	C	226300	248100	246600	204200
401			2019	C	231200	252700	251200	209300
401	MAVIS ROAD IC	3.5	2000	C	130000	146900	146900	117000
401			2001	C	133500	150400	150600	120200
401			2002	C	136300	152600	153800	122700
401			2003	C	141700	158300	159300	127900
401			2004	C	144900	163200	163500	130500
401			2005	C	145700	162200	163600	130900
401			2006	C	152500	169400	170800	137200
401			2007	C	146600	162900	165200	131700
401			2008	C	154400	170400	168100	138500
401			2009	C	157300	173000	174600	141600
401			2010	C	160200	176600	178100	144200
401			2011	C	163100	179700	181400	146800
401			2012	C	166000	182900	179000	149500
401			2013	C	144000	158700	156700	129600
401			2014	C	164600	181100	176100	148100
401			2015	C	155400	170900	166300	139900
401			2016	C	166100	182700	177700	149500
401			2017	C	168100	183900	183500	152500
401			2018	C	170000	186300	185300	153400
401			2019	C	171900	187900	186800	155600
401	MISSISSAUGA RD IC-336	3.4	1988	C	76600	85000	85000	68900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1989	C	79900	88700	89500	71900
401			1990	C	84200	93500	93500	75800
401			1991	C	80900	89000	89800	73600
401			1992	C	83100	89700	92200	76500
401			1993	C	88600	96600	98100	81500
401			1994	C	94000	102900	104800	85100
401			1995	C	99500	108600	111500	91000
401			1996	C	103800	117700	118100	93700
401			1997	C	108000	122000	123100	97200
401			1998	C	112300	126900	126900	101100
401			1999	C	111200	124500	125700	100100
401			2000	C	114000	128800	128800	102600
401			2001	C	116400	131100	131400	104800
401			2002	C	117800	131900	132900	106000
401			2003	C	121500	135700	136600	109700
401			2004	C	125000	140800	141100	112600
401			2005	C	125200	139400	140600	112500
401			2006	C	125400	139300	140400	112800
401			2007	C	128200	142500	144400	115200
401			2008	C	129600	143000	141100	116300
401			2009	C	130600	143700	145000	117500
401			2010	C	126600	139500	140800	114000
401			2011	C	135900	149800	151100	122300
401			2012	C	138000	152100	148800	124300
401			2013	C	138000	152100	150200	124200
401			2014	UC	131900	132300	126800	125200
401			2015	UC	142000	142500	136600	134800
401			2016	UC	143900	144400	138400	136600
401			2017	C	142200	155600	155200	129000
401			2018	C	147200	161400	160400	132900
401			2019	C	149100	163000	162000	135000
401	WINSTON CHURCHILL BV IC-333	2.3	1988	C	72100	80000	80000	64900
401			1989	C	75200	83500	84200	67700
401			1990	C	79000	87700	87700	71100
401			1991	C	75000	82500	83300	68200
401			1992	C	77900	84100	86500	71700
401			1993	C	81000	88300	89600	74500
401			1994	C	84300	92300	94000	76300
401			1995	C	87200	95200	97700	79800
401			1996	C	90100	102100	102500	81300
401			1997	C	93000	105100	106000	83700
401			1998	C	96000	108500	108500	86400
401			1999	C	96200	107700	108700	86600
401			2000	C	97600	110300	110300	87800
401			2001	C	100600	113300	113500	90600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2002	C	100400	112400	113300	90400
401			2003	C	105000	117300	118100	94800
401			2004	C	104800	118000	118300	94400
401			2005	C	107800	120000	121000	96800
401			2006	C	108500	120600	121500	97600
401			2007	C	110300	122600	124300	99100
401			2008	C	110100	121500	119800	98800
401			2009	C	114200	125600	126800	102800
401			2010	C	116100	127900	129100	104500
401			2011	C	130000	143300	144600	117000
401			2012	C	122500	135000	132100	110300
401			2013	UC	133300	133700	134000	126500
401			2014	UC	128300	128700	123400	121700
401			2015	UC	128600	129000	123700	122000
401			2016	UC	132400	132800	127300	125600
401			2017	UC	134500	133600	134900	128900
401			2018	UC	136700	135600	137700	131200
401			2019	UC	138800	136800	138900	133700
401	HWY 407 IC	2.4	1997	C	94800	107100	108100	85300
401			1998	C	100800	113900	113900	90700
401			1999	C	106900	119700	120800	96200
401			2000	C	112900	127600	127600	101600
401			2001	C	115200	129700	130000	103800
401			2002	C	118100	132300	133300	106300
401			2003	C	120800	134900	135800	109000
401			2004	C	124500	140200	140500	112100
401			2005	C	127400	141800	143000	114400
401			2006	C	129300	143700	144800	116300
401			2007	C	135700	150800	152900	121900
401			2008	C	136600	150800	148700	122600
401			2009	C	139200	153100	154500	125300
401			2010	CTR	138900	169100	162500	118000
401			2011	CTR	130000	158200	152100	110400
401			2012	CTR	145600	176600	174400	124000
401			2013	CTR	130000	158200	163500	110400
401			2014	IC	135400	149900	149200	120100
401			2015	IC	147100	162800	162100	130400
401			2016	IC	149400	165400	164600	132500
401			2017	IC	151800	166300	167500	137800
401			2018	IC	154200	169700	170700	139500
401			2019	IC	156500	171900	172800	141300
401	TRAFALGAR RD IC-328 MILTON	4.2	1988	IC	70600	81900	79800	62100
401			1989	IC	73700	84800	83300	65600
401			1990	IC	77400	88200	86700	68900
401			1991	IC	73600	83200	81700	65500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1992	IC	76400	84800	84000	69500
401			1993	IC	78000	88100	87400	69400
401			1994	IC	83200	93200	93200	74000
401			1995	IC	88400	98900	99700	79300
401			1996	IC	93600	105100	105500	83300
401			1997	IC	98700	110500	111500	86900
401			1998	IC	103900	116400	116400	92500
401			1999	IC	106500	119300	119300	94800
401			2000	IC	114300	128000	128000	101700
401			2001	IC	113300	126700	127300	100200
401			2002	IC	115900	129200	130200	102100
401			2003	IC	121100	134900	136300	107300
401			2004	IC	128200	143400	144000	113400
401			2005	IC	123400	137200	138500	108800
401			2006	IC	124700	138500	139800	110500
401			2007	IC	125900	139900	144200	111300
401			2008	IC	127800	141600	137000	112700
401			2009	IC	127800	141900	143100	113700
401			2010	IC	125000	138400	139500	110800
401			2011	IC	123500	135800	140900	110800
401			2012	IC	130900	145000	140600	116100
401			2013	IC	138500	153300	152400	122800
401			2014	IC	140900	156000	155200	124900
401			2015	IC	143300	158600	157900	127100
401			2016	IC	145700	161300	160500	129200
401			2017	IC	148100	162300	163400	134400
401			2018	IC	150500	165700	166600	136200
401			2019	IC	152900	167900	168800	138000
401	JAMES SNOW PKWY IC-324 MILTON	3.7	1988	IC	65300	75700	73800	57500
401			1989	IC	68100	78300	77000	60600
401			1990	IC	71900	82000	80500	64000
401			1991	IC	66800	75500	74100	59500
401			1992	IC	70700	78500	77800	64300
401			1993	IC	74600	84300	83600	66400
401			1994	IC	78500	87900	87900	69900
401			1995	IC	82400	92200	92900	74000
401			1996	IC	86200	96800	97200	76700
401			1997	IC	90100	100900	101800	79300
401			1998	IC	94000	105300	105300	83700
401			1999	IC	93200	104400	104400	82900
401			2000	IC	97000	108600	108600	86300
401			2001	IC	98000	109600	110100	86700
401			2002	IC	100400	111900	112800	88500
401			2003	IC	100000	111400	112500	88600
401			2004	IC	105300	117800	118300	93100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2005	IC	107700	119700	120900	94900
401			2006	IC	110100	122300	123500	97500
401			2007	CR	112500	136200	136100	94800
401			2008	CR	114900	139100	138000	96800
401			2009	CR	117300	140800	136100	99700
401			2010	IC	119800	132600	133700	106200
401			2011	IC	119000	130900	135700	106800
401			2012	IC	124600	138000	133800	110600
401			2013	IC	126400	139900	139100	112100
401			2014	IC	128800	142600	141900	114200
401			2015	IC	131100	145100	144500	116200
401			2016	IC	133500	147800	147100	118400
401			2017	IC	135900	148900	150000	123300
401			2018	IC	138300	152200	153100	125100
401			2019	IC	140600	154400	155200	126900
401	REG. RD 25 IC-320 MILTON	8.2	1988	IC	62600	72600	70700	55100
401			1989	IC	65400	75200	73900	58200
401			1990	IC	70400	80300	78800	62700
401			1991	IC	65300	73800	72500	58100
401			1992	IC	69100	76700	76000	62900
401			1993	IC	72800	82300	81500	64800
401			1994	IC	76500	85700	85700	68100
401			1995	IC	79700	89200	89900	71500
401			1996	IC	81700	91800	92100	72700
401			1997	IC	83700	93700	94600	73700
401			1998	IC	89200	99900	99900	79400
401			1999	IC	86500	96900	96900	77000
401			2000	IC	90000	100800	100800	80100
401			2001	IC	90000	100600	101100	79600
401			2002	IC	87000	97000	97700	76700
401			2003	IC	90200	100500	101500	79900
401			2004	IC	96600	108000	108500	85400
401			2005	IC	95800	106500	107600	84400
401			2006	IC	97400	108200	109200	86300
401			2007	IC	99000	110000	113400	87500
401			2008	IC	100500	111300	107700	88600
401			2009	IC	102100	113300	114400	90900
401			2010	IR	103600	123300	112800	88200
401			2011	IR	105200	125500	122800	89800
401			2012	IC	106800	118300	114700	94800
401			2013	IC	108300	119900	119200	96000
401			2014	IC	109900	121600	121100	97500
401			2015	IC	111400	123300	122700	98800
401			2016	IC	113000	125100	124500	100200
401			2017	IC	114600	125600	126500	104000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2018	IC	116100	127800	128500	105000
401			2019	IC	117700	129300	130000	106300
401	GUELPH LINE IC-312 HALTON RD 1 MILTON	4.5	1988	IC	55100	63900	62300	48500
401			1989	IC	60300	69300	68100	53700
401			1990	IC	61500	70100	68900	54700
401			1991	IC	64100	72400	71200	57000
401			1992	IC	64800	71900	71300	59000
401			1993	IC	65500	74000	73400	58300
401			1994	IC	70800	79300	79300	63000
401			1995	IC	76000	85000	85700	68200
401			1996	IC	79400	89200	89500	70700
401			1997	IC	82800	92700	93600	72900
401			1998	IC	86200	96500	96500	76700
401			1999	IC	91700	102700	102700	81600
401			2000	IC	92500	103600	103600	82300
401			2001	IC	95100	106300	106800	84100
401			2002	IC	96800	107900	108700	85300
401			2003	IC	104400	116300	117500	92500
401			2004	IC	102800	115000	115500	90900
401			2005	IC	97600	108500	109600	86000
401			2006	IC	100500	111600	112700	89000
401			2007	IC	97900	108700	112100	86500
401			2008	IC	103900	115100	111400	91600
401			2009	IC	104500	116000	117000	93000
401			2010	IC	104000	115100	116100	92200
401			2011	IC	105000	115500	119800	94200
401			2012	IC	105000	116300	112800	93200
401			2013	IC	109400	121100	120400	97000
401			2014	IC	111000	122900	122300	98400
401			2015	IC	107100	118500	118000	95000
401			2016	IC	114000	126200	125600	101100
401			2017	CR	111900	129700	130400	100700
401			2018	CR	117100	136100	137000	105100
401			2019	CR	118600	137600	138500	106400
401	MILTON W LTS	7.3	1988	IC	55100	63900	62300	48500
401			1989	IC	60300	69300	68100	53700
401			1990	IC	61500	70100	68900	54700
401			1991	IC	64100	72400	71200	57000
401			1992	IC	64800	71900	71300	59000
401			1993	IC	65500	74000	73400	58300
401			1994	IC	70800	79300	79300	63000
401			1995	IC	76000	85000	85700	68200
401			1996	IC	79400	89200	89500	70700
401			1997	IC	82800	92700	93600	72900
401			1998	IC	86200	96500	96500	76700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1999	IC	91700	102700	102700	81600
401			2000	IC	92500	103600	103600	82300
401			2001	IC	95100	106300	106800	84100
401			2002	IC	96800	107900	108700	85300
401			2003	IC	104400	116300	117500	92500
401			2004	IC	102800	115000	115500	90900
401			2005	IC	97600	108500	109600	86000
401			2006	IC	100500	111600	112700	89000
401			2007	IC	97900	108700	112100	86500
401			2008	IC	103900	115100	111400	91600
401			2009	IC	104500	116000	117000	93000
401			2010	IC	104000	115100	116100	92200
401			2011	IC	105000	115500	119800	94200
401			2012	IC	105000	116300	112800	93200
401			2013	IC	105000	116200	115600	93100
401			2014	CTR	106300	129700	130700	90400
401			2015	CTR	108400	132200	133300	92100
401			2016	CTR	110600	134900	136000	94000
401			2017	CTR	114600	153200	152400	93400
401			2018	CTR	116000	154900	154300	94500
401			2019	CTR	117500	156600	155900	95600
401	E JCT HWY 6 IC-299/BROCK RD WELLINGTON RD. 46	4.4	1992	IC	62300	69200	68500	56700
401			1993	IC	63000	71200	70600	56100
401			1994	IC	64300	72000	72000	57200
401			1995	IC	66900	74900	75500	60000
401			1996	IC	69600	78200	78500	62000
401			1997	IC	72400	81100	81800	63700
401			1998	IC	75300	84300	84300	67000
401			1999	IC	78300	87700	87700	69700
401			2000	IC	83800	93900	93900	74600
401			2001	IC	87200	97500	98000	77100
401			2002	IC	90700	101100	101900	79900
401			2003	IC	94100	104900	105900	83400
401			2004	IC	98500	110100	110700	87100
401			2005	IC	101100	112400	113500	89100
401			2006	IC	100900	112100	113100	89400
401			2007	IC	102600	114000	117500	90700
401			2008	IC	104200	115400	111700	91900
401			2009	IC	105800	117400	118500	94200
401			2010	IC	107500	119000	120000	95300
401			2011	IC	107500	118200	122600	96400
401			2012	IC	108000	119700	116000	95800
401			2013	IC	108000	119500	118900	95800
401			2014	IC	107600	119100	118600	95400
401			2015	IC	107200	118700	118100	95100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2016	IC	106500	117900	117300	94400
401			2017	IC	118900	130300	131200	107900
401			2018	IC	121000	133200	133900	109500
401			2019	IC	123100	135200	135900	111100
401	W JCT HWY 6 IC-295 HANLON EXPWY	9.2	1992	C	63100	68100	70000	58100
401			1993	C	63600	69300	70400	58500
401			1994	C	64100	70200	71500	58000
401			1995	C	66700	72800	74700	61000
401			1996	C	69300	78500	78800	62600
401			1997	C	71800	81100	81900	64600
401			1998	C	74400	84100	84100	67000
401			1999	C	80600	90300	91100	72500
401			2000	C	82700	93500	93500	74400
401			2001	C	84900	95600	95800	76500
401			2002	C	87000	97400	98200	78300
401			2003	C	90300	100900	101500	81500
401			2004	C	91200	102700	102900	82100
401			2005	C	93700	104300	105200	84200
401			2006	C	94300	104800	105600	84800
401			2007	C	96600	107300	108800	86800
401			2008	C	99000	109300	107800	88800
401			2009	C	101300	111400	112400	91200
401			2010	C	97100	107000	108000	87400
401			2011	C	97100	107000	108000	87400
401			2012	C	101600	111900	109600	91500
401			2013	C	101600	112000	110600	91500
401			2014	C	108400	119200	116000	97600
401			2015	C	110400	121400	118100	99400
401			2016	C	112400	123600	120300	101200
401			2017	C	112600	123200	122900	102200
401			2018	C	116100	127300	126500	104800
401			2019	C	118100	129100	128300	106900
401	REG RD 33 TOWNLINE RD UP IC-286	2.3	1993	C	63100	68800	69800	58100
401			1994	C	70300	77000	78400	63600
401			1995	C	73700	80500	82600	67400
401			1996	C	77200	87500	87800	69700
401			1997	C	80600	91100	91900	72500
401			1998	C	84100	95000	95000	75700
401			1999	C	83000	93000	93800	74700
401			2000	C	85000	96000	96000	76500
401			2001	C	87000	98000	98200	78400
401			2002	C	89000	99700	100400	80100
401			2003	C	89900	100400	101100	81100
401			2004	C	91700	103300	103500	82600
401			2005	C	107500	119700	120700	96600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2006	C	95700	106300	107200	86100
401			2007	C	96600	107300	108800	86800
401			2008	C	114100	125900	124200	102400
401			2009	C	98300	108100	109100	88500
401			2010	C	99100	109200	110200	89200
401			2011	C	100000	110200	111200	90000
401			2012	C	100000	110200	107900	90000
401			2013	C	100000	110200	108800	90000
401			2014	C	102200	112400	109400	92000
401			2015	C	103000	113300	110200	92700
401			2016	C	105100	115600	112500	94600
401			2017	C	107900	118000	117800	97900
401			2018	C	111300	122000	121300	100500
401			2019	C	112800	123300	122600	102100
401	FRANKLIN BV IC-284 REG RD 36	1.7	1993	C	63100	68800	69800	58100
401			1994	C	70300	77000	78400	63600
401			1995	C	73700	80500	82600	67400
401			1996	C	77200	87500	87800	69700
401			1997	C	80600	91100	91900	72500
401			1998	C	84100	95000	95000	75700
401			1999	C	85300	95500	96400	76800
401			2000	C	86600	97900	97900	77900
401			2001	C	87800	98900	99100	79100
401			2002	C	89100	99800	100500	80200
401			2003	C	90600	101200	101900	81800
401			2004	C	91800	103400	103600	82700
401			2005	C	93000	103500	104400	83500
401			2006	C	94500	105000	105800	85000
401			2007	C	96000	106700	108200	86300
401			2008	C	97400	107500	106000	87400
401			2009	C	98900	108800	109800	89000
401			2010	C	100400	110600	111600	90400
401			2011	C	103400	113900	115000	93100
401			2012	C	100000	110200	107900	90000
401			2013	C	100000	110200	108800	90000
401			2014	C	102000	112200	109100	91800
401			2015	C	104000	114400	111300	93600
401			2016	C	105900	116500	113300	95300
401			2017	C	109000	119200	119000	98900
401			2018	C	110400	121000	120300	99600
401			2019	C	111800	122200	121500	101200
401	HWY 24 IC-282/HESPELER RD REG RD 24 CAMBRIDGE	4.6	1988	IC	50400	58500	57000	44400
401			1989	IC	62300	71600	70400	55400
401			1990	IC	65200	74300	73000	58000
401			1991	IC	68000	76800	75500	60500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1992	IC	72900	80900	80200	66300
401			1993	IC	76000	85900	85100	67600
401			1994	IC	79000	88500	88500	70300
401			1995	IC	82100	91900	92600	73700
401			1996	IC	85100	95600	95900	75800
401			1997	IC	87100	97600	98400	76600
401			1998	IC	91100	102000	102000	81100
401			1999	IC	97800	109500	109500	87000
401			2000	IC	101600	113800	113800	90400
401			2001	IC	105600	118100	118600	93400
401			2002	IC	109700	122300	123200	96700
401			2003	IC	117600	131000	132300	104200
401			2004	IC	119400	133500	134100	105600
401			2005	IC	122000	135600	137000	107500
401			2006	IC	123700	137400	138700	109600
401			2007	IC	125600	139500	143800	111000
401			2008	IC	125600	139100	134600	110800
401			2009	IC	125600	139400	140700	111800
401			2010	IC	125600	139000	140200	111400
401			2011	IC	128400	141200	146500	115200
401			2012	IC	128400	142300	137900	113900
401			2013	IC	128400	142100	141300	113900
401			2014	IC	132000	146100	145400	117000
401			2015	IC	134600	149000	148300	119400
401			2016	IC	137300	152000	151300	121700
401			2017	IC	144800	158600	159800	131400
401			2018	IC	147400	162200	163100	133400
401			2019	IC	150000	164800	165600	135400
401	REG RD 8 KING ST E/SHANTZ HILL RD IC-278	2.9	1988	IC	32500	37700	36700	28600
401			1989	C	34300	38100	38400	30900
401			1990	C	35900	39800	39800	32300
401			1991	C	37500	41200	41600	34100
401			1992	C	38400	41500	42600	35300
401			1993	C	38800	42300	42900	35700
401			1994	C	39200	42900	43700	35500
401			1995	C	39600	43200	44400	36200
401			1996	C	40000	45300	45500	36100
401			1997	C	41600	47000	47400	37400
401			1998	C	43200	48800	48800	38900
401			1999	C	49100	55000	55500	44200
401			2000	C	51700	58400	58400	46500
401			2001	IC	57400	64200	64500	50800
401			2002	IC	56800	63300	63800	50000
401			2003	IC	59400	66200	66800	52600
401			2004	IC	62000	69300	69700	54800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2005	IC	64600	71800	72500	56900
401			2006	IC	65400	72700	73300	57900
401			2007	IC	65700	73000	75200	58100
401			2008	IC	68400	75800	73300	60300
401			2009	IC	69900	77600	78300	62200
401			2010	IC	71900	79600	80300	63800
401			2011	IC	71900	79100	82000	64500
401			2012	IC	71900	79700	77200	63800
401			2013	IC	76800	85000	84500	68100
401			2014	SC	72100	76300	74400	63600
401			2015	SC	80700	85400	83300	71200
401			2016	SC	82700	87500	85400	72900
401			2017	SC	84700	90100	90100	75100
401			2018	SC	86600	92500	92000	76200
401			2019	SC	88600	94000	93500	78300
401	HOMER WATSON BV IC-275 (N) FOUNTAIN ST (S) RR 28	7.1	1988	CR	28000	35800	33600	23200
401			1989	C	29500	32700	33000	26600
401			1990	C	30200	33500	33500	27200
401			1991	C	30500	33600	33900	27800
401			1992	IR	33000	40600	36300	28000
401			1993	IR	34400	42300	35600	28100
401			1994	IR	35700	44000	39300	29900
401			1995	IR	37100	45700	40900	31600
401			1996	IR	38500	47800	42900	32800
401			1997	IR	39900	49900	44700	33900
401			1998	IR	41300	51200	46300	34700
401			1999	IR	43200	53600	48000	36300
401			2000	IR	44700	54800	49500	37800
401			2001	IR	46100	57000	51100	39000
401			2002	IR	47100	58100	52200	40000
401			2003	IR	47700	57900	52500	40500
401			2004	IR	47900	59200	53100	40500
401			2005	IR	49000	59100	53700	41800
401			2006	IR	49900	60200	54500	42400
401			2007	IR	51400	62300	62100	43500
401			2008	IC	49800	55200	53400	43900
401			2009	IC	53100	58900	59500	47300
401			2010	CR	53000	63500	61300	44800
401			2011	CR	53000	61700	62500	47200
401			2012	IC	49900	55300	53600	44300
401			2013	IC	49900	55200	54900	44200
401			2014	IC	50900	56300	56100	45100
401			2015	IC	51900	57400	57200	46000
401			2016	IC	52900	58600	58300	46900
401			2017	IC	55800	61100	61600	50600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2018	IC	56600	62300	62600	51200
401			2019	IC	57300	62900	63300	51700
401	WATERLOO RD 97 IC-268 CEDAR CREEK RD	17.8	1988	IR	24900	32400	27400	19900
401			1989	C	26500	29400	29700	23800
401			1990	C	27300	30300	30300	24600
401			1991	C	28000	30800	31100	25500
401			1992	IR	30400	37400	33400	25800
401			1993	IR	31600	38900	32700	25800
401			1994	IR	32400	39900	35600	27200
401			1995	IR	33600	41400	37000	28600
401			1996	IR	34800	43200	38800	29600
401			1997	IR	36100	45100	40400	30700
401			1998	IR	37200	46100	41700	31200
401			1999	IR	38500	47700	42700	32300
401			2000	IR	39700	48600	44000	33500
401			2001	IR	40900	50500	45300	34600
401			2002	IR	42100	51900	46600	35800
401			2003	IR	46900	56900	51600	39800
401			2004	IR	46900	58000	52000	39600
401			2005	IR	46900	56600	51400	40000
401			2006	C	46900	52100	52500	42200
401			2007	C	46600	51800	52500	41900
401			2008	C	46400	51200	50500	41600
401			2009	C	46200	50800	51300	41600
401			2010	CR	46000	55100	53200	38900
401			2011	CR	46000	53600	54200	40900
401			2012	IC	46500	51500	49900	41300
401			2013	IC	46500	51500	51200	41200
401			2014	IC	46200	51100	50900	41000
401			2015	IC	47100	52100	51900	41800
401			2016	IC	48000	53100	52900	42600
401			2017	IC	50900	55800	56200	46200
401			2018	IC	51600	56800	57100	46700
401			2019	IC	52200	57300	57600	47100
401	OXFORD RD 29 IC-250	12.2	1988	IR	27600	35900	30400	22100
401			1989	IR	28800	37200	32000	23600
401			1990	IR	29100	37000	32300	23900
401			1991	IR	29000	36500	32200	24100
401			1992	IR	29800	36700	32800	25300
401			1993	IR	31100	38300	32200	25400
401			1994	IR	32600	40200	35900	27300
401			1995	IR	33400	41100	36800	28500
401			1996	IR	33400	41500	37300	28400
401			1997	IR	33400	41800	37400	28400
401			1998	IR	34900	43300	39100	29300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1999	IR	36900	45800	41000	31000
401			2000	IR	38700	47400	42900	32700
401			2001	IR	39900	49300	44200	33700
401			2002	IR	40700	50200	45100	34600
401			2003	IR	41500	50400	45700	35200
401			2004	IR	42400	52400	47000	35800
401			2005	IR	42800	51700	46900	36500
401			2006	IR	43300	52200	47300	36800
401			2007	IR	43700	52900	52800	37000
401			2008	IR	41900	50800	49800	35800
401			2009	IR	43200	51800	47100	36700
401			2010	IR	43600	51900	47500	37100
401			2011	IR	46200	55100	54000	39500
401			2012	IR	46200	55000	53500	39500
401			2013	IR	46200	55000	59000	39300
401			2014	IR	45200	53800	53900	38500
401			2015	IR	44200	52600	52700	37600
401			2016	IR	43200	51400	51500	36800
401			2017	IR	48000	54200	54600	41400
401			2018	IR	48600	55000	55400	42100
401			2019	IR	49200	55700	56200	42800
401	OXFORD HWY 2 IC-238	2.6	1988	IR	26600	34600	29300	21300
401			1989	C	27000	30000	30200	24300
401			1990	C	27400	30400	30400	24700
401			1991	C	27000	29700	30000	24600
401			1992	IR	27600	33900	30400	23500
401			1993	IR	28200	34700	29200	23100
401			1994	IR	28700	35400	31600	24100
401			1995	IR	30200	37200	33300	25700
401			1996	IR	30200	37500	33700	25700
401			1997	CR	32000	39700	37800	27200
401			1998	CR	34300	42200	40100	29200
401			1999	CR	34700	42700	40600	29500
401			2000	CR	35600	43800	41700	30300
401			2001	IR	37600	46500	41700	31800
401			2002	IR	37800	46600	41900	32100
401			2003	IR	38100	46200	41900	32300
401			2004	IR	40100	49600	44400	33900
401			2005	IR	41200	49700	45100	35100
401			2006	IR	42100	50800	46000	35800
401			2007	IR	43000	52100	51900	36400
401			2008	IR	43900	53200	52200	37500
401			2009	IR	44800	53800	48800	38100
401			2010	IR	45700	54400	49800	38900
401			2011	IR	45700	54500	53400	39000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2012	IC	43100	47800	46300	38200
401			2013	IC	43100	47700	47400	38200
401			2014	CR	43300	51000	50700	36900
401			2015	CR	44200	52100	51800	37700
401			2016	CR	45100	53100	52800	38400
401			2017	CR	48400	56100	56400	43600
401			2018	CR	49100	57100	57400	44100
401			2019	CR	49900	57900	58300	44800
401	HWY 403 IC-235	3.4	1989	C	35100	39000	39300	31600
401			1990	C	36500	40500	40500	32800
401			1991	C	37800	41600	42000	34400
401			1992	C	38400	41500	42600	35300
401			1993	C	40200	43800	44500	37000
401			1994	C	42000	46000	46800	38000
401			1995	IR	44100	54300	48600	37600
401			1996	IR	46900	58300	52300	39900
401			1997	IR	49700	62100	55700	42200
401			1998	IR	52500	65100	58800	44100
401			1999	IR	53000	65700	58800	44500
401			2000	IR	54900	67300	60800	46400
401			2001	IR	57800	71400	64000	48900
401			2002	IR	59200	73000	65600	50300
401			2003	IR	60300	73200	66300	51200
401			2004	IR	62000	76600	68700	52400
401			2005	IR	61800	74600	67700	52700
401			2006	IR	61500	74200	67200	52200
401			2007	IR	61200	74100	73900	51900
401			2008	IR	60900	73800	72400	52000
401			2009	IC	60900	67600	68200	54200
401			2010	IR	59900	71300	65200	51000
401			2011	IR	59900	71500	69900	51100
401			2012	IC	61000	67600	65500	54100
401			2013	IC	62200	68800	68500	55200
401			2014	CTR	66100	80600	81300	56200
401			2015	CTR	66200	80800	81400	56300
401			2016	CTR	67500	82400	83000	57400
401			2017	CTR	68800	91900	91500	56100
401			2018	CTR	69700	93100	92700	56800
401			2019	CTR	70600	94100	93700	57400
401	OXFORD RD 59 IC-232 NORWICH AV WOODSTOCK	2.1	1988	IR	33100	43000	36400	26500
401			1989	C	35200	39100	39400	31700
401			1990	C	36500	40500	40500	32800
401			1991	IR	37800	47600	42000	31400
401			1992	IR	38400	47200	42200	32600
401			1993	IR	40000	49200	41400	32700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1994	IR	41700	51400	45900	34900
401			1995	IR	43300	53300	47700	36900
401			1996	IR	44900	55800	50100	38200
401			1997	IR	46600	58200	52200	39600
401			1998	IR	48200	59800	54000	40500
401			1999	IR	49800	61800	55300	41800
401			2000	IR	51500	63100	57000	43500
401			2001	IR	53300	65900	59100	45100
401			2002	IR	55000	67800	60900	46800
401			2003	IR	56400	68500	62000	47900
401			2004	IR	58000	71700	64300	49000
401			2005	IR	60700	73300	66500	51700
401			2006	IR	62200	75000	68000	52800
401			2007	IR	63800	77300	77100	54100
401			2008	IR	65300	79100	77600	55800
401			2009	IR	66900	80300	72900	56900
401			2010	IR	68400	81400	74500	58200
401			2011	IR	68400	81600	79900	58400
401			2012	IR	68400	81400	79200	58500
401			2013	IR	68400	81400	87300	58200
401			2014	IR	67200	80000	80200	57200
401			2015	IR	68500	81500	81700	58300
401			2016	IR	69900	83200	83400	59500
401			2017	IR	74900	90900	90300	63800
401			2018	IR	76300	92600	92100	64800
401			2019	IR	77600	94400	93900	66100
401	SWEABURG RD IC-230 OXFORD RD 12	7.6	1988	IR	34800	45200	38300	27800
401			1989	C	36500	40500	40900	32800
401			1990	C	37700	41800	41800	33900
401			1991	IR	39000	49100	43300	32400
401			1992	IR	40000	49200	44000	34000
401			1993	IR	42000	51700	43400	34400
401			1994	IR	44000	54200	48400	36900
401			1995	IR	46000	56700	50700	39200
401			1996	IR	48000	59600	53500	40900
401			1997	IR	50000	62500	56000	42500
401			1998	IR	51900	64400	58100	43600
401			1999	IR	53600	66500	59500	45000
401			2000	IR	55400	67900	61400	46800
401			2001	IR	57300	70800	63500	48400
401			2002	IR	59200	73000	65600	50300
401			2003	CTR	61900	76900	73900	52500
401			2004	CTR	62000	78300	75000	52300
401			2005	IR	64800	78200	71000	55200
401			2006	CTR	66600	82400	79000	56500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2007	IR	66600	80700	80400	56400
401			2008	IR	66600	80700	79200	56900
401			2009	IR	66600	79900	72600	56600
401			2010	IR	66600	79300	72500	56700
401			2011	IR	66600	79400	77800	56900
401			2012	IC	66500	73700	71400	59000
401			2013	IC	70800	78400	77900	62800
401			2014	IC	67200	74400	74000	59600
401			2015	IC	73200	81000	80700	64900
401			2016	IC	74400	82400	82000	66000
401			2017	IC	73600	80600	81200	66800
401			2018	IC	76800	84500	85000	69500
401			2019	IC	78100	85800	86200	70500
401	OXFORD RD 6 FOLDENS LINE IC-222	3.7	1988	IC	33700	39100	38100	29700
401			1989	C	35900	39800	40200	32300
401			1990	C	37200	41300	41300	33500
401			1991	C	38500	42400	42700	35000
401			1992	IR	38800	47700	42700	33000
401			1993	IR	39600	48700	40900	32400
401			1994	IR	42300	52100	46500	35400
401			1995	IR	44400	54700	48900	37800
401			1996	IR	46600	57900	52000	39700
401			1997	IR	48800	61000	54700	41500
401			1998	IR	51000	63200	57100	42800
401			1999	IR	53100	65800	58900	44600
401			2000	IR	55300	67700	61200	46700
401			2001	IR	57500	71100	63700	48600
401			2002	IR	58700	72400	65000	49900
401			2003	IR	60300	73200	66300	51200
401			2004	IR	60000	74100	66500	50700
401			2005	IR	60700	73300	66500	51700
401			2006	IR	61500	74200	67200	52200
401			2007	IR	62000	75100	74900	52500
401			2008	IR	63100	76400	75000	53900
401			2009	IR	63100	75700	68800	53600
401			2010	IR	63100	75100	68700	53700
401			2011	IR	63100	75300	73700	53900
401			2012	IC	63000	69800	67700	55900
401			2013	IC	64300	71200	70800	57000
401			2014	CR	70200	82700	82200	59800
401			2015	CR	70000	82500	82000	59600
401			2016	CR	71200	83900	83400	60700
401			2017	CR	72300	83800	84300	65100
401			2018	CR	73400	85300	85900	65900
401			2019	CR	74500	86400	87000	66800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401	HWY 19 IC-218/OXFORD RD 119 PLANK LINE	2.5	1988	IC	33700	39100	38100	29700
401			1989	C	36400	40400	40800	32800
401			1990	C	37700	41800	41800	33900
401			1991	C	39000	42900	43300	35500
401			1992	IR	39700	48800	43700	33700
401			1993	IR	40500	49800	41900	33100
401			1994	IR	41200	50800	45300	34500
401			1995	IR	42800	52700	47200	36500
401			1996	IR	44400	55200	49500	37800
401			1997	IR	45800	57200	51300	38900
401			1998	IR	47300	58700	53000	39700
401			1999	IR	49000	60800	54400	41200
401			2000	IR	52400	64200	58000	44300
401			2001	IR	54500	67400	60400	46100
401			2002	IR	56500	69700	62600	48000
401			2003	IR	58600	71100	64500	49700
401			2004	CR	60000	73800	70400	50700
401			2005	CR	62900	76300	73400	53000
401			2006	IR	66200	79900	72400	56200
401			2007	IR	66800	80900	80700	56600
401			2008	IR	66500	80600	79100	56800
401			2009	IR	68900	82700	75100	58600
401			2010	LT	65700	88200	86500	48500
401			2011	LT	65700	84200	85800	54000
401			2012	IC	61800	68500	66400	54800
401			2013	IC	61800	68400	68000	54800
401			2014	CTR	70200	85600	86300	59700
401			2015	CTR	72800	88800	89500	61900
401			2016	CTR	74200	90500	91300	63100
401			2017	CTR	75600	101000	100500	61600
401			2018	CTR	77000	102800	102400	62700
401			2019	CTR	78400	104500	104000	63800
401	CULLODEN RD IC-216 OXFORD RD 10	7.5	1988	IC	34000	39400	38400	29900
401			1989	C	35700	39600	40000	32100
401			1990	C	37000	41100	41100	33300
401			1991	C	38300	42100	42500	34900
401			1992	IR	38700	47600	42600	32900
401			1993	IR	39500	48600	40800	32300
401			1994	IR	42200	52000	46400	35400
401			1995	IR	43700	53800	48200	37200
401			1996	IR	45200	56100	50400	38500
401			1997	IR	46700	58400	52300	39700
401			1998	IR	48200	59800	54000	40500
401			1999	IR	49800	61800	55300	41800
401			2000	IR	51300	62800	56800	43300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2001	IR	52800	65200	58500	44600
401			2002	IR	54200	66800	60100	46100
401			2003	IR	55500	67400	61100	47100
401			2004	IR	55700	68800	61700	47100
401			2005	IR	59800	72200	65500	51000
401			2006	IR	60400	72900	66000	51300
401			2007	IR	61900	75000	74800	52400
401			2008	IR	59300	71800	70500	50700
401			2009	IR	65000	78000	70800	55200
401			2010	IR	63400	75500	69000	54000
401			2011	IR	63400	75600	74000	54100
401			2012	IC	61000	67600	65500	54100
401			2013	IC	61000	67500	67100	54100
401			2014	CTR	61700	75300	75900	52400
401			2015	CTR	62900	76700	77400	53500
401			2016	CTR	64200	78300	79000	54600
401			2017	CTR	68000	90900	90400	55400
401			2018	CTR	69000	92200	91800	56200
401			2019	CTR	70000	93300	92900	57000
401	PUTNAM RD IC-208 MIDDLESEX RD 30	5.5	1988	IC	32900	38200	37200	29000
401			1989	C	36000	40000	40300	32400
401			1990	C	37500	41600	41600	33800
401			1991	CR	39000	48000	44800	35100
401			1992	IR	39000	48000	42900	33200
401			1993	IR	40300	49600	41700	33000
401			1994	IR	41500	51100	45700	34800
401			1995	IR	42800	52700	47200	36500
401			1996	IR	44100	54800	49200	37600
401			1997	IR	45400	56800	50800	38600
401			1998	IR	46600	57800	52200	39100
401			1999	IR	48600	60300	53900	40800
401			2000	CR	49900	61400	58400	42400
401			2001	CR	51200	63000	60000	43200
401			2002	CR	52600	64600	61700	44300
401			2003	CR	53000	64600	62000	44900
401			2004	CR	56200	69100	65900	47500
401			2005	CR	60800	73800	70900	51200
401			2006	CR	59000	71600	68700	49800
401			2007	CR	60700	73500	73400	51100
401			2008	CR	62300	75400	74800	52500
401			2009	CR	64000	76800	74200	54400
401			2010	CR	65700	78700	76000	55600
401			2011	CR	65700	76500	77400	58400
401			2012	CR	62500	74900	73700	52800
401			2013	CR	62500	74900	76900	52800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2014	CR	63800	75200	74700	54300
401			2015	CR	65000	76600	76100	55400
401			2016	CR	66300	78100	77700	56500
401			2017	CR	70300	81500	82000	63300
401			2018	CR	71500	83100	83600	64200
401			2019	CR	72700	84300	84900	65200
401	ELGIN RD MIDDLESEX RD 73 IC-203	3.7	1988	IC	33300	38600	37600	29300
401			1989	C	37000	41100	41400	33300
401			1990	C	38500	42700	42700	34600
401			1991	C	40000	44000	44400	36400
401			1992	IR	39500	48600	43400	33600
401			1993	IR	40300	49600	41700	33000
401			1994	IR	43500	53600	47900	36500
401			1995	IR	45100	55500	49700	38400
401			1996	IR	46700	58000	52100	39800
401			1997	IR	48300	60400	54100	41100
401			1998	IR	49900	61900	55900	41900
401			1999	IR	51500	63900	57200	43300
401			2000	IR	53100	65000	58800	44900
401			2001	IR	54700	67600	60600	46200
401			2002	IR	55800	68800	61800	47400
401			2003	IR	57700	70000	63500	49000
401			2004	IR	58700	72500	65000	49600
401			2005	IR	61800	74600	67700	52700
401			2006	IR	63000	76000	68900	53500
401			2007	IR	64400	78000	77800	54600
401			2008	IR	64100	77600	76200	54800
401			2009	IR	67200	80600	73200	57100
401			2010	IR	66100	78700	72000	56300
401			2011	IR	66100	78900	77200	56400
401			2012	IC	63400	70200	68100	56300
401			2013	IC	63400	70200	69800	56200
401			2014	IC	63200	70000	69600	56000
401			2015	IC	64500	71400	71100	57200
401			2016	IC	65800	72800	72500	58300
401			2017	IC	70600	77400	77900	64100
401			2018	IC	71600	78800	79200	64800
401			2019	IC	72700	79900	80300	65600
401	DORCHESTER RD IC-199 MIDDLESEX RD 32	3.8	1988	IC	34300	39800	38800	30200
401			1989	C	36900	41000	41300	33200
401			1990	C	38500	42700	42700	34600
401			1991	C	40000	44000	44400	36400
401			1992	IR	40100	49300	44100	34100
401			1993	IR	42000	51700	43400	34400
401			1994	IR	44000	54200	48400	36900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1995	IR	46500	57300	51200	39600
401			1996	IR	49000	60900	54700	41700
401			1997	IR	50900	63600	57000	43300
401			1998	IR	52900	65600	59200	44400
401			1999	IR	55600	68900	61700	46700
401			2000	IR	56900	69700	63000	48100
401			2001	C	57900	65200	65300	52100
401			2002	C	59400	66500	67000	53500
401			2003	C	60400	67500	67900	54500
401			2004	C	63000	71000	71100	56700
401			2005	C	63500	70700	71300	57000
401			2006	C	64000	71100	71700	57600
401			2007	IR	67400	81700	81400	57100
401			2008	IR	68400	82900	81300	58500
401			2009	IR	70000	84000	76300	59500
401			2010	CR	69700	83500	80600	58900
401			2011	CR	68000	79200	80200	60500
401			2012	CR	66400	79500	78300	56100
401			2013	CR	66000	79100	81200	55800
401			2014	CR	68200	80400	79900	58100
401			2015	IC	70500	78000	77700	62500
401			2016	IC	71900	79600	79200	63800
401			2017	CR	73600	85300	85800	66300
401			2018	CR	76000	88300	88900	68200
401			2019	CR	77200	89600	90200	69300
401	WESTCHESTER BOURNE MIDDLESEX RD 74 IC-195	1.9	1988	IC	33500	38900	37900	29500
401			1989	C	36100	40100	40400	32500
401			1990	C	38000	42200	42200	34200
401			1991	C	39000	42900	43300	35500
401			1992	IC	38300	42500	42100	34900
401			1993	IC	39100	44200	43800	34800
401			1994	IC	41800	46800	46800	37200
401			1995	IC	43200	48300	48700	38800
401			1996	IC	44500	50000	50200	39600
401			1997	IC	45900	51400	51900	40400
401			1998	IC	47200	52900	52900	42000
401			1999	IC	51000	57100	57100	45400
401			2000	IC	52700	59000	59000	46900
401			2001	IC	54300	60700	61000	48000
401			2002	IC	56000	62400	62900	49300
401			2003	IC	58000	64600	65300	51400
401			2004	IC	59500	66500	66800	52600
401			2005	IC	62100	69000	69700	54700
401			2006	IC	63100	70100	70800	55900
401			2007	IC	64800	72000	74200	57300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2008	IR	65300	79100	77600	55800
401			2009	IR	68300	82000	74400	58100
401			2010	IR	68100	81100	74200	58000
401			2011	IR	58800	70100	68700	50200
401			2012	IR	66500	79100	77000	56900
401			2013	IR	66500	79200	84900	56600
401			2014	IR	67800	80700	80900	57700
401			2015	IR	69200	82400	82500	58900
401			2016	IR	70600	84000	84200	60100
401			2017	IR	74000	83600	84100	63900
401			2018	IR	75300	85200	85900	65200
401			2019	IR	76600	86800	87500	66600
401	VETERANS MEMORIAL IC-194	4.5	1988	IC	33800	39200	38200	29700
401			1989	C	36600	40600	41000	32900
401			1990	C	37500	41600	41600	33800
401			1991	C	39500	43400	43800	35900
401			1992	IC	38300	42500	42100	34900
401			1993	IC	39100	44200	43800	34800
401			1994	IC	39700	44500	44500	35300
401			1995	IC	40000	44800	45100	35900
401			1996	IC	42400	47600	47800	37800
401			1997	IC	44700	50100	50500	39300
401			1998	IC	47100	52800	52800	41900
401			1999	IC	48600	54400	54400	43300
401			2000	IC	51000	57100	57100	45400
401			2001	IC	53400	59700	60000	47200
401			2002	IC	55900	62300	62800	49300
401			2003	IC	56400	62800	63500	50000
401			2004	IC	63400	70900	71200	56100
401			2005	IC	63300	70400	71100	55800
401			2006	IC	63800	70900	71500	56500
401			2007	IC	64800	72000	74200	57300
401			2008	IC	65800	72900	70500	58000
401			2009	IC	64500	71600	72200	57400
401			2010	IC	69600	77000	77700	61700
401			2011	IC	59200	65100	67500	53100
401			2012	IC	60500	67000	65000	53700
401			2013	CR	60500	72500	74400	51200
401			2014	CR	61700	72700	72300	52600
401			2015	CR	62900	74100	73700	53600
401			2016	CR	64200	75700	75200	54700
401			2017	CR	72800	84400	84900	65500
401			2018	CR	71800	83400	84000	64400
401			2019	CR	72900	84600	85100	65400
401	HIGHBURY AV IC-189	3.2	1988	IC	36700	42600	41500	32300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1989	C	39300	43600	44000	35400
401			1990	C	40700	45200	45200	36600
401			1991	C	42000	46200	46600	38200
401			1992	IC	42100	46700	46300	38300
401			1993	IC	43500	49200	48700	38700
401			1994	IC	45100	50500	50500	40100
401			1995	IC	46600	52100	52600	41800
401			1996	IC	48200	54100	54300	42900
401			1997	IC	49700	55700	56200	43700
401			1998	IC	51300	57500	57500	45700
401			1999	IC	52700	59000	59000	46900
401			2000	IC	54200	60700	60700	48200
401			2001	IC	55700	62300	62600	49300
401			2002	IC	57200	63800	64300	50400
401			2003	IC	59000	65700	66400	52300
401			2004	IC	60600	67800	68100	53600
401			2005	IC	61000	67800	68500	53800
401			2006	IC	63200	70200	70900	56000
401			2007	IC	63600	70600	72800	56200
401			2008	IC	64600	71600	69200	57000
401			2009	IC	65600	72800	73500	58400
401			2010	IC	66500	73600	74200	59000
401			2011	IC	57700	63500	65800	51800
401			2012	IC	59000	65400	63400	52400
401			2013	IC	66600	73700	73300	59100
401			2014	IC	67500	74700	74400	59900
401			2015	IC	68500	75800	75500	60700
401			2016	IC	69500	76900	76600	61600
401			2017	IC	68200	74700	75300	61900
401			2018	IC	71400	78600	79000	64600
401			2019	IC	72400	79500	79900	65400
401	WELLINGTON RD IC-186	2.7	1988	IC	28800	33400	32500	25300
401			1989	C	30500	33900	34200	27400
401			1990	C	31800	35300	35300	28600
401			1991	C	33000	36300	36600	30000
401			1992	IC	34500	38300	38000	31400
401			1993	IC	35500	40100	39800	31600
401			1994	IC	36400	40800	40800	32400
401			1995	IC	37400	41800	42200	33600
401			1996	IC	38300	43000	43200	34100
401			1997	IC	39300	44000	44400	34600
401			1998	IC	40200	45000	45000	35800
401			1999	IC	41200	46100	46100	36700
401			2000	IC	43700	48900	48900	38900
401			2001	IC	45900	51300	51600	40600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2002	IC	47400	52800	53200	41800
401			2003	IC	48000	53500	54000	42500
401			2004	IR	51800	64000	57400	43800
401			2005	IC	51900	57700	58300	45800
401			2006	IC	52800	58700	59200	46800
401			2007	IC	53600	59500	61400	47400
401			2008	IC	54400	60300	58300	48000
401			2009	IC	55700	61800	62400	49600
401			2010	IC	55700	61700	62200	49400
401			2011	IC	54000	59400	61600	48400
401			2012	IC	54000	59800	58000	47900
401			2013	UC	52800	53000	53100	50100
401			2014	UC	58300	58500	56100	55300
401			2015	UC	57400	57600	55200	54500
401			2016	UC	60300	60500	58000	57200
401			2017	C	59600	65200	65100	54100
401			2018	C	62400	68400	68000	56300
401			2019	C	63400	69300	68900	57400
401	HWY 402 IC-183	3.9	1988	C	18000	20000	20000	16200
401			1989	C	18600	20600	20800	16700
401			1990	C	19100	21200	21200	17200
401			1991	C	18500	20400	20500	16800
401			1992	C	18700	20200	20800	17200
401			1993	C	19100	20800	21100	17600
401			1994	C	21000	23000	23400	19000
401			1995	C	22900	25000	25700	20900
401			1996	C	24000	27200	27300	21700
401			1997	C	25000	28200	28500	22500
401			1998	C	26000	29400	29400	23400
401			1999	C	26100	29200	29500	23500
401			2000	C	28000	31600	31600	25200
401			2001	C	27700	31200	31300	24900
401			2002	C	28400	31800	32000	25600
401			2003	C	27800	31100	31300	25100
401			2004	C	28300	31900	31900	25500
401			2005	C	27900	31100	31300	25100
401			2006	C	27600	30700	30900	24800
401			2007	C	27300	30300	30800	24500
401			2008	C	27300	30100	29700	24500
401			2009	C	27000	29700	30000	24300
401			2010	C	27000	29800	30000	24300
401			2011	C	27000	29800	30000	24300
401			2012	C	25700	28300	27700	23100
401			2013	UC	25700	25800	25800	24400
401			2014	UC	28100	28200	27000	26700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2015	UC	28300	28400	27200	26900
401			2016	UC	28500	28600	27400	27000
401			2017	UC	28600	28400	28700	27400
401			2018	UC	28800	28600	29000	27600
401			2019	UC	29000	28600	29000	27900
401	WONDERLAND RD IC-180	2.7	1988	C	18000	20000	20000	16200
401			1989	C	18600	20600	20800	16700
401			1990	C	19100	21200	21200	17200
401			1991	C	18500	20400	20500	16800
401			1992	C	18700	20200	20800	17200
401			1993	C	19100	20800	21100	17600
401			1994	C	21000	23000	23400	19000
401			1995	C	22900	25000	25700	20900
401			1996	C	24000	27200	27300	21700
401			1997	C	25000	28200	28500	22500
401			1998	C	26000	29400	29400	23400
401			1999	C	26100	29200	29500	23500
401			2000	C	28000	31600	31600	25200
401			2001	C	27700	31200	31300	24900
401			2002	C	28400	31800	32000	25600
401			2003	C	27800	31100	31300	25100
401			2004	C	28300	31900	31900	25500
401			2005	C	27900	31100	31300	25100
401			2006	C	27600	30700	30900	24800
401			2007	C	27300	30300	30800	24500
401			2008	C	27300	30100	29700	24500
401			2009	C	27000	29700	30000	24300
401			2010	C	27000	29800	30000	24300
401			2011	C	27000	29800	30000	24300
401			2012	C	25700	28300	27700	23100
401			2013	UC	25700	25800	25800	24400
401			2014	UC	28100	28200	27000	26700
401			2015	UC	28300	28400	27200	26900
401			2016	UC	28500	28600	27400	27000
401			2017	UC	28600	28400	28700	27400
401			2018	UC	28800	28600	29000	27600
401			2019	UC	29000	28600	29000	27900
401	HWY 4/COL. TALBOT RD IC-177	12.6	1988	C	18400	20400	20400	16600
401			1989	C	18400	20400	20600	16600
401			1990	C	18500	20500	20500	16600
401			1991	IT	18500	24000	22800	15900
401			1992	IT	19600	25500	24300	16700
401			1993	IT	20800	25600	25800	17700
401			1994	IR	22000	27100	24200	18400
401			1995	IR	23000	28300	25300	19600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1996	IR	24000	29800	26800	20400
401			1997	IR	25000	31200	28000	21200
401			1998	IR	26700	33100	29900	22400
401			1999	IR	25400	31500	28200	21300
401			2000	CR	27500	33800	32200	23400
401			2001	CR	26400	32500	31000	22300
401			2002	CR	26900	33000	31500	22700
401			2003	CR	27000	32900	31600	22800
401			2004	IC	28000	31300	31500	24800
401			2005	IC	28200	31400	31700	24900
401			2006	IC	28300	31400	31700	25100
401			2007	IC	26400	29300	30200	23300
401			2008	IC	27800	30800	29800	24500
401			2009	CR	26200	31400	30400	22300
401			2010	CR	26700	32000	30900	22600
401			2011	CR	23100	26900	27200	20600
401			2012	CR	23700	28400	27900	20000
401			2013	UC	24300	24400	24400	23100
401			2014	UC	24500	24600	23600	23200
401			2015	UC	24600	24700	23700	23300
401			2016	UC	25100	25200	24100	23800
401			2017	UC	25800	25600	25900	24700
401			2018	UC	25800	25600	26000	24800
401			2019	UC	25800	25400	25800	24900
401	UNION RD IC-164 ELGIN RD 20	6.7	1988	C	17800	19800	19800	16000
401			1989	C	17900	19900	20000	16100
401			1990	C	18000	20000	20000	16200
401			1991	IT	18700	24300	23000	16100
401			1992	IT	19800	25700	24600	16800
401			1993	IT	20800	25600	25800	17700
401			1994	IR	21900	27000	24100	18400
401			1995	IR	22800	28100	25100	19400
401			1996	IR	23800	29600	26500	20300
401			1997	IR	25300	31600	28300	21500
401			1998	IR	25900	32100	29000	21800
401			1999	IR	25100	31100	27900	21100
401			2000	CR	27000	33200	31600	23000
401			2001	CR	26300	32400	30800	22200
401			2002	CR	26800	32900	31400	22600
401			2003	CR	27100	33000	31700	22900
401			2004	IR	26500	32700	29400	22400
401			2005	IR	28300	34200	31000	24100
401			2006	IR	27000	32600	29500	22900
401			2007	IR	28600	34600	34500	24200
401			2008	IR	27500	33300	32700	23500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2009	CR	25200	30200	29200	21400
401			2010	CR	26400	31600	30500	22300
401			2011	CR	23200	27000	27300	20600
401			2012	CR	24200	29000	28500	20500
401			2013	CTR	25600	31200	32200	21700
401			2014	CTR	25100	30600	30900	21300
401			2015	CTR	24500	29900	30100	20800
401			2016	CTR	25000	30500	30800	21200
401			2017	CTR	26100	34900	34700	21300
401			2018	CTR	26100	34900	34700	21300
401			2019	CTR	26200	34900	34800	21300
401	IONA RD IC-157 ELGIN RD 14	8.9	1988	C	16600	18400	18400	14900
401			1989	C	17100	19000	19200	15400
401			1990	C	17600	19500	19500	15800
401			1991	IT	17400	22600	21400	15000
401			1992	IT	18600	24200	23100	15800
401			1993	IT	19800	24400	24600	16800
401			1994	IR	21000	25900	23100	17600
401			1995	IR	22200	27300	24500	18900
401			1996	IR	23200	28800	25900	19800
401			1997	IR	24500	30600	27400	20800
401			1998	IR	25200	31200	28200	21200
401			1999	IR	24200	30000	26900	20300
401			2000	CR	24800	30500	29000	21100
401			2001	CR	24900	30600	29200	21000
401			2002	CR	25300	31100	29700	21300
401			2003	IC	25000	27900	28100	22100
401			2004	IC	25600	28600	28800	22600
401			2005	IC	26400	29400	29600	23300
401			2006	IC	26800	29800	30100	23700
401			2007	IC	27200	30200	31100	24000
401			2008	IC	25300	28000	27100	22300
401			2009	IC	24000	26600	26900	21400
401			2010	IC	24000	26600	26800	21300
401			2011	IC	23300	25600	26600	20900
401			2012	IC	23600	26100	25400	20900
401			2013	CTR	24700	30100	31100	21000
401			2014	CTR	25500	31100	31400	21700
401			2015	CTR	26300	32100	32300	22400
401			2016	CTR	26800	32700	33000	22800
401			2017	CTR	26100	34900	34700	21300
401			2018	CTR	26200	35000	34800	21300
401			2019	CTR	26300	35000	34900	21400
401	CURRIE RD IC-149 ELGIN RD 8	11.2	1988	C	17700	19600	19600	15900
401			1989	C	17900	19900	20000	16100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1990	IT	17700	22500	21900	14900
401			1991	IT	17500	22800	21500	15000
401			1992	IT	17900	23300	22200	15200
401			1993	IT	19500	24000	24200	16600
401			1994	IR	21100	26000	23200	17700
401			1995	IR	22000	27100	24200	18700
401			1996	IR	23000	28600	25700	19600
401			1997	IR	23300	29100	26100	19800
401			1998	IR	23700	29400	26500	19900
401			1999	IR	23700	29400	26300	19900
401			2000	IR	24200	29600	26800	20400
401			2001	IR	24600	30400	27300	20800
401			2002	IR	25100	31000	27800	21300
401			2003	IR	25700	31200	28300	21800
401			2004	IC	25500	28500	28600	22600
401			2005	IC	24500	27200	27500	21600
401			2006	IC	24400	27100	27400	21600
401			2007	IC	24800	27500	28400	21900
401			2008	IC	23400	25900	25100	20600
401			2009	IC	22400	24900	25100	19900
401			2010	IC	22400	24800	25000	19900
401			2011	CR	23500	27400	27700	20900
401			2012	CR	23500	28200	27700	19900
401			2013	UC	23500	23600	23600	22300
401			2014	UC	24100	24200	23200	22900
401			2015	C	24500	27000	26200	22000
401			2016	C	25000	27500	26800	22500
401			2017	C	24400	26700	26600	22100
401			2018	C	24500	26900	26700	22100
401			2019	C	24500	26800	26600	22200
401	ELGIN RD 76 GRAHAM RD IC-137	8.1	1988	IT	15200	22000	20200	11200
401			1989	IT	15400	21400	20600	12000
401			1990	IT	15500	19700	19200	13000
401			1991	IT	14900	19400	18300	12800
401			1992	IT	15100	19600	18700	12800
401			1993	IT	15900	19600	19700	13500
401			1994	IT	18500	24000	22900	15700
401			1995	IT	19700	25200	24000	16800
401			1996	IT	21000	27700	26900	17300
401			1997	IT	22200	29100	28600	18400
401			1998	IT	23400	30200	30000	19000
401			1999	IT	21400	27600	27200	17300
401			2000	IT	21700	28000	27600	17800
401			2001	IT	22000	28700	28000	17900
401			2002	IT	22200	28900	28300	18300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2003	IT	21000	26800	26700	17200
401			2004	IC	22700	25400	25500	20100
401			2005	IC	22900	25500	25700	20200
401			2006	IC	23500	26100	26400	20800
401			2007	IC	23500	26100	26900	20800
401			2008	IC	23200	25700	24900	20500
401			2009	CTR	23100	28200	27300	19600
401			2010	CTR	23100	28100	27000	19600
401			2011	CR	22800	26600	26900	20300
401			2012	CR	22800	27300	26900	19300
401			2013	UC	22800	22900	22900	21600
401			2014	UC	22700	22800	21800	21500
401			2015	C	22700	25000	24300	20400
401			2016	C	23100	25400	24700	20800
401			2017	C	23700	25900	25900	21500
401			2018	C	23900	26200	26000	21600
401			2019	C	24000	26200	26100	21700
401	FURNIVAL RD IC-129 ELGIN RD 103	12.9	1988	IT	15300	22200	20300	11300
401			1989	IT	15400	21400	20600	12000
401			1990	IT	15500	19700	19200	13000
401			1991	IT	16500	21400	20300	14200
401			1992	IT	16300	21200	20200	13900
401			1993	IT	17100	21000	21200	14500
401			1994	IT	19500	25400	24200	16600
401			1995	IT	20500	26200	25000	17500
401			1996	IT	21400	28200	27400	17600
401			1997	IT	22400	29300	28900	18600
401			1998	IT	22400	28900	28700	18100
401			1999	IT	22000	28400	27900	17800
401			2000	IT	22300	28800	28300	18300
401			2001	IT	22700	29700	28900	18500
401			2002	IT	23000	29900	29300	19000
401			2003	IC	23000	25600	25900	20400
401			2004	IC	23200	25900	26100	20500
401			2005	IC	23900	26600	26800	21100
401			2006	IC	24200	26900	27100	21400
401			2007	IC	22700	25200	26000	20100
401			2008	IC	22300	24700	23900	19700
401			2009	IC	21300	23600	23900	19000
401			2010	IC	21300	23600	23800	18900
401			2011	CR	22400	26100	26400	19900
401			2012	CR	22400	26800	26400	18900
401			2013	C	22400	24700	24400	20200
401			2014	C	22100	24300	23600	19900
401			2015	C	21700	23900	23200	19500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2016	C	22100	24300	23600	19900
401			2017	C	22700	24800	24800	20600
401			2018	C	22700	24900	24700	20500
401			2019	C	22700	24800	24700	20500
401	CHATHAM KENT RD 20 ORFORD RD IC-117	7.9	1988	IT	15100	21900	20100	11200
401			1989	IT	15200	21100	20400	11900
401			1990	IT	15200	19300	18800	12800
401			1991	IR	16600	20900	18400	13800
401			1992	IR	17700	21800	19500	15000
401			1993	IR	18800	23100	19400	15400
401			1994	IR	20000	24600	22000	16800
401			1995	IR	20000	24600	22000	17000
401			1996	IR	21000	26100	23400	17900
401			1997	IR	22000	27500	24600	18700
401			1998	IR	22400	27800	25100	18800
401			1999	IR	24400	30300	27100	20500
401			2000	IR	24400	29900	27000	20600
401			2001	IR	24400	30200	27000	20600
401			2002	IR	24400	30100	27000	20700
401			2003	IC	24400	27200	27500	21600
401			2004	IC	24400	27300	27400	21600
401			2005	IC	24400	27100	27400	21500
401			2006	IC	24400	27100	27400	21600
401			2007	IR	24500	29700	29600	20800
401			2008	IR	23000	27900	27300	19700
401			2009	CR	21800	26200	25300	18500
401			2010	CR	21800	26100	25200	18400
401			2011	CR	21300	24800	25100	18900
401			2012	CR	21300	25500	25100	18000
401			2013	CR	21300	25500	26200	18000
401			2014	CR	23000	27100	26900	19600
401			2015	CR	23000	27100	26900	19600
401			2016	CR	23000	27100	26900	19600
401			2017	CR	23100	26800	26900	20800
401			2018	CR	23100	26800	27000	20700
401			2019	CR	23100	26800	27000	20700
401	CHATHAM KENT RDS 17/21 VICTORIA RD IC-109	7.3	1988	IT	14500	21000	19300	10700
401			1989	IT	14600	20300	19600	11400
401			1990	IT	14700	18700	18200	12300
401			1991	IR	15900	20000	17600	13200
401			1992	IR	17100	21000	18800	14500
401			1993	IR	18300	22500	18900	15000
401			1994	IR	19500	24000	21400	16300
401			1995	IR	20500	25200	22600	17500
401			1996	IR	21500	26700	24000	18300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1997	IR	22500	28100	25200	19100
401			1998	IR	23300	28900	26100	19600
401			1999	IR	22100	27400	24500	18600
401			2000	IR	22400	27400	24800	18900
401			2001	IR	22700	28100	25200	19200
401			2002	IR	22900	28200	25400	19500
401			2003	CR	22200	27000	26000	18800
401			2004	IC	23500	26300	26400	20800
401			2005	CR	23800	28900	27800	20100
401			2006	CR	24100	29200	28000	20400
401			2007	IC	23900	26500	27400	21100
401			2008	IC	23600	26100	25300	20800
401			2009	IR	23400	28100	25500	19900
401			2010	IR	23400	27900	25500	19900
401			2011	IR	20600	24600	24100	17600
401			2012	IR	20600	24500	23900	17600
401			2013	UC	21100	21200	21200	20000
401			2014	UC	21700	21800	20900	20600
401			2015	C	22300	24500	23900	20100
401			2016	C	22700	25000	24300	20400
401			2017	C	22700	24800	24800	20600
401			2018	C	22700	24900	24700	20500
401			2019	C	22800	24900	24800	20600
401	CHATHAM KENT RD 15/KENT BRIDGE RD IC-101	11.7	1988	IT	15500	22500	20600	11500
401			1989	IT	15600	21700	20900	12200
401			1990	IT	15700	19900	19500	13200
401			1991	IR	16800	21200	18600	13900
401			1992	IR	17900	22000	19700	15200
401			1993	IR	18900	23200	19500	15500
401			1994	IR	20000	24600	22000	16800
401			1995	IR	20300	25000	22400	17300
401			1996	IR	20600	25600	23000	17500
401			1997	IR	20900	26100	23400	17800
401			1998	IR	21200	26300	23700	17800
401			1999	IR	20300	25200	22500	17100
401			2000	IR	20900	25600	23100	17700
401			2001	IR	21400	26400	23700	18100
401			2002	IR	22000	27100	24400	18700
401			2003	IC	22800	25400	25700	20200
401			2004	IC	23100	25800	26000	20400
401			2005	IC	23400	26000	26300	20600
401			2006	IC	24700	27400	27700	21900
401			2007	IC	24000	26700	27500	21200
401			2008	IC	22700	25100	24300	20000
401			2009	IC	21500	23900	24100	19100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2010	IC	21500	23800	24000	19100
401			2011	CR	22700	26400	26800	20200
401			2012	CR	22700	27200	26800	19200
401			2013	UC	22700	22800	22800	21500
401			2014	UC	23500	23600	22600	22300
401			2015	C	23200	25500	24800	20900
401			2016	C	23900	26300	25600	21500
401			2017	C	23900	26100	26100	21700
401			2018	C	24100	26400	26300	21800
401			2019	C	24200	26500	26300	21900
401	HWY 40 IC-90 CHAT KENT RD 11 COMMUNICATION RD	8.4	1988	IT	13200	19100	17600	9750
401			1989	IT	13400	18600	18000	10500
401			1990	IT	13500	17100	16700	11300
401			1991	IT	13300	17300	16400	11400
401			1992	IT	14800	19200	18400	12600
401			1993	IT	16200	19900	20100	13800
401			1994	IR	17700	21800	19500	14800
401			1995	IR	18400	22700	20300	15700
401			1996	IR	19100	23700	21300	16300
401			1997	IR	19800	24800	22200	16800
401			1998	IR	20500	25400	23000	17200
401			1999	IR	20000	24800	22200	16800
401			2000	IR	20400	25000	22600	17200
401			2001	IR	20900	25800	23200	17700
401			2002	IR	21300	26300	23600	18100
401			2003	IR	21600	26200	23800	18300
401			2004	IC	22500	25200	25300	19900
401			2005	IC	21300	23700	23900	18800
401			2006	IC	22900	25400	25700	20300
401			2007	IC	22400	24900	25700	19800
401			2008	IC	20000	22200	21400	17600
401			2009	IC	18100	20100	20300	16100
401			2010	IC	18100	20000	20200	16000
401			2011	IC	18600	20500	21200	16700
401			2012	IC	18600	20600	20000	16500
401			2013	UC	19600	19700	19700	18600
401			2014	UC	20200	20300	19400	19200
401			2015	C	20500	22600	21900	18400
401			2016	C	20900	23000	22400	18800
401			2017	C	20400	22300	22300	18500
401			2018	C	20400	22400	22200	18400
401			2019	C	20400	22300	22200	18500
401	CHATHAM KENT RD 27 BLOOMFIELD RD IC-81	18.1	1988	IT	14400	20900	19200	10700
401			1989	IT	14500	20200	19400	11300
401			1990	IT	14500	18400	18000	12200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1991	IT	14200	18500	17500	12200
401			1992	IT	14600	19000	18100	12400
401			1993	IT	15100	18600	18700	12800
401			1994	IT	15600	20300	19300	13300
401			1995	IT	16100	20600	19600	13700
401			1996	IT	16600	21900	21200	13700
401			1997	IT	17100	22400	22100	14200
401			1998	IT	17600	22700	22500	14300
401			1999	IT	18100	23300	23000	14700
401			2000	IT	18800	24300	23900	15400
401			2001	IT	19400	25300	24700	15800
401			2002	IT	19900	25900	25400	16400
401			2003	IT	20000	25500	25500	16400
401			2004	IC	21500	24000	24200	19000
401			2005	IC	21800	24200	24500	19200
401			2006	IC	21300	23700	23900	18900
401			2007	IC	22700	25200	26000	20100
401			2008	IC	20300	22500	21800	17900
401			2009	IC	18700	20800	20900	16600
401			2010	IC	19300	21400	21500	17100
401			2011	IC	19500	21400	22200	17500
401			2012	IC	19500	21600	20900	17300
401			2013	IC	20000	22100	22000	17700
401			2014	IC	21500	23800	23700	19100
401			2015	IC	21700	24000	23900	19200
401			2016	IC	21900	24200	24100	19400
401			2017	IC	22100	24200	24400	20100
401			2018	IC	22300	24500	24700	20200
401			2019	IC	22600	24800	25000	20400
401	CHATHAM KENT RD 2 QUEEN'S LINE IC-63	7.1	1988	IT	14100	20400	18800	10400
401			1989	IT	16000	22200	21400	12500
401			1990	IR	15500	19700	17200	12700
401			1991	IR	16600	20900	18400	13800
401			1992	IT	16800	21800	20800	14300
401			1993	IT	17500	21500	21700	14900
401			1994	IT	18400	23900	22800	15600
401			1995	IT	19100	24400	23300	16300
401			1996	IT	19800	26100	25300	16300
401			1997	IT	20500	26900	26400	17000
401			1998	IT	21200	27300	27100	17200
401			1999	IT	21500	27700	27300	17400
401			2000	IT	22000	28400	27900	18000
401			2001	IT	22600	29500	28800	18400
401			2002	IT	23200	30200	29600	19100
401			2003	IT	26100	33300	33200	21400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2004	IT	25800	33700	32900	21000
401			2005	IT	23900	30400	30300	19900
401			2006	IC	25300	28100	28400	22400
401			2007	IC	25100	27900	28700	22200
401			2008	IC	22800	25300	24400	20100
401			2009	IC	21000	23300	23500	18700
401			2010	IC	21000	23200	23400	18600
401			2011	IC	21000	23100	24000	18800
401			2012	IC	21000	23300	22600	18600
401			2013	C	21700	23900	23600	19500
401			2014	C	23500	25900	25100	21200
401			2015	C	24300	26700	26000	21900
401			2016	C	24700	27200	26400	22200
401			2017	C	24100	26400	26300	21900
401			2018	C	24300	26600	26500	21900
401			2019	C	24400	26700	26500	22100
401	ESSEX RD 42 IC-56	8.4	1988	IT	15300	22200	20300	11300
401			1989	IT	15700	21800	21000	12200
401			1990	IT	16000	20300	19800	13400
401			1991	IR	16900	21300	18800	14000
401			1992	IR	17100	21000	18800	14500
401			1993	IR	17800	21900	18400	14600
401			1994	LT	18000	26400	25400	13100
401			1995	LT	18200	26100	25400	13300
401			1996	LT	18400	26000	25300	13500
401			1997	LT	19200	27100	26500	14200
401			1998	LT	20300	28400	27800	14800
401			1999	LT	21100	29300	28700	15400
401			2000	IR	22300	27300	24700	18800
401			2001	IR	22600	27900	25000	19100
401			2002	IR	23300	28700	25800	19800
401			2003	IC	24100	26900	27100	21400
401			2004	IC	24800	27700	27900	21900
401			2005	IC	24100	26800	27100	21200
401			2006	IC	25900	28800	29000	22900
401			2007	IC	26500	29400	30300	23400
401			2008	IC	27000	29900	28900	23800
401			2009	CTR	21500	26200	25400	18300
401			2010	CTR	21900	26700	25600	18600
401			2011	CTR	23600	28700	27600	20000
401			2012	CTR	23600	28600	28300	20100
401			2013	C	24000	26400	26100	21600
401			2014	C	25900	28500	27700	23300
401			2015	C	26300	28900	28100	23700
401			2016	C	26600	29300	28500	23900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2017	C	26900	29400	29400	24400
401			2018	C	27200	29800	29600	24500
401			2019	C	27600	30200	30000	25000
401	HWY 77 IC-48 (S)/ESSEX RD 35 (N) COMBER RD	7.3	1988	IT	14100	20400	18800	10400
401			1989	IT	14500	20200	19400	11300
401			1990	IT	15000	19000	18600	12600
401			1991	IR	15800	19900	17500	13100
401			1992	IR	17300	21300	19000	14700
401			1993	IR	18800	23100	19400	15400
401			1994	IR	20300	25000	22300	17000
401			1995	IR	20700	25500	22800	17600
401			1996	IR	20900	26000	23300	17800
401			1997	IR	21900	27400	24500	18600
401			1998	IR	22900	28400	25600	19200
401			1999	IR	24900	30900	27600	20900
401			2000	IR	25000	30600	27700	21100
401			2001	IR	25100	31000	27800	21200
401			2002	IR	25200	31100	27900	21400
401			2003	IR	25300	30700	27800	21500
401			2004	IR	25400	31400	28100	21500
401			2005	IR	24300	29300	26600	20700
401			2006	IR	23500	28300	25700	20000
401			2007	IR	22700	27500	27400	19200
401			2008	IR	22000	26600	26200	18800
401			2009	IC	20800	23100	23300	18500
401			2010	IC	20900	23100	23300	18500
401			2011	IC	22100	24300	25200	19800
401			2012	IC	23200	25700	24900	20600
401			2013	CTR	23800	29000	29900	20200
401			2014	CTR	23300	28400	28700	19800
401			2015	CTR	20800	25400	25600	17700
401			2016	CTR	21200	25900	26100	18000
401			2017	CTR	22600	30200	30000	18400
401			2018	CTR	22600	30200	30100	18400
401			2019	CTR	22600	30100	30000	18400
401	ESSEX RD 31/FRENCHLINE RD	6.3	1988	IT	13900	20200	18500	10300
401			1989	IT	14200	19700	19000	11100
401			1990	IT	14800	18800	18400	12400
401			1991	IT	15300	19900	18800	13200
401			1992	IT	17100	22200	21200	14500
401			1993	IT	18900	23200	23400	16100
401			1994	IR	20000	24600	22000	16800
401			1995	IR	21100	26000	23300	18000
401			1996	IR	22200	27600	24800	18900
401			1997	IR	22900	28600	25600	19500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1998	IR	23700	29400	26500	19900
401			1999	IR	22800	28300	25300	19200
401			2000	IR	23800	29200	26400	20100
401			2001	IR	23600	29200	26100	20000
401			2002	IR	24000	29600	26600	20400
401			2003	IR	24400	29600	26800	20700
401			2004	IR	24700	30500	27400	20900
401			2005	IR	25000	30200	27400	21300
401			2006	IR	24800	29900	27100	21100
401			2007	IR	24600	29800	29700	20800
401			2008	IR	24400	29600	29000	20900
401			2009	IR	24200	29000	26400	20600
401			2010	IR	24000	28600	26100	20400
401			2011	IR	21700	25900	25300	18500
401			2012	IR	23000	27400	26600	19700
401			2013	CTR	22000	26800	27700	18700
401			2014	CTR	22600	27600	27800	19200
401			2015	IC	23200	25700	25600	20600
401			2016	IC	23600	26100	26000	20900
401			2017	IC	23900	26200	26400	21700
401			2018	IC	24000	26400	26600	21700
401			2019	IC	24000	26400	26500	21700
401	ESSEX RD 27 IC-34	6.2	1988	IC	15100	17500	17100	13300
401			1989	IC	15400	17700	17400	13700
401			1990	IC	15800	18000	17700	14100
401			1991	IR	16200	20400	18000	13400
401			1992	IR	17500	21500	19200	14900
401			1993	IR	18800	23100	19400	15400
401			1994	IR	20100	24800	22100	16800
401			1995	IR	21500	26500	23700	18300
401			1996	IR	22900	28400	25500	19500
401			1997	CR	23400	29000	27600	19900
401			1998	CR	24200	29800	28300	20600
401			1999	CR	23300	28700	27300	19800
401			2000	IR	24000	29400	26600	20300
401			2001	IR	24200	29900	26800	20500
401			2002	IR	24700	30500	27400	21000
401			2003	IC	25400	28300	28600	22500
401			2004	IC	25400	28400	28500	22500
401			2005	IC	24800	27600	27800	21900
401			2006	IC	24200	26900	27100	21400
401			2007	IC	23500	26100	26900	20800
401			2008	IC	22900	25400	24500	20200
401			2009	IC	22300	24800	25000	19800
401			2010	IC	22400	24800	25000	19900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2011	IC	22500	24700	25700	20200
401			2012	IC	22500	24900	24200	20000
401			2013	UC	22700	22800	22800	21500
401			2014	UC	23500	23600	22600	22300
401			2015	UC	24100	24200	23200	22900
401			2016	UC	24600	24700	23700	23300
401			2017	UC	23800	23600	23900	22800
401			2018	UC	23900	23700	24100	22900
401			2019	UC	23900	23500	23900	23000
401	PUCE RD IC-28 ESSEX RD 25	7.1	1988	IC	14100	16400	15900	12400
401			1989	IC	14300	16400	16200	12700
401			1990	IC	14700	16800	16500	13100
401			1991	IC	15000	17000	16600	13400
401			1992	IC	16000	17800	17600	14600
401			1993	IC	17000	19200	19000	15100
401			1994	SC	18100	18800	20800	16700
401			1995	SC	19100	20000	22200	17400
401			1996	SC	20100	21400	23500	18000
401			1997	SC	21100	22400	24700	18800
401			1998	SC	22100	23400	25900	19700
401			1999	SC	22400	23700	26200	19900
401			2000	IR	23300	28500	25800	19700
401			2001	IR	23300	28800	25800	19700
401			2002	IR	23900	29500	26500	20300
401			2003	IC	24000	26700	27000	21300
401			2004	IC	24000	26800	27000	21200
401			2005	IC	23600	26200	26500	20800
401			2006	IC	23300	25900	26100	20600
401			2007	IC	23000	25500	26300	20300
401			2008	IC	22700	25100	24300	20000
401			2009	IC	22200	24600	24900	19800
401			2010	IC	22200	24600	24800	19700
401			2011	IC	22500	24700	25700	20200
401			2012	IC	22500	24900	24200	20000
401			2013	IC	22700	25100	25000	20100
401			2014	IC	23900	26500	26300	21200
401			2015	IC	24000	26600	26400	21300
401			2016	IC	24200	26800	26700	21500
401			2017	IC	24300	26600	26800	22100
401			2018	IC	24500	27000	27100	22200
401			2019	IC	24600	27000	27200	22200
401	ESSEX RD 19 IC-21 MANNING RD	7.0	1988	CTR	14000	18200	17100	11800
401			1989	CTR	14400	18300	17400	12400
401			1990	CTR	14800	18500	17500	12900
401			1991	CTR	15100	19000	18900	13100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			1992	CTR	15300	18800	18200	13300
401			1993	CTR	15900	20000	19200	13500
401			1994	SC	16700	17400	19200	15400
401			1995	SC	17500	18300	20300	15900
401			1996	SC	18500	19700	21600	16600
401			1997	IC	19400	21700	21900	17100
401			1998	IC	20500	23000	23000	18200
401			1999	IC	20500	23000	23000	18200
401			2000	SC	21900	23200	25600	19300
401			2001	SC	21600	23000	25300	19000
401			2002	SC	22200	23600	26000	19600
401			2003	C	21900	24500	24600	19800
401			2004	C	21900	24700	24700	19700
401			2005	C	24700	27500	27700	22200
401			2006	C	24100	26800	27000	21700
401			2007	C	24200	26900	27300	21700
401			2008	C	22100	24400	24100	19800
401			2009	C	20200	22200	22400	18200
401			2010	C	20200	22300	22500	18200
401			2011	C	19300	21300	21500	17400
401			2012	C	22000	24200	23700	19800
401			2013	C	22300	24600	24300	20100
401			2014	C	22400	24600	24000	20200
401			2015	C	22500	24800	24100	20200
401			2016	C	22900	25200	24500	20600
401			2017	C	23300	25500	25400	21100
401			2018	C	23500	25800	25600	21200
401			2019	C	23700	25900	25800	21500
401	ESSEX RD 46 IC-14 PROVINCIAL RD	0.8	1988	C	13200	14700	14700	11900
401			1989	C	13600	15100	15200	12200
401			1990	C	14100	15700	15700	12700
401			1991	C	14400	15800	16000	13100
401			1992	C	14600	15800	16200	13400
401			1993	C	15200	16600	16800	14000
401			1994	C	15800	17300	17600	14300
401			1995	C	16000	17500	17900	14600
401			1996	C	16100	18200	18300	14500
401			1997	C	16300	18400	18600	14700
401			1998	C	16800	19000	19000	15100
401			1999	C	16000	17900	18100	14400
401			2000	C	16200	18300	18300	14600
401			2001	C	16400	18500	18500	14800
401			2002	C	16500	18500	18600	14800
401			2003	C	16500	18400	18600	14900
401			2004	C	16600	18700	18700	15000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2005	C	16400	18300	18400	14700
401			2006	C	16600	18400	18600	14900
401			2007	C	16800	18700	18900	15100
401			2008	C	16900	18700	18400	15200
401			2009	C	17100	18800	19000	15400
401			2010	C	17300	19100	19200	15600
401			2011	C	17300	19100	19200	15600
401			2012	C	17300	19100	18700	15600
401			2013	C	17300	19100	18800	15600
401			2014	C	17400	19100	18600	15700
401			2015	C	17500	19200	18700	15800
401			2016	C	17500	19200	18700	15800
401			2017	C	17600	19300	19200	16000
401			2018	C	17700	19400	19300	16000
401			2019	C	17800	19500	19300	16100
401	DIVERSION TO TUNNEL IC-13	2.4	1988	C	8400	9300	9300	7550
401			1989	C	8600	9550	9650	7750
401			1990	C	8850	9800	9800	7950
401			1991	C	9050	9950	10000	8250
401			1992	C	9500	10300	10500	8750
401			1993	C	10100	11000	11200	9300
401			1994	CTR	10700	13700	13100	9000
401			1995	CTR	11300	14500	13900	9500
401			1996	CTR	12500	16000	15400	10500
401			1997	IC	13100	14700	14800	11500
401			1998	IC	13400	15000	15000	11900
401			1999	IC	11900	13300	13300	10600
401			2000	IC	12000	13400	13400	10700
401			2001	IC	12000	13400	13500	10600
401			2002	IC	12100	13500	13600	10700
401			2003	IC	12800	14300	14400	11300
401			2004	IC	13400	15000	15100	11800
401			2005	IC	13700	15200	15400	12100
401			2006	IC	13500	15000	15100	12000
401			2007	IC	14700	16300	16800	13000
401			2008	IC	13100	14500	14000	11600
401			2009	IC	12100	13400	13600	10800
401			2010	IC	12100	13400	13500	10700
401			2011	IC	12100	13300	13800	10900
401			2012	IC	12100	13400	13000	10700
401			2013	IC	12100	13400	13300	10700
401			2014	IC	12900	14300	14200	11400
401			2015	IC	13000	14400	14300	11500
401			2016	IC	30000	33200	33100	26600
401			2017	IC	16000	17500	17700	14500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
401			2018	IC	16200	17800	17900	14700
401			2019	IC	16400	18000	18100	14800
401	HWY 3 (SR3) UP WEST OF HOWARD AVE (B 13) IC-10	0.9	2017	UNCL	N/A			
401			2018	UNCL	N/A			
401			2019	UNCL	N/A			
401	HWY 3 (SR4) UP EAST OF MONTGOMERY ST (B 11) IC- 9	2.2	2017	UNCL	N/A			
401			2018	UNCL	N/A			
401			2019	UNCL	N/A			
401	HWY 3 (SR3) UP WEST OF GERAEDTS DR (B 10) IC-7	0.9	2017	UNCL	N/A			
401			2018	UNCL	N/A			
401			2019	UNCL	N/A			
401	TODD LANE IC-6	1.5	2017	UNCL	N/A			
401			2018	UNCL	N/A			
401			2019	UNCL	N/A			
401	HWY 3 EBL (SR1) UP W OF LAMBTON RD/GRAND	2.4	2017	UNCL	N/A			
401			2018	UNCL	N/A			
401			2019	UNCL	N/A			
401	EC ROW EBL UP E OF MATCHETTE RD (B 3) IC-2	1.0	2017	UNCL	N/A			
401			2018	UNCL	N/A			
401			2019	UNCL	N/A			
401	END OF WINDSOR ESSEX PKWY END OF HWY401 IC-1		9999					
402	HWY 401 IC LONDON	3.7	1988	C	11200	12400	12400	10100
402			1989	C	12200	13500	13700	11000
402			1990	C	12900	14300	14300	11600
402			1991	C	13500	14900	15000	12300
402			1992	C	14100	15200	15700	13000
402			1993	C	14700	16000	16300	13500
402			1994	IR	15300	18800	16800	12800
402			1995	IR	15900	19600	17500	13500
402			1996	IR	16500	20500	18400	14100
402			1997	IR	16700	20900	18700	14200
402			1998	IR	17600	21800	19700	14800
402			1999	IR	19000	23600	21100	16000
402			2000	IR	19800	24300	21900	16700
402			2001	IR	20700	25600	22900	17500
402			2002	IR	21500	26500	23800	18300
402			2003	IC	21800	24300	24500	19300
402			2004	IC	23600	26400	26500	20900
402			2005	IC	24500	27200	27500	21600
402			2006	IR	24900	30000	27200	21100
402			2007	IR	25700	31100	31000	21800
402			2008	IR	26400	32000	31400	22600
402			2009	CR	27400	32900	31800	23300
402			2010	IC	27400	30300	30600	24300
402			2011	CR	27900	32500	32900	24800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2012	CR	28000	33500	33000	23700
402			2013	CTR	28700	34900	36100	24400
402			2014	CTR	28300	34500	34800	24100
402			2015	IC	27900	30900	30700	24700
402			2016	IC	28500	31500	31400	25300
402			2017	IC	31300	34300	34500	28400
402			2018	IC	32000	35200	35400	29000
402			2019	IC	32700	35900	36100	29500
402	WONDERLAND RD IC	2.2	1988	C	11200	12400	12400	10100
402			1989	C	12200	13500	13700	11000
402			1990	C	12900	14300	14300	11600
402			1991	C	13500	14900	15000	12300
402			1992	C	14100	15200	15700	13000
402			1993	C	14700	16000	16300	13500
402			1994	IR	15300	18800	16800	12800
402			1995	IR	15900	19600	17500	13500
402			1996	IR	16500	20500	18400	14100
402			1997	IR	16700	20900	18700	14200
402			1998	IR	17600	21800	19700	14800
402			1999	IR	18400	22800	20400	15500
402			2000	IR	19000	23300	21000	16100
402			2001	IR	19700	24300	21800	16700
402			2002	IR	20300	25000	22500	17300
402			2003	IC	20700	23100	23300	18300
402			2004	IC	22000	24600	24700	19500
402			2005	IC	22300	24800	25000	19700
402			2006	IC	22900	25400	25700	20300
402			2007	IC	22000	24400	25200	19400
402			2008	IC	23200	25700	24900	20500
402			2009	IC	23900	26500	26800	21300
402			2010	IC	23900	26500	26700	21200
402			2011	IC	23900	26300	27300	21400
402			2012	IC	23900	26500	25700	21200
402			2013	CTR	24100	29300	30300	20500
402			2014	CTR	24200	29500	29800	20600
402			2015	IC	24200	26800	26700	21500
402			2016	IC	24700	27300	27200	21900
402			2017	IC	26400	28900	29100	24000
402			2018	IC	26800	29500	29700	24200
402			2019	IC	27300	30000	30100	24600
402	HWY 4 IC-98 COL. TALBOT RD	12.3	1988	C	10900	12100	12100	9800
402			1989	C	11900	13200	13300	10700
402			1990	C	12900	14300	14300	11600
402			1991	C	13500	14900	15000	12300
402			1992	C	13800	14900	15300	12700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			1993	C	14300	15600	15800	13200
402			1994	C	14800	16200	16500	13400
402			1995	C	15000	16400	16800	13700
402			1996	C	15200	17200	17300	13700
402			1997	C	15900	18000	18100	14300
402			1998	C	17300	19500	19500	15600
402			1999	C	18600	20800	21000	16700
402			2000	C	20000	22600	22600	18000
402			2001	C	20200	22700	22800	18200
402			2002	C	20700	23200	23400	18600
402			2003	C	19600	21900	22000	17700
402			2004	C	20000	22500	22600	18000
402			2005	C	21400	23800	24000	19200
402			2006	C	21600	24000	24200	19400
402			2007	C	21700	24100	24400	19500
402			2008	C	21900	24200	23800	19600
402			2009	C	22000	24200	24400	19800
402			2010	C	22200	24500	24700	20000
402			2011	C	21400	23600	23800	19300
402			2012	C	21400	23600	23100	19300
402			2013	CTR	22300	27100	28000	18900
402			2014	CTR	23800	29000	29300	20200
402			2015	IR	24400	29000	29100	20800
402			2016	IR	24800	29500	29600	21100
402			2017	IR	25100	29400	29500	22400
402			2018	IR	25500	30000	30000	22800
402			2019	IR	25900	30400	30400	23200
402	MIDDLESEX RD 2 LONGWOODS RD IC-86	3.5	1988	C	10100	11200	11200	9100
402			1989	C	10700	11900	12000	9650
402			1990	C	11500	12800	12800	10400
402			1991	C	12800	14100	14200	11600
402			1992	C	13400	14500	14900	12300
402			1993	C	13900	15200	15400	12800
402			1994	IR	14500	17900	16000	12200
402			1995	IR	15700	19300	17300	13400
402			1996	IR	16300	20200	18200	13900
402			1997	IR	16800	21000	18800	14300
402			1998	IR	17300	21500	19400	14500
402			1999	IR	17500	21700	19400	14700
402			2000	IR	18000	22000	19900	15200
402			2001	IR	18400	22700	20400	15600
402			2002	IR	18900	23300	20900	16100
402			2003	IC	19400	21600	21800	17200
402			2004	IC	20100	22500	22600	17800
402			2005	IC	20100	22300	22600	17700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2006	IR	20600	24800	22500	17500
402			2007	IC	20900	23200	23900	18500
402			2008	IC	20300	22500	21800	17900
402			2009	IC	20000	22200	22400	17800
402			2010	IC	20000	22100	22300	17700
402			2011	CR	20500	23900	24200	18200
402			2012	CR	20500	24600	24200	17300
402			2013	CR	20600	24700	25300	17400
402			2014	CR	19800	23300	23200	16900
402			2015	IR	22600	26900	27000	19200
402			2016	IR	20200	24000	24100	17200
402			2017	IR	22100	25900	25900	19700
402			2018	IR	22400	26300	26300	20000
402			2019	IR	22600	26500	26500	20300
402	MIDDLESEX RD 14 GLENDON RD IC-82	12.7	1988	C	10100	11200	11200	9100
402			1989	C	10600	11800	11900	9550
402			1990	C	11200	12400	12400	10100
402			1991	C	11700	12900	13000	10600
402			1992	C	12200	13200	13500	11200
402			1993	C	12700	13800	14100	11700
402			1994	C	13300	14600	14800	12000
402			1995	C	13800	15100	15500	12600
402			1996	C	14300	16200	16300	12900
402			1997	C	14800	16700	16900	13300
402			1998	C	15400	17400	17400	13900
402			1999	C	15900	17800	18000	14300
402			2000	C	16400	18500	18500	14800
402			2001	C	16900	19000	19100	15200
402			2002	C	17500	19600	19700	15700
402			2003	C	17800	19900	20000	16100
402			2004	C	18000	20300	20300	16200
402			2005	C	19500	21700	21900	17500
402			2006	C	18900	21000	21200	17000
402			2007	C	19400	21600	21900	17400
402			2008	C	19800	21900	21600	17800
402			2009	IC	19900	22100	22300	17700
402			2010	IC	20000	22100	22300	17700
402			2011	IC	19700	21700	22500	17700
402			2012	IC	19700	21800	21200	17500
402			2013	CR	19700	23600	24200	16700
402			2014	CR	18600	21900	21800	15800
402			2015	CTR	19800	24200	24400	16800
402			2016	CTR	21800	26600	26800	18500
402			2017	CTR	21700	29000	28800	17700
402			2018	CTR	22000	29400	29300	17900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2019	CTR	22400	29800	29700	18200
402	MIDDLESEX RD 39 HICKORY DRIVE IC-69	4.3	1988	IC	9850	11400	11100	8650
402			1989	IC	10800	12400	12200	9600
402			1990	IC	11500	13100	12900	10200
402			1991	IT	12100	15700	14900	10400
402			1992	IT	12600	16400	15600	10700
402			1993	IT	13100	16100	16200	11100
402			1994	IR	13900	17100	15300	11600
402			1995	IR	14300	17600	15800	12200
402			1996	IR	14800	18400	16500	12600
402			1997	IR	15200	19000	17000	12900
402			1998	IR	15600	19300	17500	13100
402			1999	IR	17800	22100	19800	15000
402			2000	IR	17800	21800	19700	15000
402			2001	IR	17900	22100	19800	15100
402			2002	IR	17900	22100	19800	15200
402			2003	IC	17800	19800	20000	15800
402			2004	IR	18200	22500	20200	15400
402			2005	IR	17900	21600	19600	15300
402			2006	IR	18000	21700	19700	15300
402			2007	IR	18000	21800	21700	15300
402			2008	IR	18300	22200	21800	15600
402			2009	IT	19200	24200	24200	15900
402			2010	CR	17800	21300	20600	15100
402			2011	CR	18000	21000	21200	16000
402			2012	CR	18000	21600	21200	15200
402			2013	CR	18400	22100	22600	15600
402			2014	CR	18600	21900	21800	15800
402			2015	CTR	18800	22900	23100	16000
402			2016	CTR	19300	23500	23700	16400
402			2017	CTR	19700	26300	26200	16100
402			2018	CTR	19900	26600	26500	16200
402			2019	CTR	20100	26800	26700	16400
402	MIDDLESEX RD 81 CENTRE RD IC-65	9.2	1988	C	9850	10900	10900	8850
402			1989	C	10800	12000	12100	9700
402			1990	C	11300	12500	12500	10200
402			1991	IT	11500	15000	14100	9900
402			1992	IT	12000	15600	14900	10200
402			1993	IT	12500	15400	15500	10600
402			1994	IR	13000	16000	14300	10900
402			1995	IR	13400	16500	14800	11400
402			1996	IR	13900	17300	15500	11800
402			1997	IR	14400	18000	16100	12200
402			1998	IR	14900	18500	16700	12500
402			1999	IR	15300	19000	17000	12900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2000	IR	15800	19400	17500	13400
402			2001	IR	16300	20100	18100	13800
402			2002	IR	16800	20700	18600	14300
402			2003	IR	17300	21000	19000	14700
402			2004	IR	17800	22000	19700	15000
402			2005	IR	18300	22100	20000	15600
402			2006	IR	18400	22200	20100	15600
402			2007	IR	17900	21700	21600	15200
402			2008	IR	18700	22700	22200	16000
402			2009	CR	18800	22600	21800	16000
402			2010	CR	18200	21800	21100	15400
402			2011	CR	18200	21200	21500	16200
402			2012	CR	18200	21800	21400	15400
402			2013	CR	18200	21800	22400	15400
402			2014	CR	19800	23300	23200	16900
402			2015	CTR	18900	23100	23200	16100
402			2016	CTR	18800	22900	23100	16000
402			2017	CTR	20200	27000	26900	16500
402			2018	CTR	20500	27400	27300	16700
402			2019	CTR	20800	27700	27600	16900
402	MIDDLESEX RD 6 KERWOOD RD IC-56	11.1	1988	IC	9550	11100	10800	8400
402			1989	IC	10300	11800	11600	9150
402			1990	IC	11000	12500	12300	9800
402			1991	IT	11400	14800	14000	9800
402			1992	IT	12100	15700	15000	10300
402			1993	IT	12900	15900	16000	11000
402			1994	IR	13600	16800	15000	11400
402			1995	IR	14500	17900	16000	12400
402			1996	IR	15300	19000	17100	13000
402			1997	IR	16000	20000	17900	13600
402			1998	IR	16700	20700	18700	14000
402			1999	IR	16300	20200	18100	13700
402			2000	IR	16500	20200	18300	13900
402			2001	IR	16700	20600	18500	14100
402			2002	IR	16900	20800	18700	14400
402			2003	IC	17100	19100	19200	15100
402			2004	IC	17100	19100	19200	15100
402			2005	IR	17600	21200	19300	15000
402			2006	IR	17600	21200	19200	14900
402			2007	CR	16800	20300	20300	14200
402			2008	CR	17000	20600	20400	14300
402			2009	CR	16700	20000	19400	14200
402			2010	CR	16700	20000	19300	14100
402			2011	CR	16800	19600	19800	14900
402			2012	CR	16800	20100	19800	14200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2013	C	17400	19200	18900	15700
402			2014	C	17800	19600	19000	16000
402			2015	C	17900	19700	19200	16100
402			2016	C	18100	19900	19400	16300
402			2017	C	18100	19800	19800	16400
402			2018	C	18300	20100	19900	16500
402			2019	C	18400	20100	20000	16700
402	LAMBTON RD 79 NAUVOO RD IC-44	10.2	1988	IC	9700	11300	11000	8550
402			1989	IC	10500	12100	11900	9350
402			1990	IC	11000	12500	12300	9700
402			1991	IT	11500	14800	14000	9900
402			1992	IT	12100	15700	15000	10200
402			1993	IT	12900	15900	16000	11000
402			1994	IR	13600	16800	15000	11400
402			1995	IR	13900	17100	15300	11800
402			1996	IR	14300	17800	16000	12200
402			1997	IR	14600	18200	16400	12400
402			1998	IR	14900	18500	16700	12500
402			1999	IR	15300	19000	17000	12900
402			2000	IR	15600	19100	17300	13200
402			2001	IR	15900	19600	17600	13400
402			2002	IR	16300	20100	18100	13900
402			2003	CR	16600	20200	19400	14000
402			2004	CR	17000	20900	19900	14400
402			2005	CR	17300	21000	20200	14600
402			2006	CR	17600	21300	20500	14900
402			2007	CR	16800	20300	20300	14200
402			2008	CR	16900	20500	20300	14200
402			2009	CR	16600	19900	19300	14100
402			2010	CR	16600	19900	19200	14000
402			2011	CR	16700	19500	19700	14900
402			2012	CR	16700	20000	19700	14100
402			2013	C	17100	18800	18600	15400
402			2014	C	18100	19900	19400	16300
402			2015	C	18100	19900	19400	16300
402			2016	C	18500	20400	19800	16600
402			2017	C	18500	20200	20200	16800
402			2018	C	18600	20400	20300	16800
402			2019	C	18800	20500	20400	17000
402	HWY 21 IC-34 LAMBTON RD 8 FOREST RD	9.3	1988	IC	10800	12500	12200	9500
402			1989	IC	11900	13700	13400	10600
402			1990	IC	12700	14500	14200	11300
402			1991	IT	12900	16800	15900	11100
402			1992	IT	13400	17400	16600	11400
402			1993	IT	13900	17100	17200	11800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			1994	IR	14400	17700	15800	12100
402			1995	IR	14800	18200	16300	12600
402			1996	IR	15200	18900	17000	12900
402			1997	IR	15500	19400	17400	13200
402			1998	IR	15900	19700	17800	13400
402			1999	IR	16300	20200	18100	13700
402			2000	IR	16700	20500	18500	14100
402			2001	IR	17000	21000	18800	14400
402			2002	IR	17400	21500	19300	14800
402			2003	CR	17800	21700	20800	15100
402			2004	CR	18100	22300	21200	15300
402			2005	CR	18300	22200	21300	15400
402			2006	CR	18900	22900	22000	16000
402			2007	CR	18800	22800	22700	15800
402			2008	CR	19100	23100	22900	16100
402			2009	CR	19200	23000	22300	16300
402			2010	CR	18900	22600	21900	16000
402			2011	CR	17900	20900	21100	15900
402			2012	CR	17900	21400	21100	15100
402			2013	C	18100	19900	19700	16300
402			2014	C	18400	20200	19700	16600
402			2015	C	18400	20200	19700	16600
402			2016	C	18800	20700	20100	16900
402			2017	C	19700	21600	21500	17900
402			2018	C	19900	21800	21700	18000
402			2019	C	20000	21900	21700	18100
402	LAMBTON RDS 21/30 OIL HERITAGE RD IC-25	9.3	1988	IC	11200	13000	12700	9850
402			1989	IC	12100	13900	13700	10800
402			1990	IC	12700	14500	14200	11300
402			1991	IT	12800	16600	15700	11000
402			1992	IT	13500	17600	16700	11500
402			1993	IT	14300	17600	17700	12200
402			1994	IR	15200	18700	16700	12700
402			1995	IR	16100	19800	17700	13700
402			1996	IR	17400	21600	19400	14800
402			1997	IR	18100	22600	20300	15400
402			1998	IR	18400	22800	20600	15500
402			1999	IR	16800	20800	18600	14100
402			2000	IR	17900	21900	19800	15100
402			2001	IR	18000	22200	19900	15200
402			2002	IR	18300	22600	20300	15600
402			2003	IC	18700	20800	21000	16600
402			2004	IC	18700	20900	21000	16500
402			2005	IC	18700	20800	21000	16500
402			2006	IC	18900	21000	21200	16700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2007	IC	19100	21200	21900	16900
402			2008	IC	19300	21400	20700	17000
402			2009	IC	19400	21500	21700	17300
402			2010	IC	18900	20900	21100	16800
402			2011	IC	18900	20800	21600	17000
402			2012	IC	18900	20900	20300	16800
402			2013	CTR	18300	22300	23000	15500
402			2014	CTR	20800	25400	25600	17700
402			2015	IC	20700	22900	22800	18400
402			2016	IC	21100	23400	23200	18700
402			2017	IC	20600	22600	22700	18700
402			2018	IC	20800	22900	23000	18800
402			2019	IC	21000	23100	23200	19000
402	LAMBTON RD 26 MANDAUMIN RD IC-15	6.5	1988	IC	12900	15000	14600	11400
402			1989	IC	14100	16200	15900	12500
402			1990	IC	14500	16500	16200	12900
402			1991	LT	15300	21400	20700	11300
402			1992	LT	15800	22000	21300	12200
402			1993	LT	16500	22800	20500	12100
402			1994	IR	17200	21200	18900	14400
402			1995	IR	17300	21300	19100	14700
402			1996	IR	17400	21600	19400	14800
402			1997	IR	17500	21900	19600	14900
402			1998	IR	17600	21800	19700	14800
402			1999	IR	18300	22700	20300	15400
402			2000	IR	18600	22800	20600	15700
402			2001	IR	18500	22900	20500	15600
402			2002	IR	18700	23100	20700	15900
402			2003	IR	19000	23100	20900	16100
402			2004	IR	19200	23700	21300	16200
402			2005	IR	19500	23500	21400	16600
402			2006	IR	19700	23800	21500	16700
402			2007	IR	19900	24100	24000	16900
402			2008	IR	20000	24200	23800	17100
402			2009	CR	20300	24400	23500	17300
402			2010	CR	20300	24300	23500	17200
402			2011	CR	20300	23600	23900	18100
402			2012	CR	20300	24300	23900	17200
402			2013	UC	21000	21100	21100	19900
402			2014	UC	22200	22300	21300	21100
402			2015	C	22500	24800	24100	20200
402			2016	C	23000	25300	24600	20700
402			2017	C	22300	24400	24300	20200
402			2018	C	22600	24800	24600	20400
402			2019	C	22800	24900	24800	20600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402	AIRPORT RD IC-9	2.8	1988	IC	14400	16700	16300	12700
402			1989	IC	15300	17600	17300	13600
402			1990	IC	16100	18400	18000	14300
402			1991	LT	16400	23000	22100	12100
402			1992	LT	17100	23800	23100	13200
402			1993	LT	18000	24900	22300	13200
402			1994	IR	18900	23300	20800	15800
402			1995	IR	19300	23800	21300	16400
402			1996	IR	19800	24600	22100	16900
402			1997	IR	20200	25200	22600	17200
402			1998	IR	20600	25500	23100	17300
402			1999	IR	21700	26900	24100	18200
402			2000	IR	22000	27000	24400	18600
402			2001	IR	22300	27600	24700	18900
402			2002	IR	22600	27900	25000	19200
402			2003	IR	22900	27800	25200	19400
402			2004	IR	22800	28200	25300	19300
402			2005	IR	22700	27400	24900	19400
402			2006	IR	22600	27300	24700	19200
402			2007	IR	22500	27300	27200	19100
402			2008	IR	22600	27400	26900	19300
402			2009	CR	22600	27100	26200	19200
402			2010	CR	22600	27100	26100	19100
402			2011	CR	22600	26300	26600	20100
402			2012	CR	22600	27100	26600	19100
402			2013	UC	21800	21900	21900	20700
402			2014	UC	23500	23600	22600	22300
402			2015	C	24700	27200	26400	22200
402			2016	C	24000	26400	25700	21600
402			2017	C	24200	26500	26400	22000
402			2018	C	24400	26700	26600	22000
402			2019	C	24600	26900	26700	22300
402	HWY 40 IC-6 MODELAND RD	2.4	1988	IC	15000	17400	17000	13200
402			1989	IC	16300	18700	18400	14500
402			1990	IC	17600	20100	19700	15700
402			1991	LT	17900	25100	24200	13200
402			1992	LT	18500	25700	25000	14200
402			1993	LT	19100	26400	23700	14000
402			1994	IR	19700	24300	21700	16500
402			1995	IR	19500	24000	21500	16600
402			1996	IR	19300	24000	21500	16400
402			1997	IR	19100	23900	21400	16200
402			1998	IR	18900	23400	21200	15900
402			1999	IR	20600	25500	22900	17300
402			2000	IR	20600	25200	22800	17400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2001	IR	20600	25500	22800	17400
402			2002	IR	20600	25400	22800	17500
402			2003	IR	20600	25000	22700	17500
402			2004	IR	20600	25500	22800	17400
402			2005	IC	20600	22900	23100	18200
402			2006	IC	20600	22900	23100	18200
402			2007	IC	20600	22900	23600	18200
402			2008	IC	20700	22900	22200	18300
402			2009	IC	20700	23000	23200	18400
402			2010	IC	20700	22900	23100	18400
402			2011	IC	20700	22800	23600	18600
402			2012	IC	21100	23400	22700	18700
402			2013	UC	21400	21500	21500	20300
402			2014	UC	21300	21400	20500	20200
402			2015	C	21500	23700	23000	19400
402			2016	C	21500	23700	23000	19400
402			2017	C	21600	23600	23600	19600
402			2018	C	21700	23800	23700	19600
402			2019	C	21800	23800	23700	19700
402	LAMBTON RD 29 INDIAN RD UP IC-3	1.9	1988	IC	14300	16600	16200	12600
402			1989	IC	15300	17600	17300	13600
402			1990	IC	17000	19400	19000	15100
402			1991	LT	17300	24200	23400	12800
402			1992	LT	17500	24300	23600	13500
402			1993	LT	17700	24500	21900	13000
402			1994	LT	17900	26300	25300	13000
402			1995	LT	17900	25700	25000	13100
402			1996	LT	17900	25300	24600	13200
402			1997	LT	17900	25200	24700	13200
402			1998	LT	17900	25100	24500	13100
402			1999	LT	20000	27800	27200	14600
402			2000	LT	20000	27900	27300	14600
402			2001	LT	20000	28000	27200	14700
402			2002	LT	20000	28000	27200	14700
402			2003	LT	17900	24600	24100	13200
402			2004	IC	17900	20000	20100	15800
402			2005	IR	18400	22200	20200	15700
402			2006	IR	18300	22100	20000	15500
402			2007	IR	18400	22300	22200	15600
402			2008	IR	18400	22300	21900	15700
402			2009	IR	18800	22600	20500	16000
402			2010	IR	18800	22400	20500	16000
402			2011	IR	18800	22400	22000	16100
402			2012	IR	18800	22400	21800	16100
402			2013	UC	18900	19000	19000	17900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2014	UC	18900	19000	18200	17900
402			2015	C	18900	20800	20200	17000
402			2016	C	18900	20800	20200	17000
402			2017	C	18900	20700	20600	17100
402			2018	C	19000	20800	20700	17100
402			2019	C	19000	20800	20600	17200
402	CHRISTINA ST N UP IC-2 SARNIA	0.4	1988	IC	12600	14600	14200	11100
402			1989	IC	14300	16400	16200	12700
402			1990	IC	15900	18100	17800	14200
402			1991	LT	17600	24600	23800	13000
402			1992	LT	17700	24600	23900	13600
402			1993	LT	17800	24600	22100	13100
402			1994	IR	17900	22100	19700	15000
402			1995	IR	17600	21700	19400	15000
402			1996	IR	17200	21400	19200	14700
402			1997	IR	16900	21100	18900	14400
402			1998	IR	16600	20600	18600	13900
402			1999	IR	16500	20500	18300	13900
402			2000	IR	16300	20000	18100	13800
402			2001	IR	16000	19800	17700	13500
402			2002	IR	15700	19400	17400	13300
402			2003	IR	15500	18800	17100	13200
402			2004	IR	15300	18900	17000	12900
402			2005	IR	15800	19100	17300	13500
402			2006	IR	15600	18800	17000	13200
402			2007	IR	15500	18800	18700	13100
402			2008	IR	15300	18500	18200	13100
402			2009	IR	15200	18200	16600	12900
402			2010	IR	14700	17500	16000	12500
402			2011	IR	14700	17500	17200	12600
402			2012	IR	14700	17500	17000	12600
402			2013	IR	14800	17600	18900	12600
402			2014	IR	14200	16900	16900	12100
402			2015	IR	14100	16800	16800	12000
402			2016	IR	13900	16500	16600	11800
402			2017	IR	13800	15600	15700	11900
402			2018	IR	13600	15400	15500	11800
402			2019	IR	13500	15300	15400	11700
402	LAMBTON RD 33 FRONT ST OP IC-1	0.6	1988	IC	14100	16400	15900	12400
402			1989	IC	16100	18500	18200	14300
402			1990	IC	17700	20200	19800	15800
402			1991	LT	19000	26600	25600	14100
402			1992	LT	18000	25000	24300	13900
402			1993	LT	17200	23800	21300	12600
402			1994	CTR	16700	21400	20400	14000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			1995	CTR	16200	20800	19900	13600
402			1996	CTR	15800	20200	19400	13300
402			1997	CTR	15300	19600	18800	12900
402			1998	CTR	14800	18800	18100	12400
402			1999	CTR	13700	17300	16600	11500
402			2000	CTR	10600	13400	12800	8900
402			2001	CTR	11000	13900	13300	9300
402			2002	CTR	11500	14500	13900	9700
402			2003	IC	11900	13300	13400	10500
402			2004	IC	12600	14100	14200	11100
402			2005	CTR	13400	16600	15900	11400
402			2006	CTR	13400	16600	15900	11400
402			2007	CTR	13400	16600	16500	11400
402			2008	CTR	11400	14100	13800	9700
402			2009	CTR	11100	13500	13100	9450
402			2010	CTR	10800	13100	12600	9150
402			2011	CTR	10800	13100	12600	9150
402			2012	CTR	10800	13100	12900	9200
402			2013	CTR	11000	13400	13800	9350
402			2014	CTR	11200	13700	13800	9500
402			2015	CTR	11200	13700	13800	9500
402			2016	CTR	11200	13700	13800	9500
402			2017	CTR	9900	13200	13200	8050
402			2018	CTR	9700	13000	12900	7900
402			2019	CTR	9450	12600	12500	7700
402	BRIDGE ST & MARINA RD IC SARNIA	0.1	1988	IC	11300	13100	12800	9950
402			1989	IC	13500	15500	15300	12000
402			1990	CTR	15000	18800	17700	13000
402			1991	CTR	16900	21300	21100	14700
402			1992	CTR	16600	20400	19800	14400
402			1993	CTR	16600	20900	20100	14100
402			1994	CTR	14000	17900	17100	11800
402			1995	CTR	13400	17200	16500	11200
402			1996	CTR	13500	17300	16600	11300
402			1997	CTR	13900	17800	17100	11700
402			1998	CTR	14100	17900	17200	11800
402			1999	CTR	15000	18900	18200	12600
402			2000	CTR	16000	20200	19400	13400
402			2001	CTR	15300	19300	18500	12900
402			2002	CTR	16300	20600	19700	13800
402			2003	CTR	14900	18500	17800	12600
402			2004	CTR	15200	19200	18400	12800
402			2005	CTR	15100	18700	18000	12800
402			2006	CTR	16000	19800	19000	13600
402			2007	CTR	16200	20100	19900	13700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
402			2008	CTR	13500	16700	16400	11500
402			2009	CTR	12300	15000	14500	10500
402			2010	CTR	13000	15800	15200	11000
402			2011	CTR	14000	17000	16400	11900
402			2012	CTR	14400	17500	17200	12300
402			2013	CTR	14500	17600	18200	12300
402			2014	CTR	14700	17900	18100	12500
402			2015	CTR	13100	16000	16100	11100
402			2016	CTR	12800	15600	15700	10900
402			2017	CTR	12600	16800	16800	10300
402			2018	CTR	12700	17000	16900	10300
402			2019	CTR	12500	16700	16600	10200
402	BLUE WATER BR CAN. CUSTOMS HWY END		9999					
403	HWY 401 & HWY 410 IC MISSISSAUGA	2.8	1988	SC	83300	90000	98300	75000
403			1989	SC	95900	105500	116000	85400
403			1990	SC	102600	112900	123100	91300
403			1991	SC	101000	111100	122200	89900
403			1992	SC	103000	108200	120500	94800
403			1993	SC	105000	116600	128100	93400
403			1994	SC	111400	115900	128100	102500
403			1995	SC	117900	123300	137000	107300
403			1996	SC	124300	132100	145400	111400
403			1997	SC	130700	138500	152900	116300
403			1998	SC	137100	145300	160400	122000
403			1999	SC	143600	152200	168000	127800
403			2000	SC	150000	159000	175500	132000
403			2001	SC	156400	166800	183100	137800
403			2002	SC	162800	172700	190600	143500
403			2003	SC	169300	178800	197500	149800
403			2004	SC	175700	187400	205700	154900
403			2005	SC	182100	192800	212700	160300
403			2006	SC	188500	199400	220300	166300
403			2007	SC	195000	206100	225400	171500
403			2008	SC	201400	211300	199200	177100
403			2009	SC	207800	220300	243100	182900
403			2010	SC	214200	226600	250700	188900
403			2011	SC	220700	282400	257900	175600
403			2012	SC	227100	240500	226200	200400
403			2013	SC	215000	227400	207200	189600
403			2014	SC	200000	211600	206500	176400
403			2015	SC	185000	195700	191000	163200
403			2016	SC	175000	185100	180700	154300
403			2017	SC	227200	241600	241800	201600
403			2018	SC	231700	247500	246200	203800
403			2019	SC	236100	250600	249100	208700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403	EGLINTON AV IC MISSISSAUGA	2.7	1988	UC	69800	73300	78900	65600
403			1989	UC	82100	86200	92800	78000
403			1990	UC	87800	93900	101800	83400
403			1991	UC	86100	91300	99000	83500
403			1992	UC	89400	94800	102800	85800
403			1993	UC	92000	96900	104600	86200
403			1994	UC	105100	111400	120200	97700
403			1995	UC	111400	117500	127400	103900
403			1996	UC	117600	124500	137600	111800
403			1997	UC	123800	130000	144800	116400
403			1998	UC	130100	137900	152200	123600
403			1999	UC	136300	144500	159500	129500
403			2000	UC	142600	151200	168300	134000
403			2001	UC	148800	159400	175000	139800
403			2002	UC	155100	165300	182500	145200
403			2003	UC	161300	170400	188900	152400
403			2004	UC	167600	179500	197200	157500
403			2005	UC	173800	183900	203300	163000
403			2006	UC	180100	190500	210500	169500
403			2007	UC	186300	197600	215600	174800
403			2008	UC	192600	203400	191000	180200
403			2009	UC	198800	210700	232600	186900
403			2010	UC	205100	216800	238700	192900
403			2011	UC	211300	212000	219300	200500
403			2012	UC	217600	218900	232900	206700
403			2013	UC	210000	210700	211200	199300
403			2014	UC	200000	200600	192300	189800
403			2015	UC	190000	190600	182700	180300
403			2016	UC	180000	180600	173100	170800
403			2017	UC	224000	222600	224700	214700
403			2018	UC	228700	226800	230500	219500
403			2019	UC	233500	230100	233600	225000
403	HURONTARIO ST IC MISSISSAUGA	2.1	1988	SC	83100	89700	98100	74800
403			1989	SC	89600	98600	108400	79700
403			1990	SC	95900	105500	115100	85400
403			1991	SC	94000	103400	113700	83700
403			1992	UC	97800	103700	112500	93900
403			1993	UC	99800	105100	113400	93500
403			1994	UC	101800	107900	116400	94700
403			1995	UC	103800	109500	118700	96800
403			1996	UC	109300	115700	127900	103900
403			1997	UC	114700	120400	134200	107800
403			1998	UC	123200	130600	144100	117000
403			1999	UC	127400	135000	149100	121000
403			2000	UC	137000	145200	161700	128800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2001	UC	140000	150000	164700	131600
403			2002	UC	143800	153200	169200	134600
403			2003	UC	145900	154200	170900	137800
403			2004	UC	154700	165700	182000	145400
403			2005	UC	146700	155200	171600	137600
403			2006	UC	149900	158500	175200	141100
403			2007	UC	153100	162400	177200	143600
403			2008	UC	156200	165000	154900	146100
403			2009	UC	159400	169000	186500	149800
403			2010	UC	162600	171900	189200	152900
403			2011	UC	171300	171900	177800	162600
403			2012	UC	175100	176200	187400	166400
403			2013	UC	178900	179500	179900	169800
403			2014	UC	173000	173600	166400	164200
403			2015	UC	172000	172600	165400	163200
403			2016	UC	170000	170500	163500	161300
403			2017	UC	186800	185600	187400	179000
403			2018	UC	190200	188700	191700	182600
403			2019	UC	193500	190700	193600	186400
403	MAVIS RD IC MISSISSAUGA	4.6	1988	SC	76700	82800	90500	69000
403			1989	SC	87400	96100	105800	77800
403			1990	SC	95200	104700	114200	84700
403			1991	SC	93300	102600	112900	83000
403			1992	UC	96600	102400	111100	92700
403			1993	UC	98600	103900	112100	92400
403			1994	UC	101500	107600	116000	94400
403			1995	UC	104400	110200	119400	97400
403			1996	UC	107300	113600	125500	102000
403			1997	UC	110200	115700	128900	103600
403			1998	UC	116800	123800	136700	111000
403			1999	UC	120700	127900	141200	114700
403			2000	UC	129900	137700	153300	122100
403			2001	UC	128800	138000	151500	121000
403			2002	UC	132900	141600	156300	124400
403			2003	UC	134500	142100	157600	127100
403			2004	UC	140900	150900	165800	132400
403			2005	UC	143700	152100	168100	134800
403			2006	UC	147500	156000	172400	138800
403			2007	UC	153100	162400	177200	143600
403			2008	C	157100	173400	171000	141000
403			2009	C	153800	169200	170700	138400
403			2010	C	162900	179500	181100	146600
403			2011	C	166700	183700	185400	150000
403			2012	C	170600	188000	184000	153600
403			2013	C	174400	192200	189800	157000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2014	C	174800	192300	187000	157300
403			2015	C	175000	192500	187200	157500
403			2016	C	175500	193100	187800	158000
403			2017	C	186300	203800	203300	169000
403			2018	C	189900	208200	207000	171400
403			2019	C	193600	211600	210300	175200
403	ERIN MILLS PKWY IC MISSISSAUGA	1.6	1988	SC	49000	52900	57800	44100
403			1989	SC	57300	63000	69300	51000
403			1990	SC	73500	80800	88200	65400
403			1991	SC	75800	83400	91700	67500
403			1992	SC	78100	82000	91400	71900
403			1993	SC	80100	88900	97700	71300
403			1994	SC	82100	85400	94400	75500
403			1995	SC	85100	89000	98900	77400
403			1996	SC	88200	93800	103200	79000
403			1997	SC	91200	96700	106700	81200
403			1998	SC	98000	103900	114700	87200
403			1999	SC	101900	108000	119200	90700
403			2000	SC	111500	118200	130500	98100
403			2001	SC	108100	115300	126600	95300
403			2002	SC	111800	118600	130900	98600
403			2003	SC	110000	116200	128300	97300
403			2004	SC	115200	122900	134900	101500
403			2005	SC	122800	130000	143400	108100
403			2006	SC	127400	134800	148900	112400
403			2007	SC	118800	125600	137300	104500
403			2008	SC	136700	143400	135200	120200
403			2009	SC	141300	149800	165300	124300
403			2010	SC	146000	154400	170900	128800
403			2011	SC	145100	185700	169600	115500
403			2012	SC	148900	157700	148300	131400
403			2013	SC	152600	161400	147100	134600
403			2014	SC	150000	158700	154900	132300
403			2015	SC	148000	156600	152800	130500
403			2016	SC	146000	154400	150800	128800
403			2017	SC	161500	171700	171900	143300
403			2018	SC	164900	176100	175200	145100
403			2019	SC	168300	178600	177600	148700
403	WINSTON CHURCHILL BV IC MISSISSAUGA	2.0	1988	SC	55000	59400	64900	49500
403			1989	SC	64900	71400	78500	57800
403			1990	SC	71300	78400	85600	63500
403			1991	SC	69900	76900	84600	62200
403			1992	SC	67700	71100	79200	62300
403			1993	SC	69700	77400	85000	62000
403			1994	SC	72600	75500	83500	66800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			1995	SC	75500	78900	87700	68700
403			1996	SC	78400	83300	91700	70200
403			1997	SC	81300	86200	95100	72400
403			1998	SC	84200	89300	98500	74900
403			1999	SC	76700	81300	89700	68300
403			2000	SC	81000	85900	94800	71300
403			2001	SC	85300	91000	99900	75200
403			2002	SC	89700	95200	105000	79100
403			2003	SC	94100	99400	109800	83300
403			2004	SC	99000	105600	115900	87300
403			2005	SC	120900	128000	141200	106400
403			2006	SC	125900	133200	147200	111100
403			2007	SC	130800	138300	151200	115000
403			2008	SC	135800	142500	134300	119400
403			2009	SC	140700	149100	164600	123800
403			2010	SC	145700	154100	170600	128500
403			2011	SC	144700	185200	169100	115200
403			2012	SC	146900	155600	146300	129600
403			2013	SC	153800	162700	148200	135600
403			2014	SC	158600	167800	163800	139900
403			2015	SC	163400	172800	168700	144100
403			2016	SC	168200	177900	173700	148300
403			2017	SC	173000	183900	184100	153500
403			2018	SC	177800	189900	188900	156400
403			2019	SC	182600	193800	192700	161400
403			1990	SC	71300	78400	85600	63500
403			1991	SC	69800	76800	84500	62100
403			1992	SC	63500	66700	74300	58400
403			1993	SC	65500	72700	79900	58300
403			1994	SC	71300	74200	82000	65600
403			1995	SC	77100	80600	89600	70100
403			1996	SC	79600	84600	93100	71300
403			1997	SC	82100	87000	96100	73100
403			1998	SC	85300	90400	99800	75900
403			1999	SC	88500	93800	103500	78800
403			2000	UC	93600	99200	110400	88000
403			2001	UC	92500	99100	108800	86900
403			2002	UC	93700	99800	110200	87700
403			2003	UC	94800	100200	111000	89600
403			2004	UC	94600	101300	111300	88900
403			2005	UC	97400	103100	113900	91300
403			2006	UC	98900	104600	115600	93100
403			2007	UC	103300	109600	119600	96900
403			2008	UC	105400	111300	104500	98600
403			2009	UC	107500	114000	125800	101000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2010	UC	109600	115900	127600	103100
403			2011	UC	111700	112100	115900	106000
403			2012	UC	92500	93100	99000	87900
403			2013	UC	97500	97800	98000	92500
403			2014	UC	96500	96800	92800	91600
403			2015	UC	95500	95800	91800	90600
403			2016	UC	95000	95300	91400	90100
403			2017	UC	107200	106500	107500	102700
403			2018	UC	108300	107400	109100	104000
403			2019	UC	109400	107800	109400	105400
403	**HWY 407 IC**	**3.15**	**2019**	**UC**	**109400**	**107800**	**109400**	**105400**
403	DUNDAS ST. IC MISSISSAUGA OAKVILLE LTS	2.0	1988	SC	50100	54100	59100	45100
403			1989	SC	54400	59800	65800	48400
403			1990	SC	57500	63300	69000	51200
403			1991	SC	55800	61400	67500	49700
403			1992	UC	56700	60100	65200	54400
403			1993	UC	59200	62400	67300	55500
403			1994	SC	63800	66400	73400	58700
403			1995	SC	67200	70300	78100	61100
403			1996	SC	70400	74800	82300	63100
403			1997	UC	74200	77900	86800	69700
403			1998	UC	75900	80500	88800	72100
403			1999	UC	73400	77800	85900	69700
403			2000	UC	81500	86400	96200	76600
403			2001	UC	75200	80500	88500	70700
403			2002	UC	76100	81100	89500	71300
403			2003	UC	77000	81400	90200	72700
403			2004	UC	77600	83100	91300	72900
403			2005	UC	78900	83500	92300	74000
403			2006	UC	75000	79300	87600	70600
403			2007	UC	80700	85600	93400	75700
403			2008	UC	81600	86200	80900	76300
403			2009	UC	82500	87400	96500	77600
403			2010	UC	83400	88200	97100	78400
403			2011	UC	84300	84600	87500	80000
403			2012	UC	90000	90500	96300	85500
403			2013	UC	87100	87400	87600	82700
403			2014	UC	94000	94300	90400	89200
403			2015	C	96500	106200	103300	86800
403			2016	C	99000	108900	105900	89100
403			2017	C	94700	103600	103400	85900
403			2018	C	95900	105100	104500	86600
403			2019	C	97100	106100	105500	87900
403	UPPER MIDDLE RD IC DISCONTINUITY	22.6	9999					
403	QEW/407 IC BURLINGTON	4.2	1988	UC	64200	67400	72500	60300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			1989	UC	76000	79800	85900	72200
403			1990	UC	77600	83000	90000	73700
403			1991	UC	79900	84700	91900	77500
403			1992	UC	79900	84700	91900	76700
403			1993	UC	80000	84300	90900	74900
403			1994	UC	80800	85600	92400	75100
403			1995	UC	80800	85300	92400	75300
403			1996	UC	80800	85500	94500	76800
403			1997	UC	85800	90100	100400	80700
403			1998	UC	97200	103000	113700	92300
403			1999	UC	95600	101300	111900	90800
403			2000	UC	100200	106200	118200	94200
403			2001	UC	104000	111400	122300	97700
403			2002	UC	106100	113000	124800	99300
403			2003	UC	107500	113600	125900	101500
403			2004	UC	113000	121000	132900	106200
403			2005	UC	113300	119900	132500	106300
403			2006	UC	120000	126900	140200	112900
403			2007	UC	119300	126500	138100	111900
403			2008	UC	122300	129200	121300	114400
403			2009	UC	117400	124400	137400	110400
403			2010	UC	128300	135600	149300	120600
403			2011	UC	131300	131700	136300	124600
403			2012	UC	126900	127700	135800	120600
403			2013	UC	131900	132300	132600	125200
403			2014	C	123000	135300	131600	110700
403			2015	C	137000	150700	146600	123300
403			2016	C	139600	153600	149400	125600
403			2017	C	138600	151600	151300	125800
403			2018	C	144800	158700	157800	130700
403			2019	C	147300	161000	160000	133300
403	WATERDOWN RD IC BURLINGTON	3.3	1988	UC	68500	71900	77400	64400
403			1989	UC	68700	72100	77600	65300
403			1990	UC	69400	74300	80500	65900
403			1991	UC	72300	76600	83100	70100
403			1992	UC	75100	79600	86400	72100
403			1993	UC	78000	82200	88700	73100
403			1994	UC	86800	92000	99200	80700
403			1995	UC	89700	94600	102600	83600
403			1996	UC	92700	98100	108400	88200
403			1997	UC	94700	99400	110800	89000
403			1998	UC	98600	104500	115400	93700
403			1999	UC	107500	114000	125800	102100
403			2000	C	115500	130500	130500	104000
403			2001	C	117900	132800	133000	106200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2002	C	121600	136200	137200	109400
403			2003	C	126300	141100	142000	114000
403			2004	C	131000	147500	147800	118000
403			2005	C	124000	138100	139200	111400
403			2006	C	125400	139300	140400	112800
403			2007	C	128200	142500	144400	115200
403			2008	C	131000	144600	142600	117500
403			2009	C	133800	147200	148500	120400
403			2010	C	116900	128800	130000	105200
403			2011	C	139400	153600	155000	125500
403			2012	C	122000	134400	131600	109900
403			2013	UC	145000	145500	145800	137600
403			2014	C	147800	162600	158100	133000
403			2015	C	145800	160400	156000	131200
403			2016	C	148200	163000	158600	133400
403			2017	C	150700	164900	164500	136700
403			2018	C	153200	167900	167000	138300
403			2019	C	149700	163600	162700	135500
403	E JCT HWY 6 IC	1.4	1988	UC	68300	71700	77200	64200
403			1989	UC	68800	72200	77700	65400
403			1990	UC	69800	74700	81000	66300
403			1991	UC	71900	76200	82700	69700
403			1992	UC	72100	76400	82900	69200
403			1993	UC	72400	76300	82300	67800
403			1994	UC	72600	77000	83000	67500
403			1995	UC	72600	76600	83000	67700
403			1996	UC	72600	76800	84900	69000
403			1997	UC	77600	81500	90800	72900
403			1998	UC	88300	93600	103300	83900
403			1999	UC	87700	93000	102600	83300
403			2000	UC	91300	96800	107700	85800
403			2001	UC	94900	101600	111600	89200
403			2002	UC	98600	105100	116000	92300
403			2003	UC	102200	108000	119700	96500
403			2004	UC	105900	113400	124600	99500
403			2005	UC	109500	115900	128100	102700
403			2006	UC	105800	111900	123600	99600
403			2007	UC	108200	114800	125200	101500
403			2008	UC	120400	127200	119400	112600
403			2009	UC	124100	131500	145200	116700
403			2010	UC	115300	121900	134200	108400
403			2011	UC	115000	115400	119400	109100
403			2012	UC	118000	118700	126300	112100
403			2013	UC	127900	128300	128600	121400
403			2014	C	118400	130200	126700	106600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2015	UC	132000	132400	126900	125300
403			2016	UC	134200	134600	129100	127300
403			2017	UC	136900	136000	137300	131200
403			2018	UC	139700	138600	140800	134100
403			2019	UC	142400	140300	142500	137200
403	YORK BLVD IC HAMILTON	2.3	1988	UC	67900	71300	76700	63800
403			1989	UC	72500	76100	81900	68900
403			1990	UC	73800	79000	85600	70100
403			1991	UC	75100	79600	86400	72800
403			1992	UC	76300	80900	87700	73200
403			1993	UC	77600	81700	88200	72700
403			1994	UC	78200	82900	89400	72700
403			1995	UC	78200	82500	89400	72900
403			1996	UC	80700	85400	94400	76700
403			1997	UC	82800	86900	96900	77800
403			1998	UC	87100	92300	101900	82700
403			1999	UC	87900	93200	102800	83500
403			2000	UC	90000	95400	106200	84600
403			2001	UC	92600	99200	108900	87000
403			2002	UC	94800	101000	111500	88800
403			2003	UC	97100	102600	113700	91700
403			2004	UC	99300	106400	116800	93300
403			2005	UC	100500	106300	117500	94300
403			2006	UC	100500	106300	117400	94600
403			2007	UC	104700	111000	121200	98200
403			2008	UC	103100	108900	102200	96500
403			2009	UC	104800	111100	122600	98500
403			2010	C	97000	106900	107900	87300
403			2011	UC	95800	96100	99400	90900
403			2012	UC	99700	100300	106700	94700
403			2013	UC	105500	105800	106100	100100
403			2014	UC	99900	100200	96100	94800
403			2015	UC	109100	109500	104900	103500
403			2016	UC	109400	109800	105200	103800
403			2017	UC	110600	109900	110900	106000
403			2018	UC	111900	111000	112800	107400
403			2019	UC	113100	111400	113100	109000
403	MAIN ST IC HAMILTON	1.4	1988	UC	52300	54900	59100	49200
403			1989	UC	54300	57000	61400	51600
403			1990	UC	56200	60100	65200	53400
403			1991	UC	58000	61500	66700	56300
403			1992	UC	59900	63500	68900	57500
403			1993	UC	61800	65100	70200	57900
403			1994	UC	63300	67100	72400	58900
403			1995	UC	65600	69200	75000	61200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			1996	UC	67800	71800	79300	64500
403			1997	UC	70000	73500	81900	65800
403			1998	UC	72300	76600	84600	68700
403			1999	UC	74500	79000	87200	70800
403			2000	UC	81000	85900	95600	76100
403			2001	UC	82300	88200	96800	77300
403			2002	UC	85200	90800	100200	79800
403			2003	UC	95100	100500	111400	89800
403			2004	UC	88700	95000	104300	83400
403			2005	UC	93700	99100	109600	87900
403			2006	UC	94100	99500	110000	88600
403			2007	UC	92300	97900	106800	86600
403			2008	UC	99400	105000	98600	93000
403			2009	UC	98500	104400	115200	92600
403			2010	UC	98500	104100	114600	92600
403			2011	UC	98000	98300	101700	93000
403			2012	UC	98600	99200	105500	93700
403			2013	UC	98700	99000	99200	93700
403			2014	UC	99000	99300	95200	93900
403			2015	UC	102800	103100	98900	97600
403			2016	UC	103000	103300	99100	97700
403			2017	UC	109700	109000	110000	105100
403			2018	UC	111500	110600	112400	107000
403			2019	UC	113400	111700	113400	109300
403	ABERDEEN AV UP IC HAMILTON	4.8	1988	UC	41200	43300	46600	38700
403			1989	UC	44100	46300	49800	41900
403			1990	UC	46800	50100	54300	44500
403			1991	UC	48000	50900	55200	46600
403			1992	UC	50000	53000	57500	48000
403			1993	UC	52000	54800	59100	48700
403			1994	C	54300	59500	60500	49100
403			1995	C	54300	59300	60800	49700
403			1996	C	57300	64900	65200	51700
403			1997	UC	60500	63500	70800	56900
403			1998	UC	67200	71200	78600	63800
403			1999	UC	68300	72400	79900	64900
403			2000	SC	71500	75800	83700	62900
403			2001	SC	74700	79700	87500	65800
403			2002	SC	77900	82700	91200	68700
403			2003	SC	81100	85600	94600	71800
403			2004	SC	84300	89900	98700	74300
403			2005	SC	86200	91300	100700	75900
403			2006	SC	90700	96000	106000	80000
403			2007	SC	87300	92300	100900	76800
403			2008	SC	82000	86000	81100	72100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2009	SC	92200	97700	107900	81100
403			2010	SC	87700	92800	102700	77300
403			2011	SC	85000	108800	99300	67600
403			2012	UC	92000	92600	98500	87400
403			2013	CTR	83300	101400	104700	70700
403			2014	CTR	83400	101700	102600	70900
403			2015	IR	88700	105600	105800	75500
403			2016	IR	83800	99800	100000	71300
403			2017	IR	96300	113000	113000	85900
403			2018	IR	97800	114900	115000	87500
403			2019	IR	99300	116500	116500	89000
403			1988	UC	30000	31500	33900	28200
403			1989	UC	34500	36200	39000	32800
403			1990	UC	38000	40700	44100	36100
403			1991	UC	35700	37800	41100	34600
403			1992	UC	37500	39800	43100	36000
403			1993	UC	39400	41500	44800	36900
403			1994	UC	36000	38200	41200	33500
403			1995	UC	36000	38000	41200	33600
403			1996	UC	36000	38100	42100	34200
403			1997	UC	42300	44400	49500	39800
403			1998	UC	48100	51000	56300	45700
403			1999	UC	50900	54000	59600	48400
403			2000	SC	54200	57500	63400	47700
403			2001	UC	56000	60000	65900	52600
403			2002	UC	58000	61800	68200	54300
403			2003	SC	60100	63500	70100	53200
403			2004	SC	64700	69000	75800	57000
403			2005	SC	67800	71800	79200	59700
403			2006	SC	70000	74100	81800	61700
403			2007	SC	73000	77200	84400	64200
403			2008	SC	76000	79700	75200	66800
403			2009	SC	77200	81800	90300	67900
403			2010	SC	81900	86600	95900	72200
403			2011	SC	84900	108700	99200	67600
403			2012	UC	87800	88300	94000	83400
403			2013	UC	90800	91100	91300	86200
403			2014	UC	85600	85900	82300	81200
403			2015	UC	95200	95500	91600	90300
403			2016	UC	98100	98400	94300	93100
403			2017	UC	100900	100200	101200	96700
403			2018	UC	103800	103000	104600	99600
403			2019	UC	106700	105100	106700	102800
403	**LINC. AX PKY/ ROUSSEAUX ST IC**	**2.92**	**2019**	**UC**	**106700**	**105100**	**106700**	**102800**
403	W JCT HWY 6/GARNER RD IC	1.1	2000	SC	48100	51000	56300	42300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2001	SC	49800	53100	58300	43900
403			2002	SC	50600	53700	59200	44600
403			2003	SC	55000	58100	64200	48700
403			2004	SC	56300	60000	65900	49600
403			2005	UC	58400	61800	68300	54800
403			2006	UC	58200	61500	68000	54800
403			2007	UC	57500	61000	66500	53900
403			2008	UC	61300	64800	60800	57300
403			2009	UC	62900	66700	73600	59100
403			2010	UC	64500	68200	75100	60600
403			2011	UC	66100	66300	68600	62700
403			2012	UC	72500	72900	77600	68900
403			2013	UC	70700	70900	71100	67100
403			2014	UC	70800	71000	68100	67200
403			2015	UC	73700	73900	70900	69900
403			2016	UC	75400	75600	72500	71600
403			2017	UC	77100	76600	77300	73900
403			2018	UC	78800	78200	79400	75600
403			2019	UC	80500	79300	80500	77600
403	FIDDLERS GREEN RD IC	1.8	1988	UC	23800	25000	26900	22400
403			1989	UC	26200	27500	29600	24900
403			1990	UC	28600	30600	33200	27200
403			1991	UC	26900	28500	30900	26100
403			1992	UC	28500	30200	32800	27400
403			1993	UC	30200	31800	34300	28300
403			1994	UC	27000	28600	30900	25100
403			1995	UC	27000	28500	30900	25200
403			1996	UC	27000	28600	31600	25700
403			1997	UC	32000	33600	37400	30100
403			1998	UC	36800	39000	43100	35000
403			1999	UC	38400	40700	44900	36500
403			2000	SC	42000	44500	49100	37000
403			2001	SC	44000	46900	51500	38800
403			2002	SC	46700	49500	54700	41200
403			2003	LT	49500	68100	66600	36600
403			2004	LT	51800	72500	70500	38000
403			2005	UC	55100	58300	64400	51700
403			2006	UC	54100	57200	63200	50900
403			2007	UC	56400	59800	65300	52900
403			2008	UC	53700	56700	53200	50200
403			2009	C	58700	64600	65200	52800
403			2010	C	63300	69800	70400	57000
403			2011	C	65600	72300	72900	59000
403			2012	C	67900	74800	73200	61100
403			2013	UC	63700	63900	64100	60400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2014	UC	71200	71400	68500	67600
403			2015	UC	73200	73400	70400	69500
403			2016	UC	75600	75800	72700	71700
403			2017	UC	77800	77300	78000	74600
403			2018	UC	80000	79300	80600	76800
403			2019	UC	82200	81000	82200	79200
403	WILSON ST IC ANCASTER	3.3	1997	UC	33200	34900	38800	31200
403			1998	UC	34600	36700	40500	32900
403			1999	UC	36400	38600	42600	34600
403			2000	UC	37900	40200	44700	35600
403			2001	UC	39400	42200	46300	37000
403			2002	UC	40900	43600	48100	38300
403			2003	UC	43000	45400	50400	40600
403			2004	C	44600	50200	50300	40200
403			2005	C	45200	50300	50700	40600
403			2006	C	46200	51300	51700	41600
403			2007	C	48200	53600	54300	43300
403			2008	C	50100	55300	54500	45000
403			2009	C	50200	55200	55700	45200
403			2010	C	52600	58000	58500	47400
403			2011	C	54000	59500	60000	48600
403			2012	UC	60100	60500	64300	57100
403			2013	UC	58100	58300	58400	55100
403			2014	C	53100	58400	56800	47800
403			2015	C	59400	65300	63600	53500
403			2016	C	60800	66900	65100	54700
403			2017	C	62200	68000	67900	56400
403			2018	C	63600	69700	69300	57400
403			2019	C	63800	69700	69300	57700
403	HAMILTON 52 TRINITY RD UNDERPASS	6.9	1997	C	29400	33200	33500	26500
403			1998	C	30500	34500	34500	27400
403			1999	C	32100	36000	36300	28900
403			2000	C	33400	37700	37700	30100
403			2001	C	34700	39100	39200	31300
403			2002	C	36100	40400	40700	32500
403			2003	C	37400	41800	42000	33800
403			2004	SC	38800	41400	45400	34200
403			2005	C	40200	44800	45100	36100
403			2006	C	41200	45800	46100	37100
403			2007	C	42200	46900	47500	37900
403			2008	C	42900	47300	46700	38500
403			2009	C	44900	49400	49800	40400
403			2010	C	44900	49500	49900	40400
403			2011	C	49300	54300	54800	44400
403			2012	C	51000	56200	55000	45900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2013	C	50000	55100	54400	45000
403			2014	C	51900	57100	55500	46700
403			2015	UC	44700	44800	43000	42400
403			2016	UC	52800	53000	50800	50100
403			2017	UC	54000	53700	54200	51800
403			2018	UC	55200	54800	55600	53000
403			2019	UC	56400	55600	56400	54300
403	CITY OF HAMILTON COUNTY OF BRANT BDRY	7.6	1997	C	29400	33200	33500	26500
403			1998	C	30500	34500	34500	27400
403			1999	C	32100	36000	36300	28900
403			2000	C	33400	37700	37700	30100
403			2001	C	34700	39100	39200	31300
403			2002	C	36100	40400	40700	32500
403			2003	C	37400	41800	42000	33800
403			2004	SC	38800	41400	45400	34200
403			2005	C	40200	44800	45100	36100
403			2006	C	41200	45800	46100	37100
403			2007	C	42200	46900	47500	37900
403			2008	C	42900	47300	46700	38500
403			2009	C	44900	49400	49800	40400
403			2010	C	44900	49500	49900	40400
403			2011	C	49300	54300	54800	44400
403			2012	C	48000	52900	51800	43200
403			2013	C	48000	52900	52200	43200
403			2014	UC	46200	46300	44400	43800
403			2015	UC	51000	51200	49000	48400
403			2016	UC	52300	52500	50300	49600
403			2017	UC	53300	53000	53500	51100
403			2018	UC	54500	54100	54900	52300
403			2019	UC	55700	54900	55700	53700
403	GARDEN AVE. IC-41	2.4	1988	C	19900	22100	22100	17900
403			1989	C	21900	24300	24500	19700
403			1990	C	23700	26300	26300	21300
403			1991	C	21500	23700	23900	19600
403			1992	C	22100	23900	24500	20300
403			1993	C	22900	25000	25300	21100
403			1994	C	25300	27700	28200	22900
403			1995	C	27000	29500	30300	24700
403			1996	C	28200	32000	32100	25500
403			1997	C	29400	33200	33500	26500
403			1998	C	30500	34500	34500	27400
403			1999	C	32100	36000	36300	28900
403			2000	C	33000	37300	37300	29700
403			2001	C	34500	38900	38900	31100
403			2002	C	35700	40000	40300	32100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2003	C	37700	42100	42400	34000
403			2004	C	38300	43100	43200	34500
403			2005	C	39600	44100	44500	35600
403			2006	C	40400	44900	45200	36300
403			2007	C	41100	45700	46300	36900
403			2008	C	41900	46200	45600	37600
403			2009	C	42600	46900	47300	38300
403			2010	C	43400	47800	48300	39100
403			2011	C	43400	47800	48300	39100
403			2012	C	43400	47800	46800	39100
403			2013	C	43800	48300	47700	39400
403			2014	UC	44500	44600	42800	42200
403			2015	UC	47800	48000	46000	45400
403			2016	UC	49700	49900	47800	47200
403			2017	UC	49900	49600	50100	47800
403			2018	UC	50900	50500	51300	48900
403			2019	UC	51900	51100	51900	50000
403	WAYNE GRETZKY PKWY IC-38 UP	2.6	1988	C	19100	21200	21200	17200
403			1989	C	20600	22900	23100	18500
403			1990	C	22000	24400	24400	19800
403			1991	C	21600	23800	24000	19700
403			1992	C	22200	24000	24600	20400
403			1993	C	22900	25000	25300	21100
403			1994	C	24800	27200	27700	22400
403			1995	C	25900	28300	29000	23700
403			1996	C	27100	30700	30800	24500
403			1997	C	28200	31900	32100	25400
403			1998	C	29400	33200	33200	26500
403			1999	UC	29400	31200	34400	27900
403			2000	UC	31600	33500	37300	29700
403			2001	UC	32700	35000	38500	30700
403			2002	UC	33900	36100	39900	31700
403			2003	UC	36100	38100	42300	34100
403			2004	C	36600	41200	41300	33000
403			2005	C	37400	41600	42000	33600
403			2006	C	38500	42800	43100	34600
403			2007	C	39000	43300	43900	35000
403			2008	C	39800	43900	43300	35700
403			2009	C	40500	44600	45000	36400
403			2010	C	41200	45400	45800	37100
403			2011	C	43300	47700	48100	39000
403			2012	C	43300	47700	46700	39000
403			2013	C	43300	47700	47100	39000
403			2014	C	45900	50500	49100	41300
403			2015	C	46900	51600	50200	42200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2016	UC	48700	48900	46800	46200
403			2017	UC	49100	48800	49300	47100
403			2018	UC	50100	49700	50500	48100
403			2019	UC	51200	50400	51200	49300
403	HWY 24/KING GEORGE RD IC-36 UP	2.6	1988	C	14800	16400	16400	13300
403			1989	C	16300	18100	18300	14700
403			1990	C	19000	21100	21100	17100
403			1991	C	17800	19600	19800	16200
403			1992	C	17900	19300	19900	16500
403			1993	C	18100	19700	20000	16700
403			1994	IC	19600	22000	22000	17400
403			1995	IC	21500	24100	24200	19300
403			1996	IC	22600	25400	25500	20100
403			1997	IC	23700	26500	26800	20900
403			1998	IC	24700	27700	27700	22000
403			1999	IC	25800	28900	28900	23000
403			2000	IC	27000	30200	30200	24000
403			2001	IC	28100	31400	31600	24800
403			2002	IC	29300	32700	32900	25800
403			2003	IC	31400	35000	35300	27800
403			2004	IC	31400	35100	35300	27800
403			2005	IC	32700	36400	36700	28800
403			2006	CR	33800	41000	39300	28500
403			2007	IC	32700	36300	37400	28900
403			2008	IC	32700	36200	35100	28800
403			2009	IC	32700	36300	36600	29100
403			2010	IC	32700	36200	36500	29000
403			2011	IC	31300	34400	35700	28100
403			2012	IC	31300	34700	33600	27800
403			2013	IC	31300	34600	34500	27800
403			2014	IC	35600	39400	39200	31600
403			2015	IC	36300	40200	40000	32200
403			2016	CTR	39200	47800	48200	33300
403			2017	CTR	38000	50800	50500	31000
403			2018	CTR	38700	51700	51500	31500
403			2019	CTR	39300	52400	52100	32000
403	BRANT RD 202 PARIS RD IC-33 OP	2.9	1988	C	14700	16300	16300	13200
403			1989	C	16600	18400	18600	14900
403			1990	C	17200	19100	19100	15500
403			1991	IR	15700	19800	17400	13000
403			1992	IR	15700	19300	17300	13300
403			1993	IR	15700	19300	16200	12800
403			1994	IR	18600	22900	20500	15600
403			1995	IR	19500	24000	21500	16600
403			1996	IR	20400	25300	22800	17400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			1997	IR	21300	26600	23900	18100
403			1998	IR	22200	27500	24900	18600
403			1999	IR	23500	29100	26100	19700
403			2000	IR	24500	30000	27100	20700
403			2001	IR	25500	31500	28300	21600
403			2002	IR	26500	32700	29400	22500
403			2003	IR	27600	33500	30400	23400
403			2004	CR	29400	36200	34500	24800
403			2005	CR	29000	35200	33800	24400
403			2006	CR	30600	37100	35600	25800
403			2007	CR	30200	36500	36500	25400
403			2008	CR	30500	36900	36600	25700
403			2009	CR	30600	36700	35500	26000
403			2010	CR	31300	37500	36200	26500
403			2011	CR	33600	39100	39600	29900
403			2012	CR	33600	40200	39600	28400
403			2013	CR	33600	40300	41300	28400
403			2014	CR	35600	42000	41700	30300
403			2015	CR	36500	43000	42800	31100
403			2016	CTR	37800	46100	46500	32100
403			2017	CTR	38200	51100	50800	31100
403			2018	CTR	39000	52100	51900	31800
403			2019	CTR	39800	53000	52800	32400
403	BRANT RD 27/OAK PARK RD IC-30 UP	3.5	1988	C	14300	15900	15900	12900
403			1989	C	16000	17800	17900	14400
403			1990	C	17600	19500	19500	15800
403			1991	IR	15700	19800	17400	13000
403			1992	IR	15500	19100	17000	13200
403			1993	IR	15300	18800	15800	12500
403			1994	IR	18400	22700	20200	15400
403			1995	IR	19300	23800	21300	16400
403			1996	IR	20200	25100	22500	17200
403			1997	IR	21100	26400	23600	17900
403			1998	IR	22000	27300	24600	18500
403			1999	IR	25700	31900	28500	21600
403			2000	IR	26600	32600	29500	22500
403			2001	IR	27500	34000	30500	23200
403			2002	IR	28400	35000	31500	24100
403			2003	IR	29600	35900	32600	25100
403			2004	IR	30100	37200	33400	25400
403			2005	IR	30700	37100	33600	26200
403			2006	IR	31900	38500	34900	27100
403			2007	IR	30800	37300	37200	26100
403			2008	IR	30600	37100	36400	26200
403			2009	IR	29800	35800	32500	25300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2010	IR	30500	36300	33200	26000
403			2011	IR	30500	36400	35600	26000
403			2012	IR	30500	36300	35300	26100
403			2013	IR	30500	36300	38900	26000
403			2014	IR	34200	40700	40800	29100
403			2015	IR	34900	41500	41600	29700
403			2016	IR	35600	42400	42500	30300
403			2017	IR	36200	42500	42500	32300
403			2018	IR	36900	43400	43400	33000
403			2019	IR	37600	44100	44100	33700
403	HWY 24 REST ACRES RD IC-27	11.4	1988	C	12800	14200	14200	11500
403			1989	C	14100	15700	15800	12700
403			1990	C	15500	17200	17200	14000
403			1991	IR	14100	17800	15700	11700
403			1992	IR	14300	17600	15700	12200
403			1993	IR	14500	17800	15000	11900
403			1994	IR	16200	20000	17800	13600
403			1995	IR	17800	21900	19600	15200
403			1996	IR	18700	23200	20900	15900
403			1997	IR	19600	24500	22000	16700
403			1998	IR	20500	25400	23000	17200
403			1999	IR	19300	23900	21400	16200
403			2000	IR	19600	24000	21700	16600
403			2001	IR	19900	24600	22000	16800
403			2002	IR	20200	24900	22400	17200
403			2003	IR	20500	24900	22600	17400
403			2004	CR	20200	24900	23700	17100
403			2005	CR	20400	24800	23800	17200
403			2006	IR	21700	26200	23700	18400
403			2007	IR	21700	26300	26200	18400
403			2008	IR	21600	26200	25700	18500
403			2009	IR	21600	25900	23500	18400
403			2010	IR	21600	25700	23500	18400
403			2011	IR	21600	25800	25200	18400
403			2012	IR	21600	25700	25000	18500
403			2013	IR	21600	25700	27600	18400
403			2014	IR	23400	27900	27900	19900
403			2015	IR	23000	27400	27400	19600
403			2016	CTR	23600	28800	29000	20100
403			2017	CTR	23500	31400	31200	19100
403			2018	CTR	23700	31700	31500	19300
403			2019	CTR	24000	32000	31800	19500
403	BRANT RD 25 MIDDLE TOWN LINE RD UP IC-16	9.9	1988	C	12700	14100	14100	11400
403			1989	C	14200	15800	15900	12800
403			1990	C	15200	16900	16900	13700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			1991	IR	13800	17400	15300	11500
403			1992	IR	13800	17000	15200	11700
403			1993	IR	13800	17000	14300	11300
403			1994	IR	15300	18800	16800	12800
403			1995	IR	17000	20900	18700	14500
403			1996	IR	17800	22100	19900	15200
403			1997	IR	18600	23200	20800	15800
403			1998	IR	19500	24200	21800	16400
403			1999	IR	18600	23100	20600	15600
403			2000	IR	18900	23200	20900	16000
403			2001	IR	19300	23900	21400	16300
403			2002	IR	19700	24300	21800	16700
403			2003	IR	19500	23700	21500	16600
403			2004	CR	19600	24100	23000	16600
403			2005	CR	20800	25200	24300	17500
403			2006	IR	21100	25500	23100	17900
403			2007	IC	21100	23400	24200	18700
403			2008	IC	21100	23400	22600	18600
403			2009	IC	21900	24300	24500	19500
403			2010	IC	21900	24200	24400	19400
403			2011	IC	21900	24100	25000	19600
403			2012	IC	21900	24300	23500	19400
403			2013	IC	21900	24200	24100	19400
403			2014	IC	23500	26000	25900	20800
403			2015	IC	23300	25800	25700	20700
403			2016	CTR	24000	29300	29500	20400
403			2017	CTR	24000	32100	31900	19600
403			2018	CTR	24300	32500	32300	19800
403			2019	CTR	24600	32800	32600	20000
403	OXFORD RD 55 UP IC-6	5.4	1988	C	19800	22000	22000	17800
403			1989	C	20000	22200	22400	18000
403			1990	C	21300	23600	23600	19200
403			1991	C	19500	21400	21600	17700
403			1992	C	19600	21200	21800	18000
403			1993	C	19600	21400	21700	18000
403			1994	C	19600	21500	21900	17700
403			1995	C	19600	21400	22000	17900
403			1996	C	19700	22300	22400	17800
403			1997	C	19800	22400	22600	17800
403			1998	C	19800	22400	22400	17800
403			1999	C	16500	18500	18600	14800
403			2000	C	17000	19200	19200	15300
403			2001	C	17500	19700	19700	15800
403			2002	C	18000	20200	20300	16200
403			2003	C	18500	20700	20800	16700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
403			2004	C	19000	21400	21400	17100
403			2005	C	19500	21700	21900	17500
403			2006	IR	20000	24100	21900	17000
403			2007	IR	18500	22400	22300	15700
403			2008	CR	18400	22300	22100	15500
403			2009	IR	18400	22100	20100	15600
403			2010	IR	18400	21900	20000	15700
403			2011	IR	18300	21800	21400	15600
403			2012	IR	18300	21800	21200	15600
403			2013	IR	18500	22000	23600	15700
403			2014	IC	18200	20100	20100	16100
403			2015	IC	18200	20100	20100	16100
403			2016	CTR	20900	25500	25700	17800
403			2017	CTR	18600	24900	24700	15200
403			2018	CTR	18600	24800	24700	15100
403			2019	CTR	18600	24800	24700	15100
403	HWY 401 OP IC HWY END		9999					
404	AT RAMPS 24 & 33 TO & FROM HWY 401	0.5	1988	UC	174000	182700	196600	163600
404			1989	UC	199800	209800	225800	189800
404			1990	UC	207700	222200	240900	197300
404			1991	UC	216000	229000	248400	209500
404			1992	UC	224600	238100	258300	215600
404			1993	UC	226600	238700	257600	212200
404			1994	UC	229500	243300	262400	213400
404			1995	UC	232500	245300	265800	216800
404			1996	UC	235400	249100	275400	223900
404			1997	UC	238300	250200	278800	224000
404			1998	UC	241200	255700	282200	229100
404			1999	UC	244200	258900	285700	232000
404			2000	UC	247100	261900	291600	232300
404			2001	UC	250000	267800	294100	234900
404			2002	UC	252900	269500	297500	236800
404			2003	UC	255900	270400	299800	241700
404			2004	UC	258800	277200	304400	243200
404			2005	UC	261700	276900	306100	245400
404			2006	UC	264600	279800	309200	249000
404			2007	UC	267600	283800	309700	251100
404			2008	UC	270500	285700	268200	253100
404			2009	UC	273400	289800	319900	257000
404			2010	UC	276300	292100	321600	259800
404			2011	UC	279300	280200	289900	265000
404			2012	UC	282200	283900	302100	268100
404			2013	UC	285100	286000	286700	270500
404			2014	UC	288000	288900	277000	273300
404			2015	UC	291000	291900	279900	276100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			2016	UC	293900	294800	282600	278900
404			2017	UC	296800	294900	297700	284400
404			2018	UC	299700	297300	302000	287700
404			2019	UC	302700	298200	302800	291700
404	HWY 401 IC-56 DON VALLEY PKWY	0.9	1988	UC	156900	164700	177300	147500
404			1989	UC	180100	189100	203500	171100
404			1990	UC	187300	200400	217300	177900
404			1991	UC	194800	206500	224000	189000
404			1992	UC	202600	214800	233000	194500
404			1993	UC	204600	215500	232600	191600
404			1994	UC	210400	223000	240600	195700
404			1995	UC	216100	228000	247100	201500
404			1996	UC	221900	234800	259600	211000
404			1997	UC	227700	239100	266400	214000
404			1998	UC	233500	247500	273200	221800
404			1999	UC	239200	253600	279900	227200
404			2000	UC	245000	259700	289100	230300
404			2001	UC	250800	268600	295000	235700
404			2002	UC	256600	273400	301900	240200
404			2003	UC	262400	277300	307400	247900
404			2004	UC	268100	287200	315400	251900
404			2005	UC	273900	289800	320300	256900
404			2006	UC	279700	295800	326800	263200
404			2007	UC	285500	302800	330400	267900
404			2008	UC	291300	307700	288900	272500
404			2009	UC	297000	314800	347500	279200
404			2010	UC	302800	320100	352400	284700
404			2011	UC	308600	309600	320300	292800
404			2012	UC	314400	316300	336600	298700
404			2013	UC	280000	280900	281600	265700
404			2014	UC	317900	318900	305700	301700
404			2015	UC	323100	324100	310700	306600
404			2016	UC	328300	329400	315700	311500
404			2017	UC	333500	331300	334500	319600
404			2018	UC	338700	335900	341300	325100
404			2019	UC	343900	338800	344000	331400
404	SHEPPARD AV IC-18 NORTH YORK	2.1	1988	UC	145000	152200	163800	136300
404			1989	UC	174100	182800	196700	165400
404			1990	UC	181100	193800	210100	172000
404			1991	UC	188300	199600	216500	182700
404			1992	UC	195500	207200	224800	187700
404			1993	UC	197500	208000	224500	185000
404			1994	UC	202200	214300	231200	188000
404			1995	UC	207000	218400	236700	193000
404			1996	UC	211700	224000	247700	201300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			1997	UC	216500	227300	253300	203500
404			1998	UC	221200	234500	258800	210100
404			1999	UC	219200	232400	256500	208200
404			2000	UC	221900	235200	261800	208600
404			2001	UC	224700	240700	264300	211200
404			2002	UC	225400	240200	265200	211000
404			2003	UC	226800	239700	265700	214200
404			2004	UC	228200	244400	268500	214400
404			2005	UC	230200	243600	269200	215900
404			2006	UC	227900	241000	266300	214500
404			2007	UC	229300	243200	265400	215100
404			2008	UC	230700	243700	228800	215800
404			2009	SC	233500	247500	273200	205500
404			2010	SC	220300	233000	257900	194300
404			2011	C	216200	238300	240400	194600
404			2012	UC	231700	233100	248000	220100
404			2013	UC	233200	233900	234500	221300
404			2014	C	234300	257700	250700	210900
404			2015	C	235400	258900	251900	211900
404			2016	C	236500	260200	253100	212800
404			2017	C	237600	259900	259300	215600
404			2018	C	238700	261700	260200	215400
404			2019	C	239800	262100	260500	217000
404	FINCH AV IC-20 NORTH YORK	2.2	1988	UC	121000	127000	136700	113700
404			1989	UC	151200	158800	170900	143600
404			1990	UC	158800	169900	184200	150900
404			1991	UC	166800	176800	191800	161800
404			1992	UC	175100	185600	201400	168100
404			1993	UC	177100	186500	201300	165900
404			1994	UC	184000	195000	210400	171100
404			1995	UC	191000	201500	218400	178100
404			1996	UC	197900	209400	231500	188200
404			1997	C	204800	231400	233500	184300
404			1998	C	211800	239300	239300	190600
404			1999	C	210100	235300	237400	189100
404			2000	C	207700	234700	234700	186900
404			2001	C	210400	237000	237400	189500
404			2002	C	216000	241900	243700	194400
404			2003	C	215800	241100	242600	194800
404			2004	C	210900	237500	238000	189900
404			2005	C	219000	243800	245900	196700
404			2006	C	221300	245900	247800	199100
404			2007	C	223600	248500	251900	200900
404			2008	C	225900	249300	245900	202700
404			2009	SC	224100	237500	262200	197200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			2010	SC	230500	243800	269800	203300
404			2011	C	188300	207500	209400	169500
404			2012	UC	221300	222600	236900	210300
404			2013	UC	224100	224800	225300	212700
404			2014	UC	225500	226200	216900	214000
404			2015	UC	228200	228900	219500	216500
404			2016	UC	229600	230300	220800	217900
404			2017	UC	231000	229500	231700	221400
404			2018	UC	232400	230500	234200	223100
404			2019	UC	233900	230500	234000	225400
404	STEELES AV IC-22 NORTH YORK	3.2	1988	UC	69000	72400	78000	64900
404			1989	UC	96100	100900	108600	91300
404			1990	UC	100000	107000	116000	95000
404			1991	UC	104000	110200	119600	100900
404			1992	UC	108100	114600	124300	103800
404			1993	UC	113500	119600	129000	106300
404			1994	UC	120600	127800	137900	112200
404			1995	UC	127600	134600	145900	119000
404			1996	UC	134600	142400	157500	128000
404			1997	UC	141700	148800	165800	133200
404			1998	UC	148700	157600	174000	141300
404			1999	UC	151500	160600	177300	143900
404			2000	UC	158200	167700	186700	148700
404			2001	UC	155500	166600	182900	146100
404			2002	UC	164000	174700	192900	153500
404			2003	UC	168400	177900	197300	159100
404			2004	UC	153200	164100	180200	144000
404			2005	UC	167400	177100	195800	157000
404			2006	UC	170800	180600	199600	160700
404			2007	UC	174200	184800	201600	163400
404			2008	UC	177600	187600	176100	166200
404			2009	UC	173300	183700	202800	162900
404			2010	UC	184400	194900	214600	173400
404			2011	C	161600	178100	179700	145400
404			2012	UC	184700	185800	197700	175500
404			2013	UC	188200	188800	189200	178600
404			2014	C	191100	210200	204500	172000
404			2015	C	194100	213500	207700	174700
404			2016	C	197000	216700	210800	177300
404			2017	C	199900	218700	218200	181400
404			2018	C	202900	222400	221100	183100
404			2019	C	205800	225000	223600	186300
404			1997	UC	119800	125800	140200	112600
404			1998	UC	125400	132900	146700	119100
404			1999	UC	131000	138900	153300	124400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			2000	UC	136600	144800	161200	128400
404			2001	UC	130200	139500	153200	122400
404			2002	UC	131600	140200	154800	123200
404			2003	UC	133300	140900	156100	125900
404			2004	UC	134700	144300	158500	126600
404			2005	UC	133100	140800	155700	124800
404			2006	UC	137400	145300	160600	129300
404			2007	UC	138700	147100	160500	130100
404			2008	UC	140100	148000	138900	131100
404			2009	UC	141400	149900	165400	132900
404			2010	UC	142800	151000	166200	134300
404			2011	UC	145100	145600	150600	137700
404			2012	UC	146900	147800	157300	139600
404			2013	UC	148700	149200	149500	141100
404			2014	UC	149100	149600	143400	141500
404			2015	UC	150500	151000	144700	142800
404			2016	UC	151900	152400	146100	144100
404			2017	UC	153400	152400	153900	147000
404			2018	UC	154800	153500	156000	148600
404			2019	UC	156200	153900	156300	150500
404	**HWY 407 IC**	**0.92**	**2019**	**UC**	**156200**	**153900**	**156300**	**150500**
404	HWY 7 IC-27 MARKHAM	2.0	1988	UC	49700	52200	56200	46700
404			1989	UC	59100	62100	66800	56100
404			1990	UC	61700	66000	71600	58600
404			1991	UC	64100	67900	73700	62200
404			1992	UC	66700	70700	76700	64000
404			1993	UC	68700	72400	78100	64300
404			1994	UC	70700	74900	80800	65800
404			1995	IC	77200	86400	87100	69300
404			1996	IC	84200	94600	94900	75000
404			1997	IC	91600	102600	103500	80600
404			1998	IC	97600	109300	109300	86900
404			1999	IC	101400	113600	113600	90200
404			2000	IC	107200	120100	120100	95400
404			2001	IC	113000	126400	126900	99900
404			2002	IC	117200	130700	131700	103300
404			2003	IC	124700	139000	140300	110500
404			2004	IC	130500	145900	146600	115400
404			2005	IC	129200	143600	145000	113900
404			2006	IC	142200	158000	159500	126000
404			2007	IC	124300	138100	142300	109900
404			2008	IC	143600	159100	153900	126600
404			2009	IC	143100	158800	160300	127400
404			2010	IC	153200	169600	171000	135800
404			2011	IC	158000	173800	180200	141700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			2012	IC	152000	168400	163300	134900
404			2013	C	157000	173000	170800	141300
404			2014	C	156000	171600	166900	140400
404			2015	C	154000	169400	164800	138600
404			2016	C	158000	173800	169100	142200
404			2017	C	173600	189900	189500	157500
404			2018	C	177600	194700	193600	160300
404			2019	C	181600	198500	197300	164400
404	16TH AV IC-29	2.0	1991	UC	64500	68400	74200	62600
404			1992	UC	67500	71600	77600	64800
404			1993	UC	68100	71700	77400	63800
404			1994	UC	68500	72600	78300	63700
404			1995	IC	69000	77200	77800	61900
404			1996	IC	78500	88200	88500	69900
404			1997	IC	81700	91500	92300	71900
404			1998	IC	84800	95000	95000	75500
404			1999	IC	89400	100100	100100	79600
404			2000	IC	93300	104500	104500	83000
404			2001	IC	98100	109700	110200	86800
404			2002	IC	102500	114300	115100	90300
404			2003	IC	106800	119000	120200	94600
404			2004	IC	111200	124300	124900	98300
404			2005	IC	106600	118500	119700	94000
404			2006	IC	110800	123100	124200	98100
404			2007	IC	114000	126600	130500	100800
404			2008	IC	104300	115500	111800	92000
404			2009	IC	120500	133800	135000	107200
404			2010	IC	123700	136900	138100	109700
404			2011	IC	130000	143000	148300	116600
404			2012	UC	130200	131000	139400	123700
404			2013	UC	134000	134400	134700	127200
404			2014	UC	136600	137000	131400	129600
404			2015	UC	139900	140300	134500	132800
404			2016	UC	143600	144100	138100	136300
404			2017	UC	146900	146000	147400	140800
404			2018	UC	150100	148900	151300	144100
404			2019	UC	153400	151100	153500	147800
404	MAJOR MACKENZIE DR YORK RD 25 IC-31 MARKHAM	1.9	1988	C	42900	47600	47600	38600
404			1989	C	50700	56300	56800	45600
404			1990	C	51400	57100	57100	46300
404			1991	C	52200	57400	57900	47500
404			1992	C	54900	59300	60900	50500
404			1993	C	56500	61600	62500	52000
404			1994	C	58200	63700	64900	52700
404			1995	C	59000	64400	66100	54000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			1996	C	61600	69800	70100	55600
404			1997	C	63400	71600	72300	57100
404			1998	C	66100	74700	74700	59500
404			1999	UC	69800	74000	81700	66300
404			2000	UC	71600	75900	84500	67300
404			2001	UC	73700	78900	86700	69300
404			2002	UC	76100	81100	89500	71300
404			2003	UC	78500	83000	92000	74200
404			2004	UC	80800	86500	95100	75900
404			2005	UC	83200	88000	97300	78000
404			2006	UC	85600	90500	100000	80600
404			2007	CR	88000	106500	106500	74200
404			2008	CR	90300	109300	108400	76100
404			2009	IC	92700	102900	103800	82500
404			2010	IC	95100	105300	106100	84300
404			2011	IC	97400	107100	111100	87400
404			2012	IC	99800	110600	107200	88600
404			2013	CR	102200	122500	125700	86400
404			2014	CR	104600	123300	122500	89100
404			2015	CTR	106900	130400	131500	90900
404			2016	CTR	109300	133300	134400	92900
404			2017	CTR	111700	149300	148500	91000
404			2018	CTR	114000	152300	151600	92800
404			2019	CTR	116400	155100	154400	94700
404	ELGIN MILLS RD IC-33	4.4	2007	UC	74200	78700	85900	69600
404			2008	UC	73200	77300	72600	68500
404			2009	UC	77500	82200	90700	72800
404			2010	UC	79200	83700	92200	74500
404			2011	UC	82600	82900	85700	78400
404			2012	UC	85600	86100	91600	81300
404			2013	UC	88600	88900	89100	84100
404			2014	CTR	84900	103600	104400	72200
404			2015	CTR	90400	110300	111200	76800
404			2016	CTR	92500	112800	113800	78600
404			2017	CTR	94600	126400	125800	77100
404			2018	CTR	96800	129300	128800	78800
404			2019	CTR	98900	131800	131200	80500
404	YORK RD 14 STOUFFVILLE RD IC-37	4.1	1988	C	37500	41600	41600	33800
404			1989	C	44900	49800	50300	40400
404			1990	C	46400	51500	51500	41800
404			1991	C	47100	51800	52300	42900
404			1992	C	49600	53600	55100	45600
404			1993	C	51100	55700	56600	47000
404			1994	C	52500	57500	58500	47500
404			1995	C	54000	59000	60500	49400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			1996	C	54500	61800	62000	49200
404			1997	UC	55900	58700	65400	52500
404			1998	UC	57400	60800	67200	54500
404			1999	C	63000	70600	71200	56700
404			2000	C	62600	70700	70700	56300
404			2001	C	64500	72600	72800	58100
404			2002	C	66300	74300	74800	59700
404			2003	C	68200	76200	76700	61600
404			2004	C	70000	78800	79000	63000
404			2005	C	71800	79900	80600	64500
404			2006	C	73700	81900	82500	66300
404			2007	SC	75500	79800	87300	66400
404			2008	SC	77400	81200	76600	68100
404			2009	LT	79200	106900	104500	58600
404			2010	LT	81000	108800	106700	59800
404			2011	IC	82900	91200	94600	74400
404			2012	IC	84700	93800	91000	75200
404			2013	CTR	74300	90400	93400	63100
404			2014	CTR	85900	104800	105700	73000
404			2015	IC	87100	96400	96000	77200
404			2016	IC	89200	98700	98300	79100
404			2017	IC	90800	99500	100200	82400
404			2018	IC	92500	101800	102400	83700
404			2019	IC	94100	103400	103900	85000
404	YORK RD 40 BLOOMINGTON RD IC-41	4.2	1988	C	28400	31500	31500	25600
404			1989	C	31100	34500	34800	28000
404			1990	C	34300	38100	38100	30900
404			1991	C	38000	41800	42200	34600
404			1992	C	42800	46200	47500	39400
404			1993	C	44500	48500	49200	40900
404			1994	C	46200	50600	51500	41800
404			1995	C	47800	52200	53600	43700
404			1996	C	48500	55000	55200	43800
404			1997	UC	49400	51900	57800	46400
404			1998	UC	50500	53500	59100	48000
404			1999	UC	51500	54600	60300	48900
404			2000	UC	55900	59300	66000	52500
404			2001	UC	57800	61900	68000	54300
404			2002	UC	60000	63900	70600	56200
404			2003	UC	63600	67200	74500	60100
404			2004	UC	63400	67900	74600	59600
404			2005	UC	65300	69100	76400	61200
404			2006	UC	67200	71100	78500	63200
404			2007	UC	69000	73200	79900	64700
404			2008	UC	70900	74900	70300	66300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			2009	UC	72800	77200	85200	68400
404			2010	UC	74600	78900	86800	70100
404			2011	UC	76500	76700	79400	72600
404			2012	UC	78400	78900	83900	74500
404			2013	UC	80300	80600	80700	76200
404			2014	IC	82100	90900	90500	72800
404			2015	IC	84000	93000	92600	74500
404			2016	IC	85900	95100	94600	76200
404			2017	IC	87800	96200	96900	79700
404			2018	IC	89600	98600	99200	81100
404			2019	IC	91500	100500	101000	82600
404	YORK RD 15 AURORA RD IC-45/WELLINGTON STREET E	4.0	1989	C	30100	33400	33700	27100
404			1990	C	32800	36400	36400	29500
404			1991	C	33300	36600	37000	30300
404			1992	C	35100	37900	39000	32300
404			1993	C	36400	39700	40300	33500
404			1994	C	37900	41500	42300	34300
404			1995	C	39100	42700	43800	35800
404			1996	C	40800	46200	46400	36800
404			1997	C	42200	47700	48100	38000
404			1998	C	43700	49400	49400	39300
404			1999	UC	45100	47800	52800	42800
404			2000	UC	47200	50000	55700	44400
404			2001	UC	48900	52400	57500	46000
404			2002	UC	49500	52700	58200	46300
404			2003	UC	56200	59400	65800	53100
404			2004	UC	54900	58800	64600	51600
404			2005	UC	53600	56700	62700	50300
404			2006	UC	54400	57500	63600	51200
404			2007	UC	51000	54100	59000	47800
404			2008	UC	56900	60100	56400	53200
404			2009	UC	58200	61700	68100	54700
404			2010	UC	57500	60800	66900	54100
404			2011	UC	60800	61000	63100	57700
404			2012	UC	62000	62400	66400	58900
404			2013	UC	63300	63500	63700	60100
404			2014	CTR	55800	68100	68600	47400
404			2015	CTR	64200	78300	79000	54600
404			2016	CTR	65400	79800	80400	55600
404			2017	CTR	66500	88900	88400	54200
404			2018	CTR	67700	90400	90000	55100
404			2019	CTR	68900	91800	91400	56100
404	REG RD 74 MULOCK DR (W) VIVIAN RD (E) IC 49	2.1	1989	C	21800	24200	24400	19600
404			1990	C	22900	25400	25400	20600
404			1991	C	24100	26500	26800	21900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			1992	C	25400	27400	28200	23400
404			1993	C	26400	28800	29200	24300
404			1994	C	27300	29900	30400	24700
404			1995	IC	28300	31700	31900	25400
404			1996	IC	29400	33000	33100	26200
404			1997	IC	30200	33800	34100	26600
404			1998	IC	31100	34800	34800	27700
404			1999	IC	30500	34200	34200	27100
404			2000	IC	31100	34800	34800	27700
404			2001	IC	32200	36000	36200	28500
404			2002	IC	32800	36600	36800	28900
404			2003	IC	33400	37200	37600	29600
404			2004	IC	34100	38100	38300	30200
404			2005	IC	34700	38600	39000	30600
404			2006	IC	35500	39400	39800	31400
404			2007	IC	36100	40100	41300	31900
404			2008	IR	36500	44200	43400	31200
404			2009	IC	38000	42200	42600	33800
404			2010	IC	38100	42200	42500	33800
404			2011	IC	38700	42600	44100	34700
404			2012	IC	39400	43700	42300	35000
404			2013	IC	40000	44300	44000	35500
404			2014	CTR	40700	49700	50100	34600
404			2015	IC	41300	45700	45500	36600
404			2016	IC	42000	46500	46300	37200
404			2017	IC	42600	46700	47000	38700
404			2018	IC	43300	47700	47900	39200
404			2019	IC	43900	48200	48500	39600
404	DAVIS DR REG RD 31 IC-51	2.1	2002	IC	32800	36600	36800	28900
404			2003	IC	33400	37200	37600	29600
404			2004	IC	33100	37000	37200	29300
404			2005	IC	34700	38600	39000	30600
404			2006	IC	28900	32100	32400	25600
404			2007	IC	24400	27100	27900	21600
404			2008	IC	25800	28600	27700	22800
404			2009	IC	24300	27000	27200	21600
404			2010	IC	22700	25100	25300	20100
404			2011	IC	24000	26400	27400	21500
404			2012	IC	20800	23000	22300	18500
404			2013	CTR	19800	24100	24900	16800
404			2014	CTR	29600	36100	36400	25200
404			2015	IC	39300	43500	43300	34800
404			2016	IC	42000	46500	46300	37200
404			2017	IC	42600	46700	47000	38700
404			2018	IC	45200	49800	50000	40900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
404			2019	IC	47800	52500	52800	43200
404	GREEN LANE REG RD 19 IC-53	4.4	2014	CTR	18100	22100	22300	15400
404			2015	IC	39300	43500	43300	34800
404			2016	IC	33800	37400	37200	30000
404			2017	IC	34300	37600	37800	31100
404			2018	IC	32400	35700	35900	29300
404			2019	IR	30500	37700	37600	26000
404	DOANE ROAD OVERPASS	2.1	2014	CTR	18100	22100	22300	15400
404			2015	IC	39300	43500	43300	34800
404			2016	IC	31000	34300	34200	27500
404			2017	IC	31400	34400	34600	28500
404			2018	IC	32100	35300	35500	29000
404			2019	IC	32400	35600	35800	29300
404	QUEENSVILLE SIDE ROAD REG. RD 77	5.9	2014	CTR	18100	22100	22300	15400
404			2015	IC	39300	43500	43300	34800
404			2016	IC	31000	34300	34200	27500
404			2017	IC	31500	34500	34800	28600
404			2018	IC	32100	35300	35500	29000
404			2019	IC	32400	35600	35800	29300
404	WOODBINE AVENUE REG. RD 8 END OF HWY		9999					
405	LEWISTON/QUEENSTON BR NIAGARA ON THE LAKE	3.2	1988	IT	11400	16500	15200	8450
405			1989	IT	12800	17800	17200	10000
405			1990	IT	14100	17900	17500	11800
405			1991	IT	15500	20200	19100	13300
405			1992	IT	15500	20200	19200	13200
405			1993	IT	15500	19100	19200	13200
405			1994	CTR	15800	20200	19300	13300
405			1995	CTR	16900	21700	20800	14200
405			1996	CTR	17700	22600	21800	14900
405			1997	CTR	15900	20400	19600	13400
405			1998	CTR	19400	24600	23700	16300
405			1999	CTR	14100	17800	17100	11800
405			2000	CTR	13700	17300	16600	11500
405			2001	CTR	11800	14900	14300	9950
405			2002	CTR	11800	14900	14300	9950
405			2003	CTR	11000	13700	13100	9350
405			2004	CTR	10800	13600	13100	9100
405			2005	CTR	11200	13900	13300	9500
405			2006	CTR	11200	13900	13300	9500
405			2007	CTR	11000	13600	13500	9300
405			2008	CTR	11000	13600	13300	9350
405			2009	CTR	9000	11000	10600	7650
405			2010	CTR	9300	11300	10900	7900
405			2011	CTR	9500	11600	11100	8050
405			2012	CTR	8450	10300	10100	7200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
405			2013	CTR	7550	9200	9500	6400
405			2014	CTR	7000	8550	8600	5950
405			2015	CTR	8750	10700	10800	7450
405			2016	CTR	8700	10600	10700	7400
405			2017	CTR	9550	12800	12700	7800
405			2018	CTR	9900	13200	13200	8050
405			2019	CTR	10100	13500	13400	8200
405	STANLEY AV REG. RD. 102 IC NIAGARA FALLS	5.5	1988	CTR	12200	15900	14900	10200
405			1989	CTR	13400	17000	16200	11500
405			1990	CTR	14600	18200	17200	12700
405			1991	CTR	15700	19800	19600	13700
405			1992	CTR	15700	19300	18700	13700
405			1993	CTR	15700	19800	19000	13300
405			1994	CTR	16400	21000	20000	13800
405			1995	CTR	18400	23600	22600	15400
405			1996	CTR	19300	24700	23800	16200
405			1997	CTR	20300	26000	25000	17100
405			1998	CTR	21200	26900	25900	17800
405			1999	CTR	17000	21400	20600	14300
405			2000	CTR	16500	20800	20000	13900
405			2001	CTR	15900	20100	19200	13400
405			2002	CTR	13000	16400	15700	11000
405			2003	CTR	15500	19300	18500	13100
405			2004	CTR	14100	17800	17100	11900
405			2005	CTR	13800	17100	16400	11700
405			2006	CTR	13300	16500	15800	11300
405			2007	CTR	11000	13600	13500	9300
405			2008	CTR	11800	14600	14300	10000
405			2009	CTR	11200	13700	13200	9500
405			2010	CTR	10700	13000	12500	9100
405			2011	CTR	10100	12300	11800	8550
405			2012	CTR	11400	13800	13700	9700
405			2013	CTR	9350	11400	11800	7950
405			2014	IC	10600	11700	11700	9400
405			2015	IC	11500	12700	12700	10200
405			2016	IC	13100	14500	14400	11600
405			2017	IC	8900	9750	9800	8100
405			2018	IC	8450	9300	9350	7650
405			2019	IC	8050	8850	8900	7250
405	QEW IC NIAG ON THE LAKE HWY END		9999					
406	EAST MAIN ST WELLAND	2.7	1991	UC	14100	14900	16200	13700
406			1992	UC	14100	14900	16200	13500
406			1993	UC	14100	14900	16000	13200
406			1994	UC	13800	14600	15800	12800
406			1995	UC	13600	14300	15500	12700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			1996	UC	13500	14300	15800	12800
406			1997	UC	13300	14000	15600	12500
406			1998	UC	12800	13600	15000	12200
406			1999	UC	13000	13800	15200	12400
406			2000	UC	13200	14000	15600	12400
406			2001	UC	13600	14600	16000	12800
406			2002	UC	13100	14000	15400	12300
406			2003	UC	13900	14700	16300	13100
406			2004	UC	14400	15400	16900	13500
406			2005	UC	13700	14500	16000	12800
406			2006	UC	13700	14500	16000	12900
406			2007	UC	13800	14600	16000	12900
406			2008	UC	13800	14600	13700	12900
406			2009	LT	13900	18800	18300	10300
406			2010	LT	13900	18700	18300	10300
406			2011	LT	13900	17800	18200	11400
406			2012	LT	14000	18300	17400	10600
406			2013	LT	14000	18300	18300	10600
406			2014	LT	14100	18400	18700	10600
406			2015	LT	14100	18400	18700	10600
406			2016	LT	14500	18900	19300	10900
406			2017	LT	14200	18000	18100	11900
406			2018	LT	14300	18200	18200	12000
406			2019	LT	14300	18200	18200	11900
406	SOUTH END OF WELLAND RIV BR.	2.1	1988	UC	12900	13500	14600	12100
406			1989	UC	13800	14500	15600	13100
406			1990	UC	14700	15700	17100	14000
406			1991	UC	14000	14800	16100	13600
406			1992	UC	14600	15500	16800	14000
406			1993	UC	15100	15900	17200	14100
406			1994	SC	15800	16400	18200	14500
406			1995	SC	16000	16700	18600	14600
406			1996	SC	16500	17500	19300	14800
406			1997	SC	17000	18000	19900	15100
406			1998	SC	16300	17300	19100	14500
406			1999	SC	16500	17500	19300	14700
406			2000	SC	16600	17600	19400	14600
406			2001	SC	17300	18400	20300	15200
406			2002	SC	16100	17100	18900	14200
406			2003	SC	16900	17800	19700	15000
406			2004	IR	16800	20800	18600	14200
406			2005	UC	16900	17900	19800	15800
406			2006	UC	16900	17900	19700	15900
406			2007	UC	17000	18000	19700	15900
406			2008	UC	16900	17900	16800	15800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			2009	UC	17100	18100	20000	16100
406			2010	UC	17200	18200	20000	16200
406			2011	UC	17200	17300	17900	16300
406			2012	UC	17300	17400	18500	16400
406			2013	UC	17400	17500	17500	16500
406			2014	UC	17400	17500	16700	16500
406			2015	UC	17500	17600	16800	16600
406			2016	UC	17900	18000	17200	17000
406			2017	UC	17700	17600	17800	17000
406			2018	UC	17700	17600	17800	17000
406			2019	UC	17800	17500	17800	17200
406	PORT ROBINSON RD	3.8	1988	UC	13400	14100	15100	12600
406			1989	UC	14500	15200	16400	13800
406			1990	UC	15700	16800	18200	14900
406			1991	UC	14300	15200	16400	13900
406			1992	UC	14900	15800	17100	14300
406			1993	UC	15600	16400	17700	14600
406			1994	UC	16300	17300	18600	15200
406			1995	UC	17200	18100	19700	16000
406			1996	UC	17800	18800	20800	16900
406			1997	UC	18400	19300	21500	17300
406			1998	UC	18800	19900	22000	17900
406			1999	UC	18600	19700	21800	17700
406			2000	UC	19000	20100	22400	17900
406			2001	UC	18800	20100	22100	17700
406			2002	UC	19700	21000	23200	18400
406			2003	UC	20000	21100	23400	18900
406			2004	UC	20200	21600	23800	19000
406			2005	UC	20700	21900	24200	19400
406			2006	UC	22100	23400	25800	20800
406			2007	UC	21400	22700	24800	20100
406			2008	UC	23000	24300	22800	21500
406			2009	UC	23500	24900	27500	22100
406			2010	UC	26800	28300	31200	25200
406			2011	UC	24500	24600	25400	23200
406			2012	UC	25000	25200	26800	23800
406			2013	UC	25500	25600	25600	24200
406			2014	UC	26000	26100	25000	24700
406			2015	UC	26400	26500	25400	25100
406			2016	UC	28400	28500	27300	27000
406			2017	UC	30600	30400	30700	29300
406			2018	UC	31500	31200	31700	30200
406			2019	SC	32300	34300	34100	28500
406	NIAGARA RD 20/58 IC CANBORO RD THOROLD	3.2	1988	UC	18000	18900	20300	16900
406			1989	UC	19000	20000	21500	18000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			1990	UC	20000	21400	23200	19000
406			1991	UC	18800	19900	21600	18200
406			1992	UC	19500	20700	22400	18700
406			1993	UC	20400	21500	23200	19100
406			1994	UC	21200	22500	24200	19700
406			1995	UC	21600	22800	24700	20100
406			1996	UC	22200	23500	26000	21100
406			1997	UC	22900	24000	26800	21500
406			1998	UC	22100	23400	25900	21000
406			1999	UC	23600	25000	27600	22400
406			2000	UC	24100	25500	28400	22700
406			2001	UC	26400	28300	31100	24800
406			2002	UC	25100	26700	29500	23500
406			2003	UC	25600	27100	30000	24200
406			2004	UC	26000	27800	30600	24400
406			2005	UC	24200	25600	28300	22700
406			2006	UC	26300	27800	30700	24800
406			2007	UC	27400	29100	31700	25700
406			2008	UC	27900	29500	27700	26100
406			2009	UC	28400	30100	33200	26700
406			2010	UC	30100	31800	35000	28300
406			2011	UC	29400	29500	30500	27900
406			2012	UC	29800	30000	31900	28300
406			2013	UC	26600	26700	26700	25200
406			2014	UC	30100	30200	28900	28600
406			2015	UC	30500	30600	29300	28900
406			2016	UC	30900	31000	29700	29300
406			2017	UC	31400	31200	31500	30100
406			2018	UC	31800	31500	32000	30500
406			2019	UC	32200	31700	32200	31000
406	BEAVERDAMS RD IC THOROLD	2.7	1988	UC	18800	19700	21200	17700
406			1989	UC	19100	20100	21600	18100
406			1990	UC	19500	20900	22600	18500
406			1991	UC	18800	19900	21600	18200
406			1992	UC	18900	20000	21700	18100
406			1993	UC	18900	19900	21500	17700
406			1994	UC	20800	22000	23800	19300
406			1995	UC	21500	22700	24600	20000
406			1996	UC	22100	23400	25900	21000
406			1997	UC	22800	23900	26700	21400
406			1998	UC	23200	24600	27100	22000
406			1999	UC	23900	25300	28000	22700
406			2000	UC	24500	26000	28900	23000
406			2001	UC	25100	26900	29500	23600
406			2002	UC	25700	27400	30200	24100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			2003	UC	26300	27800	30800	24800
406			2004	UC	26700	28600	31400	25100
406			2005	UC	27500	29100	32200	25800
406			2006	UC	28100	29700	32800	26400
406			2007	UC	28700	30400	33200	26900
406			2008	UC	29300	31000	29100	27400
406			2009	UC	29900	31700	35000	28100
406			2010	UC	30500	32200	35500	28700
406			2011	IC	31100	34200	35500	27900
406			2012	IC	31700	35100	34100	28100
406			2013	IC	32300	35800	35600	28600
406			2014	IC	32900	36400	36300	29200
406			2015	IC	33500	37100	36900	29700
406			2016	IC	34100	37700	37600	30200
406			2017	IC	34700	38000	38300	31500
406			2018	IC	35300	38900	39100	31900
406			2019	IC	35900	39400	39600	32400
406	HWY 58 IC	2.1	1988	UC	33000	34600	37300	31000
406			1989	UC	34000	35700	38400	32300
406			1990	UC	35100	37600	40700	33300
406			1991	UC	35100	37200	40400	34000
406			1992	UC	35300	37400	40600	33900
406			1993	UC	35300	37200	40100	33100
406			1994	UC	35800	37900	40900	33300
406			1995	UC	36600	38600	41800	34100
406			1996	UC	37300	39500	43600	35500
406			1997	UC	38100	40000	44600	35800
406			1998	UC	35300	37400	41300	33500
406			1999	UC	39600	42000	46300	37600
406			2000	UC	44500	47200	52500	41800
406			2001	UC	43000	46100	50600	40400
406			2002	UC	48300	51500	56800	45200
406			2003	UC	50200	53000	58800	47400
406			2004	UC	48900	52400	57500	46000
406			2005	UC	51100	54100	59800	47900
406			2006	UC	51800	54800	60500	48700
406			2007	UC	53500	56700	61900	50200
406			2008	UC	55300	58400	54800	51700
406			2009	UC	57000	60400	66700	53600
406			2010	UC	58700	62100	68300	55200
406			2011	UC	60000	60200	62300	56900
406			2012	UC	58600	59000	62700	55700
406			2013	CTR	54000	65700	67900	45900
406			2014	CTR	62300	76000	76600	53000
406			2015	CTR	63600	77600	78200	54100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			2016	CTR	65000	79300	80000	55200
406			2017	CTR	66400	88700	88300	54100
406			2018	CTR	67700	90400	90000	55100
406			2019	CTR	69100	92100	91700	56200
406	GLENDALE AV IC(NBL) ST CATHARINES	3.1	1988	UC	34200	35900	38600	32100
406			1989	UC	35300	37100	39900	33500
406			1990	UC	36400	38900	42200	34600
406			1991	UC	37600	39900	43200	36500
406			1992	UC	37900	40200	43600	36400
406			1993	UC	37900	39900	43100	35500
406			1994	UC	40200	42600	46000	37400
406			1995	UC	41300	43600	47200	38500
406			1996	UC	42400	44900	49600	40300
406			1997	UC	43500	45700	50900	40900
406			1998	UC	44600	47300	52200	42400
406			1999	UC	45600	48300	53400	43300
406			2000	UC	46700	49500	55100	43900
406			2001	UC	47800	51200	56200	44900
406			2002	UC	49600	52800	58300	46400
406			2003	UC	50300	53200	58900	47500
406			2004	UC	51400	55100	60500	48300
406			2005	UC	54100	57200	63300	50700
406			2006	UC	52900	55900	61800	49800
406			2007	UC	55400	58800	64100	52000
406			2008	UC	54900	58000	54400	51400
406			2009	LT	52100	70300	68800	38600
406			2010	LT	56900	76400	74900	42000
406			2011	IC	48500	53300	55300	43500
406			2012	IC	56900	63000	61100	50500
406			2013	IC	57700	63900	63500	51200
406			2014	IR	58100	69200	69300	49500
406			2015	IR	51100	60800	61000	43500
406			2016	IR	52000	61900	62000	44300
406			2017	IR	58300	68400	68400	52000
406			2018	IR	58900	69200	69200	52700
406			2019	IR	59600	69900	69900	53400
406	WESTCHESTER AV IC ST CATHARINES	2.4	1988	UC	20100	21100	22700	18900
406			1989	UC	21000	22000	23700	20000
406			1990	UC	21800	23300	25300	20700
406			1991	UC	22500	23800	25900	21800
406			1992	UC	23400	24800	26900	22500
406			1993	UC	24200	25500	27500	22700
406			1994	SC	25100	26100	28900	23100
406			1995	SC	27200	28400	31600	24700
406			1996	SC	28200	30000	33000	25300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			1997	SC	29200	31000	34200	26000
406			1998	SC	31700	33600	37100	28200
406			1999	SC	32400	34300	37900	28800
406			2000	SC	31000	32900	36300	27300
406			2001	C	28900	32500	32600	26000
406			2002	C	32500	36400	36700	29200
406			2003	C	33200	37100	37300	30000
406			2004	C	30800	34700	34800	27700
406			2005	C	32500	36200	36500	29200
406			2006	C	33000	36700	37000	29700
406			2007	C	33400	37100	37600	30000
406			2008	C	28900	31900	31500	25900
406			2009	C	37300	41000	41400	33600
406			2010	C	34800	38400	38700	31300
406			2011	C	35200	38800	39100	31700
406			2012	UC	31600	31800	33800	30000
406			2013	UC	35300	35400	35500	33500
406			2014	UC	35700	35800	34300	33900
406			2015	UC	36000	36100	34600	34200
406			2016	UC	36400	36500	35000	34500
406			2017	UC	36800	36600	36900	35300
406			2018	UC	37200	36900	37500	35700
406			2019	UC	37600	37000	37600	36200
406	FOURTH AV IC NIAGARA REG RD 77	3.9	1988	UC	17000	17800	19200	16000
406			1989	UC	18000	18900	20300	17100
406			1990	UC	18900	20200	21900	18000
406			1991	UC	19500	20700	22400	18900
406			1992	UC	19600	20800	22500	18800
406			1993	UC	19600	20600	22300	18400
406			1994	UC	19400	20600	22200	18000
406			1995	UC	19800	20900	22600	18500
406			1996	UC	20300	21500	23700	19300
406			1997	UC	20700	21700	24200	19500
406			1998	UC	20100	21300	23500	19100
406			1999	UC	20500	21700	24000	19500
406			2000	UC	21500	22800	25400	20200
406			2001	UC	22500	24100	26500	21100
406			2002	UC	22200	23700	26100	20800
406			2003	UC	22600	23900	26500	21300
406			2004	UC	22900	24500	26900	21500
406			2005	UC	23300	24700	27300	21900
406			2006	UC	23700	25100	27700	22300
406			2007	UC	24000	25500	27800	22500
406			2008	UC	24400	25800	24200	22800
406			2009	UC	24700	26200	28900	23200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
406			2010	UC	25000	26400	29100	23500
406			2011	IC	32200	35400	36700	28900
406			2012	IC	27300	30200	29300	24200
406			2013	IC	28100	31100	30900	24900
406			2014	IC	28300	31300	31200	25100
406			2015	IR	28800	34300	34400	24500
406			2016	IR	29300	34900	35000	24900
406			2017	IR	29800	33700	33900	25700
406			2018	IR	30200	34200	34400	26100
406			2019	IR	30700	34800	35100	26700
406	QEW IC HWY END		9999					
409	HWY 401 ETOBICOKE	0.4	1988	UC	83000	87200	93800	78000
409			1989	UC	84600	88800	95600	80400
409			1990	UC	86200	92200	100000	81900
409			1991	UC	84500	89600	97200	82000
409			1992	UC	84900	90000	97600	81500
409			1993	UC	85000	89500	96600	79600
409			1994	UC	88900	94200	101600	82700
409			1995	UC	90300	95300	103200	84200
409			1996	UC	91600	96900	107200	87100
409			1997	UC	93000	97600	108800	87400
409			1998	UC	94300	100000	110300	89600
409			1999	UC	95700	101400	112000	90900
409			2000	UC	97000	102800	114500	91200
409			2001	UC	98400	105400	115800	92500
409			2002	UC	99700	106200	117300	93300
409			2003	UC	101100	106800	118400	95500
409			2004	UC	102400	109700	120500	96200
409			2005	UC	103800	109800	121400	97300
409			2006	UC	105100	111100	122800	98900
409			2007	UC	106500	113000	123300	99900
409			2008	UC	107800	113900	106900	100900
409			2009	UC	109200	115800	127800	102600
409			2010	UC	110500	116800	128600	103900
409			2011	UC	111900	112300	116100	106200
409			2012	UC	113200	113900	121200	107500
409			2013	UC	114600	115000	115200	108700
409			2014	UC	115900	116300	111500	110000
409			2015	UC	117300	117700	112800	111300
409			2016	UC	118600	119000	114100	112500
409			2017	UC	120000	119200	120400	115000
409			2018	UC	121300	120300	122200	116400
409			2019	UC	122700	120900	122700	118200
409	KIPLING AV IC ETOBICOKE	1.1	1988	UC	65300	68600	73800	61400
409			1989	UC	66600	69900	75300	63300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
409			1990	UC	67900	72700	78800	64500
409			1991	UC	66600	70600	76600	64600
409			1992	UC	66200	70200	76100	63600
409			1993	UC	66400	69900	75500	62200
409			1994	UC	70000	74200	80000	65100
409			1995	UC	71200	75100	81400	66400
409			1996	UC	72500	76700	84800	68900
409			1997	UC	73700	77400	86200	69300
409			1998	UC	75000	79500	87800	71200
409			1999	UC	74900	79400	87600	71200
409			2000	UC	78000	82700	92000	73300
409			2001	UC	78500	84100	92300	73800
409			2002	UC	77900	83000	91600	72900
409			2003	UC	80900	85500	94800	76400
409			2004	UC	82100	87900	96600	77200
409			2005	UC	78000	82500	91200	73200
409			2006	UC	73200	77400	85500	68900
409			2007	UC	80600	85500	93300	75600
409			2008	UC	81200	85800	80500	76000
409			2009	UC	81900	86800	95800	77000
409			2010	UC	82600	87300	96100	77700
409			2011	UC	73200	73400	76000	69500
409			2012	UC	81700	82200	87500	77600
409			2013	UC	70900	71100	71300	67300
409			2014	UC	80400	80700	77300	76300
409			2015	UC	80300	80600	77200	76200
409			2016	UC	81000	81300	77900	76900
409			2017	UC	81300	80800	81600	77900
409			2018	UC	81700	81000	82300	78400
409			2019	UC	82000	80800	82000	79000
409	MARTIN GROVE RD IC ETOBICOKE	1.5	1988	UC	68300	71700	77200	64200
409			1989	UC	69500	73000	78500	66000
409			1990	UC	70900	75900	82200	67400
409			1991	UC	69500	73700	79900	67400
409			1992	UC	68900	73000	79200	66100
409			1993	UC	69100	72800	78500	64700
409			1994	UC	72000	76300	82300	67000
409			1995	UC	73300	77300	83800	68400
409			1996	UC	74600	78900	87300	70900
409			1997	UC	75800	79600	88700	71300
409			1998	UC	77100	81700	90200	73200
409			1999	UC	77100	81700	90200	73200
409			2000	UC	77100	81700	91000	72500
409			2001	UC	77400	82900	91100	72700
409			2002	UC	78000	83100	91800	73000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
409			2003	UC	80700	85300	94500	76200
409			2004	UC	78100	83700	91900	73400
409			2005	UC	77200	81700	90300	72400
409			2006	UC	78900	83400	92200	74300
409			2007	UC	76600	81200	88700	71900
409			2008	UC	79700	84200	79000	74600
409			2009	UC	80100	84900	93700	75300
409			2010	UC	80500	85100	93700	75700
409			2011	UC	77900	78200	80900	73900
409			2012	UC	80600	81100	86300	76600
409			2013	UC	81000	81300	81400	76900
409			2014	C	82100	90300	87800	73900
409			2015	C	81800	90000	87500	73600
409			2016	C	82200	90400	88000	74000
409			2017	C	84000	91900	91700	76200
409			2018	C	83100	91100	90600	75000
409			2019	C	83500	91300	90700	75600
409	ATTWELL DR IC ETOBICOKE	0.6	1988	UC	69500	73000	78500	65300
409			1989	UC	71600	75200	80900	68000
409			1990	UC	73100	78200	84800	69400
409			1991	UC	71600	75900	82300	69500
409			1992	UC	71400	75700	82100	68500
409			1993	UC	71700	75500	81500	67200
409			1994	UC	76900	81500	87900	71500
409			1995	UC	78700	83000	90000	73400
409			1996	UC	80500	85200	94200	76600
409			1997	UC	82300	86400	96300	77400
409			1998	UC	84100	89100	98400	79900
409			1999	UC	85800	90900	100400	81500
409			2000	UC	87600	92900	103400	82300
409			2001	UC	84600	90600	99500	79500
409			2002	UC	85500	91100	100600	80100
409			2003	UC	86300	91200	101100	81500
409			2004	UC	87200	93400	102600	81900
409			2005	UC	87000	92100	101700	81600
409			2006	UC	89500	94600	104600	84200
409			2007	UC	90400	95900	104600	84800
409			2008	UC	91200	96300	90400	85300
409			2009	UC	87000	92200	101800	81800
409			2010	UC	86000	90900	100100	80900
409			2011	UC	85000	85300	88200	80700
409			2012	UC	90400	90900	96800	85900
409			2013	IR	90000	107100	114900	76600
409			2014	IR	91300	108700	108900	77700
409			2015	CTR	93700	114300	115300	79600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
409			2016	CTR	94000	114700	115600	79900
409			2017	CTR	93400	124800	124200	76100
409			2018	CTR	94000	125500	125000	76600
409			2019	CTR	94600	126000	125500	77000
409	CARLINGVIEW DR START OF NA	2.0	9999					
409	AIRPORT RD IC PEEL RD 7 END OF NA END OF HWY		9999					
410	HWY 401 & HWY 403 IC MISSISSAUGA	1.9	1988	UC	17900	18800	20200	16800
410			1989	UC	19300	20300	21800	18300
410			1990	UC	23200	24800	26900	22000
410			1991	UC	23600	25000	27100	22900
410			1992	UC	74900	79400	86100	71900
410			1993	UC	80200	84500	91200	75100
410			1994	UC	75200	79700	86000	69900
410			1995	UC	83100	87700	95000	77500
410			1996	UC	91100	96400	106600	86600
410			1997	UC	99000	104000	115800	93100
410			1998	UC	107000	113400	125200	101600
410			1999	UC	114900	121800	134400	109200
410			2000	UC	122900	130300	145000	115500
410			2001	UC	130800	140100	153900	122900
410			2002	UC	138800	147900	163300	130000
410			2003	UC	141500	149500	165800	133700
410			2004	UC	144200	154500	169600	135500
410			2005	UC	147700	156300	172700	138500
410			2006	UC	153400	162200	179300	144400
410			2007	UC	159100	168700	184100	149300
410			2008	UC	164800	174100	163400	154200
410			2009	UC	170500	180700	199500	160300
410			2010	UC	180600	190900	210200	169800
410			2011	C	192400	212000	213900	173200
410			2012	C	194200	214000	209400	174900
410			2013	C	180000	198400	195900	162000
410			2014	C	202800	223100	217000	182500
410			2015	C	208800	229700	223400	187900
410			2016	C	214800	236300	229800	193300
410			2017	C	220800	241600	241000	200400
410			2018	C	226800	248600	247200	204700
410			2019	C	232800	254500	252900	210700
410	COURTNEY PARK DR IC	1.5	1990	UC	39000	41700	45200	37000
410			1991	UC	39800	42200	45800	38600
410			1992	UC	68900	73000	79200	66100
410			1993	UC	74400	78400	84600	69700
410			1994	UC	73200	77600	83700	68100
410			1995	UC	80600	85000	92200	75200
410			1996	UC	88000	93100	103000	83700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
410			1997	SC	95400	101100	111600	84900
410			1998	SC	102900	109100	120400	91600
410			1999	SC	108500	115000	126900	96600
410			2000	UC	114100	120900	134600	107300
410			2001	UC	122300	131000	143900	114900
410			2002	UC	129200	137700	152000	121000
410			2003	UC	136100	143800	159400	128600
410			2004	UC	143000	153200	168200	134400
410			2005	UC	147200	155800	172200	138100
410			2006	UC	156800	165800	183200	147600
410			2007	UC	154200	163500	178500	144700
410			2008	UC	170600	180200	169200	159600
410			2009	C	163300	179600	181300	147000
410			2010	C	145800	160700	162100	131300
410			2011	C	177300	195400	197200	159600
410			2012	UC	183000	184100	195900	173900
410			2013	UC	188800	189400	189800	179200
410			2014	UC	194600	195200	187100	184700
410			2015	UC	200300	200900	192600	190100
410			2016	UC	206100	206800	198200	195600
410			2017	UC	211900	210500	212600	203100
410			2018	UC	217600	215800	219300	208900
410			2019	UC	223400	220100	223500	215300
410	PEEL RD 5 DERRY RD IC	1.5	1988	UC	23000	24200	26000	21600
410			1989	UC	24900	26100	28100	23700
410			1990	UC	55100	59000	63900	52300
410			1991	UC	56200	59600	64600	54500
410			1992	UC	70400	74600	81000	67600
410			1993	UC	80300	84600	91300	75200
410			1994	UC	77600	82300	88700	72200
410			1995	UC	84700	89400	96800	79000
410			1996	UC	91800	97200	107400	87300
410			1997	UC	98900	103800	115700	93000
410			1998	UC	106100	112500	124100	100800
410			1999	SC	112700	119500	131900	100300
410			2000	UC	100000	106000	118000	94000
410			2001	UC	112700	120700	132600	105900
410			2002	UC	110000	117200	129400	103000
410			2003	UC	124600	131700	146000	117700
410			2004	UC	125700	134600	147900	118100
410			2005	UC	130000	137600	152000	121900
410			2006	UC	129600	137100	151400	122000
410			2007	UC	133300	141400	154300	125100
410			2008	UC	137000	144700	135800	128200
410			2009	UC	140700	149100	164600	132300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
410			2010	C	135900	149800	151100	122300
410			2011	C	142000	156500	157900	127800
410			2012	C	150500	165800	162300	135500
410			2013	C	154100	169800	167700	138700
410			2014	C	157700	173500	168700	141900
410			2015	C	161300	177400	172600	145200
410			2016	C	164900	181400	176400	148400
410			2017	C	168500	184300	183900	152900
410			2018	C	172100	188600	187600	155300
410			2019	C	175700	192100	190900	159000
410			1997	SC	93500	99100	109400	83200
410			1998	SC	100200	106200	117200	89200
410			1999	SC	116400	123400	136200	103600
410			2000	SC	123200	130600	144100	108400
410			2001	SC	129900	138500	152100	114500
410			2002	SC	134900	143100	158000	118900
410			2003	SC	145900	154100	170200	129100
410			2004	SC	150200	160200	175900	132400
410			2005	SC	138400	146500	161600	121800
410			2006	SC	145700	154200	170300	128500
410			2007	SC	150700	159300	174200	132500
410			2008	SC	155600	163200	153900	136900
410			2009	SC	160600	170200	187900	141300
410			2010	SC	171400	181300	200600	151200
410			2011	SC	160000	204800	187000	127300
410			2012	SC	150000	158900	149400	132400
410			2013	UC	156300	156800	157200	148300
410			2014	UC	174200	174800	167500	165300
410			2015	UC	178000	178600	171200	168900
410			2016	UC	181800	182400	174800	172500
410			2017	UC	185600	184400	186200	177900
410			2018	UC	189400	187900	190900	181800
410			2019	UC	193100	190300	193200	186100
410	**HWY 407 IC**	**2.09**	**2019**	**UC**	**193100**	**190300**	**193200**	**186100**
410	PEEL RD 15 STEELES AV IC	2.4	1988	UC	22000	23100	24900	20700
410			1989	UC	23800	25000	26900	22600
410			1990	UC	54000	57800	62600	51300
410			1991	UC	55100	58400	63400	53400
410			1992	UC	60600	64200	69700	58200
410			1993	UC	65400	68900	74300	61300
410			1994	UC	69400	73600	79300	64500
410			1995	UC	75600	79800	86400	70500
410			1996	UC	81800	86600	95700	77800
410			1997	SC	88000	93300	103000	78300
410			1998	SC	94200	99900	110200	83800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
410			1999	SC	100000	106000	117000	89000
410			2000	SC	106300	112700	124400	93500
410			2001	SC	112500	120000	131700	99100
410			2002	CTR	118600	149600	143500	100100
410			2003	CTR	129900	161400	155200	110100
410			2004	SC	130900	139600	153300	115400
410			2005	SC	133100	140900	155400	117100
410			2006	SC	138700	146800	162100	122300
410			2007	SC	144200	152400	166700	126800
410			2008	SC	149800	157100	148200	131800
410			2009	SC	146700	155500	171600	129100
410			2010	SC	160900	170200	188300	141900
410			2011	C	148500	163600	165100	133600
410			2012	C	155000	170800	167200	139600
410			2013	C	160000	176300	174100	144000
410			2014	UC	177500	178100	170700	168400
410			2015	UC	179100	179700	172200	170000
410			2016	UC	184000	184600	177000	174600
410			2017	UC	188900	187700	189500	181000
410			2018	UC	193900	192300	195400	186100
410			2019	UC	198800	195900	198900	191500
410	CLARK BV IC	0.6	1988	UC	19500	20500	22000	18300
410			1989	UC	21100	22200	23800	20000
410			1990	UC	26800	28700	31100	25500
410			1991	UC	27300	28900	31400	26500
410			1992	UC	50600	53600	58200	48600
410			1993	UC	54600	57500	62100	51100
410			1994	UC	53600	56800	61300	49800
410			1995	UC	58500	61700	66900	54600
410			1996	UC	63400	67100	74200	60300
410			1997	SC	68300	72400	79900	60800
410			1998	SC	73200	77600	85600	65100
410			1999	SC	82700	87700	96800	73600
410			2000	SC	95100	100800	111300	83700
410			2001	SC	102900	109700	120500	90700
410			2002	SC	110800	117600	129700	97700
410			2003	SC	123000	129900	143500	108800
410			2004	SC	128000	136500	149900	112800
410			2005	SC	131600	139300	153700	115800
410			2006	SC	142200	150500	166200	125400
410			2007	SC	140700	148700	162700	123700
410			2008	C	146700	161900	159700	131600
410			2009	C	154200	169600	171200	138800
410			2010	C	143100	157700	159100	128800
410			2011	C	145000	159800	161200	130500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
410			2012	CTR	146300	177500	175200	124600
410			2013	CTR	130000	158200	163500	110400
410			2014	CTR	141000	172000	173400	119800
410			2015	CTR	166200	202800	204400	141300
410			2016	CTR	171000	208600	210300	145400
410			2017	CTR	175900	235100	233900	143300
410			2018	CTR	180700	241300	240400	147200
410			2019	IR	175400	213300	212300	149500
410	S JCT HWY 7 IC (E) QUEEN ST (W)	1.6	1988	UC	24500	25700	27700	23000
410			1989	UC	26500	27800	29900	25200
410			1990	UC	45700	48900	53000	43400
410			1991	UC	46600	49400	53600	45200
410			1992	UC	55500	58800	63800	53300
410			1993	UC	59900	63100	68100	56100
410			1994	UC	59300	62900	67800	55100
410			1995	UC	64000	67500	73200	59700
410			1996	UC	68700	72700	80400	65300
410			1997	UC	73400	77100	85900	69000
410			1998	UC	78100	82800	91400	74200
410			1999	UC	101400	107500	118600	96300
410			2000	UC	105000	111300	123900	98700
410			2001	UC	108500	116200	127600	102000
410			2002	UC	111600	118900	131300	104500
410			2003	UC	114900	121400	134600	108500
410			2004	UC	121500	130100	142900	114200
410			2005	UC	126000	133300	147400	118200
410			2006	UC	140300	148400	164000	132000
410			2007	UC	147300	156200	170500	138200
410			2008	UC	154300	163000	153000	144400
410			2009	UC	161300	171000	188700	151600
410			2010	LT	174800	234700	230200	129000
410			2011	LT	175200	224400	228900	144100
410			2012	IC	159200	176400	171000	141300
410			2013	IC	125000	138400	137600	110800
410			2014	IC	179100	198200	197300	158800
410			2015	IC	184900	204700	203700	164000
410			2016	IC	190700	211100	210100	169100
410			2017	IC	196400	215200	216700	178200
410			2018	IC	202200	222600	223800	182900
410			2019	IC	208000	228500	229700	187800
410	WILLIAMS PKWY UP IC	1.5	1988	UC	11300	11900	12800	10600
410			1989	UC	12200	12800	13800	11600
410			1990	UC	32700	35000	37900	31100
410			1991	UC	33400	35400	38400	32400
410			1992	UC	39500	41900	45400	37900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
410			1993	UC	43000	45300	48900	40300
410			1994	UC	44900	47600	51300	41800
410			1995	UC	49300	52000	56400	46000
410			1996	UC	53700	56800	62800	51100
410			1997	UC	58100	61000	68000	54600
410			1998	UC	64500	68400	75500	61300
410			1999	C	65200	73000	73700	58700
410			2000	C	79100	89400	89400	71200
410			2001	C	85400	96200	96400	76900
410			2002	C	98000	109800	110600	88200
410			2003	C	98000	109500	110200	88500
410			2004	C	98500	110900	111200	88700
410			2005	C	111900	124600	125600	100500
410			2006	C	118400	131600	132600	106500
410			2007	C	125000	138900	140800	112300
410			2008	C	112200	123800	122100	100700
410			2009	LT	161100	217500	212700	119200
410			2010	LT	144600	194200	190400	106700
410			2011	LT	118000	151200	154200	97000
410			2012	LT	118000	153900	146700	89300
410			2013	LT	124300	162300	162100	93800
410			2014	LT	149900	195700	199100	113200
410			2015	LT	155000	202400	205800	117000
410			2016	LT	160100	209000	212600	120900
410			2017	LT	165200	209900	210100	138200
410			2018	LT	170300	216700	217000	142800
410			2019	LT	175400	222800	223100	146500
410	BOVAIRD DR. (THIS IS THE 410 EXTENTION)	1.8	2007	SC	19700	20800	22800	17300
410			2008	SC	19700	20700	19500	17300
410			2009	SC	20600	21800	24100	18100
410			2010	SC	20600	21800	24100	18200
410			2011	C	42300	46600	47000	38100
410			2012	C	80000	88100	86300	72000
410			2013	C	90000	99200	97900	81000
410			2014	C	89300	98200	95600	80400
410			2015	C	103400	113700	110600	93100
410			2016	C	115800	127400	123900	104200
410			2017	C	119500	130700	130400	108400
410			2018	C	137400	150600	149800	124000
410			2019	C	149400	163300	162300	135200
410	SANDELWOOD PKWY IC	2.7	2007	UNCL	N/A			
410			2008	UNCL	N/A			
410			2009	UNCL	N/A			
410			2010	UNCL	N/A			
410			2011	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
410			2012	T	50000	72300	72900	32100
410			2013	T	53000	77400	76000	33800
410			2014	T	51700	75500	74800	33000
410			2015	T	61000	89100	88200	38900
410			2016	T	67800	99000	98000	43200
410			2017	C	70500	77100	76900	64000
410			2018	C	74600	81800	81300	67300
410			2019	C	79100	86500	85900	71600
410	MAYFIELD RD IC	6.0	2009	UNCL	N/A			
410			2010	UNCL	N/A			
410			2011	UNCL	N/A			
410			2012	IR	33000	39300	38200	28200
410			2013	IR	35700	42500	45600	30400
410			2014	IR	45100	53700	53800	38400
410			2015	CTR	44300	54000	54500	37700
410			2016	CTR	59600	72700	73300	50700
410			2017	CTR	62100	83000	82600	50600
410			2018	CTR	68300	91200	90800	55600
410			2019	CTR	74500	99300	98800	60600
410	VALLEYWOOD BLVD IC (E)/HWY 10 (S) END OF HWY		9999					
416	HWY 401 BEGINNING OF PARALLEL FOR RAMP TO 416	3.1	2000	IR	9200	11300	10200	7750
416			2001	IR	10300	12700	11400	8700
416			2002	IR	10300	12700	11400	8750
416			2003	IR	10800	13100	11900	9150
416			2004	IR	11000	13600	12200	9300
416			2005	IR	11300	13600	12400	9650
416			2006	IR	11700	14100	12800	9950
416			2007	IR	12000	14500	14500	10200
416			2008	IR	12300	14900	14600	10500
416			2009	IR	12700	15200	13800	10800
416			2010	IR	13100	15600	14300	11200
416			2011	IR	13400	16000	15600	11400
416			2012	IC	12900	14300	13900	11400
416			2013	IC	14100	15600	15500	12500
416			2014	IC	14200	15700	15600	12600
416			2015	CTR	14800	18100	18200	12600
416			2016	CTR	14900	18200	18300	12700
416			2017	CTR	15300	20400	20300	12500
416			2018	CTR	15600	20800	20700	12700
416			2019	CTR	15900	21200	21100	12900
416	STRUCTURE OF RAMP TO HWY 16 OVER NB 416 LANES	10.3	2000	IR	9300	11400	10300	7850
416			2001	IR	10000	12400	11100	8450
416			2002	IR	10700	13200	11900	9100
416			2003	IR	11400	13800	12500	9700
416			2004	IR	11600	14300	12900	9800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
416			2005	IR	11800	14200	12900	10100
416			2006	IR	12700	15300	13900	10800
416			2007	IR	13200	16000	15900	11200
416			2008	IR	13700	16600	16300	11700
416			2009	IR	14300	17200	15600	12200
416			2010	IR	14800	17600	16100	12600
416			2011	IR	15300	18300	17900	13100
416			2012	IC	13700	15200	14700	12200
416			2013	IC	18500	20500	20400	16400
416			2014	CTR	16900	20600	20800	14400
416			2015	IC	17400	19300	19200	15400
416			2016	IC	18000	19900	19800	16000
416			2017	IC	18500	20300	20400	16800
416			2018	IC	19100	21000	21100	17300
416			2019	IC	19600	21500	21600	17700
416	LEEDS & GRENVILLE RD 21 IC12	12.4	2000	IR	9950	12200	11000	8400
416			2001	IR	11100	13700	12300	9400
416			2002	IR	11500	14200	12700	9800
416			2003	IR	11600	14100	12800	9850
416			2004	IR	12400	15300	13700	10500
416			2005	IR	12900	15600	14100	11000
416			2006	IR	13400	16200	14600	11400
416			2007	IR	14000	17000	16900	11900
416			2008	IR	14500	17600	17200	12400
416			2009	IR	15000	18000	16400	12800
416			2010	IR	15600	18600	17000	13300
416			2011	IR	16100	19200	18800	13700
416			2012	IC	16700	18500	17900	14800
416			2013	IC	17200	19000	18900	15300
416			2014	IC	15600	17300	17200	13800
416			2015	CR	17600	20700	20600	15000
416			2016	CR	18200	21400	21300	15500
416			2017	CR	18600	21600	21700	16700
416			2018	CR	19100	22200	22300	17100
416			2019	CR	19600	22700	22900	17600
416	LEEDS & GRENVILLE RD 20 OXFORD STATION RD	4.2	2000	IR	10100	12400	11200	8550
416			2001	IR	11100	13700	12300	9400
416			2002	IR	12100	14900	13400	10300
416			2003	IR	13100	15900	14400	11100
416			2004	IR	12900	15900	14300	10900
416			2005	IR	13200	15900	14500	11300
416			2006	IR	14100	17000	15400	12000
416			2007	IR	14500	17600	17500	12300
416			2008	IR	15100	18300	17900	12900
416			2009	IR	16000	19200	17400	13600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
416			2010	IR	16500	19600	18000	14000
416			2011	IR	17000	20300	19900	14500
416			2012	IC	17600	19500	18900	15600
416			2013	IC	18200	20100	20000	16100
416			2014	IC	18800	20800	20700	16700
416			2015	CR	19400	22900	22700	16500
416			2016	CR	20000	23600	23400	17000
416			2017	CR	20600	23900	24000	18500
416			2018	CR	21200	24600	24800	19000
416			2019	CR	21800	25300	25500	19600
416	LEEDS & GRENVILLE RD 44 IC-28	5.6	1997	IR	9350	11700	10500	7950
416			1998	IR	9500	11800	10600	8000
416			1999	IR	9650	12000	10700	8100
416			2000	IR	9800	12000	10900	8300
416			2001	IR	10300	12700	11400	8700
416			2002	IR	11300	13900	12500	9600
416			2003	IR	12400	15100	13600	10500
416			2004	IR	12200	15100	13500	10300
416			2005	IR	13000	15700	14200	11100
416			2006	IR	13200	15900	14400	11200
416			2007	IR	14400	17400	17400	12200
416			2008	IR	15600	18900	18500	13300
416			2009	IR	16900	20300	18400	14400
416			2010	IR	17800	21200	19400	15200
416			2011	IR	17400	20800	20300	14900
416			2012	IR	18100	21500	21000	15500
416			2013	IR	18700	22300	23900	15900
416			2014	IR	19400	23100	23100	16500
416			2015	CR	20000	23600	23400	17000
416			2016	CR	20700	24400	24200	17600
416			2017	CR	21300	24700	24800	19200
416			2018	CR	22000	25600	25700	19700
416			2019	CR	22600	26200	26400	20300
416	L&G RD 43 OXFORD ON RIDEAU S GOWER TWP BDY IC-34	6.0	1997	CTR	8700	11100	10700	7300
416			1998	CTR	9400	11900	11500	7900
416			1999	CTR	10100	12700	12200	8500
416			2000	CR	14000	17200	16400	11900
416			2001	CTR	14700	18600	17800	12400
416			2002	CTR	15000	18900	18100	12700
416			2003	CTR	16100	20000	19200	13700
416			2004	CTR	17200	21700	20800	14500
416			2005	CTR	18300	22700	21800	15500
416			2006	CTR	19000	23500	22500	16100
416			2007	CTR	20600	25500	25300	17500
416			2008	CTR	21700	26900	26300	18400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
416			2009	IR	22500	27000	24500	19100
416			2010	IR	24100	28700	26200	20500
416			2011	IR	25200	30100	29400	21500
416			2012	IR	26400	31400	30600	22600
416			2013	IR	27500	32700	35100	23400
416			2014	IR	28700	34200	34200	24400
416			2015	IR	26300	31300	31400	22400
416			2016	IR	30300	36100	36100	25800
416			2017	IR	31400	38100	37900	26800
416			2018	IR	32500	39400	39200	27600
416			2019	IR	33600	40900	40700	28600
416	L &G RD 19 RIDEAU RIVER ROAD IC-40	2.2	1997	CTR	7900	10100	9700	6650
416			1998	CTR	8300	10500	10100	6950
416			1999	CTR	8800	11100	10600	7400
416			2000	CTR	10300	13000	12500	8650
416			2001	CTR	11700	14800	14200	9850
416			2002	CTR	13200	16700	16000	11100
416			2003	CTR	14700	18300	17600	12500
416			2004	CTR	16200	20400	19600	13700
416			2005	CTR	17600	21800	20900	14900
416			2006	CTR	19000	23500	22500	16100
416			2007	CTR	20100	24900	24700	17000
416			2008	CTR	21200	26200	25700	18000
416			2009	IR	22000	26400	24000	18700
416			2010	IR	25100	29900	27300	21400
416			2011	IR	25400	30300	29700	21700
416			2012	IR	26800	31900	31000	22900
416			2013	IR	28100	33500	35900	23900
416			2014	IR	29400	35000	35100	25000
416			2015	IR	27400	32600	32700	23300
416			2016	IR	31400	37400	37500	26700
416			2017	IR	32700	39700	39400	27900
416			2018	IR	33900	41100	40900	28800
416			2019	IR	35200	42800	42600	30000
416	RMOC RD 13 DILWORTH ROAD IC-42	6.5	1997	IR	9500	11900	10600	8100
416			1998	IR	10000	12400	11200	8400
416			1999	IR	10700	13300	11900	9000
416			2000	CR	15100	18600	17700	12800
416			2001	CR	14400	17700	16900	12200
416			2002	CR	15500	19000	18200	13100
416			2003	CR	16300	19900	19100	13800
416			2004	CR	16900	20800	19800	14300
416			2005	CR	17900	21700	20900	15100
416			2006	CR	18900	22900	22000	16000
416			2007	CR	20000	24200	24200	16900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
416			2008	CR	20000	24200	24000	16900
416			2009	CR	21900	26300	25400	18600
416			2010	CR	22900	27400	26500	19400
416			2011	CR	23900	27800	28200	21300
416			2012	CR	24900	29800	29300	21000
416			2013	CR	23500	28200	28900	19900
416			2014	CR	26900	31700	31500	22900
416			2015	CR	27400	32300	32100	23300
416			2016	CR	28400	33500	33300	24200
416			2017	CR	29300	34000	34200	26400
416			2018	CR	30300	35200	35400	27200
416			2019	CR	31200	36200	36400	28000
416	RMOC RD 6 ROGER STEVENS DRIVE IC-49	8.4	1998	IR	10000	12400	11200	8400
416			1999	IR	10500	13000	11700	8800
416			2000	CR	16200	19900	19000	13800
416			2001	CR	15000	18500	17600	12700
416			2002	CR	16100	19800	18900	13600
416			2003	CR	17600	21400	20600	14900
416			2004	CR	18800	23100	22000	15900
416			2005	CR	20300	24600	23700	17100
416			2006	CR	22000	26700	25600	18600
416			2007	CR	22600	27400	27300	19000
416			2008	CR	23800	28800	28600	20100
416			2009	CR	25700	30800	29800	21800
416			2010	CR	25100	30100	29000	21200
416			2011	CR	27800	32400	32800	24700
416			2012	CR	29000	34700	34200	24500
416			2013	CR	30300	36300	37300	25600
416			2014	CR	31600	37200	37000	26900
416			2015	CR	32900	38800	38500	28000
416			2016	CR	34200	40300	40100	29100
416			2017	CR	35500	41200	41400	32000
416			2018	CR	36800	42800	43000	33000
416			2019	CR	38100	44200	44500	34200
416	RMOC RD 8 BANKFIELD RD/BROPHY DR IC-57	8.6	1997	CR	13500	16700	15900	11500
416			1998	CR	14500	17800	17000	12300
416			1999	CR	15800	19400	18500	13400
416			2000	CR	16600	20400	19400	14100
416			2001	CR	17400	21400	20400	14700
416			2002	CR	18300	22500	21500	15400
416			2003	CR	19100	23300	22400	16200
416			2004	CR	19300	23700	22600	16300
416			2005	CR	19800	24000	23100	16700
416			2006	CR	20800	25200	24200	17600
416			2007	CR	21600	26100	26100	18200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
416			2008	CR	21800	26400	26200	18400
416			2009	CR	23100	27700	26800	19600
416			2010	IC	23800	26300	26600	21100
416			2011	IC	24500	26900	27900	22000
416			2012	IC	22100	24500	23700	19600
416			2013	IC	25200	27900	27700	22300
416			2014	IC	25900	28700	28500	23000
416			2015	IC	26400	29200	29100	23400
416			2016	IC	27200	30100	30000	24100
416			2017	IC	27900	30600	30800	25300
416			2018	IC	28600	31500	31700	25900
416			2019	IC	29200	32100	32200	26400
416	RMOC RD 12 FALLOWFIELD RD IC-66	5.4	1997	C	20500	23200	23400	18400
416			1998	C	21300	24100	24100	19200
416			1999	C	22100	24800	25000	19900
416			2000	C	23100	26100	26100	20800
416			2001	C	23900	26900	27000	21500
416			2002	C	24800	27800	28000	22300
416			2003	C	25600	28600	28800	23100
416			2004	C	26500	29800	29900	23900
416			2005	C	32400	36100	36400	29100
416			2006	C	29300	32600	32800	26400
416			2007	C	30300	33700	34100	27200
416			2008	C	31300	34500	34100	28100
416			2009	C	30800	33900	34200	27700
416			2010	C	33300	36700	37000	30000
416			2011	C	31500	34700	35000	28400
416			2012	C	28000	30900	30200	25200
416			2013	CTR	29400	35800	37000	25000
416			2014	CTR	30000	36600	36900	25500
416			2015	CTR	30600	37300	37600	26000
416			2016	CTR	31200	38100	38400	26500
416			2017	CTR	31800	42500	42300	25900
416			2018	CTR	32400	43300	43100	26400
416			2019	CTR	33000	44000	43800	26900
416	RMOC RD 32 HUNT CLUB RD IC-72	2.7	1997	UC	26700	28000	31200	25100
416			1998	UC	27600	29300	32300	26200
416			1999	UC	27500	29200	32200	26100
416			2000	UC	29500	31300	34800	27700
416			2001	UC	30400	32600	35800	28600
416			2002	UC	31900	34000	37500	29900
416			2003	SC	32300	34100	37700	28600
416			2004	SC	34600	36900	40500	30500
416			2005	SC	35800	37900	41800	31500
416			2006	SC	38200	40400	44700	33700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
416			2007	SC	38300	40500	44300	33700
416			2008	SC	39600	41500	39200	34800
416			2009	SC	40800	43200	47700	35900
416			2010	SC	43000	45500	50300	37900
416			2011	SC	43600	55800	51000	34700
416			2012	SC	40000	42400	39800	35300
416			2013	SC	44900	47500	43300	39600
416			2014	SC	46100	48800	47600	40700
416			2015	UC	48700	48900	46800	46200
416			2016	UC	50200	50400	48300	47600
416			2017	UC	50200	49900	50400	48100
416			2018	UC	51400	51000	51800	49300
416			2019	UC	52600	51800	52600	50700
416	RMOC RD 36 RICHMOND ROAD IC	0.9	1997	LT	44200	62300	61000	32700
416			1998	LT	35100	49100	48100	25600
416			1999	LT	39100	54300	53200	28500
416			2000	LT	36000	50200	49100	26300
416			2001	LT	38800	54300	52800	28400
416			2002	LT	38700	54100	52700	28400
416			2003	LT	40800	56100	54900	30100
416			2004	LT	40800	57100	55500	29900
416			2005	LT	41400	56800	55500	30400
416			2006	LT	42000	57500	56100	30900
416			2007	LT	42600	58500	60100	31300
416			2008	LT	43200	59200	56600	31900
416			2009	LT	43800	59100	57800	32400
416			2010	LT	44400	59600	58500	32800
416			2011	LT	45000	57600	58800	37000
416			2012	LT	45600	59500	56700	34500
416			2013	LT	46200	60300	60300	34900
416			2014	LT	46800	61100	62100	35300
416			2015	LT	47400	61900	62900	35800
416			2016	LT	47700	62300	63300	36000
416			2017	LT	47700	66800	66100	36700
416			2018	LT	48900	68500	67800	37700
416			2019	LT	50100	70200	69500	38600
416	HWY 417 IC END OF HWY		9999					
417			1988	IR	14600	19000	16100	11700
417			1989	IR	16400	21200	18200	13400
417			1990	IR	16000	20300	17800	13100
417			1991	IR	16200	20400	18000	13400
417			1992	IR	16400	20200	18000	13900
417			1993	IR	16400	20200	17000	13400
417			1994	IR	16700	20600	18400	14000
417			1995	IR	17800	21900	19600	15200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1996	IR	18900	23500	21100	16100
417			1997	IR	20000	25000	22400	17000
417			1998	IR	21000	26000	23500	17600
417			1999	IR	18400	22800	20400	15500
417			2000	IR	18400	22500	20400	15500
417			2001	IR	18300	22600	20300	15500
417			2002	IR	18300	22600	20300	15600
417			2003	IR	17000	20600	18700	14400
417			2004	IR	18200	22500	20200	15400
417			2005	IR	18100	21800	19800	15400
417			2006	IR	17800	21500	19500	15100
417			2007	IR	18500	22400	22300	15700
417			2008	IR	18700	22700	22200	16000
417			2009	HT	19100	29000	25800	9150
417			2010	HT	18400	27600	24500	8900
417			2011	HT	18400	28500	28000	11900
417			2012	HT	18400	27100	27300	9000
417			2013	HT	18400	27600	27800	8900
417			2014	HT	18400	27600	27800	8900
417			2015	HT	18400	27600	27800	8900
417			2016	HT	18400	27600	27800	8900
417			2017	HT	19900	31200	31400	12600
417			2018	HT	20100	31500	31500	12800
417			2019	HT	20300	31700	31700	13000
417	**QUEBEC ONTARIO PROV BDY**	**5.09**	**2019**	**HT**	**20250**	**31600**	**31600**	**13000**
417	PRESCOTT&RUSSELL. RD 4 (N) P&R RD 14 (S) IC-5	4.4	1992	IR	16400	20200	18000	13900
417			1993	IR	16400	20200	17100	13400
417			1994	IR	16700	20500	18400	14000
417			1995	IR	17800	21900	19600	15100
417			1996	IR	18900	23400	21200	16100
417			1997	IR	20000	25000	22400	17000
417			1998	IR	21000	26000	23500	17600
417			1999	IR	16900	21000	18800	14200
417			2000	IR	16900	20700	18700	14300
417			2001	IR	16900	20900	18700	14300
417			2002	IR	17000	21000	18800	14500
417			2003	IR	17000	20600	18700	14400
417			2004	IR	17000	21000	18800	14400
417			2005	IR	16800	20300	18400	14300
417			2006	IR	17100	20600	18700	14500
417			2007	IR	17500	21200	21100	14800
417			2008	IR	17900	21700	21300	15300
417			2009	IR	16200	19400	17700	13800
417			2010	IR	16600	19800	18100	14100
417			2011	IR	16100	19200	18800	13700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2012	IR	18000	21400	20800	15400
417			2013	IR	19000	22600	24300	16200
417			2014	IR	19200	22900	22900	16300
417			2015	IR	19400	23100	23100	16500
417			2016	IR	19600	23300	23400	16700
417			2017	IR	19800	22400	22500	17100
417			2018	IR	20000	22600	22800	17300
417			2019	IR	20200	22900	23100	17600
417	PRESCOTT & RUSSELL CTY RD 17 IC-9	7.3	1988	IR	8550	11100	9400	6850
417			1989	IR	8850	11400	9800	7250
417			1990	IR	8700	11000	9650	7150
417			1991	IR	8850	11200	9800	7350
417			1992	IR	9300	11400	10200	7900
417			1993	IR	9550	11700	9850	7800
417			1994	LT	9850	14400	13900	7150
417			1995	LT	10200	14700	14200	7450
417			1996	LT	10500	14800	14500	7700
417			1997	LT	10800	15200	14900	8000
417			1998	LT	11100	15500	15200	8100
417			1999	LT	11000	15300	15000	8050
417			2000	LT	11100	15500	15100	8100
417			2001	LT	11300	15800	15400	8300
417			2002	LT	11500	16100	15700	8450
417			2003	LT	11400	15700	15300	8400
417			2004	LT	11800	16500	16100	8650
417			2005	LT	16700	22900	22400	12300
417			2006	LT	17100	23400	22800	12600
417			2007	LT	17500	24000	24700	12900
417			2008	LT	17800	24400	23300	13100
417			2009	T	14100	20700	20000	9000
417			2010	T	17000	24800	23900	10800
417			2011	T	17500	23800	23600	13700
417			2012	LT	13400	17500	16700	10100
417			2013	LT	13000	17000	17000	9800
417			2014	LT	13200	17200	17500	9950
417			2015	LT	13300	17400	17700	10000
417			2016	LT	13500	17600	17900	10200
417			2017	LT	13600	17300	17300	11400
417			2018	LT	13800	17600	17600	11600
417			2019	LT	13900	17700	17700	11600
417	PRESCOTT&RUSSELL RD 10 BARB RD IC-17	10.7	1988	IR	8250	10700	9100	6600
417			1989	IR	9000	11600	10000	7400
417			1990	IR	8850	11200	9800	7250
417			1991	IR	9000	11300	10000	7450
417			1992	IR	9300	11400	10200	7900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1993	IR	9300	11400	9600	7600
417			1994	IR	10200	12600	11200	8550
417			1995	IR	10500	12900	11600	8950
417			1996	IR	10900	13500	12200	9300
417			1997	IR	11300	14100	12700	9600
417			1998	IR	11700	14500	13100	9850
417			1999	IR	11700	14500	13000	9850
417			2000	IR	12000	14700	13300	10100
417			2001	IR	12200	15100	13500	10300
417			2002	IR	12500	15400	13900	10600
417			2003	IR	12600	15300	13900	10700
417			2004	IR	13000	16100	14400	11000
417			2005	IR	13300	16100	14600	11300
417			2006	IR	13600	16400	14900	11600
417			2007	IR	13800	16700	16700	11700
417			2008	IR	14100	17100	16800	12100
417			2009	IR	14400	17300	15700	12200
417			2010	IR	14600	17400	15900	12400
417			2011	IR	14900	17800	17400	12700
417			2012	LT	13900	18100	17300	10500
417			2013	LT	13000	17000	17000	9800
417			2014	LT	13400	17500	17800	10100
417			2015	LT	13600	17800	18100	10300
417			2016	LT	13700	17900	18200	10300
417			2017	LT	13900	17700	17700	11600
417			2018	LT	14000	17800	17800	11700
417			2019	LT	14200	18000	18100	11900
417	HWY 34 IC-27	6.3	1988	IR	8350	10900	9200	6700
417			1989	IR	8850	11400	9800	7250
417			1990	IR	8700	11000	9650	7150
417			1991	IR	8850	11200	9800	7350
417			1992	IR	9200	11300	10100	7800
417			1993	IR	9200	11300	9500	7550
417			1994	IR	9300	11500	10200	7800
417			1995	IR	10000	12300	11000	8500
417			1996	IR	10600	13200	11800	9050
417			1997	IR	10900	13600	12200	9250
417			1998	IR	11200	13900	12500	9400
417			1999	IR	11800	14600	13100	9900
417			2000	IR	12300	15100	13600	10400
417			2001	IR	12800	15800	14200	10800
417			2002	IR	13200	16300	14600	11200
417			2003	IR	13700	16600	15100	11600
417			2004	IR	14200	17500	15700	12000
417			2005	IR	14700	17700	16100	12500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2006	IR	15100	18200	16500	12800
417			2007	IR	15600	18900	18800	13200
417			2008	IR	16100	19500	19100	13800
417			2009	IR	16500	19800	18000	14000
417			2010	IR	17000	20200	18500	14500
417			2011	IR	17500	20900	20400	14900
417			2012	LT	15900	20700	19800	12000
417			2013	LT	16500	21500	21500	12500
417			2014	LT	18100	23600	24000	13700
417			2015	LT	15100	19700	20100	11400
417			2016	LT	15400	20100	20500	11600
417			2017	LT	15700	19900	20000	13100
417			2018	LT	16000	20400	20400	13400
417			2019	LT	16300	20700	20700	13600
417	STORM/DUND.&GLNGRRY RD 31 MCCRIMMON RD IC-35	16.9	1988	IR	9650	12500	10600	7700
417			1989	IR	11000	14200	12200	9000
417			1990	IR	10600	13500	11800	8700
417			1991	IR	11400	14400	12700	9450
417			1992	IR	11400	14000	12500	9700
417			1993	IR	12500	15400	12900	10200
417			1994	IR	12900	15900	14200	10800
417			1995	IR	13400	16500	14800	11400
417			1996	IR	14000	17400	15600	11900
417			1997	IR	14500	18100	16200	12300
417			1998	IR	15000	18600	16800	12600
417			1999	IR	14700	18200	16300	12300
417			2000	IR	15000	18400	16600	12700
417			2001	IR	15300	18900	17000	12900
417			2002	IR	15600	19200	17300	13300
417			2003	IR	15500	18800	17100	13200
417			2004	IR	16100	19900	17800	13600
417			2005	IR	16400	19800	18000	14000
417			2006	IR	16700	20100	18300	14200
417			2007	IR	17000	20600	20500	14400
417			2008	IR	17300	21000	20600	14800
417			2009	IR	17600	21100	19200	15000
417			2010	IR	17800	21200	19400	15200
417			2011	IR	18100	21600	21100	15500
417			2012	IR	18000	21400	20800	15400
417			2013	IR	16700	19900	21300	14200
417			2014	CR	19000	22400	22300	16200
417			2015	CR	18800	22200	22000	16000
417			2016	CR	19100	22500	22400	16300
417			2017	CR	19300	22400	22500	17400
417			2018	CR	19600	22800	22900	17600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2019	CR	19800	23000	23100	17800
417	HIGHLAND RD IC-51	7.1	1988	IR	9250	12000	10200	7400
417			1989	IR	10600	13700	11800	8700
417			1990	IR	10400	13200	11500	8550
417			1991	IR	10600	13400	11800	8800
417			1992	IR	10900	13400	12000	9250
417			1993	IR	10900	13400	11300	8900
417			1994	IR	11100	13700	12200	9300
417			1995	IR	12000	14800	13200	10200
417			1996	IR	12800	15900	14300	10900
417			1997	IR	13400	16800	15000	11400
417			1998	IR	13800	17100	15500	11600
417			1999	IR	13700	17000	15200	11500
417			2000	IR	14100	17300	15600	11900
417			2001	IR	14500	17900	16100	12300
417			2002	IR	14900	18400	16500	12700
417			2003	IR	15300	18600	16800	13000
417			2004	IR	15700	19400	17400	13300
417			2005	IR	16100	19400	17600	13700
417			2006	IR	16200	19500	17700	13800
417			2007	IR	16900	20500	20400	14300
417			2008	IR	17300	21000	20600	14800
417			2009	IR	17600	21100	19200	15000
417			2010	IR	18000	21400	19600	15300
417			2011	IR	18400	21900	21500	15700
417			2012	IR	20200	24000	23400	17300
417			2013	IR	17700	21100	22600	15100
417			2014	IR	19600	23300	23400	16700
417			2015	IR	19900	23700	23700	16900
417			2016	IR	20300	24200	24200	17300
417			2017	IR	20700	23400	23500	17900
417			2018	IR	21100	23900	24100	18300
417			2019	IR	21500	24400	24600	18700
417	HWY 138 IC-58	7.9	1988	IR	12300	16000	13500	9850
417			1989	IR	13000	16800	14400	10700
417			1990	IR	12900	16400	14300	10600
417			1991	IR	13100	16500	14500	10900
417			1992	IR	13600	16700	15000	11600
417			1993	IR	14300	17600	14800	11700
417			1994	IR	15000	18500	16500	12600
417			1995	IR	15600	19200	17200	13300
417			1996	IR	16100	20000	18000	13700
417			1997	IR	16700	20900	18700	14200
417			1998	IR	17200	21300	19300	14400
417			1999	IR	18400	22800	20400	15500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2000	IR	18400	22500	20400	15500
417			2001	IR	18300	22600	20300	15500
417			2002	IR	18200	22400	20200	15500
417			2003	IR	18800	22800	20700	16000
417			2004	IR	18900	23400	20900	16000
417			2005	IR	19000	22900	20800	16200
417			2006	IR	19100	23000	20900	16200
417			2007	IR	19100	23100	23100	16200
417			2008	IR	20100	24300	23900	17200
417			2009	IR	20400	24500	22200	17300
417			2010	IR	20700	24600	22500	17600
417			2011	IR	21000	25100	24500	17900
417			2012	IR	22400	26600	25900	19200
417			2013	IR	19300	23000	24600	16400
417			2014	IR	21700	25800	25900	18500
417			2015	IR	22000	26200	26200	18700
417			2016	IR	22300	26500	26600	19000
417			2017	IR	22600	27400	27200	19300
417			2018	IR	22900	27800	27700	19500
417			2019	IR	23200	28200	28100	19800
417	ST ALBERT RD IC-66	13.3	1988	IR	12500	16200	13800	10000
417			1989	IR	13200	17000	14700	10800
417			1990	IR	13000	16500	14400	10700
417			1991	IR	13200	16600	14700	11000
417			1992	IR	13700	16900	15100	11600
417			1993	IR	14000	17200	14500	11500
417			1994	IR	16700	20600	18400	14000
417			1995	IR	16000	19700	17600	13600
417			1996	IR	16600	20600	18500	14100
417			1997	IR	17100	21400	19200	14500
417			1998	IR	17700	21900	19800	14900
417			1999	IR	17800	22100	19800	15000
417			2000	IR	18100	22200	20000	15300
417			2001	IR	18400	22700	20400	15600
417			2002	IR	18700	23100	20700	15900
417			2003	IR	19000	23100	20900	16100
417			2004	IR	19300	23900	21400	16300
417			2005	IR	19600	23700	21500	16700
417			2006	IR	19900	24000	21700	16900
417			2007	IR	20300	24600	24500	17200
417			2008	IR	20600	25000	24500	17600
417			2009	IR	20900	25100	22800	17800
417			2010	IR	21200	25200	23100	18000
417			2011	IR	23200	27700	27100	19800
417			2012	IR	24400	29000	28300	20900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2013	IR	24500	29200	31300	20900
417			2014	IR	23700	28200	28300	20200
417			2015	IR	24100	28700	28700	20500
417			2016	IR	24500	29200	29200	20900
417			2017	IR	24900	28100	28300	21500
417			2018	IR	25300	28600	28900	21900
417			2019	IR	25700	29100	29400	22300
417	RUSSELL RD 5 LIMOGES RD IC-79	8.8	1988	IR	13200	17200	14500	10600
417			1989	IR	13800	17800	15300	11300
417			1990	IR	13600	17300	15100	11200
417			1991	IR	13800	17400	15300	11500
417			1992	IR	14300	17600	15700	12200
417			1993	IR	14500	17800	15000	11900
417			1994	IR	16100	19800	17700	13500
417			1995	IR	16600	20400	18300	14100
417			1996	IR	17100	21200	19100	14600
417			1997	IR	17500	21900	19600	14900
417			1998	IR	18000	22300	20200	15100
417			1999	IR	18500	22900	20500	15500
417			2000	IR	18900	23200	20900	16000
417			2001	IR	19400	24000	21500	16400
417			2002	IR	19900	24500	22000	16900
417			2003	CR	20400	24800	23900	17300
417			2004	CR	20800	25600	24400	17600
417			2005	CR	22400	27200	26100	18900
417			2006	CR	23100	28000	26900	19500
417			2007	CR	23800	28800	28800	20100
417			2008	CR	24400	29500	29300	20600
417			2009	CTR	26700	32600	31500	22700
417			2010	CR	25900	31000	30000	21900
417			2011	CR	26300	30600	31000	23400
417			2012	IR	26900	32000	31200	23000
417			2013	IR	26000	31000	33200	22100
417			2014	IR	27900	33200	33300	23700
417			2015	IR	28500	33900	34000	24300
417			2016	IR	29100	34600	34700	24800
417			2017	IR	29700	33500	33800	25600
417			2018	IR	30400	34400	34700	26300
417			2019	IR	31000	35100	35400	27000
417	RMOC RD 33 ROCKDALE RD IC-88	8.0	1988	C	17100	19000	19000	15400
417			1989	C	18900	21000	21200	17000
417			1990	IR	18700	23700	20800	15300
417			1991	IR	18900	23800	21000	15700
417			1992	IR	19900	24500	21900	16900
417			1993	IR	20000	24600	20700	16400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1994	UC	20400	21600	23300	19000
417			1995	UC	22700	24000	26000	21200
417			1996	UC	23600	25000	27600	22400
417			1997	UC	24500	25700	28700	23000
417			1998	UC	25900	27500	30300	24600
417			1999	UC	23200	24600	27100	22000
417			2000	UC	23800	25200	28100	22400
417			2001	UC	24400	26100	28700	22900
417			2002	UC	24900	26500	29300	23300
417			2003	IR	25500	30900	28100	21600
417			2004	IR	27100	33500	30000	22900
417			2005	IR	27100	32700	29700	23100
417			2006	IR	28100	33900	30700	23900
417			2007	IR	29400	35600	35500	24900
417			2008	IR	30300	36700	36000	25900
417			2009	IR	33000	39600	36000	28000
417			2010	IR	30500	36300	33200	26000
417			2011	IR	29800	35500	34800	25400
417			2012	IR	35500	42200	41100	30400
417			2013	IR	33100	39400	42300	28200
417			2014	IR	33800	40200	40300	28800
417			2015	IR	34400	41000	41000	29300
417			2016	IR	35000	41700	41800	29800
417			2017	IR	35700	41900	41900	31800
417			2018	IR	36300	42700	42700	32500
417			2019	IR	36900	43300	43300	33100
417	BOUNDARY RD IC-96	7.7	1988	C	16500	18300	18300	14800
417			1989	C	17600	19500	19700	15800
417			1990	C	18600	20600	20600	16700
417			1991	C	19000	20900	21100	17300
417			1992	C	20200	21800	22400	18600
417			1993	C	20500	22300	22700	18900
417			1994	C	22400	24500	25000	20300
417			1995	C	23300	25400	26100	21300
417			1996	C	24300	27500	27600	21900
417			1997	C	25200	28500	28700	22700
417			1998	C	26200	29600	29600	23600
417			1999	C	27100	30400	30600	24400
417			2000	C	28100	31800	31800	25300
417			2001	C	29000	32700	32700	26100
417			2002	C	30000	33600	33900	27000
417			2003	C	30900	34500	34700	27900
417			2004	C	31900	35900	36000	28700
417			2005	C	32800	36500	36800	29500
417			2006	C	33700	37400	37700	30300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2007	C	34700	38600	39100	31200
417			2008	C	35600	39300	38700	31900
417			2009	HT	36500	55500	49300	17500
417			2010	HT	37500	56200	50000	18200
417			2011	HT	38400	59500	58400	24800
417			2012	HT	44200	65100	65700	21600
417			2013	HT	41300	61900	62500	20000
417			2014	HT	42400	63500	64000	20500
417			2015	HT	43400	65000	65600	21000
417			2016	HT	44400	66500	67100	21500
417			2017	HT	45400	71200	71500	28800
417			2018	HT	46400	72700	72700	29500
417			2019	HT	47400	74000	74000	30500
417	ANDERSON RD IC-104	4.1	1988	C	20200	22400	22400	18200
417			1989	C	22200	24600	24900	20000
417			1990	C	23400	26000	26000	21100
417			1991	C	25000	27500	27800	22800
417			1992	C	26800	28900	29700	24700
417			1993	C	27000	29400	29900	24800
417			1994	C	27100	29700	30200	24500
417			1995	C	27800	30300	31200	25400
417			1996	C	28800	32600	32800	26000
417			1997	C	29900	33800	34100	26900
417			1998	C	30900	34900	34900	27800
417			1999	C	32100	36000	36300	28900
417			2000	CR	32400	39900	37900	27500
417			2001	CR	32900	40500	38600	27800
417			2002	CR	33400	41000	39200	28100
417			2003	IC	33900	37800	38100	30000
417			2004	IC	34400	38500	38600	30400
417			2005	IC	35200	39100	39500	31000
417			2006	IC	34900	38800	39100	30900
417			2007	IC	36600	40700	41900	32400
417			2008	IC	37300	41300	40000	32900
417			2009	IC	38000	42200	42600	33800
417			2010	IC	38700	42800	43200	34300
417			2011	IC	39300	43200	44800	35300
417			2012	IC	52900	58600	56800	46900
417			2013	IC	53500	59200	58900	47400
417			2014	IC	54000	59800	59500	47900
417			2015	IC	54500	60300	60000	48300
417			2016	IC	55000	60900	60600	48800
417			2017	IC	55500	60800	61200	50400
417			2018	IC	56000	61600	62000	50700
417			2019	IC	56500	62100	62400	51000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417	REG RD 32/HUNT CLUB RD IC-109	1.7	2014	IC	57600	63800	63500	51100
417			2015	IC	61600	68200	67900	54600
417			2016	IC	65600	72600	72300	58200
417			2017	IC	66900	73300	73800	60700
417			2018	IC	70900	78000	78500	64100
417			2019	IC	74100	81400	81800	66900
417	WALKLEY RD IC-110	5.7	1988	C	25800	28600	28600	23200
417			1989	C	28500	31600	31900	25600
417			1990	C	30000	33300	33300	27000
417			1991	C	31500	34600	35000	28700
417			1992	C	35500	38300	39400	32700
417			1993	C	36000	39200	39800	33100
417			1994	C	38000	41600	42400	34400
417			1995	C	40000	43700	44800	36600
417			1996	C	41900	47500	47700	37800
417			1997	SC	43700	46300	51100	38900
417			1998	C	45900	51900	51900	41300
417			1999	C	47800	53500	54000	43000
417			2000	C	49700	56200	56200	44700
417			2001	C	51700	58200	58300	46600
417			2002	C	53600	60000	60500	48200
417			2003	C	55600	62100	62500	50200
417			2004	C	57500	64800	64900	51800
417			2005	C	58400	65000	65600	52500
417			2006	C	60200	66900	67400	54200
417			2007	C	61900	68800	69700	55600
417			2008	C	63700	70300	69300	57200
417			2009	C	63800	70200	70800	57400
417			2010	C	67300	74200	74800	60600
417			2011	C	69100	76100	76800	62200
417			2012	C	61500	67800	66300	55400
417			2013	C	63500	70000	69100	57200
417			2014	C	65000	71500	69600	58500
417			2015	C	66500	73200	71200	59800
417			2016	C	68000	74800	72800	61200
417			2017	C	69500	76000	75900	63100
417			2018	C	71000	77800	77400	64100
417			2019	C	72500	79200	78800	65600
417	INNES RD IC-112	1.5	1988	UC	41000	43000	46300	38500
417			1989	UC	44700	46900	50500	42500
417			1990	UC	46900	50200	54400	44600
417			1991	UC	48300	51200	55500	46900
417			1992	UC	53200	56400	61200	51100
417			1993	UC	55000	57900	62500	51500
417			1994	UC	55300	58600	63200	51400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1995	UC	57400	60600	65600	53500
417			1996	UC	59500	63000	69600	56600
417			1997	UC	61600	64700	72100	57900
417			1998	UC	63600	67400	74400	60400
417			1999	UC	65100	69000	76200	61800
417			2000	SC	66600	70600	77900	58600
417			2001	SC	69000	73600	80800	60800
417			2002	SC	70900	75200	83000	62500
417			2003	SC	72800	76900	84900	64400
417			2004	SC	74700	79700	87500	65800
417			2005	SC	76600	81100	89500	67400
417			2006	SC	78500	83100	91800	69200
417			2007	SC	80000	84600	92500	70400
417			2008	SC	81000	85000	80100	71200
417			2009	SC	82000	86900	95900	72200
417			2010	SC	83000	87800	97200	73200
417			2011	SC	84000	107500	98200	66900
417			2012	SC	84800	89800	84500	74800
417			2013	SC	86000	91000	82900	75800
417			2014	SC	87500	92600	90300	77200
417			2015	SC	89000	94100	91900	78500
417			2016	SC	90500	95700	93400	79800
417			2017	SC	92000	97800	97900	81600
417			2018	SC	93500	99900	99400	82300
417			2019	SC	95000	100800	100200	84000
417	REG RD 174 IC-113	1.2	1988	UC	69700	73200	78800	65500
417			1989	UC	78800	82700	89000	74900
417			1990	UC	78100	83600	90600	74200
417			1991	UC	79000	83700	90800	76600
417			1992	UC	96300	102100	110700	92400
417			1993	UC	100000	105300	113700	93700
417			1994	UC	92800	98400	106100	86300
417			1995	UC	96100	101400	109900	89600
417			1996	UC	99300	105100	116200	94400
417			1997	UC	102500	107600	119900	96400
417			1998	UC	105800	112100	123800	100500
417			1999	UC	108100	114600	126500	102700
417			2000	UC	110500	117100	130400	103900
417			2001	UC	114100	122200	134200	107200
417			2002	UC	117100	124800	137800	109600
417			2003	UC	120100	126900	140700	113500
417			2004	UC	123100	131900	144800	115700
417			2005	UC	129900	137500	151900	121800
417			2006	UC	132300	139900	154600	124500
417			2007	UC	134700	142900	155900	126400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2008	UC	137100	144800	135900	128300
417			2009	UC	131300	139200	153600	123400
417			2010	UC	141900	150000	165200	133400
417			2011	UC	128700	129100	133600	122100
417			2012	UC	130100	130900	139300	123600
417			2013	UC	121000	121400	121700	114800
417			2014	UC	123000	123400	118300	116700
417			2015	UC	125000	125400	120200	118600
417			2016	UC	127000	127400	122100	120500
417			2017	UC	129000	128200	129400	123600
417			2018	UC	131000	129900	132000	125700
417			2019	UC	133000	131000	133100	128100
417	ST LAURENT BV IC-115 OTTAWA E LTS	1.7	1988	UC	86200	90500	97400	81000
417			1989	UC	94800	99500	107100	90100
417			1990	UC	94500	101100	109600	89800
417			1991	UC	95000	100700	109200	92200
417			1992	UC	115600	122500	132900	111000
417			1993	UC	118000	124300	134100	110500
417			1994	UC	118000	125100	134900	109700
417			1995	UC	120700	127400	138000	112600
417			1996	UC	125200	132500	146500	119100
417			1997	UC	127800	134200	149500	120100
417			1998	UC	134100	142100	156900	127400
417			1999	UC	131700	139600	154100	125100
417			2000	UC	134000	142000	158100	126000
417			2001	UC	136300	146000	160300	128100
417			2002	UC	138600	147700	163000	129800
417			2003	UC	142000	150100	166300	134100
417			2004	UC	143100	153300	168300	134500
417			2005	UC	141700	149900	165700	132900
417			2006	UC	145300	153700	169800	136700
417			2007	UC	145100	153900	167900	136100
417			2008	UC	146900	155200	145700	137400
417			2009	LT	139500	188300	184100	103200
417			2010	LT	139800	187700	184100	103200
417			2011	LT	140000	179300	182900	115100
417			2012	UC	142100	143000	152100	135000
417			2013	UC	136000	136400	136800	129100
417			2014	UC	140000	140500	134600	132900
417			2015	UC	141000	141500	135600	133800
417			2016	UC	142000	142500	136600	134800
417			2017	UC	143000	142100	143400	137000
417			2018	UC	144000	142800	145100	138200
417			2019	UC	145000	142900	145100	139700
417	VANIER PKWY RIVERSIDE DR IC-117	1.4	1988	UC	111100	116700	125500	104400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1989	UC	116100	121900	131200	110300
417			1990	UC	115200	123300	133600	109400
417			1991	UC	116100	123100	133500	112600
417			1992	UC	134200	142300	154300	128800
417			1993	UC	135000	142200	153500	126500
417			1994	UC	135000	143100	154300	125600
417			1995	UC	140000	147700	160100	130500
417			1996	UC	144300	152700	168800	137200
417			1997	UC	147700	155100	172800	138800
417			1998	UC	152600	161800	178500	145000
417			1999	UC	146900	155700	171900	139600
417			2000	UC	148100	157000	174800	139200
417			2001	UC	149300	159900	175600	140300
417			2002	UC	150500	160400	177000	140900
417			2003	UC	150000	158500	175700	141700
417			2004	UC	152900	163800	179900	143700
417			2005	UC	154200	163200	180300	144600
417			2006	UC	153500	162300	179400	144500
417			2007	UC	156600	166100	181200	146900
417			2008	UC	157800	166700	156500	147600
417			2009	UC	159000	168500	186000	149500
417			2010	UC	160200	169400	186500	150600
417			2011	UC	161500	162000	167600	153300
417			2012	UC	162700	163700	174200	154600
417			2013	UC	163900	164400	164800	155500
417			2014	UC	165100	165600	158800	156700
417			2015	UC	166300	166800	159900	157800
417			2016	UC	167500	168000	161100	158900
417			2017	UC	168700	167600	169200	161700
417			2018	UC	170000	168600	171300	163200
417			2019	UC	171200	168700	171300	165000
417	NICHOLAS ST IC-118 OTTAWA	1.2	1988	UC	92300	96900	104300	86800
417			1989	UC	90600	95100	102400	86100
417			1990	UC	95700	102400	111000	90900
417			1991	UC	97000	102800	111500	94100
417			1992	UC	119500	126700	137400	114700
417			1993	UC	120000	126400	136400	112400
417			1994	UC	120000	127200	137200	111600
417			1995	UC	122400	129100	139900	114100
417			1996	UC	124100	131300	145200	118000
417			1997	UC	127700	134100	149400	120000
417			1998	UC	131300	139200	153600	124700
417			1999	UC	144900	153600	169500	137700
417			2000	UC	144300	153000	170300	135600
417			2001	UC	143700	153900	169000	135000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2002	UC	143100	152500	168300	134000
417			2003	UC	142500	150600	166900	134600
417			2004	UC	141900	152000	166900	133300
417			2005	UC	141200	149400	165100	132400
417			2006	UC	140700	148800	164400	132400
417			2007	UC	142000	150600	164300	133200
417			2008	UC	143500	151600	142300	134300
417			2009	UC	145000	153700	169600	136300
417			2010	UC	146500	154900	170500	137800
417			2011	UC	148000	148500	153600	140400
417			2012	UC	149500	150400	160000	142000
417			2013	UC	151000	151500	151800	143300
417			2014	UC	152500	153000	146700	144700
417			2015	UC	154000	154500	148100	146100
417			2016	UC	155500	156000	149500	147600
417			2017	UC	157000	156000	157500	150500
417			2018	UC	158500	157200	159700	152100
417			2019	UC	160000	157600	160100	154200
417	METCALFE ST IC-119A OTTAWA	0.2	1988	UC	92300	96900	104300	86800
417			1989	UC	90600	95100	102400	86100
417			1990	UC	95700	102400	111000	90900
417			1991	UC	97000	102800	111500	94100
417			1992	UC	119500	126700	137400	114700
417			1993	UC	120000	126400	136400	112400
417			1994	UC	111400	118100	127400	103600
417			1995	UC	114100	120400	130500	106400
417			1996	UC	116900	123700	136800	111200
417			1997	UC	118700	124600	138900	111600
417			1998	UC	120300	127500	140800	114300
417			1999	UC	121000	128300	141600	115000
417			2000	UC	121700	129000	143600	114400
417			2001	UC	124600	133500	146600	117100
417			2002	UC	127100	135400	149500	119000
417			2003	UC	128400	135700	150400	121300
417			2004	UC	130200	139500	153200	122400
417			2005	UC	146400	154900	171200	137300
417			2006	UC	149500	158100	174700	140700
417			2007	UC	152600	161900	176600	143200
417			2008	UC	155700	164500	154400	145700
417			2009	UC	158800	168300	185800	149300
417			2010	UC	161900	171200	188400	152200
417			2011	UC	162300	162800	168500	154000
417			2012	UC	165600	166600	177300	157300
417			2013	UC	168800	169300	169700	160200
417			2014	UC	172100	172700	165500	163300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2015	UC	175400	176000	168700	166400
417			2016	UC	178600	179200	171800	169500
417			2017	UC	181900	180700	182500	174300
417			2018	UC	185200	183700	186600	177800
417			2019	UC	188400	185600	188500	181500
417	O'CONNOR ST IC-119B OTTAWA	0.4	1988	UC	84600	88800	95600	79500
417			1989	UC	90500	95000	102300	86000
417			1990	UC	98200	105100	113900	93300
417			1991	UC	99200	105200	114100	96200
417			1992	UC	102600	108800	118000	98500
417			1993	UC	103000	108500	117100	96500
417			1994	UC	109500	116100	125200	101800
417			1995	UC	113600	119900	129900	105900
417			1996	UC	117700	124600	137700	111900
417			1997	UC	121800	127900	142500	114500
417			1998	UC	125900	133500	147300	119600
417			1999	UC	124800	132300	146000	118600
417			2000	UC	132400	140300	156200	124500
417			2001	UC	129500	138700	152300	121700
417			2002	UC	131900	140500	155200	123500
417			2003	UC	128700	136000	150800	121600
417			2004	UC	131000	140300	154100	123100
417			2005	UC	146800	155300	171700	137700
417			2006	UC	150000	158600	175300	141200
417			2007	UC	153200	162500	177300	143700
417			2008	UC	156400	165200	155100	146300
417			2009	UC	159600	169200	186700	150000
417			2010	UC	162800	172100	189500	153100
417			2011	UC	163600	164100	169800	155200
417			2012	UC	166800	167800	178600	158500
417			2013	UC	170000	170500	170900	161300
417			2014	UC	173200	173800	166600	164400
417			2015	UC	176300	176900	169500	167300
417			2016	UC	179500	180100	172600	170300
417			2017	UC	182700	181500	183300	175100
417			2018	UC	185900	184400	187300	178400
417			2019	UC	189000	186200	189100	182100
417	KENT ST IC-120A OTTAWA	0.8	1988	UC	97300	102200	109900	91500
417			1989	UC	101700	106800	114900	96600
417			1990	UC	109100	116700	126600	103600
417			1991	UC	110000	116600	126500	106700
417			1992	UC	117400	124400	135000	112700
417			1993	UC	120000	126400	136400	112400
417			1994	UC	124300	131800	142100	115600
417			1995	UC	128600	135700	147000	119900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1996	UC	132900	140600	155500	126400
417			1997	UC	137200	144100	160500	129000
417			1998	UC	141500	150000	165600	134400
417			1999	UC	138400	146700	161900	131500
417			2000	UC	140500	148900	165800	132100
417			2001	UC	142500	152600	167600	133900
417			2002	UC	144600	154100	170100	135400
417			2003	UC	143400	151500	168000	135500
417			2004	UC	145000	155300	170600	136300
417			2005	UC	149400	158100	174700	140100
417			2006	UC	151300	160000	176800	142400
417			2007	UC	153200	162500	177300	143700
417			2008	UC	155100	163800	153800	145100
417			2009	UC	157000	166400	183700	147600
417			2010	UC	158900	168000	184900	149400
417			2011	UC	160800	161300	166900	152600
417			2012	UC	162600	163600	174100	154500
417			2013	UC	164500	165000	165400	156100
417			2014	UC	166400	166900	160000	157900
417			2015	UC	168300	168800	161900	159700
417			2016	UC	170200	170700	163700	161500
417			2017	UC	172100	171000	172600	164900
417			2018	UC	174000	172600	175300	167000
417			2019	UC	175900	173300	176000	169500
417	BRONSON AV IC-121A OTTAWA	0.6	1988	UC	105600	110900	119300	99300
417			1989	UC	111300	116900	125800	105700
417			1990	UC	117900	126200	136800	112000
417			1991	UC	120000	127200	138000	116400
417			1992	UC	121100	128400	139300	116300
417			1993	UC	122000	128500	138700	114300
417			1994	UC	131900	139800	150800	122700
417			1995	UC	136700	144200	156300	127500
417			1996	UC	141500	149700	165500	134600
417			1997	UC	146200	153500	171100	137400
417			1998	UC	151000	160100	176700	143400
417			1999	UC	145700	154400	170500	138400
417			2000	UC	147400	156200	173900	138600
417			2001	UC	149100	159700	175400	140100
417			2002	UC	150800	160700	177400	141200
417			2003	UC	148100	156500	173500	139900
417			2004	UC	151000	161700	177600	141900
417			2005	UC	154700	163700	180900	145100
417			2006	UC	156300	165300	182600	147100
417			2007	UC	157800	167400	182600	148000
417			2008	UC	159400	168400	158100	149100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2009	UC	160900	170600	188300	151200
417			2010	UC	162500	171800	189100	152800
417			2011	UC	164000	164500	170200	155600
417			2012	UC	165600	166600	177300	157300
417			2013	UC	167200	167700	168100	158700
417			2014	UC	168700	169200	162200	160100
417			2015	UC	170300	170800	163800	161600
417			2016	UC	171800	172400	165200	163000
417			2017	UC	173400	172300	173900	166200
417			2018	UC	174900	173500	176200	167900
417			2019	UC	176500	173900	176600	170100
417	ROCHESTER ST IC-121B OTTAWA	1.5	1988	UC	114400	120100	129300	107500
417			1989	UC	120600	126600	136300	114600
417			1990	UC	127600	136500	148000	121200
417			1991	UC	130000	137800	149500	126100
417			1992	UC	130800	138600	150400	125600
417			1993	UC	131000	138000	148900	122700
417			1994	UC	143100	151700	163600	133100
417			1995	UC	148500	156700	169800	138500
417			1996	UC	153800	162800	179900	146300
417			1997	UC	159200	167200	186300	149600
417			1998	UC	164500	174400	192500	156300
417			1999	UC	158200	167700	185100	150300
417			2000	UC	160000	169600	188800	150400
417			2001	UC	161800	173300	190300	152000
417			2002	UC	163500	174200	192300	153100
417			2003	UC	160200	169300	187700	151300
417			2004	UC	162000	173500	190600	152200
417			2005	UC	167000	176700	195300	156600
417			2006	UC	168600	178300	197000	158700
417			2007	UC	170100	180400	196900	159600
417			2008	UC	171700	181400	170300	160600
417			2009	UC	173200	183600	202600	162800
417			2010	UC	174800	184800	203400	164400
417			2011	UC	176300	176900	183000	167300
417			2012	UC	177900	179000	190400	169000
417			2013	UC	179400	180000	180400	170200
417			2014	UC	181000	181600	174100	171800
417			2015	UC	182500	183100	175500	173200
417			2016	UC	184100	184700	177000	174700
417			2017	UC	185600	184400	186200	177900
417			2018	UC	187200	185700	188600	179700
417			2019	UC	188700	185900	188800	181800
417	PARKDALE AV IC-122 OTTAWA	1.0	1988	UC	110600	116100	125000	104000
417			1989	UC	116700	122500	131900	110900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1990	UC	120600	129000	139900	114600
417			1991	UC	121000	128300	139200	117400
417			1992	UC	125400	132900	144200	120400
417			1993	UC	126000	132700	143200	118000
417			1994	UC	135900	144100	155400	126400
417			1995	UC	140800	148600	161000	131300
417			1996	UC	145700	154200	170500	138600
417			1997	UC	150600	158100	176200	141600
417			1998	UC	155500	164800	181900	147700
417			1999	UC	149200	158200	174600	141700
417			2000	UC	150700	159700	177800	141700
417			2001	UC	152200	163000	179000	143000
417			2002	UC	153700	163800	180800	143900
417			2003	UC	150400	158900	176200	142100
417			2004	UC	152000	162800	178800	142800
417			2005	UC	156500	165600	183000	146800
417			2006	UC	157800	166900	184400	148500
417			2007	UC	159100	168700	184100	149300
417			2008	UC	160400	169400	159100	150100
417			2009	UC	161700	171400	189200	152000
417			2010	UC	163000	172300	189700	153300
417			2011	UC	164300	164800	170500	155900
417			2012	UC	165500	166500	177200	157200
417			2013	UC	166800	167300	167700	158300
417			2014	UC	168100	168600	161700	159500
417			2015	UC	169400	169900	162900	160800
417			2016	UC	170700	171200	164200	162000
417			2017	UC	172000	170900	172500	164800
417			2018	UC	173300	171900	174600	166300
417			2019	UC	174600	172000	174700	168200
417	ISLAND PARK DR IC-123 OTTAWA	0.8	1988	UC	106500	111800	120300	100100
417			1989	UC	112800	118400	127500	107200
417			1990	UC	117100	125300	135800	111200
417			1991	UC	119000	126100	136800	115400
417			1992	UC	121500	128800	139700	116600
417			1993	UC	122000	128500	138700	114300
417			1994	UC	132300	140200	151300	123000
417			1995	UC	137100	144700	156700	127800
417			1996	UC	141900	150200	166000	134900
417			1997	UC	146700	154000	171600	137900
417			1998	UC	151600	160700	177400	144000
417			1999	UC	145500	154200	170200	138200
417			2000	UC	147100	155900	173600	138300
417			2001	UC	148600	159200	174800	139600
417			2002	UC	150100	159900	176600	140500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2003	UC	146900	155200	172100	138800
417			2004	UC	150000	160700	176500	141000
417			2005	UC	153500	162400	179500	144000
417			2006	UC	154900	163800	181000	145800
417			2007	UC	156300	165800	180900	146600
417			2008	UC	157700	166600	156400	147500
417			2009	UC	159000	168500	186000	149500
417			2010	UC	160400	169600	186700	150800
417			2011	UC	161800	162300	167900	153500
417			2012	UC	163200	164200	174700	155100
417			2013	UC	164600	165100	165500	156200
417			2014	UC	165900	166400	159500	157400
417			2015	UC	167300	167800	160900	158800
417			2016	UC	168700	169200	162200	160100
417			2017	UC	170100	169000	170600	163000
417			2018	UC	171500	170100	172800	164600
417			2019	UC	172800	170300	172900	166500
417	CARLING & KIRKWOOD AV IC-124 OTTAWA	1.9	1988	UC	95000	99800	107300	89300
417			1989	UC	101200	106300	114400	96100
417			1990	UC	105000	112400	121800	99800
417			1991	UC	106800	113200	122800	103600
417			1992	UC	109200	115800	125600	104800
417			1993	UC	110000	115900	125000	103000
417			1994	UC	119100	126200	136200	110800
417			1995	UC	123500	130300	141200	115200
417			1996	UC	127900	135400	149600	121600
417			1997	UC	132300	138900	154800	124400
417			1998	UC	136700	144900	159900	129900
417			1999	UC	118000	125100	138100	112100
417			2000	UC	121000	128300	142800	113700
417			2001	UC	124000	132800	145900	116500
417			2002	UC	127000	135300	149400	118900
417			2003	UC	133500	141100	156400	126100
417			2004	UC	135200	144800	159000	127100
417			2005	UC	133800	141600	156500	125500
417			2006	UC	139000	147000	162400	130800
417			2007	UC	135800	144000	157200	127400
417			2008	UC	136900	144600	135700	128100
417			2009	UC	137900	146200	161300	129600
417			2010	UC	139000	146900	161800	130700
417			2011	UC	140000	140500	145300	132900
417			2012	UC	141100	142000	151000	134100
417			2013	UC	137000	137400	137800	130000
417			2014	UC	142100	142600	136700	134800
417			2015	UC	143100	143600	137600	135800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2016	UC	144100	144600	138600	136700
417			2017	UC	145000	144100	145500	139000
417			2018	UC	146000	144800	147100	140100
417			2019	UC	147000	144800	147100	141600
417	MAITLAND AV IC-126 OTTAWA	1.5	1988	UC	90400	94900	102200	85000
417			1989	UC	94900	99600	107200	90200
417			1990	UC	101600	108700	117900	96500
417			1991	UC	103000	109200	118400	99900
417			1992	UC	105600	111900	121400	101400
417			1993	UC	106000	111700	120500	99300
417			1994	UC	106000	112400	121200	98600
417			1995	UC	108000	114000	123500	100700
417			1996	UC	111000	117500	129900	105600
417			1997	UC	113300	119000	132600	106500
417			1998	UC	115500	122400	135100	109700
417			1999	UC	121000	128300	141600	115000
417			2000	UC	128000	135700	151000	120300
417			2001	UC	132000	141400	155300	124000
417			2002	UC	138000	147000	162300	129200
417			2003	UC	141000	149000	165200	133200
417			2004	UC	134500	144100	158200	126400
417			2005	UC	144700	153100	169200	135700
417			2006	UC	127400	134700	148900	119900
417			2007	UC	128800	136600	149100	120800
417			2008	UC	130100	137400	129000	121700
417			2009	UC	131500	139400	153900	123600
417			2010	UC	132800	140400	154600	124900
417			2011	UC	141800	142300	147200	134600
417			2012	UC	143500	144400	153600	136300
417			2013	UC	145300	145800	146100	137900
417			2014	UC	147000	147500	141400	139500
417			2015	UC	148800	149300	143100	141200
417			2016	UC	150500	151000	144700	142800
417			2017	UC	152300	151300	152800	146000
417			2018	UC	154000	152700	155200	147800
417			2019	UC	155800	153500	155900	150100
417	WOODROFFE AV IC-127 OTTAWA	2.1	1988	UC	84400	88600	95400	79300
417			1989	UC	85200	89500	96300	80900
417			1990	UC	89500	95800	103800	85000
417			1991	UC	91500	97000	105200	88800
417			1992	UC	94200	99900	108300	90400
417			1993	UC	99000	104300	112500	92700
417			1994	UC	103800	110000	118700	96500
417			1995	UC	106100	111900	121300	98900
417			1996	UC	109600	116000	128200	104200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1997	UC	113100	118800	132300	106300
417			1998	UC	116600	123600	136400	110800
417			1999	UC	117200	124200	137100	111300
417			2000	UC	119800	127000	141400	112600
417			2001	UC	122300	131000	143900	114900
417			2002	UC	124800	133000	146800	116800
417			2003	UC	126300	133500	147900	119300
417			2004	UC	129900	139100	152800	122100
417			2005	UC	126800	134200	148300	118900
417			2006	UC	127500	134800	149000	120000
417			2007	UC	128000	135800	148100	120100
417			2008	UC	125300	132400	124200	117200
417			2009	UC	125400	132900	146700	117900
417			2010	UC	127600	134900	148500	120000
417			2011	UC	133600	134000	138700	126800
417			2012	UC	135100	135900	144600	128400
417			2013	UC	136500	136900	137300	129500
417			2014	UC	138000	138400	132700	131000
417			2015	UC	139400	139800	134100	132300
417			2016	UC	140900	141400	135500	133700
417			2017	UC	142300	141400	142700	136400
417			2018	UC	143800	142600	144900	138000
417			2019	UC	145200	143100	145300	139900
417	PINECREST RD UP IC-129	1.3	1988	UC	73100	76800	82600	68700
417			1989	UC	74600	78300	84300	70900
417			1990	UC	77600	83000	90000	73700
417			1991	UC	79200	84000	91100	76800
417			1992	UC	79000	83700	90800	75800
417			1993	UC	79000	83200	89800	74000
417			1994	UC	86000	91200	98300	80000
417			1995	UC	88800	93700	101500	82800
417			1996	UC	91600	96900	107200	87100
417			1997	UC	94400	99100	110400	88700
417			1998	UC	97200	103000	113700	92300
417			1999	UC	96500	102300	112900	91700
417			2000	UC	102000	108100	120400	95900
417			2001	UC	107500	115100	126500	101000
417			2002	UC	113100	120500	133000	105900
417			2003	SC	118600	125200	138400	104900
417			2004	SC	118400	126300	138600	104300
417			2005	SC	124400	131700	145300	109500
417			2006	SC	118500	125400	138500	104500
417			2007	SC	120800	127700	139700	106200
417			2008	SC	123100	129100	121800	108300
417			2009	SC	125400	132900	146700	110400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2010	SC	127700	135100	149500	112600
417			2011	SC	133800	171200	156400	106500
417			2012	SC	136600	144700	136000	120600
417			2013	SC	139400	147500	134400	122900
417			2014	SC	142100	150300	146700	125300
417			2015	SC	144900	153300	149600	127800
417			2016	SC	147600	156100	152400	130200
417			2017	SC	150400	159900	160100	133400
417			2018	SC	153100	163500	162700	134700
417			2019	SC	155900	165500	164500	137800
417	RICHMOND RD BAYSHORE DR IC	2.9	1988	UC	63800	67000	72100	60000
417			1989	UC	65800	69100	74400	62500
417			1990	UC	68700	73500	79700	65300
417			1991	UC	70300	74500	80800	68200
417			1992	UC	66900	70900	76900	64200
417			1993	UC	66900	70500	76000	62700
417			1994	UC	74800	79300	85500	69600
417			1995	UC	77200	81500	88300	72000
417			1996	UC	79700	84300	93200	75800
417			1997	SC	82100	87000	96100	73100
417			1998	SC	84700	89800	99100	75400
417			1999	SC	87100	92300	101900	77500
417			2000	SC	89600	95000	104800	78800
417			2001	SC	92100	98200	107800	81200
417			2002	SC	94500	100300	110600	83300
417			2003	SC	97000	102400	113200	85800
417			2004	SC	99500	106100	116500	87700
417			2005	SC	102000	108000	119100	89800
417			2006	SC	105000	111100	122700	92600
417			2007	SC	108000	114200	124900	95000
417			2008	SC	111000	116400	109800	97600
417			2009	SC	114000	120800	133400	100300
417			2010	SC	117000	123800	137000	103200
417			2011	SC	120000	153600	140200	95500
417			2012	SC	123000	130300	122500	108600
417			2013	SC	126000	133300	121400	111100
417			2014	SC	129000	136500	133200	113800
417			2015	SC	132000	139600	136300	116400
417			2016	SC	135000	142800	139400	119100
417			2017	SC	138000	146700	146900	122400
417			2018	SC	141000	150600	149800	124000
417			2019	SC	144000	152800	151900	127300
417	MOODIE DR IC-134	4.0	1988	C	52300	58100	58100	47100
417			1989	C	54000	59900	60500	48600
417			1990	C	57600	63900	63900	51800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			1991	C	59000	64900	65500	53700
417			1992	C	57500	62100	63800	52900
417			1993	C	58000	63200	64200	53400
417			1994	C	64600	70700	72000	58500
417			1995	UC	67100	70800	76700	62600
417			1996	UC	69600	73700	81400	66200
417			1997	UC	72100	75700	84400	67800
417			1998	UC	74600	79100	87300	70900
417			1999	UC	77100	81700	90200	73200
417			2000	UC	79600	84400	93900	74800
417			2001	UC	82100	87900	96600	77200
417			2002	UC	84600	90100	99500	79200
417			2003	UC	87100	92000	102000	82300
417			2004	UC	89600	96000	105400	84200
417			2005	UC	92100	97500	107700	86400
417			2006	UC	94800	100300	110800	89200
417			2007	UC	97400	103300	112700	91400
417			2008	UC	100000	105600	99200	93600
417			2009	UC	102700	108900	120200	96500
417			2010	UC	105400	111400	122700	99100
417			2011	UC	108100	108400	112200	102600
417			2012	UC	109800	110500	117500	104300
417			2013	UC	106500	106800	107100	101100
417			2014	UC	114000	114400	109600	108200
417			2015	UC	116400	116800	111900	110500
417			2016	UC	118900	119300	114300	112800
417			2017	UC	121300	120500	121700	116200
417			2018	UC	123800	122800	124800	118800
417			2019	UC	126200	124300	126300	121600
417	EAGLESON RD IC-138	2.6	1988	C	31300	34700	34700	28200
417			1989	C	32300	35900	36200	29100
417			1990	C	35100	39000	39000	31600
417			1991	C	36500	40200	40500	33200
417			1992	C	36400	39300	40400	33500
417			1993	C	36400	39700	40300	33500
417			1994	C	41500	45400	46300	37600
417			1995	UC	43600	46000	49800	40700
417			1996	UC	45700	48400	53500	43500
417			1997	UC	47700	50100	55800	44800
417			1998	UC	49800	52800	58300	47300
417			1999	UC	51900	55000	60700	49300
417			2000	UC	53900	57100	63600	50700
417			2001	UC	56000	60000	65900	52600
417			2002	UC	57200	60900	67300	53600
417			2003	UC	59800	63200	70000	56500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2004	UC	61800	66200	72700	58100
417			2005	UC	63800	67500	74600	59800
417			2006	UC	65800	69600	76900	61900
417			2007	UC	67800	71900	78500	63600
417			2008	UC	69800	73700	69200	65300
417			2009	UC	71800	76100	84000	67500
417			2010	UC	73800	78000	85900	69400
417			2011	UC	75800	76000	78700	71900
417			2012	UC	77800	78300	83300	73900
417			2013	UC	79800	80100	80200	75700
417			2014	UC	81800	82100	78700	77600
417			2015	UC	83800	84100	80600	79500
417			2016	UC	85800	86100	82500	81400
417			2017	UC	87800	87200	88100	84100
417			2018	UC	89800	89100	90500	86200
417			2019	UC	91800	90500	91800	88500
417	TERRY FOX DR IC-140	2.4	1988	C	26400	29300	29300	23800
417			1989	C	27600	30600	30900	24800
417			1990	C	29000	32200	32200	26100
417			1991	C	30500	33600	33900	27800
417			1992	C	30400	32800	33700	28000
417			1993	C	30400	33100	33600	28000
417			1994	C	34100	37300	38000	30900
417			1995	UC	35700	37700	40800	33300
417			1996	UC	37200	39400	43500	35400
417			1997	UC	38800	40700	45400	36500
417			1998	UC	40300	42700	47200	38300
417			1999	UC	41500	44000	48600	39400
417			2000	UC	43000	45600	50700	40400
417			2001	UC	44400	47600	52200	41700
417			2002	UC	45800	48800	53900	42900
417			2003	C	48100	53700	54100	43400
417			2004	C	48700	54800	55000	43900
417			2005	C	49800	55400	55900	44700
417			2006	C	50800	56400	56900	45700
417			2007	C	54400	60400	61300	48900
417			2008	C	50600	55800	55100	45400
417			2009	C	50800	55900	56400	45700
417			2010	C	57200	63000	63600	51500
417			2011	C	58600	64600	65200	52700
417			2012	C	66100	72800	71300	59500
417			2013	C	62700	69100	68200	56400
417			2014	C	64200	70600	68700	57800
417			2015	C	64200	70600	68700	57800
417			2016	C	66900	73600	71600	60200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2017	C	68400	74800	74700	62100
417			2018	C	69800	76500	76100	63000
417			2019	C	71300	77900	77500	64500
417	PALLADIUM DR IC-142	2.1	1997	IC	41100	46000	46400	36200
417			1998	IC	41200	46100	46100	36700
417			1999	IC	41300	46300	46300	36800
417			2000	IC	41400	46400	46400	36800
417			2001	IC	41500	46400	46600	36700
417			2002	IC	42400	47300	47600	37400
417			2003	IC	42200	47000	47500	37400
417			2004	IC	42400	47400	47600	37500
417			2005	IC	42600	47400	47800	37600
417			2006	IC	42800	47500	48000	37900
417			2007	IC	43000	47800	49200	38000
417			2008	IC	43200	47900	46300	38100
417			2009	IC	43400	48200	48600	38600
417			2010	IC	43600	48300	48700	38700
417			2011	IC	43800	48200	50000	39300
417			2012	IC	50200	55600	53900	44500
417			2013	IC	51000	56500	56100	45200
417			2014	IC	51800	57300	57100	45900
417			2015	IC	52500	58100	57800	46600
417			2016	IC	53300	59000	58700	47300
417			2017	IC	54000	59200	59600	49000
417			2018	IC	54800	60300	60600	49600
417			2019	IC	55500	61000	61300	50100
417	CARP RD IC-144	0.9	1988	CR	21800	27900	26200	18100
417			1989	CR	22900	29300	27300	19200
417			1990	CR	23000	28500	26400	20700
417			1991	CR	24500	30100	28200	22000
417			1992	CR	24900	30600	28400	22400
417			1993	CR	24900	30600	28600	22400
417			1994	CR	24900	30600	28400	22400
417			1995	CR	26100	32300	30800	22500
417			1996	CR	27300	33700	32000	23300
417			1997	CR	28500	35300	33600	24200
417			1998	CR	29700	36500	34700	25200
417			1999	CR	30700	37800	35900	26100
417			2000	CR	32000	39400	37400	27200
417			2001	CR	33000	40600	38700	27900
417			2002	CR	34100	41900	40000	28700
417			2003	CR	35600	43400	41700	30100
417			2004	CR	36400	44800	42700	30700
417			2005	CR	37500	45500	43700	31600
417			2006	IC	38200	42400	42800	33800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2007	IC	39800	44200	45600	35200
417			2008	IC	40900	45300	43800	36100
417			2009	IC	42000	46600	47000	37400
417			2010	IC	43200	47800	48200	38300
417			2011	IC	44300	48700	50500	39700
417			2012	IC	36400	40300	39100	32300
417			2013	IC	44700	49500	49200	39600
417			2014	IC	45700	50600	50400	40500
417			2015	CTR	46000	56100	56600	39100
417			2016	CTR	47500	58000	58400	40400
417			2017	CTR	48500	64800	64500	39500
417			2018	CTR	49500	66100	65800	40300
417			2019	CTR	50500	67300	67000	41100
417	HWY 7 IC-145	9.2	1996	C	25200	28600	28700	22700
417			1997	C	26400	29800	30100	23800
417			1998	C	27600	31200	31200	24800
417			1999	C	10600	11900	12000	9550
417			2000	C	12300	13900	13900	11100
417			2001	C	14000	15800	15800	12600
417			2002	C	15700	17600	17700	14100
417			2003	IR	17400	21100	19100	14800
417			2004	IR	19100	23600	21200	16100
417			2005	IR	20100	24300	22000	17100
417			2006	IR	21100	25500	23100	17900
417			2007	IR	22100	26800	26700	18700
417			2008	IR	23100	28000	27500	19700
417			2009	IC	24100	26800	27000	21400
417			2010	IC	20400	22600	22800	18100
417			2011	IC	20500	22500	23400	18400
417			2012	IC	22700	25200	24400	20100
417			2013	IC	21100	23400	23200	18700
417			2014	CTR	20700	25300	25500	17600
417			2015	CTR	23800	29000	29300	20200
417			2016	CTR	21800	26600	26800	18500
417			2017	CTR	22000	29400	29200	17900
417			2018	CTR	22100	29500	29400	18000
417			2019	CTR	22200	29600	29400	18100
417	OTTAWA/CARLETON ROAD 49 MARCH RD IC	8.7	1996	IR	23200	28800	25900	19800
417			1997	IR	24400	30500	27300	20700
417			1998	IR	25600	31700	28700	21500
417			1999	IR	18200	22600	20200	15300
417			2000	IR	18000	22000	19900	15200
417			2001	IR	17800	22000	19700	15000
417			2002	IR	17600	21700	19500	15000
417			2003	IR	17400	21100	19100	14800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2004	IR	17200	21300	19100	14500
417			2005	IR	17400	21000	19100	14800
417			2006	IR	17600	21200	19200	14900
417			2007	IR	17900	21700	21600	15200
417			2008	IR	18100	21900	21500	15500
417			2009	CR	18300	22000	21200	15600
417			2010	CR	15700	18800	18200	13300
417			2011	CR	18800	21900	22200	16700
417			2012	CR	19300	23100	22700	16300
417			2013	LT	18500	24200	24100	14000
417			2014	LT	18800	24500	25000	14200
417			2015	LT	19000	24800	25200	14300
417			2016	LT	19300	25200	25600	14600
417			2017	LT	19500	24800	24800	16300
417			2018	LT	19800	25200	25200	16600
417			2019	LT	20000	25400	25400	16700
417	PANMURE ROAD IC-163	6.8	1997	IR	22400	28000	25100	19000
417			1998	IR	23600	29300	26400	19800
417			1999	IR	24800	30800	27500	20800
417			2000	IR	26000	31900	28800	22000
417			2001	IR	27200	33600	30100	23000
417			2002	IR	27800	34300	30800	23600
417			2003	IR	29200	35400	32100	24800
417			2004	IR	30300	37400	33600	25600
417			2005	IR	31400	37900	34400	26800
417			2006	IR	32500	39200	35500	27600
417			2007	IR	33600	40700	40600	28500
417			2008	IR	34700	42000	41200	29700
417			2009	CR	35800	43000	41500	30400
417			2010	CR	36900	44200	42700	31200
417			2011	CR	18000	21000	21200	16000
417			2012	CR	17500	21000	20600	14800
417			2013	LT	16900	22100	22000	12800
417			2014	LT	19200	25100	25500	14500
417			2015	LT	21400	27900	28400	16200
417			2016	LT	23000	30000	30500	17400
417			2017	LT	23300	29600	29600	19500
417			2018	LT	23500	29900	29900	19700
417			2019	LT	23800	30200	30300	19900
417	KINBURN SIDE RD IC-169	10.1	2004	IR	14600	18000	16200	12300
417			2005	IR	14600	17600	16000	12400
417			2006	CR	14600	17700	17000	12300
417			2007	CR	14600	17700	17700	12300
417			2008	CR	14600	17700	17500	12300
417			2009	CR	14600	17500	16900	12400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
417			2010	CR	14600	17500	16900	12300
417			2011	CR	16100	18800	19000	14300
417			2012	CR	16400	19600	19300	13900
417			2013	LT	16700	21800	21800	12600
417			2014	LT	13900	18100	18500	10500
417			2015	LT	20400	26600	27100	15400
417			2016	LT	17400	22700	23100	13100
417			2017	LT	17700	24000	24200	13900
417			2018	LT	18000	24500	24600	14200
417			2019	LT	18300	24800	25000	14500
417	OTTAWA RD 29 IC-180	3.5	2004	IR	14600	18000	16200	12300
417			2005	IR	14600	17600	16000	12400
417			2006	CR	14600	17700	17000	12300
417			2007	CR	14600	17700	17700	12300
417			2008	CR	14600	17700	17500	12300
417			2009	CR	14600	17500	16900	12400
417			2010	CR	14600	17500	16900	12300
417			2011	CR	16100	18800	19000	14300
417			2012	CR	16400	19600	19300	13900
417			2013	LT	16700	21800	21800	12600
417			2014	LT	14400	18800	19100	10900
417			2015	LT	15100	19700	20100	11400
417			2016	LT	15900	20800	21100	12000
417			2017	LT	16200	22000	22100	12800
417			2018	LT	16100	21900	22000	12700
417			2019	LT	16200	22000	22100	12800
417	WHITE LAKE RD IC-183	2.9	2012	CR	16400	19600	19300	13900
417			2013	LT	16700	21800	21800	12600
417			2014	LT	17000	22200	22600	12800
417			2015	LT	17300	22600	23000	13100
417			2016	LT	17600	23000	23400	13300
417			2017	LT	17900	24300	24400	14100
417			2018	LT	18200	24700	24900	14400
417			2019	LT	18500	25100	25300	14600
417	END OF HWY 417 HWY END		9999					
420	NIAGARA FALLS RAINBOW BRIDGE ENTR START OF NA	1.5	9999					
420	STANLEY AV (NIAGARA RD 102)	1.1	1988	CTR	23700	30800	28900	19900
420			1989	CTR	25100	31900	30400	21600
420			1990	CTR	26300	32900	31000	22900
420			1991	CTR	24600	31000	30800	21400
420			1992	CTR	24800	30500	29500	21600
420			1993	CTR	24400	30700	29500	20700
420			1994	IR	25400	31300	27900	21300
420			1995	IR	27500	33900	30300	23400
420			1996	IR	28300	35200	31600	24100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
420			1997	CTR	29000	37100	35700	24400
420			1998	CTR	29700	37700	36200	24900
420			1999	CTR	30000	37800	36300	25200
420			2000	CTR	32000	40300	38700	26900
420			2001	CTR	32600	41100	39400	27500
420			2002	CTR	33500	42300	40500	28300
420			2003	CTR	33800	42000	40400	28700
420			2004	CTR	34600	43700	41900	29200
420			2005	CTR	34500	42700	41000	29300
420			2006	CTR	36300	44900	43100	30800
420			2007	CTR	37100	46000	45600	31400
420			2008	CTR	37900	46900	46000	32200
420			2009	CTR	38700	47200	45700	32900
420			2010	CTR	39600	48200	46300	33600
420			2011	CTR	40400	49200	47300	34300
420			2012	CTR	38000	46100	45500	32400
420			2013	CTR	36900	44900	46400	31300
420			2014	CTR	41200	50300	50700	35000
420			2015	CR	42400	50000	49700	36100
420			2016	CR	42700	50300	50000	36400
420			2017	CR	43400	50300	50600	39100
420			2018	CR	44200	51400	51700	39700
420			2019	CR	44900	52100	52400	40300
420	DRUMMOND RD IC NIAGARA FALLS	1.1	1988	CTR	22200	28900	27100	18600
420			1989	CTR	23500	29800	28400	20200
420			1990	CTR	24700	30900	29100	21500
420			1991	CTR	24200	30500	30200	21100
420			1992	CTR	24400	30000	29000	21200
420			1993	CTR	24600	31000	29800	20900
420			1994	CTR	25100	32100	30600	21100
420			1995	CTR	25600	32900	31500	21500
420			1996	CTR	26200	33500	32200	22000
420			1997	CTR	26800	34300	33000	22500
420			1998	CTR	27400	34800	33400	23000
420			1999	CTR	30400	38300	36800	25500
420			2000	CTR	31700	39900	38400	26600
420			2001	CTR	34400	43400	41600	29000
420			2002	CTR	34300	43300	41500	29000
420			2003	CTR	35600	44200	42500	30200
420			2004	CTR	36900	46600	44600	31100
420			2005	CTR	35800	44400	42600	30400
420			2006	CTR	38700	47900	45900	32800
420			2007	CTR	39900	49400	49000	33800
420			2008	CTR	42100	52100	51100	35800
420			2009	CTR	41500	50600	49000	35300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
420			2010	CTR	43500	52900	50900	36900
420			2011	CTR	44700	54400	52300	38000
420			2012	CTR	45900	55700	55000	39100
420			2013	CTR	47100	57300	59200	40000
420			2014	CTR	41600	50800	51200	35400
420			2015	CTR	47900	58400	58900	40700
420			2016	CTR	49000	59800	60300	41600
420			2017	CTR	50100	67000	66600	40800
420			2018	CTR	51200	68400	68100	41700
420			2019	CTR	51100	68100	67800	41600
420	DORCHESTER RD IC NIAGARA FALLS	0.7	1988	CTR	22200	28900	27100	18600
420			1989	CTR	23500	29800	28400	20200
420			1990	CTR	24800	31000	29300	21600
420			1991	CTR	24900	31400	31100	21700
420			1992	CTR	25100	30900	29900	21800
420			1993	CTR	25300	31900	30600	21500
420			1994	CTR	24300	31100	29600	20400
420			1995	CTR	24700	31700	30400	20700
420			1996	CTR	25200	32200	31000	21100
420			1997	CTR	25600	32800	31500	21500
420			1998	CTR	26100	33100	31800	21900
420			1999	CTR	26500	33400	32100	22300
420			2000	CTR	27000	34000	32700	22700
420			2001	CTR	27400	34600	33200	23100
420			2002	CTR	27900	35200	33800	23600
420			2003	CTR	30400	37800	36300	25800
420			2004	CTR	29800	37600	36100	25100
420			2005	CTR	29200	36200	34700	24800
420			2006	CTR	22100	27400	26200	18800
420			2007	IC	21500	23900	24600	19000
420			2008	IC	21000	23300	22500	18500
420			2009	CTR	11900	14500	14000	10100
420			2010	CTR	12700	15500	14900	10800
420			2011	CTR	20000	24300	23400	17000
420			2012	CTR	13900	16900	16700	11800
420			2013	CTR	17300	21100	21800	14700
420			2014	CTR	21400	26100	26300	18200
420			2015	CTR	23000	28100	28300	19600
420			2016	CTR	29000	35400	35700	24600
420			2017	CTR	19000	25400	25300	15500
420			2018	CTR	18600	24800	24700	15100
420			2019	CTR	18300	24400	24300	14900
420	QEW IC NIAGARA FALLS	0.4	1988	UC	11000	11600	12400	10300
420			1989	UC	11900	12500	13400	11300
420			1990	UC	12700	13600	14700	12100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
420			1991	UC	12900	13700	14800	12500
420			1992	UC	13000	13800	14900	12500
420			1993	UC	13200	13900	15000	12400
420			1994	UC	13600	14400	15500	12600
420			1995	UC	14900	15700	17000	13900
420			1996	UC	15500	16400	18100	14700
420			1997	UC	16100	16900	18800	15100
420			1998	UC	16700	17700	19500	15900
420			1999	UC	16900	17900	19800	16100
420			2000	UC	17000	18000	20100	16000
420			2001	C	17100	19300	19300	15400
420			2002	C	17300	19400	19500	15600
420			2003	C	17400	19400	19600	15700
420			2004	C	18300	20600	20700	16500
420			2005	C	29000	32300	32600	26000
420			2006	C	24900	27700	27900	22400
420			2007	C	23800	26400	26800	21400
420			2008	C	22700	25100	24700	20400
420			2009	C	21600	23800	24000	19400
420			2010	C	20500	22600	22800	18500
420			2011	C	25000	27600	27800	22500
420			2012	C	25400	28000	27400	22900
420			2013	UC	38000	38100	38200	36100
420			2014	UC	29000	29100	27900	27500
420			2015	UC	29800	29900	28700	28300
420			2016	UC	30600	30700	29400	29000
420			2017	UC	31400	31200	31500	30100
420			2018	UC	32200	31900	32400	30900
420			2019	UC	33000	32500	33000	31800
420	NIAG RD 106 MONTROSE AVE HWY END		9999					
427	COULES CT ETOBICOKE START OF NA	0.3	9999					
427	EVANS AV IC ETOBICOKE	0.3	1988	UC	29400	30900	33200	27600
427			1989	UC	30000	31500	33900	28500
427			1990	UC	30600	32700	35500	29100
427			1991	UC	31200	33100	35900	30300
427			1992	UC	31500	33400	36200	30200
427			1993	UC	31500	33200	35800	29500
427			1994	UC	32100	34000	36700	29900
427			1995	UC	32700	34500	37400	30500
427			1996	UC	35600	37700	41600	33900
427			1997	UC	38400	40300	44900	36100
427			1998	UC	39700	42100	46400	37700
427			1999	UC	41000	43500	48000	39000
427			2000	UC	42300	44800	49900	39800
427			2001	UC	44700	47900	52600	42000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			2002	UC	46500	49500	54700	43500
427			2003	UC	48400	51100	56700	45700
427			2004	UC	50200	53800	59100	47200
427			2005	UC	119200	126100	139400	111800
427			2006	UC	120600	127500	140900	113500
427			2007	UC	127600	135300	147700	119700
427			2008	UC	134700	142300	133600	126000
427			2009	UC	141700	150200	165800	133200
427			2010	UC	148700	157200	173100	139800
427			2011	UC	146300	146800	151800	138800
427			2012	UC	154400	155300	165300	146700
427			2013	UC	162500	163000	163400	154200
427			2014	UC	170600	171100	164100	161900
427			2015	UC	178800	179400	172000	169700
427			2016	UC	186900	187500	179700	177400
427			2017	UC	195000	193700	195600	186900
427			2018	UC	203100	201400	204700	194900
427			2019	UC	211300	208200	211400	203600
427	QEW IC * START OF COMPLEX FRWY	1.8	1988	UC	214700	225400	242600	201800
427			1989	UC	221200	232300	250000	210100
427			1990	UC	225600	241400	261700	214300
427			1991	UC	230100	243900	264600	223200
427			1992	UC	210600	223200	242200	202200
427			1993	UC	210600	221800	239400	197300
427			1994	UC	227100	240700	259700	211200
427			1995	UC	243600	257000	278500	227200
427			1996	UC	249400	263900	291800	237200
427			1997	UC	255300	268100	298700	240000
427			1998	UC	261200	276900	305600	248100
427			1999	UC	267000	283000	312400	253600
427			2000	UC	272900	289300	322000	256500
427			2001	UC	281800	301800	331500	264800
427			2002	UC	288800	307700	339700	270400
427			2003	UC	295800	312600	346500	279400
427			2004	UC	302800	324300	356200	284600
427			2005	UC	309800	327800	362300	290500
427			2006	UC	316800	335000	370200	298100
427			2007	UC	323800	343400	374800	303800
427			2008	UC	330800	349400	328000	309500
427			2009	UC	337800	358100	395200	317500
427			2010	UC	344800	364500	401300	324200
427			2011	UC	351800	352900	365100	333800
427			2012	UC	358800	361000	384100	340900
427			2013	UC	365800	367000	367800	347100
427			2014	UC	372800	374000	358500	353800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			2015	UC	379800	381000	365300	360400
427			2016	UC	386800	388000	372000	367100
427			2017	UC	393800	391300	395000	377400
427			2018	UC	400800	397500	403900	384700
427			2019	UC	407800	401800	408000	392900
427	HWY 5 IC DUNDAS ST ETOBICOKE	1.9	1988	UC	238400	250300	269400	224100
427			1989	UC	245600	257900	277500	233300
427			1990	UC	250500	268000	290600	238000
427			1991	UC	255500	270800	293800	247800
427			1992	UC	246000	260800	282900	236200
427			1993	UC	252200	265700	286700	236200
427			1994	UC	258300	273800	295300	240200
427			1995	UC	264500	279100	302400	246600
427			1996	UC	270600	286400	316600	257300
427			1997	UC	276800	290600	323900	260200
427			1998	UC	282900	299900	331000	268800
427			1999	UC	289100	306400	338200	274600
427			2000	UC	295200	312900	348300	277500
427			2001	UC	301400	322800	354600	283200
427			2002	UC	307500	327600	361700	287900
427			2003	UC	313700	331500	367500	296300
427			2004	UC	319800	342500	376200	300500
427			2005	UC	326000	345000	381300	305700
427			2006	UC	332100	351200	388100	312500
427			2007	UC	338300	358800	391500	317400
427			2008	UC	344400	363800	341500	322200
427			2009	UC	350600	371600	410200	329600
427			2010	UC	356700	377100	415200	335400
427			2011	UC	362900	364100	376700	344400
427			2012	UC	369000	371200	395000	350600
427			2013	UC	375200	376400	377300	356000
427			2014	UC	381300	382500	366700	361800
427			2015	UC	387500	388700	372700	367700
427			2016	UC	393600	394900	378500	373500
427			2017	UC	399800	397200	401000	383100
427			2018	UC	405900	402600	409000	389600
427			2019	UC	412100	406000	412300	397100
427	BURNHAMTHORPE RD IC ETOBICOKE	1.0	1988	UC	237000	248800	267800	222800
427			1989	UC	244100	256300	275800	231900
427			1990	UC	249000	266400	288800	236600
427			1991	UC	253400	268600	291400	245800
427			1992	UC	263300	279100	302800	252800
427			1993	UC	263900	278000	300000	247200
427			1994	UC	269800	286000	308500	250900
427			1995	UC	275700	290900	315200	257100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			1996	UC	281700	298100	329600	267900
427			1997	UC	287600	302000	336500	270300
427			1998	UC	293600	311200	343500	278900
427			1999	UC	299500	317500	350400	284500
427			2000	UC	305500	323800	360500	287200
427			2001	UC	311400	333500	366300	292600
427			2002	UC	317400	338200	373400	297200
427			2003	UC	323300	341600	378700	305400
427			2004	UC	329300	352700	387400	309500
427			2005	UC	335200	354700	392000	314400
427			2006	UC	341200	360800	398700	321100
427			2007	UC	347100	368100	401700	325600
427			2008	UC	353100	373000	350100	330300
427			2009	UC	359000	380500	420000	337500
427			2010	UC	365000	385900	424800	343200
427			2011	UC	370900	372100	385000	352000
427			2012	UC	376900	379200	403500	358100
427			2013	UC	382800	384000	384900	363300
427			2014	UC	388800	390100	373900	369000
427			2015	UC	394700	396000	379600	374500
427			2016	UC	400700	402000	385400	380200
427			2017	UC	406600	404000	407900	389700
427			2018	UC	412600	409200	415800	396000
427			2019	UC	418500	412300	418700	403200
427	RATHBURN RD IC ETOBICOKE	2.6	1988	UC	233400	245100	263700	219400
427			1989	UC	240400	252400	271700	228400
427			1990	UC	245200	262400	284400	232900
427			1991	UC	250100	265100	287600	242600
427			1992	UC	253400	268600	291400	243300
427			1993	UC	263900	278000	300000	247200
427			1994	UC	267400	283400	305700	248700
427			1995	UC	271000	285900	309800	252700
427			1996	UC	274600	290600	321300	261100
427			1997	UC	278200	292100	325500	261500
427			1998	UC	281800	298700	329700	267700
427			1999	UC	285400	302500	333900	271100
427			2000	UC	289000	306300	341000	271700
427			2001	UC	292600	313400	344200	275000
427			2002	UC	296200	315600	348400	277300
427			2003	UC	299800	316800	351200	283200
427			2004	UC	303400	325000	356900	285100
427			2005	UC	307000	324900	359000	287900
427			2006	UC	310600	328500	363000	292300
427			2007	UC	314200	333200	363700	294800
427			2008	UC	317800	335700	315100	297300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			2009	UC	321400	340700	376000	302100
427			2010	UC	325000	343600	378300	305600
427			2011	UC	328600	329700	341100	311800
427			2012	UC	332200	334200	355600	315600
427			2013	UC	335800	336900	337700	318700
427			2014	UC	339400	340500	326400	322100
427			2015	UC	343000	344100	329900	325500
427			2016	UC	346600	347700	333300	328900
427			2017	UC	350200	347900	351300	335600
427			2018	UC	353800	350900	356500	339600
427			2019	UC	357400	352100	357500	344400
427	HWY 401 IC	2.5	1988	C	116500	129300	129300	104800
427			1989	C	121200	134500	135700	109100
427			1990	C	124800	138500	138500	112300
427			1991	C	127300	140000	141300	115800
427			1992	C	128600	138900	142700	118300
427			1993	C	129800	141500	143600	119400
427			1994	C	131100	143600	146200	118600
427			1995	C	135700	148100	152100	124100
427			1996	C	140300	159000	159600	126600
427			1997	C	144900	163700	165200	130400
427			1998	C	149500	168900	168900	134600
427			1999	C	154100	172600	174100	138700
427			2000	C	158700	179300	179300	142800
427			2001	C	163300	183900	184300	147100
427			2002	C	167900	188000	189500	151100
427			2003	C	172500	192700	193900	155700
427			2004	C	169400	190800	191200	152600
427			2005	C	159100	177100	178600	142900
427			2006	C	150300	167000	168300	135200
427			2007	C	168100	186800	189400	151000
427			2008	C	150300	165900	163600	134900
427			2009	C	128600	141500	142700	115700
427			2010	C	109800	121000	122100	98800
427			2011	C	150300	165600	167100	135300
427			2012	UC	150300	151200	160900	142800
427			2013	UC	137500	137900	138300	130500
427			2014	UC	150300	150800	144500	142600
427			2015	UC	148100	148600	142400	140500
427			2016	UC	147900	148400	142200	140300
427			2017	UC	147800	146800	148300	141600
427			2018	UC	147700	146500	148800	141800
427			2019	UC	147500	145300	147600	142100
427	DIXON RD IC ETOBICOKE	1.3	1988	C	54000	59900	59900	48600
427			1989	C	56600	62800	63400	50900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			1990	C	58900	65400	65400	53000
427			1991	C	60100	66100	66700	54700
427			1992	C	55900	60400	62000	51400
427			1993	C	60900	66400	67400	56000
427			1994	C	65900	72200	73500	59600
427			1995	C	68600	74900	76900	62700
427			1996	C	71400	80900	81200	64500
427			1997	C	74100	83700	84500	66700
427			1998	C	76900	86900	86900	69200
427			1999	C	81800	91600	92400	73600
427			2000	C	85200	96300	96300	76700
427			2001	C	88600	99800	100000	79800
427			2002	C	92000	103000	103800	82800
427			2003	C	95400	106600	107300	86100
427			2004	SC	101600	108300	119000	89500
427			2005	SC	100400	106300	117300	88400
427			2006	SC	104000	110000	121600	91700
427			2007	SC	105100	111100	121500	92400
427			2008	SC	108000	113300	106800	95000
427			2009	SC	110100	116700	128800	96900
427			2010	SC	107100	113300	125400	94500
427			2011	SC	116800	149500	136500	93000
427			2012	UC	119700	120400	128100	113700
427			2013	UC	122700	123100	123400	116400
427			2014	UC	109800	110200	105600	104200
427			2015	UC	125500	125900	120700	119100
427			2016	UC	128300	128700	123400	121700
427			2017	UC	131000	130200	131400	125500
427			2018	UC	133700	132600	134700	128300
427			2019	UC	136500	134500	136600	131500
427	HWY 409 IC ETOBICOKE	2.6	1988	UC	62000	65100	70100	58300
427			1989	UC	69900	73400	79000	66400
427			1990	UC	76800	82200	89100	73000
427			1991	UC	76500	81100	88000	74200
427			1992	UC	76500	81100	88000	73400
427			1993	UC	81400	85700	92500	76200
427			1994	UC	86300	91500	98700	80300
427			1995	UC	90300	95300	103200	84200
427			1996	UC	94400	99900	110400	89800
427			1997	UC	98400	103300	115100	92500
427			1998	UC	102400	108500	119800	97300
427			1999	UC	124200	131700	145300	118000
427			2000	UC	124200	131700	146600	116700
427			2001	UC	124200	133000	146100	116700
427			2002	UC	124200	132300	146100	116300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			2003	SC	122600	129500	143000	108500
427			2004	SC	126600	135000	148200	111600
427			2005	SC	125500	132900	146600	110500
427			2006	SC	113400	120000	132600	100000
427			2007	SC	111300	117700	128700	97900
427			2008	SC	109100	114500	107900	96000
427			2009	SC	107000	113400	125200	94200
427			2010	SC	104900	111000	122800	92500
427			2011	SC	125000	160000	146100	99500
427			2012	UC	135900	136700	145500	129100
427			2013	UC	127300	127700	128000	120800
427			2014	UC	128700	129100	123800	122100
427			2015	UC	130100	130500	125100	123500
427			2016	UC	131500	131900	126500	124800
427			2017	UC	132900	132000	133300	127400
427			2018	UC	134300	133200	135300	128900
427			2019	UC	135700	133700	135800	130800
427	REXDALE BV IC ETOBICOKE	1.8	1988	UC	48500	50900	54800	45600
427			1989	UC	50700	53200	57300	48200
427			1990	UC	52700	56400	61100	50100
427			1991	UC	53800	57000	61900	52200
427			1992	UC	55600	58900	63900	53400
427			1993	UC	59700	62900	67900	55900
427			1994	UC	63700	67500	72800	59200
427			1995	UC	66800	70500	76400	62300
427			1996	UC	69900	74000	81800	66500
427			1997	UC	73100	76800	85500	68700
427			1998	UC	76200	80800	89200	72400
427			1999	UC	86700	91900	101400	82400
427			2000	UC	87600	92900	103400	82300
427			2001	UC	92700	99300	109100	87100
427			2002	UC	97200	103600	114300	91000
427			2003	UC	102700	108500	120300	97000
427			2004	UC	106900	114500	125800	100500
427			2005	UC	110600	117000	129400	103700
427			2006	UC	109500	115800	128000	103100
427			2007	UC	113300	120200	131100	106300
427			2008	UC	117000	123600	116000	109500
427			2009	UC	120700	127900	141200	113500
427			2010	UC	114300	120800	133000	107500
427			2011	UC	128100	128500	133000	121600
427			2012	UC	131900	132700	141200	125300
427			2013	UC	117400	117800	118100	111400
427			2014	UC	135700	136100	130500	128800
427			2015	UC	139200	139600	133900	132100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			2016	UC	142600	143100	137100	135300
427			2017	UC	146100	145200	146600	140000
427			2018	UC	149500	148300	150600	143500
427			2019	UC	153000	150800	153100	147400
427	FINCH AV EXT IC ETOBICOKE	2.3	1988	UC	23500	24700	26600	22100
427			1989	UC	25500	26800	28800	24200
427			1990	UC	27600	29500	32000	26200
427			1991	UC	28100	29800	32300	27300
427			1992	UC	29700	31500	34200	28500
427			1993	UC	31500	33200	35800	29500
427			1994	UC	34600	36700	39600	32200
427			1995	UC	37700	39800	43100	35200
427			1996	UC	39100	41400	45700	37200
427			1997	UC	40500	42500	47400	38100
427			1998	UC	42000	44500	49100	39900
427			1999	UC	45700	48400	53500	43400
427			2000	C	44800	50600	50600	40300
427			2001	C	51000	57400	57600	45900
427			2002	C	53600	60000	60500	48200
427			2003	UC	50000	52800	58600	47200
427			2004	UC	51600	55300	60700	48500
427			2005	UC	74400	78700	87000	69800
427			2006	UC	76500	80900	89400	72000
427			2007	UC	73400	77800	85000	68900
427			2008	UC	76800	81100	76200	71800
427			2009	UC	80100	84900	93700	75300
427			2010	UC	90500	95700	105300	85100
427			2011	UC	105600	105900	109600	100200
427			2012	UC	95800	96400	102600	91000
427			2013	UC	99000	99300	99500	93900
427			2014	UC	102200	102500	98300	97000
427			2015	UC	105900	106200	101800	100500
427			2016	UC	109600	110000	105400	104000
427			2017	UC	113400	112700	113800	108700
427			2018	UC	117100	116100	118000	112400
427			2019	UC	120800	119000	120800	116400
427	HWY 407 IC OVERPASS	1.6	1997	UC	43900	46100	51400	41300
427			1998	UC	44100	46700	51600	41900
427			1999	UC	44400	47100	51900	42200
427			2000	UC	44600	47300	52600	41900
427			2001	UC	48300	51700	56800	45400
427			2002	UC	50200	53500	59100	47000
427			2003	UC	50000	52800	58600	47200
427			2004	UC	53600	57400	63100	50400
427			2005	UC	56200	59500	65700	52700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
427			2006	UC	57600	60900	67300	54200
427			2007	UC	60000	63600	69400	56300
427			2008	UC	61200	64600	60700	57300
427			2009	UC	63000	66800	73700	59200
427			2010	UC	65900	69700	76700	62000
427			2011	UC	75000	75200	77800	71200
427			2012	UC	85200	85700	91200	80900
427			2013	UC	76100	76300	76500	72200
427			2014	UC	77600	77800	74600	73600
427			2015	UC	80700	81000	77600	76600
427			2016	UC	83000	83300	79800	78800
427			2017	UC	85300	84700	85600	81700
427			2018	UC	87600	86900	88300	84100
427			2019	UC	89900	88600	89900	86600
427	HWY 7 UP HWY END		9999					
502			1988	LR	600	1050	760	370
502			1989	LR	600	1000	780	400
502			1990	LR	600	1050	830	380
502			1991	LR	600	1050	830	380
502			1992	LR	600	970	770	400
502			1993	LR	600	970	770	390
502			1994	LR	620	1000	820	410
502			1995	LR	610	1000	830	400
502			1996	LR	630	1050	850	420
502			1997	LR	640	1100	860	430
502			1998	LR	640	1050	850	420
502			1999	LR	610	1000	810	400
502			2000	LR	600	970	780	400
502			2001	LT	570	800	780	420
502			2002	LT	590	820	800	430
502			2003	LT	590	810	790	440
502			2004	LT	580	810	790	420
502			2005	LT	580	800	780	430
502			2006	LR	570	890	710	380
502			2007	LR	570	890	860	380
502			2008	LR	560	870	850	380
502			2009	LR	560	850	690	380
502			2010	LR	550	820	670	370
502			2011	LR	550	850	800	390
502			2012	LR	550	820	800	380
502			2013	T	540	790	770	340
502			2014	T	530	770	770	340
502			2015	T	530	770	770	340
502			2016	T	520	760	750	330
502			2017	T	520	710	720	410

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
502			2018	T	510	700	700	400
502			2019	T	510	700	700	400
502	**HWY 11**	**48.60**	**2019**	**T**	**510**	**700**	**700**	**400**
502	BEARPAW RD (E)	92.7	1988	LR	350	620	440	220
502			1989	T	350	630	610	220
502			1990	T	350	640	610	220
502			1991	T	380	690	660	240
502			1992	LR	380	610	490	250
502			1993	LR	380	610	490	250
502			1994	LR	380	620	500	250
502			1995	R	400	730	580	220
502			1996	R	390	740	560	210
502			1997	R	400	770	580	220
502			1998	R	410	760	590	220
502			1999	R	560	1050	790	300
502			2000	R	440	810	620	240
502			2001	R	400	740	560	220
502			2002	R	470	870	660	260
502			2003	R	480	860	650	260
502			2004	R	540	1000	760	290
502			2005	R	560	990	750	310
502			2006	R	570	1000	760	310
502			2007	R	580	1050	980	310
502			2008	R	590	1050	1000	330
502			2009	R	600	1050	790	330
502			2010	R	300	510	390	160
502			2011	R	320	560	640	190
502			2012	R	320	540	520	180
502			2013	T	380	560	540	240
502			2014	T	440	640	640	280
502			2015	T	440	640	640	280
502			2016	T	440	640	640	280
502			2017	LT	360	500	500	280
502			2018	LT	440	620	610	340
502			2019	LT	440	620	610	340
502	CENTURY RD (W)	10.0	1988	SC	650	700	770	580
502			1989	R	700	1300	960	390
502			1990	R	680	1250	990	370
502			1991	R	650	1150	910	380
502			1992	R	600	1050	800	340
502			1993	R	600	1050	800	340
502			1994	R	640	1200	930	350
502			1995	R	640	1150	920	350
502			1996	R	650	1250	940	350
502			1997	LR	650	1100	880	440

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
502			1998	LR	650	1050	860	430
502			1999	LR	660	1100	870	440
502			2000	LR	670	1100	880	450
502			2001	IR	680	840	750	570
502			2002	IR	680	840	750	580
502			2003	IR	690	840	760	590
502			2004	IR	690	850	760	580
502			2005	IR	700	840	770	600
502			2006	IR	700	840	770	590
502			2007	IR	590	710	710	500
502			2008	IR	580	700	690	500
502			2009	IR	580	700	630	490
502			2010	IR	310	370	340	260
502			2011	IR	320	380	370	270
502			2012	IR	310	370	360	270
502			2013	CTR	540	660	680	460
502			2014	CTR	450	550	550	380
502			2015	CTR	430	520	530	370
502			2016	CTR	420	510	520	360
502			2017	CTR	850	1150	1150	690
502			2018	CTR	850	1150	1150	690
502			2019	CTR	850	1150	1150	690
502	SEC HWY 594 HWY END		9999					
510	SEC HWY 520 SPARKS ST MAGNETAWAN	2.8	1988	LT	350	500	490	270
510			1989	LT	350	490	480	260
510			1990	LT	300	440	420	220
510			1991	LT	250	350	340	180
510			1992	LT	250	350	340	190
510			1993	LT	250	350	310	180
510			1994	LT	250	370	350	180
510			1995	LT	250	360	350	180
510			1996	LT	250	350	340	180
510			1997	LT	250	350	340	180
510			1998	LT	240	340	330	180
510			1999	LT	210	290	290	150
510			2000	LT	210	290	290	150
510			2001	LT	190	270	260	140
510			2002	LT	170	240	230	120
510			2003	LT	140	190	190	100
510			2004	LT	150	210	200	110
510			2005	LT	190	260	250	140
510			2006	LT	130	180	170	100
510			2007	LT	180	250	250	130
510			2008	LT	170	230	220	130
510			2009	LT	280	380	370	210

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
510			2010	LT	160	210	210	120
510			2011	LT	350	450	460	290
510			2012	LT	300	390	370	230
510			2013	CTR	220	270	280	190
510			2014	CTR	220	270	270	190
510			2015	CTR	250	300	310	210
510			2016	CTR	220	270	270	190
510			2017	CTR	220	290	290	180
510			2018	CTR	220	290	290	180
510			2019	CTR	220	290	290	180
510	HWY 124 HWY END		9999					
516	SEC HWY 599	73.6	1988	IT	150	220	200	110
516			1989	CTR	150	190	180	130
516			1990	CTR	150	190	180	130
516			1991	CTR	150	190	190	130
516			1992	IT	150	200	190	130
516			1993	IT	150	180	190	130
516			1994	IT	150	200	190	130
516			1995	IT	150	190	180	130
516			1996	IT	150	200	190	120
516			1997	IT	150	200	190	120
516			1998	IT	150	190	190	120
516			1999	IT	150	190	190	120
516			2000	IT	170	220	220	140
516			2001	IT	150	200	190	120
516			2002	IT	180	230	230	150
516			2003	IT	180	230	230	150
516			2004	IR	210	260	230	180
516			2005	IR	190	230	210	160
516			2006	IR	200	240	220	170
516			2007	IR	200	240	240	170
516			2008	IR	210	250	250	180
516			2009	IR	210	250	230	180
516			2010	IR	220	260	240	190
516			2011	IR	130	160	150	110
516			2012	CTR	140	170	170	120
516			2013	CTR	200	240	250	170
516			2014	CTR	190	230	230	160
516			2015	CTR	200	240	250	170
516			2016	CTR	200	240	250	170
516			2017	CTR	200	270	270	160
516			2018	CTR	210	280	280	170
516			2019	CTR	210	280	280	170
516	VERMILION RIVER RD (N)	28.1	1988	IT	300	440	400	220
516			1989	IC	400	460	450	360

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
516			1990	IC	400	460	450	360
516			1991	IC	400	450	440	360
516			1992	LT	300	420	400	230
516			1993	LT	400	550	500	290
516			1994	LT	420	620	590	310
516			1995	C	420	460	470	380
516			1996	C	450	510	510	410
516			1997	C	460	520	520	410
516			1998	C	480	540	540	430
516			1999	C	490	550	550	440
516			2000	C	510	580	580	460
516			2001	C	530	600	600	480
516			2002	C	540	600	610	490
516			2003	C	560	630	630	510
516			2004	C	570	640	640	510
516			2005	C	510	570	570	460
516			2006	C	440	490	490	400
516			2007	C	400	440	450	360
516			2008	LT	300	410	390	220
516			2009	LT	310	420	410	230
516			2010	LT	300	400	400	220
516			2011	LT	300	380	390	250
516			2012	CTR	300	360	360	260
516			2013	CTR	340	410	430	290
516			2014	IR	340	400	410	290
516			2015	IR	320	380	380	270
516			2016	IR	310	370	370	260
516			2017	IR	350	410	410	310
516			2018	IR	350	410	410	310
516			2019	IR	350	410	410	310
516	AIRPORT RD (N)	2.0	1988	CTR	1250	1600	1500	1050
516			1989	SC	1300	1450	1550	1150
516			1990	SC	1350	1500	1600	1200
516			1991	SC	1350	1500	1650	1200
516			1992	SC	1300	1350	1500	1200
516			1993	SC	1500	1650	1850	1350
516			1994	SC	1600	1650	1850	1450
516			1995	UC	1700	1800	1950	1600
516			1996	UC	1700	1800	2000	1600
516			1997	UC	1750	1850	2050	1650
516			1998	UC	1900	2000	2200	1800
516			1999	UC	2150	2300	2500	2050
516			2000	UC	2100	2250	2500	1950
516			2001	UC	2050	2200	2400	1950
516			2002	UC	2000	2150	2350	1850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
516			2003	UC	1950	2050	2300	1850
516			2004	UC	1900	2050	2250	1800
516			2005	UC	1900	2000	2200	1800
516			2006	UC	1800	1900	2100	1700
516			2007	UC	1850	1950	2150	1750
516			2008	UC	1600	1700	1600	1500
516			2009	UC	1800	1900	2100	1700
516			2010	UC	1650	1750	1900	1550
516			2011	UC	1700	1700	1750	1600
516			2012	UC	1700	1700	1800	1600
516			2013	UC	1800	1800	1800	1700
516			2014	IR	1850	2200	2200	1550
516			2015	IR	1800	2150	2150	1550
516			2016	IR	1800	2150	2150	1550
516			2017	IR	1950	2350	2350	1650
516			2018	IR	1800	2200	2150	1550
516			2019	IR	1800	2200	2200	1550
516	SEC HWY 642 HWY END		9999					
518	SAND LAKE START OF NA	15.1	9999					
518	KEARNEY W LTS END OF NA	7.5	1988	CTR	1050	1350	1300	880
518			1989	CTR	1200	1500	1450	1050
518			1990	CTR	1300	1600	1550	1150
518			1991	LT	1300	1800	1750	960
518			1992	LT	1300	1800	1750	1000
518			1993	LT	1300	1800	1600	950
518			1994	LT	1250	1850	1750	910
518			1995	LT	1300	1850	1800	950
518			1996	LT	1350	1900	1850	990
518			1997	LT	1300	1850	1800	960
518			1998	LT	1400	1950	1900	1000
518			1999	LT	1250	1750	1700	910
518			2000	LT	1100	1550	1500	800
518			2001	LT	1250	1750	1700	920
518			2002	LT	1250	1750	1700	920
518			2003	LT	1250	1700	1700	920
518			2004	LT	1200	1700	1650	880
518			2005	LT	1200	1650	1600	880
518			2006	LT	1200	1650	1600	880
518			2007	LT	1200	1650	1700	880
518			2008	LT	1150	1600	1500	850
518			2009	LT	1150	1550	1500	850
518			2010	LT	1150	1550	1500	850
518			2011	CTR	1250	1500	1450	1050
518			2012	CTR	1150	1400	1400	980
518			2013	CTR	1400	1700	1750	1200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
518			2014	CTR	1200	1450	1500	1000
518			2015	CTR	1200	1450	1500	1000
518			2016	CTR	1200	1450	1500	1000
518			2017	CTR	1200	1600	1600	980
518			2018	CTR	1200	1600	1600	980
518			2019	CTR	1200	1600	1600	980
518	SEC HWY 592 EMSDALE	2.8	1988	CTR	1050	1350	1300	880
518			1989	CTR	1200	1500	1450	1050
518			1990	CTR	1300	1600	1550	1150
518			1991	LT	1300	1800	1750	960
518			1992	LT	1300	1800	1750	1000
518			1993	LT	1300	1800	1600	950
518			1994	LT	1250	1850	1750	910
518			1995	LT	1300	1850	1800	950
518			1996	LT	1350	1900	1850	990
518			1997	LT	1300	1850	1800	960
518			1998	LT	1400	1950	1900	1000
518			1999	LT	1400	1950	1900	1000
518			2000	LT	1450	2000	2000	1050
518			2001	LT	1400	1950	1900	1050
518			2002	LT	1450	2050	1950	1050
518			2003	LT	1400	1950	1900	1050
518			2004	LT	1450	2050	1950	1050
518			2005	LT	1450	2000	1950	1050
518			2006	LT	1500	2050	2000	1100
518			2007	LT	1450	2000	2050	1050
518			2008	LT	1500	2050	1950	1100
518			2009	LT	1400	1900	1850	1050
518			2010	LT	1500	2000	2000	1100
518			2011	CTR	1450	1750	1700	1250
518			2012	CTR	1500	1800	1800	1300
518			2013	CTR	1500	1850	1900	1250
518			2014	CTR	1550	1900	1900	1300
518			2015	IT	1550	1950	1900	1300
518			2016	IT	1550	1950	1900	1300
518			2017	CTR	1550	2050	2050	1250
518			2018	CTR	1550	2050	2050	1250
518			2019	CTR	1600	2150	2100	1300
518	HWY 11 DEER LK RD (E) IC	12.4	1988	CTR	1050	1350	1300	880
518			1989	CTR	1200	1500	1450	1050
518			1990	CTR	1300	1600	1550	1150
518			1991	LT	1300	1800	1750	960
518			1992	LT	1300	1800	1750	1000
518			1993	LT	1300	1800	1600	950
518			1994	LT	1250	1850	1750	910

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
518			1995	LT	1300	1850	1800	950
518			1996	LT	1350	1900	1850	990
518			1997	LT	1300	1850	1800	960
518			1998	LT	1400	1950	1900	1000
518			1999	LT	1250	1750	1700	910
518			2000	LT	1450	2000	2000	1050
518			2001	LT	1250	1750	1700	920
518			2002	LT	1200	1700	1650	880
518			2003	LT	1200	1650	1600	890
518			2004	LT	1200	1700	1650	880
518			2005	LT	1100	1500	1450	810
518			2006	LT	1050	1450	1400	770
518			2007	LT	1050	1450	1500	770
518			2008	LT	1050	1450	1400	770
518			2009	HT	850	1300	1150	410
518			2010	HT	980	1450	1300	470
518			2011	CTR	950	1150	1100	810
518			2012	CTR	930	1150	1100	790
518			2013	CTR	900	1100	1150	760
518			2014	CTR	870	1050	1050	740
518			2015	CTR	850	1050	1050	720
518			2016	CTR	800	980	980	680
518			2017	CTR	790	1050	1050	640
518			2018	CTR	760	1000	1000	620
518			2019	CTR	740	990	980	600
518	STISTED ST SPRUCEDALE	5.1	1988	LT	400	570	560	300
518			1989	LT	450	630	620	330
518			1990	LT	450	660	630	330
518			1991	T	300	540	520	190
518			1992	T	300	540	530	190
518			1993	T	300	540	530	190
518			1994	T	310	560	550	190
518			1995	T	360	630	610	220
518			1996	T	360	630	610	220
518			1997	LT	400	560	550	300
518			1998	LT	360	500	490	260
518			1999	LT	360	500	490	260
518			2000	LT	350	490	480	260
518			2001	LT	360	500	490	260
518			2002	LT	360	500	490	260
518			2003	LT	340	470	460	250
518			2004	LT	360	500	490	260
518			2005	LT	360	490	480	260
518			2006	LT	360	490	480	270
518			2007	LT	360	490	510	260

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
518			2008	LT	360	490	470	270
518			2009	LT	360	490	480	270
518			2010	LT	360	480	470	270
518			2011	LR	360	560	520	250
518			2012	LR	360	540	520	250
518			2013	CTR	360	440	450	310
518			2014	CTR	360	440	440	310
518			2015	CTR	360	440	440	310
518			2016	CTR	360	440	440	310
518			2017	CTR	360	480	480	290
518			2018	CTR	360	480	480	290
518			2019	CTR	360	480	480	290
518	BORDEAU RD MCMURRICH TWP	15.0	1988	LT	200	280	280	150
518			1989	LT	200	280	280	150
518			1990	LT	200	290	280	150
518			1991	T	100	180	170	60
518			1992	T	100	180	180	60
518			1993	T	100	180	180	60
518			1994	T	140	250	250	90
518			1995	T	130	230	220	80
518			1996	T	120	210	200	70
518			1997	HR	90	160	130	50
518			1998	HR	120	200	170	70
518			1999	HR	120	200	170	70
518			2000	HR	130	220	180	80
518			2001	HR	110	180	150	70
518			2002	HR	110	180	150	70
518			2003	LR	110	170	140	70
518			2004	LR	110	180	140	70
518			2005	LR	110	170	140	70
518			2006	LT	100	140	130	70
518			2007	LT	100	140	140	70
518			2008	LT	100	140	130	70
518			2009	LT	100	140	130	70
518			2010	LT	100	130	130	70
518			2011	LR	100	150	150	70
518			2012	LR	90	130	130	60
518			2013	CTR	130	160	160	110
518			2014	CTR	100	120	120	80
518			2015	IT	150	190	180	120
518			2016	IT	100	130	120	80
518			2017	IT	100	130	130	80
518			2018	IT	100	130	130	80
518			2019	IT	100	130	130	80
518	NIPISSING RD MONTEITH TWP(IN L 25)	13.2	1988	LT	200	280	280	150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
518			1989	LT	200	280	280	150
518			1990	LT	200	290	280	150
518			1991	T	150	270	260	90
518			1992	T	150	270	260	90
518			1993	T	150	270	260	90
518			1994	LR	170	280	220	110
518			1995	LR	200	340	270	130
518			1996	LR	200	330	270	130
518			1997	IT	210	280	270	170
518			1998	IT	210	270	270	170
518			1999	IT	220	280	280	180
518			2000	LR	250	400	330	170
518			2001	LR	230	380	300	150
518			2002	LR	240	390	310	160
518			2003	LR	240	380	310	160
518			2004	LR	250	410	330	170
518			2005	LR	260	410	330	180
518			2006	LR	250	390	310	170
518			2007	LR	270	420	410	180
518			2008	LR	270	420	410	180
518			2009	LR	280	430	350	190
518			2010	LR	290	430	350	200
518			2011	LR	290	450	420	200
518			2012	LR	300	450	440	210
518			2013	CTR	310	380	390	260
518			2014	CTR	310	380	380	260
518			2015	IT	320	400	390	260
518			2016	IT	330	410	410	270
518			2017	IT	330	440	440	280
518			2018	IT	340	450	450	290
518			2019	IT	340	450	450	290
518	STAR LAKE RD ORRVILLE	16.7	1988	LT	850	1200	1200	650
518			1989	LT	1000	1400	1400	740
518			1990	LT	1100	1600	1550	800
518			1991	LT	1050	1450	1400	780
518			1992	LT	1050	1450	1400	810
518			1993	LT	1100	1500	1350	810
518			1994	HR	1150	2050	1650	700
518			1995	HR	1150	2050	1650	680
518			1996	HR	1200	2100	1700	710
518			1997	LT	1150	1600	1600	850
518			1998	LT	1300	1800	1800	950
518			1999	LT	1300	1800	1750	950
518			2000	LT	1150	1600	1550	840
518			2001	LT	1150	1600	1550	840

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
518			2002	LT	1050	1450	1450	770
518			2003	LT	1150	1600	1550	850
518			2004	LT	920	1300	1250	670
518			2005	LT	890	1200	1200	650
518			2006	LT	690	940	920	510
518			2007	LT	810	1100	1150	600
518			2008	LT	770	1050	1000	570
518			2009	LT	580	780	770	430
518			2010	LT	690	930	910	510
518			2011	LT	590	760	770	490
518			2012	LT	600	780	750	450
518			2013	CTR	1050	1300	1300	890
518			2014	CTR	750	920	920	640
518			2015	CTR	1300	1600	1600	1100
518			2016	CTR	700	850	860	600
518			2017	CTR	680	910	900	550
518			2018	CTR	660	880	880	540
518			2019	CTR	630	840	840	510
518	START OF NA	1.8	9999					
518	HWY 7241 OASTLER PARK DR END OF NA END OF HWY		9999					
519	HWY 17 DAMBROSSIO TWP	30.5	1988	UC	350	370	400	330
519			1989	UC	400	420	450	380
519			1990	C	400	440	440	360
519			1991	C	350	390	390	320
519			1992	C	300	320	330	280
519			1993	C	300	330	330	280
519			1994	C	350	380	390	320
519			1995	C	430	470	480	390
519			1996	C	440	500	500	400
519			1997	C	450	510	510	400
519			1998	C	460	520	520	410
519			1999	C	470	530	530	420
519			2000	SC	620	660	730	550
519			2001	SC	530	570	620	470
519			2002	SC	550	580	640	480
519			2003	SC	450	480	530	400
519			2004	SC	490	520	570	430
519			2005	SC	650	690	760	570
519			2006	SC	420	440	490	370
519			2007	SC	420	440	490	370
519			2008	SC	290	300	290	260
519			2009	SC	410	430	480	360
519			2010	SC	190	200	220	170
519			2011	SC	220	280	260	180
519			2012	UC	250	250	270	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
519			2013	UC	320	320	320	300
519			2014	C	310	340	330	280
519			2015	C	300	330	320	270
519			2016	C	290	320	310	260
519			2017	C	280	310	310	250
519			2018	C	270	300	290	240
519			2019	C	350	380	380	320
519	GREEN LAKE RD DUNPHY TWP HWY END		9999					
520			1988	LT	2000	2850	2800	1500
520			1989	LT	2300	3200	3150	1700
520			1990	LT	2450	3600	3450	1800
520			1991	LT	2450	3450	3300	1800
520			1992	LT	2450	3400	3300	1900
520			1993	LT	2500	3450	3100	1850
520			1994	LT	2500	3650	3550	1800
520			1995	LT	2600	3750	3650	1900
520			1996	LT	2700	3800	3700	2000
520			1997	SC	2400	2550	2800	2150
520			1998	SC	2850	3000	3350	2550
520			1999	SC	2900	3050	3400	2600
520			2000	LT	3100	4300	4250	2250
520			2001	LT	3100	4350	4200	2250
520			2002	LT	3150	4400	4300	2300
520			2003	LT	3250	4450	4350	2400
520			2004	LT	3350	4700	4550	2450
520			2005	LT	3400	4650	4550	2500
520			2006	LT	3550	4850	4750	2600
520			2007	LT	3600	4950	5100	2650
520			2008	LT	3650	5000	4800	2700
520			2009	LT	3650	4950	4800	2700
520			2010	LT	3850	5150	5050	2850
520			2011	LT	4400	5650	5750	3600
520			2012	LT	4100	5350	5100	3100
520			2013	CTR	4250	5150	5350	3600
520			2014	CTR	4350	5300	5350	3700
520			2015	CTR	4400	5350	5400	3750
520			2016	CTR	4500	5500	5550	3800
520			2017	CR	4700	5450	5500	4250
520			2018	CR	4700	5450	5500	4200
520			2019	CR	4800	5550	5600	4300
520	**HWY 11**	**1.30**	**2019**	**CR**	**4800**	**5550**	**5600**	**4300**
520	BURKS FALLS S LTS START OF NA	1.0	9999					
520	ONTARIO ST BURK'S FALLS	1.2	1988	LT	1150	1650	1600	870
520			1989	LT	1250	1750	1700	920
520			1990	LT	1350	1950	1900	990

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
520			1991	LT	1350	1900	1800	1000
520			1992	LT	1350	1900	1800	1050
520			1993	LT	1400	1950	1750	1050
520			1994	LT	1400	2050	2000	1000
520			1995	LT	1500	2150	2100	1100
520			1996	LT	1550	2200	2150	1150
520			1997	LT	1550	2200	2150	1150
520			1998	LT	1650	2300	2250	1200
520			1999	LT	1550	2150	2100	1150
520			2000	LT	1700	2350	2300	1250
520			2001	LT	1600	2250	2200	1150
520			2002	LT	1600	2250	2200	1150
520			2003	LT	1600	2200	2150	1200
520			2004	LT	1650	2300	2250	1200
520			2005	LT	1650	2250	2200	1200
520			2006	LT	1650	2250	2200	1200
520			2007	LT	1650	2250	2350	1200
520			2008	LT	1650	2250	2150	1200
520			2009	LT	1600	2150	2100	1200
520			2010	LT	1700	2300	2250	1250
520			2011	CTR	1700	2050	2000	1450
520			2012	CTR	1700	2050	2050	1450
520			2013	CTR	1700	2050	2150	1450
520			2014	CTR	1700	2050	2100	1450
520			2015	CTR	1550	1900	1900	1300
520			2016	CTR	1700	2050	2100	1450
520			2017	CTR	1650	2200	2200	1350
520			2018	CTR	1700	2250	2250	1400
520			2019	CTR	1700	2250	2250	1400
520	BURKS FALLS W LTS(ARMOUR TWP BDY)	21.6	1988	LT	750	1050	1050	570
520			1989	LT	750	1050	1050	560
520			1990	LT	800	1150	1100	580
520			1991	LR	800	1400	1100	500
520			1992	LR	800	1300	1050	530
520			1993	LR	800	1300	1050	520
520			1994	LR	770	1250	1000	500
520			1995	LR	810	1350	1100	530
520			1996	LR	820	1350	1100	550
520			1997	LT	770	1100	1050	570
520			1998	LT	840	1200	1150	610
520			1999	LT	860	1200	1150	630
520			2000	LT	900	1250	1250	660
520			2001	LT	900	1250	1250	660
520			2002	LT	910	1250	1250	670
520			2003	LT	930	1300	1250	690

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
520			2004	LT	950	1350	1300	700
520			2005	LT	960	1300	1300	710
520			2006	LT	990	1350	1300	730
520			2007	LT	990	1350	1400	730
520			2008	LT	1000	1350	1300	740
520			2009	LT	990	1350	1300	730
520			2010	LT	1050	1400	1400	780
520			2011	LR	870	1350	1250	610
520			2012	LR	1050	1550	1500	720
520			2013	CTR	1050	1300	1300	890
520			2014	CTR	1050	1300	1300	890
520			2015	IT	930	1150	1150	770
520			2016	IT	1050	1300	1300	870
520			2017	IT	1050	1400	1400	890
520			2018	IT	1100	1450	1450	930
520			2019	IT	1100	1450	1450	930
520	SEC HWY 510 CHAPMAN TWP	2.7	1988	HT	600	1200	1100	260
520			1989	HT	700	1400	1250	320
520			1990	HT	800	1600	1450	360
520			1991	T	800	1450	1400	500
520			1992	T	800	1450	1400	500
520			1993	T	800	1450	1400	500
520			1994	LR	810	1350	1050	530
520			1995	LR	850	1450	1150	560
520			1996	LR	880	1450	1200	590
520			1997	LR	800	1350	1100	540
520			1998	LR	940	1550	1250	620
520			1999	LR	940	1550	1250	620
520			2000	LT	1000	1400	1350	730
520			2001	LT	1000	1400	1350	730
520			2002	LT	1050	1450	1450	770
520			2003	LT	1050	1450	1400	780
520			2004	LT	1100	1550	1500	810
520			2005	LT	1100	1500	1450	810
520			2006	LT	1150	1550	1550	850
520			2007	LT	1150	1600	1600	840
520			2008	LT	1200	1650	1550	890
520			2009	LT	1150	1550	1500	850
520			2010	LT	1250	1700	1650	920
520			2011	LR	1050	1600	1500	740
520			2012	LR	1250	1850	1800	860
520			2013	CTR	870	1050	1100	740
520			2014	CTR	1200	1450	1500	1000
520			2015	IT	1050	1300	1300	870
520			2016	IT	1200	1500	1500	990

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
520			2017	IT	1200	1600	1600	1000
520			2018	IT	1250	1650	1650	1050
520			2019	IT	1250	1650	1650	1050
520	E JCT HWY 124 CHAPMAN/CROFT TWP BDY OVERLAP HWY 124 (43720)	15.4	9999					
520	W JCT HWY 124	6.3	1988	HT	400	800	720	180
520			1989	HT	400	800	720	180
520			1990	HT	450	900	810	200
520			1991	T	450	810	780	280
520			1992	T	450	810	790	280
520			1993	T	450	810	790	280
520			1994	T	480	870	840	300
520			1995	T	540	940	910	330
520			1996	T	560	970	950	340
520			1997	IT	590	770	760	490
520			1998	IT	610	790	780	490
520			1999	IT	600	770	760	490
520			2000	IT	680	880	860	560
520			2001	IT	630	820	800	510
520			2002	IT	640	830	820	530
520			2003	CTR	640	800	760	540
520			2004	CTR	670	850	810	560
520			2005	CTR	670	830	800	570
520			2006	T	660	1000	980	410
520			2007	T	690	1050	1000	430
520			2008	T	710	1100	1050	450
520			2009	LT	690	930	910	510
520			2010	LT	730	980	960	540
520			2011	LR	610	940	880	430
520			2012	LR	720	1050	1050	490
520			2013	LT	730	950	950	550
520			2014	LT	740	970	980	560
520			2015	LT	600	780	800	450
520			2016	LT	730	950	970	550
520			2017	LT	740	1000	1000	580
520			2018	LT	750	1000	1050	590
520			2019	LT	760	1050	1050	600
520	6.300 KM N OF W JCT HWY 124	11.7	1994	T	480	870	840	300
520			1995	T	540	940	910	330
520			1996	T	560	970	950	340
520			1997	IT	590	770	760	490
520			1998	IT	610	790	780	490
520			1999	IT	600	770	760	490
520			2000	IT	680	880	860	560
520			2001	IT	630	820	800	510
520			2002	IT	640	830	820	530

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
520			2003	CTR	640	800	760	540
520			2004	CTR	670	850	810	560
520			2005	CTR	670	830	800	570
520			2006	T	660	1000	980	410
520			2007	T	590	910	870	370
520			2008	T	590	890	880	370
520			2009	LT	690	930	910	510
520			2010	LT	240	320	320	180
520			2011	LT	590	760	770	490
520			2012	LT	590	770	730	450
520			2013	LT	530	690	690	400
520			2014	LT	520	680	690	390
520			2015	LT	380	500	500	290
520			2016	LT	510	670	680	390
520			2017	LT	420	590	580	320
520			2018	LT	500	700	690	390
520			2019	LT	490	690	680	380
520	18.000 KM N OF W JCT HWY 124	7.3	1994	T	480	870	840	300
520			1995	T	540	940	910	330
520			1996	T	560	970	950	340
520			1997	IT	590	770	760	490
520			1998	IT	610	790	780	490
520			1999	IT	600	770	760	490
520			2000	IT	680	880	860	560
520			2001	IT	630	820	800	510
520			2002	IT	640	830	820	530
520			2003	CTR	640	800	760	540
520			2004	CTR	670	850	810	560
520			2005	CTR	670	830	800	570
520			2006	T	660	1000	980	410
520			2007	T	600	930	890	380
520			2008	T	600	910	890	380
520			2009	LT	690	930	910	510
520			2010	LR	310	460	380	210
520			2011	LR	610	940	880	430
520			2012	LR	610	910	890	420
520			2013	LR	610	910	1050	410
520			2014	LR	400	600	610	270
520			2015	LR	290	430	440	200
520			2016	LR	400	600	610	270
520			2017	LR	490	740	740	350
520			2018	LR	490	740	740	350
520			2019	LR	480	720	720	350
520	END OF HWY 520		9999					
522	HWY 11/ MCFADDEN LINE IC	2.6	1988	IT	700	1000	930	520

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
522			1989	IT	800	1100	1050	620
522			1990	IT	850	1100	1050	710
522			1991	IT	850	1100	1050	730
522			1992	IT	1000	1300	1250	850
522			1993	IT	1200	1500	1500	1000
522			1994	HT	990	1950	1800	450
522			1995	HT	1000	1900	1700	450
522			1996	HT	1050	2000	1800	480
522			1997	LT	1050	1500	1450	780
522			1998	LT	1100	1550	1500	800
522			1999	LT	1000	1400	1350	730
522			2000	LT	1100	1550	1500	800
522			2001	LT	1000	1400	1350	730
522			2002	LT	990	1400	1350	730
522			2003	LT	880	1200	1200	650
522			2004	LT	980	1350	1350	720
522			2005	LT	950	1300	1250	700
522			2006	LT	960	1300	1300	710
522			2007	LT	920	1250	1300	680
522			2008	LT	910	1250	1200	670
522			2009	LT	900	1200	1200	670
522			2010	LT	880	1200	1150	650
522			2011	LT	650	830	850	530
522			2012	LT	830	1100	1050	630
522			2013	CTR	880	1050	1100	750
522			2014	CTR	830	1000	1000	710
522			2015	CTR	850	1050	1050	720
522			2016	CTR	790	960	970	670
522			2017	IR	850	1050	1000	720
522			2018	IR	780	950	940	660
522			2019	IR	770	940	930	660
522	HWY 522B/MAIN ST START OF NA	0.6	9999					
522	BARRETT ST END OF NA	20.7	2010	LT	880	1200	1150	650
522			2011	LT	650	830	850	530
522			2012	LT	830	1100	1050	630
522			2013	CTR	880	1050	1100	750
522			2014	CTR	810	990	1000	690
522			2015	CTR	850	1050	1050	720
522			2016	CTR	790	960	970	670
522			2017	IR	800	970	960	680
522			2018	IR	820	1000	990	700
522			2019	IR	820	1000	990	700
522	COMMANDA CK BR	5.2	1988	IT	700	1000	930	520
522			1989	IT	700	970	940	550
522			1990	IT	700	890	870	590

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
522			1991	LR	550	970	760	350
522			1992	LR	650	1050	840	430
522			1993	LR	750	1200	970	490
522			1994	IT	670	870	830	570
522			1995	IT	680	870	830	580
522			1996	IT	680	900	870	560
522			1997	LT	650	920	900	480
522			1998	LT	690	970	950	500
522			1999	LT	650	900	880	470
522			2000	LT	690	960	940	500
522			2001	LT	640	900	870	470
522			2002	LT	630	880	860	460
522			2003	LT	590	810	790	440
522			2004	LT	620	870	840	450
522			2005	LT	610	840	820	450
522			2006	LT	610	840	810	450
522			2007	LT	600	820	850	440
522			2008	LT	590	810	770	440
522			2009	LT	590	800	780	440
522			2010	LT	580	780	760	430
522			2011	LT	570	730	740	470
522			2012	LT	570	740	710	430
522			2013	LT	650	850	850	490
522			2014	LT	570	740	760	430
522			2015	LT	570	740	760	430
522			2016	LT	560	730	740	420
522			2017	LT	560	710	710	470
522			2018	LT	550	700	700	460
522			2019	LT	540	690	690	450
522	SEC HWY 524 (N)	32.5	1988	IT	500	720	660	370
522			1989	IT	500	700	670	390
522			1990	IT	500	640	620	420
522			1991	LR	500	880	700	320
522			1992	LR	700	1150	900	460
522			1993	LR	850	1350	1100	560
522			1994	IT	630	820	780	540
522			1995	IT	650	830	790	560
522			1996	IT	670	880	860	550
522			1997	LT	600	850	830	440
522			1998	LT	710	990	970	520
522			1999	LT	660	920	900	480
522			2000	LT	710	990	970	520
522			2001	LT	670	940	910	490
522			2002	LT	670	940	910	490
522			2003	LT	630	870	850	470

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
522			2004	LT	670	940	910	490
522			2005	LT	680	930	910	500
522			2006	IT	680	870	860	560
522			2007	IT	680	870	910	560
522			2008	IT	680	870	830	570
522			2009	IT	690	870	870	570
522			2010	IT	690	860	870	570
522			2011	LT	690	880	900	570
522			2012	LT	690	900	860	520
522			2013	CTR	700	850	880	590
522			2014	CTR	680	830	840	580
522			2015	CTR	610	740	750	520
522			2016	CTR	680	830	840	580
522			2017	CTR	690	920	920	560
522			2018	CTR	690	920	920	560
522			2019	CTR	690	920	920	560
522	EAST RD NORTH RD WILSON & HARDY TWPS	46.8	1988	IT	400	580	530	300
522			1989	IT	400	560	540	310
522			1990	IT	400	510	500	340
522			1991	LR	300	530	420	190
522			1992	LR	300	480	390	200
522			1993	LR	350	560	450	230
522			1994	R	370	680	540	200
522			1995	R	350	640	500	190
522			1996	R	350	670	500	190
522			1997	LR	330	550	450	220
522			1998	LR	350	580	470	230
522			1999	LR	370	610	490	240
522			2000	LR	350	570	460	230
522			2001	LR	390	640	510	260
522			2002	LR	390	640	510	260
522			2003	IT	470	600	600	380
522			2004	IT	410	540	520	330
522			2005	IT	420	530	530	350
522			2006	LR	400	620	500	270
522			2007	LR	430	670	650	290
522			2008	LR	440	690	670	300
522			2009	LR	440	670	550	300
522			2010	LR	450	670	550	310
522			2011	LR	350	540	510	250
522			2012	LR	440	660	640	300
522			2013	CTR	360	440	450	310
522			2014	CTR	430	520	530	370
522			2015	IT	430	540	530	360
522			2016	IT	440	550	540	360

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
522			2017	IT	440	580	580	370
522			2018	IT	450	590	590	380
522			2019	IT	450	600	600	380
522	GRUNDY LK PROV PARK RD (N) MOWAT TWP	1.0	1988	R	400	750	550	210
522			1989	R	550	1000	750	300
522			1990	R	650	1200	940	350
522			1991	LR	650	1150	900	410
522			1992	LR	600	970	770	400
522			1993	LR	550	890	710	360
522			1994	T	560	1000	990	350
522			1995	T	640	1100	1100	390
522			1996	T	650	1150	1100	400
522			1997	T	650	1100	1100	400
522			1998	T	690	1150	1150	420
522			1999	T	690	1150	1150	430
522			2000	T	750	1250	1200	460
522			2001	T	720	1200	1150	450
522			2002	T	740	1200	1150	460
522			2003	LR	710	1100	900	480
522			2004	LR	770	1250	1000	510
522			2005	LR	780	1200	980	530
522			2006	LR	800	1250	1000	540
522			2007	LR	820	1300	1250	550
522			2008	LR	830	1300	1250	570
522			2009	LR	850	1300	1050	580
522			2010	LR	870	1300	1050	590
522			2011	LR	880	1350	1300	620
522			2012	LR	900	1350	1300	620
522			2013	R	910	1550	1800	500
522			2014	R	930	1550	1600	510
522			2015	LR	950	1400	1450	640
522			2016	LR	960	1450	1450	650
522			2017	LR	980	1650	1600	670
522			2018	LR	1000	1650	1600	690
522			2019	LR	1000	1650	1650	680
522	HWY 69 HWY END		9999					
522B	HWY 522/MAIN ST TROUT CREEK	1.9	2004	UNCL	N/A			
522B			2005	UNCL	N/A			
522B			2006	UNCL	N/A			
522B			2007	UNCL	N/A			
522B			2008	UNCL	N/A			
522B			2009	UNCL	N/A			
522B			2010	UNCL	N/A			
522B			2011	UNCL	N/A			
522B			2012	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
522B			2013	UNCL	N/A			
522B			2014	UNCL	N/A			
522B			2015	UNCL	N/A			
522B			2016	UNCL	N/A			
522B			2017	UNCL	N/A			
522B			2018	C	1400	1550	1550	1250
522B			2019	C	1450	1600	1600	1300
522B	HEMLOCK RD END OF HWY		9999					
523			1988	LT	300	430	420	230
523			1989	LT	300	420	410	220
523			1990	LT	300	440	420	220
523			1991	LT	300	420	400	220
523			1992	LT	300	420	400	230
523			1993	LT	300	410	370	220
523			1994	LT	340	500	480	250
523			1995	IR	350	430	390	300
523			1996	IR	360	450	400	310
523			1997	IR	370	460	410	310
523			1998	IR	380	470	430	320
523			1999	IR	370	460	410	310
523			2000	IR	380	470	420	320
523			2001	IR	370	460	410	310
523			2002	IR	410	510	450	350
523			2003	IR	430	520	470	370
523			2004	CR	550	680	640	460
523			2005	CR	450	550	520	380
523			2006	CR	450	550	520	380
523			2007	CTR	410	510	500	350
523			2008	CTR	480	590	580	410
523			2009	CTR	490	600	580	420
523			2010	CTR	500	610	580	420
523			2011	CTR	510	620	600	430
523			2012	CTR	520	630	620	440
523			2013	CTR	530	650	670	450
523			2014	CTR	400	490	490	340
523			2015	CTR	390	480	480	330
523			2016	CTR	420	510	520	360
523			2017	CTR	500	670	660	410
523			2018	CTR	500	670	670	410
523			2019	CTR	510	680	680	410
523	**HASTINGS CTY NIPISSING DIST BDY**	**20.10**	**2019**	**CTR**	**510**	**680**	**680**	**410**
523	HWY 60 MADAWASKA HWY END		9999					
524			1988	T	250	460	440	150
524			1989	T	250	450	440	160
524			1990	T	250	460	440	160

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
524			1991	T	250	450	430	160
524			1992	T	250	450	440	160
524			1993	T	300	540	530	190
524			1994	R	330	610	480	180
524			1995	R	280	510	400	150
524			1996	R	290	550	420	160
524			1997	T	270	460	460	170
524			1998	T	300	510	500	180
524			1999	T	290	490	480	180
524			2000	T	300	500	470	190
524			2001	T	290	480	460	180
524			2002	T	280	460	440	170
524			2003	LT	280	390	380	210
524			2004	LT	280	390	380	210
524			2005	LT	280	380	380	210
524			2006	LT	280	380	370	210
524			2007	LT	270	370	380	200
524			2008	LT	270	370	350	200
524			2009	LT	270	360	360	200
524			2010	LT	270	360	360	200
524			2011	LT	270	350	350	220
524			2012	LT	260	340	320	200
524			2013	CTR	260	320	330	220
524			2014	CTR	260	320	320	220
524			2015	CTR	260	320	320	220
524			2016	CTR	260	320	320	220
524			2017	CTR	250	330	330	200
524			2018	CTR	250	330	330	200
524			2019	CTR	250	330	330	200
524	**SEC HWY 522**	**4.60**	**2019**	**CTR**	**250**	**330**	**330**	**200**
524	SEC HWY 534 HWY END		9999					
525	SEC HWY 596	35.4	1988	IT	200	290	270	150
525			1989	CTR	250	320	300	220
525			1990	CTR	250	310	300	220
525			1991	CTR	250	320	310	220
525			1992	CTR	200	250	240	170
525			1993	CTR	200	250	240	170
525			1994	CTR	240	310	290	200
525			1995	CTR	230	300	280	190
525			1996	CTR	250	320	310	210
525			1997	LR	250	420	340	170
525			1998	LR	260	430	350	170
525			1999	LR	230	380	300	150
525			2000	LR	230	370	300	150
525			2001	LR	200	330	260	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
525			2002	LR	220	360	290	150
525			2003	LR	200	320	250	130
525			2004	LR	210	340	270	140
525			2005	LR	200	310	250	140
525			2006	LR	200	310	250	140
525			2007	LR	190	300	290	130
525			2008	LR	190	300	290	130
525			2009	LR	180	270	220	120
525			2010	CTR	180	220	210	150
525			2011	CTR	170	210	200	140
525			2012	CTR	260	320	310	220
525			2013	CTR	170	210	210	140
525			2014	CTR	180	220	220	150
525			2015	CTR	180	220	220	150
525			2016	CTR	170	210	210	140
525			2017	CTR	170	230	230	140
525			2018	CTR	170	230	230	140
525			2019	CTR	160	210	210	130
525	ISLINGTON IND.RESERV.S LTS HWY END		9999					
526			1988	CTR	500	650	610	420
526			1989	CTR	500	640	600	430
526			1990	CTR	500	620	590	440
526			1991	CTR	500	630	620	440
526			1992	CTR	500	620	600	440
526			1993	CTR	500	630	600	420
526			1994	LT	500	730	710	360
526			1995	LT	500	720	700	370
526			1996	LT	500	710	690	370
526			1997	IT	450	590	580	370
526			1998	IT	500	640	640	400
526			1999	IT	520	670	660	420
526			2000	LT	560	780	760	410
526			2001	LT	540	760	740	400
526			2002	LT	540	750	740	400
526			2003	LT	550	760	740	410
526			2004	LT	560	780	760	410
526			2005	LT	560	770	750	410
526			2006	LT	570	780	760	420
526			2007	LT	580	800	820	430
526			2008	LT	580	790	760	430
526			2009	LT	580	780	770	430
526			2010	LT	600	810	790	440
526			2011	LT	540	690	710	440
526			2012	LT	600	780	750	450
526			2013	UC	590	590	590	560

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
526			2014	UC	610	610	590	580
526			2015	UC	610	610	590	580
526			2016	UC	620	620	600	590
526			2017	UC	620	620	620	590
526			2018	UC	630	620	630	600
526			2019	UC	640	630	640	620
526	**HWY 69**	**3.60**	**2019**	**UC**	**640**	**630**	**640**	**620**
526	BRITT POST OFFICE HWY END		9999					
527			1988	CR	1350	1750	1600	1100
527			1989	CR	1350	1750	1600	1150
527			1990	CR	1200	1500	1400	1100
527			1991	CR	1200	1500	1400	1100
527			1992	CR	1150	1400	1300	1050
527			1993	IR	1200	1500	1250	980
527			1994	IR	1300	1600	1450	1100
527			1995	IR	1300	1600	1450	1100
527			1996	IR	1550	1950	1750	1300
527			1997	CR	1300	1600	1550	1100
527			1998	CR	1300	1600	1500	1100
527			1999	CR	1350	1650	1600	1150
527			2000	CR	1350	1650	1600	1150
527			2001	CR	1300	1600	1500	1100
527			2002	CR	1350	1650	1600	1150
527			2003	CR	1300	1600	1500	1100
527			2004	CR	1300	1600	1500	1100
527			2005	CR	1200	1450	1400	1000
527			2006	CR	1200	1450	1400	1000
527			2007	CR	1200	1450	1450	1000
527			2008	CR	1150	1400	1400	970
527			2009	CR	960	1150	1100	820
527			2010	CR	1100	1300	1250	930
527			2011	CR	950	1100	1100	850
527			2012	CR	980	1150	1150	830
527			2013	CR	1000	1200	1250	850
527			2014	CTR	990	1200	1200	840
527			2015	CTR	960	1150	1200	820
527			2016	CTR	940	1150	1150	800
527			2017	CTR	1150	1550	1550	940
527			2018	CTR	1150	1550	1550	940
527			2019	CTR	1150	1550	1550	940
527	**HWYS 11/17**	**6.66**	**2019**	**CTR**	**1150**	**1550**	**1550**	**940**
527	TCPL COMP STA 68 RD (W) MACGREGOR TWP	28.6	1997	IR	520	650	580	440
527			1998	IR	550	680	620	460
527			1999	IR	300	370	330	250
527			2000	IR	490	600	540	410

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
527			2001	IR	580	720	640	490
527			2002	IR	900	1100	1000	770
527			2003	IR	800	970	880	680
527			2004	IR	830	1050	920	700
527			2005	IT	850	1100	1100	710
527			2006	IT	1000	1250	1250	820
527			2007	IR	900	1100	1100	760
527			2008	IR	820	990	970	700
527			2009	IT	770	970	970	640
527			2010	IT	600	750	750	500
527			2011	IT	1050	1400	1400	860
527			2012	IT	630	790	760	520
527			2013	IT	890	1100	1100	740
527			2014	IT	960	1200	1200	790
527			2015	IT	940	1200	1150	780
527			2016	IT	960	1200	1200	790
527			2017	CTR	850	1150	1150	690
527			2018	CTR	1000	1350	1350	810
527			2019	CTR	1000	1350	1350	810
527	DORION RD (E) DORION CUT OFF RD (E)	48.5	1988	C	600	670	670	540
527			1989	C	600	670	670	540
527			1990	LT	500	730	700	360
527			1991	LT	500	700	680	370
527			1992	LT	500	700	680	380
527			1993	LT	450	620	560	330
527			1994	LT	590	870	830	430
527			1995	LT	600	860	840	440
527			1996	LT	820	1150	1150	600
527			1997	LT	600	850	830	440
527			1998	LT	600	840	820	440
527			1999	LT	630	880	860	460
527			2000	LT	620	860	850	450
527			2001	LT	620	870	840	450
527			2002	LT	600	840	820	440
527			2003	LT	610	840	820	450
527			2004	LT	600	840	820	440
527			2005	LT	600	820	800	440
527			2006	LT	650	890	870	480
527			2007	IR	590	710	710	500
527			2008	IR	530	640	630	450
527			2009	IT	460	580	580	380
527			2010	IT	400	500	500	330
527			2011	IT	540	720	730	440
527			2012	IT	370	460	450	310
527			2013	IT	460	580	580	380

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
527			2014	IT	390	490	480	320
527			2015	IT	440	550	540	360
527			2016	IT	430	540	530	360
527			2017	IT	470	620	620	400
527			2018	IT	410	540	540	350
527			2019	IT	390	520	520	330
527	LAC DES ILES MINE RD (W)	19.0	2007	IR	400	480	480	340
527			2008	IR	360	440	430	310
527			2009	IT	320	400	400	270
527			2010	IT	290	360	360	240
527			2011	IT	360	480	480	300
527			2012	IT	280	350	340	230
527			2013	IT	320	400	400	260
527			2014	IT	280	350	340	230
527			2015	IT	300	380	370	250
527			2016	IT	300	380	370	250
527			2017	CR	330	380	380	300
527			2018	CR	470	550	550	420
527			2019	CR	470	550	550	420
527	TERTIARY RD 811 (W)	32.1	1988	LT	250	360	350	190
527			1989	LT	250	350	340	180
527			1990	LT	200	290	280	150
527			1991	LT	200	280	270	150
527			1992	LT	200	280	270	150
527			1993	LT	200	280	250	150
527			1994	LT	210	310	300	150
527			1995	LT	210	300	290	150
527			1996	LT	240	340	330	180
527			1997	LT	200	280	280	150
527			1998	LT	190	270	260	140
527			1999	LT	190	260	260	140
527			2000	LT	200	280	270	150
527			2001	LT	200	280	270	150
527			2002	LT	190	270	260	140
527			2003	LT	190	260	260	140
527			2004	LT	190	270	260	140
527			2005	LT	180	250	240	130
527			2006	LT	190	260	250	140
527			2007	CTR	210	260	260	180
527			2008	CTR	190	240	230	160
527			2009	IC	180	200	200	160
527			2010	IC	180	200	200	160
527			2011	IC	180	200	210	160
527			2012	IC	180	200	190	160
527			2013	IC	180	200	200	160

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
527			2014	CR	170	200	200	140
527			2015	CR	170	200	200	140
527			2016	CR	170	200	200	140
527			2017	CR	170	200	200	150
527			2018	CR	170	200	200	150
527			2019	CR	170	200	200	150
527	HURKETT RD (E)	59.5	1988	LT	150	210	210	110
527			1989	LT	150	210	210	110
527			1990	LT	200	290	280	150
527			1991	LT	200	280	270	150
527			1992	LT	200	280	270	150
527			1993	LT	250	350	310	180
527			1994	LT	240	350	340	170
527			1995	LT	250	360	350	180
527			1996	LT	280	400	390	210
527			1997	LT	280	390	390	210
527			1998	LT	290	410	400	210
527			1999	LT	280	390	380	200
527			2000	LT	280	390	380	200
527			2001	LT	280	390	380	210
527			2002	LT	270	380	370	200
527			2003	LT	290	400	390	210
527			2004	LT	290	410	390	210
527			2005	LT	300	410	400	220
527			2006	LT	290	400	390	210
527			2007	LT	270	370	380	200
527			2008	LT	250	340	330	180
527			2009	LT	260	350	340	190
527			2010	LT	200	270	260	150
527			2011	LT	260	330	340	210
527			2012	LT	170	220	210	130
527			2013	LT	240	310	310	180
527			2014	UC	230	230	220	220
527			2015	UC	230	230	220	220
527			2016	UC	230	230	220	220
527			2017	UC	230	230	230	220
527			2018	UC	230	230	230	220
527			2019	UC	220	220	220	210
527	OBONGA LAKE RD/WABAKIMI WILDERNESS LODGE (W)	30.6	2019	UNCL	N/A			
527	1ST AVE ARMSTRONG HWY END		9999					
528	HWY 64 LAFRENIERE'S CORS	11.9	1988	T	350	640	610	210
528			1989	T	400	720	700	250
528			1990	T	400	730	700	250
528			1991	T	400	720	690	250
528			1992	LR	450	720	580	300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
528			1993	LR	450	720	580	290
528			1994	LR	500	820	660	330
528			1995	LR	480	810	650	310
528			1996	LR	550	920	740	370
528			1997	LT	570	800	790	420
528			1998	LT	640	900	880	470
528			1999	LT	570	790	780	420
528			2000	LT	580	810	790	420
528			2001	LT	550	770	750	400
528			2002	LT	600	840	820	440
528			2003	LT	610	840	820	450
528			2004	LT	640	900	870	470
528			2005	LT	610	840	820	450
528			2006	LT	620	850	830	460
528			2007	LT	620	850	870	460
528			2008	LT	630	860	830	460
528			2009	LT	580	780	770	430
528			2010	LT	640	860	840	470
528			2011	LT	550	700	720	450
528			2012	LT	630	820	780	480
528			2013	LT	630	820	820	480
528			2014	LT	640	840	850	480
528			2015	LT	650	850	860	490
528			2016	LT	650	850	860	490
528			2017	LT	660	840	840	550
528			2018	LT	660	840	840	550
528			2019	LT	670	850	850	560
528	SEC HWY 528A	1.6	1988	T	180	330	320	110
528			1989	T	180	330	320	110
528			1990	T	180	330	310	110
528			1991	T	180	330	310	110
528			1992	LR	150	240	190	100
528			1993	LR	150	240	190	100
528			1994	LR	170	280	220	110
528			1995	LR	140	240	190	90
528			1996	LR	170	280	230	110
528			1997	LR	170	290	230	110
528			1998	LR	210	350	280	140
528			1999	LR	180	300	240	120
528			2000	LR	180	290	240	120
528			2001	LR	170	280	220	110
528			2002	LR	190	310	250	130
528			2003	LR	200	320	250	130
528			2004	LR	200	330	260	130
528			2005	LR	200	310	250	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
528			2006	LR	210	330	260	140
528			2007	LR	210	330	320	140
528			2008	LR	220	340	330	150
528			2009	LR	220	330	270	150
528			2010	LR	220	330	270	150
528			2011	LR	230	360	330	160
528			2012	LR	230	340	330	160
528			2013	LT	240	310	310	180
528			2014	LT	240	310	320	180
528			2015	LT	240	310	320	180
528			2016	LT	250	330	330	190
528			2017	LT	250	320	320	210
528			2018	LT	260	330	330	220
528			2019	LT	260	330	330	220
528	WOLSELEY BAY HWY END		9999					
528A	SEC HWY 528	5.1	1988	R	100	190	140	50
528A			1989	R	100	180	140	60
528A			1990	R	100	190	140	50
528A			1991	R	100	180	140	60
528A			1992	LR	100	160	130	70
528A			1993	LR	100	160	130	70
528A			1994	LR	110	180	150	70
528A			1995	LR	110	180	150	70
528A			1996	LR	120	200	160	80
528A			1997	LR	120	200	160	80
528A			1998	LR	120	200	160	80
528A			1999	LR	100	160	130	70
528A			2000	LR	100	160	130	70
528A			2001	LR	70	110	90	50
528A			2002	LR	90	150	120	60
528A			2003	LR	80	130	100	50
528A			2004	LR	70	110	90	50
528A			2005	LR	80	120	100	50
528A			2006	LR	80	120	100	50
528A			2007	LR	70	110	110	50
528A			2008	LR	60	90	90	40
528A			2009	LR	60	90	70	40
528A			2010	LR	60	90	70	40
528A			2011	LR	50	80	70	40
528A			2012	LR	50	70	70	30
528A			2013	R	80	140	160	40
528A			2014	R	50	80	90	30
528A			2015	LR	80	120	120	50
528A			2016	LR	50	70	80	30
528A			2017	LR	40	70	60	30

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
528A			2018	LR	40	70	60	30
528A			2019	LR	80	130	130	50
528A	PINE COVE HWY END		9999					
529	S JCT HWY 69	6.8	1988	T	250	460	440	150
529			1989	T	250	450	440	160
529			1990	T	250	460	440	160
529			1991	T	300	540	520	190
529			1992	T	300	540	530	190
529			1993	T	300	540	530	190
529			1994	IR	330	410	360	280
529			1995	IR	340	420	370	290
529			1996	IR	350	430	390	300
529			1997	LR	380	640	510	250
529			1998	LR	380	630	510	250
529			1999	LR	370	610	490	240
529			2000	LR	400	650	520	270
529			2001	LR	380	620	500	250
529			2002	LR	380	620	500	260
529			2003	LR	380	600	480	260
529			2004	LR	390	640	510	260
529			2005	LR	360	560	450	250
529			2006	LR	380	590	480	260
529			2007	LR	360	560	540	240
529			2008	LR	360	560	550	250
529			2009	LR	270	410	330	180
529			2010	LR	360	540	440	240
529			2011	LR	350	540	510	250
529			2012	LR	350	520	510	240
529			2013	LR	350	520	600	240
529			2014	LR	350	520	530	240
529			2015	LR	260	390	400	180
529			2016	LR	330	490	500	220
529			2017	LR	330	550	530	230
529			2018	LR	330	550	530	230
529			2019	LR	330	550	540	230
529	SEC HWY 529A BAYFIELD RD	16.9	1988	T	50	90	90	30
529			1989	T	50	90	90	30
529			1990	T	50	90	90	30
529			1991	T	50	90	90	30
529			1992	T	50	90	90	30
529			1993	T	50	90	90	30
529			1994	LT	40	60	60	30
529			1995	LT	50	70	70	40
529			1996	LT	50	70	70	40
529			1997	LR	40	70	50	30

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
529			1998	LR	50	80	70	30
529			1999	LR	50	80	70	30
529			2000	LR	50	80	70	30
529			2001	LR	50	80	70	30
529			2002	LR	50	80	70	30
529			2003	LR	50	80	60	30
529			2004	LR	50	80	70	30
529			2005	LR	50	80	60	30
529			2006	LT	50	70	70	40
529			2007	LT	50	70	70	40
529			2008	LT	50	70	70	40
529			2009	LT	50	70	70	40
529			2010	LT	50	70	70	40
529			2011	LT	50	60	70	40
529			2012	LT	50	70	60	40
529			2013	CTR	50	60	60	40
529			2014	CTR	50	60	60	40
529			2015	CTR	50	60	60	40
529			2016	CTR	50	60	60	40
529			2017	CTR	50	70	70	40
529			2018	CTR	50	70	70	40
529			2019	CTR	50	70	70	40
529	SEC HWY 645	2.1	1988	CTR	150	200	180	130
529			1989	CTR	150	190	180	130
529			1990	CTR	150	190	180	130
529			1991	IR	200	250	220	170
529			1992	IR	200	250	220	170
529			1993	IR	200	250	210	160
529			1994	CTR	200	260	240	170
529			1995	CTR	200	260	250	170
529			1996	CTR	210	270	260	180
529			1997	LT	220	310	300	160
529			1998	LT	220	310	300	160
529			1999	LT	220	310	300	160
529			2000	LT	230	320	310	170
529			2001	LT	220	310	300	160
529			2002	LT	230	320	310	170
529			2003	LT	230	320	310	170
529			2004	LT	230	320	310	170
529			2005	LT	230	320	310	170
529			2006	LT	230	310	310	170
529			2007	LT	230	320	320	170
529			2008	LT	240	330	310	180
529			2009	LT	230	310	300	170
529			2010	LT	240	320	320	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
529			2011	LT	220	280	290	180
529			2012	LT	240	310	300	180
529			2013	CTR	240	290	300	200
529			2014	CTR	240	290	300	200
529			2015	CR	210	250	250	180
529			2016	CR	240	280	280	200
529			2017	CR	240	280	280	220
529			2018	CR	240	280	280	220
529			2019	CR	240	280	280	220
529	N JCT HWY 69 HWY END		9999					
529A	SEC HWY 529	4.5	1988	T	150	270	260	90
529A			1989	T	150	270	260	90
529A			1990	T	150	270	260	90
529A			1991	T	150	270	260	90
529A			1992	T	150	270	260	90
529A			1993	T	150	270	260	90
529A			1994	T	140	250	250	90
529A			1995	T	150	260	250	90
529A			1996	T	150	260	250	90
529A			1997	LR	160	270	220	110
529A			1998	LR	150	250	200	100
529A			1999	LR	150	250	200	100
529A			2000	LR	150	240	200	100
529A			2001	LR	160	260	210	110
529A			2002	LR	160	260	210	110
529A			2003	LR	160	250	200	110
529A			2004	LR	160	260	210	110
529A			2005	LR	160	250	200	110
529A			2006	LR	160	250	200	110
529A			2007	LR	160	250	240	110
529A			2008	LR	160	250	240	110
529A			2009	LR	140	210	170	100
529A			2010	LR	160	240	200	110
529A			2011	LR	160	250	230	110
529A			2012	LR	160	240	230	110
529A			2013	R	160	270	320	90
529A			2014	R	160	270	280	90
529A			2015	LR	160	240	240	110
529A			2016	LR	160	240	240	110
529A			2017	LR	160	270	260	110
529A			2018	LR	160	270	260	110
529A			2019	LR	160	270	260	110
529A	BAYFIELD LODGE BAYFIELD HWY END		9999					
531	BONFIELD TWP RD C 8 9 BONFIELD	3.5	1988	IC	1000	1150	1150	880
531			1989	IC	1100	1250	1250	980

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
531			1990	IC	1100	1250	1250	980
531			1991	IC	1100	1250	1200	980
531			1992	IC	1100	1200	1200	1000
531			1993	IC	1100	1250	1250	980
531			1994	IC	1200	1350	1350	1050
531			1995	IC	1200	1350	1350	1100
531			1996	IC	1250	1400	1400	1100
531			1997	IR	1300	1600	1450	1100
531			1998	IR	1350	1650	1500	1150
531			1999	IR	1250	1550	1400	1050
531			2000	IR	1300	1600	1450	1100
531			2001	IR	1300	1600	1450	1100
531			2002	IR	1300	1600	1450	1100
531			2003	IR	1300	1600	1450	1100
531			2004	IR	1250	1550	1400	1050
531			2005	IR	1300	1550	1400	1100
531			2006	IR	1300	1550	1400	1100
531			2007	IR	1300	1550	1550	1100
531			2008	IR	1350	1650	1600	1150
531			2009	IC	1350	1500	1500	1200
531			2010	IC	1350	1500	1500	1200
531			2011	IC	1150	1250	1300	1050
531			2012	IC	1300	1450	1400	1150
531			2013	UC	1300	1300	1300	1250
531			2014	UC	1300	1300	1250	1250
531			2015	UC	1150	1150	1100	1100
531			2016	UC	1300	1300	1250	1250
531			2017	UC	1300	1300	1300	1250
531			2018	UC	1300	1300	1300	1250
531			2019	UC	1300	1300	1300	1250
531	HWY 17 HWY END		9999					
532			1988	CTR	450	580	550	380
532			1989	CTR	450	570	540	390
532			1990	CTR	450	560	530	390
532			1991	CTR	550	690	690	480
532			1992	CTR	550	680	650	480
532			1993	CTR	550	690	670	470
532			1994	SC	560	580	640	520
532			1995	SC	560	590	650	510
532			1996	SC	570	610	670	510
532			1997	SC	590	630	690	530
532			1998	SC	600	640	700	530
532			1999	SC	620	660	730	550
532			2000	SC	590	630	690	520
532			2001	SC	560	600	660	490

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
532			2002	SC	550	580	640	480
532			2003	SC	620	650	720	550
532			2004	SC	540	580	630	480
532			2005	CTR	450	560	540	380
532			2006	CTR	540	670	640	460
532			2007	CTR	530	660	650	450
532			2008	CR	530	640	640	450
532			2009	CR	520	620	600	440
532			2010	CTR	520	630	610	440
532			2011	CTR	510	620	600	430
532			2012	IC	450	500	480	400
532			2013	IC	490	540	540	430
532			2014	IC	440	490	480	390
532			2015	IC	470	520	520	420
532			2016	IC	460	510	510	410
532			2017	IC	460	500	510	420
532			2018	IC	450	500	500	410
532			2019	IC	440	480	490	400
532	**SEC HWY 556**	**14.23**	**2019**	**IC**	**440**	**480**	**490**	**400**
532	CHRISTINA MINE RD HWY END		9999					
533	HWY 17 MCCONNELL ST START OF NA	1.0	9999					
533	MATTAWA END OF NA	3.8	1988	LT	400	570	560	300
533			1989	LT	500	700	690	370
533			1990	LT	500	730	700	360
533			1991	LT	500	700	680	370
533			1992	LT	600	830	810	460
533			1993	LT	600	830	740	440
533			1994	LT	620	910	880	450
533			1995	LT	640	920	890	470
533			1996	LT	670	950	920	490
533			1997	LT	690	970	950	510
533			1998	LT	770	1100	1050	560
533			1999	LT	720	1000	980	530
533			2000	LT	740	1050	1000	540
533			2001	IR	790	980	880	670
533			2002	IR	830	1000	920	710
533			2003	IR	750	910	830	640
533			2004	IR	770	950	850	650
533			2005	IR	740	890	810	630
533			2006	IR	790	950	860	670
533			2007	IT	710	910	950	580
533			2008	CR	640	770	770	540
533			2009	CR	750	900	870	640
533			2010	CR	770	920	890	650
533			2011	LT	660	850	860	540

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
533			2012	LT	640	830	800	480
533			2013	CTR	640	780	800	540
533			2014	IR	720	860	860	610
533			2015	IR	700	830	840	600
533			2016	IR	700	830	840	600
533			2017	IR	650	790	780	550
533			2018	IR	700	850	850	590
533			2019	IR	700	850	850	600
533	SEC HWY 656 LA CAVE RD	48.6	1988	LT	200	280	280	150
533			1989	LT	200	280	280	150
533			1990	LT	200	290	280	150
533			1991	LT	200	280	270	150
533			1992	LT	200	280	270	150
533			1993	LT	200	280	250	150
533			1994	LT	210	310	300	150
533			1995	LT	270	390	380	200
533			1996	LT	200	280	280	150
533			1997	LR	200	340	270	130
533			1998	LR	190	310	250	130
533			1999	LR	210	340	280	140
533			2000	LR	210	340	270	140
533			2001	LR	200	330	260	130
533			2002	LR	200	330	260	140
533			2003	LR	200	320	250	130
533			2004	LT	170	240	230	120
533			2005	LT	210	290	280	150
533			2006	IR	220	270	240	190
533			2007	IR	200	240	240	170
533			2008	IR	200	240	240	170
533			2009	IR	230	280	250	200
533			2010	IR	200	240	220	170
533			2011	LT	310	400	400	250
533			2012	LT	220	290	270	170
533			2013	CTR	230	280	290	200
533			2014	CTR	230	280	280	200
533			2015	CTR	290	350	360	250
533			2016	CTR	240	290	300	200
533			2017	CTR	240	320	320	200
533			2018	CTR	240	320	320	200
533			2019	CTR	250	330	330	200
533	HWY 63 HWY END		9999					
534	NORTHERN MTO REGION	0.2	1997	CTR	500	640	620	420
534			1998	CTR	500	640	610	420
534			1999	CTR	500	630	600	420
534			2000	CTR	500	630	600	420

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
534			2001	CTR	500	630	600	420
534			2002	CTR	500	630	600	420
534			2003	CTR	500	620	600	420
534			2004	CTR	500	630	600	420
534			2005	CTR	500	620	590	420
534			2006	CTR	500	620	590	420
534			2007	CTR	500	620	610	420
534			2008	CTR	500	620	610	420
534			2009	CTR	500	610	590	420
534			2010	CTR	500	610	580	420
534			2011	CTR	500	610	580	420
534			2012	CTR	600	730	720	510
534			2013	CTR	520	630	650	440
534			2014	CTR	1100	1350	1350	940
534			2015	CTR	2100	2550	2600	1800
534			2016	CTR	2100	2550	2600	1800
534			2017	CTR	1250	1650	1650	1000
534			2018	CTR	1300	1750	1750	1050
534			2019	CTR	1350	1800	1800	1100
534	HWY 11 POWASSAN	13.2	1988	CTR	600	780	730	500
534			1989	CTR	600	760	730	520
534			1990	CTR	600	750	710	520
534			1991	CTR	600	760	750	520
534			1992	CTR	600	740	710	520
534			1993	CTR	550	690	670	470
534			1994	CTR	660	840	810	550
534			1995	CTR	680	870	840	570
534			1996	CTR	690	880	850	580
534			1997	CTR	730	930	900	610
534			1998	CTR	730	930	890	610
534			1999	CTR	740	930	900	620
534			2000	CTR	800	1000	970	670
534			2001	CTR	770	970	930	650
534			2002	CTR	780	980	940	660
534			2003	CTR	860	1050	1050	730
534			2004	CTR	800	1000	970	670
534			2005	CTR	790	980	940	670
534			2006	CTR	750	930	890	640
534			2007	CTR	810	1000	990	690
534			2008	CTR	820	1000	1000	700
534			2009	CTR	770	940	910	650
534			2010	CTR	840	1000	980	710
534			2011	CTR	750	910	880	640
534			2012	CTR	830	1000	990	710
534			2013	CTR	710	860	890	600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
534			2014	CTR	820	1000	1000	700
534			2015	CTR	820	1000	1000	700
534			2016	CTR	830	1000	1000	710
534			2017	IR	830	1000	1000	710
534			2018	IR	840	1000	1000	710
534			2019	IR	840	1000	1000	720
534	SEC HWY 654	17.0	1988	LT	300	430	420	230
534			1989	LT	400	560	550	300
534			1990	LT	450	660	630	330
534			1991	LT	450	630	610	330
534			1992	LT	450	630	610	350
534			1993	LT	450	620	560	330
534			1994	LR	450	740	600	290
534			1995	LR	480	810	650	310
534			1996	LR	490	820	660	330
534			1997	LT	500	700	690	370
534			1998	LT	520	730	710	380
534			1999	LT	530	740	720	390
534			2000	LT	550	770	750	400
534			2001	LT	550	770	750	400
534			2002	LT	570	800	780	420
534			2003	LT	600	830	810	440
534			2004	LT	590	830	800	430
534			2005	LT	570	780	760	420
534			2006	LT	600	820	800	440
534			2007	LT	590	810	830	430
534			2008	LT	600	820	790	440
534			2009	LT	530	720	700	390
534			2010	LT	620	830	820	460
534			2011	LT	530	680	690	440
534			2012	LT	610	800	760	460
534			2013	CTR	500	610	630	420
534			2014	CTR	600	730	740	510
534			2015	CTR	570	700	700	480
534			2016	CTR	600	730	740	510
534			2017	CTR	610	820	810	500
534			2018	CTR	610	810	810	500
534			2019	CTR	620	830	820	500
534	SEC HWY 524	4.5	1988	T	350	640	610	210
534			1989	T	400	720	700	250
534			1990	T	450	820	780	280
534			1991	T	450	810	780	280
534			1992	T	450	810	790	280
534			1993	T	450	810	790	280
534			1994	LR	470	770	620	310

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
534			1995	LR	480	810	650	310
534			1996	LR	500	840	670	330
534			1997	T	500	860	840	310
534			1998	T	530	900	890	320
534			1999	T	520	870	850	320
534			2000	T	550	910	870	340
534			2001	T	530	870	840	330
534			2002	T	540	880	850	340
534			2003	T	520	820	780	330
534			2004	T	550	900	870	340
534			2005	T	560	870	840	350
534			2006	LR	570	890	710	380
534			2007	LR	570	890	860	380
534			2008	LR	580	910	880	400
534			2009	LR	590	900	730	400
534			2010	LR	600	900	730	410
534			2011	LR	530	820	770	370
534			2012	LR	590	880	860	400
534			2013	CTR	600	730	750	510
534			2014	CTR	610	740	750	520
534			2015	CTR	610	740	750	520
534			2016	CTR	620	760	760	530
534			2017	CTR	620	830	820	510
534			2018	CTR	630	840	840	510
534			2019	CTR	630	840	840	510
534	COMMANDA LAKE RD RESTOULE	9.0	1988	T	200	370	350	120
534			1989	T	250	450	440	160
534			1990	T	250	460	440	160
534			1991	T	250	450	430	160
534			1992	T	250	450	440	160
534			1993	T	300	540	530	190
534			1994	LR	290	480	380	190
534			1995	LR	250	420	340	160
534			1996	LR	250	420	340	170
534			1997	T	220	380	370	140
534			1998	T	240	410	400	150
534			1999	T	240	400	390	150
534			2000	T	250	410	400	160
534			2001	T	230	380	360	140
534			2002	T	220	360	350	140
534			2003	LR	220	350	280	150
534			2004	LR	210	340	270	140
534			2005	LR	210	330	260	140
534			2006	LR	200	310	250	140
534			2007	LR	200	310	300	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
534			2008	LR	190	300	290	130
534			2009	LR	190	290	240	130
534			2010	LR	180	270	220	120
534			2011	LR	180	280	260	130
534			2012	LR	170	250	250	120
534			2013	CTR	170	210	210	140
534			2014	CTR	160	200	200	140
534			2015	CTR	160	200	200	140
534			2016	CTR	150	180	180	130
534			2017	CTR	150	200	200	120
534			2018	CTR	140	190	190	110
534			2019	CTR	140	190	190	110
534	PATTERSON LK RD HWY END		9999					
535	HWY 64 NOELVILLE	38.5	1988	CTR	700	910	850	590
535			1989	T	750	1350	1300	470
535			1990	T	800	1450	1400	500
535			1991	T	800	1450	1400	500
535			1992	LR	750	1200	970	500
535			1993	LR	750	1200	970	490
535			1994	LR	860	1400	1150	560
535			1995	LR	860	1450	1150	560
535			1996	LR	930	1550	1250	620
535			1997	LR	960	1600	1300	640
535			1998	LR	1000	1650	1350	660
535			1999	LR	930	1550	1250	610
535			2000	LR	930	1500	1200	620
535			2001	LR	940	1550	1200	630
535			2002	LR	940	1550	1200	640
535			2003	LR	940	1500	1200	630
535			2004	CTR	940	1200	1150	790
535			2005	CTR	950	1200	1150	810
535			2006	IT	930	1200	1200	760
535			2007	IT	960	1250	1300	790
535			2008	IT	970	1250	1200	810
535			2009	IR	970	1150	1050	820
535			2010	IR	970	1150	1050	830
535			2011	IR	980	1150	1150	840
535			2012	IR	980	1150	1150	840
535			2013	IR	990	1200	1250	840
535			2014	IR	990	1200	1200	840
535			2015	CTR	990	1200	1200	840
535			2016	CTR	1000	1200	1250	850
535			2017	CTR	1000	1350	1350	810
535			2018	CTR	1000	1350	1350	810
535			2019	CTR	1000	1350	1350	810

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
535	HWY 17 HAGAR	10.3	1988	IC	350	410	400	310
535			1989	IC	400	460	450	360
535			1990	IC	450	510	500	400
535			1991	IC	450	510	500	400
535			1992	IC	350	390	390	320
535			1993	IC	400	450	450	360
535			1994	IC	420	470	470	370
535			1995	LR	430	720	580	280
535			1996	LR	430	720	580	290
535			1997	LT	440	620	610	330
535			1998	LT	430	600	590	310
535			1999	LT	440	610	600	320
535			2000	LT	450	630	610	330
535			2001	CTR	450	570	540	380
535			2002	CTR	450	570	540	380
535			2003	CTR	460	570	550	390
535			2004	CTR	460	580	560	390
535			2005	CTR	460	570	550	390
535			2006	IT	470	600	590	390
535			2007	IT	460	590	620	380
535			2008	IT	470	600	570	390
535			2009	CTR	460	560	540	390
535			2010	CTR	480	580	560	410
535			2011	CTR	420	510	490	360
535			2012	CTR	470	570	560	400
535			2013	CTR	410	500	520	350
535			2014	CTR	460	560	570	390
535			2015	CR	460	540	540	390
535			2016	CR	460	540	540	390
535			2017	CR	450	520	520	410
535			2018	CR	460	530	540	410
535			2019	CR	460	530	540	410
535	RIVIERE VEUVE HWY END		9999					
537	JCT HWY 7279	5.5	1988	C	800	890	890	720
537			1989	C	850	940	950	760
537			1990	C	900	1000	1000	810
537			1991	C	900	990	1000	820
537			1992	C	850	920	940	780
537			1993	C	800	870	890	740
537			1994	C	810	890	900	730
537			1995	C	770	840	860	700
537			1996	C	830	940	940	750
537			1997	C	850	960	970	760
537			1998	C	680	770	770	610
537			1999	C	740	830	840	670

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
537			2000	C	730	820	820	660
537			2001	IC	700	780	790	620
537			2002	IC	690	770	780	610
537			2003	IC	680	760	770	600
537			2004	CTR	650	820	790	550
537			2005	CTR	680	840	810	580
537			2006	IC	650	720	730	580
537			2007	IC	660	730	760	580
537			2008	IC	650	720	700	570
537			2009	IC	720	800	810	640
537			2010	IC	630	700	700	560
537			2011	IC	620	680	710	560
537			2012	IC	610	680	660	540
537			2013	IC	600	660	660	530
537			2014	IC	590	650	650	520
537			2015	IC	580	640	640	510
537			2016	IC	570	630	630	510
537			2017	IC	560	610	620	510
537			2018	IC	550	610	610	500
537			2019	IC	540	590	600	490
537	WANAPITEI R BR CLELAND	10.6	1988	C	1500	1650	1650	1350
537			1989	C	1600	1800	1800	1450
537			1990	C	1700	1900	1900	1550
537			1991	C	1800	2000	2000	1650
537			1992	C	1800	1950	2000	1650
537			1993	C	2100	2300	2300	1950
537			1994	C	2400	2650	2700	2150
537			1995	C	2900	3150	3250	2650
537			1996	C	2750	3100	3150	2500
537			1997	C	2900	3300	3300	2600
537			1998	C	3100	3500	3500	2800
537			1999	C	2850	3200	3200	2550
537			2000	C	2850	3200	3200	2550
537			2001	UC	2950	3150	3450	2750
537			2002	UC	2900	3100	3400	2700
537			2003	UC	2900	3050	3400	2750
537			2004	UC	2750	2950	3250	2600
537			2005	UC	2950	3100	3450	2750
537			2006	C	3000	3350	3350	2700
537			2007	C	3000	3350	3400	2700
537			2008	C	3000	3300	3250	2700
537			2009	C	3050	3350	3400	2750
537			2010	C	3050	3350	3400	2750
537			2011	C	3100	3400	3450	2800
537			2012	C	3100	3400	3350	2800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
537			2013	CTR	3100	3750	3900	2650
537			2014	CTR	3150	3850	3850	2700
537			2015	CTR	3150	3850	3850	2700
537			2016	CTR	3150	3850	3850	2700
537			2017	CTR	3200	4300	4250	2600
537			2018	CTR	3200	4250	4250	2600
537			2019	CTR	3250	4350	4300	2650
537	FINNI RD DRYDEN TWP START OF NA	3.6	9999					
537	HWY 17 END OF NA HWY END		9999					
538	E JCT HWY 17	4.7	1988	HT	50	100	90	20
538			1989	HT	50	100	90	20
538			1990	HT	50	100	90	20
538			1991	HT	40	80	70	20
538			1992	HT	40	80	70	20
538			1993	HT	40	80	70	20
538			1994	LT	40	60	60	30
538			1995	LT	50	70	70	40
538			1996	LT	50	70	70	40
538			1997	HT	90	170	150	40
538			1998	HT	60	110	100	30
538			1999	HT	60	110	100	30
538			2000	HT	60	110	90	30
538			2001	HT	60	110	90	30
538			2002	HT	60	110	90	30
538			2003	IT	70	90	90	60
538			2004	IT	60	80	80	50
538			2005	IR	60	70	70	50
538			2006	IR	60	70	70	50
538			2007	IR	60	70	70	50
538			2008	IR	60	70	70	50
538			2009	IR	60	70	70	50
538			2010	CTR	60	70	70	50
538			2011	CTR	60	70	70	50
538			2012	UC	60	60	60	60
538			2013	UC	60	60	60	60
538			2014	C	50	60	50	40
538			2015	C	60	70	60	50
538			2016	C	60	70	60	50
538			2017	C	60	70	70	50
538			2018	C	60	70	70	50
538			2019	C	60	70	70	50
538	MIRANDA BLVD (N)	0.9	1997	LT	200	280	280	150
538			1998	LT	200	280	270	150
538			1999	LT	200	280	270	150
538			2000	LT	200	280	270	150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
538			2001	LT	180	250	250	130
538			2002	LT	170	240	230	120
538			2003	LT	120	170	160	90
538			2004	LT	160	220	220	120
538			2005	CTR	190	240	230	160
538			2006	CTR	150	190	180	130
538			2007	CTR	150	190	180	130
538			2008	CTR	140	170	170	120
538			2009	CTR	140	170	170	120
538			2010	IT	140	180	180	120
538			2011	IT	130	170	170	110
538			2012	SC	200	210	200	180
538			2013	SC	140	150	130	120
538			2014	UC	230	230	220	220
538			2015	UC	150	150	140	140
538			2016	UC	150	150	140	140
538			2017	UC	150	150	150	140
538			2018	UC	150	150	150	140
538			2019	UC	150	150	150	140
538	W JCT HWY 17 HWY END		9999					
539	HWY 17 WARREN	23.4	1988	IC	450	520	510	400
539			1989	IC	500	580	560	440
539			1990	IC	500	570	560	440
539			1991	IC	500	560	560	440
539			1992	IC	600	670	660	550
539			1993	IC	600	680	670	530
539			1994	IC	580	650	650	520
539			1995	IC	600	670	680	540
539			1996	IC	620	700	700	550
539			1997	IC	630	710	710	550
539			1998	IC	640	720	720	570
539			1999	IC	620	690	690	550
539			2000	IC	620	690	690	550
539			2001	IC	650	730	730	570
539			2002	IC	620	690	700	550
539			2003	IC	620	690	700	550
539			2004	IC	600	670	670	530
539			2005	IC	610	680	680	540
539			2006	IC	600	670	670	530
539			2007	IC	610	680	700	540
539			2008	IC	610	680	650	540
539			2009	IC	600	670	670	530
539			2010	IC	610	680	680	540
539			2011	IC	610	670	700	550
539			2012	IC	610	680	660	540

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
539			2013	CTR	610	740	770	520
539			2014	CTR	610	740	750	520
539			2015	CTR	610	740	750	520
539			2016	CTR	610	740	750	520
539			2017	CTR	610	820	810	500
539			2018	CTR	610	810	810	500
539			2019	CTR	610	810	810	500
539	SEC HWY 539A RIVER VALLEY	13.6	1988	IC	450	520	510	400
539			1989	IC	500	580	560	440
539			1990	IC	500	570	560	440
539			1991	IC	500	560	560	440
539			1992	LT	450	630	610	350
539			1993	LT	450	620	560	330
539			1994	LT	490	720	690	360
539			1995	LT	510	730	710	370
539			1996	LT	520	730	720	380
539			1997	LT	540	760	750	400
539			1998	LT	470	660	640	340
539			1999	LT	500	700	680	360
539			2000	LT	500	700	680	360
539			2001	LT	500	700	680	370
539			2002	LT	500	700	680	370
539			2003	LT	500	690	670	370
539			2004	IC	500	560	560	440
539			2005	IC	500	560	560	440
539			2006	IC	500	560	560	440
539			2007	IC	500	560	570	440
539			2008	IC	500	550	540	440
539			2009	IT	490	620	620	410
539			2010	IT	500	630	630	410
539			2011	IT	500	670	670	410
539			2012	IT	490	610	590	410
539			2013	UC	490	490	490	460
539			2014	UC	490	490	470	460
539			2015	CTR	490	600	600	420
539			2016	CTR	490	600	600	420
539			2017	CTR	490	650	650	400
539			2018	CTR	490	650	650	400
539			2019	CTR	490	650	650	400
539	HWY 64 FIELD HWY END		9999					
539A	SEC HWY 539	5.8	1988	IC	500	580	560	440
539A			1989	IC	450	520	510	400
539A			1990	IC	450	510	500	400
539A			1991	IC	450	510	500	400
539A			1992	LT	450	630	610	350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
539A			1993	LT	450	620	560	330
539A			1994	LT	450	660	640	330
539A			1995	LT	430	620	600	310
539A			1996	LT	430	610	590	320
539A			1997	LT	420	590	580	310
539A			1998	LT	450	630	620	330
539A			1999	LT	430	600	580	310
539A			2000	LT	430	600	590	310
539A			2001	LT	430	600	590	320
539A			2002	LT	430	600	590	320
539A			2003	LT	430	590	580	320
539A			2004	LT	430	600	590	320
539A			2005	LT	440	600	590	320
539A			2006	LT	430	590	570	320
539A			2007	LT	440	600	620	320
539A			2008	LT	440	600	580	320
539A			2009	LT	470	630	620	350
539A			2010	LT	440	590	580	320
539A			2011	LT	440	560	570	360
539A			2012	LT	440	570	550	330
539A			2013	CTR	530	650	670	450
539A			2014	CTR	460	560	570	390
539A			2015	CTR	470	570	580	400
539A			2016	CTR	560	680	690	480
539A			2017	CTR	480	640	640	390
539A			2018	CTR	490	650	650	400
539A			2019	CTR	490	650	650	400
539A	TERTIARY RD 805 HWY END		9999					
540	HWY 6 MANITOWANING ST START OF NA	1.0	9999					
540	HOWLAND ST (S)	29.5	1988	LT	1150	1650	1600	870
540			1989	LT	1200	1650	1650	890
540			1990	LT	1250	1800	1750	910
540			1991	LT	1300	1800	1750	960
540			1992	LT	1400	1950	1900	1100
540			1993	LT	1400	1950	1750	1050
540			1994	LT	1500	2200	2100	1100
540			1995	LT	1500	2150	2100	1100
540			1996	LT	1600	2250	2200	1200
540			1997	LT	1650	2350	2300	1200
540			1998	LT	1750	2450	2400	1300
540			1999	LT	1750	2450	2400	1300
540			2000	LT	1800	2500	2450	1300
540			2001	LT	1850	2600	2500	1350
540			2002	LT	1950	2750	2650	1450
540			2003	LT	2000	2750	2700	1500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540			2004	LT	2050	2850	2800	1500
540			2005	LT	2000	2750	2700	1450
540			2006	LT	2050	2800	2750	1500
540			2007	CR	2150	2600	2600	1800
540			2008	CR	2000	2400	2400	1700
540			2009	CTR	2200	2700	2600	1850
540			2010	CTR	2250	2750	2650	1900
540			2011	CTR	2300	2800	2700	1950
540			2012	LT	2000	2600	2500	1500
540			2013	CTR	2300	2800	2900	1950
540			2014	CTR	2050	2500	2500	1750
540			2015	CTR	2350	2850	2900	2000
540			2016	CTR	2400	2950	2950	2050
540			2017	CTR	2450	3250	3250	2000
540			2018	IR	2550	3100	3100	2150
540			2019	IR	2500	3050	3050	2150
540	SEC HWY 551 M'CHIGNEEG	14.8	1988	IC	1050	1200	1200	920
540			1989	IC	1100	1250	1250	980
540			1990	IC	1150	1300	1300	1000
540			1991	IC	1150	1300	1300	1000
540			1992	LT	1200	1650	1600	920
540			1993	LT	1300	1800	1600	950
540			1994	LT	1250	1850	1750	910
540			1995	LT	1350	1950	1900	990
540			1996	LT	1300	1850	1800	960
540			1997	LT	1350	1900	1850	1000
540			1998	LT	1250	1750	1700	910
540			1999	LT	1300	1800	1750	950
540			2000	LT	1300	1800	1750	950
540			2001	LT	1300	1800	1750	950
540			2002	LT	1300	1800	1750	950
540			2003	LT	1300	1800	1750	960
540			2004	LT	1300	1800	1750	950
540			2005	LT	1300	1800	1750	960
540			2006	LT	1300	1800	1750	960
540			2007	LT	1300	1800	1850	960
540			2008	LT	1300	1800	1700	960
540			2009	LT	1250	1700	1650	920
540			2010	IT	1200	1500	1500	990
540			2011	IT	1250	1700	1700	1050
540			2012	LT	1250	1650	1550	950
540			2013	LT	1250	1650	1650	940
540			2014	LT	1250	1650	1650	940
540			2015	LT	1250	1650	1650	940
540			2016	LT	1250	1650	1650	940

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540			2017	LT	1250	1600	1600	1050
540			2018	LT	1250	1600	1600	1050
540			2019	LT	1250	1600	1600	1050
540	MAPLE POINT RD KAGAWONG	16.6	1988	IC	1100	1300	1250	970
540			1989	IC	1150	1300	1300	1000
540			1990	IC	1200	1350	1350	1050
540			1991	IC	1200	1350	1350	1050
540			1992	LT	1200	1650	1600	920
540			1993	LT	1200	1650	1500	880
540			1994	LT	1200	1750	1700	870
540			1995	LT	1250	1800	1750	910
540			1996	LT	1250	1750	1700	920
540			1997	LT	1300	1850	1800	960
540			1998	LT	1250	1750	1700	910
540			1999	LT	1300	1800	1750	950
540			2000	LT	1350	1900	1850	990
540			2001	LT	1350	1900	1850	990
540			2002	LT	1350	1900	1850	990
540			2003	LT	1350	1850	1800	1000
540			2004	LT	1400	1950	1900	1050
540			2005	LT	1350	1850	1800	990
540			2006	LT	1350	1850	1800	990
540			2007	LT	1350	1850	1900	990
540			2008	LT	1350	1850	1750	1000
540			2009	LT	1350	1800	1800	1000
540			2010	UC	1200	1250	1400	1150
540			2011	UC	1350	1350	1400	1300
540			2012	LT	1350	1750	1700	1000
540			2013	LT	1350	1750	1750	1000
540			2014	LT	1350	1750	1800	1000
540			2015	LT	1400	1850	1850	1050
540			2016	LT	1400	1850	1850	1050
540			2017	LT	1450	2050	2000	1100
540			2018	LT	1400	1950	1950	1100
540			2019	LT	1400	1950	1950	1100
540	E JCT SEC HWYS 540B/542	1.2	1988	LT	450	640	630	340
540			1989	LT	500	700	690	370
540			1990	LT	500	730	700	360
540			1991	LT	500	700	680	370
540			1992	LT	500	700	680	380
540			1993	LT	500	690	620	370
540			1994	LT	530	780	750	390
540			1995	LT	520	750	730	380
540			1996	LT	530	750	730	390
540			1997	LT	530	750	730	390

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540			1998	LT	670	940	920	490
540			1999	LT	640	890	870	470
540			2000	LT	710	990	970	520
540			2001	CR	700	860	820	590
540			2002	CR	770	950	900	650
540			2003	CR	810	990	950	690
540			2004	CR	910	1100	1050	770
540			2005	LT	860	1200	1150	630
540			2006	LT	840	1150	1100	620
540			2007	LT	860	1200	1200	630
540			2008	LT	850	1150	1100	630
540			2009	LT	910	1250	1200	670
540			2010	UC	820	870	950	770
540			2011	UC	960	960	1000	910
540			2012	LT	970	1250	1200	730
540			2013	LT	1000	1300	1300	750
540			2014	LT	860	1100	1150	650
540			2015	LT	1050	1350	1400	790
540			2016	LT	1050	1350	1400	790
540			2017	LT	1100	1400	1400	920
540			2018	LT	1100	1400	1400	920
540			2019	LT	1150	1450	1450	960
540	W JCT SEC HWY 540B POPLAR RD	5.5	1988	LT	750	1050	1050	570
540			1989	LT	800	1100	1100	590
540			1990	LT	850	1250	1200	620
540			1991	LT	850	1200	1150	630
540			1992	LT	800	1100	1100	620
540			1993	LT	800	1100	990	590
540			1994	LT	920	1350	1300	670
540			1995	LT	910	1300	1250	670
540			1996	LT	970	1350	1350	710
540			1997	LT	990	1400	1350	730
540			1998	LT	1100	1550	1500	800
540			1999	LT	1050	1450	1450	770
540			2000	LT	1100	1550	1500	800
540			2001	LT	1100	1550	1500	810
540			2002	LT	1100	1550	1500	810
540			2003	LT	1100	1500	1500	810
540			2004	LT	1200	1700	1650	880
540			2005	LT	1050	1450	1400	770
540			2006	LT	1100	1500	1450	810
540			2007	LT	1100	1500	1550	810
540			2008	LT	1100	1500	1450	810
540			2009	LT	1100	1500	1450	810
540			2010	SC	990	1050	1150	870

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540			2011	SC	1150	1450	1350	920
540			2012	CTR	1150	1400	1400	980
540			2013	CTR	1100	1350	1400	930
540			2014	CTR	1000	1200	1250	850
540			2015	CTR	1100	1350	1350	940
540			2016	CTR	1150	1400	1400	980
540			2017	CTR	1100	1450	1450	900
540			2018	CTR	1150	1550	1550	940
540			2019	CTR	1150	1550	1550	940
540	SEC HWY 540A AIRPORT RD	14.7	1988	LT	500	710	700	380
540			1989	LT	580	810	800	430
540			1990	LT	600	880	840	440
540			1991	LT	600	840	810	440
540			1992	LT	600	830	810	460
540			1993	LT	600	830	740	440
540			1994	LT	670	980	950	490
540			1995	LT	640	920	890	470
540			1996	LT	710	1000	980	520
540			1997	LT	730	1050	1000	540
540			1998	LT	840	1200	1150	610
540			1999	LT	770	1050	1050	560
540			2000	LT	820	1150	1100	600
540			2001	LT	790	1100	1100	580
540			2002	LT	800	1100	1100	590
540			2003	LT	820	1150	1100	610
540			2004	LT	900	1250	1250	660
540			2005	LT	760	1050	1000	560
540			2006	LT	770	1050	1050	570
540			2007	LT	770	1050	1100	570
540			2008	LT	740	1000	970	550
540			2009	LT	770	1050	1000	570
540			2010	LT	620	830	820	460
540			2011	LT	780	1000	1000	640
540			2012	CTR	680	820	810	580
540			2013	CTR	730	890	920	620
540			2014	CTR	650	790	800	550
540			2015	CTR	720	880	890	610
540			2016	CTR	720	880	890	610
540			2017	CTR	660	880	880	540
540			2018	CTR	710	950	940	580
540			2019	CTR	710	950	940	580
540	EVANSVILLE RD BURPEE TWP RD L 25 26	48.1	1988	LT	200	280	280	150
540			1989	LT	230	320	320	170
540			1990	LT	230	340	320	170
540			1991	LT	230	320	310	170

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540			1992	LT	200	280	270	150
540			1993	LT	300	410	370	220
540			1994	LT	330	480	470	240
540			1995	LT	390	560	540	290
540			1996	LT	370	520	510	270
540			1997	LT	390	550	540	290
540			1998	LT	480	670	660	350
540			1999	LT	480	670	650	350
540			2000	LT	510	710	700	370
540			2001	LT	540	760	740	400
540			2002	LT	550	770	750	400
540			2003	LT	580	800	780	430
540			2004	LT	630	880	860	460
540			2005	LT	600	820	800	440
540			2006	LT	560	770	750	410
540			2007	LT	580	800	820	430
540			2008	LT	530	730	690	390
540			2009	LT	600	810	790	440
540			2010	IC	490	540	550	430
540			2011	IC	630	690	720	570
540			2012	CTR	530	640	630	450
540			2013	CTR	630	770	790	540
540			2014	CTR	550	670	680	470
540			2015	CTR	640	780	790	540
540			2016	CTR	650	790	800	550
540			2017	CTR	660	880	880	540
540			2018	CTR	670	890	890	550
540			2019	CTR	680	910	900	550
540	MELDRUM BAY DOCKS HWY END		9999					
540A	SEC HWY 540	5.8	1988	CTR	150	200	180	130
540A			1989	CTR	180	230	220	150
540A			1990	CTR	180	220	210	160
540A			1991	CTR	180	230	220	160
540A			1992	CTR	180	220	210	160
540A			1993	CTR	180	230	220	150
540A			1994	CTR	180	230	220	150
540A			1995	CTR	180	230	220	150
540A			1996	CTR	180	230	220	150
540A			1997	LT	180	250	250	130
540A			1998	LT	180	250	250	130
540A			1999	LT	180	250	240	130
540A			2000	LT	180	250	250	130
540A			2001	LT	180	250	250	130
540A			2002	LT	180	250	250	130
540A			2003	LT	180	250	240	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540A			2004	LT	180	250	250	130
540A			2005	LT	180	250	240	130
540A			2006	LT	180	250	240	130
540A			2007	LT	180	250	250	130
540A			2008	LT	180	250	240	130
540A			2009	LT	180	240	240	130
540A			2010	CTR	180	220	210	150
540A			2011	CTR	180	220	210	150
540A			2012	CTR	180	220	220	150
540A			2013	CTR	180	220	230	150
540A			2014	CTR	180	220	220	150
540A			2015	CTR	180	220	220	150
540A			2016	CTR	180	220	220	150
540A			2017	CTR	180	240	240	150
540A			2018	CTR	180	240	240	150
540A			2019	CTR	180	240	240	150
540A	BARRIE ISLAND RD L 5 6 HWY END		9999					
540B	E JCT SEC HWY 540 & SEC HWY 542	1.0	1988	IC	1200	1400	1350	1050
540B			1989	IC	1200	1400	1350	1050
540B			1990	IC	1200	1350	1350	1050
540B			1991	IC	1200	1350	1350	1050
540B			1992	IC	1300	1450	1450	1200
540B			1993	IC	1300	1450	1450	1150
540B			1994	IC	1350	1500	1500	1200
540B			1995	T	1400	2450	2350	860
540B			1996	T	1400	2450	2400	860
540B			1997	T	1450	2500	2450	900
540B			1998	T	1600	2700	2650	980
540B			1999	T	1600	2700	2600	990
540B			2000	T	1650	2700	2600	1000
540B			2001	T	1700	2800	2700	1050
540B			2002	T	1700	2800	2700	1050
540B			2003	T	1750	2750	2650	1100
540B			2004	LT	1850	2600	2500	1350
540B			2005	LT	1750	2400	2350	1300
540B			2006	LT	1700	2350	2250	1250
540B			2007	LT	1750	2400	2450	1300
540B			2008	LT	1750	2400	2300	1300
540B			2009	LT	1800	2450	2400	1350
540B			2010	UC	1550	1650	1800	1450
540B			2011	UC	1850	1850	1900	1750
540B			2012	CTR	1600	1950	1900	1350
540B			2013	CTR	1750	2150	2200	1500
540B			2014	IR	1550	1850	1850	1300
540B			2015	IR	1800	2150	2150	1550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
540B			2016	IR	1800	2150	2150	1550
540B			2017	IR	1850	2150	2150	1650
540B			2018	IR	1850	2150	2150	1650
540B			2019	IR	1850	2150	2150	1650
540B	GORE BAY E LTS START OF NA	2.7	9999					
540B	GORE BAY W LTS END OF NA	1.4	1988	IC	750	870	850	660
540B			1989	IC	750	860	850	670
540B			1990	IC	750	850	840	670
540B			1991	IC	750	850	830	670
540B			1992	IC	750	830	830	680
540B			1993	IC	750	850	840	670
540B			1994	IC	780	870	870	690
540B			1995	T	750	1300	1250	460
540B			1996	T	790	1350	1350	490
540B			1997	LT	800	1150	1100	590
540B			1998	LT	880	1250	1200	640
540B			1999	LT	880	1200	1200	640
540B			2000	LT	930	1300	1250	680
540B			2001	CTR	930	1150	1150	780
540B			2002	CTR	1000	1250	1200	840
540B			2003	CTR	1050	1300	1250	890
540B			2004	IC	1100	1250	1250	970
540B			2005	IC	1100	1200	1250	970
540B			2006	IC	1050	1150	1200	930
540B			2007	IC	1100	1200	1250	970
540B			2008	IC	1100	1200	1200	970
540B			2009	IC	1150	1300	1300	1000
540B			2010	IC	1000	1100	1100	890
540B			2011	IC	1200	1300	1350	1100
540B			2012	CTR	1100	1350	1300	940
540B			2013	CTR	1200	1450	1500	1000
540B			2014	CTR	1050	1300	1300	890
540B			2015	CTR	1200	1450	1500	1000
540B			2016	CTR	1250	1500	1550	1050
540B			2017	CTR	1250	1650	1650	1000
540B			2018	CTR	1300	1750	1750	1050
540B			2019	CTR	1300	1750	1700	1050
540B	W JCT SEC HWY 540 HWY END		9999					
542	HWY 6	25.6	1988	LT	550	780	780	420
542			1989	HT	600	1200	1100	280
542			1990	HT	600	1200	1100	270
542			1991	HT	600	1200	1050	280
542			1992	LR	550	890	710	360
542			1993	LR	550	890	710	360
542			1994	LR	600	990	790	390

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
542			1995	LR	610	1000	830	400
542			1996	LR	630	1050	850	420
542			1997	T	640	1100	1100	400
542			1998	T	600	1000	1000	370
542			1999	T	630	1050	1050	390
542			2000	T	630	1050	1000	390
542			2001	T	630	1050	990	390
542			2002	T	630	1050	990	390
542			2003	T	640	1000	970	400
542			2004	LT	640	900	870	470
542			2005	LT	640	880	860	470
542			2006	LT	670	920	890	490
542			2007	LT	670	920	950	490
542			2008	LR	760	1200	1150	520
542			2009	LR	680	1050	840	460
542			2010	LT	660	890	870	490
542			2011	LT	690	880	900	570
542			2012	T	570	820	830	370
542			2013	T	680	990	980	430
542			2014	IT	680	850	840	560
542			2015	IT	690	860	850	570
542			2016	IT	700	880	860	580
542			2017	CTR	730	980	970	590
542			2018	CTR	700	930	930	570
542			2019	CTR	710	950	940	580
542	E JCT SEC HWY 551 MINDEMOYA	10.3	1991	LT	550	770	740	410
542			1992	LT	550	760	740	420
542			1993	LT	650	900	810	480
542			1994	LT	780	1150	1100	570
542			1995	LT	860	1250	1200	630
542			1996	LT	900	1250	1250	660
542			1997	LT	960	1350	1300	710
542			1998	LT	1100	1550	1500	800
542			1999	LT	1150	1600	1550	840
542			2000	LT	1200	1650	1650	880
542			2001	LT	1300	1800	1750	950
542			2002	LT	1350	1900	1850	990
542			2003	LT	1400	1950	1900	1050
542			2004	LR	1500	2450	1950	1000
542			2005	T	1500	2350	2250	940
542			2006	T	1400	2150	2050	880
542			2007	T	1450	2250	2150	910
542			2008	LT	1100	1500	1450	810
542			2009	LT	1550	2100	2050	1150
542			2010	LT	1600	2150	2100	1200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
542			2011	LT	1650	2100	2150	1350
542			2012	T	1500	2150	2200	960
542			2013	T	1700	2500	2450	1100
542			2014	T	1250	1850	1800	800
542			2015	T	1500	2200	2150	960
542			2016	T	1500	2200	2150	960
542			2017	T	1700	2350	2350	1350
542			2018	T	1700	2350	2350	1350
542			2019	T	1750	2400	2400	1400
542	W JCT SEC HWY 551(TO PROVIDENCE BAY)	20.6	1988	LT	250	360	350	190
542			1989	LT	250	350	340	180
542			1990	LT	250	360	350	180
542			1991	LT	250	350	340	180
542			1992	LT	250	350	340	190
542			1993	LT	250	350	310	180
542			1994	LT	300	440	420	220
542			1995	LT	390	560	540	290
542			1996	LT	310	440	430	230
542			1997	LT	320	450	440	240
542			1998	LT	320	450	440	230
542			1999	LT	350	490	480	260
542			2000	LT	420	590	570	310
542			2001	LT	380	530	520	280
542			2002	LT	460	640	630	340
542			2003	LT	480	660	650	350
542			2004	LT	570	800	780	420
542			2005	LT	520	710	700	380
542			2006	LT	480	660	640	350
542			2007	LT	490	670	690	360
542			2008	LT	470	640	620	350
542			2009	LT	550	740	730	410
542			2010	LT	560	750	740	410
542			2011	LT	580	740	760	480
542			2012	T	480	690	700	310
542			2013	T	590	860	850	380
542			2014	LT	590	770	780	450
542			2015	LT	610	800	810	460
542			2016	LT	630	820	840	480
542			2017	LT	640	900	890	490
542			2018	LT	660	920	910	510
542			2019	LT	670	940	930	520
542	LONG BAY CORS CAMPBELL TWP RD C 2 3	13.1	1988	LT	150	210	210	110
542			1989	LT	150	210	210	110
542			1990	LT	150	220	210	110
542			1991	LT	150	210	200	110

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
542			1992	LT	150	210	200	120
542			1993	LT	300	410	370	220
542			1994	LT	290	430	410	210
542			1995	LT	420	600	590	310
542			1996	LT	330	470	450	240
542			1997	LT	340	480	470	250
542			1998	LT	390	550	530	280
542			1999	LT	390	540	530	280
542			2000	LT	400	560	550	290
542			2001	LT	410	570	560	300
542			2002	LT	430	600	590	320
542			2003	LT	440	610	590	320
542			2004	LT	450	630	610	330
542			2005	LT	460	630	620	340
542			2006	LT	420	570	560	310
542			2007	LT	430	590	610	320
542			2008	LT	440	600	580	320
542			2009	LT	440	590	580	330
542			2010	LT	340	460	450	250
542			2011	LT	450	580	590	370
542			2012	T	450	650	660	290
542			2013	T	440	640	630	280
542			2014	LT	360	470	480	270
542			2015	LT	450	590	600	340
542			2016	LT	450	590	600	340
542			2017	LT	450	630	620	350
542			2018	LT	460	640	640	350
542			2019	LT	460	640	640	350
542	SEC HWYS 540/540B HWY END		9999					
542A	SEC HWY 542	2.4	1988	LT	250	360	350	190
542A			1989	LT	250	350	340	180
542A			1990	LT	250	360	350	180
542A			1991	LT	250	350	340	180
542A			1992	LT	300	420	400	230
542A			1993	LT	300	410	370	220
542A			1994	LT	290	430	410	210
542A			1995	LT	290	420	400	210
542A			1996	LT	290	410	400	210
542A			1997	LT	300	420	410	220
542A			1998	LT	300	420	410	220
542A			1999	LT	300	420	410	220
542A			2000	LT	310	430	420	230
542A			2001	LT	310	430	420	230
542A			2002	LT	300	420	410	220
542A			2003	LT	310	430	420	230

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
542A			2004	LT	320	450	440	230
542A			2005	LT	290	400	390	210
542A			2006	LT	300	410	400	220
542A			2007	LT	300	410	420	220
542A			2008	LT	290	400	380	210
542A			2009	LT	300	400	400	220
542A			2010	LT	300	400	400	220
542A			2011	LT	300	380	390	250
542A			2012	LT	310	400	390	230
542A			2013	LT	310	400	400	230
542A			2014	LT	310	400	410	230
542A			2015	LT	310	400	410	230
542A			2016	LT	310	400	410	230
542A			2017	LT	310	420	420	240
542A			2018	LT	310	420	420	240
542A			2019	LT	310	420	420	250
542A	TEHKUMMAH TWP RD L 10 11 HWY END		9999					
546	HWY 17 IRON BRIDGE	10.9	1988	LT	300	430	420	230
546			1989	LT	330	460	460	240
546			1990	LT	330	480	460	240
546			1991	LT	350	490	470	260
546			1992	LT	350	490	470	270
546			1993	LT	350	480	430	260
546			1994	LT	380	560	540	280
546			1995	LT	360	520	500	260
546			1996	LT	370	520	510	270
546			1997	LT	380	540	520	280
546			1998	LT	380	530	520	280
546			1999	LT	390	540	530	280
546			2000	LT	370	520	500	270
546			2001	LT	370	520	500	270
546			2002	LT	370	520	500	270
546			2003	LT	380	520	510	280
546			2004	LT	360	500	490	260
546			2005	LT	350	480	470	260
546			2006	LT	360	490	480	270
546			2007	LT	360	490	510	260
546			2008	LT	340	470	450	250
546			2009	LT	350	470	460	260
546			2010	IT	350	440	440	290
546			2011	IT	350	470	470	290
546			2012	CTR	350	420	420	300
546			2013	CTR	350	430	440	300
546			2014	CTR	340	410	420	290
546			2015	CTR	340	410	420	290

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
546			2016	CTR	340	410	420	290
546			2017	CTR	340	450	450	280
546			2018	CTR	340	450	450	280
546			2019	CTR	340	450	450	280
546			1988	LT	100	140	140	80
546			1989	LT	150	210	210	110
546			1990	LT	150	220	210	110
546			1991	LT	150	210	200	110
546			1992	LT	150	210	200	120
546			1993	LT	150	210	190	110
546			1994	LT	150	220	210	110
546			1995	LT	150	220	210	110
546			1996	LT	150	210	210	110
546			1997	LT	150	210	210	110
546			1998	LT	150	210	210	110
546			1999	LT	160	220	220	120
546			2000	LT	160	220	220	120
546			2001	LT	160	220	220	120
546			2002	LT	160	220	220	120
546			2003	T	230	360	350	150
546			2004	T	150	250	240	90
546			2005	LT	120	160	160	90
546			2006	LT	150	210	200	110
546			2007	LT	140	190	200	100
546			2008	LT	120	160	160	90
546			2009	LT	140	190	180	100
546			2010	LT	120	160	160	90
546			2011	LT	140	180	180	120
546			2012	CTR	120	150	140	100
546			2013	CTR	130	160	160	110
546			2014	CTR	110	130	140	90
546			2015	CTR	120	150	150	100
546			2016	CTR	120	150	150	100
546			2017	CTR	120	160	160	100
546			2018	CTR	120	160	160	100
546			2019	CTR	120	160	160	100
546	**SEC HWY 554**	**53.17**	**2019**	**CTR**	**120**	**160**	**160**	**100**
546	SEC HWY 639	12.5	1988	IT	50	70	70	40
546			1989	IT	50	70	70	40
546			1990	IT	50	60	60	40
546			1991	IT	50	60	60	40
546			1992	IT	100	130	120	80
546			1993	IT	100	120	120	80
546			1994	IT	90	120	110	80
546			1995	IR	80	100	90	70

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
546			1996	IR	100	120	110	90
546			1997	IR	100	120	110	80
546			1998	IR	120	150	130	100
546			1999	IR	120	150	130	100
546			2000	IR	120	150	130	100
546			2001	IT	140	180	180	110
546			2002	IT	130	170	170	110
546			2003	IT	140	180	180	110
546			2004	LT	140	200	190	100
546			2005	LT	140	190	190	100
546			2006	LT	140	190	190	100
546			2007	LT	150	210	210	110
546			2008	CR	170	210	200	140
546			2009	CR	160	190	190	140
546			2010	IR	120	140	130	100
546			2011	IR	160	190	190	140
546			2012	CTR	120	150	140	100
546			2013	CTR	160	190	200	140
546			2014	IT	130	160	160	110
546			2015	IT	160	200	200	130
546			2016	IT	160	200	200	130
546			2017	IT	170	220	230	140
546			2018	IT	170	220	220	140
546			2019	IT	170	230	230	140
546	MOUNT LAKE HWY END		9999					
547	HWY 101	5.6	1988	LT	300	430	420	230
547			1989	LT	330	460	460	240
547			1990	LT	330	480	460	240
547			1991	CTR	350	440	440	300
547			1992	CTR	350	430	420	300
547			1993	CTR	350	440	420	300
547			1994	LT	350	510	490	250
547			1995	LT	360	520	500	260
547			1996	LT	370	520	510	270
547			1997	CTR	380	490	470	320
547			1998	CTR	380	480	460	320
547			1999	CTR	390	490	470	330
547			2000	CTR	400	500	480	340
547			2001	CTR	410	520	500	350
547			2002	CTR	420	530	510	350
547			2003	CTR	420	520	500	360
547			2004	CTR	390	490	470	330
547			2005	CTR	440	550	520	370
547			2006	CTR	370	460	440	310
547			2007	CTR	370	460	450	310

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
547			2008	IC	320	350	340	280
547			2009	IC	370	410	410	330
547			2010	IC	300	330	330	270
547			2011	IC	320	350	370	290
547			2012	IC	300	330	320	270
547			2013	UC	300	300	300	280
547			2014	IC	310	340	340	270
547			2015	IC	320	350	350	280
547			2016	IC	320	350	350	280
547			2017	IC	310	340	340	280
547			2018	IC	310	340	340	280
547			2019	IC	310	340	340	280
547	CEDAR ST HAWK JCT HWY END		9999					
548			1988	CTR	1700	2200	2050	1450
548			1989	CTR	1750	2200	2100	1500
548			1990	CTR	1850	2300	2200	1600
548			1991	IR	2100	2650	2350	1750
548			1992	IR	2100	2600	2300	1800
548			1993	IR	2100	2600	2150	1700
548			1994	LT	2200	3250	3100	1600
548			1995	LT	2300	3300	3200	1700
548			1996	LT	2400	3400	3300	1750
548			1997	LT	2500	3500	3450	1850
548			1998	LT	2600	3650	3550	1900
548			1999	LT	2650	3700	3600	1950
548			2000	LT	2750	3850	3750	2000
548			2001	LT	2250	3150	3050	1650
548			2002	LT	2250	3150	3050	1650
548			2003	LT	2050	2800	2750	1500
548			2004	LT	2250	3150	3050	1650
548			2005	LT	2200	3000	2950	1600
548			2006	LT	2250	3100	3000	1650
548			2007	LT	2200	3000	3100	1600
548			2008	LT	2150	2950	2800	1600
548			2009	LT	2150	2900	2850	1600
548			2010	CTR	2150	2600	2500	1850
548			2011	CTR	2150	2600	2500	1850
548			2012	CTR	2100	2550	2500	1800
548			2013	CTR	2100	2550	2650	1800
548			2014	CTR	2050	2500	2500	1750
548			2015	CTR	2050	2500	2500	1750
548			2016	CTR	2000	2450	2450	1700
548			2017	CTR	2000	2650	2650	1650
548			2018	CTR	2000	2650	2650	1650
548			2019	CTR	1950	2600	2600	1600

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
548	**HWY 17**	**5.50**	**2019**	**CTR**	**1950**	**2600**	**2600**	**1600**
548	SEC HWY 548 (FROM W)20TH SDRD KENT'S CORS (W)	12.6	1988	CTR	650	840	790	550
548			1989	CTR	680	860	820	580
548			1990	CTR	680	850	800	590
548			1991	IR	800	1000	890	660
548			1992	IR	800	980	880	680
548			1993	IR	800	980	830	650
548			1994	IR	780	960	860	650
548			1995	IR	840	1050	930	720
548			1996	IR	860	1050	960	730
548			1997	LR	880	1500	1200	590
548			1998	LR	910	1500	1200	600
548			1999	LR	880	1450	1150	580
548			2000	LR	890	1450	1150	590
548			2001	LR	900	1450	1150	600
548			2002	LR	910	1500	1200	620
548			2003	IR	960	1150	1050	810
548			2004	IR	890	1100	990	750
548			2005	IR	910	1100	1000	780
548			2006	IR	910	1100	990	770
548			2007	IR	880	1050	1050	750
548			2008	IR	810	980	960	690
548			2009	CTR	800	980	940	680
548			2010	CTR	880	1050	1050	750
548			2011	CTR	750	910	880	640
548			2012	CTR	860	1050	1050	730
548			2013	CTR	750	910	940	640
548			2014	IT	820	1050	1000	680
548			2015	IT	830	1050	1000	690
548			2016	IT	820	1050	1000	680
548			2017	IT	820	1100	1100	690
548			2018	IT	820	1100	1100	690
548			2019	IT	810	1100	1100	690
548	HILTON BEACH S LTS SIGN	28.7	1988	CTR	50	60	60	40
548			1989	CTR	50	60	60	40
548			1990	CTR	50	60	60	40
548			1991	IR	100	130	110	80
548			1992	IR	100	120	110	80
548			1993	IR	100	120	100	80
548			1994	LT	100	150	140	70
548			1995	LT	110	160	150	80
548			1996	LT	110	160	150	80
548			1997	HR	120	210	170	70
548			1998	HR	130	220	180	80
548			1999	HR	120	200	170	70

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
548			2000	HR	120	200	160	70
548			2001	HR	120	200	160	70
548			2002	HR	120	200	160	70
548			2003	HR	120	190	160	70
548			2004	HR	100	170	130	60
548			2005	HR	110	170	140	70
548			2006	HR	90	140	110	50
548			2007	HR	90	140	130	50
548			2008	CTR	60	70	70	50
548			2009	CTR	90	110	110	80
548			2010	HR	70	110	90	40
548			2011	HR	80	130	140	50
548			2012	HR	80	120	120	50
548			2013	CTR	60	70	80	50
548			2014	IT	90	110	110	70
548			2015	IT	70	90	90	60
548			2016	IT	70	90	90	60
548			2017	IT	70	90	90	60
548			2018	IT	60	80	80	50
548			2019	IT	60	80	80	50
548	0.5 KM N OF P.LINE RD	24.1	1988	IC	300	350	340	260
548			1989	IC	300	340	340	270
548			1990	IC	300	340	340	270
548			1991	IR	350	440	390	290
548			1992	IR	350	430	390	300
548			1993	IR	350	430	360	290
548			1994	LT	350	510	490	250
548			1995	LT	350	500	490	260
548			1996	LT	350	490	480	260
548			1997	LT	360	510	500	270
548			1998	LT	360	500	490	260
548			1999	LT	370	510	500	270
548			2000	LT	370	520	500	270
548			2001	LT	380	530	520	280
548			2002	LT	380	530	520	280
548			2003	IR	440	530	480	370
548			2004	IR	370	460	410	310
548			2005	LT	390	530	520	290
548			2006	LT	360	490	480	270
548			2007	LT	370	510	520	270
548			2008	LT	330	450	430	240
548			2009	LT	360	490	480	270
548			2010	LT	380	510	500	280
548			2011	LT	380	490	500	310
548			2012	LT	380	500	470	290

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
548			2013	CTR	380	460	480	320
548			2014	CTR	380	460	470	320
548			2015	CTR	380	460	470	320
548			2016	CTR	380	460	470	320
548			2017	CTR	380	510	510	310
548			2018	CTR	380	510	510	310
548			2019	CTR	380	510	500	310
548	RICHARDS LANDING E LTS	4.1	1988	C	1200	1350	1350	1100
548			1989	C	1250	1400	1400	1100
548			1990	C	1250	1400	1400	1100
548			1991	IR	1700	2150	1900	1400
548			1992	IR	1700	2100	1850	1450
548			1993	IR	1700	2100	1750	1400
548			1994	LT	1750	2550	2450	1250
548			1995	LT	1800	2600	2500	1300
548			1996	LT	1850	2600	2550	1350
548			1997	LT	1800	2550	2500	1350
548			1998	LT	2000	2800	2750	1450
548			1999	LT	2100	2900	2850	1550
548			2000	LT	2150	3000	2950	1550
548			2001	LT	1900	2650	2600	1400
548			2002	LT	1950	2750	2650	1450
548			2003	LT	1950	2700	2600	1450
548			2004	LT	1900	2650	2600	1400
548			2005	LT	1950	2650	2600	1450
548			2006	LT	1850	2550	2450	1350
548			2007	LT	1850	2550	2600	1350
548			2008	LT	1700	2350	2250	1250
548			2009	LT	1800	2450	2400	1350
548			2010	LT	1550	2100	2050	1150
548			2011	LT	1800	2300	2350	1500
548			2012	LT	1800	2350	2250	1350
548			2013	CTR	1800	2200	2250	1550
548			2014	CTR	1750	2150	2150	1500
548			2015	CTR	1750	2150	2150	1500
548			2016	CTR	1750	2150	2150	1500
548			2017	CTR	1750	2350	2350	1450
548			2018	CTR	1750	2350	2350	1450
548			2019	CTR	1750	2350	2300	1400
548	SEC HWY 548 (FROM N) HWY END		9999					
550	HWY 17 S.S. MARIE START OF NA	11.1	9999					
550			1988	LT	3400	4850	4800	2600
550			1989	LT	3450	4800	4750	2550
550			1990	LT	3300	4800	4600	2400
550			1991	LT	3150	4400	4250	2350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
550			1992	LT	3150	4400	4250	2450
550			1993	LT	3150	4350	3900	2300
550			1994	LT	3350	4900	4750	2450
550			1995	LT	3350	4800	4650	2450
550			1996	LT	3350	4750	4600	2450
550			1997	LT	3350	4700	4600	2500
550			1998	LT	3350	4700	4600	2450
550			1999	LT	3350	4650	4550	2450
550			2000	C	3500	3950	3950	3150
550			2001	C	3450	3900	3900	3100
550			2002	C	3500	3900	3950	3150
550			2003	C	3500	3900	3950	3150
550			2004	C	3500	3950	3950	3150
550			2005	C	3550	3950	4000	3200
550			2006	C	3550	3950	4000	3200
550			2007	C	3600	4000	4050	3250
550			2008	C	3600	3950	3900	3250
550			2009	C	3600	3950	4000	3250
550			2010	C	3650	4000	4050	3300
550			2011	C	3650	4000	4050	3300
550			2012	CTR	3700	4500	4450	3150
550			2013	CTR	3700	4500	4650	3150
550			2014	CTR	3750	4600	4600	3200
550			2015	CTR	3750	4600	4600	3200
550			2016	CTR	3750	4600	4600	3200
550			2017	CTR	3800	5100	5050	3100
550			2018	CTR	3800	5100	5050	3100
550			2019	CTR	3850	5150	5100	3150
550	**SAULT STE. M TO ALGOMA MANITOU**	**1.60**	**2019**	**CTR**	**3850**	**5150**	**5100**	**3150**
550	SEC HWY 565 PRINCE TWP SDRD	7.7	1988	LT	1300	1850	1850	990
550			1989	LT	1300	1800	1800	960
550			1990	LT	1300	1900	1800	950
550			1991	LT	1350	1900	1800	1000
550			1992	LT	1350	1900	1800	1050
550			1993	LT	1350	1850	1650	990
550			1994	UC	1400	1500	1600	1300
550			1995	UC	1400	1500	1600	1300
550			1996	UC	1450	1550	1700	1400
550			1997	CTR	1500	1900	1850	1250
550			1998	CTR	1450	1850	1750	1200
550			1999	CTR	1450	1850	1750	1200
550			2000	CTR	1450	1850	1750	1200
550			2001	CTR	1500	1900	1800	1250
550			2002	CTR	1550	1950	1900	1300
550			2003	CTR	1550	1950	1850	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
550			2004	CTR	1550	1950	1900	1300
550			2005	CTR	1600	2000	1900	1350
550			2006	CTR	1600	2000	1900	1350
550			2007	CTR	1600	2000	1950	1350
550			2008	IC	1650	1850	1750	1450
550			2009	IC	1650	1850	1850	1450
550			2010	IC	1650	1850	1850	1450
550			2011	IC	1700	1850	1950	1550
550			2012	C	1700	1850	1850	1550
550			2013	C	1700	1850	1850	1550
550			2014	CTR	1750	2150	2150	1500
550			2015	CTR	1750	2150	2150	1500
550			2016	CTR	1750	2150	2150	1500
550			2017	CR	1800	2100	2100	1600
550			2018	CR	1800	2100	2100	1600
550			2019	CR	1800	2100	2100	1600
550	GROS CAP HWY END		9999					
551	GOVT DOCK PROV. BAY START OF NA	0.4	9999					
551	OLD GOVERNMENT RD END OF NA	6.5	1988	LT	500	710	700	380
551			1989	LT	550	760	760	410
551			1990	LT	550	800	770	400
551			1991	LT	550	770	740	410
551			1992	LT	500	700	680	380
551			1993	LT	750	1050	930	550
551			1994	LT	760	1100	1050	550
551			1995	T	850	1500	1450	520
551			1996	T	830	1450	1400	510
551			1997	T	870	1500	1450	540
551			1998	T	1050	1800	1750	640
551			1999	T	1000	1700	1650	620
551			2000	T	1050	1750	1650	650
551			2001	T	1050	1700	1650	650
551			2002	T	1050	1700	1650	650
551			2003	T	1100	1750	1650	690
551			2004	LT	1200	1700	1650	880
551			2005	LT	1050	1450	1400	770
551			2006	LT	1050	1450	1400	770
551			2007	LT	1050	1450	1500	770
551			2008	LT	820	1100	1050	600
551			2009	LT	1100	1500	1450	810
551			2010	LT	1100	1500	1450	810
551			2011	LT	1150	1450	1500	950
551			2012	T	1150	1650	1700	740
551			2013	T	1150	1700	1650	730
551			2014	LT	760	990	1000	570

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
551			2015	LT	1000	1300	1350	750
551			2016	LT	1000	1300	1350	750
551			2017	LT	1100	1550	1500	850
551			2018	LT	1100	1550	1500	850
551			2019	LT	1100	1550	1550	850
551	W JCT SEC HWY 542 OVERLAP SEC HWY 542 (56330)	10.3	9999					
551	E JCT SEC HWY 542 MINDEMOYA	11.8	1988	LT	1400	2000	1950	1050
551			1989	LT	1500	2100	2050	1100
551			1990	LT	1500	2200	2100	1100
551			1991	LT	1500	2100	2050	1100
551			1992	LT	1500	2100	2050	1150
551			1993	LT	1500	2050	1850	1100
551			1994	LT	1500	2200	2100	1100
551			1995	LT	1450	2100	2000	1050
551			1996	LT	1550	2200	2150	1150
551			1997	LT	1550	2200	2150	1150
551			1998	LT	1550	2150	2100	1150
551			1999	LT	1600	2200	2200	1150
551			2000	LT	1600	2250	2200	1150
551			2001	LT	1600	2250	2200	1150
551			2002	LT	1600	2250	2200	1150
551			2003	LT	1650	2250	2200	1200
551			2004	LT	1650	2300	2250	1200
551			2005	LT	1700	2350	2300	1250
551			2006	LT	1700	2350	2250	1250
551			2007	LT	1700	2350	2400	1250
551			2008	LT	1750	2400	2300	1300
551			2009	LT	1750	2350	2300	1300
551			2010	LT	1800	2400	2350	1350
551			2011	LT	1800	2300	2350	1500
551			2012	LT	1800	2350	2250	1350
551			2013	LT	1850	2400	2400	1400
551			2014	LT	1850	2400	2450	1400
551			2015	LT	1850	2400	2450	1400
551			2016	LT	1900	2500	2500	1450
551			2017	LT	1900	2400	2400	1600
551			2018	LT	1900	2400	2400	1600
551			2019	LT	1950	2500	2500	1650
551	SEC HWY 540 WEST BAY HWY END		9999					
552			1988	CTR	400	520	490	340
552			1989	CTR	450	570	540	390
552			1990	CTR	450	560	530	390
552			1991	CTR	450	570	560	390
552			1992	CTR	450	550	540	390
552			1993	CTR	450	570	540	380

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
552			1994	CTR	450	580	550	380
552			1995	CTR	480	620	590	400
552			1996	CTR	490	630	600	410
552			1997	LT	500	700	690	370
552			1998	LT	510	710	700	370
552			1999	LT	520	720	710	380
552			2000	IC	520	580	580	460
552			2001	IC	530	590	600	470
552			2002	IC	540	600	610	480
552			2003	IC	560	620	630	500
552			2004	IC	530	590	600	470
552			2005	IC	540	600	610	480
552			2006	IC	540	600	610	480
552			2007	IC	540	600	620	480
552			2008	IC	500	550	540	440
552			2009	IC	550	610	620	490
552			2010	IC	540	600	600	480
552			2011	IC	560	620	640	500
552			2012	IC	560	620	600	500
552			2013	IC	570	630	630	510
552			2014	IC	510	560	560	450
552			2015	IC	560	620	620	500
552			2016	IC	570	630	630	510
552			2017	IC	570	620	630	520
552			2018	IC	570	630	630	520
552			2019	IC	580	640	640	520
552	**SEC HWY 556**	**11.90**	**2019**	**IC**	**580**	**640**	**640**	**520**
552			1988	CTR	450	580	550	380
552			1989	CTR	550	700	670	470
552			1990	CTR	600	750	710	520
552			1991	CTR	800	1000	1000	700
552			1992	CTR	800	980	950	700
552			1993	CTR	800	1000	970	680
552			1994	CTR	680	870	830	570
552			1995	CTR	710	910	870	600
552			1996	CTR	750	960	920	630
552			1997	CTR	780	1000	960	660
552			1998	CTR	820	1050	1000	690
552			1999	CTR	850	1050	1050	710
552			2000	CTR	600	760	730	500
552			2001	CTR	580	730	700	490
552			2002	CTR	550	690	670	460
552			2003	IC	400	450	450	350
552			2004	IC	660	740	740	580
552			2005	CTR	480	590	570	410

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
552			2006	CTR	620	770	740	530
552			2007	CTR	640	790	790	540
552			2008	CTR	960	1200	1150	820
552			2009	CTR	670	820	790	570
552			2010	CTR	500	610	580	420
552			2011	CTR	590	720	690	500
552			2012	IC	500	550	540	440
552			2013	IC	550	610	610	490
552			2014	IC	480	530	530	430
552			2015	IC	530	590	580	470
552			2016	IC	520	580	570	460
552			2017	IC	500	550	550	450
552			2018	IC	500	550	550	450
552			2019	IC	490	540	540	440
552	**HWY 17**	**4.60**	**2019**	**IC**	**490**	**540**	**540**	**440**
552	ISLAND RD FENWICK TWP (S)	2.0	1988	CTR	800	1050	980	670
552			1989	CTR	850	1100	1050	730
552			1990	CTR	900	1100	1050	780
552			1991	CTR	1000	1250	1250	870
552			1992	CTR	1000	1250	1200	870
552			1993	CTR	1000	1250	1200	850
552			1994	CTR	1150	1450	1400	970
552			1995	CTR	1100	1400	1350	920
552			1996	CTR	1150	1450	1400	970
552			1997	CTR	1200	1550	1500	1000
552			1998	CTR	1250	1600	1500	1050
552			1999	CTR	1350	1700	1650	1150
552			2000	LT	1200	1650	1650	880
552			2001	LT	1050	1450	1450	770
552			2002	LT	1050	1450	1450	770
552			2003	LT	920	1250	1250	680
552			2004	LT	1050	1450	1450	770
552			2005	LT	960	1300	1300	710
552			2006	LT	1000	1350	1350	740
552			2007	LT	980	1350	1400	720
552			2008	LT	940	1300	1250	690
552			2009	LT	940	1250	1250	700
552			2010	IR	960	1150	1050	820
552			2011	IR	910	1100	1050	780
552			2012	LT	890	1150	1100	670
552			2013	LT	870	1150	1150	660
552			2014	T	850	1250	1250	540
552			2015	T	830	1200	1200	530
552			2016	T	810	1200	1150	520
552			2017	T	790	1100	1100	630

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
552			2018	T	780	1050	1050	620
552			2019	T	760	1050	1050	600
552	GRANTS RD FENWICK TWP HWY END		9999					
553	HWY 17 MASSEY START OF NA	1.5	9999					
553	1.5 KM N OF HWY 17 END OF NA	31.8	1988	IC	300	350	340	260
553			1989	IR	300	390	330	250
553			1990	IR	300	380	330	250
553			1991	IR	300	380	330	250
553			1992	IR	300	370	330	260
553			1993	IR	300	370	310	250
553			1994	IR	300	370	330	250
553			1995	IR	300	370	330	260
553			1996	IR	300	370	330	260
553			1997	IR	300	380	340	260
553			1998	IR	300	370	340	250
553			1999	IR	300	370	330	250
553			2000	IR	240	290	270	200
553			2001	CR	280	340	330	240
553			2002	CR	230	280	270	190
553			2003	IR	180	220	200	150
553			2004	CR	120	150	140	100
553			2005	CR	170	210	200	140
553			2006	CR	130	160	150	110
553			2007	LT	120	160	170	90
553			2008	IC	150	170	160	130
553			2009	IT	120	150	150	100
553			2010	IT	90	110	110	70
553			2011	CTR	90	110	110	80
553			2012	IC	100	110	110	90
553			2013	IC	120	130	130	110
553			2014	CTR	90	110	110	80
553			2015	CTR	50	60	60	40
553			2016	CTR	40	50	50	30
553			2017	CTR	20	30	30	20
553			2018	CTR	10	10	10	10
553			2019	CTR	100	130	130	80
553	TERTIARY RD 810 HWY END		9999					
554			1988	IC	250	290	280	220
554			1989	IC	280	320	320	250
554			1990	IC	280	320	310	250
554			1991	C	250	280	280	230
554			1992	C	250	270	280	230
554			1993	C	250	270	280	230
554			1994	C	270	300	300	240
554			1995	C	280	310	310	260

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
554			1996	C	290	330	330	260
554			1997	C	300	340	340	270
554			1998	C	300	340	340	270
554			1999	C	310	350	350	280
554			2000	C	320	360	360	290
554			2001	C	270	300	300	240
554			2002	C	270	300	300	240
554			2003	C	230	260	260	210
554			2004	C	270	300	300	240
554			2005	C	280	310	310	250
554			2006	C	270	300	300	240
554			2007	C	260	290	290	230
554			2008	C	270	300	290	240
554			2009	C	260	290	290	230
554			2010	SC	240	250	280	210
554			2011	SC	250	320	290	200
554			2012	CTR	250	300	300	210
554			2013	CTR	250	300	310	210
554			2014	CTR	240	290	300	200
554			2015	CTR	240	290	300	200
554			2016	CTR	240	290	300	200
554			2017	CTR	240	320	320	200
554			2018	CTR	230	310	310	190
554			2019	CTR	230	310	310	190
554	**SEC HWY 546**	**16.60**	**2019**	**CTR**	**230**	**310**	**310**	**190**
554	HWY 129 HWY ENDS		9999					
556	HWY 17 HEYDEN	4.4	1988	CR	1600	2050	1900	1350
556			1989	CR	1650	2100	1950	1400
556			1990	CR	1850	2300	2150	1650
556			1991	IC	2050	2300	2300	1800
556			1992	IC	2050	2300	2250	1850
556			1993	IC	2050	2300	2300	1800
556			1994	IC	1950	2200	2200	1750
556			1995	IC	1950	2200	2200	1750
556			1996	IC	2000	2250	2250	1800
556			1997	LT	2050	2900	2850	1500
556			1998	LT	2050	2850	2800	1500
556			1999	LT	2100	2900	2850	1550
556			2000	CR	1850	2300	2150	1550
556			2001	CR	1900	2350	2250	1600
556			2002	CR	1850	2250	2150	1550
556			2003	CR	1800	2200	2100	1500
556			2004	CR	1850	2300	2150	1550
556			2005	CR	1800	2200	2100	1500
556			2006	CR	1800	2200	2100	1500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
556			2007	CR	1800	2200	2200	1500
556			2008	CTR	1750	2150	2100	1500
556			2009	CTR	1750	2150	2050	1500
556			2010	IC	1700	1900	1900	1500
556			2011	IC	1700	1850	1950	1550
556			2012	CTR	1700	2050	2050	1450
556			2013	CTR	1650	2000	2050	1400
556			2014	CTR	1650	2000	2050	1400
556			2015	CTR	1650	2000	2050	1400
556			2016	CTR	1600	1950	1950	1350
556			2017	CTR	1600	2150	2150	1300
556			2018	CTR	1550	2050	2050	1250
556			2019	CTR	1550	2050	2050	1250
556	SEC HWY 552 (N)	21.1	1988	IC	700	810	790	620
556			1989	IC	700	800	790	620
556			1990	IC	750	850	840	670
556			1991	IC	750	850	830	670
556			1992	IC	750	830	830	680
556			1993	IC	750	850	840	670
556			1994	SC	660	690	760	610
556			1995	SC	700	730	810	640
556			1996	SC	700	740	820	630
556			1997	LT	640	900	880	470
556			1998	LT	700	980	960	510
556			1999	LT	700	970	950	510
556			2000	IR	660	810	730	560
556			2001	IR	620	770	690	520
556			2002	IR	610	750	680	520
556			2003	LT	570	780	770	420
556			2004	LT	620	870	840	450
556			2005	LT	580	800	780	430
556			2006	LT	610	840	810	450
556			2007	LT	600	820	850	440
556			2008	LT	650	890	850	480
556			2009	LT	590	800	780	440
556			2010	IR	580	690	630	490
556			2011	IR	570	680	670	490
556			2012	CTR	570	690	680	490
556			2013	CTR	560	680	700	480
556			2014	CTR	550	670	680	470
556			2015	CTR	550	670	680	470
556			2016	CTR	540	660	660	460
556			2017	CTR	530	710	700	430
556			2018	CTR	530	710	700	430
556			2019	CTR	520	690	690	420

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
556	SEC HWY 532	48.7	1988	T	150	270	260	90
556			1989	T	150	270	260	90
556			1990	T	150	270	260	90
556			1991	IR	250	320	280	210
556			1992	IR	250	310	280	210
556			1993	IR	250	310	260	200
556			1994	IR	250	310	280	210
556			1995	IR	280	340	310	240
556			1996	IR	300	370	330	260
556			1997	R	320	610	460	180
556			1998	R	340	630	490	180
556			1999	R	360	670	510	190
556			2000	R	370	680	520	200
556			2001	R	250	460	350	130
556			2002	R	240	440	340	130
556			2003	LR	190	300	240	130
556			2004	LR	250	410	330	170
556			2005	R	220	390	300	120
556			2006	R	240	420	320	130
556			2007	R	230	410	390	120
556			2008	IR	220	270	260	190
556			2009	IR	210	250	230	180
556			2010	IR	210	250	230	180
556			2011	IR	200	240	230	170
556			2012	IT	190	240	230	160
556			2013	IT	190	240	240	160
556			2014	CTR	180	220	220	150
556			2015	CTR	170	210	210	140
556			2016	CTR	170	210	210	140
556			2017	CTR	160	210	210	130
556			2018	CTR	150	200	200	120
556			2019	CTR	140	190	190	110
556	GARDEN R BR RANGER LAKE	29.8	1988	SC	100	110	120	90
556			1989	SC	100	110	120	90
556			1990	SC	100	110	120	90
556			1991	LT	100	140	140	70
556			1992	LT	100	140	140	80
556			1993	LT	100	140	120	70
556			1994	LT	120	180	170	90
556			1995	LT	130	190	180	100
556			1996	LT	130	180	180	100
556			1997	LT	140	200	190	100
556			1998	LT	140	200	190	100
556			1999	LT	150	210	200	110
556			2000	LT	160	220	220	120

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
556			2001	LT	110	150	150	80
556			2002	LT	100	140	140	70
556			2003	LT	100	140	130	70
556			2004	LT	100	140	140	70
556			2005	LT	80	110	110	60
556			2006	LT	90	120	120	70
556			2007	LT	90	120	130	70
556			2008	SC	70	70	70	60
556			2009	SC	80	80	90	70
556			2010	CTR	70	90	80	60
556			2011	CTR	70	90	80	60
556			2012	IT	60	80	70	50
556			2013	IT	60	80	80	50
556			2014	CTR	50	60	60	40
556			2015	CTR	50	60	60	40
556			2016	CTR	40	50	50	30
556			2017	CTR	40	50	50	30
556			2018	CTR	30	40	40	20
556			2019	CTR	30	40	40	20
556	HWY 129 HWY END		9999					
557	HWY 17 CAUSLEY ST START OF NA	3.3	9999					
557	GRANARY LAKE RD	19.7	1988	T	450	820	790	270
557			1989	T	450	810	790	280
557			1990	T	450	820	780	280
557			1991	T	450	810	780	280
557			1992	T	450	810	790	280
557			1993	T	450	810	790	280
557			1994	LT	470	690	660	340
557			1995	LT	480	690	670	350
557			1996	LT	490	690	670	360
557			1997	LT	560	790	770	410
557			1998	LT	500	700	680	360
557			1999	LT	500	700	680	360
557			2000	LT	490	680	670	360
557			2001	LT	530	740	720	390
557			2002	LT	530	740	720	390
557			2003	LT	530	730	710	390
557			2004	LT	540	760	740	400
557			2005	LT	560	770	750	410
557			2006	LT	560	770	750	410
557			2007	LT	560	770	790	410
557			2008	LT	570	780	750	420
557			2009	LT	570	770	750	420
557			2010	LT	580	780	760	430
557			2011	LT	590	760	770	490

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
557			2012	CTR	590	720	710	500
557			2013	CTR	590	720	740	500
557			2014	CTR	600	730	740	510
557			2015	CTR	610	740	750	520
557			2016	CTR	610	740	750	520
557			2017	CTR	610	820	810	500
557			2018	CTR	620	830	820	500
557			2019	CTR	630	840	840	510
557	MATINENDA LAKE HWY END		9999					
558	HWY 11B RORKE AVE START OF NA	10.1	9999					
558	HAILEYBURY W LTS END OF NA	16.9	1988	LT	250	360	350	190
558			1989	LT	250	350	340	180
558			1990	LT	200	290	280	150
558			1991	LT	200	280	270	150
558			1992	LT	200	280	270	150
558			1993	LT	200	280	250	150
558			1994	LT	210	310	300	150
558			1995	LT	210	300	290	150
558			1996	LT	200	280	280	150
558			1997	LT	200	280	280	150
558			1998	LT	200	280	270	150
558			1999	LT	220	310	300	160
558			2000	LT	220	310	300	160
558			2001	LT	220	310	300	160
558			2002	LT	230	320	310	170
558			2003	LT	230	320	310	170
558			2004	LT	230	320	310	170
558			2005	LT	220	300	290	160
558			2006	LT	230	310	310	170
558			2007	LT	230	320	320	170
558			2008	LT	230	320	300	170
558			2009	LT	210	280	280	160
558			2010	LT	230	310	300	170
558			2011	LT	230	290	300	190
558			2012	CTR	230	280	280	200
558			2013	CTR	230	280	290	200
558			2014	IC	240	270	260	210
558			2015	IC	240	270	260	210
558			2016	IC	240	270	260	210
558			2017	IC	240	260	260	220
558			2018	IC	240	260	270	220
558			2019	IC	240	260	260	220
558	MOWAT LANDING MONTREAL R BR HWY END		9999					
559	JCT HWY 400/69	1.1	2010	LR	2400	3600	2950	1650
559			2011	LR	2450	3800	3550	1700

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
559			2012	LR	2500	3750	3650	1700
559			2013	LT	3350	4350	4350	2550
559			2014	LT	4600	6000	6100	3450
559			2015	LT	5850	7650	7750	4400
559			2016	LT	7100	9250	9450	5350
559			2017	LT	7100	9950	9850	5450
559			2018	LT	8050	11300	11200	6200
559			2019	LT	8850	12400	12300	6800
559	HWY 7182 SHEBESHEKONG RD	8.1	1988	T	1350	2450	2350	820
559			1989	T	1450	2600	2550	910
559			1990	T	1550	2800	2700	960
559			1991	T	1650	3000	2850	1000
559			1992	T	1650	3000	2900	1000
559			1993	T	1600	2900	2800	990
559			1994	T	1650	3000	2900	1000
559			1995	T	1700	2950	2900	1050
559			1996	T	1750	3050	2950	1100
559			1997	LR	1750	2950	2350	1150
559			1998	LR	1750	2900	2350	1150
559			1999	LR	1850	3050	2450	1200
559			2000	LR	1950	3150	2550	1300
559			2001	LR	1950	3200	2550	1300
559			2002	LR	2000	3250	2600	1350
559			2003	LR	2050	3250	2600	1400
559			2004	LR	2100	3450	2750	1400
559			2005	LR	2150	3350	2700	1450
559			2006	LR	2200	3450	2750	1500
559			2007	LR	2250	3550	3400	1500
559			2008	LR	2300	3600	3500	1600
559			2009	LR	2350	3550	2900	1600
559			2010	LR	2400	3600	2950	1650
559			2011	LR	2450	3800	3550	1700
559			2012	LR	2500	3750	3650	1700
559			2013	LT	2550	3350	3350	1950
559			2014	LT	2600	3400	3450	1950
559			2015	LT	2650	3450	3500	2000
559			2016	LT	2700	3550	3600	2050
559			2017	LT	2750	3850	3800	2100
559			2018	LT	2800	3900	3900	2150
559			2019	LT	2850	4000	3950	2200
559	DILLON RD (N)	9.2	1988	T	500	920	880	300
559			1989	T	750	1350	1300	470
559			1990	T	950	1750	1650	590
559			1991	T	1050	1900	1800	650
559			1992	T	950	1700	1650	590

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
559			1993	T	950	1700	1650	590
559			1994	T	940	1700	1650	580
559			1995	T	980	1700	1650	600
559			1996	T	1000	1750	1700	620
559			1997	LR	950	1600	1300	640
559			1998	LR	1100	1800	1450	730
559			1999	LR	1100	1800	1450	730
559			2000	LR	1100	1800	1450	730
559			2001	LR	1150	1900	1500	770
559			2002	LR	1150	1850	1500	780
559			2003	LR	1200	1900	1550	810
559			2004	LR	1200	1950	1550	800
559			2005	LR	1200	1850	1500	820
559			2006	LR	1300	2050	1650	880
559			2007	LR	1250	1950	1900	840
559			2008	LR	1300	2050	2000	890
559			2009	LR	1250	1900	1550	850
559			2010	LR	1350	2000	1650	920
559			2011	LR	1350	2100	1950	950
559			2012	LR	1400	2100	2050	960
559			2013	CTR	1400	1700	1750	1200
559			2014	CTR	1450	1750	1800	1250
559			2015	CTR	1450	1750	1800	1250
559			2016	CTR	1500	1850	1850	1300
559			2017	CTR	1500	2000	2000	1200
559			2018	CTR	1550	2050	2050	1250
559			2019	CTR	1550	2050	2050	1250
559	KILLBEAR PROV PK BDY HWY END		9999					
560			1988	IC	1100	1300	1250	970
560			1989	IC	1150	1300	1300	1000
560			1990	IC	1200	1350	1350	1050
560			1991	IC	1200	1350	1350	1050
560			1992	IC	1200	1350	1300	1100
560			1993	LT	1250	1750	1550	920
560			1994	LT	1100	1600	1550	800
560			1995	LT	1150	1650	1600	840
560			1996	LT	1150	1600	1600	850
560			1997	LT	1150	1600	1600	850
560			1998	LT	1150	1600	1600	840
560			1999	LT	920	1300	1250	670
560			2000	LT	1100	1550	1500	800
560			2001	LT	1100	1550	1500	810
560			2002	LT	1200	1700	1650	880
560			2003	LT	1100	1500	1500	810
560			2004	LT	1100	1550	1500	810

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
560			2005	LT	1100	1500	1450	810
560			2006	LT	1100	1500	1450	810
560			2007	LT	1100	1500	1550	810
560			2008	LT	1100	1500	1450	810
560			2009	LT	1100	1500	1450	810
560			2010	LT	1100	1500	1450	810
560			2011	LT	1100	1400	1450	900
560			2012	UC	1100	1100	1200	1050
560			2013	UC	1100	1100	1100	1050
560			2014	C	1100	1200	1200	990
560			2015	C	1100	1200	1200	990
560			2016	C	1100	1200	1200	990
560			2017	C	1100	1200	1200	1000
560			2018	C	1100	1200	1200	990
560			2019	C	1100	1200	1200	1000
560	**HWY 11**	**9.20**	**2019**	**C**	**1100**	**1200**	**1200**	**1000**
560	SEC HWY 573 BAY ST CHARLTON	30.6	1988	IC	300	350	340	260
560			1989	IC	330	380	370	290
560			1990	T	300	550	520	190
560			1991	T	300	540	520	190
560			1992	T	300	540	530	190
560			1993	LT	400	550	500	290
560			1994	LT	310	450	440	230
560			1995	LT	320	460	450	230
560			1996	LT	320	450	440	240
560			1997	LT	330	470	460	240
560			1998	LT	340	480	470	250
560			1999	LT	240	330	330	180
560			2000	LT	280	390	380	200
560			2001	LT	280	390	380	210
560			2002	LT	270	380	370	200
560			2003	LT	260	360	350	190
560			2004	LT	250	350	340	180
560			2005	LT	250	340	330	180
560			2006	LT	240	330	320	180
560			2007	LT	230	320	320	170
560			2008	LT	220	300	290	160
560			2009	LT	210	280	280	160
560			2010	LT	210	280	280	160
560			2011	LT	200	260	260	160
560			2012	UC	270	270	290	260
560			2013	UC	200	200	200	190
560			2014	UC	190	190	180	180
560			2015	UC	190	190	180	180
560			2016	UC	180	180	170	170

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
560			2017	UC	170	170	170	160
560			2018	UC	170	170	170	160
560			2019	UC	160	160	160	150
560	E JCT HWY 65 ELK LAKE OVERLAP HWY 65 (34580)	1.0	9999					
560	W JCT HWY 65 ELK LAKE	42.4	1988	T	300	550	520	180
560			1989	T	300	540	520	190
560			1990	LT	300	440	420	220
560			1991	LT	300	420	400	220
560			1992	LT	300	420	400	230
560			1993	SC	350	390	430	310
560			1994	SC	350	360	400	320
560			1995	SC	360	380	420	330
560			1996	SC	370	390	430	330
560			1997	LT	380	540	520	280
560			1998	LT	390	550	530	280
560			1999	LT	400	560	540	290
560			2000	LT	410	570	560	300
560			2001	LT	430	600	590	320
560			2002	LT	440	610	600	320
560			2003	LT	450	620	610	330
560			2004	LT	460	640	630	340
560			2005	LT	470	640	630	350
560			2006	LT	480	660	640	350
560			2007	LT	490	670	690	360
560			2008	LT	500	690	660	370
560			2009	LT	520	700	690	380
560			2010	LT	530	710	700	390
560			2011	LT	540	690	710	440
560			2012	LR	400	600	580	270
560			2013	LR	530	790	910	360
560			2014	IR	370	440	440	310
560			2015	IR	510	610	610	430
560			2016	IR	520	620	620	440
560			2017	IR	530	620	620	470
560			2018	IR	530	620	620	470
560			2019	IR	540	630	630	480
560	GOWGANDA CK BR	100.9	1988	T	250	460	440	150
560			1989	T	300	540	520	190
560			1990	HT	350	700	630	160
560			1991	HT	350	700	630	160
560			1992	HT	300	590	550	140
560			1993	SC	300	330	370	270
560			1994	SC	350	360	400	320
560			1995	SC	370	390	430	340
560			1996	SC	400	430	470	360

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
560			1997	SC	420	450	490	370
560			1998	SC	440	470	510	390
560			1999	SC	410	430	480	360
560			2000	SC	440	470	510	390
560			2001	SC	450	480	530	400
560			2002	SC	480	510	560	420
560			2003	SC	470	500	550	420
560			2004	SC	480	510	560	420
560			2005	SC	490	520	570	430
560			2006	SC	480	510	560	420
560			2007	SC	510	540	590	450
560			2008	SC	520	550	510	460
560			2009	UC	540	570	630	510
560			2010	UC	550	580	640	520
560			2011	UC	560	560	580	530
560			2012	UC	440	440	470	420
560			2013	UC	550	550	550	520
560			2014	IR	420	500	500	360
560			2015	IR	540	640	640	460
560			2016	IR	550	650	660	470
560			2017	IR	560	630	640	480
560			2018	IR	560	630	640	480
560			2019	IR	570	650	650	500
560	HWY 144 HWY END		9999					
560A			1988	T	50	90	90	30
560A			1989	T	50	90	90	30
560A			1990	T	50	90	90	30
560A			1991	T	50	90	90	30
560A			1992	T	50	90	90	30
560A			1993	LT	150	210	190	110
560A			1994	LT	90	130	130	70
560A			1995	LT	100	140	140	70
560A			1996	LT	110	160	150	80
560A			1997	LT	110	160	150	80
560A			1998	LT	120	170	160	90
560A			1999	LT	130	180	180	90
560A			2000	LT	130	180	180	90
560A			2001	LT	130	180	180	100
560A			2002	LT	130	180	180	100
560A			2003	LT	140	190	190	100
560A			2004	LT	150	210	200	110
560A			2005	LT	140	190	190	100
560A			2006	LT	150	210	200	110
560A			2007	SC	160	170	180	140
560A			2008	SC	160	170	160	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
560A			2009	LT	140	190	180	100
560A			2010	LT	170	230	220	130
560A			2011	LT	170	220	220	140
560A			2012	IT	170	210	210	140
560A			2013	IT	180	230	230	150
560A			2014	IR	180	210	210	150
560A			2015	IR	190	230	230	160
560A			2016	IR	190	230	230	160
560A			2017	IR	190	230	230	160
560A			2018	IR	200	240	240	170
560A			2019	IR	200	240	240	170
560A	**SEC HWY 560**	**9.50**	**2019**	**IR**	**200**	**240**	**240**	**170**
560A	WESTREE CNR CROSSING L 1 HWY END		9999					
562			1988	SC	250	270	300	220
562			1989	SC	250	280	300	220
562			1990	UC	250	270	290	240
562			1991	UC	250	260	290	240
562			1992	UC	250	260	290	240
562			1993	LT	300	410	370	220
562			1994	LT	250	370	350	180
562			1995	LT	240	340	330	180
562			1996	LT	210	300	290	150
562			1997	LT	240	340	330	180
562			1998	LT	240	340	330	180
562			1999	LT	230	320	310	170
562			2000	LT	240	330	330	180
562			2001	LT	250	350	340	180
562			2002	LT	260	360	350	190
562			2003	LT	250	340	340	180
562			2004	LT	250	350	340	180
562			2005	LT	270	370	360	200
562			2006	LT	270	370	360	200
562			2007	LT	280	380	400	210
562			2008	LT	280	380	370	210
562			2009	C	310	340	340	280
562			2010	C	290	320	320	260
562			2011	C	290	320	320	260
562			2012	UC	300	300	320	290
562			2013	UC	300	300	300	280
562			2014	UC	390	390	380	370
562			2015	UC	330	330	320	310
562			2016	UC	330	330	320	310
562			2017	UC	340	340	340	330
562			2018	UC	340	340	340	330
562			2019	UC	350	340	350	340

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
562	**HWY 11**	**6.40**	**2019**	**UC**	**350**	**340**	**350**	**340**
562	SEC HWY 571 EARLTON RD	8.1	1988	SC	300	320	350	270
562			1989	SC	300	330	360	270
562			1990	UC	300	320	350	280
562			1991	UC	300	320	340	290
562			1992	UC	300	320	340	290
562			1993	LT	300	410	370	220
562			1994	LT	290	430	410	210
562			1995	LT	290	420	400	210
562			1996	UC	310	330	360	290
562			1997	LT	280	390	390	210
562			1998	LT	280	390	380	200
562			1999	LT	230	320	310	170
562			2000	LT	270	380	370	200
562			2001	LT	270	380	370	200
562			2002	LT	270	380	370	200
562			2003	LT	270	370	360	200
562			2004	LT	270	380	370	200
562			2005	LT	260	360	350	190
562			2006	LT	270	370	360	200
562			2007	LT	260	360	370	190
562			2008	LT	260	360	340	190
562			2009	IT	250	320	320	210
562			2010	IT	250	310	310	210
562			2011	IT	250	340	340	210
562			2012	UC	350	350	370	330
562			2013	UC	270	270	270	260
562			2014	UC	280	280	270	270
562			2015	UC	270	270	260	260
562			2016	UC	270	270	260	260
562			2017	UC	270	270	270	260
562			2018	UC	270	270	270	260
562			2019	UC	270	270	270	260
562	HWY 65 HWY END		9999					
563			1988	LT	450	640	630	340
563			1989	LT	450	630	620	330
563			1990	LT	450	660	630	330
563			1991	LT	400	560	540	300
563			1992	LT	400	560	540	310
563			1993	LT	400	550	500	290
563			1994	LT	400	590	570	290
563			1995	LT	390	560	540	290
563			1996	LT	370	520	510	270
563			1997	LT	360	510	500	270
563			1998	LT	350	490	480	260

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
563			1999	LT	340	470	460	250
563			2000	LT	370	520	500	270
563			2001	LT	340	480	460	250
563			2002	LT	330	460	450	240
563			2003	LT	370	510	500	270
563			2004	LT	340	480	460	250
563			2005	LT	340	470	460	250
563			2006	LT	330	450	440	240
563			2007	LT	320	440	450	240
563			2008	LT	330	450	430	240
563			2009	LT	340	460	450	250
563			2010	LT	320	430	420	240
563			2011	LT	320	410	420	260
563			2012	LT	310	400	390	230
563			2013	LT	310	400	400	230
563			2014	LT	300	390	400	230
563			2015	LT	300	390	400	230
563			2016	LT	300	390	400	230
563			2017	LT	290	370	370	240
563			2018	LT	290	370	370	240
563			2019	LT	290	370	370	240
563	**HWY 17**	**5.50**	**2019**	**LT**	**290**	**370**	**370**	**240**
563	GOVMNT DOCK BATCHAWANA HWY END		9999					
564	HWY 112	7.0	1988	IC	50	60	60	40
564			1989	IC	50	60	60	40
564			1990	IC	50	60	60	40
564			1991	IC	50	60	60	40
564			1992	IC	50	60	60	50
564			1993	UC	50	50	60	50
564			1994	UC	80	80	90	70
564			1995	UC	90	90	100	80
564			1996	UC	90	100	110	90
564			1997	UC	100	100	120	90
564			1998	UC	100	110	120	100
564			1999	UC	150	160	180	140
564			2000	UC	110	120	130	100
564			2001	UC	130	140	150	120
564			2002	UC	140	150	160	130
564			2003	UC	150	160	180	140
564			2004	UC	160	170	190	150
564			2005	UC	120	130	140	110
564			2006	UC	110	120	130	100
564			2007	UC	100	110	120	90
564			2008	UC	90	100	90	80
564			2009	IT	60	80	80	50

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
564			2010	IT	80	100	100	70
564			2011	IT	110	150	150	90
564			2012	LT	120	160	150	90
564			2013	LT	110	140	140	80
564			2014	LT	90	120	120	70
564			2015	LT	100	130	130	80
564			2016	LT	100	130	130	80
564			2017	LT	100	130	130	80
564			2018	LT	100	130	130	80
564			2019	LT	100	130	130	80
564	PACAUD TWP C6 L5 HWY END		9999					
565	SEC HWY 550	1.6	1988	C	2150	2400	2400	1950
565			1989	C	2050	2300	2300	1850
565			1990	C	2000	2200	2200	1800
565			1991	CTR	1900	2400	2400	1650
565			1992	CTR	1900	2350	2250	1650
565			1993	CTR	1900	2400	2300	1600
565			1994	CTR	1900	2450	2300	1600
565			1995	CTR	1950	2500	2400	1650
565			1996	CTR	1950	2500	2400	1650
565			1997	CTR	1950	2500	2400	1650
565			1998	CTR	1950	2500	2400	1650
565			1999	CTR	1950	2450	2350	1650
565			2000	CTR	1950	2450	2350	1650
565			2001	CTR	2000	2500	2400	1700
565			2002	CTR	2000	2500	2400	1700
565			2003	CTR	2000	2500	2400	1700
565			2004	CTR	2000	2500	2400	1700
565			2005	CTR	2000	2500	2400	1700
565			2006	CTR	2000	2500	2350	1700
565			2007	CTR	2000	2500	2450	1700
565			2008	CTR	1950	2400	2350	1650
565			2009	CTR	2000	2450	2350	1700
565			2010	CTR	1950	2350	2300	1650
565			2011	CTR	2000	2450	2350	1700
565			2012	LT	2000	2600	2500	1500
565			2013	LT	2100	2750	2750	1600
565			2014	LT	2500	3250	3300	1900
565			2015	LT	2100	2750	2800	1600
565			2016	LT	2150	2800	2850	1600
565			2017	LT	2150	2900	2950	1700
565			2018	LT	2150	2900	2950	1700
565			2019	LT	2150	2900	2950	1700
565	SAULT STE MARIE N LTS START OF NA	2.8	9999					
565	SAULT STE MARIE END OF NA HWY END		9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
566	HWY 66 MATACHEWAN	25.9	1988	IC	80	90	90	70
566			1989	IC	100	110	110	90
566			1990	IC	150	170	170	130
566			1991	IC	150	170	170	130
566			1992	IC	150	170	160	140
566			1993	IC	150	170	170	130
566			1994	IC	130	150	150	120
566			1995	IC	130	150	150	120
566			1996	IC	140	160	160	120
566			1997	IC	150	170	170	130
566			1998	IC	150	170	170	130
566			1999	IC	90	100	100	80
566			2000	IC	120	130	130	110
566			2001	IC	110	120	120	100
566			2002	IC	110	120	120	100
566			2003	IC	110	120	120	100
566			2004	IC	100	110	110	90
566			2005	IC	110	120	120	100
566			2006	IC	110	120	120	100
566			2007	IC	110	120	130	100
566			2008	IC	110	120	120	100
566			2009	IT	130	160	160	110
566			2010	IT	100	130	130	80
566			2011	IT	100	130	130	80
566			2012	UC	950	960	1000	900
566			2013	UC	700	700	700	660
566			2014	UC	750	750	720	710
566			2015	UC	750	750	720	710
566			2016	UC	750	750	720	710
566			2017	UC	600	600	600	580
566			2018	UC	630	620	630	600
566			2019	UC	750	740	750	720
566	ASHLEY MINES END OF HWY		9999					
567	HWY 11B HAILEYBURY START OF NA	3.7	9999					
567	HAILEYBURY S LTS END OF NA	34.6	1988	T	200	370	350	120
567			1989	T	200	360	350	130
567			1990	T	250	460	440	160
567			1991	T	250	450	430	160
567			1992	T	300	540	530	190
567			1993	CTR	350	440	420	300
567			1994	CTR	350	450	430	290
567			1995	CTR	370	470	460	310
567			1996	CTR	390	500	480	330
567			1997	CTR	410	520	500	340
567			1998	CTR	430	550	520	360

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
567			1999	CTR	480	600	580	400
567			2000	CTR	460	580	560	390
567			2001	CTR	500	630	600	420
567			2002	CTR	520	660	630	440
567			2003	CTR	540	670	640	460
567			2004	CTR	560	710	680	470
567			2005	CTR	560	690	670	470
567			2006	CTR	570	710	680	480
567			2007	CTR	590	730	720	500
567			2008	CTR	610	750	740	520
567			2009	IT	580	730	730	480
567			2010	IT	640	800	800	530
567			2011	IT	660	890	890	540
567			2012	CTR	550	670	660	470
567			2013	CTR	670	820	840	570
567			2014	CTR	490	600	600	420
567			2015	CTR	660	810	810	560
567			2016	CTR	670	820	820	570
567			2017	CTR	690	920	920	560
567			2018	CTR	700	930	930	570
567			2019	CTR	710	950	940	580
567	LOWER NOTCH DAM END OF HWY		9999					
568			1988	C	450	500	500	400
568			1989	C	450	500	500	400
568			1990	C	450	500	500	400
568			1991	C	450	500	500	410
568			1992	C	450	490	500	410
568			1993	SC	500	560	610	440
568			1994	SC	460	480	530	420
568			1995	SC	460	480	530	420
568			1996	SC	460	490	540	410
568			1997	SC	460	490	540	410
568			1998	SC	460	490	540	410
568			1999	SC	440	470	510	390
568			2000	SC	450	480	530	400
568			2001	SC	440	470	520	390
568			2002	SC	440	470	520	390
568			2003	SC	440	460	510	390
568			2004	SC	440	470	520	390
568			2005	SC	340	360	400	300
568			2006	SC	290	310	340	260
568			2007	SC	240	250	280	210
568			2008	SC	200	210	200	180
568			2009	SC	120	130	140	110
568			2010	SC	130	140	150	110

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
568			2011	SC	180	230	210	140
568			2012	UC	150	150	160	140
568			2013	UC	130	130	130	120
568			2014	UC	130	130	130	120
568			2015	UC	150	150	140	140
568			2016	UC	130	130	130	120
568			2017	UC	70	70	70	70
568			2018	UC	50	50	50	50
568			2019	UC	150	150	150	140
568	**HWY 11**	**2.40**	**2019**	**UC**	**150**	**150**	**150**	**140**
568	KENOGAMI ONR CROSSING HWY END		9999					
569	S JCT HWY 11	13.7	1988	IC	450	520	510	400
569			1989	IC	450	520	510	400
569			1990	IR	450	570	500	370
569			1991	IR	450	570	500	370
569			1992	IR	450	550	500	380
569			1993	IR	450	550	470	370
569			1994	IR	490	600	540	410
569			1995	IR	500	620	550	430
569			1996	IC	490	550	550	440
569			1997	IC	510	570	580	450
569			1998	IC	520	580	580	460
569			1999	IC	590	660	660	530
569			2000	IC	560	630	630	500
569			2001	IC	580	650	650	510
569			2002	IC	580	650	650	510
569			2003	IC	600	670	680	530
569			2004	IC	620	690	700	550
569			2005	IC	630	700	710	560
569			2006	IC	640	710	720	570
569			2007	IC	660	730	760	580
569			2008	IC	670	740	720	590
569			2009	IC	680	750	760	610
569			2010	IC	700	770	780	620
569			2011	IC	710	780	810	640
569			2012	UC	630	630	670	600
569			2013	UC	720	720	720	680
569			2014	UC	670	670	640	640
569			2015	UC	730	730	700	690
569			2016	UC	740	740	710	700
569			2017	UC	750	750	750	720
569			2018	UC	760	750	770	730
569			2019	UC	770	760	770	740
569	PENSE RD HILLIARD INGRAM TWP BDY	14.5	1988	IC	500	580	560	440
569			1989	IC	500	580	560	440

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
569			1990	IR	550	700	610	450
569			1991	IR	550	690	610	460
569			1992	IR	600	740	660	510
569			1993	C	600	650	660	550
569			1994	C	580	640	650	520
569			1995	C	590	640	660	540
569			1996	C	600	680	680	540
569			1997	C	610	690	700	550
569			1998	C	620	700	700	560
569			1999	C	610	680	690	550
569			2000	C	610	690	690	550
569			2001	C	610	690	690	550
569			2002	C	640	720	720	580
569			2003	C	620	690	700	560
569			2004	C	620	700	700	560
569			2005	C	620	690	700	560
569			2006	C	600	670	670	540
569			2007	C	630	700	710	570
569			2008	C	630	700	690	570
569			2009	C	630	690	700	570
569			2010	C	630	690	700	570
569			2011	C	640	710	710	580
569			2012	IC	540	600	580	480
569			2013	IC	620	690	680	550
569			2014	C	530	580	570	480
569			2015	C	600	660	640	540
569			2016	C	600	660	640	540
569			2017	C	600	660	650	540
569			2018	C	600	660	650	540
569			2019	C	600	660	650	540
569	SEC HWY 624	0.1	1988	IC	800	930	900	700
569			1989	IC	800	920	900	710
569			1990	IR	850	1100	940	700
569			1991	IR	850	1050	940	710
569			1992	IR	850	1050	940	720
569			1993	C	850	930	940	780
569			1994	C	830	910	930	750
569			1995	C	830	910	930	760
569			1996	C	840	950	960	760
569			1997	C	840	950	960	760
569			1998	C	840	950	950	760
569			1999	C	820	920	930	740
569			2000	C	860	970	970	770
569			2001	C	870	980	980	780
569			2002	C	880	990	990	790

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
569			2003	C	880	980	990	790
569			2004	C	890	1000	1000	800
569			2005	C	780	870	880	700
569			2006	C	920	1000	1050	830
569			2007	C	800	890	900	720
569			2008	C	820	910	890	740
569			2009	C	930	1000	1050	840
569			2010	C	840	930	930	760
569			2011	C	870	960	970	780
569			2012	IC	890	990	960	790
569			2013	IC	880	970	970	780
569			2014	CTR	890	1100	1100	760
569			2015	CTR	880	1050	1100	750
569			2016	CTR	880	1050	1100	750
569			2017	CTR	890	1200	1200	730
569			2018	CTR	890	1200	1200	720
569			2019	CTR	890	1200	1200	720
569	N JCT HWY 11 HWY END		9999					
570			1988	CTR	150	200	180	130
570			1989	CTR	150	190	180	130
570			1990	CTR	150	190	180	130
570			1991	CTR	150	190	190	130
570			1992	CTR	150	180	180	130
570			1993	T	150	270	260	90
570			1994	T	210	380	370	130
570			1995	T	210	370	360	130
570			1996	T	220	380	370	140
570			1997	T	230	400	390	140
570			1998	T	240	410	400	150
570			1999	T	320	540	520	200
570			2000	T	260	430	410	160
570			2001	T	300	490	470	190
570			2002	T	310	510	490	190
570			2003	T	330	520	500	210
570			2004	T	340	560	540	210
570			2005	T	270	420	400	170
570			2006	T	270	420	400	170
570			2007	T	270	420	400	170
570			2008	T	270	410	400	170
570			2009	LT	140	190	180	100
570			2010	LT	280	380	370	210
570			2011	LT	280	360	370	230
570			2012	LT	170	220	210	130
570			2013	LT	260	340	340	200
570			2014	LT	190	250	250	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
570			2015	LT	250	330	330	190
570			2016	LT	250	330	330	190
570			2017	LT	250	320	320	210
570			2018	LT	250	320	320	210
570			2019	LT	250	320	320	210
570	**HWY 11**	**4.45**	**2019**	**LT**	**250**	**320**	**320**	**210**
570	MAISONVILLE TWP (IN C 1) HWY END		9999					
571	SEC HWY 562	4.5	1988	LT	500	710	700	380
571			1989	LT	550	760	760	410
571			1990	LT	550	800	770	400
571			1991	LT	550	770	740	410
571			1992	LT	550	760	740	420
571			1993	UC	550	580	630	520
571			1994	UC	550	580	630	510
571			1995	UC	560	590	640	520
571			1996	UC	580	610	680	550
571			1997	LT	580	820	800	430
571			1998	LT	590	830	810	430
571			1999	LT	530	740	720	390
571			2000	LT	560	780	760	410
571			2001	LT	560	780	760	410
571			2002	LT	560	780	760	410
571			2003	LT	560	770	750	410
571			2004	LT	560	780	760	410
571			2005	LT	560	770	750	410
571			2006	LT	560	770	750	410
571			2007	LT	560	770	790	410
571			2008	LT	560	770	730	410
571			2009	LT	560	760	740	410
571			2010	LT	560	750	740	410
571			2011	LT	560	720	730	460
571			2012	UC	560	560	600	530
571			2013	UC	560	560	560	530
571			2014	UC	560	560	540	530
571			2015	UC	560	560	540	530
571			2016	UC	560	560	540	530
571			2017	UC	560	560	560	540
571			2018	UC	560	560	560	540
571			2019	UC	560	550	560	540
571	SEC HWY 640 AIRPORT RD	1.3	1988	IC	900	1050	1000	790
571			1989	IC	950	1100	1050	850
571			1990	IC	950	1100	1050	850
571			1991	IC	950	1050	1050	850
571			1992	IC	950	1050	1050	860
571			1993	CR	900	1100	1050	810

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
571			1994	CR	960	1200	1100	860
571			1995	CR	970	1200	1150	840
571			1996	SC	940	1000	1100	840
571			1997	IC	990	1100	1100	870
571			1998	IC	1000	1100	1100	890
571			1999	IC	1000	1100	1100	890
571			2000	IC	1000	1100	1100	890
571			2001	IC	1050	1150	1200	930
571			2002	IC	1050	1150	1200	930
571			2003	IC	1050	1150	1200	930
571			2004	IC	1050	1150	1200	930
571			2005	IC	1100	1200	1250	970
571			2006	IC	1100	1200	1250	970
571			2007	IC	1100	1200	1250	970
571			2008	IC	1100	1200	1200	970
571			2009	CR	1100	1300	1300	940
571			2010	CR	1150	1400	1350	970
571			2011	CR	1150	1350	1350	1000
571			2012	UC	1150	1150	1250	1100
571			2013	UC	1150	1150	1150	1100
571			2014	UC	1150	1150	1100	1100
571			2015	UC	1200	1200	1150	1150
571			2016	UC	1200	1200	1150	1150
571			2017	UC	1200	1200	1200	1150
571			2018	UC	1200	1200	1200	1150
571			2019	UC	1250	1250	1250	1200
571	HWY 11 EARLTON BYPASS HWY END		9999					
572			1988	UC	550	580	620	520
572			1989	UC	550	580	620	520
572			1990	UC	450	480	520	430
572			1991	UC	450	480	520	440
572			1992	UC	450	480	520	430
572			1993	SC	450	500	550	400
572			1994	SC	430	450	490	400
572			1995	SC	420	440	490	380
572			1996	SC	400	430	470	360
572			1997	UC	390	410	460	370
572			1998	UC	370	390	430	350
572			1999	UC	370	390	430	350
572			2000	UC	370	390	440	350
572			2001	UC	360	390	420	340
572			2002	UC	360	380	420	340
572			2003	UC	340	360	400	320
572			2004	UC	330	350	390	310
572			2005	UC	330	350	390	310

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
572			2006	IC	310	340	350	270
572			2007	IC	310	340	350	270
572			2008	IC	300	330	320	260
572			2009	IC	310	340	350	280
572			2010	IC	290	320	320	260
572			2011	IC	280	310	320	250
572			2012	UC	330	330	350	310
572			2013	UC	270	270	270	260
572			2014	C	350	390	370	320
572			2015	C	270	300	290	240
572			2016	C	270	300	290	240
572			2017	C	260	280	280	240
572			2018	C	260	280	280	230
572			2019	C	300	330	330	270
572	**HWY 11**	**8.50**	**2019**	**C**	**300**	**330**	**330**	**270**
572	HISLOP GUIBORD TWP BDY	8.1	1997	UC	250	260	290	240
572			1998	UC	250	260	290	240
572			1999	UC	250	260	290	240
572			2000	UC	230	240	270	220
572			2001	UC	220	240	260	210
572			2002	UC	210	220	250	200
572			2003	UC	200	210	230	190
572			2004	UC	190	200	220	180
572			2005	UC	170	180	200	160
572			2006	UC	170	180	200	160
572			2007	UC	150	160	170	140
572			2008	UC	140	150	140	130
572			2009	C	110	120	120	100
572			2010	C	120	130	130	110
572			2011	C	100	110	110	90
572			2012	CTR	240	290	290	200
572			2013	CTR	120	150	150	100
572			2014	IC	110	120	120	100
572			2015	IC	100	110	110	90
572			2016	IC	90	100	100	80
572			2017	IC	80	90	90	70
572			2018	IC	80	90	90	70
572			2019	IC	120	130	130	110
572	HWY 101 HWY END		9999					
573	SEC HWY 560 ROBERT ST CHARLTON	19.7	1988	IC	100	120	110	90
573			1989	IC	100	110	110	90
573			1990	IC	130	150	150	120
573			1991	IC	130	150	140	120
573			1992	IC	130	140	140	120
573			1993	LT	150	210	190	110

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
573			1994	LT	130	190	180	90
573			1995	LT	130	190	180	100
573			1996	HR	160	280	230	100
573			1997	HR	140	250	200	80
573			1998	HR	140	240	200	80
573			1999	HR	110	190	150	70
573			2000	HR	120	200	160	70
573			2001	HR	120	200	160	70
573			2002	HR	110	180	150	70
573			2003	HR	110	180	140	70
573			2004	HR	110	180	150	70
573			2005	HR	100	160	130	60
573			2006	LT	100	140	130	70
573			2007	LT	100	140	140	70
573			2008	LT	90	120	120	70
573			2009	LT	90	120	120	70
573			2010	LT	90	120	120	70
573			2011	LT	80	100	100	70
573			2012	CTR	140	170	170	120
573			2013	CTR	90	110	110	80
573			2014	CTR	90	110	110	80
573			2015	CTR	80	100	100	70
573			2016	CTR	80	100	100	70
573			2017	CTR	80	110	110	70
573			2018	CTR	80	110	110	70
573			2019	CTR	70	90	90	60
573	HWY 11 HWY END		9999					
574	FOX TWP RD C 1 2 NOREMBEGA	11.1	1988	SC	150	160	180	140
574			1989	SC	150	160	180	130
574			1990	SC	50	60	60	40
574			1991	SC	50	60	60	40
574			1992	SC	50	50	60	50
574			1993	C	50	50	60	50
574			1994	C	50	50	60	50
574			1995	C	50	50	60	50
574			1996	HR	50	90	70	30
574			1997	HR	50	90	70	30
574			1998	HR	40	70	60	20
574			1999	HR	40	70	60	20
574			2000	HR	40	70	50	20
574			2001	HR	40	70	50	20
574			2002	HR	40	70	50	20
574			2003	HR	40	60	50	20
574			2004	HR	40	70	50	20
574			2005	HR	40	60	50	20

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
574			2006	CR	40	50	50	30
574			2007	CR	40	50	50	30
574			2008	CR	40	50	50	30
574			2009	CR	40	50	50	30
574			2010	CR	40	50	50	30
574			2011	CR	50	60	60	40
574			2012	CR	70	80	80	60
574			2013	IR	100	120	130	90
574			2014	IR	60	70	70	50
574			2015	IR	100	120	120	90
574			2016	IR	70	80	80	60
574			2017	IR	70	80	80	60
574			2018	IR	70	80	80	60
574			2019	IR	70	80	80	60
574	BIRCHILL PARK RD BROWER TWP RD C 3 4	4.8	1988	C	250	280	280	220
574			1989	C	250	280	280	220
574			1990	C	300	330	330	270
574			1991	C	300	330	330	270
574			1992	C	300	320	330	280
574			1993	C	300	330	330	280
574			1994	C	290	320	320	260
574			1995	C	290	320	320	270
574			1996	C	300	340	340	270
574			1997	C	300	340	340	270
574			1998	C	300	340	340	270
574			1999	C	280	310	320	250
574			2000	C	290	330	330	260
574			2001	C	290	330	330	260
574			2002	C	290	320	330	260
574			2003	C	280	310	310	250
574			2004	C	280	320	320	250
574			2005	C	280	310	310	250
574			2006	C	270	300	300	240
574			2007	C	280	310	320	250
574			2008	C	280	310	300	250
574			2009	C	270	300	300	240
574			2010	C	270	300	300	240
574			2011	C	270	300	300	240
574			2012	C	270	300	290	240
574			2013	CTR	270	330	340	230
574			2014	CTR	270	330	330	230
574			2015	IC	320	350	350	280
574			2016	IC	270	300	300	240
574			2017	IC	270	300	300	250
574			2018	IC	270	300	300	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
574			2019	IC	270	300	300	240
574	SEC HWY 652 HWY END		9999					
575			1988	CR	1000	1300	1200	830
575			1989	CR	1050	1350	1250	880
575			1990	CR	1100	1350	1250	990
575			1991	CR	1100	1350	1250	990
575			1992	CR	1000	1250	1150	900
575			1993	CR	1000	1250	1150	900
575			1994	CR	1100	1350	1250	990
575			1995	CR	1150	1400	1350	990
575			1996	CR	1200	1500	1400	1000
575			1997	LT	1250	1750	1700	920
575			1998	LT	1050	1450	1450	770
575			1999	LT	1100	1550	1500	800
575			2000	LT	1100	1550	1500	800
575			2001	LT	1050	1450	1450	770
575			2002	LT	1050	1450	1450	770
575			2003	LT	1050	1450	1400	780
575			2004	CR	1050	1300	1250	890
575			2005	CR	1050	1250	1200	880
575			2006	LT	1000	1350	1350	740
575			2007	LT	1050	1450	1500	770
575			2008	LT	1000	1350	1300	740
575			2009	IC	1100	1200	1250	980
575			2010	IC	1000	1100	1100	890
575			2011	LT	1000	1300	1300	820
575			2012	LT	990	1300	1250	750
575			2013	SC	980	1050	940	860
575			2014	SC	970	1050	1000	860
575			2015	C	1150	1250	1250	1050
575			2016	C	990	1100	1050	890
575			2017	C	980	1050	1050	890
575			2018	C	970	1050	1050	880
575			2019	C	970	1050	1050	880
575	**HWY 17**	**14.65**	**2019**	**C**	**970**	**1050**	**1050**	**880**
575	BADGEROW TWP RD(TO DESAULNIERS)	5.5	1988	CR	700	900	840	580
575			1989	CR	600	770	710	500
575			1990	CR	650	810	750	580
575			1991	CR	650	800	750	580
575			1992	CR	750	920	850	680
575			1993	CR	750	920	860	680
575			1994	CR	740	910	840	670
575			1995	CR	760	940	900	650
575			1996	CR	770	950	900	660
575			1997	CR	790	980	930	670

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
575			1998	CR	800	980	940	680
575			1999	CR	810	1000	950	690
575			2000	CR	820	1000	960	700
575			2001	CR	830	1000	970	700
575			2002	CR	850	1050	1000	720
575			2003	CR	860	1050	1000	730
575			2004	CR	890	1100	1050	750
575			2005	CR	880	1050	1050	740
575			2006	CR	880	1050	1000	740
575			2007	CR	910	1100	1100	770
575			2008	CR	920	1100	1100	780
575			2009	CR	930	1100	1100	790
575			2010	CR	950	1150	1100	800
575			2011	CR	960	1100	1150	850
575			2012	CR	970	1150	1150	820
575			2013	CTR	850	1050	1050	720
575			2014	CTR	970	1200	1200	820
575			2015	CTR	810	990	1000	690
575			2016	CTR	960	1150	1200	820
575			2017	CTR	970	1300	1300	790
575			2018	CTR	980	1300	1300	800
575			2019	CTR	990	1300	1300	810
575	HWY 64 HWY END		9999					
577	HWY 101 SHILLINGTON	10.6	1988	CTR	250	320	300	210
577			1989	CTR	250	320	300	220
577			1990	CTR	250	310	300	220
577			1991	CTR	250	320	310	220
577			1992	CTR	250	310	300	220
577			1993	SC	250	280	300	220
577			1994	SC	270	280	310	250
577			1995	SC	270	280	310	250
577			1996	SC	280	300	330	250
577			1997	SC	280	300	330	250
577			1998	SC	290	310	340	260
577			1999	SC	290	310	340	260
577			2000	SC	280	300	330	250
577			2001	SC	280	300	330	250
577			2002	SC	280	300	330	250
577			2003	SC	270	290	320	240
577			2004	SC	270	290	320	240
577			2005	SC	280	300	330	250
577			2006	SC	270	290	320	240
577			2007	SC	280	300	320	250
577			2008	SC	270	280	270	240
577			2009	SC	270	290	320	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
577			2010	SC	270	290	320	240
577			2011	SC	270	350	320	210
577			2012	UC	270	270	290	260
577			2013	UC	270	270	270	260
577			2014	C	270	300	290	240
577			2015	C	270	300	290	240
577			2016	C	270	300	290	240
577			2017	C	270	300	290	240
577			2018	C	270	300	290	240
577			2019	C	270	300	290	240
577	N JCT HWY 11 IROQUOIS FALLS START OF NA	8.9	9999					
577	WALKER TEEFY TWP BDY END OF NA	4.5	2016	C	270	300	290	240
577			2017	C	270	300	290	240
577			2018	C	270	300	290	240
577			2019	C	270	300	290	240
577	HWY 67 SYNAGOGUE ST IROQUOIS FALLS END OF NA END OF HWY		9999					
579	JCT OF HWY 11 & THIRD AVE START OF NA	1.6	9999					
579	WESTERN AV COCHRANE END OF NA	15.1	1988	CTR	400	520	490	340
579			1989	CTR	450	570	540	390
579			1990	CTR	500	620	590	440
579			1991	CTR	500	630	620	440
579			1992	CTR	500	620	600	440
579			1993	IC	500	560	560	440
579			1994	IC	540	600	600	480
579			1995	IC	560	630	630	500
579			1996	IC	590	660	670	530
579			1997	IC	610	680	690	540
579			1998	IC	630	710	710	560
579			1999	IC	650	730	730	580
579			2000	IC	680	760	760	610
579			2001	IC	700	780	790	620
579			2002	SC	720	760	840	630
579			2003	SC	740	780	860	650
579			2004	SC	760	810	890	670
579			2005	SC	750	790	880	660
579			2006	UC	810	860	950	760
579			2007	UC	780	830	900	730
579			2008	UC	800	850	790	750
579			2009	SC	730	770	850	640
579			2010	SC	830	880	970	730
579			2011	UC	850	850	880	810
579			2012	UC	830	840	890	790
579			2013	CR	800	960	980	680
579			2014	CR	880	1050	1050	750
579			2015	IC	920	1000	1000	820

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
579			2016	IC	910	1000	1000	810
579			2017	IC	930	1000	1050	840
579			2018	IC	940	1050	1050	850
579			2019	IC	960	1050	1050	870
579	DEV RD 620 GENIER	16.2	1988	CR	200	260	240	170
579			1989	CR	200	260	240	170
579			1990	CR	250	310	290	220
579			1991	CR	250	310	290	220
579			1992	CR	250	310	280	220
579			1993	LT	200	280	250	150
579			1994	LT	210	310	300	150
579			1995	LT	210	300	290	150
579			1996	LT	210	300	290	150
579			1997	LT	200	280	280	150
579			1998	LT	200	280	270	150
579			1999	LT	190	260	260	140
579			2000	LT	190	260	260	140
579			2001	LT	190	270	260	140
579			2002	LT	180	250	250	130
579			2003	LT	180	250	240	130
579			2004	LT	180	250	250	130
579			2005	LT	170	230	230	120
579			2006	LT	170	230	230	130
579			2007	LT	160	220	230	120
579			2008	LT	160	220	210	120
579			2009	LT	160	220	210	120
579			2010	LT	150	200	200	110
579			2011	LT	190	240	250	160
579			2012	LT	150	200	190	110
579			2013	LT	150	200	200	110
579			2014	LT	150	200	200	110
579			2015	T	140	200	200	90
579			2016	T	140	200	200	90
579			2017	T	140	190	190	110
579			2018	T	130	180	180	100
579			2019	T	130	180	180	100
579	LUMBER YARD ENT GARDINER HWY END		9999					
580			1988	HT	100	200	180	40
580			1989	HT	100	200	180	50
580			1990	HT	100	200	180	40
580			1991	HT	100	200	180	50
580			1992	HT	100	200	180	40
580			1993	HT	150	300	270	70
580			1994	HT	120	240	220	50
580			1995	HT	120	230	210	50

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
580			1996	HT	130	250	220	60
580			1997	HT	130	250	220	60
580			1998	HT	130	240	220	60
580			1999	HT	130	240	210	60
580			2000	HT	140	250	220	60
580			2001	HT	190	330	300	90
580			2002	HT	200	350	310	90
580			2003	HT	210	350	310	100
580			2004	HT	220	390	350	100
580			2005	HT	250	410	360	120
580			2006	HT	230	370	330	110
580			2007	HT	210	340	310	100
580			2008	HT	190	300	300	90
580			2009	T	130	190	180	80
580			2010	T	200	290	280	130
580			2011	T	100	140	130	80
580			2012	T	100	140	150	60
580			2013	T	190	280	270	120
580			2014	LT	100	130	130	80
580			2015	LT	170	220	230	130
580			2016	LT	170	220	230	130
580			2017	LT	170	240	240	130
580			2018	LT	170	240	240	130
580			2019	LT	170	240	240	130
580	**HWY 11**	**12.50**	**2019**	**LT**	**170**	**240**	**240**	**130**
580	POPLAR LODGE PARK ENT HWY END		9999					
581			1988	HR	850	1750	1250	420
581			1989	HR	1000	1900	1500	590
581			1990	HR	1100	2000	1600	650
581			1991	HR	1000	1850	1500	580
581			1992	HR	1000	1800	1400	590
581			1993	HR	900	1600	1300	550
581			1994	HR	930	1650	1350	570
581			1995	HR	950	1700	1350	560
581			1996	HR	970	1700	1400	580
581			1997	HR	980	1750	1400	590
581			1998	HR	1000	1700	1400	600
581			1999	HR	820	1400	1150	490
581			2000	HR	1000	1650	1350	600
581			2001	HR	1050	1750	1400	640
581			2002	HR	1150	1900	1550	700
581			2003	HR	1100	1750	1450	670
581			2004	HR	1100	1850	1500	670
581			2005	HR	1100	1750	1400	680
581			2006	HR	1100	1750	1400	670

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
581			2007	HR	1150	1800	1650	700
581			2008	HR	1150	1850	1850	710
581			2009	HR	1200	1800	1500	740
581			2010	HR	1200	1800	1450	740
581			2011	HR	1200	1900	2100	810
581			2012	LR	1250	1850	1800	860
581			2013	LR	1250	1850	2150	850
581			2014	LR	1300	1950	2000	880
581			2015	LR	1300	1950	2000	880
581			2016	LR	1300	1950	2000	880
581			2017	LR	1350	2250	2200	920
581			2018	LR	1350	2250	2200	930
581			2019	LR	1350	2250	2200	920
581	**HWY 11**	**4.60**	**2019**	**LR**	**1350**	**2250**	**2200**	**920**
581	HWY 7181	6.0	1988	HR	250	510	370	120
581			1989	HR	300	580	450	180
581			1990	HR	350	640	510	210
581			1991	HR	350	650	520	200
581			1992	HR	350	630	500	210
581			1993	HR	300	540	430	180
581			1994	HR	300	530	430	180
581			1995	HR	300	530	430	180
581			1996	HR	310	540	440	180
581			1997	HR	310	550	440	190
581			1998	HR	320	540	450	190
581			1999	HR	250	420	340	150
581			2000	HR	330	550	450	200
581			2001	HR	270	450	360	160
581			2002	HR	270	450	360	160
581			2003	HR	260	420	340	160
581			2004	HR	260	430	350	160
581			2005	HR	250	400	320	150
581			2006	HR	250	390	320	150
581			2007	HR	240	380	340	150
581			2008	HR	240	380	390	150
581			2009	HR	230	350	290	140
581			2010	IR	220	260	240	190
581			2011	IR	220	260	260	190
581			2012	LR	210	310	300	140
581			2013	LR	210	310	360	140
581			2014	IR	340	400	410	290
581			2015	IR	220	260	260	190
581			2016	IR	220	260	260	190
581			2017	IR	210	240	240	180
581			2018	IR	210	240	240	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
581			2019	IR	350	400	400	300
581	REMI LAKE PROV PARK HWY END		9999					
582	N JCT HWYS 11/17	6.4	1988	IC	250	290	280	220
582			1989	IC	250	290	280	220
582			1990	IC	250	280	280	220
582			1991	IC	250	280	280	220
582			1992	IC	250	280	280	230
582			1993	LR	150	240	190	100
582			1994	LR	200	330	260	130
582			1995	LR	200	340	270	130
582			1996	IT	180	240	230	150
582			1997	IT	180	240	230	150
582			1998	IT	180	230	230	150
582			1999	IT	150	190	190	120
582			2000	IT	140	180	180	110
582			2001	IT	130	170	170	110
582			2002	IT	100	130	130	80
582			2003	IT	110	140	140	90
582			2004	IT	100	130	130	80
582			2005	IT	90	110	110	70
582			2006	IT	90	110	110	70
582			2007	IT	80	100	110	70
582			2008	IT	70	90	90	60
582			2009	IT	80	100	100	70
582			2010	IT	50	60	60	40
582			2011	IT	100	130	130	80
582			2012	IT	100	130	120	80
582			2013	IT	50	60	60	40
582			2014	IC	100	110	110	90
582			2015	IC	40	40	40	40
582			2016	IC	40	40	40	40
582			2017	IC	100	110	110	90
582			2018	IC	100	110	110	90
582			2019	IC	100	110	110	90
582	S JCT HWYS 11/17 HWY END		9999					
583	MEAD POST OFFICE	27.8	1988	C	300	330	330	270
583			1989	C	330	370	370	300
583			1990	IC	200	230	220	180
583			1991	IC	200	230	220	180
583			1992	IC	200	220	220	180
583			1993	LT	150	210	190	110
583			1994	LT	210	310	300	150
583			1995	LT	210	300	290	150
583			1996	LT	200	280	280	150
583			1997	LT	200	280	280	150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
583			1998	LT	200	280	270	150
583			1999	LT	190	260	260	140
583			2000	LT	180	250	250	130
583			2001	LT	180	250	250	130
583			2002	LT	160	220	220	120
583			2003	LT	170	230	230	130
583			2004	LT	160	220	220	120
583			2005	LT	180	250	240	130
583			2006	LT	150	210	200	110
583			2007	LT	140	190	200	100
583			2008	LT	130	180	170	100
583			2009	LT	130	180	170	100
583			2010	LT	120	160	160	90
583			2011	LT	120	150	160	100
583			2012	CTR	120	150	140	100
583			2013	CTR	110	130	140	90
583			2014	CTR	140	170	170	120
583			2015	CTR	110	130	140	90
583			2016	CTR	100	120	120	80
583			2017	CTR	100	130	130	80
583			2018	CTR	90	120	120	70
583			2019	CTR	90	120	120	70
583	GRAVEL RD KENDAL TWP C 4 5 (E)	3.5	1988	IC	1250	1450	1400	1100
583			1989	IC	1300	1500	1450	1150
583			1990	IC	1250	1400	1400	1100
583			1991	IC	1250	1400	1400	1100
583			1992	IC	1200	1350	1300	1100
583			1993	IC	1150	1300	1300	1000
583			1994	IC	1150	1300	1300	1000
583			1995	IC	1150	1300	1300	1050
583			1996	IC	1200	1350	1350	1050
583			1997	IC	1200	1350	1350	1050
583			1998	IC	1200	1350	1350	1050
583			1999	IC	1000	1100	1100	890
583			2000	IC	1050	1200	1200	930
583			2001	IC	1000	1100	1100	880
583			2002	IC	960	1050	1100	850
583			2003	IC	970	1100	1100	860
583			2004	IC	930	1050	1050	820
583			2005	IC	910	1000	1000	800
583			2006	IC	860	960	960	760
583			2007	IC	820	910	940	720
583			2008	IC	820	910	880	720
583			2009	IC	760	840	850	680
583			2010	IC	670	740	750	590

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
583			2011	IC	700	770	800	630
583			2012	UC	850	860	910	810
583			2013	UC	850	850	850	810
583			2014	UC	780	780	750	740
583			2015	UC	680	680	650	650
583			2016	UC	650	650	630	620
583			2017	UC	630	630	630	600
583			2018	UC	600	600	600	580
583			2019	UC	580	570	580	560
583	HEARST S LTS START OF NA	9.6	9999					
583	HEARST N LTS CASGRAIN TWP C1 2 END OF NA	1.6	1988	LT	1050	1500	1500	800
583			1989	LT	1100	1550	1500	810
583			1990	LT	1100	1600	1550	800
583			1991	LT	1100	1550	1500	810
583			1992	LT	1100	1550	1500	850
583			1993	LT	1150	1600	1450	840
583			1994	LT	960	1400	1350	700
583			1995	LT	950	1350	1350	700
583			1996	LT	930	1300	1300	680
583			1997	LT	920	1300	1250	680
583			1998	LT	900	1250	1250	660
583			1999	LT	640	890	870	470
583			2000	LT	740	1050	1000	540
583			2001	LT	770	1100	1050	560
583			2002	LT	690	960	940	510
583			2003	LT	710	980	960	520
583			2004	LT	700	980	950	510
583			2005	LT	730	1000	980	540
583			2006	LT	650	890	870	480
583			2007	LT	630	870	890	460
583			2008	LT	660	900	870	490
583			2009	LT	580	780	770	430
583			2010	LT	560	750	740	410
583			2011	LT	530	680	690	440
583			2012	LR	630	940	910	430
583			2013	LR	600	900	1000	410
583			2014	LT	490	640	650	370
583			2015	LT	480	630	640	360
583			2016	LT	460	600	610	350
583			2017	LT	460	580	580	380
583			2018	LT	450	570	570	380
583			2019	LT	430	550	550	360
583	GRAVEL RD (W) TO HEARST GOLF CLUB	6.7	1997	LT	700	990	970	520
583			1998	LT	650	910	890	470
583			1999	LT	600	830	820	440

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
583			2000	LT	650	910	890	470
583			2001	LT	640	900	870	470
583			2002	LT	660	920	900	480
583			2003	LT	630	870	850	470
583			2004	LT	630	880	860	460
583			2005	LT	620	850	830	460
583			2006	LT	620	850	830	460
583			2007	LT	610	840	860	450
583			2008	LT	600	820	790	440
583			2009	LT	600	810	790	440
583			2010	LT	520	700	680	380
583			2011	LT	570	730	740	470
583			2012	LR	550	820	800	380
583			2013	LR	550	820	940	370
583			2014	LT	540	710	720	410
583			2015	LT	530	690	700	400
583			2016	LT	530	690	700	400
583			2017	LT	460	580	580	380
583			2018	LT	450	570	570	380
583			2019	LT	430	550	550	360
583	HWY END		9999					
584	HARDROCK MINE ENT START OF NA	14.5	9999					
584	1.5 KM N OF BURROUGHS CK CULV END OF NA	46.8	1997	SC	360	380	420	320
584			1998	SC	370	390	430	330
584			1999	SC	380	400	440	340
584			2000	SC	390	410	460	340
584			2001	SC	390	420	460	340
584			2002	SC	410	440	480	360
584			2003	SC	400	420	470	350
584			2004	SC	400	430	470	350
584			2005	SC	410	430	480	360
584			2006	SC	420	440	490	370
584			2007	SC	390	410	450	340
584			2008	SC	330	350	330	290
584			2009	SC	240	250	280	210
584			2010	SC	260	280	300	230
584			2011	SC	350	450	410	280
584			2012	SC	260	280	260	230
584			2013	SC	300	320	290	260
584			2014	C	280	310	300	250
584			2015	C	280	310	300	250
584			2016	C	270	300	290	240
584			2017	C	300	330	330	270
584			2018	C	300	330	330	270
584			2019	C	300	330	330	270

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
584	SEC HWY 643 (W) TO AROLAND & CAVELL	6.3	1988	SC	300	320	350	270
584			1989	SC	300	330	360	270
584			1990	IC	250	280	280	220
584			1991	IC	250	280	280	220
584			1992	IC	300	330	330	270
584			1993	SC	350	390	430	310
584			1994	SC	340	350	390	310
584			1995	SC	350	370	410	320
584			1996	IC	320	360	360	280
584			1997	SC	360	380	420	320
584			1998	SC	370	390	430	330
584			1999	SC	470	500	550	420
584			2000	SC	460	490	540	400
584			2001	SC	470	500	550	410
584			2002	SC	530	560	620	470
584			2003	SC	490	520	570	430
584			2004	SC	500	530	590	440
584			2005	SC	520	550	610	460
584			2006	SC	570	600	670	500
584			2007	SC	510	540	590	450
584			2008	SC	420	440	420	370
584			2009	SC	310	330	360	270
584			2010	SC	300	320	350	260
584			2011	SC	540	690	630	430
584			2012	SC	280	300	280	250
584			2013	SC	420	440	400	370
584			2014	IC	370	410	410	330
584			2015	IC	420	460	460	370
584			2016	IC	420	460	460	370
584			2017	CR	340	390	400	310
584			2018	CR	420	490	490	380
584			2019	CR	420	490	490	380
584	HOWARD CR CULV NAKINA HWY END		9999					
585			1988	T	350	640	610	210
585			1989	T	400	720	700	250
585			1990	LT	450	660	630	330
585			1991	LT	450	630	610	330
585			1992	LT	500	700	680	380
585			1993	HT	500	990	910	220
585			1994	HT	500	990	910	220
585			1995	HT	510	970	880	230
585			1996	HT	490	930	840	220
585			1997	HT	550	1050	940	250
585			1998	HT	570	1050	960	260
585			1999	HT	520	940	860	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
585			2000	HT	520	920	820	240
585			2001	HT	480	840	750	220
585			2002	HT	490	860	770	230
585			2003	HT	470	780	690	220
585			2004	HT	470	830	740	220
585			2005	HT	410	670	590	190
585			2006	HT	410	660	580	190
585			2007	LT	440	600	620	320
585			2008	LT	450	620	590	330
585			2009	LT	430	580	570	320
585			2010	LT	500	670	660	370
585			2011	CTR	400	490	470	340
585			2012	CTR	470	570	560	400
585			2013	CTR	420	510	530	360
585			2014	CTR	390	480	480	330
585			2015	CTR	400	490	490	340
585			2016	CTR	400	490	490	340
585			2017	CTR	390	520	520	320
585			2018	CTR	390	520	520	320
585			2019	CTR	380	510	500	310
585	**HWYS 11/17**	**37.14**	**2019**	**CTR**	**380**	**510**	**500**	**310**
585	PINE PORTAGE HWY END		9999					
586			1988	HR	200	410	300	100
586			1989	HR	200	380	300	120
586			1990	HR	200	370	290	120
586			1991	HR	200	370	300	120
586			1992	HR	200	360	280	120
586			1993	HR	200	360	290	120
586			1994	HR	210	370	300	130
586			1995	HR	210	370	300	120
586			1996	HR	210	370	300	120
586			1997	HR	210	370	300	130
586			1998	HR	210	360	290	130
586			1999	HR	210	350	290	130
586			2000	HR	210	350	280	130
586			2001	HR	210	350	280	130
586			2002	HR	210	350	280	130
586			2003	HR	210	340	270	130
586			2004	HR	210	350	280	130
586			2005	HR	210	330	270	130
586			2006	HR	210	330	270	130
586			2007	HR	210	330	300	130
586			2008	HR	210	330	340	130
586			2009	HR	210	320	260	130
586			2010	HR	210	320	260	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
586			2011	HR	110	180	190	70
586			2012	HR	110	160	170	70
586			2013	HR	170	260	290	100
586			2014	LR	210	310	320	140
586			2015	LR	170	250	260	120
586			2016	LR	170	250	260	120
586			2017	LR	210	350	340	140
586			2018	LR	210	350	340	140
586			2019	LR	210	350	340	140
586	**HWY 11**	**5.28**	**2019**	**LR**	**210**	**350**	**340**	**140**
586	SHELTER BAY HWY END		9999					
587			1988	T	400	730	700	240
587			1989	T	400	720	700	250
587			1990	LR	450	790	630	280
587			1991	LR	450	790	630	280
587			1992	LR	500	800	640	330
587			1993	LR	550	890	710	360
587			1994	LR	520	850	690	340
587			1995	LR	540	910	730	350
587			1996	T	530	920	900	330
587			1997	LR	580	970	780	390
587			1998	LR	600	990	800	400
587			1999	LR	600	980	790	400
587			2000	LR	620	1000	810	410
587			2001	LR	600	980	780	400
587			2002	LR	650	1050	850	440
587			2003	LR	630	1000	800	430
587			2004	LR	630	1050	820	420
587			2005	LR	610	950	770	420
587			2006	LR	700	1100	880	470
587			2007	LR	670	1050	1000	450
587			2008	LR	670	1050	1000	460
587			2009	LR	690	1050	860	470
587			2010	LR	600	900	730	410
587			2011	LR	720	1100	1050	500
587			2012	LR	450	670	650	310
587			2013	LR	640	960	1100	430
587			2014	CTR	600	730	740	510
587			2015	CTR	640	780	790	540
587			2016	CTR	650	790	800	550
587			2017	IT	600	790	790	510
587			2018	IT	650	860	860	550
587			2019	IT	660	880	880	560
587	**HWYS 11/17**	**16.89**	**2019**	**IT**	**660**	**880**	**880**	**560**
587	PORTAGE DRIVE (E) SIBLEY TWP	24.2	1988	T	400	730	700	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
587			1989	T	400	720	700	250
587			1990	LR	450	790	630	280
587			1991	LR	400	700	560	250
587			1992	LR	350	560	450	230
587			1993	LR	300	480	390	200
587			1994	LR	330	540	440	220
587			1995	LR	310	520	420	200
587			1996	LT	310	440	430	230
587			1997	LT	280	390	390	210
587			1998	LT	270	380	370	200
587			1999	LT	310	430	420	230
587			2000	LT	310	430	420	230
587			2001	LT	270	380	370	200
587			2002	LT	260	360	350	190
587			2003	LT	260	360	350	190
587			2004	LT	250	350	340	180
587			2005	LR	250	390	320	170
587			2006	LR	240	370	300	160
587			2007	LR	240	380	360	160
587			2008	LR	230	360	350	160
587			2009	LR	220	330	270	150
587			2010	LR	220	330	270	150
587			2011	LR	150	230	220	110
587			2012	LR	150	220	220	100
587			2013	LR	170	250	290	120
587			2014	LR	190	280	290	130
587			2015	LR	160	240	240	110
587			2016	LR	150	220	230	100
587			2017	LR	160	270	260	110
587			2018	LR	160	270	260	110
587			2019	LR	160	270	260	110
587	SILVER ISLET HWY END (SIGN) JCT HWY 587 WITH ITSELF END OF HWY		9999					
588			1988	CTR	1200	1550	1450	1000
588			1989	CTR	1200	1500	1450	1050
588			1990	CTR	1200	1500	1400	1050
588			1991	CTR	1250	1600	1550	1100
588			1992	CTR	1250	1550	1500	1100
588			1993	CTR	1250	1600	1500	1050
588			1994	CTR	1350	1750	1650	1150
588			1995	CTR	1450	1850	1800	1200
588			1996	CTR	1450	1850	1800	1200
588			1997	CTR	1550	2000	1900	1300
588			1998	CTR	1600	2050	1950	1350
588			1999	CTR	1600	2000	1950	1350
588			2000	CTR	1550	1950	1900	1300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
588			2001	CTR	1500	1900	1800	1250
588			2002	CTR	1500	1900	1800	1250
588			2003	CTR	1650	2050	1950	1400
588			2004	CTR	1550	1950	1900	1300
588			2005	CTR	1450	1800	1700	1250
588			2006	CTR	1500	1850	1800	1250
588			2007	CR	1300	1550	1550	1100
588			2008	CR	1500	1800	1800	1250
588			2009	CTR	1500	1850	1750	1300
588			2010	CTR	1500	1850	1750	1250
588			2011	CTR	1500	1850	1750	1250
588			2012	CTR	1450	1750	1750	1250
588			2013	CTR	1600	1950	2000	1350
588			2014	CTR	1500	1850	1850	1300
588			2015	CTR	1500	1850	1850	1300
588			2016	CTR	1500	1850	1850	1300
588			2017	CTR	1500	2000	2000	1200
588			2018	CTR	1500	2000	2000	1200
588			2019	CTR	1500	2000	2000	1200
588	**HWYS 11/17**	**1.81**	**2019**	**CTR**	**1500**	**2000**	**2000**	**1200**
588	RIVER RD (E)	13.3	1988	CTR	550	720	670	460
588			1989	CTR	550	700	670	470
588			1990	CTR	550	690	650	480
588			1991	CTR	550	690	690	480
588			1992	CTR	550	680	650	480
588			1993	CTR	600	760	730	510
588			1994	CTR	570	730	700	480
588			1995	CTR	570	730	700	480
588			1996	SC	580	620	680	520
588			1997	CR	580	720	680	490
588			1998	CR	580	710	680	490
588			1999	CR	630	770	740	540
588			2000	CR	640	790	750	540
588			2001	CR	650	800	760	550
588			2002	CR	660	810	770	560
588			2003	CR	680	830	800	580
588			2004	CR	700	860	820	590
588			2005	C	710	790	800	640
588			2006	C	720	800	810	650
588			2007	C	730	810	820	660
588			2008	C	750	830	820	670
588			2009	C	760	840	840	680
588			2010	C	780	860	870	700
588			2011	LT	730	940	950	600
588			2012	LT	780	1000	970	590

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
588			2013	LT	800	1050	1050	600
588			2014	CTR	810	990	1000	690
588			2015	CTR	830	1000	1000	710
588			2016	CTR	840	1000	1050	710
588			2017	CTR	850	1150	1150	690
588			2018	CTR	860	1150	1150	700
588			2019	CTR	880	1150	1150	720
588	SEC HWY 595 (E&W)	9.1	1988	IR	400	520	440	320
588			1989	IR	400	520	440	330
588			1990	IR	400	510	440	330
588			1991	IR	400	500	440	330
588			1992	IR	350	430	390	300
588			1993	IR	300	370	310	250
588			1994	IR	360	440	400	300
588			1995	IR	350	430	390	300
588			1996	C	370	420	420	330
588			1997	C	340	380	390	310
588			1998	C	340	380	380	310
588			1999	C	450	500	510	400
588			2000	C	470	530	530	420
588			2001	C	370	420	420	330
588			2002	C	380	430	430	340
588			2003	C	410	460	460	370
588			2004	C	410	460	460	370
588			2005	CR	400	490	470	340
588			2006	CR	420	510	490	350
588			2007	CR	430	520	520	360
588			2008	CR	440	530	530	370
588			2009	CR	440	530	510	370
588			2010	CR	450	540	520	380
588			2011	LT	450	580	590	370
588			2012	LT	450	590	560	340
588			2013	LT	460	600	600	350
588			2014	LT	470	610	620	350
588			2015	LT	470	610	620	350
588			2016	LT	480	630	640	360
588			2017	LT	480	610	610	400
588			2018	LT	490	620	620	410
588			2019	LT	490	620	620	410
588	SEC HWY 590 (N)	8.9	1988	CTR	550	720	670	460
588			1989	CTR	550	700	670	470
588			1990	CTR	550	690	650	480
588			1991	CTR	550	690	690	480
588			1992	CTR	550	680	650	480
588			1993	HR	550	980	790	340

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
588			1994	HR	530	940	760	320
588			1995	HR	520	920	740	310
588			1996	IR	480	600	540	410
588			1997	HR	520	920	740	310
588			1998	HR	510	870	710	310
588			1999	HR	500	840	690	300
588			2000	HR	500	840	680	300
588			2001	HR	490	820	660	300
588			2002	HR	490	820	660	300
588			2003	HR	490	790	640	300
588			2004	HR	480	800	650	290
588			2005	C	480	530	540	430
588			2006	C	460	510	520	410
588			2007	HR	470	740	670	290
588			2008	HR	470	750	760	290
588			2009	HR	460	700	570	290
588			2010	HR	500	750	610	310
588			2011	LR	450	700	650	320
588			2012	LR	530	790	770	360
588			2013	LR	470	700	800	320
588			2014	LR	470	700	720	320
588			2015	LR	470	700	720	320
588			2016	LR	460	690	700	310
588			2017	LR	460	770	740	310
588			2018	LR	460	770	740	320
588			2019	LR	460	770	750	310
588	SEC HWY 593 (S)	21.0	1988	HR	350	720	520	170
588			1989	HR	350	670	520	210
588			1990	HR	350	640	510	210
588			1991	HR	350	650	520	200
588			1992	HR	350	630	500	210
588			1993	HR	400	720	570	240
588			1994	HR	360	640	520	220
588			1995	HR	360	640	510	210
588			1996	LR	380	640	510	250
588			1997	HR	360	640	510	220
588			1998	HR	350	600	490	210
588			1999	HR	460	780	630	280
588			2000	HR	490	820	660	290
588			2001	HR	400	670	540	240
588			2002	HR	600	1000	810	370
588			2003	HR	430	690	560	260
588			2004	HR	440	730	590	270
588			2005	HR	290	460	370	180
588			2006	HR	440	690	560	270

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
588			2007	HR	450	710	640	270
588			2008	HR	450	720	730	280
588			2009	HR	430	650	530	270
588			2010	HR	460	690	560	280
588			2011	LR	460	710	670	320
588			2012	LR	420	630	610	290
588			2013	LR	450	670	770	310
588			2014	LR	480	720	730	330
588			2015	LR	460	690	700	310
588			2016	LR	460	690	700	310
588			2017	LR	420	700	680	290
588			2018	LR	470	780	760	320
588			2019	LR	470	790	760	320
588	HWY END SIGN		9999					
589	HWY 102 START OF NA	3.9	9999					
589	THUNDER ATIKOK TO THUNDER SUP N	6.1	1992	LT	2300	3200	3100	1750
589			1993	LT	2400	3300	3000	1750
589			1994	LT	2300	3350	3250	1650
589			1995	LT	2250	3250	3150	1650
589			1996	LT	2200	3100	3050	1600
589			1997	LT	2200	3100	3050	1650
589			1998	LT	2150	3000	2950	1550
589			1999	LT	2100	2900	2850	1550
589			2000	LT	2200	3050	3000	1600
589			2001	LT	2150	3000	2950	1600
589			2002	LT	2000	2800	2700	1450
589			2003	LT	2150	2950	2900	1600
589			2004	LT	2300	3200	3150	1700
589			2005	LT	2150	2950	2900	1600
589			2006	LT	2100	2850	2800	1550
589			2007	LT	2100	2900	2950	1550
589			2008	LT	2100	2900	2750	1550
589			2009	LT	2100	2850	2750	1550
589			2010	LT	2100	2800	2750	1550
589			2011	LT	2050	2650	2700	1700
589			2012	LT	2150	2800	2650	1650
589			2013	LT	2050	2700	2650	1550
589			2014	LT	2050	2700	2700	1550
589			2015	LT	2050	2700	2700	1550
589			2016	LT	2050	2700	2700	1550
589			2017	LT	2050	2600	2600	1700
589			2018	LT	2050	2600	2600	1700
589			2019	LT	2000	2550	2550	1650
589	KAM CURRENT RD (E&W) LAPPE CHURCH	1.6	1997	LT	1350	1900	1850	1000
589			1998	LT	1400	1950	1900	1000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
589			1999	LT	1450	2000	1950	1050
589			2000	LT	1500	2100	2050	1100
589			2001	LT	1500	2100	2050	1100
589			2002	LT	1600	2250	2200	1150
589			2003	LT	1550	2150	2100	1150
589			2004	LT	1550	2150	2100	1150
589			2005	LT	1550	2150	2100	1150
589			2006	LT	1600	2200	2150	1200
589			2007	LT	1600	2200	2250	1200
589			2008	LT	1650	2250	2150	1200
589			2009	LT	1700	2300	2250	1250
589			2010	LT	1700	2300	2250	1250
589			2011	T	1750	2400	2350	1350
589			2012	T	1650	2400	2400	1050
589			2013	T	1750	2550	2500	1100
589			2014	LT	1800	2350	2400	1350
589			2015	LT	1800	2350	2400	1350
589			2016	LT	1800	2350	2400	1350
589			2017	LT	1850	2350	2350	1550
589			2018	LT	1850	2350	2350	1550
589			2019	LT	1900	2400	2400	1600
589	SEC HWY 591 (W) MOVING POST RD (E) (LAPPE)	9.5	1988	HT	500	1000	900	220
589			1989	HT	550	1100	1000	250
589			1990	T	550	1000	960	340
589			1991	T	550	1000	950	340
589			1992	T	550	1000	970	340
589			1993	HR	600	1050	860	370
589			1994	HR	610	1100	880	370
589			1995	HR	630	1100	890	370
589			1996	LR	640	1050	860	430
589			1997	LT	670	940	920	500
589			1998	LT	690	970	950	500
589			1999	LT	710	990	970	520
589			2000	LT	730	1000	1000	530
589			2001	LT	750	1050	1000	550
589			2002	LT	770	1100	1050	560
589			2003	LT	740	1000	1000	550
589			2004	LT	750	1050	1000	550
589			2005	LT	830	1150	1100	610
589			2006	LT	770	1050	1050	570
589			2007	LT	660	910	930	480
589			2008	LT	790	1100	1050	580
589			2009	LT	800	1100	1050	590
589			2010	LT	810	1100	1050	600
589			2011	LT	820	1050	1050	670

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
589			2012	LT	820	1050	1000	620
589			2013	LT	840	1100	1100	630
589			2014	LT	860	1100	1150	650
589			2015	LT	860	1100	1150	650
589			2016	LT	870	1150	1150	660
589			2017	LT	880	1100	1100	740
589			2018	LT	890	1150	1150	750
589			2019	LT	900	1150	1150	750
589	HOWCUM LAKE RD (E) JACQUES TWP	8.7	1993	HR	150	270	210	90
589			1994	HR	280	500	400	170
589			1995	HR	220	390	310	130
589			1996	HR	150	260	210	90
589			1997	SC	110	120	130	100
589			1998	SC	60	60	70	50
589			1999	SC	180	190	210	160
589			2000	SC	180	190	210	160
589			2001	SC	300	320	350	260
589			2002	SC	350	370	410	310
589			2003	SC	260	270	300	230
589			2004	SC	270	290	320	240
589			2005	SC	260	280	300	230
589			2006	SC	260	280	300	230
589			2007	SC	240	250	280	210
589			2008	SC	230	240	230	200
589			2009	LR	270	410	330	180
589			2010	LR	150	220	180	100
589			2011	LR	260	400	380	180
589			2012	LR	150	220	220	100
589			2013	LR	240	360	410	160
589			2014	CTR	230	280	280	200
589			2015	CTR	240	290	300	200
589			2016	CTR	240	290	300	200
589			2017	CTR	250	330	330	200
589			2018	CTR	250	330	330	200
589			2019	CTR	250	330	330	200
589	MARY LK RD HWY END (MTO) SIGN		9999					
590			1988	CR	1300	1650	1550	1100
590			1989	CR	1350	1750	1600	1150
590			1990	CR	1400	1750	1600	1250
590			1991	CR	1550	1900	1800	1400
590			1992	CR	1650	2050	1900	1500
590			1993	LT	1750	2400	2150	1300
590			1994	LT	1600	2350	2250	1150
590			1995	LT	1650	2350	2300	1200
590			1996	LT	1400	2000	1950	1050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
590			1997	CR	1700	2100	2000	1450
590			1998	CR	1750	2150	2050	1500
590			1999	CR	1800	2200	2100	1550
590			2000	CR	1650	2050	1950	1400
590			2001	CR	1600	1950	1900	1350
590			2002	CR	1600	1950	1900	1350
590			2003	CR	1600	1950	1850	1350
590			2004	IR	1650	2050	1850	1400
590			2005	CR	1450	1750	1700	1200
590			2006	CR	1550	1900	1800	1300
590			2007	CR	1500	1800	1800	1250
590			2008	CR	1550	1900	1850	1300
590			2009	CR	1500	1800	1750	1300
590			2010	CR	1500	1800	1750	1250
590			2011	LT	1350	1750	1750	1100
590			2012	LT	1500	1950	1850	1150
590			2013	LT	1450	1900	1900	1100
590			2014	LT	1450	1900	1950	1100
590			2015	LT	1450	1900	1950	1100
590			2016	LT	1450	1900	1950	1100
590			2017	LT	1400	1800	1800	1150
590			2018	LT	1400	1800	1800	1150
590			2019	LT	1400	1800	1800	1150
590	**HWYS 11/17**	**5.72**	**2019**	**LT**	**1400**	**1800**	**1800**	**1150**
590	SEC HWY 595 (S) TO HYMERS SOVEREIGN RD (N)	18.0	1988	CR	900	1150	1100	750
590			1989	CR	900	1150	1050	760
590			1990	CR	900	1100	1050	810
590			1991	CR	950	1150	1100	860
590			1992	CR	950	1150	1100	860
590			1993	LT	950	1300	1200	700
590			1994	LT	990	1450	1400	720
590			1995	LT	1000	1450	1400	730
590			1996	CR	950	1150	1100	810
590			1997	CR	1100	1350	1300	940
590			1998	CR	1100	1350	1300	940
590			1999	CR	1150	1400	1350	980
590			2000	CR	1200	1500	1400	1000
590			2001	CR	1100	1350	1300	930
590			2002	CR	1300	1600	1500	1100
590			2003	CR	1150	1400	1350	970
590			2004	CR	1050	1300	1250	890
590			2005	CR	980	1200	1150	830
590			2006	CR	1050	1250	1200	890
590			2007	IR	800	970	970	680
590			2008	IR	1000	1200	1200	850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
590			2009	CR	940	1150	1100	800
590			2010	CR	1000	1200	1150	850
590			2011	LT	900	1150	1200	740
590			2012	LT	890	1150	1100	670
590			2013	LT	940	1250	1250	710
590			2014	LT	950	1250	1250	720
590			2015	LT	930	1200	1250	700
590			2016	LT	920	1200	1200	690
590			2017	LT	910	1250	1250	700
590			2018	LT	900	1250	1250	690
590			2019	LT	890	1250	1250	690
590	SEC HWY 588 HWY END		9999					
591	SEC HWY 589	2.0	1988	HR	600	1250	890	290
591			1989	HR	650	1250	980	380
591			1990	HR	700	1300	1000	410
591			1991	HR	700	1300	1050	410
591			1992	HR	750	1350	1050	440
591			1993	HR	800	1450	1150	490
591			1994	HR	820	1450	1200	500
591			1995	HR	860	1500	1200	510
591			1996	LR	920	1550	1250	610
591			1997	LR	920	1550	1250	620
591			1998	LR	950	1550	1250	630
591			1999	LR	910	1500	1200	600
591			2000	LR	920	1500	1200	610
591			2001	LR	890	1450	1150	590
591			2002	LR	890	1450	1150	600
591			2003	LR	900	1400	1150	610
591			2004	LR	900	1450	1150	600
591			2005	LR	870	1350	1100	590
591			2006	LR	910	1400	1150	610
591			2007	LR	910	1450	1350	610
591			2008	LR	910	1400	1400	620
591			2009	LR	910	1400	1150	620
591			2010	LR	910	1350	1100	620
591			2011	T	920	1250	1250	720
591			2012	T	910	1300	1350	580
591			2013	T	920	1350	1300	590
591			2014	LT	920	1200	1200	690
591			2015	LT	920	1200	1200	690
591			2016	LT	920	1200	1200	690
591			2017	LT	920	1300	1250	710
591			2018	LT	920	1300	1300	710
591			2019	LT	930	1300	1300	720
591			2019	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
591	**MAPLEWARD RD**	**5.83**	**2019**	**UNCL**	**N/A**			
591	TROUT LAKE RD WARE TWP HWY END		9999					
592	HWY 11 NOVAR RD IC	12.6	1997	T	940	1600	1600	580
592			1998	T	980	1650	1650	600
592			1999	T	1050	1750	1700	650
592			2000	T	1100	1800	1750	680
592			2001	T	1150	1900	1800	710
592			2002	T	1250	2050	1950	780
592			2003	LT	1300	1800	1750	960
592			2004	LT	1350	1900	1850	990
592			2005	LT	1350	1850	1800	990
592			2006	LT	1450	2000	1950	1050
592			2007	LT	1450	2000	2050	1050
592			2008	LT	1500	2050	1950	1100
592			2009	LT	1500	2050	2000	1100
592			2010	LT	1600	2150	2100	1200
592			2011	CTR	1550	1900	1800	1300
592			2012	CTR	1650	2000	2000	1400
592			2013	CTR	1500	1850	1900	1250
592			2014	CTR	1700	2050	2100	1450
592			2015	CTR	1500	1850	1850	1300
592			2016	CTR	1750	2150	2150	1500
592			2017	CTR	1800	2400	2400	1450
592			2018	CTR	1800	2400	2400	1450
592			2019	CTR	1850	2450	2450	1500
592	HWY 518 EMSDALE	3.9	1988	T	200	370	350	120
592			1989	T	230	420	400	140
592			1990	T	230	420	400	140
592			1991	T	200	360	350	120
592			1992	T	200	360	350	120
592			1993	T	200	360	350	120
592			1994	T	200	360	350	120
592			1995	T	190	330	320	120
592			1996	T	180	310	310	110
592			1997	T	220	380	370	140
592			1998	T	160	270	270	100
592			1999	T	150	250	250	90
592			2000	T	140	230	220	90
592			2001	T	140	230	220	90
592			2002	T	130	210	210	80
592			2003	T	120	190	180	80
592			2004	T	110	180	170	70
592			2005	T	110	170	160	70
592			2006	T	100	150	150	60
592			2007	T	90	140	130	60

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
592			2008	T	80	120	120	50
592			2009	LT	90	120	120	70
592			2010	LT	200	270	260	150
592			2011	LT	200	260	260	160
592			2012	LT	200	260	250	150
592			2013	CTR	200	240	250	170
592			2014	CTR	140	170	170	120
592			2015	CTR	250	300	310	210
592			2016	CTR	250	300	310	210
592			2017	CTR	170	230	230	140
592			2018	CTR	170	230	230	140
592			2019	CTR	250	330	330	200
592	N JCT HWY 11 HWY END		9999					
593			1988	HR	150	310	220	70
593			1989	HR	150	290	220	90
593			1990	HR	150	280	220	90
593			1991	HR	150	280	220	90
593			1992	HR	150	270	210	90
593			1993	HR	150	270	210	90
593			1994	HR	140	250	200	90
593			1995	HR	140	250	200	80
593			1996	HR	130	230	180	80
593			1997	HR	140	250	200	80
593			1998	HR	140	240	200	80
593			1999	HR	140	240	190	80
593			2000	HR	130	220	180	80
593			2001	HR	120	200	160	70
593			2002	HR	120	200	160	70
593			2003	HR	120	190	160	70
593			2004	HR	110	180	150	70
593			2005	LT	110	150	150	80
593			2006	LT	110	150	150	80
593			2007	LT	110	150	160	80
593			2008	LT	100	140	130	70
593			2009	LT	100	140	130	70
593			2010	LT	100	130	130	70
593			2011	LT	100	130	130	80
593			2012	LT	90	120	110	70
593			2013	LT	90	120	120	70
593			2014	LT	90	120	120	70
593			2015	LT	80	100	110	60
593			2016	LT	80	100	110	60
593			2017	LT	80	110	110	60
593			2018	LT	80	110	110	60
593			2019	LT	70	100	100	60

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
593	**HWY 61**	**47.92**	**2019**	**LT**	**70**	**100**	**100**	**60**
593	SEC HWY 588 HWY END		9999					
594	E JCT HWY 17 START OF NA	3.7	9999					
594	OLSON LANDING RD (S) GORDON RD (N) TO HWY 17	4.4	1988	LT	1000	1400	1400	760
594			1989	LT	1100	1550	1500	810
594			1990	LT	1200	1750	1700	880
594			1991	LT	1200	1700	1600	890
594			1992	LT	1200	1650	1600	920
594			1993	LT	1400	1950	1750	1050
594			1994	LT	1500	2200	2100	1100
594			1995	HR	1800	3200	2550	1050
594			1996	HR	1650	2900	2350	980
594			1997	HR	1750	3100	2500	1050
594			1998	HR	1800	3050	2500	1100
594			1999	HR	1800	3050	2500	1100
594			2000	HR	1850	3100	2500	1100
594			2001	HR	1850	3100	2500	1100
594			2002	HR	1900	3150	2550	1150
594			2003	HR	1950	3150	2550	1200
594			2004	LT	1950	2750	2650	1450
594			2005	LT	1900	2600	2550	1400
594			2006	IR	2050	2450	2250	1750
594			2007	IR	1900	2300	2300	1600
594			2008	IR	1650	2000	1950	1400
594			2009	IR	1850	2200	2000	1550
594			2010	CTR	1700	2050	2000	1450
594			2011	CTR	1850	2250	2150	1550
594			2012	CTR	1850	2250	2200	1600
594			2013	CTR	1550	1900	1950	1300
594			2014	CTR	1850	2250	2300	1550
594			2015	CTR	1900	2300	2350	1600
594			2016	CTR	1900	2300	2350	1600
594			2017	CTR	2000	2650	2650	1650
594			2018	CTR	1900	2550	2550	1550
594			2019	CTR	1900	2550	2500	1550
594	SEC HWY 502	21.5	1988	CTR	200	260	240	170
594			1989	LT	300	420	410	220
594			1990	LT	300	440	420	220
594			1991	LT	250	350	340	180
594			1992	LT	200	280	270	150
594			1993	LT	200	280	250	150
594			1994	LT	190	280	270	140
594			1995	LT	200	290	280	150
594			1996	LT	170	240	230	120
594			1997	LT	160	230	220	120

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
594			1998	LT	140	200	190	100
594			1999	LT	130	180	180	90
594			2000	LT	200	280	270	150
594			2001	LT	200	280	270	150
594			2002	LT	210	290	290	150
594			2003	LT	210	290	280	160
594			2004	T	240	390	380	150
594			2005	T	220	340	330	140
594			2006	T	220	340	330	140
594			2007	T	230	360	340	140
594			2008	T	230	350	340	150
594			2009	T	240	350	340	150
594			2010	CTR	240	290	280	200
594			2011	CTR	260	320	300	220
594			2012	CTR	260	320	310	220
594			2013	CTR	330	400	410	280
594			2014	CTR	280	340	340	240
594			2015	CTR	290	350	360	250
594			2016	CTR	290	350	360	250
594			2017	CTR	300	400	400	240
594			2018	CTR	310	410	410	250
594			2019	CTR	310	410	410	250
594	AIRPORT ROAD (S)	8.1	1988	LT	400	570	560	300
594			1989	LT	450	630	620	330
594			1990	LT	450	660	630	330
594			1991	LT	400	560	540	300
594			1992	LT	400	560	540	310
594			1993	LT	400	550	500	290
594			1994	LT	470	690	660	340
594			1995	LT	480	690	670	350
594			1996	LT	500	710	690	370
594			1997	LT	510	720	700	380
594			1998	LT	530	740	730	390
594			1999	LT	510	710	690	370
594			2000	LT	510	710	700	370
594			2001	LT	490	690	670	360
594			2002	LT	520	730	710	380
594			2003	LT	520	720	700	380
594			2004	LT	520	730	710	380
594			2005	LT	460	630	620	340
594			2006	LT	430	590	570	320
594			2007	LT	400	550	560	290
594			2008	LT	420	580	550	310
594			2009	LT	410	550	540	300
594			2010	LT	300	400	400	220

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
594			2011	LT	330	420	430	270
594			2012	CTR	330	400	400	280
594			2013	CTR	380	460	480	320
594			2014	CTR	350	430	430	300
594			2015	CTR	340	410	420	290
594			2016	CTR	330	400	410	280
594			2017	CTR	350	470	470	290
594			2018	CTR	350	470	470	290
594			2019	CTR	350	470	460	280
594	W JCT HWY 17 HWY END		9999					
595	SEC HWY 597	20.9	1988	CTR	150	200	180	130
595			1989	CTR	150	190	180	130
595			1990	CTR	150	190	180	130
595			1991	CTR	150	190	190	130
595			1992	CTR	150	180	180	130
595			1993	UC	150	160	170	140
595			1994	UC	150	160	170	140
595			1995	UC	150	160	170	140
595			1996	C	110	120	130	100
595			1997	C	160	180	180	140
595			1998	C	160	180	180	140
595			1999	C	190	210	210	170
595			2000	C	210	240	240	190
595			2001	C	220	250	250	200
595			2002	C	180	200	200	160
595			2003	C	180	200	200	160
595			2004	C	170	190	190	150
595			2005	C	190	210	210	170
595			2006	C	190	210	210	170
595			2007	C	200	220	230	180
595			2008	C	200	220	220	180
595			2009	C	190	210	210	170
595			2010	C	210	230	230	190
595			2011	C	210	230	230	190
595			2012	C	150	170	160	140
595			2013	C	210	230	230	190
595			2014	C	210	230	220	190
595			2015	C	210	230	220	190
595			2016	C	210	230	220	190
595			2017	C	220	240	240	200
595			2018	C	220	240	240	200
595			2019	C	220	240	240	200
595	SEC HWY 608 (E) SOUTH GILLIES	6.2	1988	CTR	300	390	370	250
595			1989	CTR	300	380	360	260
595			1990	CTR	300	380	350	260

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
595			1991	CTR	280	350	350	240
595			1992	CTR	280	340	330	240
595			1993	UC	250	260	280	230
595			1994	UC	260	280	300	240
595			1995	UC	260	270	300	240
595			1996	C	250	280	280	230
595			1997	C	250	280	280	220
595			1998	C	240	270	270	220
595			1999	C	250	280	280	220
595			2000	C	250	280	280	220
595			2001	C	260	290	290	230
595			2002	C	260	290	290	230
595			2003	C	260	290	290	230
595			2004	C	270	300	300	240
595			2005	C	280	310	310	250
595			2006	C	280	310	310	250
595			2007	C	280	310	320	250
595			2008	C	280	310	300	250
595			2009	IR	310	370	340	260
595			2010	IR	290	350	320	250
595			2011	IR	290	350	340	250
595			2012	IR	300	360	350	260
595			2013	IR	300	360	380	260
595			2014	IC	350	390	390	310
595			2015	IC	310	340	340	270
595			2016	IC	320	350	350	280
595			2017	IC	320	350	350	290
595			2018	IC	320	350	350	290
595			2019	IC	330	360	360	300
595	SEC HWY 588	12.3	2019	UNCL	N/A			
595	SEC HWY 590 (E&W) END OF HWY		9999					
596	HWY 17 START ON NA	5.8	9999					
596	HWY 17A	8.7	1988	LT	1150	1650	1600	870
596			1989	LT	1250	1750	1700	920
596			1990	LT	1350	1950	1900	990
596			1991	LT	1400	1950	1900	1050
596			1992	LT	1400	1950	1900	1100
596			1993	LT	1400	1950	1750	1050
596			1994	LT	1500	2200	2100	1100
596			1995	LT	1500	2150	2100	1100
596			1996	LT	1650	2350	2250	1200
596			1997	LT	1700	2400	2350	1250
596			1998	LT	1800	2500	2450	1300
596			1999	LT	2200	3050	3000	1600
596			2000	LT	2050	2850	2800	1500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
596			2001	LT	1950	2750	2650	1450
596			2002	LT	1800	2500	2450	1300
596			2003	LT	1700	2350	2300	1250
596			2004	LT	1550	2150	2100	1150
596			2005	LT	1650	2250	2200	1200
596			2006	LT	1300	1800	1750	960
596			2007	LT	1600	2200	2250	1200
596			2008	LT	1450	2000	1900	1050
596			2009	LT	1550	2100	2050	1150
596			2010	LT	1600	2150	2100	1200
596			2011	LT	1250	1600	1650	1050
596			2012	CTR	1250	1500	1500	1050
596			2013	CTR	1200	1450	1500	1000
596			2014	CTR	1350	1650	1650	1150
596			2015	CTR	1300	1600	1600	1100
596			2016	CTR	1300	1600	1600	1100
596			2017	CTR	1250	1650	1650	1000
596			2018	CTR	1250	1650	1650	1000
596			2019	CTR	1200	1600	1600	980
596	SEC HWY 641	30.0	1988	T	600	1100	1050	370
596			1989	T	650	1200	1150	410
596			1990	T	680	1250	1200	420
596			1991	T	700	1250	1200	430
596			1992	T	700	1250	1250	430
596			1993	T	700	1250	1250	430
596			1994	T	730	1300	1300	450
596			1995	LR	730	1250	990	480
596			1996	LR	770	1300	1050	510
596			1997	LR	790	1350	1050	530
596			1998	LR	810	1350	1100	530
596			1999	LR	790	1300	1050	520
596			2000	LR	800	1300	1050	530
596			2001	LR	830	1350	1100	550
596			2002	LR	810	1300	1050	550
596			2003	LR	820	1300	1050	550
596			2004	LR	820	1350	1050	550
596			2005	LR	780	1200	980	530
596			2006	LR	820	1300	1050	550
596			2007	LR	750	1200	1150	510
596			2008	LR	650	1000	990	450
596			2009	LR	750	1150	930	510
596			2010	LR	650	970	800	440
596			2011	LR	750	1150	1100	530
596			2012	LT	750	980	930	570
596			2013	CTR	730	890	920	620

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
596			2014	CTR	730	890	900	620
596			2015	CTR	730	890	900	620
596			2016	CTR	730	890	900	620
596			2017	CTR	720	960	960	590
596			2018	CTR	720	960	960	590
596			2019	CTR	720	960	960	590
596	SEC HWY 525	3.7	1988	T	400	730	700	240
596			1989	T	400	720	700	250
596			1990	T	400	730	700	250
596			1991	T	400	720	690	250
596			1992	T	400	720	700	250
596			1993	T	400	720	700	250
596			1994	T	430	780	760	270
596			1995	T	420	730	710	260
596			1996	T	440	770	750	270
596			1997	T	450	770	760	280
596			1998	T	460	780	770	280
596			1999	T	390	660	640	240
596			2000	T	380	630	600	240
596			2001	T	370	610	580	230
596			2002	T	350	570	550	220
596			2003	T	340	540	510	210
596			2004	HT	310	540	490	140
596			2005	HT	300	490	430	140
596			2006	LT	280	380	370	210
596			2007	LT	310	430	440	230
596			2008	LT	300	410	390	220
596			2009	LT	420	570	550	310
596			2010	T	500	730	700	320
596			2011	T	330	450	440	260
596			2012	T	330	480	480	210
596			2013	CTR	300	370	380	250
596			2014	CTR	310	380	380	260
596			2015	CTR	310	380	380	260
596			2016	CTR	300	370	370	260
596			2017	CTR	300	400	400	240
596			2018	CTR	290	390	390	240
596			2019	CTR	290	390	380	240
596	MINAKI MTO SIGN HWY END		9999					
597	SEC HWY 608	10.9	1988	IC	250	290	280	220
597			1989	IC	280	320	320	250
597			1990	IC	280	320	310	250
597			1991	IC	280	320	310	250
597			1992	IC	280	310	310	250
597			1993	IC	300	340	340	270

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
597			1994	IC	310	350	350	280
597			1995	IC	320	360	360	290
597			1996	C	320	360	360	290
597			1997	C	340	380	390	310
597			1998	C	350	400	400	320
597			1999	C	350	390	400	320
597			2000	C	350	400	400	320
597			2001	C	320	360	360	290
597			2002	C	360	400	410	320
597			2003	C	310	350	350	280
597			2004	C	310	350	350	280
597			2005	C	260	290	290	230
597			2006	C	300	330	340	270
597			2007	LT	270	370	380	200
597			2008	LT	290	400	380	210
597			2009	C	270	300	300	240
597			2010	C	280	310	310	250
597			2011	C	280	310	310	250
597			2012	C	270	300	290	240
597			2013	C	270	300	290	240
597			2014	UC	340	340	330	320
597			2015	UC	270	270	260	260
597			2016	UC	270	270	260	260
597			2017	UC	270	270	270	260
597			2018	UC	260	260	260	250
597			2019	UC	260	260	260	250
597	SEC HWY 595 (W)	4.5	2019	UNCL	N/A			
597	CLOUD LAKE RD (E) PARDEE RD (S) HWY END		9999					
599			1988	LT	650	920	920	490
599			1989	LT	700	970	970	520
599			1990	LT	700	1000	980	510
599			1991	LT	650	910	880	480
599			1992	LT	600	830	810	460
599			1993	LT	550	760	680	400
599			1994	LT	560	820	790	410
599			1995	LT	550	790	770	400
599			1996	LT	500	710	690	370
599			1997	LT	510	720	700	380
599			1998	LT	500	700	680	360
599			1999	LT	500	700	680	360
599			2000	LT	500	700	680	360
599			2001	LT	500	700	680	370
599			2002	LT	480	670	650	350
599			2003	LT	480	660	650	350
599			2004	LT	500	700	680	370

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
599			2005	LT	470	640	630	350
599			2006	LT	450	620	600	330
599			2007	LT	460	630	650	340
599			2008	LT	380	520	500	280
599			2009	LT	220	300	290	160
599			2010	LT	400	540	530	300
599			2011	LT	360	460	470	300
599			2012	LT	230	300	290	170
599			2013	LT	330	430	430	250
599			2014	LT	300	390	400	230
599			2015	LT	290	380	390	220
599			2016	LT	270	350	360	200
599			2017	LT	300	420	420	230
599			2018	LT	300	420	420	230
599			2019	LT	300	420	420	230
599	**HWY 17**	**59.65**	**2019**	**LT**	**300**	**420**	**420**	**230**
599	SEC HWY 642	76.1	1988	IT	200	290	270	150
599			1989	LT	200	280	280	150
599			1990	LT	180	260	250	130
599			1991	LT	150	210	200	110
599			1992	LT	130	180	180	100
599			1993	LT	100	140	120	70
599			1994	LT	120	180	170	90
599			1995	LT	110	160	150	80
599			1996	LT	100	140	140	70
599			1997	LT	90	130	120	70
599			1998	LT	80	110	110	60
599			1999	LT	100	140	140	70
599			2000	LT	100	140	140	70
599			2001	LT	120	170	160	90
599			2002	LT	120	170	160	90
599			2003	LT	130	180	170	100
599			2004	LT	130	180	180	100
599			2005	LT	160	220	210	120
599			2006	LT	130	180	170	100
599			2007	T	140	220	210	90
599			2008	T	140	210	210	90
599			2009	LT	120	160	160	90
599			2010	LT	140	190	180	100
599			2011	LT	120	150	160	100
599			2012	LT	120	160	150	90
599			2013	LT	300	390	390	230
599			2014	LT	170	220	230	130
599			2015	LT	180	240	240	140
599			2016	LT	180	240	240	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
599			2017	LT	190	270	260	150
599			2018	LT	190	270	260	150
599			2019	LT	200	280	280	150
599	SEC HWY 516 (W) MNR SILVICULTURAL CAMP (E)	104.7	1988	IT	150	220	200	110
599			1989	LT	200	280	280	150
599			1990	LT	180	260	250	130
599			1991	LT	150	210	200	110
599			1992	LT	130	180	180	100
599			1993	LT	100	140	120	70
599			1994	LT	100	150	140	70
599			1995	LT	90	130	130	70
599			1996	LT	70	100	100	50
599			1997	CTR	60	80	70	50
599			1998	CTR	50	60	60	40
599			1999	CTR	50	60	60	40
599			2000	CTR	50	60	60	40
599			2001	CTR	30	40	40	30
599			2002	CTR	130	160	160	110
599			2003	CTR	130	160	160	110
599			2004	CTR	90	110	110	80
599			2005	CTR	100	120	120	80
599			2006	CTR	100	120	120	80
599			2007	CTR	110	140	140	90
599			2008	CTR	110	140	130	90
599			2009	CTR	130	160	150	110
599			2010	CTR	120	150	140	100
599			2011	CTR	150	180	180	130
599			2012	CTR	150	180	180	130
599			2013	CTR	130	160	160	110
599			2014	CTR	140	170	170	120
599			2015	CTR	150	180	180	130
599			2016	CTR	150	180	180	130
599			2017	CTR	150	200	200	120
599			2018	CTR	160	210	210	130
599			2019	CTR	160	210	210	130
599	BAND ADMIN OFFICE RD (W)	50.3	1997	IC	60	70	70	50
599			1998	IC	50	60	60	40
599			1999	IC	50	60	60	40
599			2000	IC	50	60	60	40
599			2001	IC	130	150	150	110
599			2002	IC	150	170	170	130
599			2003	IC	170	190	190	150
599			2004	IC	200	220	220	180
599			2005	IC	220	240	250	190
599			2006	IC	410	460	460	360

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
599			2007	IC	360	400	410	320
599			2008	IC	320	350	340	280
599			2009	IC	310	340	350	280
599			2010	IC	230	250	260	200
599			2011	IC	280	310	320	250
599			2012	IC	280	310	300	250
599			2013	IC	280	310	310	250
599			2014	IC	370	410	410	330
599			2015	IC	390	430	430	350
599			2016	IC	410	450	450	360
599			2017	IC	430	470	470	390
599			2018	IC	450	500	500	410
599			2019	IC	470	520	520	420
599	PICKLE LAKE RD (W)	0.6	1988	IC	600	700	680	530
599			1989	IC	700	800	790	620
599			1990	IC	750	850	840	670
599			1991	IC	800	900	890	710
599			1992	IC	850	940	940	770
599			1993	IC	900	1000	1000	800
599			1994	IC	850	950	950	760
599			1995	IC	870	970	980	780
599			1996	IC	900	1000	1000	800
599			1997	IC	910	1000	1050	800
599			1998	IC	930	1050	1050	830
599			1999	IC	950	1050	1050	850
599			2000	IC	970	1100	1100	860
599			2001	IC	750	840	840	660
599			2002	IC	720	800	810	630
599			2003	IC	740	820	830	660
599			2004	IC	720	810	810	640
599			2005	IC	590	660	660	520
599			2006	IC	640	710	720	570
599			2007	IC	650	720	740	570
599			2008	IC	640	710	690	560
599			2009	IC	600	670	670	530
599			2010	IC	650	720	730	580
599			2011	IC	550	600	630	490
599			2012	IC	670	740	720	590
599			2013	IC	500	550	550	440
599			2014	IC	520	580	570	460
599			2015	IC	500	550	550	440
599			2016	IC	470	520	520	420
599			2017	IC	450	490	500	410
599			2018	IC	430	470	480	390
599			2019	IC	410	450	450	370

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
599	CENTRAL PATRICIA HWY END		9999					
600	HWY 71 (N&S) & SEC HWY 615 (E)	5.1	1988	IT	150	220	200	110
600			1989	IT	150	210	200	120
600			1990	IT	150	190	190	130
600			1991	IT	150	200	180	130
600			1992	CTR	150	180	180	130
600			1993	CTR	150	190	180	130
600			1994	CTR	150	190	180	130
600			1995	CTR	150	190	180	130
600			1996	CTR	150	190	180	130
600			1997	CTR	150	190	180	130
600			1998	CTR	150	190	180	130
600			1999	CTR	150	190	180	130
600			2000	CTR	140	180	170	120
600			2001	CTR	150	190	180	130
600			2002	CTR	130	160	160	110
600			2003	CTR	130	160	160	110
600			2004	CTR	110	140	130	90
600			2005	CTR	120	150	140	100
600			2006	CTR	120	150	140	100
600			2007	CTR	120	150	150	100
600			2008	CTR	110	140	130	90
600			2009	CTR	110	130	130	90
600			2010	IC	110	120	120	100
600			2011	IC	90	100	100	80
600			2012	IC	90	100	100	80
600			2013	IC	100	110	110	90
600			2014	IC	90	100	100	80
600			2015	IC	90	100	100	80
600			2016	IC	80	90	90	70
600			2017	IC	450	490	500	410
600			2018	IC	450	500	500	410
600			2019	IC	450	490	500	410
600	TAIT RD (W) SIFTON TWP RD L 6 7	37.5	2019	UNCL	N/A			
600	SEC HWY 619 (N&S) COZY CORNERS	29.3	1988	IT	150	220	200	110
600			1989	IT	150	210	200	120
600			1990	IT	150	190	190	130
600			1991	IT	150	200	180	130
600			1992	CTR	100	120	120	90
600			1993	CTR	100	130	120	80
600			1994	CTR	110	140	130	90
600			1995	CTR	100	130	120	80
600			1996	CTR	100	130	120	80
600			1997	CTR	100	130	120	80
600			1998	CTR	90	110	110	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
600			1999	CTR	110	140	130	90
600			2000	CTR	110	140	130	90
600			2001	CTR	130	160	160	110
600			2002	CTR	110	140	130	90
600			2003	CTR	120	150	140	100
600			2004	LT	110	150	150	80
600			2005	LT	120	160	160	90
600			2006	LT	100	140	130	70
600			2007	LT	100	140	140	70
600			2008	LT	100	140	130	70
600			2009	LT	100	140	130	70
600			2010	IR	60	70	70	50
600			2011	IR	60	70	70	50
600			2012	IR	60	70	70	50
600			2013	IR	90	110	110	80
600			2014	IR	80	100	100	70
600			2015	IR	80	100	100	70
600			2016	IR	80	100	100	70
600			2017	IR	80	90	90	70
600			2018	IR	80	90	90	70
600			2019	IR	90	110	110	80
600	RIVER RD N JCT (W)	15.1	1988	IC	100	120	110	90
600			1989	IC	100	110	110	90
600			1990	IC	100	110	110	90
600			1991	IC	100	110	110	90
600			1992	LR	150	240	190	100
600			1993	LR	200	320	260	130
600			1994	LR	210	350	280	140
600			1995	LT	320	460	450	230
600			1996	LT	240	340	330	180
600			1997	LT	250	350	340	180
600			1998	LT	270	380	370	200
600			1999	LT	300	420	410	220
600			2000	LT	290	400	400	210
600			2001	HT	350	610	550	160
600			2002	HT	300	530	470	140
600			2003	HT	310	510	450	150
600			2004	LT	290	410	390	210
600			2005	LT	240	330	320	180
600			2006	LT	220	300	290	160
600			2007	LT	200	270	280	150
600			2008	LT	190	260	250	140
600			2009	LT	170	230	220	130
600			2010	HT	150	220	200	70
600			2011	HT	130	200	200	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
600			2012	HT	130	190	190	60
600			2013	CTR	230	280	290	200
600			2014	CTR	170	210	210	140
600			2015	CTR	170	210	210	140
600			2016	CTR	160	200	200	140
600			2017	CTR	160	210	210	130
600			2018	CTR	150	200	200	120
600			2019	CTR	180	240	240	150
600	RAINY RIVER N LIMITS START OF NA	0.4	9999					
600	HWY 11 RAINY RV END OF NA HWY END		9999					
601	W JCT HWY 17 START OF NA	1.6	9999					
601	CITY OF DRYDEN N LTS END OF NA	13.5	1988	IC	650	750	730	570
601			1989	SC	700	770	850	620
601			1990	SC	750	830	900	670
601			1991	SC	750	830	910	670
601			1992	SC	750	790	880	690
601			1993	SC	750	830	920	670
601			1994	SC	810	840	930	750
601			1995	UC	780	820	890	730
601			1996	UC	860	910	1000	820
601			1997	UC	890	930	1050	840
601			1998	UC	920	980	1100	870
601			1999	UC	820	870	960	780
601			2000	UC	820	870	970	770
601			2001	UC	830	890	980	780
601			2002	UC	840	900	990	790
601			2003	UC	850	900	1000	800
601			2004	SC	870	930	1000	770
601			2005	SC	860	910	1000	760
601			2006	C	860	960	960	770
601			2007	C	870	970	980	780
601			2008	C	870	960	950	780
601			2009	C	870	960	970	780
601			2010	C	870	960	970	780
601			2011	C	820	900	910	740
601			2012	C	820	900	880	740
601			2013	CTR	880	1050	1100	750
601			2014	CTR	860	1050	1050	730
601			2015	CTR	860	1050	1050	730
601			2016	CTR	870	1050	1050	740
601			2017	CTR	870	1150	1150	710
601			2018	CTR	870	1150	1150	710
601			2019	CTR	870	1150	1150	710
601	PRONGER LAKE RD (E)	6.7	2006	C	50	60	60	40
601			2007	C	50	60	60	40

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
601			2008	C	50	60	50	40
601			2009	C	50	60	60	40
601			2010	C	50	60	60	50
601			2011	C	100	110	110	90
601			2012	C	80	90	90	70
601			2013	UC	100	100	100	90
601			2014	UC	100	100	100	90
601			2015	UC	110	110	110	100
601			2016	UC	120	120	120	110
601			2017	UC	130	130	130	120
601			2018	UC	140	140	140	130
601			2019	UC	140	140	140	130
601	DRYDEN AIRPORT ENTR (N) (HWY TURNS SOUTH)	5.0	2006	LT	300	410	400	220
601			2007	LT	500	690	710	370
601			2008	LT	700	960	920	520
601			2009	LT	900	1200	1200	670
601			2010	HT	1100	1650	1450	530
601			2011	HT	1300	2000	2000	840
601			2012	CTR	750	910	900	640
601			2013	CTR	650	790	820	550
601			2014	CTR	970	1200	1200	820
601			2015	CTR	1000	1200	1250	850
601			2016	CTR	1050	1300	1300	890
601			2017	CTR	1100	1450	1450	900
601			2018	CR	1050	1200	1250	940
601			2019	CR	1200	1400	1400	1100
601	E JCT HWY 17 (E&W) HWY END		9999					
602	E JCT HWY 11/71 START OF NA	2.4	9999					
602	SEC HWY 613 (N) (TO DEVLIN) PRUYS RD (S)	22.2	1988	IC	100	120	110	90
602			1989	IC	100	110	110	90
602			1990	IC	100	110	110	90
602			1991	IC	100	110	110	90
602			1992	IC	100	110	110	90
602			1993	IC	100	110	110	90
602			1994	IC	80	90	90	70
602			1995	IC	60	70	70	50
602			1996	IC	60	70	70	50
602			1997	IC	50	60	60	40
602			1998	IC	50	60	60	40
602			1999	IC	50	60	60	40
602			2000	IC	70	80	80	60
602			2001	IC	70	80	80	60
602			2002	IC	70	80	80	60
602			2003	IC	70	80	80	60
602			2004	IC	90	100	100	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
602			2005	IC	80	90	90	70
602			2006	IC	80	90	90	70
602			2007	IC	80	90	90	70
602			2008	IC	80	90	90	70
602			2009	IC	80	90	90	70
602			2010	IC	70	80	80	60
602			2011	IC	70	80	80	60
602			2012	IC	70	80	80	60
602			2013	LT	60	80	80	50
602			2014	LT	80	100	110	60
602			2015	LT	80	100	110	60
602			2016	LT	80	100	110	60
602			2017	LT	80	100	100	70
602			2018	LT	80	100	100	70
602			2019	LT	80	100	100	70
602	OAKWOOD RD (N) FORT FRANCES W LTS	12.5	2019	UNCL	N/A			
602	SEC HWY 611 (N)	22.2	2019	UNCL	N/A			
602	HWYS 11/17 EMO HWY END		9999					
603	HWY 17 BORUPS CORS	4.6	1988	SC	50	50	60	40
603			1989	SC	60	70	70	50
603			1990	SC	60	70	70	50
603			1991	SC	60	70	70	50
603			1992	SC	50	50	60	50
603			1993	SC	50	60	60	40
603			1994	SC	60	60	70	60
603			1995	SC	50	50	60	50
603			1996	SC	60	60	70	50
603			1997	SC	60	60	70	50
603			1998	SC	60	60	70	50
603			1999	SC	50	50	60	40
603			2000	SC	50	50	60	40
603			2001	SC	40	40	50	40
603			2002	SC	50	50	60	40
603			2003	SC	50	50	60	40
603			2004	SC	50	50	60	40
603			2005	SC	50	50	60	40
603			2006	SC	50	50	60	40
603			2007	SC	50	50	60	40
603			2008	SC	50	50	50	40
603			2009	SC	50	50	60	40
603			2010	SC	50	50	60	40
603			2011	SC	40	50	50	30
603			2012	SC	40	40	40	40
603			2013	SC	40	40	40	40
603			2014	CTR	40	50	50	30

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
603			2015	CTR	40	50	50	30
603			2016	CTR	40	50	50	30
603			2017	CTR	40	50	50	30
603			2018	CTR	40	50	50	30
603			2019	CTR	40	50	50	30
603	CPR CROSSING L1 DYMENT HWY END		9999					
605			1988	IC	250	290	280	220
605			1989	CTR	300	380	360	260
605			1990	CTR	300	380	350	260
605			1991	CTR	300	380	380	260
605			1992	C	300	320	330	280
605			1993	C	300	330	330	280
605			1994	C	310	340	350	280
605			1995	C	300	330	340	270
605			1996	C	320	360	360	290
605			1997	C	330	370	380	300
605			1998	C	330	370	370	300
605			1999	C	330	370	370	300
605			2000	C	330	370	370	300
605			2001	C	340	380	380	310
605			2002	C	340	380	380	310
605			2003	C	340	380	380	310
605			2004	C	330	370	370	300
605			2005	C	350	390	390	310
605			2006	C	350	390	390	310
605			2007	C	350	390	390	310
605			2008	C	360	400	390	320
605			2009	C	360	400	400	320
605			2010	C	360	400	400	320
605			2011	C	360	400	400	320
605			2012	C	360	400	390	320
605			2013	UC	330	330	330	310
605			2014	UC	360	360	350	340
605			2015	UC	370	370	360	350
605			2016	UC	370	370	360	350
605			2017	UC	370	370	370	350
605			2018	UC	370	370	370	360
605			2019	UC	380	370	380	370
605	**HWY 17**	**12.46**	**2019**	**UC**	**380**	**370**	**380**	**370**
605	RUGBY LAKE HWY END		9999					
607			1988	T	250	460	440	150
607			1989	T	300	540	520	190
607			1990	T	300	550	520	190
607			1991	T	300	540	520	190
607			1992	LR	350	560	450	230

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
607			1993	LR	350	560	450	230
607			1994	LR	330	540	440	220
607			1995	LR	350	590	480	230
607			1996	LR	340	570	460	230
607			1997	LR	340	570	460	230
607			1998	LR	350	580	470	230
607			1999	LR	340	560	450	220
607			2000	LR	340	550	440	230
607			2001	LR	360	590	470	240
607			2002	LR	340	550	440	230
607			2003	LR	340	540	430	230
607			2004	LR	330	540	430	220
607			2005	LR	340	530	430	230
607			2006	LR	340	530	430	230
607			2007	LR	340	530	510	230
607			2008	LR	340	530	520	230
607			2009	IT	340	430	430	280
607			2010	IT	340	430	430	280
607			2011	LR	340	530	490	240
607			2012	LR	340	510	490	230
607			2013	LR	430	640	730	290
607			2014	LR	360	540	550	240
607			2015	IT	360	450	440	300
607			2016	IT	360	450	440	300
607			2017	IT	360	480	480	300
607			2018	IT	360	480	480	300
607			2019	IT	360	480	480	310
607	**HWY 69**	**0.60**	**2019**	**IT**	**360**	**480**	**480**	**310**
607	SEC HWY 607A	8.9	1988	T	400	730	700	240
607			1989	T	450	810	790	280
607			1990	T	450	820	780	280
607			1991	T	450	810	780	280
607			1992	LR	500	800	640	330
607			1993	LR	500	800	640	330
607			1994	LR	490	810	650	320
607			1995	LR	500	840	680	330
607			1996	LR	520	870	700	350
607			1997	LR	530	890	720	360
607			1998	LR	500	820	660	330
607			1999	LR	520	850	690	340
607			2000	LR	530	860	690	350
607			2001	LR	530	870	690	350
607			2002	LR	540	880	700	370
607			2003	LR	540	850	690	360
607			2004	LR	550	900	720	370

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
607			2005	LR	550	860	690	370
607			2006	LT	560	770	750	410
607			2007	LT	560	770	790	410
607			2008	LT	570	780	750	420
607			2009	LT	570	770	750	420
607			2010	LT	580	780	760	430
607			2011	LT	580	740	760	480
607			2012	LT	590	770	730	450
607			2013	LT	800	1050	1050	600
607			2014	LT	640	840	850	480
607			2015	LT	660	860	880	500
607			2016	LT	660	860	880	500
607			2017	LT	670	850	850	560
607			2018	LT	670	850	850	560
607			2019	LT	680	860	860	570
607	HWY 64 HWY END		9999					
607A	SEC HWY 607 BIGWOOD	2.6	1988	T	200	370	350	120
607A			1989	T	200	360	350	130
607A			1990	T	200	360	350	120
607A			1991	T	200	360	350	120
607A			1992	LR	350	560	450	230
607A			1993	LR	350	560	450	230
607A			1994	LR	290	480	380	190
607A			1995	LR	320	540	430	210
607A			1996	LR	310	520	420	210
607A			1997	LR	320	540	430	210
607A			1998	LR	270	450	360	180
607A			1999	LR	280	460	370	180
607A			2000	LR	280	450	370	190
607A			2001	LR	280	460	360	190
607A			2002	LR	260	420	340	180
607A			2003	LR	260	410	330	180
607A			2004	LR	240	390	310	160
607A			2005	LR	250	390	320	170
607A			2006	LR	240	370	300	160
607A			2007	LR	230	360	350	150
607A			2008	LR	230	360	350	160
607A			2009	LR	220	330	270	150
607A			2010	LR	220	330	270	150
607A			2011	LR	210	320	300	150
607A			2012	LR	200	300	290	140
607A			2013	LT	200	260	260	150
607A			2014	LT	190	250	250	140
607A			2015	LT	190	250	250	140
607A			2016	LT	180	240	240	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
607A			2017	LT	170	220	220	140
607A			2018	LT	170	220	220	140
607A			2019	LT	160	200	200	130
607A	FRENCH RIV SCHELLS CAMP HWY END		9999					
608			1988	IC	550	640	620	480
608			1989	IC	600	690	680	530
608			1990	IC	650	740	730	580
608			1991	IC	700	790	780	620
608			1992	IC	750	830	830	680
608			1993	IC	800	900	900	710
608			1994	IC	790	880	880	700
608			1995	IC	820	920	920	740
608			1996	IC	840	940	950	750
608			1997	IC	890	1000	1000	780
608			1998	IC	930	1050	1050	830
608			1999	IC	860	960	960	770
608			2000	IC	870	970	970	770
608			2001	IC	840	940	940	740
608			2002	IC	830	930	930	730
608			2003	IC	820	910	920	730
608			2004	IC	810	910	910	720
608			2005	IC	810	900	910	710
608			2006	IC	790	880	890	700
608			2007	IC	750	830	860	660
608			2008	IC	780	860	840	690
608			2009	IC	720	800	810	640
608			2010	IC	760	840	850	670
608			2011	IC	760	840	870	680
608			2012	IC	700	780	750	620
608			2013	IC	730	810	800	650
608			2014	IC	730	810	800	650
608			2015	IC	720	800	790	640
608			2016	IC	710	790	780	630
608			2017	IC	700	770	770	640
608			2018	IR	690	780	790	600
608			2019	IR	690	780	790	600
608	**HWY 61**	**8.30**	**2019**	**IR**	**690**	**780**	**790**	**600**
608	SEC HWY 597 (S)	10.8	1988	IR	300	390	330	240
608			1989	IR	300	390	330	250
608			1990	IR	330	420	370	270
608			1991	IR	350	440	390	290
608			1992	IR	380	470	420	320
608			1993	IR	400	490	410	330
608			1994	IR	390	480	430	330
608			1995	IR	410	500	450	350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
608			1996	CTR	400	510	490	340
608			1997	IR	440	550	490	370
608			1998	IR	450	560	500	380
608			1999	IR	470	580	520	390
608			2000	IR	480	590	530	410
608			2001	IR	420	520	470	360
608			2002	IR	420	520	470	360
608			2003	IR	420	510	460	360
608			2004	IR	410	510	450	350
608			2005	CTR	400	500	480	340
608			2006	CTR	400	500	470	340
608			2007	CTR	400	500	490	340
608			2008	CTR	390	480	470	330
608			2009	IR	330	400	360	280
608			2010	IR	390	460	420	330
608			2011	IR	350	420	410	300
608			2012	IR	310	370	360	270
608			2013	IR	360	430	460	310
608			2014	CTR	360	440	440	310
608			2015	CTR	350	430	430	300
608			2016	CTR	340	410	420	290
608			2017	CTR	340	450	450	280
608			2018	CTR	330	440	440	270
608			2019	CTR	330	440	440	270
608	SEC HWY 595 SOUTH GILLIES HWY END		9999					
609			1988	IC	100	120	110	90
609			1989	C	130	140	150	120
609			1990	C	130	140	140	120
609			1991	C	130	140	140	120
609			1992	IC	100	110	110	90
609			1993	IC	100	110	110	90
609			1994	IC	110	120	120	100
609			1995	CTR	100	130	120	80
609			1996	CTR	110	140	140	90
609			1997	CTR	110	140	140	90
609			1998	CTR	100	130	120	80
609			1999	CTR	100	130	120	80
609			2000	CTR	100	130	120	80
609			2001	IR	100	120	110	80
609			2002	IR	100	120	110	90
609			2003	IR	100	120	110	80
609			2004	CTR	100	130	120	80
609			2005	CTR	100	120	120	80
609			2006	CTR	100	120	120	80
609			2007	CTR	100	120	120	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
609			2008	CTR	100	120	120	80
609			2009	CTR	100	120	120	80
609			2010	CTR	90	110	110	80
609			2011	CTR	100	120	120	80
609			2012	CTR	90	110	110	80
609			2013	CTR	90	110	110	80
609			2014	CTR	90	110	110	80
609			2015	CTR	90	110	110	80
609			2016	CTR	90	110	110	80
609			2017	CTR	90	120	120	70
609			2018	CTR	90	120	120	70
609			2019	CTR	90	120	120	70
609	**HWY 105**	**4.75**	**2019**	**CTR**	**90**	**120**	**120**	**70**
609	QUIBELL RD	10.9	1995	IC	100	110	110	90
609			1996	IC	100	110	110	90
609			1997	IC	100	110	110	90
609			1998	IC	100	110	110	90
609			1999	IC	100	110	110	90
609			2000	IC	100	110	110	90
609			2001	CR	100	120	120	80
609			2002	CR	100	120	120	80
609			2003	CR	100	120	120	80
609			2004	CR	100	120	120	80
609			2005	CR	100	120	120	80
609			2006	CR	100	120	120	80
609			2007	CR	100	120	120	80
609			2008	CR	100	120	120	80
609			2009	CR	100	120	120	80
609			2010	CR	100	120	120	80
609			2011	CR	100	120	120	90
609			2012	CR	100	120	120	80
609			2013	CR	100	120	120	80
609			2014	CR	100	120	120	90
609			2015	CR	100	120	120	90
609			2016	CR	100	120	120	90
609			2017	CR	100	120	120	90
609			2018	CR	100	120	120	90
609			2019	CR	100	120	120	90
609	CLAY LAKE HWY END		9999					
611	SEC HWY 602	7.4	1988	C	150	170	170	140
611			1989	C	150	170	170	140
611			1990	C	150	170	170	140
611			1991	C	150	160	170	140
611			1992	LT	150	210	200	120
611			1993	LT	150	210	190	110

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
611			1994	LT	160	230	230	120
611			1995	IR	190	230	210	160
611			1996	IR	170	210	190	140
611			1997	IR	170	210	190	140
611			1998	IR	170	210	190	140
611			1999	IR	190	240	210	160
611			2000	IR	190	230	210	160
611			2001	IR	200	250	220	170
611			2002	IR	200	250	220	170
611			2003	IR	200	240	220	170
611			2004	CTR	200	250	240	170
611			2005	CTR	210	260	250	180
611			2006	CTR	210	260	250	180
611			2007	CTR	210	260	260	180
611			2008	CTR	220	270	270	190
611			2009	CTR	220	270	260	190
611			2010	CTR	220	270	260	190
611			2011	CTR	180	220	210	150
611			2012	CTR	180	220	220	150
611			2013	CTR	200	240	250	170
611			2014	CTR	210	260	260	180
611			2015	CTR	210	260	260	180
611			2016	CTR	220	270	270	190
611			2017	CTR	220	290	290	180
611			2018	CTR	220	290	290	180
611			2019	CTR	220	290	290	180
611	E JCT HWY 11 OVERLAPS HWY 11 AH D	2.0	9999					
611	W JCT HWYS 11/71	12.8	1988	IC	250	290	280	220
611			1989	IC	250	290	280	220
611			1990	IC	250	280	280	220
611			1991	IC	230	260	260	200
611			1992	C	200	220	220	180
611			1993	C	200	220	220	180
611			1994	C	220	240	250	200
611			1995	SC	220	230	260	200
611			1996	SC	220	230	260	200
611			1997	SC	200	210	230	180
611			1998	SC	200	210	230	180
611			1999	SC	200	210	230	180
611			2000	SC	220	230	260	190
611			2001	SC	220	230	260	190
611			2002	SC	220	230	260	190
611			2003	SC	220	230	260	190
611			2004	SC	230	250	270	200
611			2005	SC	220	230	260	190

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
611			2006	SC	220	230	260	190
611			2007	SC	220	230	250	190
611			2008	SC	220	230	220	190
611			2009	SC	220	230	260	190
611			2010	SC	230	240	270	200
611			2011	SC	230	290	270	180
611			2012	SC	230	240	230	200
611			2013	UC	250	250	250	240
611			2014	UC	230	230	220	220
611			2015	UC	230	230	220	220
611			2016	UC	230	230	220	220
611			2017	UC	220	220	220	210
611			2018	SC	220	230	230	190
611			2019	SC	220	230	230	190
611	LAKE WASAW RD HWY END		9999					
612	MUSKOKA REG PARRY SOUND DIST BDY	4.4	1988	LT	350	500	490	270
612			1989	LT	350	490	480	260
612			1990	LT	350	510	490	260
612			1991	LT	350	490	470	260
612			1992	LT	350	490	470	270
612			1993	LT	350	480	430	260
612			1994	LT	400	590	570	290
612			1995	LT	420	600	590	310
612			1996	LT	430	610	590	320
612			1997	LT	460	650	630	340
612			1998	LT	450	630	620	330
612			1999	LT	480	670	650	350
612			2000	LT	510	710	700	370
612			2001	LT	520	730	710	380
612			2002	LT	530	740	720	390
612			2003	LT	550	760	740	410
612			2004	LT	570	800	780	420
612			2005	LT	570	780	760	420
612			2006	LT	600	820	800	440
612			2007	LT	600	820	850	440
612			2008	LT	620	850	810	460
612			2009	LT	600	810	790	440
612			2010	LT	650	870	860	480
612			2011	LT	590	760	770	490
612			2012	LT	660	860	820	500
612			2013	IR	670	800	860	570
612			2014	IR	690	820	820	590
612			2015	CTR	620	760	760	530
612			2016	CTR	700	850	860	600
612			2017	CTR	710	950	940	580

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
612			2018	CTR	730	970	970	590
612			2019	CTR	740	990	980	600
612	HWY 69 GORDON BAY HWY END		9999					
613			1988	IC	100	120	110	90
613			1989	IC	100	110	110	90
613			1990	IC	100	110	110	90
613			1991	IC	100	110	110	90
613			1992	IC	100	110	110	90
613			1993	IC	100	110	110	90
613			1994	IC	100	110	110	90
613			1995	IC	100	110	110	90
613			1996	IC	100	110	110	90
613			1997	IC	100	110	110	90
613			1998	IC	100	110	110	90
613			1999	IC	110	120	120	100
613			2000	IC	110	120	120	100
613			2001	IR	110	140	120	90
613			2002	IR	110	140	120	90
613			2003	IR	110	130	120	90
613			2004	IR	110	140	120	90
613			2005	IR	110	130	120	90
613			2006	IR	110	130	120	90
613			2007	IR	110	130	130	90
613			2008	IR	110	130	130	90
613			2009	IR	110	130	120	90
613			2010	IR	110	130	120	90
613			2011	IR	110	130	130	90
613			2012	IR	110	130	130	90
613			2013	IC	140	150	150	120
613			2014	IC	120	130	130	110
613			2015	IC	120	130	130	110
613			2016	IC	120	130	130	110
613			2017	IC	120	130	130	110
613			2018	IC	120	130	130	110
613			2019	IC	120	130	130	110
613	**SEC HWY 602**	**11.12**	**2019**	**IC**	**120**	**130**	**130**	**110**
613	HWYS 11/71 (E&W)	28.8	1988	IC	500	580	560	440
613			1989	IC	530	610	600	470
613			1990	IC	530	600	590	470
613			1991	IC	530	600	590	470
613			1992	IR	550	680	600	470
613			1993	IR	550	680	570	450
613			1994	IR	590	730	650	490
613			1995	IC	640	720	720	570
613			1996	IC	620	700	700	550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
613			1997	IC	640	720	720	560
613			1998	IC	650	730	730	580
613			1999	IC	620	690	690	550
613			2000	IC	620	690	690	550
613			2001	IC	600	670	670	530
613			2002	IC	620	690	700	550
613			2003	IC	620	690	700	550
613			2004	IT	620	810	790	500
613			2005	IT	620	790	790	510
613			2006	IT	620	790	780	510
613			2007	IT	620	790	830	510
613			2008	IT	620	800	750	520
613			2009	IT	620	780	780	510
613			2010	IC	620	690	690	550
613			2011	IC	620	680	710	560
613			2012	IC	650	720	700	580
613			2013	CTR	720	880	910	610
613			2014	CTR	640	780	790	540
613			2015	CTR	640	780	790	540
613			2016	CTR	650	790	800	550
613			2017	CTR	650	870	860	530
613			2018	CTR	650	870	860	530
613			2019	CTR	650	870	860	530
613	LAKE DESPAIR GOVT DOCK HWY END		9999					
614	HWY 17 BOMBY TWP	51.8	1988	IC	650	750	730	570
614			1989	IC	700	800	790	620
614			1990	IC	700	800	780	620
614			1991	IC	600	680	670	530
614			1992	IC	600	670	660	550
614			1993	IC	600	680	670	530
614			1994	IC	670	750	750	600
614			1995	IC	690	770	780	620
614			1996	IC	650	730	730	580
614			1997	IC	720	810	810	630
614			1998	IC	740	830	830	660
614			1999	IC	690	770	770	610
614			2000	IC	690	770	770	610
614			2001	IC	700	780	790	620
614			2002	IC	670	750	750	590
614			2003	IC	800	890	900	710
614			2004	IC	700	780	790	620
614			2005	IC	700	780	790	620
614			2006	IC	530	590	590	470
614			2007	IT	500	640	670	410
614			2008	IT	460	590	560	390

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
614			2009	IC	410	460	460	360
614			2010	IC	400	440	450	350
614			2011	IC	480	530	550	430
614			2012	IC	440	490	470	390
614			2013	IC	440	490	480	390
614			2014	IC	450	500	500	400
614			2015	IC	420	460	460	370
614			2016	IC	410	450	450	360
614			2017	IC	390	430	430	350
614			2018	IR	440	540	540	380
614			2019	IR	360	440	440	310
614	MTO PATROL YARD HWY END		9999					
615	HWY 71 & SEC HWY 600	4.8	1988	IR	150	200	160	120
615			1989	IR	150	190	170	120
615			1990	IR	150	190	170	120
615			1991	IR	150	190	170	120
615			1992	LR	150	240	190	100
615			1993	LR	150	240	190	100
615			1994	LR	140	230	190	90
615			1995	IR	120	150	130	100
615			1996	IR	140	170	160	120
615			1997	IR	140	180	160	120
615			1998	IR	130	160	150	110
615			1999	IR	130	160	140	110
615			2000	IR	130	160	140	110
615			2001	IT	130	170	170	110
615			2002	IT	130	170	170	110
615			2003	IT	130	170	170	110
615			2004	IT	130	170	170	110
615			2005	IT	120	150	150	100
615			2006	IT	100	130	130	80
615			2007	IT	90	120	120	70
615			2008	IT	70	90	90	60
615			2009	IT	100	130	130	80
615			2010	IT	90	110	110	70
615			2011	IT	90	120	120	70
615			2012	IT	90	110	110	70
615			2013	IT	130	160	160	110
615			2014	IT	90	110	110	70
615			2015	IT	90	110	110	70
615			2016	IT	80	100	100	70
615			2017	IT	80	110	110	70
615			2018	IT	80	110	110	70
615			2019	IT	80	110	110	70
615	OFF LAKE CORNER MATHER TWP (HWY TURNS N)	16.7	1988	HR	200	410	300	100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
615			1989	HR	200	380	300	120
615			1990	HR	200	370	290	120
615			1991	HR	200	370	300	120
615			1992	IR	200	250	220	170
615			1993	IR	200	250	210	160
615			1994	IR	190	230	210	160
615			1995	T	160	280	270	100
615			1996	T	180	310	310	110
615			1997	T	180	310	300	110
615			1998	T	180	310	300	110
615			1999	T	180	300	300	110
615			2000	T	190	310	300	120
615			2001	T	190	310	300	120
615			2002	T	190	310	300	120
615			2003	T	190	300	290	120
615			2004	LT	190	270	260	140
615			2005	LT	180	250	240	130
615			2006	LT	190	260	250	140
615			2007	LT	190	260	270	140
615			2008	LT	190	260	250	140
615			2009	LT	190	260	250	140
615			2010	LT	180	240	240	130
615			2011	LT	190	240	250	160
615			2012	LT	190	250	240	140
615			2013	LT	190	250	250	140
615			2014	LT	190	250	250	140
615			2015	LT	190	250	250	140
615			2016	LT	190	250	250	140
615			2017	LT	190	260	260	150
615			2018	LT	190	260	260	150
615			2019	LT	190	260	260	150
615	CLEARWATER LAKE HWY END		9999					
617	HWY 11 STRATTON	24.1	1988	CTR	300	390	370	250
617			1989	CTR	350	440	420	300
617			1990	CTR	350	440	410	300
617			1991	CTR	350	440	440	300
617			1992	CTR	300	370	360	260
617			1993	CTR	300	380	360	260
617			1994	CTR	360	460	440	300
617			1995	IC	350	390	390	310
617			1996	IC	390	440	440	350
617			1997	IC	400	450	450	350
617			1998	IC	420	470	470	370
617			1999	IC	380	430	430	340
617			2000	IC	390	440	440	350

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
617			2001	CR	360	440	420	300
617			2002	CR	390	480	460	330
617			2003	CR	390	480	460	330
617			2004	CTR	400	500	480	340
617			2005	CTR	780	970	930	660
617			2006	CTR	450	560	530	380
617			2007	CTR	460	570	560	390
617			2008	CTR	470	580	570	400
617			2009	CTR	470	570	550	400
617			2010	CTR	350	430	410	300
617			2011	CTR	300	370	350	250
617			2012	CTR	300	360	360	260
617			2013	UC	290	290	290	280
617			2014	UC	400	400	380	380
617			2015	UC	400	400	380	380
617			2016	UC	400	400	380	380
617			2017	UC	400	400	400	380
617			2018	C	400	440	440	360
617			2019	C	400	440	430	360
617	SEC HWY 600 (N&E) NORTH BRANCH HWY END		9999					
618	HWY 105 RED LAKE	1.5	1988	IC	900	1050	1000	790
618			1989	IC	1000	1150	1150	890
618			1990	IC	1000	1150	1100	890
618			1991	IC	1000	1150	1100	890
618			1992	IC	1000	1100	1100	910
618			1993	IC	1000	1150	1100	890
618			1994	IC	1050	1200	1200	930
618			1995	IC	1050	1150	1200	940
618			1996	IC	1150	1300	1300	1000
618			1997	IC	1150	1300	1300	1000
618			1998	IC	1200	1350	1350	1050
618			1999	IC	1050	1200	1200	930
618			2000	IC	1050	1200	1200	930
618			2001	IT	990	1300	1250	810
618			2002	IT	1050	1350	1350	870
618			2003	IT	1050	1350	1350	860
618			2004	CR	1000	1250	1150	840
618			2005	CR	1000	1200	1150	840
618			2006	CR	1000	1200	1150	840
618			2007	CR	990	1200	1200	830
618			2008	IC	980	1100	1050	860
618			2009	IC	990	1100	1100	880
618			2010	IC	1000	1100	1100	890
618			2011	IC	960	1050	1100	860
618			2012	UC	1050	1050	1100	1000

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
618			2013	UC	940	940	950	890
618			2014	UC	950	950	910	900
618			2015	UC	950	950	910	900
618			2016	UC	940	940	900	890
618			2017	UC	930	920	930	890
618			2018	C	920	1000	1000	830
618			2019	C	910	990	990	820
618	A PT 4.1 KM S OF HWY 105 RED LAKE	7.6	1995	UC	450	470	510	420
618			1996	UC	450	480	530	430
618			1997	C	450	510	510	400
618			1998	C	450	510	510	400
618			1999	C	470	530	530	420
618			2000	C	470	530	530	420
618			2001	C	490	550	550	440
618			2002	C	480	540	540	430
618			2003	C	480	540	540	430
618			2004	C	480	540	540	430
618			2005	C	490	550	550	440
618			2006	C	510	570	570	460
618			2007	C	530	590	600	480
618			2008	C	530	580	580	480
618			2009	C	540	590	600	490
618			2010	C	600	660	670	540
618			2011	C	500	550	560	450
618			2012	UC	500	500	540	480
618			2013	UC	450	450	450	430
618			2014	UC	530	530	510	500
618			2015	UC	540	540	520	510
618			2016	UC	540	540	520	510
618			2017	UC	550	550	550	530
618			2018	UC	550	550	550	530
618			2019	UC	550	540	550	530
618	OLSEN MINE RD STARRATT HWY END		9999					
619	HWY 11 PINEWOOD	40.7	1988	IC	100	120	110	90
619			1989	IC	100	110	110	90
619			1990	IC	100	110	110	90
619			1991	IC	80	90	90	70
619			1992	UC	50	50	60	50
619			1993	UC	50	50	60	50
619			1994	UC	60	60	70	60
619			1995	LR	50	80	70	30
619			1996	LR	50	80	70	30
619			1997	LR	40	70	50	30
619			1998	LR	30	50	40	20
619			1999	LR	30	50	40	20

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
619			2000	LR	40	60	50	30
619			2001	LR	30	50	40	20
619			2002	LR	30	50	40	20
619			2003	LR	30	50	40	20
619			2004	LR	30	50	40	20
619			2005	LR	40	60	50	30
619			2006	LR	30	50	40	20
619			2007	LR	30	50	50	20
619			2008	LR	30	50	50	20
619			2009	LR	30	50	40	20
619			2010	LT	40	50	50	30
619			2011	LT	60	80	80	50
619			2012	LT	60	80	70	50
619			2013	LT	50	70	70	40
619			2014	LT	40	50	50	30
619			2015	LT	40	50	50	30
619			2016	LT	40	50	50	30
619			2017	LT	40	50	50	30
619			2018	LT	40	50	50	30
619			2019	LT	40	50	50	30
619	SEC HWY 621 (N&S) HWY END		9999					
621	HWY 11 SLEEMAN	26.1	1988	IT	300	440	400	220
621			1989	IT	300	420	400	230
621			1990	IT	300	380	370	250
621			1991	IT	330	430	410	280
621			1992	LT	350	490	470	270
621			1993	LT	350	480	430	260
621			1994	LT	370	540	520	270
621			1995	IR	440	540	480	370
621			1996	IR	390	480	440	330
621			1997	IR	400	500	450	340
621			1998	IR	410	510	460	340
621			1999	IR	450	560	500	380
621			2000	IR	460	560	510	390
621			2001	IR	490	610	540	410
621			2002	IR	490	600	540	420
621			2003	IR	500	610	550	420
621			2004	IR	510	630	570	430
621			2005	IR	430	520	470	370
621			2006	IR	380	460	420	320
621			2007	IR	340	410	410	290
621			2008	IR	290	350	340	250
621			2009	IR	250	300	270	210
621			2010	IC	200	220	220	180
621			2011	IC	200	220	230	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
621			2012	IC	200	220	210	180
621			2013	IC	420	460	460	370
621			2014	IC	280	310	310	250
621			2015	IC	270	300	300	240
621			2016	IC	260	290	290	230
621			2017	IC	450	490	500	410
621			2018	IC	450	500	500	410
621			2019	IC	450	490	500	410
621	SEC HWY 600 (W TO BERGLAND HALL & E) BERGLAND	24.4	1988	IT	300	440	400	220
621			1989	IT	300	420	400	230
621			1990	IT	300	380	370	250
621			1991	IT	330	430	410	280
621			1992	LT	350	490	470	270
621			1993	LT	350	480	430	260
621			1994	LT	360	530	510	260
621			1995	IR	430	530	470	370
621			1996	IR	360	450	400	310
621			1997	IR	370	460	410	310
621			1998	IR	370	460	410	310
621			1999	IR	400	500	440	340
621			2000	IR	410	500	450	350
621			2001	CTR	430	540	520	360
621			2002	CTR	420	530	510	350
621			2003	CTR	420	520	500	360
621			2004	CTR	430	540	520	360
621			2005	CTR	400	500	480	340
621			2006	CTR	400	500	470	340
621			2007	CTR	400	500	490	340
621			2008	CTR	390	480	470	330
621			2009	CTR	390	480	460	330
621			2010	LR	340	510	420	230
621			2011	LR	300	460	440	210
621			2012	CTR	300	360	360	260
621			2013	CTR	400	490	500	340
621			2014	CTR	360	440	440	310
621			2015	CTR	360	440	440	310
621			2016	CTR	360	440	440	310
621			2017	CTR	360	480	480	290
621			2018	CTR	350	470	470	290
621			2019	CTR	350	470	460	280
621	LAKE OF THE WOODS DOCK HWY END		9999					
622	HWY 11B ATIKOKAN	2.1	1988	UC	700	740	790	660
622			1989	UC	750	790	850	710
622			1990	UC	750	800	870	710
622			1991	LT	550	770	740	410

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
622			1992	LT	500	700	680	380
622			1993	IC	450	510	500	400
622			1994	IC	510	570	570	450
622			1995	IC	480	540	540	430
622			1996	IC	450	510	510	400
622			1997	CTR	430	550	530	360
622			1998	CTR	400	510	490	340
622			1999	CTR	370	470	450	310
622			2000	CTR	420	530	510	350
622			2001	CTR	430	540	520	360
622			2002	CTR	430	540	520	360
622			2003	CTR	430	530	510	360
622			2004	CTR	400	500	480	340
622			2005	CTR	440	550	520	370
622			2006	CTR	430	530	510	360
622			2007	IR	470	570	570	400
622			2008	IR	460	560	550	390
622			2009	CR	410	490	480	350
622			2010	CR	550	660	640	470
622			2011	CR	410	480	480	360
622			2012	CR	570	680	670	480
622			2013	LT	590	770	770	450
622			2014	LT	510	670	680	390
622			2015	LT	510	670	680	390
622			2016	LT	520	680	690	390
622			2017	LT	520	730	720	400
622			2018	LT	570	800	790	440
622			2019	LT	530	740	740	410
622	RAWN RESERVOIR RD HARDY DAM RD	6.5	1988	UC	700	740	790	660
622			1989	UC	750	790	850	710
622			1990	UC	750	800	870	710
622			1991	LT	550	770	740	410
622			1992	LT	500	700	680	380
622			1993	IC	450	510	500	400
622			1994	IC	510	570	570	450
622			1995	IC	480	540	540	430
622			1996	IC	450	510	510	400
622			1997	CTR	430	550	530	360
622			1998	CTR	400	510	490	340
622			1999	CTR	370	470	450	310
622			2000	CTR	420	530	510	350
622			2001	CTR	430	540	520	360
622			2002	CTR	430	540	520	360
622			2003	CTR	420	520	500	360
622			2004	CTR	400	500	480	340

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
622			2005	CTR	440	550	520	370
622			2006	CTR	400	500	470	340
622			2007	IR	390	470	470	330
622			2008	IR	390	470	460	330
622			2009	IT	380	480	480	320
622			2010	IT	380	480	480	310
622			2011	IT	370	500	500	300
622			2012	IT	370	460	450	310
622			2013	IT	360	450	450	300
622			2014	IT	360	450	440	300
622			2015	IT	350	440	430	290
622			2016	IT	350	440	430	290
622			2017	IT	510	670	680	430
622			2018	IT	510	670	670	430
622			2019	IT	510	680	680	430
622	FOOTHILLS TIMBER RD OLD 7177 SKI AREA (W)	6.5	1988	UC	700	740	790	660
622			1989	UC	750	790	850	710
622			1990	UC	750	800	870	710
622			1991	LT	550	770	740	410
622			1992	LT	450	630	610	350
622			1993	IC	450	510	500	400
622			1994	IC	480	540	540	430
622			1995	IC	460	510	520	410
622			1996	LT	410	580	560	300
622			1997	LT	400	560	550	300
622			1998	LT	370	520	510	270
622			1999	LT	340	470	460	250
622			2000	LT	370	520	500	270
622			2001	LT	360	500	490	260
622			2002	LT	340	480	460	250
622			2003	LT	330	450	440	240
622			2004	LT	320	450	440	230
622			2005	LT	320	440	430	240
622			2006	LT	310	420	410	230
622			2007	LT	300	410	420	220
622			2008	LT	290	400	380	210
622			2009	LT	250	340	330	180
622			2010	LT	290	390	380	210
622			2011	LT	230	290	300	190
622			2012	LT	290	380	360	220
622			2013	LT	360	470	470	270
622			2014	LT	250	330	330	190
622			2015	LT	240	310	320	180
622			2016	LT	230	300	310	170
622			2017	LT	300	420	420	230

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
622			2018	LT	300	420	420	230
622			2019	LT	300	420	420	230
622	HYDRO GENERATING STA ENT (W)	66.9	1988	T	100	180	180	60
622			1989	T	150	270	260	90
622			1990	T	200	360	350	120
622			1991	T	150	270	260	90
622			1992	LT	150	210	200	120
622			1993	LT	150	210	190	110
622			1994	LT	170	250	240	120
622			1995	LT	180	260	250	130
622			1996	LT	200	280	280	150
622			1997	LT	200	280	280	150
622			1998	LT	200	280	270	150
622			1999	LT	220	310	300	160
622			2000	LT	220	310	300	160
622			2001	LT	200	280	270	150
622			2002	LT	240	340	330	180
622			2003	LT	210	290	280	160
622			2004	LT	200	280	270	150
622			2005	LT	180	250	240	130
622			2006	LT	210	290	280	150
622			2007	LT	210	290	300	150
622			2008	LT	210	290	280	150
622			2009	LT	200	270	260	150
622			2010	LT	210	280	280	160
622			2011	LT	120	150	160	100
622			2012	LT	120	160	150	90
622			2013	LT	180	240	230	140
622			2014	LT	180	240	240	140
622			2015	LT	180	240	240	140
622			2016	LT	170	220	230	130
622			2017	LT	170	220	220	140
622			2018	LT	170	220	220	140
622			2019	LT	170	220	220	140
622	MANION RD (W)	48.3	1991	T	150	270	260	90
622			1992	IT	100	130	120	80
622			1993	IT	100	120	120	80
622			1994	IT	120	160	150	100
622			1995	IT	120	150	150	100
622			1996	IT	130	170	170	110
622			1997	IT	120	160	150	100
622			1998	IT	120	150	150	100
622			1999	IT	120	150	150	100
622			2000	IT	120	150	150	100
622			2001	IT	120	160	150	100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
622			2002	IT	120	160	150	100
622			2003	IT	120	150	150	100
622			2004	IT	120	160	150	100
622			2005	LT	120	160	160	90
622			2006	LT	120	160	160	90
622			2007	LT	120	160	170	90
622			2008	LT	120	160	160	90
622			2009	LT	110	150	150	80
622			2010	LT	120	160	160	90
622			2011	IR	110	130	130	90
622			2012	IR	90	110	100	80
622			2013	LT	70	90	90	50
622			2014	LT	100	130	130	80
622			2015	LT	100	130	130	80
622			2016	LT	100	130	130	80
622			2017	LT	100	140	140	80
622			2018	LT	100	140	140	80
622			2019	LT	100	140	140	80
622	HWY 17 HWY END		9999					
623			1988	SC	400	430	470	360
623			1989	SC	500	550	600	440
623			1990	SC	530	580	640	470
623			1991	SC	550	600	670	490
623			1992	SC	580	610	680	530
623			1993	SC	600	670	730	530
623			1994	SC	640	670	740	590
623			1995	SC	670	700	780	610
623			1996	SC	710	750	830	640
623			1997	SC	740	780	870	660
623			1998	SC	770	820	900	690
623			1999	SC	660	700	770	590
623			2000	SC	650	690	760	570
623			2001	SC	640	680	750	560
623			2002	SC	550	580	640	480
623			2003	SC	600	630	700	530
623			2004	SC	590	630	690	520
623			2005	SC	590	620	690	520
623			2006	SC	600	630	700	530
623			2007	SC	500	530	580	440
623			2008	SC	360	380	360	320
623			2009	LT	180	240	240	130
623			2010	LT	150	200	200	110
623			2011	LT	380	490	500	310
623			2012	LT	170	220	210	130
623			2013	UC	140	140	140	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
623			2014	UC	190	190	180	180
623			2015	UC	160	160	150	150
623			2016	UC	130	130	130	120
623			2017	UC	140	140	140	130
623			2018	UC	140	140	140	130
623			2019	UC	140	140	140	130
623	**HWY 11**	**5.09**	**2019**	**UC**	**140**	**140**	**140**	**130**
623	BUSH RD HWY END		9999					
624	SEC HWY 569 (E)	24.5	1988	LT	300	430	420	230
624			1989	LT	300	420	410	220
624			1990	IR	300	380	330	250
624			1991	IR	300	380	330	250
624			1992	IR	300	370	330	260
624			1993	IR	300	370	310	250
624			1994	IR	300	370	330	250
624			1995	IR	300	370	330	260
624			1996	IR	300	370	330	260
624			1997	IR	300	380	340	260
624			1998	IR	310	380	350	260
624			1999	IR	310	380	340	260
624			2000	IR	310	380	340	260
624			2001	IR	320	400	350	270
624			2002	IR	320	390	350	270
624			2003	IR	320	390	350	270
624			2004	IR	320	400	350	270
624			2005	IR	330	400	360	280
624			2006	IR	330	400	360	280
624			2007	IR	330	400	400	280
624			2008	IR	330	400	390	280
624			2009	CR	340	410	390	290
624			2010	CR	340	410	390	290
624			2011	CR	340	400	400	300
624			2012	CTR	350	420	420	300
624			2013	CTR	350	430	440	300
624			2014	CTR	350	430	430	300
624			2015	CTR	350	430	430	300
624			2016	CTR	360	440	440	310
624			2017	CTR	360	480	480	290
624			2018	CTR	360	480	480	290
624			2019	CTR	360	480	480	290
624	CATHERINE SKEAD TWP BDY	17.4	1997	UC	350	370	410	330
624			1998	UC	350	370	410	330
624			1999	UC	350	370	410	330
624			2000	UC	350	370	410	330
624			2001	UC	350	370	410	330

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
624			2002	UC	350	370	410	330
624			2003	UC	350	370	410	330
624			2004	UC	350	370	410	330
624			2005	UC	350	370	410	330
624			2006	IC	350	390	390	310
624			2007	IC	350	390	400	310
624			2008	IC	350	390	380	310
624			2009	IC	350	390	390	310
624			2010	IC	350	390	390	310
624			2011	IC	350	380	400	310
624			2012	CTR	350	420	420	300
624			2013	CTR	350	430	440	300
624			2014	IC	350	390	390	310
624			2015	IC	350	390	390	310
624			2016	IC	350	390	390	310
624			2017	IC	350	380	390	320
624			2018	IC	350	390	390	320
624			2019	IC	350	380	390	320
624	HWY 66 LARDER LAKE HWY END		9999					
625			1988	IC	200	230	230	180
625			1989	IC	200	230	230	180
625			1990	IC	200	230	220	180
625			1991	IC	200	230	220	180
625			1992	IC	200	220	220	180
625			1993	HR	200	360	290	120
625			1994	HR	200	360	290	120
625			1995	HR	200	350	280	120
625			1996	LT	200	280	280	150
625			1997	LT	200	280	280	150
625			1998	LT	200	280	270	150
625			1999	LT	200	280	270	150
625			2000	LT	200	280	270	150
625			2001	LT	200	280	270	150
625			2002	LT	200	280	270	150
625			2003	LT	200	280	270	150
625			2004	LT	200	280	270	150
625			2005	LT	200	270	270	150
625			2006	LT	180	250	240	130
625			2007	LT	180	250	250	130
625			2008	LT	170	230	220	130
625			2009	LT	130	180	170	100
625			2010	LT	170	230	220	130
625			2011	LT	130	170	170	110
625			2012	LT	130	170	160	100
625			2013	LT	150	200	200	110

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
625			2014	LT	160	210	210	120
625			2015	LT	140	180	190	110
625			2016	LT	140	180	190	110
625			2017	LT	140	200	190	110
625			2018	LT	130	180	180	100
625			2019	LT	130	180	180	100
625	**HWY 11**	**29.67**	**2019**	**LT**	**130**	**180**	**180**	**100**
625	TAMARAC RD (W) CARAMAT HWY END		9999					
627			1988	CTR	650	840	790	550
627			1989	CTR	600	760	730	520
627			1990	CTR	550	690	650	480
627			1991	CTR	550	690	690	480
627			1992	CTR	550	680	650	480
627			1993	CTR	600	760	730	510
627			1994	IR	600	740	660	500
627			1995	IR	640	790	710	550
627			1996	CTR	640	820	790	540
627			1997	CTR	660	840	810	550
627			1998	CTR	680	860	830	570
627			1999	CTR	670	840	810	560
627			2000	CTR	680	860	820	570
627			2001	CTR	670	850	810	560
627			2002	CTR	690	870	830	580
627			2003	CTR	690	860	820	590
627			2004	CTR	690	870	830	580
627			2005	IC	670	740	750	590
627			2006	IC	680	760	760	600
627			2007	CR	710	860	860	600
627			2008	CR	690	840	830	580
627			2009	IC	620	690	690	550
627			2010	IC	690	760	770	610
627			2011	IC	640	700	730	570
627			2012	IC	590	650	630	520
627			2013	IC	670	740	740	590
627			2014	CTR	690	840	850	590
627			2015	CTR	670	820	820	570
627			2016	CTR	670	820	820	570
627			2017	CTR	670	900	890	550
627			2018	CTR	670	890	890	550
627			2019	CTR	670	890	890	550
627	**HWY 17**	**13.24**	**2019**	**CTR**	**670**	**890**	**890**	**550**
627	SEC HWY 627 HWY END		9999					
628			1988	UC	1750	1850	2000	1650
628			1989	UC	1800	1900	2050	1700
628			1990	UC	1900	2050	2200	1800

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
628			1991	UC	1900	2000	2200	1850
628			1992	UC	1900	2000	2200	1800
628			1993	UC	1800	1900	2050	1700
628			1994	UC	1800	1900	2050	1650
628			1995	UC	1800	1900	2050	1700
628			1996	UC	1600	1700	1850	1500
628			1997	UC	1850	1950	2150	1750
628			1998	UC	1850	1950	2150	1750
628			1999	UC	1800	1900	2100	1700
628			2000	UC	1850	1950	2200	1750
628			2001	UC	1700	1800	2000	1600
628			2002	UC	1850	1950	2200	1750
628			2003	UC	1550	1650	1800	1450
628			2004	UC	1500	1600	1750	1400
628			2005	UC	1550	1650	1800	1450
628			2006	UC	1350	1450	1600	1250
628			2007	UC	1000	1050	1150	940
628			2008	UC	1250	1300	1250	1150
628			2009	LT	1000	1350	1300	740
628			2010	LT	1150	1550	1500	850
628			2011	LT	1100	1400	1450	900
628			2012	LT	970	1250	1200	730
628			2013	LT	980	1300	1300	740
628			2014	LT	950	1250	1250	720
628			2015	LT	880	1150	1150	660
628			2016	LT	830	1100	1100	630
628			2017	LT	1000	1250	1250	840
628			2018	LT	1000	1250	1250	840
628			2019	LT	1000	1250	1250	840
628	**HWYS 11/17**	**7.00**	**2019**	**LT**	**1000**	**1250**	**1250**	**840**
628	CNR S REDDITT HWY END		9999					
630	KIOSK HWY SIGN	27.8	1988	LT	300	430	420	230
630			1989	LT	300	420	410	220
630			1990	LT	300	440	420	220
630			1991	LT	300	420	400	220
630			1992	LT	300	420	400	230
630			1993	LT	300	410	370	220
630			1994	LT	330	480	470	240
630			1995	LT	320	460	450	230
630			1996	LT	340	480	470	250
630			1997	LR	350	590	470	230
630			1998	LR	420	690	560	280
630			1999	LR	360	590	480	240
630			2000	LR	360	580	470	240
630			2001	LT	410	570	560	300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
630			2002	LT	370	520	500	270
630			2003	LT	370	510	500	270
630			2004	LT	330	460	450	240
630			2005	LT	370	510	500	270
630			2006	LT	370	510	490	270
630			2007	LT	370	510	520	270
630			2008	LT	370	510	490	270
630			2009	LT	350	470	460	260
630			2010	LT	370	500	490	270
630			2011	LT	300	380	390	250
630			2012	LT	360	470	450	270
630			2013	CTR	310	380	390	260
630			2014	CTR	350	430	430	300
630			2015	CTR	310	380	380	260
630			2016	CTR	340	410	420	290
630			2017	CTR	340	450	450	280
630			2018	CTR	340	450	450	280
630			2019	CTR	340	450	450	280
630	HWY 17 HWY END		9999					
631	HWY 17 WHITE RIVER	97.3	1988	LT	250	360	350	190
631			1989	LT	250	350	340	180
631			1990	LT	200	290	280	150
631			1991	LT	280	390	380	210
631			1992	LT	350	490	470	270
631			1993	LT	450	620	560	330
631			1994	C	400	440	450	360
631			1995	C	360	390	400	330
631			1996	C	380	430	430	340
631			1997	LT	400	560	550	300
631			1998	LT	420	590	580	310
631			1999	LT	370	510	500	270
631			2000	LT	350	490	480	260
631			2001	LT	360	500	490	260
631			2002	LT	350	490	480	260
631			2003	UC	370	390	430	350
631			2004	UC	330	350	390	310
631			2005	UC	370	390	430	350
631			2006	UC	270	290	320	250
631			2007	LT	290	400	410	210
631			2008	UC	290	310	290	270
631			2009	UC	250	260	290	240
631			2010	UC	280	300	330	260
631			2011	LT	230	290	300	190
631			2012	CTR	250	300	300	210
631			2013	LT	240	310	310	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
631			2014	LT	230	300	310	170
631			2015	LT	220	290	290	170
631			2016	LT	210	270	280	160
631			2017	LT	200	250	250	170
631			2018	LT	190	240	240	160
631			2019	LT	220	280	280	180
631	SECOND ST HORNEPAYNE START OF NA	0.8	9999					
631	BECKER RD HORNEPAYNE	69.3	1988	LT	300	430	420	230
631			1989	LT	300	420	410	220
631			1990	LT	300	440	420	220
631			1991	LT	350	490	470	260
631			1992	LT	400	560	540	310
631			1993	LT	450	620	560	330
631			1994	LT	440	650	620	320
631			1995	LT	460	660	640	340
631			1996	LT	490	690	670	360
631			1997	LT	500	680	680	380
631			1998	LT	540	730	730	400
631			1999	LT	520	700	700	390
631			2000	LT	540	730	730	400
631			2001	LT	550	740	740	410
631			2002	LT	540	750	740	400
631			2003	LT	580	800	780	430
631			2004	LT	590	780	790	450
631			2005	LT	440	600	590	320
631			2006	LT	450	620	600	330
631			2007	LT	450	620	630	330
631			2008	LT	350	480	460	260
631			2009	LT	430	580	570	320
631			2010	IT	300	380	380	250
631			2011	IT	400	540	540	330
631			2012	CTR	330	400	400	280
631			2013	CTR	370	450	470	310
631			2014	CTR	350	430	430	300
631			2015	CTR	340	410	420	290
631			2016	CTR	340	410	420	290
631			2017	CTR	330	440	440	270
631			2018	IT	270	360	360	230
631			2019	IT	310	410	410	260
631	HWY 11 HWY END		9999					
632			1988	HT	300	600	540	130
632			1989	HT	350	700	630	160
632			1990	HT	400	800	720	180
632			1991	T	400	720	690	250
632			1992	T	400	720	700	250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
632			1993	T	400	720	700	250
632			1994	T	350	630	620	220
632			1995	T	410	720	690	250
632			1996	T	410	710	700	250
632			1997	LR	440	740	590	290
632			1998	LR	430	710	570	280
632			1999	LR	450	740	590	300
632			2000	LT	450	630	610	330
632			2001	LT	480	670	650	350
632			2002	LT	490	680	670	360
632			2003	T	510	800	770	320
632			2004	T	520	850	820	320
632			2005	T	540	840	810	340
632			2006	T	550	850	810	350
632			2007	T	570	880	840	360
632			2008	T	580	880	860	370
632			2009	T	590	870	840	380
632			2010	T	610	890	860	390
632			2011	LR	620	960	900	430
632			2012	LR	640	960	930	440
632			2013	LR	890	1350	1500	600
632			2014	LR	710	1050	1100	480
632			2015	LR	740	1100	1150	500
632			2016	LR	750	1100	1150	510
632			2017	LR	770	1300	1250	530
632			2018	LR	790	1300	1300	540
632			2019	LR	810	1350	1300	550
632	**MUSKOKA REG PARRY SOUND DIST BDY**	**10.30**	**2019**	**LR**	**810**	**1350**	**1300**	**550**
632	ROSSEAU W LTS	0.6	1988	HT	450	900	810	200
632			1989	HT	550	1100	1000	250
632			1990	HT	650	1300	1150	290
632			1991	T	650	1200	1100	400
632			1992	T	650	1200	1150	400
632			1993	T	700	1250	1250	430
632			1994	T	670	1200	1200	420
632			1995	T	740	1300	1250	460
632			1996	T	770	1350	1300	470
632			1997	LR	810	1350	1100	540
632			1998	LR	830	1350	1100	550
632			1999	LR	870	1450	1150	570
632			2000	LR	900	1450	1200	600
632			2001	LR	940	1550	1200	630
632			2002	LR	970	1600	1250	660
632			2003	T	1000	1550	1500	630
632			2004	T	1050	1700	1650	650

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
632			2005	T	1100	1700	1650	690
632			2006	LT	1100	1500	1450	810
632			2007	LT	1150	1600	1600	840
632			2008	LT	1200	1650	1550	890
632			2009	LT	1200	1600	1600	890
632			2010	LT	1250	1700	1650	920
632			2011	LR	1100	1700	1600	770
632			2012	LR	1300	1950	1900	890
632			2013	LR	1300	1950	2200	880
632			2014	LR	1350	2000	2050	920
632			2015	LT	1350	1750	1800	1000
632			2016	LT	1400	1850	1850	1050
632			2017	LT	1450	2050	2000	1100
632			2018	LT	1450	2050	2000	1100
632			2019	LT	1500	2100	2100	1150
632	HWY 141 ROSSEAU HWY END		9999					
633			1988	LT	150	210	210	110
633			1989	LT	150	210	210	110
633			1990	LT	150	220	210	110
633			1991	LT	150	210	200	110
633			1992	LT	130	180	180	100
633			1993	LT	100	140	120	70
633			1994	LT	120	180	170	90
633			1995	LT	120	170	170	90
633			1996	LT	110	160	150	80
633			1997	LT	110	160	150	80
633			1998	LT	110	150	150	80
633			1999	LT	120	170	160	90
633			2000	LT	120	170	160	90
633			2001	LT	120	170	160	90
633			2002	LT	120	170	160	90
633			2003	LT	130	180	170	100
633			2004	LT	130	180	180	100
633			2005	LT	140	190	190	100
633			2006	LT	130	180	170	100
633			2007	LT	140	190	200	100
633			2008	LT	140	190	180	100
633			2009	LT	140	190	180	100
633			2010	LT	140	190	180	100
633			2011	LT	110	140	140	90
633			2012	LT	100	130	120	80
633			2013	LT	110	140	140	80
633			2014	LT	130	170	170	100
633			2015	LT	130	170	170	100
633			2016	LT	130	170	170	100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
633			2017	LT	130	170	170	110
633			2018	LT	130	170	170	110
633			2019	LT	130	170	170	110
633	**HWY 11**	**5.16**	**2019**	**LT**	**130**	**170**	**170**	**110**
633	END OF HWY HWY END		9999					
634	HWY 11 SMOOTH ROCK FALLS START OF NA	3.4	9999					
634	CLOUTIERVILLE RD (E) END OF NA	76.9	1988	SC	180	190	210	160
634			1989	SC	200	220	240	180
634			1990	T	250	460	440	160
634			1991	T	300	540	520	190
634			1992	T	350	630	620	220
634			1993	T	400	720	700	250
634			1994	T	390	710	690	240
634			1995	T	410	720	690	250
634			1996	T	440	770	750	270
634			1997	T	470	810	790	290
634			1998	T	500	850	840	300
634			1999	T	380	640	620	240
634			2000	T	360	590	570	220
634			2001	T	290	480	460	180
634			2002	T	250	410	390	160
634			2003	T	230	360	350	150
634			2004	T	220	360	350	140
634			2005	LT	120	160	160	90
634			2006	LT	170	230	230	130
634			2007	LT	150	210	210	110
634			2008	SC	100	100	100	90
634			2009	SC	100	110	120	90
634			2010	SC	120	130	140	110
634			2011	SC	50	60	60	40
634			2012	UC	200	200	210	190
634			2013	UC	200	200	200	190
634			2014	IC	120	130	130	110
634			2015	IC	150	170	170	130
634			2016	IC	150	170	170	130
634			2017	IC	40	40	40	40
634			2018	IC	20	20	20	20
634			2019	IC	120	130	130	110
634	ABITIBI CANYON DAM HWY END		9999					
636			1988	IC	300	350	340	260
636			1989	IC	300	340	340	270
636			1990	CTR	300	380	350	260
636			1991	CTR	300	380	380	260
636			1992	CTR	300	370	360	260
636			1993	UC	250	260	280	230

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
636			1994	UC	280	300	320	260
636			1995	UC	280	300	320	260
636			1996	UC	280	300	330	270
636			1997	CTR	270	350	330	230
636			1998	CTR	270	340	330	230
636			1999	CTR	290	370	350	240
636			2000	CTR	290	370	350	240
636			2001	CTR	290	370	350	240
636			2002	CTR	300	380	360	250
636			2003	CTR	300	370	360	250
636			2004	CTR	300	380	360	250
636			2005	CTR	300	370	360	250
636			2006	CTR	310	380	370	260
636			2007	CTR	310	380	380	260
636			2008	CTR	310	380	380	260
636			2009	CR	310	370	360	260
636			2010	CR	320	380	370	270
636			2011	CR	320	370	380	280
636			2012	CR	320	380	380	270
636			2013	CR	320	380	390	270
636			2014	CR	330	390	390	280
636			2015	CR	330	390	390	280
636			2016	CR	330	390	390	280
636			2017	CR	330	380	380	300
636			2018	CR	340	400	400	310
636			2019	CR	340	390	400	310
636	**HWY 11**	**4.80**	**2019**	**CR**	**340**	**390**	**400**	**310**
636	CLUTE TWP RD C 4 5 HWY END		9999					
637			1988	HT	350	700	630	150
637			1989	HT	400	800	720	180
637			1990	HT	350	700	630	160
637			1991	HT	350	700	630	160
637			1992	LR	350	560	450	230
637			1993	LR	350	560	450	230
637			1994	LR	350	580	460	230
637			1995	LR	350	590	480	230
637			1996	LR	360	600	480	240
637			1997	LR	360	600	490	240
637			1998	LR	350	580	470	230
637			1999	LR	390	640	510	260
637			2000	LR	400	650	520	270
637			2001	LR	430	700	560	290
637			2002	LR	420	680	550	280
637			2003	LR	430	680	550	290
637			2004	LR	440	720	570	290

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
637			2005	LR	450	700	570	310
637			2006	LR	460	720	580	310
637			2007	LR	470	740	710	320
637			2008	LR	480	750	730	330
637			2009	LR	490	740	610	330
637			2010	LR	500	750	610	340
637			2011	LR	510	790	740	360
637			2012	LR	520	780	750	360
637			2013	CTR	530	650	670	450
637			2014	CTR	540	660	660	460
637			2015	IT	550	690	680	450
637			2016	IT	560	700	690	460
637			2017	IT	570	750	760	480
637			2018	IT	580	770	770	490
637			2019	IT	590	780	780	500
637	**HWY 69**	**67.78**	**2019**	**IT**	**590**	**780**	**780**	**500**
637	KILLARNEY HWY END		9999					
638	HWY 17 BRUCE MINES START OF NA	1.1	9999					
638	BRUCE MINES N LTS END OF NA	7.3	1988	IR	250	320	280	200
638			1989	IR	250	320	280	200
638			1990	IR	250	320	280	200
638			1991	IR	300	380	330	250
638			1992	IR	300	370	330	260
638			1993	IR	300	370	310	250
638			1994	CTR	360	460	440	300
638			1995	CTR	400	510	490	340
638			1996	CTR	420	540	520	350
638			1997	IR	380	480	430	320
638			1998	IR	470	580	530	390
638			1999	IR	490	610	540	410
638			2000	IR	640	780	710	540
638			2001	IR	590	730	650	500
638			2002	IR	630	780	700	540
638			2003	CTR	710	880	850	600
638			2004	CTR	690	870	830	580
638			2005	CTR	670	830	800	570
638			2006	CTR	750	930	890	640
638			2007	CTR	780	970	960	660
638			2008	IC	830	920	890	730
638			2009	IC	840	930	940	750
638			2010	IC	830	920	930	740
638			2011	IC	910	1000	1050	820
638			2012	CTR	810	980	970	690
638			2013	CTR	940	1150	1200	800
638			2014	IC	970	1050	1050	860

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
638			2015	IC	1000	1100	1100	890
638			2016	IC	890	990	980	790
638			2017	IC	1050	1150	1150	950
638			2018	IC	1050	1150	1150	950
638			2019	IC	1100	1200	1200	990
638	THESSALON R BR	34.6	1997	IR	400	500	450	340
638			1998	IR	420	520	470	350
638			1999	IR	440	550	490	370
638			2000	IR	460	560	510	390
638			2001	IR	340	420	380	290
638			2002	IR	340	420	380	290
638			2003	IR	330	400	360	280
638			2004	IR	340	420	380	290
638			2005	IR	290	350	320	250
638			2006	IR	330	400	360	280
638			2007	IR	320	390	390	270
638			2008	IT	300	390	370	250
638			2009	IT	310	390	390	260
638			2010	CTR	290	350	340	250
638			2011	CTR	270	330	320	230
638			2012	CTR	210	250	250	180
638			2013	CTR	230	280	290	200
638			2014	IT	220	280	270	180
638			2015	IT	210	260	260	170
638			2016	CTR	200	240	250	170
638			2017	CTR	190	250	250	150
638			2018	CTR	170	230	230	140
638			2019	CTR	160	210	210	130
638	CEMETERY RD MACDONALD TWP (S)	5.2	1988	CTR	1200	1550	1450	1000
638			1989	CTR	1250	1600	1500	1100
638			1990	CTR	1300	1600	1550	1150
638			1991	LT	1200	1700	1600	890
638			1992	LT	1200	1650	1600	920
638			1993	LT	1200	1650	1500	880
638			1994	LT	1250	1850	1750	910
638			1995	LT	1250	1800	1750	910
638			1996	LT	1300	1850	1800	960
638			1997	IR	1300	1600	1450	1100
638			1998	IR	1300	1600	1450	1100
638			1999	IR	1350	1650	1500	1150
638			2000	IR	1350	1650	1500	1150
638			2001	IR	1350	1650	1500	1150
638			2002	IR	1400	1750	1550	1200
638			2003	IR	1400	1700	1550	1200
638			2004	IR	1400	1750	1550	1200

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
638			2005	IR	1550	1850	1700	1300
638			2006	IR	1500	1800	1650	1250
638			2007	IR	1600	1950	1950	1350
638			2008	IR	1550	1900	1850	1300
638			2009	IR	1600	1900	1750	1350
638			2010	IR	1600	1900	1750	1350
638			2011	IR	1650	1950	1950	1400
638			2012	IR	1650	1950	1900	1400
638			2013	IR	1700	2000	2150	1450
638			2014	IR	1700	2000	2050	1450
638			2015	IR	1750	2100	2100	1500
638			2016	IR	540	640	640	460
638			2017	IR	560	680	680	480
638			2018	IR	1400	1700	1700	1200
638			2019	IR	1400	1700	1700	1200
638	LAKEVIEW RD S	1.3	2007	UNCL	N/A			
638			2008	UNCL	N/A			
638			2009	UNCL	N/A			
638			2010	UNCL	N/A			
638			2011	UNCL	N/A			
638			2012	UNCL	N/A			
638			2013	UNCL	N/A			
638			2014	UNCL	N/A			
638			2015	UNCL	N/A			
638			2016	CTR	950	1150	1150	810
638			2017	CTR	980	1300	1300	800
638			2018	CTR	1000	1350	1350	810
638			2019	CTR	1000	1350	1350	810
638			2007	UNCL	N/A			
638			2008	UNCL	N/A			
638			2009	UNCL	N/A			
638			2010	UNCL	N/A			
638			2011	UNCL	N/A			
638			2012	UNCL	N/A			
638			2013	UNCL	N/A			
638			2014	UNCL	N/A			
638			2015	UNCL	N/A			
638			2016	CTR	630	770	770	540
638			2017	CTR	650	870	860	530
638			2018	CTR	670	890	890	550
638			2019	CTR	690	920	920	560
638	**HWY 17**	**1.79**	**2019**	**CTR**	**690**	**920**	**920**	**560**
638	HWY 17B CHURCH ST ECHO BAY (N&S) END OF HWY		9999					
639	HWY 108 ALGOM QUIRKE MINE RD	23.3	1988	C	400	440	440	360
639			1989	IR	450	580	500	370

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
639			1990	IR	350	440	390	290
639			1991	IR	300	380	330	250
639			1992	IR	300	370	330	260
639			1993	IR	300	370	310	250
639			1994	IR	290	360	320	240
639			1995	IR	270	330	300	230
639			1996	IR	260	320	290	220
639			1997	IR	240	300	270	200
639			1998	IR	220	270	250	180
639			1999	IR	210	260	230	180
639			2000	IR	190	230	210	160
639			2001	IR	170	210	190	140
639			2002	IR	160	200	180	140
639			2003	IR	140	170	150	120
639			2004	IR	120	150	130	100
639			2005	IR	130	160	140	110
639			2006	IR	120	140	130	100
639			2007	IR	100	120	120	80
639			2008	IR	90	110	110	80
639			2009	IR	120	140	130	100
639			2010	IR	70	80	80	60
639			2011	IR	200	240	230	170
639			2012	IR	70	80	80	60
639			2013	CTR	150	180	190	130
639			2014	CTR	190	230	230	160
639			2015	CTR	190	230	230	160
639			2016	CTR	190	230	230	160
639			2017	CTR	100	130	130	80
639			2018	CTR	100	130	130	80
639			2019	CTR	180	240	240	150
639	SEC HWY 546 HWY END		9999					
641			1988	T	400	730	700	240
641			1989	T	450	810	790	280
641			1990	T	480	870	840	300
641			1991	T	480	870	830	300
641			1992	LR	400	640	520	260
641			1993	LR	400	640	510	260
641			1994	LR	450	740	600	290
641			1995	LR	440	740	600	290
641			1996	LR	460	770	620	310
641			1997	LR	470	790	630	310
641			1998	LR	470	780	630	310
641			1999	LR	480	790	630	320
641			2000	LR	470	760	610	310
641			2001	LR	490	800	640	330

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
641			2002	LR	480	780	630	320
641			2003	LR	490	770	620	330
641			2004	LT	480	670	650	350
641			2005	LT	460	630	620	340
641			2006	LT	490	670	650	360
641			2007	LT	490	670	690	360
641			2008	LT	480	660	630	350
641			2009	LT	480	650	630	360
641			2010	LT	500	670	660	370
641			2011	LT	390	500	510	320
641			2012	CTR	390	470	470	330
641			2013	CTR	500	610	630	420
641			2014	CTR	460	560	570	390
641			2015	CTR	460	560	570	390
641			2016	CTR	460	560	570	390
641			2017	CTR	460	610	610	370
641			2018	CTR	460	610	610	370
641			2019	CTR	460	610	610	370
641	**HWY 17**	**13.41**	**2019**	**CTR**	**460**	**610**	**610**	**370**
641	SEC HWY 596 PELLATT HWY END		9999					
642			1988	SC	50	50	60	40
642			1989	SC	50	60	60	40
642			1990	SC	50	60	60	40
642			1991	SC	50	60	60	40
642			1992	SC	50	50	60	50
642			1993	SC	50	60	60	40
642			1994	SC	50	50	60	50
642			1995	LT	50	70	70	40
642			1996	LT	50	70	70	40
642			1997	LT	50	70	70	40
642			1998	LT	50	70	70	40
642			1999	LT	50	70	70	40
642			2000	LT	50	70	70	40
642			2001	LT	50	70	70	40
642			2002	LT	50	70	70	40
642			2003	LT	50	70	70	40
642			2004	LT	50	70	70	40
642			2005	LT	50	70	70	40
642			2006	LT	50	70	70	40
642			2007	LT	50	70	70	40
642			2008	LT	50	70	70	40
642			2009	LT	50	70	70	40
642			2010	LT	50	70	70	40
642			2011	LT	50	60	70	40
642			2012	LT	190	250	240	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
642			2013	LT	90	120	120	70
642			2014	LT	80	100	110	60
642			2015	LT	90	120	120	70
642			2016	LT	90	120	120	70
642			2017	LT	90	130	120	70
642			2018	LT	90	130	120	70
642			2019	LT	100	140	140	80
642	**SEC HWY 599**	**55.98**	**2019**	**LT**	**100**	**140**	**140**	**80**
642	SIDEROAD (W)	17.2	2010	LT	450	600	590	330
642			2011	LT	460	590	600	380
642			2012	UC	480	480	510	460
642			2013	UC	490	490	490	460
642			2014	LT	1950	2550	2600	1450
642			2015	LT	1650	2150	2200	1250
642			2016	LT	1950	2550	2600	1450
642			2017	LT	2250	2850	2850	1900
642			2018	LT	2550	3250	3250	2150
642			2019	LT	2850	3600	3650	2400
642	HWY 516 (N) HWY 72 (S) KING ST (W) END OF HWY		9999					
643	SEC HWY 584	19.7	1988	HR	150	310	220	70
643			1989	HR	150	290	220	90
643			1990	HR	150	280	220	90
643			1991	HR	150	280	220	90
643			1992	HR	200	360	280	120
643			1993	UC	250	260	280	230
643			1994	UC	190	200	220	180
643			1995	UC	200	210	230	190
643			1996	SC	180	190	210	160
643			1997	SC	210	220	250	190
643			1998	SC	210	220	250	190
643			1999	SC	220	230	260	200
643			2000	SC	220	230	260	190
643			2001	SC	220	230	260	190
643			2002	SC	230	240	270	200
643			2003	SC	230	240	270	200
643			2004	SC	240	260	280	210
643			2005	SC	240	250	280	210
643			2006	SC	220	230	260	190
643			2007	SC	240	250	280	210
643			2008	SC	230	240	230	200
643			2009	SC	170	180	200	150
643			2010	SC	230	240	270	200
643			2011	SC	130	170	150	100
643			2012	SC	130	140	130	110
643			2013	SC	190	200	180	170

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
643			2014	C	240	260	260	220
643			2015	C	200	220	210	180
643			2016	C	200	220	210	180
643			2017	C	200	220	220	180
643			2018	C	200	220	220	180
643			2019	C	200	220	220	180
643	CAVELL RD AROLAND HWY END		9999					
645			1988	CTR	150	200	180	130
645			1989	CTR	150	190	180	130
645			1990	CTR	150	190	180	130
645			1991	CTR	150	190	190	130
645			1992	CTR	150	180	180	130
645			1993	CTR	150	190	180	130
645			1994	CTR	150	190	180	130
645			1995	CTR	150	190	180	130
645			1996	CTR	150	190	180	130
645			1997	CTR	140	180	170	120
645			1998	CTR	150	190	180	130
645			1999	CTR	160	200	190	130
645			2000	CTR	150	190	180	130
645			2001	CTR	160	200	190	130
645			2002	CTR	170	210	210	140
645			2003	CTR	180	220	210	150
645			2004	CTR	170	210	210	140
645			2005	CTR	180	220	210	150
645			2006	CTR	180	220	210	150
645			2007	CTR	180	220	220	150
645			2008	CTR	180	220	220	150
645			2009	CTR	190	230	220	160
645			2010	CTR	190	230	220	160
645			2011	CTR	200	240	230	170
645			2012	CTR	200	240	240	170
645			2013	CTR	200	240	250	170
645			2014	CTR	200	240	250	170
645			2015	CTR	170	210	210	140
645			2016	CTR	200	240	250	170
645			2017	CTR	210	280	280	170
645			2018	CTR	210	280	280	170
645			2019	CTR	210	280	280	170
645	**SEC HWY 529**	**4.00**	**2019**	**CTR**	**210**	**280**	**280**	**170**
645	BYNG INLET HWY END		9999					
647			1988	HT	550	1100	990	240
647			1989	HT	600	1200	1100	280
647			1990	HT	580	1150	1050	260
647			1991	HT	580	1150	1050	270

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
647			1992	HT	550	1100	1000	250
647			1993	HT	550	1100	1000	250
647			1994	HT	640	1250	1150	290
647			1995	HT	660	1250	1150	300
647			1996	HT	680	1300	1150	310
647			1997	HT	700	1300	1200	320
647			1998	HT	730	1350	1250	340
647			1999	HT	700	1250	1150	320
647			2000	HT	700	1250	1100	320
647			2001	HT	740	1300	1150	340
647			2002	HT	710	1250	1100	330
647			2003	HT	710	1150	1050	330
647			2004	T	720	1200	1150	450
647			2005	T	680	1050	1000	430
647			2006	T	690	1050	1000	430
647			2007	T	660	1000	970	420
647			2008	T	730	1100	1100	460
647			2009	LT	530	720	700	390
647			2010	LT	550	740	720	410
647			2011	LT	640	820	840	530
647			2012	LT	410	530	510	310
647			2013	LT	480	630	630	360
647			2014	LT	560	730	740	420
647			2015	LT	550	720	730	420
647			2016	LT	540	710	720	410
647			2017	LT	530	740	730	410
647			2018	LT	520	730	720	400
647			2019	LT	510	710	710	390
647	**HWY 17**	**8.28**	**2019**	**LT**	**510**	**710**	**710**	**390**
647	MCINTOSH RD HWY END		9999					
650	HWY 112 DANE	7.6	1988	UC	300	320	340	280
650			1989	UC	300	320	340	280
650			1990	UC	150	160	170	140
650			1991	UC	150	160	170	150
650			1992	UC	150	160	170	140
650			1993	UC	150	160	170	140
650			1994	UC	110	120	130	100
650			1995	UC	80	80	90	70
650			1996	UC	50	50	60	50
650			1997	UC	50	50	60	50
650			1998	UC	50	50	60	50
650			1999	UC	50	50	60	50
650			2000	UC	60	60	70	60
650			2001	UC	50	50	60	50
650			2002	UC	70	70	80	70

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
650			2003	UC	50	50	60	50
650			2004	UC	40	40	50	40
650			2005	UC	50	50	60	50
650			2006	UC	40	40	50	40
650			2007	UC	50	50	60	50
650			2008	UC	50	50	50	50
650			2009	UC	80	80	90	80
650			2010	UC	50	50	60	50
650			2011	UC	50	50	50	50
650			2012	UC	70	70	70	70
650			2013	UC	50	50	50	50
650			2014	IC	110	120	120	100
650			2015	IC	110	120	120	100
650			2016	IC	110	120	120	100
650			2017	IC	80	90	90	70
650			2018	IC	80	90	90	70
650			2019	IC	80	90	90	70
650	ADAMS MINE ONR X ING HWY END		9999					
651	HWY 101 NADJIWON TWP	52.9	1988	IC	100	120	110	90
651			1989	IC	100	110	110	90
651			1990	IC	100	110	110	90
651			1991	IC	100	110	110	90
651			1992	IC	100	110	110	90
651			1993	IC	100	110	110	90
651			1994	IC	120	130	130	110
651			1995	IC	130	150	150	120
651			1996	IC	130	150	150	120
651			1997	LT	140	200	190	100
651			1998	LT	150	210	210	110
651			1999	LT	150	210	200	110
651			2000	LT	160	220	220	120
651			2001	LT	170	240	230	120
651			2002	LT	180	250	250	130
651			2003	LT	180	250	240	130
651			2004	LT	180	250	250	130
651			2005	SC	200	210	230	180
651			2006	SC	340	360	400	300
651			2007	SC	310	330	360	270
651			2008	SC	180	190	180	160
651			2009	SC	250	260	290	220
651			2010	SC	90	100	110	80
651			2011	SC	130	170	150	100
651			2012	SC	120	130	120	110
651			2013	IT	90	110	110	70
651			2014	LT	50	70	70	40

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
651			2015	LT	160	210	210	120
651			2016	LT	160	210	210	120
651			2017	LT	160	220	220	120
651			2018	LT	160	220	220	120
651			2019	LT	160	220	220	120
651	MISSANABIE CPR CROSSING HWY END		9999					
652	JCT OF HWY 11 &THIRD AVE START OF NA	3.0	9999					
652	COCHRANE E LTS END OF NA	12.3	1988	LT	850	1200	1200	650
652			1989	LT	900	1250	1250	670
652			1990	LT	900	1300	1250	660
652			1991	LT	900	1250	1200	670
652			1992	LT	900	1250	1200	690
652			1993	IC	1000	1150	1100	890
652			1994	IC	980	1100	1100	870
652			1995	IC	1000	1100	1150	900
652			1996	IC	1000	1100	1150	890
652			1997	IC	1050	1200	1200	920
652			1998	IC	1050	1200	1200	930
652			1999	IC	1100	1250	1250	980
652			2000	IC	1100	1250	1250	980
652			2001	IC	1100	1250	1250	970
652			2002	IC	1150	1300	1300	1000
652			2003	IC	1100	1250	1250	970
652			2004	IC	1100	1250	1250	970
652			2005	IC	1100	1200	1250	970
652			2006	SC	1150	1200	1350	1000
652			2007	IC	1050	1150	1200	930
652			2008	IC	1100	1200	1200	970
652			2009	IC	1000	1100	1100	890
652			2010	IC	1100	1200	1250	980
652			2011	IC	1100	1200	1250	990
652			2012	IC	1100	1200	1200	980
652			2013	IR	1150	1350	1450	980
652			2014	IC	1050	1150	1150	930
652			2015	CTR	1100	1350	1350	940
652			2016	CTR	1100	1350	1350	940
652			2017	CTR	1100	1450	1450	900
652			2018	IC	1150	1250	1250	1050
652			2019	IC	1150	1250	1250	1050
652	SEC HWY 574 BROWER TWP	17.8	1988	LT	150	210	210	110
652			1989	LT	150	210	210	110
652			1990	LT	200	290	280	150
652			1991	LT	200	280	270	150
652			1992	LT	200	280	270	150
652			1993	LT	250	350	310	180

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
652			1994	LT	220	320	310	160
652			1995	LT	230	330	320	170
652			1996	LT	230	320	320	170
652			1997	LT	240	340	330	180
652			1998	LT	250	350	340	180
652			1999	LT	240	330	330	180
652			2000	LT	250	350	340	180
652			2001	LT	250	350	340	180
652			2002	LT	260	360	350	190
652			2003	LT	260	360	350	190
652			2004	LT	260	360	350	190
652			2005	LT	250	340	330	180
652			2006	LT	260	360	350	190
652			2007	LT	270	370	380	200
652			2008	LT	260	360	340	190
652			2009	LT	230	310	300	170
652			2010	LT	260	350	340	190
652			2011	LT	270	350	350	220
652			2012	LT	270	350	340	200
652			2013	IR	370	440	470	310
652			2014	IR	300	360	360	260
652			2015	CTR	300	370	370	260
652			2016	CTR	300	370	370	260
652			2017	CTR	300	400	400	240
652			2018	IC	310	340	340	280
652			2019	IC	310	340	340	280
652	N.W.INDUSTRIAL RD DEMPSAY TWP	20.9	1988	LT	100	140	140	80
652			1989	LT	150	210	210	110
652			1990	IT	150	190	190	130
652			1991	IT	200	260	250	170
652			1992	IT	200	260	250	170
652			1993	LT	250	350	310	180
652			1994	LT	190	280	270	140
652			1995	LT	200	290	280	150
652			1996	LT	210	300	290	150
652			1997	LT	220	310	300	160
652			1998	LT	230	320	320	170
652			1999	LT	180	250	240	130
652			2000	LT	190	260	260	140
652			2001	LT	190	270	260	140
652			2002	LT	210	290	290	150
652			2003	LT	170	230	230	130
652			2004	LT	160	220	220	120
652			2005	LT	160	220	210	120
652			2006	LT	140	190	190	100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
652			2007	HR	120	190	170	70
652			2008	HR	140	220	230	90
652			2009	LR	130	200	160	90
652			2010	LR	130	190	160	90
652			2011	LT	170	220	220	140
652			2012	LT	130	170	160	100
652			2013	IR	120	140	150	100
652			2014	IR	120	140	140	100
652			2015	CTR	110	130	140	90
652			2016	CTR	110	130	140	90
652			2017	CTR	100	130	130	80
652			2018	CTR	100	130	130	80
652			2019	CTR	100	130	130	80
652	ABITIBI CO RD HEIGHINGTON TWP	41.1	1988	UC	100	100	110	90
652			1989	UC	100	100	110	100
652			1990	T	100	180	170	60
652			1991	T	100	180	170	60
652			1992	T	100	180	180	60
652			1993	LT	100	140	120	70
652			1994	LT	100	150	140	70
652			1995	LT	100	140	140	70
652			1996	LT	100	140	140	70
652			1997	LT	100	140	140	70
652			1998	LT	100	140	140	70
652			1999	LT	110	150	150	80
652			2000	LT	110	150	150	80
652			2001	LT	110	150	150	80
652			2002	LT	110	150	150	80
652			2003	LT	90	120	120	70
652			2004	LT	90	130	120	70
652			2005	LT	90	120	120	70
652			2006	LT	80	110	110	60
652			2007	HR	60	90	90	40
652			2008	HR	80	130	130	50
652			2009	LR	70	110	90	50
652			2010	LR	70	100	90	50
652			2011	LT	90	120	120	70
652			2012	LT	70	90	90	50
652			2013	IR	70	80	90	60
652			2014	IR	70	80	80	60
652			2015	CTR	100	120	120	80
652			2016	CTR	70	90	90	60
652			2017	CTR	70	90	90	60
652			2018	CTR	70	90	90	60
652			2019	CTR	100	130	130	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
652	S.FLOODWOOD R BR TWEED TWP	58.1	1988	UC	50	50	60	50
652			1989	UC	50	50	60	50
652			1990	T	50	90	90	30
652			1991	T	50	90	90	30
652			1992	T	50	90	90	30
652			1993	T	50	90	90	30
652			1994	T	60	110	110	40
652			1995	T	60	100	100	40
652			1996	T	70	120	120	40
652			1997	IT	70	90	90	60
652			1998	IT	70	90	90	60
652			1999	IT	90	120	110	70
652			2000	IT	80	100	100	70
652			2001	IT	80	100	100	70
652			2002	IT	100	130	130	80
652			2003	IT	80	100	100	70
652			2004	IT	80	100	100	70
652			2005	IT	80	100	100	70
652			2006	CR	70	80	80	60
652			2007	CR	80	100	100	70
652			2008	CR	80	100	100	70
652			2009	CR	70	80	80	60
652			2010	CR	80	100	90	70
652			2011	CR	80	90	90	70
652			2012	CR	80	100	90	70
652			2013	IR	150	180	190	130
652			2014	IR	100	120	120	90
652			2015	CTR	100	120	120	80
652			2016	CTR	100	120	120	80
652			2017	CTR	100	130	130	80
652			2018	CTR	100	130	130	80
652			2019	CTR	100	130	130	80
652	KATTAWAGAMI R BR HWY END		9999					
654	SEC HWY 534	12.2	1988	LT	700	990	990	530
654			1989	LT	700	970	970	520
654			1990	LT	700	1000	980	510
654			1991	LT	700	980	950	520
654			1992	LT	700	970	950	540
654			1993	LT	700	970	870	510
654			1994	LT	780	1150	1100	570
654			1995	LT	800	1150	1100	590
654			1996	LT	830	1150	1150	610
654			1997	T	850	1450	1450	530
654			1998	T	880	1500	1450	540
654			1999	T	900	1500	1500	560

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
654			2000	LT	950	1300	1300	690
654			2001	LT	920	1300	1250	670
654			2002	LT	930	1300	1250	680
654			2003	LT	950	1300	1300	700
654			2004	LT	950	1350	1300	700
654			2005	LT	970	1350	1300	710
654			2006	LT	950	1300	1250	700
654			2007	LT	1000	1350	1400	730
654			2008	LT	1000	1350	1300	740
654			2009	LT	1050	1400	1400	780
654			2010	LT	1050	1400	1400	780
654			2011	LT	960	1250	1250	790
654			2012	LT	1050	1350	1300	790
654			2013	CTR	1050	1300	1300	890
654			2014	CTR	1100	1350	1350	940
654			2015	CTR	1100	1350	1350	940
654			2016	CTR	1100	1350	1350	940
654			2017	CTR	1100	1450	1450	900
654			2018	CTR	1150	1550	1550	940
654			2019	CTR	1150	1550	1550	940
654	NIPISSING N HIMSWORTH TWP BDY	10.5	1988	LT	2350	3350	3300	1800
654			1989	LT	2450	3400	3400	1800
654			1990	LT	2550	3700	3550	1850
654			1991	LT	2600	3650	3500	1900
654			1992	LT	2650	3700	3600	2050
654			1993	LT	2700	3750	3350	2000
654			1994	LT	2750	4050	3900	2000
654			1995	LT	2850	4100	4000	2100
654			1996	LT	2950	4150	4050	2150
654			1997	LT	2950	4150	4050	2200
654			1998	LT	3100	4350	4250	2250
654			1999	LT	3150	4400	4300	2300
654			2000	LT	3200	4450	4350	2350
654			2001	LT	3300	4600	4500	2400
654			2002	LT	3350	4700	4550	2450
654			2003	LT	3450	4750	4650	2550
654			2004	LT	3500	4900	4750	2550
654			2005	LT	3600	4950	4800	2650
654			2006	LT	3650	5000	4850	2700
654			2007	LT	3750	5150	5300	2750
654			2008	LT	3800	5200	5000	2800
654			2009	LT	3900	5250	5150	2900
654			2010	LT	3950	5300	5200	2900
654			2011	LT	3500	4500	4550	2900
654			2012	LT	4000	5200	4950	3050

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
654			2013	CTR	3550	4300	4450	3000
654			2014	CTR	3900	4750	4800	3300
654			2015	CTR	3700	4500	4550	3150
654			2016	CTR	4000	4900	4900	3400
654			2017	CTR	4050	5400	5400	3300
654			2018	CR	4000	4650	4700	3600
654			2019	CR	4150	4800	4850	3700
654	HWY 94 (N) STONE RD (S)	0.4	1988	LT	2750	3900	3900	2100
654			1989	LT	3000	4150	4150	2200
654			1990	LT	3150	4600	4400	2300
654			1991	LT	3250	4550	4400	2400
654			1992	LT	3250	4500	4400	2500
654			1993	LT	3300	4550	4100	2400
654			1994	LT	3250	4750	4600	2350
654			1995	LT	3350	4800	4650	2450
654			1996	LT	3400	4800	4700	2500
654			1997	LT	3350	4700	4600	2500
654			1998	LT	3500	4900	4800	2550
654			1999	LT	3500	4850	4750	2550
654			2000	LT	3550	4950	4850	2600
654			2001	LT	3600	5050	4900	2650
654			2002	LT	3650	5100	4950	2700
654			2003	LT	3700	5100	5000	2750
654			2004	LT	3750	5250	5100	2750
654			2005	LT	3800	5200	5100	2800
654			2006	CTR	3850	4750	4550	3250
654			2007	CTR	3900	4850	4800	3300
654			2008	CTR	3950	4900	4800	3350
654			2009	IC	4100	4550	4600	3650
654			2010	IC	4050	4500	4500	3600
654			2011	IC	4400	4850	5000	3950
654			2012	IC	4250	4700	4550	3750
654			2013	CTR	4300	5250	5400	3650
654			2014	CTR	4350	5300	5350	3700
654			2015	CTR	4400	5350	5400	3750
654			2016	CTR	4450	5450	5450	3800
654			2017	CTR	4500	6000	6000	3650
654			2018	CR	4500	5250	5250	4050
654			2019	CR	4600	5350	5350	4150
654	HWY 11 IC HWY END		9999					
655	HWY 101 ALGONQUIN BV TIMMINS	1.0	1988	SC	5350	5800	6300	4800
655			1989	SC	5400	5950	6550	4800
655			1990	SC	5600	6150	6700	5000
655			1991	SC	5700	6250	6900	5050
655			1992	SC	5400	5650	6300	4950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
655			1993	SC	5650	6250	6900	5050
655			1994	SC	6500	6750	7450	6000
655			1995	SC	6650	6950	7700	6050
655			1996	LT	7800	11000	10700	5750
655			1997	SC	7050	7450	8250	6250
655			1998	SC	7250	7700	8500	6450
655			1999	SC	7600	8050	8900	6750
655			2000	SC	7500	7950	8800	6600
655			2001	SC	7600	8100	8900	6700
655			2002	SC	7450	7900	8700	6550
655			2003	SC	7800	8250	9100	6900
655			2004	SC	7800	8300	9150	6850
655			2005	SC	8050	8500	9400	7100
655			2006	SC	8000	8450	9350	7050
655			2007	SC	8100	8550	9350	7100
655			2008	SC	8000	8400	7900	7050
655			2009	SC	8300	8800	9700	7300
655			2010	SC	8400	8900	9850	7400
655			2011	SC	8500	10900	9950	6750
655			2012	UC	8600	8650	9200	8150
655			2013	UC	8700	8750	8750	8250
655			2014	UC	8750	8800	8400	8300
655			2015	UC	8850	8900	8500	8400
655			2016	UC	8950	9000	8600	8500
655			2017	UC	9050	9000	9100	8650
655			2018	C	9150	10000	9950	8250
655			2019	C	9250	10100	10100	8350
655	ROSS ST	4.3	1988	IC	2950	3400	3350	2600
655			1989	IC	3000	3450	3400	2650
655			1990	SC	3050	3350	3650	2700
655			1991	SC	3150	3450	3800	2800
655			1992	SC	3100	3250	3650	2850
655			1993	IC	3300	3750	3700	2950
655			1994	IC	3250	3650	3650	2900
655			1995	IC	3300	3700	3700	2950
655			1996	SC	3350	3550	3900	3000
655			1997	IC	3400	3800	3850	3000
655			1998	IC	3450	3850	3850	3050
655			1999	IC	3450	3850	3850	3050
655			2000	IC	3400	3800	3800	3050
655			2001	IC	3400	3800	3800	3000
655			2002	IC	3350	3750	3750	2950
655			2003	IC	3450	3850	3900	3050
655			2004	IC	3450	3850	3900	3050
655			2005	IC	3500	3900	3950	3100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
655			2006	IC	3500	3900	3900	3100
655			2007	IC	3500	3900	4000	3100
655			2008	IC	3550	3950	3800	3150
655			2009	IC	3550	3950	4000	3150
655			2010	IC	3550	3950	3950	3150
655			2011	IC	3600	3950	4100	3250
655			2012	UC	3600	3600	3850	3400
655			2013	UC	3600	3600	3600	3400
655			2014	UC	3600	3600	3450	3400
655			2015	UC	3650	3650	3500	3450
655			2016	UC	3650	3650	3500	3450
655			2017	UC	3650	3650	3650	3500
655			2018	UC	3700	3650	3750	3550
655			2019	UC	3700	3650	3700	3550
655	LAFOREST RD	16.1	1988	IC	2350	2750	2650	2050
655			1989	IC	2500	2900	2800	2200
655			1990	IC	2600	2950	2900	2300
655			1991	IC	2500	2800	2800	2200
655			1992	IC	2400	2650	2650	2200
655			1993	IC	2250	2550	2500	2000
655			1994	IC	2550	2850	2850	2250
655			1995	IC	2600	2900	2950	2350
655			1996	CTR	2700	3450	3300	2250
655			1997	CTR	2700	3450	3300	2250
655			1998	CTR	2750	3500	3350	2300
655			1999	CTR	2700	3400	3250	2250
655			2000	CTR	2800	3550	3400	2350
655			2001	CTR	2800	3550	3400	2350
655			2002	CTR	2850	3600	3450	2400
655			2003	CTR	2900	3600	3450	2450
655			2004	CTR	2900	3650	3500	2450
655			2005	IC	2950	3300	3300	2600
655			2006	IC	3000	3350	3350	2650
655			2007	IC	3000	3350	3450	2650
655			2008	IC	3050	3400	3250	2700
655			2009	IC	3100	3450	3450	2750
655			2010	IC	3100	3450	3450	2750
655			2011	IC	3150	3450	3600	2850
655			2012	UC	3200	3200	3450	3050
655			2013	UC	3200	3200	3200	3050
655			2014	UC	3250	3250	3150	3100
655			2015	UC	3300	3300	3150	3150
655			2016	UC	3300	3300	3150	3150
655			2017	UC	3350	3350	3350	3200
655			2018	UC	3400	3350	3450	3250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
655			2019	UC	3400	3350	3400	3300
655	KIDD CK MINE RD TEXASGULF	53.7	1988	IC	850	990	960	750
655			1989	IC	900	1050	1000	800
655			1990	UC	1000	1050	1150	950
655			1991	UC	1100	1150	1250	1050
655			1992	UC	1100	1150	1250	1050
655			1993	UC	1150	1200	1300	1100
655			1994	UC	1200	1250	1350	1100
655			1995	UC	1250	1300	1450	1150
655			1996	UC	1600	1700	1850	1500
655			1997	UC	1350	1400	1600	1250
655			1998	UC	1400	1500	1650	1350
655			1999	UC	1300	1400	1500	1250
655			2000	UC	1300	1400	1550	1200
655			2001	UC	1250	1350	1450	1150
655			2002	UC	1250	1350	1450	1150
655			2003	UC	1250	1300	1450	1200
655			2004	UC	1250	1350	1450	1150
655			2005	UC	1250	1300	1450	1150
655			2006	UC	1200	1250	1400	1150
655			2007	UC	1150	1200	1350	1100
655			2008	C	1200	1300	1300	1100
655			2009	IT	1150	1450	1450	950
655			2010	IT	1150	1450	1450	950
655			2011	IC	1250	1350	1450	1100
655			2012	UC	1150	1150	1250	1100
655			2013	CR	1150	1400	1400	970
655			2014	CTR	1300	1600	1600	1100
655			2015	CTR	1350	1650	1650	1150
655			2016	CTR	1200	1450	1500	1000
655			2017	CTR	1150	1550	1550	940
655			2018	CTR	1150	1550	1550	940
655			2019	CTR	1150	1550	1550	940
655	HWY 11 HWY END		9999					
656	SEC HWY 533 MATTAWAN TWP	3.8	1988	LT	100	140	140	80
656			1989	LT	100	140	140	70
656			1990	LT	100	150	140	70
656			1991	LT	100	140	140	70
656			1992	LT	150	210	200	120
656			1993	LT	150	210	190	110
656			1994	LT	140	210	200	100
656			1995	LT	140	200	200	100
656			1996	LT	150	210	210	110
656			1997	CR	150	190	180	130
656			1998	CR	180	220	210	150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
656			1999	CR	180	220	210	150
656			2000	CR	190	230	220	160
656			2001	CTR	200	250	240	170
656			2002	CTR	200	250	240	170
656			2003	CTR	210	260	250	180
656			2004	CTR	230	290	280	190
656			2005	CTR	230	280	270	200
656			2006	LT	230	310	310	170
656			2007	LT	190	260	270	140
656			2008	LT	180	250	240	130
656			2009	LT	150	200	200	110
656			2010	LT	220	300	290	160
656			2011	LT	120	150	160	100
656			2012	LT	200	260	250	150
656			2013	LR	180	270	310	120
656			2014	LR	200	300	300	140
656			2015	LT	170	220	230	130
656			2016	LT	200	260	270	150
656			2017	LT	200	250	250	170
656			2018	LT	200	250	250	170
656			2019	LT	200	250	250	170
656	HOLDEN GENERATING STATION HWY ENDS		9999					
657			1988	SC	400	430	470	360
657			1989	SC	400	440	480	360
657			1990	SC	400	440	480	360
657			1991	SC	400	440	480	360
657			1992	SC	400	420	470	370
657			1993	SC	400	440	490	360
657			1994	SC	400	420	460	370
657			1995	UC	400	420	460	370
657			1996	UC	400	420	470	380
657			1997	UC	400	420	470	380
657			1998	UC	400	420	470	380
657			1999	UC	400	420	470	380
657			2000	UC	400	420	470	380
657			2001	UC	400	430	470	380
657			2002	UC	400	430	470	370
657			2003	UC	400	420	470	380
657			2004	LT	400	560	540	290
657			2005	LT	380	520	510	280
657			2006	LT	380	520	510	280
657			2007	LT	380	520	540	280
657			2008	LT	360	490	470	270
657			2009	LT	360	490	480	270
657			2010	LT	340	460	450	250

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
657			2011	LT	320	410	420	260
657			2012	CTR	320	390	380	270
657			2013	CTR	350	430	440	300
657			2014	CTR	340	410	420	290
657			2015	CTR	330	400	410	280
657			2016	CTR	330	400	410	280
657			2017	CTR	320	430	430	260
657			2018	CTR	320	430	430	260
657			2019	CTR	320	430	420	260
657	**HWY 105**	**6.00**	**2019**	**CTR**	**320**	**430**	**420**	**260**
657	WEIRS GOLD PINES CAMP HWY END		9999					
658	HWY 17 START OF NA	3.8	9999					
658			1992	SC	1500	1600	1750	1400
658			1993	SC	1600	1800	1950	1400
658			1994	SC	1650	1700	1900	1500
658			1995	C	1750	1900	1950	1600
658			1996	C	1850	2100	2100	1650
658			1997	C	1900	2150	2150	1700
658			1998	C	2000	2250	2250	1800
658			1999	C	1850	2050	2100	1650
658			2000	C	1800	2050	2050	1600
658			2001	CTR	1700	2150	2050	1450
658			2002	CTR	1650	2100	2000	1400
658			2003	CTR	1600	2000	1900	1350
658			2004	IC	1600	1800	1800	1400
658			2005	IC	1500	1650	1700	1300
658			2006	CTR	1350	1650	1600	1150
658			2007	CTR	1400	1750	1700	1200
658			2008	CTR	1200	1500	1450	1000
658			2009	CTR	1300	1600	1550	1100
658			2010	CTR	1300	1600	1500	1100
658			2011	CTR	1250	1500	1450	1050
658			2012	CTR	1350	1650	1600	1150
658			2013	CTR	1300	1600	1650	1100
658			2014	CTR	1200	1450	1500	1000
658			2015	CTR	1150	1400	1400	980
658			2016	CTR	1100	1350	1350	940
658			2017	CTR	1850	2450	2450	1500
658			2018	CTR	1850	2450	2450	1500
658			2019	CTR	1850	2450	2450	1500
658	**HWY 17A**	**4.18**	**2019**	**CTR**	**1850**	**2450**	**2450**	**1500**
658	PETERSON RD JAFFRAY & MELICK TWP (E)	8.3	1988	SC	500	540	590	450
658			1989	SC	650	720	790	580
658			1990	SC	650	720	780	580
658			1991	SC	650	720	790	580

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
658			1992	SC	650	680	760	600
658			1993	SC	650	720	790	580
658			1994	SC	680	710	780	630
658			1995	C	680	740	760	620
658			1996	C	720	820	820	650
658			1997	CTR	730	930	900	610
658			1998	CTR	750	950	920	630
658			1999	CTR	790	1000	960	660
658			2000	CTR	820	1050	990	690
658			2001	IT	830	1100	1050	680
658			2002	IT	870	1150	1100	720
658			2003	IT	900	1150	1150	740
658			2004	IC	1000	1100	1100	880
658			2005	IC	900	1000	1000	790
658			2006	CTR	920	1150	1100	780
658			2007	CTR	920	1150	1150	780
658			2008	CTR	850	1050	1050	720
658			2009	CTR	960	1150	1150	820
658			2010	CTR	920	1100	1100	780
658			2011	CTR	900	1100	1050	760
658			2012	CTR	900	1100	1100	770
658			2013	LT	800	1050	1050	600
658			2014	LT	950	1250	1250	720
658			2015	LT	960	1250	1250	720
658			2016	LT	970	1250	1300	730
658			2017	LT	980	1350	1350	750
658			2018	LT	940	1300	1300	720
658			2019	LT	1000	1400	1400	770
658	SEC HWY 659 COKER RD (E)	13.0	1988	LT	300	430	420	230
658			1989	C	350	390	390	320
658			1990	C	380	420	420	340
658			1991	C	400	440	440	360
658			1992	C	400	430	440	370
658			1993	C	400	440	440	370
658			1994	C	430	470	480	390
658			1995	C	420	460	470	380
658			1996	C	480	540	550	430
658			1997	C	500	560	570	450
658			1998	C	520	590	590	470
658			1999	C	460	520	520	410
658			2000	C	460	520	520	410
658			2001	SC	400	430	470	350
658			2002	SC	450	480	530	400
658			2003	SC	450	480	530	400
658			2004	IT	410	540	520	330

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
658			2005	IT	370	470	470	310
658			2006	IT	380	480	480	310
658			2007	IT	370	470	490	300
658			2008	IT	360	460	440	300
658			2009	IT	350	440	440	290
658			2010	IC	280	310	310	250
658			2011	IC	280	310	320	250
658			2012	CTR	280	340	340	240
658			2013	LT	270	350	350	200
658			2014	LT	280	370	370	210
658			2015	LT	270	350	360	200
658			2016	LT	260	340	350	200
658			2017	LT	250	350	350	190
658			2018	LT	230	320	320	180
658			2019	LT	220	310	310	170
658	REDDITT CNR STATION HWY END		9999					
661	HWY 144 JACK TWP	4.6	1988	IC	400	460	450	350
661			1989	IC	400	460	450	360
661			1990	IC	400	460	450	360
661			1991	IC	400	450	440	360
661			1992	IC	400	440	440	360
661			1993	LT	400	550	500	290
661			1994	LT	410	600	580	300
661			1995	LT	410	590	570	300
661			1996	LT	420	590	580	310
661			1997	LT	430	610	590	320
661			1998	LT	430	600	590	310
661			1999	LT	400	560	540	290
661			2000	LT	420	590	570	310
661			2001	LT	420	590	570	310
661			2002	LT	420	590	570	310
661			2003	LT	420	580	570	310
661			2004	LT	410	570	560	300
661			2005	LT	420	580	560	310
661			2006	LT	410	560	550	300
661			2007	LT	410	560	580	300
661			2008	LT	400	550	520	300
661			2009	LT	410	550	540	300
661			2010	LT	410	550	540	300
661			2011	LT	410	530	540	340
661			2012	CTR	410	500	490	350
661			2013	CTR	410	500	520	350
661			2014	CTR	370	450	460	310
661			2015	CTR	400	490	490	340
661			2016	CTR	400	490	490	340

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
661			2017	CTR	400	530	530	330
661			2018	CTR	400	530	530	330
661			2019	CTR	400	530	530	330
661	END OF HWY JACK TWP HWY END		9999					
663			1988	SC	450	490	530	400
663			1989	SC	450	500	540	400
663			1990	UC	400	430	460	380
663			1991	UC	400	420	460	390
663			1992	UC	400	420	460	380
663			1993	SC	500	560	610	440
663			1994	SC	490	510	560	450
663			1995	SC	490	510	570	450
663			1996	SC	500	530	580	450
663			1997	SC	510	540	600	450
663			1998	SC	510	540	600	450
663			1999	SC	590	630	690	530
663			2000	SC	530	560	620	470
663			2001	SC	560	600	660	490
663			2002	SC	510	540	600	450
663			2003	SC	580	610	680	510
663			2004	SC	570	610	670	500
663			2005	SC	630	670	740	550
663			2006	SC	550	580	640	490
663			2007	SC	550	580	640	480
663			2008	CR	550	670	660	460
663			2009	CR	550	660	640	470
663			2010	IT	450	560	560	370
663			2011	IT	560	750	750	460
663			2012	UC	560	560	600	530
663			2013	UC	560	560	560	530
663			2014	UC	570	570	550	540
663			2015	UC	570	570	550	540
663			2016	UC	570	570	550	540
663			2017	UC	570	570	570	550
663			2018	UC	580	580	580	560
663			2019	UC	580	570	580	560
663	**HWY 11**	**5.30**	**2019**	**UC**	**580**	**570**	**580**	**560**
663	CALSTOCK CNR X ING HWY END		9999					
664	HWY 72 PATRICIA CORS	17.0	1988	UC	800	840	900	750
664			1989	UC	850	890	960	810
664			1990	UC	850	910	990	810
664			1991	UC	900	950	1050	870
664			1992	UC	900	950	1050	860
664			1993	UC	950	1000	1100	890
664			1994	UC	970	1050	1100	900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
664			1995	UC	1050	1100	1200	980
664			1996	UC	1000	1050	1150	950
664			1997	UC	1050	1100	1250	990
664			1998	UC	1050	1100	1250	1000
664			1999	UC	1150	1200	1350	1100
664			2000	UC	1150	1200	1350	1100
664			2001	C	1200	1350	1350	1100
664			2002	C	1250	1400	1400	1100
664			2003	C	1250	1400	1400	1150
664			2004	C	1250	1400	1400	1150
664			2005	C	1400	1550	1550	1250
664			2006	C	1350	1500	1500	1200
664			2007	C	1200	1350	1350	1100
664			2008	C	950	1050	1050	850
664			2009	C	1200	1300	1350	1100
664			2010	C	1000	1100	1100	900
664			2011	C	1050	1150	1150	940
664			2012	UC	1050	1050	1100	1000
664			2013	UC	1200	1200	1200	1150
664			2014	C	1200	1300	1300	1100
664			2015	C	1200	1300	1300	1100
664			2016	C	1200	1300	1300	1100
664			2017	C	1200	1300	1300	1100
664			2018	C	1200	1300	1300	1100
664			2019	C	1200	1300	1300	1100
664	HWY ENDS		9999					
665			1988	IC	900	1050	1000	790
665			1989	C	950	1050	1050	860
665			1990	C	950	1050	1050	860
665			1991	C	1000	1100	1100	910
665			1992	IC	900	1000	990	820
665			1993	IC	900	1000	1000	800
665			1994	IC	880	990	990	780
665			1995	IC	890	1000	1000	800
665			1996	IC	850	950	960	760
665			1997	IC	830	930	940	730
665			1998	IC	820	920	920	730
665			1999	IC	900	1000	1000	800
665			2000	IC	910	1000	1000	810
665			2001	IC	920	1050	1050	810
665			2002	IC	940	1050	1050	830
665			2003	IC	950	1050	1050	840
665			2004	IC	1000	1100	1100	880
665			2005	IC	990	1100	1100	870
665			2006	IC	990	1100	1100	880

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
665			2007	IC	930	1050	1050	820
665			2008	IC	900	1000	960	790
665			2009	IC	850	940	950	760
665			2010	LR	650	970	800	440
665			2011	LR	580	900	840	410
665			2012	CTR	580	700	690	490
665			2013	CTR	900	1100	1150	760
665			2014	CTR	780	950	960	660
665			2015	CTR	770	940	950	650
665			2016	CTR	770	940	950	650
665			2017	CTR	760	1000	1000	620
665			2018	IT	750	990	990	630
665			2019	IT	740	980	980	630
665	**HWY 17**	**8.46**	**2019**	**IT**	**740**	**980**	**980**	**630**
665	WAINWRIGHT BRITTON TWP BDY	12.7	1988	IC	900	1050	1000	790
665			1989	C	950	1050	1050	860
665			1990	C	950	1050	1050	860
665			1991	C	1000	1100	1100	910
665			1992	IC	900	1000	990	820
665			1993	IC	900	1000	1000	800
665			1994	IC	880	990	990	780
665			1995	IC	890	1000	1000	800
665			1996	IC	850	950	960	760
665			1997	IC	830	930	940	730
665			1998	IC	820	920	920	730
665			1999	IC	800	900	900	710
665			2000	IC	790	880	880	700
665			2001	IC	1100	1250	1250	970
665			2002	IC	920	1050	1050	810
665			2003	IC	1100	1250	1250	970
665			2004	IC	910	1000	1000	800
665			2005	IC	720	800	810	630
665			2006	IC	590	660	660	520
665			2007	IC	550	610	630	490
665			2008	HT	150	240	230	70
665			2009	HT	480	730	650	230
665			2010	LT	170	230	220	130
665			2011	LT	170	220	220	140
665			2012	LT	170	220	210	130
665			2013	LT	130	170	170	100
665			2014	LT	180	240	240	140
665			2015	LT	130	170	170	100
665			2016	LT	90	120	120	70
665			2017	LT	160	200	200	130
665			2018	LT	160	200	200	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
665			2019	LT	160	200	200	130
665	RICHAN CNR STATION HWY END		9999					
667	EDDY RD SULTAN	35.3	1988	LT	150	210	210	110
667			1989	LT	150	210	210	110
667			1990	LT	180	260	250	130
667			1991	LT	250	350	340	180
667			1992	LT	250	350	340	190
667			1993	LT	250	350	310	180
667			1994	LT	280	410	400	200
667			1995	LT	300	430	420	220
667			1996	LT	320	450	440	240
667			1997	SC	350	370	410	310
667			1998	SC	360	380	420	320
667			1999	SC	300	320	350	270
667			2000	SC	300	320	350	260
667			2001	SC	290	310	340	260
667			2002	SC	290	310	340	260
667			2003	LT	250	340	340	180
667			2004	LT	260	360	350	190
667			2005	LT	280	380	380	210
667			2006	LT	250	340	330	180
667			2007	LT	200	270	280	150
667			2008	SC	240	250	240	210
667			2009	SC	230	240	270	200
667			2010	SC	220	230	260	190
667			2011	SC	220	280	260	180
667			2012	CTR	210	250	250	180
667			2013	CTR	200	240	250	170
667			2014	IC	200	220	220	180
667			2015	CTR	190	230	230	160
667			2016	CTR	180	220	220	150
667			2017	CTR	180	240	240	150
667			2018	CTR	170	230	230	140
667			2019	CTR	200	270	270	160
667	HWY 129 HWY END		9999					
668			1988	T	130	240	230	80
668			1989	T	130	240	230	80
668			1990	T	150	270	260	90
668			1991	T	150	270	260	90
668			1992	T	150	270	260	90
668			1993	HT	200	400	360	90
668			1994	HT	160	320	290	70
668			1995	HT	160	300	270	70
668			1996	HT	160	300	280	70
668			1997	HT	170	320	290	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
668			1998	HT	170	310	290	80
668			1999	HT	160	290	260	70
668			2000	HT	150	270	240	70
668			2001	HT	150	260	240	70
668			2002	HT	130	230	200	60
668			2003	HT	140	230	210	70
668			2004	HT	130	230	200	60
668			2005	HT	130	210	190	60
668			2006	HT	130	210	190	60
668			2007	LT	120	160	170	90
668			2008	LT	120	160	160	90
668			2009	LT	120	160	160	90
668			2010	LT	110	150	140	80
668			2011	LT	110	140	140	90
668			2012	LT	110	140	140	80
668			2013	LT	100	130	130	80
668			2014	LT	100	130	130	80
668			2015	LT	200	260	270	150
668			2016	LT	220	290	290	170
668			2017	LT	130	180	180	100
668			2018	LT	130	180	180	100
668			2019	LT	130	180	180	100
668	**HWY 11**	**13.30**	**2019**	**LT**	**130**	**180**	**180**	**100**
668	GREENWATER PROV PK ENT HWY END		9999					
670	SEC HWY 638	9.3	1988	CTR	100	130	120	80
670			1989	CTR	100	130	120	90
670			1990	CTR	100	120	120	90
670			1991	LT	100	140	140	70
670			1992	LT	100	140	140	80
670			1993	LT	100	140	120	70
670			1994	LT	80	120	110	60
670			1995	LT	70	100	100	50
670			1996	LT	70	100	100	50
670			1997	LT	60	80	80	40
670			1998	LT	60	80	80	40
670			1999	LT	50	70	70	40
670			2000	LT	40	60	50	30
670			2001	LT	80	110	110	60
670			2002	LT	80	110	110	60
670			2003	LT	80	110	110	60
670			2004	LT	80	110	110	60
670			2005	LT	90	120	120	70
670			2006	LT	80	110	110	60
670			2007	LT	80	110	110	60
670			2008	LT	80	110	100	60

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
670			2009	LT	80	110	110	60
670			2010	LT	80	110	110	60
670			2011	LT	80	100	100	70
670			2012	LT	90	120	110	70
670			2013	LT	90	120	120	70
670			2014	LT	90	120	120	70
670			2015	LT	90	120	120	70
670			2016	LT	90	120	120	70
670			2017	LT	90	110	110	80
670			2018	LT	90	110	110	80
670			2019	LT	90	110	110	80
670	BAILEY BRIDGE END OF HWY		9999					
671			1989	CTR	300	380	360	260
671			1990	CTR	300	380	350	260
671			1991	CTR	300	380	380	260
671			1992	SC	200	210	230	180
671			1993	SC	200	220	240	180
671			1994	SC	210	220	240	190
671			1995	LT	220	320	310	160
671			1996	LT	170	240	230	120
671			1997	LT	150	210	210	110
671			1998	LT	130	180	180	90
671			1999	LT	120	170	160	90
671			2000	LT	200	280	270	150
671			2001	LT	210	290	290	150
671			2002	LT	210	290	290	150
671			2003	LT	220	300	300	160
671			2004	CTR	260	330	310	220
671			2005	CTR	220	270	260	190
671			2006	CTR	230	280	270	200
671			2007	CTR	230	280	280	190
671			2008	CTR	240	300	290	200
671			2009	CTR	240	290	280	200
671			2010	CTR	250	300	290	210
671			2011	CTR	250	300	290	210
671			2012	CTR	250	300	300	210
671			2013	CTR	260	320	330	220
671			2014	CTR	270	330	330	230
671			2015	CTR	270	330	330	230
671			2016	CTR	280	340	340	240
671			2017	CTR	280	370	370	230
671			2018	CTR	290	390	390	240
671			2019	CTR	290	390	380	240
671	**HWY 17A**	**36.76**	**2019**	**CTR**	**290**	**390**	**380**	**240**
671	CNR X ING JONES STATION	32.0	1989	CTR	100	130	120	90

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
671			1990	CTR	100	120	120	90
671			1991	CTR	150	190	190	130
671			1992	SC	150	160	180	140
671			1993	SC	150	170	180	130
671			1994	SC	180	190	210	170
671			1995	LT	200	290	280	150
671			1996	LT	210	300	290	150
671			1997	LT	230	320	320	170
671			1998	LT	250	350	340	180
671			1999	LT	260	360	350	190
671			2000	LT	280	390	380	200
671			2001	LT	220	310	300	160
671			2002	LT	270	380	370	200
671			2003	LT	220	300	300	160
671			2004	LT	210	290	290	150
671			2005	LT	190	260	250	140
671			2006	LT	220	300	290	160
671			2007	LT	210	290	300	150
671			2008	LT	210	290	280	150
671			2009	LT	210	280	280	160
671			2010	IC	170	190	190	150
671			2011	IC	150	160	170	130
671			2012	IC	150	170	160	130
671			2013	IC	140	150	150	120
671			2014	IC	170	190	190	150
671			2015	IC	170	190	190	150
671			2016	IC	160	180	180	140
671			2017	IC	160	180	180	150
671			2018	IC	160	180	180	140
671			2019	IC	150	160	170	140
671	HUDSON BAY STORE ENT HWY END		9999					
672			1990	T	450	820	780	280
672			1991	T	450	810	780	280
672			1992	T	400	720	700	250
672			1993	CR	350	430	400	320
672			1994	CR	400	490	460	360
672			1995	CR	390	480	460	340
672			1996	CR	380	470	450	320
672			1997	CR	380	470	450	320
672			1998	CR	370	460	430	310
672			1999	CR	380	470	440	320
672			2000	CR	360	440	420	310
672			2001	CR	350	430	410	300
672			2002	CR	360	440	420	300
672			2003	CR	330	400	390	280

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
672			2004	CR	320	390	380	270
672			2005	CR	320	390	370	270
672			2006	CR	290	350	340	240
672			2007	CR	300	360	360	250
672			2008	CR	290	350	350	240
672			2009	CR	280	340	320	240
672			2010	CR	280	340	320	240
672			2011	CR	270	310	320	240
672			2012	CR	260	310	310	220
672			2013	CR	250	300	310	210
672			2014	CR	340	400	400	290
672			2015	CR	250	290	290	210
672			2016	CR	250	290	290	210
672			2017	CR	240	280	280	220
672			2018	CR	230	270	270	210
672			2019	CR	230	270	270	210
672	**HWY 66**	**3.40**	**2019**	**CR**	**230**	**270**	**270**	**210**
672	ESKER LAKE PROV PK (S LTS)	14.2	1990	UC	200	210	230	190
672			1991	UC	200	210	230	190
672			1992	UC	250	260	290	240
672			1993	LR	300	480	390	200
672			1994	LR	300	490	400	200
672			1995	LR	330	550	450	220
672			1996	LR	360	600	480	240
672			1997	LR	380	640	510	250
672			1998	LR	410	680	550	270
672			1999	LR	430	710	570	280
672			2000	LR	410	660	540	270
672			2001	LR	420	690	550	280
672			2002	LR	420	680	550	280
672			2003	LR	450	710	570	300
672			2004	LR	460	750	600	310
672			2005	LR	300	470	380	200
672			2006	LR	280	440	350	190
672			2007	LR	260	410	390	180
672			2008	LR	230	360	350	160
672			2009	IT	130	160	160	110
672			2010	IT	190	240	240	160
672			2011	IT	240	320	320	200
672			2012	T	230	330	340	150
672			2013	T	220	320	320	140
672			2014	LT	220	290	290	170
672			2015	LT	200	260	270	150
672			2016	LT	190	250	250	140
672			2017	LT	180	240	250	140

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
672			2018	LT	170	230	230	130
672			2019	LT	160	220	220	130
672			1990	UC	150	160	170	140
672			1991	UC	150	160	170	150
672			1992	UC	150	160	170	140
672			1993	UC	200	210	230	190
672			1994	UC	200	210	230	190
672			1995	UC	220	230	250	210
672			1996	UC	230	240	270	220
672			1997	UC	250	260	290	240
672			1998	UC	270	290	320	260
672			1999	UC	280	300	330	270
672			2000	UC	260	280	310	240
672			2001	UC	240	260	280	230
672			2002	UC	220	230	260	210
672			2003	UC	200	210	230	190
672			2004	UC	190	200	220	180
672			2005	UC	180	190	210	170
672			2006	UC	120	130	140	110
672			2007	SC	140	150	160	120
672			2008	SC	160	170	160	140
672			2009	SC	150	160	180	130
672			2010	SC	150	160	180	130
672			2011	SC	140	180	160	110
672			2012	UC	180	180	190	170
672			2013	UC	180	180	180	170
672			2014	C	190	210	200	170
672			2015	C	140	150	150	130
672			2016	C	140	150	150	130
672			2017	C	130	140	140	120
672			2018	C	130	140	140	120
672			2019	C	120	130	130	110
672	**TIMISKAMING COCHRANE DIST BDY**	**30.00**	**2019**	**C**	**120**	**130**	**130**	**110**
672	HWY 101 HWY END		9999					
673	HWY 17 EWART TWP	8.1	1993	CTR	200	250	240	170
673			1994	LR	230	380	300	150
673			1995	IR	280	340	310	240
673			1996	IR	330	410	370	280
673			1997	IR	380	480	430	320
673			1998	IR	430	530	480	360
673			1999	IR	480	600	530	400
673			2000	IR	530	650	590	450
673			2001	IR	280	350	310	240
673			2002	IR	480	590	530	410
673			2003	IR	280	340	310	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
673			2004	IR	270	330	300	230
673			2005	IR	250	300	270	210
673			2006	IR	240	290	260	200
673			2007	IR	230	280	280	190
673			2008	IR	270	330	320	230
673			2009	IR	260	310	280	220
673			2010	IR	210	250	230	180
673			2011	IR	250	300	290	210
673			2012	CR	250	300	290	210
673			2013	CR	230	280	280	190
673			2014	CR	220	260	260	190
673			2015	CR	210	250	250	180
673			2016	CR	210	250	250	180
673			2017	CR	200	230	230	180
673			2018	CR	190	220	220	170
673			2019	CR	180	210	210	160
673	SHOAL LAKE HWY END		9999					
802	KASHABOWIE CNR X ING	1.1	1988	LT	150	210	210	110
802			1989	LT	150	210	210	110
802			1990	LT	130	190	180	90
802			1991	LT	100	140	140	70
802			1992	LT	80	110	110	60
802			1993	LT	50	70	60	40
802			1994	LT	80	120	110	60
802			1995	LT	70	100	100	50
802			1996	LT	50	70	70	40
802			1997	LT	60	80	80	40
802			1998	LT	60	80	80	40
802			1999	LT	60	80	80	40
802			2000	LT	60	80	80	40
802			2001	LT	60	80	80	40
802			2002	LT	60	80	80	40
802			2003	LT	50	70	70	40
802			2004	LT	50	70	70	40
802			2005	LR	50	80	60	30
802			2006	LR	50	80	60	30
802			2007	LR	50	80	80	30
802			2008	LR	50	80	80	30
802			2009	LR	50	80	60	30
802			2010	LR	50	70	60	30
802			2011	LR	40	60	60	30
802			2012	LR	60	90	90	40
802			2013	LR	40	60	70	30
802			2014	LR	40	60	60	30
802			2015	LR	40	60	60	30

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
802			2016	IT	40	50	50	30
802			2017	IT	40	50	50	30
802			2018	IT	40	50	50	30
802			2019	IT	40	50	50	30
802	E JCT HWY 11 OVERLAP HWY 11 (18180)	1.8	9999					
802			1988	LT	150	210	210	110
802			1989	LT	150	210	210	110
802			1990	LT	130	190	180	90
802			1991	LT	100	140	140	70
802			1992	LT	80	110	110	60
802			1993	LR	50	80	60	30
802			1994	LR	70	120	90	50
802			1995	LR	60	100	80	40
802			1996	LR	50	80	70	30
802			1997	LR	50	80	70	30
802			1998	LR	50	80	70	30
802			1999	LR	50	80	70	30
802			2000	LR	40	60	50	30
802			2001	LR	50	80	70	30
802			2002	LR	40	70	50	30
802			2003	LR	40	60	50	30
802			2004	LR	40	70	50	30
802			2005	LR	40	60	50	30
802			2006	LR	30	50	40	20
802			2007	LR	30	50	50	20
802			2008	LR	30	50	50	20
802			2009	LR	30	50	40	20
802			2010	LR	30	40	40	20
802			2011	LR	30	50	40	20
802			2012	LR	30	40	40	20
802			2013	LR	20	30	30	10
802			2014	IR	20	20	20	20
802			2015	IR	20	20	20	20
802			2016	IT	30	40	40	20
802			2017	IT	20	30	30	20
802			2018	IT	20	30	30	20
802			2019	IT	10	10	10	10
802	**W JCT HWY 11**	**10.90**	**2019**	**IT**	**10**	**10**	**10**	**10**
802	BURCHELL LAKE HWY END		9999					
804			1988	SC	200	220	240	180
804			1989	C	100	110	110	90
804			1990	C	100	110	110	90
804			1991	C	100	110	110	90
804			1992	SC	100	100	120	90
804			1993	SC	100	110	120	90

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
804			1994	SC	60	60	70	60
804			1995	SC	50	50	60	50
804			1996	SC	50	50	60	40
804			1997	SC	50	50	60	40
804			1998	SC	50	50	60	40
804			1999	SC	50	50	60	40
804			2000	SC	60	60	70	50
804			2001	SC	60	60	70	50
804			2002	SC	60	60	70	50
804			2003	SC	60	60	70	50
804			2004	SC	70	70	80	60
804			2005	SC	70	70	80	60
804			2006	SC	70	70	80	60
804			2007	SC	70	70	80	60
804			2008	SC	70	70	70	60
804			2009	SC	70	70	80	60
804			2010	SC	70	70	80	60
804			2011	SC	70	90	80	60
804			2012	SC	70	70	70	60
804			2013	C	50	60	50	50
804			2014	C	70	80	70	60
804			2015	C	70	80	70	60
804			2016	IT	60	80	70	50
804			2017	IT	70	90	90	60
804			2018	IT	70	90	90	60
804			2019	IT	70	90	90	60
804	**HWY 105**	**21.40**	**2019**	**IT**	**70**	**90**	**90**	**60**
804	LOWER MANITOU FALLS DAM HWY END		9999					
805	SEC HWY 539A	52.5	1988	IC	100	120	110	90
805			1989	T	100	180	180	60
805			1990	T	100	180	170	60
805			1991	T	100	180	170	60
805			1992	LR	100	160	130	70
805			1993	LR	100	160	130	70
805			1994	LR	80	130	110	50
805			1995	LR	70	120	100	50
805			1996	LR	70	120	90	50
805			1997	LR	60	100	80	40
805			1998	LR	70	120	90	50
805			1999	LR	80	130	110	50
805			2000	LR	80	130	100	50
805			2001	LR	80	130	100	50
805			2002	LR	90	150	120	60
805			2003	LR	90	140	110	60
805			2004	IR	70	90	80	60

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
805			2005	IR	100	120	110	90
805			2006	LR	120	190	150	80
805			2007	LR	100	160	150	70
805			2008	LR	100	160	150	70
805			2009	LR	110	170	140	70
805			2010	LR	110	160	130	70
805			2011	LR	170	260	250	120
805			2012	LR	130	190	190	90
805			2013	CTR	200	240	250	170
805			2014	CTR	150	180	180	130
805			2015	IT	160	200	200	130
805			2016	IT	160	200	200	130
805			2017	IT	170	220	230	140
805			2018	IT	170	220	220	140
805			2019	IT	180	240	240	150
805	POND LAKE END OF HWY		9999					
808	JCT SEC HWY 599 & 808 AT CENTRAL PATRICIA	200.5	2019	UNCL	N/A			
808	PIPESTONE RIV. BAILEY BRIDGE END OF HWY		9999					
810	SEC HWY 553	42.6	1988	IC	50	60	60	40
810			1989	HR	50	100	80	30
810			1990	HR	50	90	70	30
810			1991	HR	50	90	80	30
810			1992	HR	50	90	70	30
810			1993	HR	50	90	70	30
810			1994	HR	50	90	70	30
810			1995	HR	50	90	70	30
810			1996	HR	50	90	70	30
810			1997	HR	50	90	70	30
810			1998	HR	50	80	70	30
810			1999	HR	50	80	70	30
810			2000	HR	50	80	70	30
810			2001	IT	50	70	60	40
810			2002	IT	50	70	60	40
810			2003	IT	50	60	60	40
810			2004	HR	50	80	70	30
810			2005	R	50	90	70	30
810			2006	R	50	90	70	30
810			2007	R	50	90	80	30
810			2008	IR	50	60	60	40
810			2009	IR	50	60	50	40
810			2010	IR	50	60	50	40
810			2011	IR	50	60	60	40
810			2012	CTR	50	60	60	40
810			2013	CTR	50	60	60	40
810			2014	CTR	50	60	60	40

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
810			2015	CTR	50	60	60	40
810			2016	CTR	50	60	60	40
810			2017	CTR	50	70	70	40
810			2018	CTR	50	70	70	40
810			2019	CTR	50	70	70	40
810	RICHIE FALLS HWY END		9999					
811	SEC HWY 527	59.0	1988	LT	150	210	210	110
811			1989	LT	150	210	210	110
811			1990	LT	50	70	70	40
811			1991	LT	50	70	70	40
811			1992	LT	50	70	70	40
811			1993	LT	50	70	60	40
811			1994	LT	90	130	130	70
811			1995	LT	80	110	110	60
811			1996	LT	170	240	230	120
811			1997	LT	70	100	100	50
811			1998	LT	60	80	80	40
811			1999	LT	120	170	160	90
811			2000	LT	130	180	180	90
811			2001	LT	130	180	180	100
811			2002	LT	160	220	220	120
811			2003	LT	140	190	190	100
811			2004	LT	150	210	200	110
811			2005	LT	160	220	210	120
811			2006	LT	160	220	210	120
811			2007	LT	170	230	240	120
811			2008	LT	180	250	240	130
811			2009	LT	180	240	240	130
811			2010	LT	190	260	250	140
811			2011	LT	100	130	130	80
811			2012	LT	100	130	120	80
811			2013	LT	170	220	220	130
811			2014	LT	100	130	130	80
811			2015	LT	160	210	210	120
811			2016	LT	160	210	210	120
811			2017	LT	170	220	220	140
811			2018	LT	170	220	220	140
811			2019	LT	170	220	220	140
811	WEAVER RIVER BR HWY END		9999					
7025	SHRINE HILL DR EAST JCT (S) HWY 60	0.8	2013	UNCL	N/A			
7025			2014	UNCL	N/A			
7025			2015	UNCL	N/A			
7025			2016	UNCL	N/A			
7025			2017	UNCL	N/A			
7025			2018	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7025			2019	UNCL	N/A			
7025	HILLCREST AV (S) HWY END		9999					
7036	HWY 11 (N & S) NEWMARKET TWP RD C 5 6 (E)	4.4	1997	SC	40	40	50	40
7036			1998	SC	40	40	50	40
7036			1999	SC	40	40	50	40
7036			2000	SC	40	40	50	40
7036			2001	SC	40	40	50	40
7036			2002	SC	40	40	50	40
7036			2003	SC	40	40	50	40
7036			2004	SC	40	40	50	40
7036			2005	SC	40	40	50	40
7036			2006	SC	40	40	50	40
7036			2007	SC	40	40	50	40
7036			2008	SC	40	40	40	40
7036			2009	SC	40	40	50	40
7036			2010	SC	40	40	50	40
7036			2011	SC	50	60	60	40
7036			2012	SC	50	50	50	40
7036			2013	SC	60	60	60	50
7036			2014	SC	50	50	50	40
7036			2015	SC	50	50	50	40
7036			2016	UC	40	40	40	40
7036			2017	UC	50	50	50	50
7036			2018	UC	50	50	50	50
7036			2019	UC	50	50	50	50
7036	NEWMARKET TWP RD END OF HWY		9999					
7037	S JCT HWY 11 HANNA TWP RD L 5	4.8	1997	UNCL	N/A			
7037			1998	UNCL	N/A			
7037			1999	UNCL	N/A			
7037			2000	UNCL	N/A			
7037			2001	UNCL	N/A			
7037			2002	UNCL	N/A			
7037			2003	UNCL	N/A			
7037			2004	UNCL	N/A			
7037			2005	UNCL	N/A			
7037			2006	UNCL	N/A			
7037			2007	UNCL	N/A			
7037			2008	UNCL	N/A			
7037			2009	UNCL	N/A			
7037			2010	UNCL	N/A			
7037			2011	UNCL	N/A			
7037			2012	UNCL	N/A			
7037			2013	UNCL	N/A			
7037			2014	UNCL	N/A			
7037			2015	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7037			2016	UNCL	N/A			
7037			2017	UNCL	N/A			
7037			2018	UNCL	N/A			
7037			2019	UNCL	N/A			
7037	4.800 KM N OF S JCT HWY 11 HANNA TWP RD L 5	4.7	2016	UNCL	N/A			
7037			2017	UNCL	N/A			
7037			2018	UNCL	N/A			
7037			2019	UNCL	N/A			
7037	N JCT HWY 11 END OF HWY		9999					
7041	S JCT HWY 6 WHITEFISH FALLS	1.3	1988	LT	280	400	390	210
7041			1989	LT	280	390	390	210
7041			1990	LT	280	410	390	200
7041			1991	LT	280	390	380	210
7041			1992	LT	280	390	380	220
7041			1993	LT	280	390	350	210
7041			1994	LT	280	410	400	200
7041			1995	LT	280	400	390	200
7041			1996	LT	280	400	390	210
7041			1997	LT	280	390	390	210
7041			1998	LT	280	390	380	200
7041			1999	LT	280	390	380	200
7041			2000	LT	280	390	380	200
7041			2001	LT	280	390	380	210
7041			2002	LT	280	390	380	210
7041			2003	LT	280	390	380	210
7041			2004	LT	280	390	380	210
7041			2005	LT	280	380	380	210
7041			2006	LT	280	380	370	210
7041			2007	LT	280	380	400	210
7041			2008	LT	280	380	370	210
7041			2009	LT	280	380	370	210
7041			2010	LT	280	380	370	210
7041			2011	LT	280	360	370	230
7041			2012	LT	280	370	350	210
7041			2013	LT	280	370	370	210
7041			2014	LT	280	370	370	210
7041			2015	LT	280	370	370	210
7041			2016	LT	280	370	370	210
7041			2017	LT	280	360	360	230
7041			2018	LT	280	360	360	230
7041			2019	LT	280	360	360	230
7041	N JCT HWY 6 HWY END		9999					
7042	ESTAIRE RD	1.0	2000	CTR	100	130	120	80
7042			2001	CTR	100	130	120	80
7042			2002	CTR	100	130	120	80

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7042			2003	CTR	100	120	120	80
7042			2004	CTR	100	130	120	80
7042			2005	CTR	80	100	100	70
7042			2006	CTR	100	120	120	80
7042			2007	CTR	120	150	150	100
7042			2008	CTR	140	170	170	120
7042			2009	CTR	160	200	190	140
7042			2010	CTR	180	220	210	150
7042			2011	CTR	190	230	220	160
7042			2012	CTR	200	240	240	170
7042			2013	CTR	220	270	280	190
7042			2014	CTR	210	260	260	180
7042			2015	CTR	220	270	270	190
7042			2016	CTR	230	280	280	200
7042			2017	CTR	240	320	320	200
7042			2018	CTR	250	330	330	200
7042			2019	CTR	260	350	340	210
7042	HWY 69 NELSON RD IC	8.5	2000	CTR	100	130	120	80
7042			2001	CTR	100	130	120	80
7042			2002	CTR	100	130	120	80
7042			2003	CTR	100	120	120	80
7042			2004	CTR	100	130	120	80
7042			2005	CTR	80	100	100	70
7042			2006	CTR	100	120	120	80
7042			2007	CTR	120	150	150	100
7042			2008	CTR	140	170	170	120
7042			2009	CTR	160	200	190	140
7042			2010	CTR	180	220	210	150
7042			2011	CTR	190	230	220	160
7042			2012	CTR	200	240	240	170
7042			2013	CTR	220	270	280	190
7042			2014	CTR	210	260	260	180
7042			2015	CTR	220	270	270	190
7042			2016	CTR	230	280	280	200
7042			2017	CTR	240	320	320	200
7042			2018	CTR	250	330	330	200
7042			2019	CTR	260	350	340	210
7042	JCT 69 AND OLD 69	7.5	2000	CTR	100	130	120	80
7042			2001	CTR	100	130	120	80
7042			2002	CTR	100	130	120	80
7042			2003	CTR	100	120	120	80
7042			2004	CTR	100	130	120	80
7042			2005	CTR	80	100	100	70
7042			2006	CTR	100	120	120	80
7042			2007	CTR	120	150	150	100

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7042			2008	CTR	140	170	170	120
7042			2009	CTR	160	200	190	140
7042			2010	CTR	180	220	210	150
7042			2011	CTR	190	230	220	160
7042			2012	CTR	200	240	240	170
7042			2013	CTR	220	270	280	190
7042			2014	CTR	210	260	260	180
7042			2015	CTR	220	270	270	190
7042			2016	CTR	230	280	280	200
7042			2017	CTR	240	320	320	200
7042			2018	CTR	250	330	330	200
7042			2019	CTR	260	350	340	210
7042	OLD WANUP RD	4.7	2000	CTR	100	130	120	80
7042			2001	CTR	100	130	120	80
7042			2002	CTR	100	130	120	80
7042			2003	CTR	100	120	120	80
7042			2004	CTR	100	130	120	80
7042			2005	CTR	80	100	100	70
7042			2006	CTR	100	120	120	80
7042			2007	CTR	120	150	150	100
7042			2008	CTR	140	170	170	120
7042			2009	CTR	160	200	190	140
7042			2010	CTR	180	220	210	150
7042			2011	CTR	190	230	220	160
7042			2012	CTR	200	240	240	170
7042			2013	CTR	220	270	280	190
7042			2014	CTR	210	260	260	180
7042			2015	CTR	220	270	270	190
7042			2016	CTR	230	280	280	200
7042			2017	CTR	240	320	320	200
7042			2018	CTR	250	330	330	200
7042			2019	CTR	260	350	340	210
7042	HWY 69 HWY END		9999					
7044	HWY 144 WINDY LAKE	11.0	1997	IT	330	430	430	270
7044			1998	IT	330	430	420	270
7044			1999	IT	330	430	420	270
7044			2000	IT	330	430	420	270
7044			2001	IT	330	430	420	270
7044			2002	IT	330	430	420	270
7044			2003	IT	330	420	420	270
7044			2004	IT	330	430	420	270
7044			2005	IT	330	420	420	270
7044			2006	IT	330	420	420	270
7044			2007	IT	330	420	440	270
7044			2008	IT	330	420	400	280

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7044			2009	IT	330	420	420	270
7044			2010	IT	330	410	410	270
7044			2011	IT	330	440	440	270
7044			2012	IT	330	410	400	270
7044			2013	IT	330	410	420	270
7044			2014	IT	330	410	410	270
7044			2015	IT	330	410	410	270
7044			2016	LR	330	490	500	220
7044			2017	LR	330	550	530	230
7044			2018	LR	330	550	530	230
7044			2019	LR	330	550	540	230
7044	11.000 KM N OF HWY 144 WINDY LAKE	12.2	1997	IT	330	430	430	270
7044			1998	IT	330	430	420	270
7044			1999	IT	330	430	420	270
7044			2000	IT	330	430	420	270
7044			2001	IT	330	430	420	270
7044			2002	IT	330	430	420	270
7044			2003	IT	330	420	420	270
7044			2004	IT	330	430	420	270
7044			2005	IT	330	420	420	270
7044			2006	IT	330	420	420	270
7044			2007	IT	330	420	440	270
7044			2008	IT	330	420	400	280
7044			2009	IT	330	420	420	270
7044			2010	IT	330	410	410	270
7044			2011	IT	330	440	440	270
7044			2012	IT	330	410	400	270
7044			2013	IT	330	410	420	270
7044			2014	IT	330	410	410	270
7044			2015	IT	330	410	410	270
7044			2016	IT	330	410	410	270
7044			2017	IT	330	440	440	280
7044			2018	IR	330	400	400	280
7044			2019	IR	330	400	400	280
7044	HWY 144 CATIER END OF HWY		9999					
7045	HWY 17 MACINTYRE RD	1.5	2009	UNCL	N/A			
7045			2010	UNCL	N/A			
7045			2011	UNCL	N/A			
7045			2012	UNCL	N/A			
7045			2013	CTR	150	180	190	130
7045			2014	IC	200	220	220	180
7045			2015	IC	200	220	220	180
7045			2016	CTR	160	200	200	140
7045			2017	CTR	180	240	240	150
7045			2018	CTR	180	240	240	150

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7045			2019	CTR	180	240	240	150
7045	TROUT LAKE RD END OF HWY		9999					
7048	HWY 11 RAINY LAKE	1.0	1997	UNCL	N/A			
7048			1998	UNCL	N/A			
7048			1999	UNCL	N/A			
7048			2000	UNCL	N/A			
7048			2001	UNCL	N/A			
7048			2002	UNCL	N/A			
7048			2003	UNCL	N/A			
7048			2004	UNCL	N/A			
7048			2005	UNCL	N/A			
7048			2006	UNCL	N/A			
7048			2007	UNCL	N/A			
7048			2008	UNCL	N/A			
7048			2009	UNCL	N/A			
7048			2010	UNCL	N/A			
7048			2011	UNCL	N/A			
7048			2012	UNCL	N/A			
7048			2013	UNCL	N/A			
7048			2014	UNCL	N/A			
7048			2015	UNCL	N/A			
7048			2016	UNCL	N/A			
7048			2017	UNCL	N/A			
7048			2018	UNCL	N/A			
7048			2019	UNCL	N/A			
7048	RAINY LAKE LANDING END OF HWY		9999					
7049	SELIM LOOP (LAKESHORE RD) E JCT HWY 17	5.0	2017	UNCL	N/A			
7049			2018	UNCL	N/A			
7049			2019	UNCL	N/A			
7049	1 K E OF HEWLITSON RIVER END OF HWY 7049		9999					
7057	HWY 17 WILLARD LAKE	1.3	1997	UNCL	N/A			
7057			1998	UNCL	N/A			
7057			1999	UNCL	N/A			
7057			2000	UNCL	N/A			
7057			2001	UNCL	N/A			
7057			2002	UNCL	N/A			
7057			2003	UNCL	N/A			
7057			2004	UNCL	N/A			
7057			2005	UNCL	N/A			
7057			2006	UNCL	N/A			
7057			2007	UNCL	N/A			
7057			2008	UNCL	N/A			
7057			2009	UNCL	N/A			
7057			2010	UNCL	N/A			
7057			2011	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7057			2012	UNCL	N/A			
7057			2013	UNCL	N/A			
7057			2014	UNCL	N/A			
7057			2015	UNCL	N/A			
7057			2016	UNCL	N/A			
7057			2017	UNCL	N/A			
7057			2018	UNCL	N/A			
7057			2019	UNCL	N/A			
7057	HWY ENDS		9999					
7059	E JCT HWY 17 (LONGBOW LAKE RD)	4.3	1997	UNCL	N/A			
7059			1998	UNCL	N/A			
7059			1999	UNCL	N/A			
7059			2000	UNCL	N/A			
7059			2001	UNCL	N/A			
7059			2002	UNCL	N/A			
7059			2003	UNCL	N/A			
7059			2004	UNCL	N/A			
7059			2005	UNCL	N/A			
7059			2006	UNCL	N/A			
7059			2007	UNCL	N/A			
7059			2008	UNCL	N/A			
7059			2009	UNCL	N/A			
7059			2010	UNCL	N/A			
7059			2011	UNCL	N/A			
7059			2012	UNCL	N/A			
7059			2013	UNCL	N/A			
7059			2014	UNCL	N/A			
7059			2015	UNCL	N/A			
7059			2016	UNCL	N/A			
7059			2017	UNCL	N/A			
7059			2018	UNCL	N/A			
7059			2019	UNCL	N/A			
7059	W JCT HWY 17 END OF HWY		9999					
7085	HWY 129 AUBREY FALLS RD	0.7	2009	UNCL	N/A			
7085			2010	UNCL	N/A			
7085			2011	UNCL	N/A			
7085			2012	UNCL	N/A			
7085			2013	UNCL	N/A			
7085			2014	UNCL	N/A			
7085			2015	UNCL	N/A			
7085			2016	UNCL	N/A			
7085			2017	UNCL	N/A			
7085			2018	UNCL	N/A			
7085			2019	UNCL	N/A			
7085	END OF HWY 7085		9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7087	2.400 KM W OF DOUGALL AV IC	0.3	2009	UNCL	N/A			
7087			2010	UNCL	N/A			
7087			2011	UNCL	N/A			
7087			2012	UNCL	N/A			
7087			2013	UNCL	N/A			
7087			2014	UNCL	N/A			
7087			2015	UNCL	N/A			
7087			2016	UNCL	N/A			
7087			2017	UNCL	N/A			
7087			2018	UNCL	N/A			
7087			2019	UNCL	N/A			
7087	HWY 3 IC (HURON CHURCH RD)	1.0	2015	UNCL	N/A			
7087			2016	IC	21300	23600	23500	18900
7087			2017	IC	21400	23400	23600	19400
7087			2018	IC	21500	23700	23800	19500
7087			2019	IC	21600	23700	23800	19500
7087	1.000 KM W OF HWY 3 IC (HURON CHURCH RD)	1.7	2015	UNCL	N/A			
7087			2016	IC	14400	15900	15900	12800
7087			2017	IC	14500	15900	16000	13200
7087			2018	IC	14600	16100	16200	13200
7087			2019	IC	14700	16100	16200	13300
7087	HWY 7902 (OJIBWAY PKWY) END OF HWY		9999					
7088	HAVILLAND SHORES DR	1.6	2009	UNCL	N/A			
7088			2010	UNCL	N/A			
7088			2011	UNCL	N/A			
7088			2012	UNCL	N/A			
7088			2013	LT	500	650	650	380
7088			2014	LT	500	650	660	380
7088			2015	LT	570	740	760	430
7088			2016	LT	630	820	840	480
7088			2017	LT	660	900	900	520
7088			2018	LT	710	960	970	560
7088			2019	LT	750	1000	1050	590
7088	HWY 17 HAVILLAND SHORES DR END OF HWY 7088		9999					
7089	HAVILLAND CAUSEWAY RD	0.7	2009	UNCL	N/A			
7089			2010	UNCL	N/A			
7089			2011	UNCL	N/A			
7089			2012	UNCL	N/A			
7089			2013	IR	50	60	60	40
7089			2014	IR	50	60	60	40
7089			2015	IR	60	70	70	50
7089			2016	UC	60	60	60	60
7089			2017	UC	60	60	60	60
7089			2018	UC	60	60	60	60
7089			2019	UC	60	60	60	60

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7089	END OF HWY 7089		9999					
7090	HARMONY BEACH RD	0.6	2009	UNCL	N/A			
7090			2010	UNCL	N/A			
7090			2011	UNCL	N/A			
7090			2012	UNCL	N/A			
7090			2013	LT	200	260	260	150
7090			2014	HT	250	370	380	120
7090			2015	HT	260	390	390	130
7090			2016	R	350	590	610	190
7090			2017	R	380	680	670	230
7090			2018	R	430	770	760	260
7090			2019	R	470	840	830	290
7090	0.647 KM N OF HARMONY BEACH RD	1.0	2013	LT	100	130	130	80
7090			2014	HT	100	150	150	50
7090			2015	HT	100	150	150	50
7090			2016	R	100	170	170	50
7090			2017	R	100	180	180	60
7090			2018	R	100	180	180	60
7090			2019	R	100	180	180	60
7090	N.JCT HWY 17/HARMONY BEACH RD END OF HWY 7090		9999					
7102	S JCT HWY 71 GODSON TWP	0.4	1997	UNCL	N/A			
7102			1998	UNCL	N/A			
7102			1999	UNCL	N/A			
7102			2000	UNCL	N/A			
7102			2001	UNCL	N/A			
7102			2002	UNCL	N/A			
7102			2003	UNCL	N/A			
7102			2004	UNCL	N/A			
7102			2005	UNCL	N/A			
7102			2006	UNCL	N/A			
7102			2007	UNCL	N/A			
7102			2008	UNCL	N/A			
7102			2009	UNCL	N/A			
7102			2010	UNCL	N/A			
7102			2011	UNCL	N/A			
7102			2012	UNCL	N/A			
7102			2013	UNCL	N/A			
7102			2014	UNCL	N/A			
7102			2015	UNCL	N/A			
7102			2016	UNCL	N/A			
7102			2017	UNCL	N/A			
7102			2018	UNCL	N/A			
7102			2019	UNCL	N/A			
7102	N JCT HWY 71 END OF HWY		9999					
7104	HWY 105 APPELS CORS	3.1	1997	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7104			1998	UNCL	N/A			
7104			1999	UNCL	N/A			
7104			2000	UNCL	N/A			
7104			2001	UNCL	N/A			
7104			2002	UNCL	N/A			
7104			2003	UNCL	N/A			
7104			2004	UNCL	N/A			
7104			2005	UNCL	N/A			
7104			2006	UNCL	N/A			
7104			2007	UNCL	N/A			
7104			2008	UNCL	N/A			
7104			2009	UNCL	N/A			
7104			2010	UNCL	N/A			
7104			2011	UNCL	N/A			
7104			2012	UNCL	N/A			
7104			2013	UNCL	N/A			
7104			2014	UNCL	N/A			
7104			2015	UNCL	N/A			
7104			2016	UNCL	N/A			
7104			2017	UNCL	N/A			
7104			2018	UNCL	N/A			
7104			2019	UNCL	N/A			
7104	HWY ENDS		9999					
7122	HWY 129 S.JCT OLD HWY 129/MILL RD	0.3	2009	UNCL	N/A			
7122			2010	UNCL	N/A			
7122			2011	UNCL	N/A			
7122			2012	UNCL	N/A			
7122			2013	UNCL	N/A			
7122			2014	UNCL	N/A			
7122			2015	UNCL	N/A			
7122			2016	UNCL	N/A			
7122			2017	UNCL	N/A			
7122			2018	LT	40	50	50	30
7122			2019	LT	40	50	50	30
7122	0.254 KM N OF HWY 129 S.JCT OLD HWY 129/MILL RD	0.4	2009	UNCL	N/A			
7122			2010	UNCL	N/A			
7122			2011	UNCL	N/A			
7122			2012	UNCL	N/A			
7122			2013	UNCL	N/A			
7122			2014	UNCL	N/A			
7122			2015	UNCL	N/A			
7122			2016	UNCL	N/A			
7122			2017	UNCL	N/A			
7122			2018	UNCL	N/A			
7122			2019	LT	60	80	80	50

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7122	NAIRN/LORNE TWP BDY END OF HWY		9999					
7125	HWY 17 CLEARWATER BAY	0.6	1997	UNCL	N/A			
7125			1998	UNCL	N/A			
7125			1999	UNCL	N/A			
7125			2000	UNCL	N/A			
7125			2001	UNCL	N/A			
7125			2002	UNCL	N/A			
7125			2003	UNCL	N/A			
7125			2004	UNCL	N/A			
7125			2005	UNCL	N/A			
7125			2006	UNCL	N/A			
7125			2007	UNCL	N/A			
7125			2008	UNCL	N/A			
7125			2009	UNCL	N/A			
7125			2010	UNCL	N/A			
7125			2011	UNCL	N/A			
7125			2012	UNCL	N/A			
7125			2013	UNCL	N/A			
7125			2014	UNCL	N/A			
7125			2015	UNCL	N/A			
7125			2016	UNCL	N/A			
7125			2017	UNCL	N/A			
7125			2018	UNCL	N/A			
7125			2019	UNCL	N/A			
7125	HWY ENDS GATE ROAD CLOSED		9999					
7140	ST HWY 7140 (GENEVA LAKE MINE RD)	2.7	2014	UNCL	N/A			
7140			2015	UNCL	N/A			
7140			2016	UNCL	N/A			
7140			2017	UNCL	N/A			
7140			2018	IR	30	30	30	30
7140			2019	IR	30	30	30	30
7140	GENAVA LAKE MINE RD END OF HWY		9999					
7146	HWY 140 (S) FARR RD (N)	1.7	1988	IC	10500	12200	11900	9250
7146			1989	IC	10700	12300	12100	9500
7146			1990	IC	10900	12400	12200	9700
7146			1991	IC	10800	12200	12000	9600
7146			1992	IC	10800	12000	11900	9850
7146			1993	IC	10800	12200	12100	9600
7146			1994	IC	10900	12200	12200	9700
7146			1995	IC	11000	12300	12400	9850
7146			1996	IC	11000	12400	12400	9800
7146			1997	IC	11100	12400	12500	9750
7146			1998	IC	11100	12400	12400	9900
7146			1999	IC	11200	12500	12500	9950
7146			2000	IC	11200	12500	12500	9950

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7146			2001	IC	11300	12600	12700	10000
7146			2002	IC	11300	12600	12700	9950
7146			2003	IC	11400	12700	12800	10100
7146			2004	IC	11400	12700	12800	10100
7146			2005	IC	11500	12800	12900	10100
7146			2006	IC	11500	12800	12900	10200
7146			2007	IC	11600	12900	13300	10300
7146			2008	IC	11600	12900	12400	10200
7146			2009	IC	11700	13000	13100	10400
7146			2010	IC	11700	13000	13100	10400
7146			2011	IC	11800	13000	13500	10600
7146			2012	IC	11800	13100	12700	10500
7146			2013	IC	11900	13200	13100	10600
7146			2014	IC	11900	13200	13100	10600
7146			2015	IC	12000	13300	13200	10600
7146			2016	IC	12000	13300	13200	10600
7146			2017	IC	12100	13300	13400	11000
7146			2018	IC	12100	13300	13400	10900
7146			2019	IC	12200	13400	13500	11000
7146	WELLAND WELLINGTON ST HWY END		9999					
7147	MAIN ST ROSSPORT S JCT HWY 17	4.3	2010	UNCL	N/A			
7147			2011	UNCL	N/A			
7147			2012	UNCL	N/A			
7147			2013	UNCL	N/A			
7147			2014	UNCL	N/A			
7147			2015	UNCL	N/A			
7147			2016	UNCL	N/A			
7147			2017	UNCL	N/A			
7147			2018	UNCL	N/A			
7147			2019	UNCL	N/A			
7147	MAIN ST N JCT HWY 17 END OF HWY		9999					
7148	START OF HWY 7148	1.5	2012	UNCL	N/A			
7148			2013	UNCL	N/A			
7148			2014	IC	18600	20600	20500	16500
7148			2015	IC	24800	27500	27300	22000
7148			2016	IC	34100	37700	37600	30200
7148			2017	IC	41300	45200	45600	37500
7148			2018	IC	49000	53900	54200	44300
7148			2019	IC	56800	62400	62700	51300
7148	SIMCOE RD 92 MOSLEY ST (E) WASAGA BEACH	6.1	1988	CR	11800	15100	14200	9800
7148			1989	CR	12300	15700	14600	10300
7148			1990	LT	12600	18400	17600	9200
7148			1991	LT	13000	18200	17600	9600
7148			1992	LT	13200	18300	17800	10200
7148			1993	CTR	13300	16800	16100	11300

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7148			1994	CTR	13300	17000	16200	11200
7148			1995	CTR	13600	17500	16700	11400
7148			1996	CTR	13800	17700	17000	11600
7148			1997	CTR	14100	18000	17300	11800
7148			1998	CTR	14300	18200	17400	12000
7148			1999	CTR	14500	18300	17500	12200
7148			2000	CTR	15300	19300	18500	12900
7148			2001	CTR	15700	19800	19000	13200
7148			2002	CTR	16500	20800	20000	13900
7148			2003	CTR	16500	20500	19700	14000
7148			2004	CTR	16800	21200	20300	14200
7148			2005	CTR	17200	21300	20500	14600
7148			2006	CTR	17600	21800	20900	14900
7148			2007	CTR	18000	22300	22100	15300
7148			2008	CTR	18800	23300	22800	16000
7148			2009	CTR	19200	23400	22700	16300
7148			2010	IT	19500	24400	24500	16100
7148			2011	IT	18000	24200	24200	14800
7148			2012	CTR	14800	18000	17700	12600
7148			2013	IC	15100	16700	16600	13400
7148			2014	IC	18600	20600	20500	16500
7148			2015	IC	15300	16900	16900	13600
7148			2016	IC	18400	20400	20300	16300
7148			2017	IC	18600	20400	20500	16900
7148			2018	IC	18800	20700	20800	17000
7148			2019	IC	19000	20900	21000	17200
7148	300 M WEST OF LAKEVIEW AVE START OF NA	0.5	9999					
7148	END OF NA END OF HWY 7148		9999					
7149	START OF HWY 7149	0.7	2012	UNCL	N/A			
7149			2013	UNCL	N/A			
7149			2014	UNCL	N/A			
7149			2015	UNCL	N/A			
7149			2016	UNCL	N/A			
7149			2017	UNCL	N/A			
7149			2018	UNCL	N/A			
7149			2019	UNCL	N/A			
7149	HWY 26 ROUNDABOUT	1.3	2012	UNCL	N/A			
7149			2013	UNCL	N/A			
7149			2014	UNCL	N/A			
7149			2015	UNCL	N/A			
7149			2016	UNCL	N/A			
7149			2017	UNCL	N/A			
7149			2018	UNCL	N/A			
7149			2019	UNCL	N/A			
7149	END HWY 7149		9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7150	START OF HWY 7150 SOUTH SERVICE RD (MIGHTON COURT)	0.3	2012	UNCL	N/A			
7150			2013	UNCL	N/A			
7150			2014	UNCL	N/A			
7150			2015	UNCL	N/A			
7150			2016	UNCL	N/A			
7150			2017	UNCL	N/A			
7150			2018	UNCL	N/A			
7150			2019	UNCL	N/A			
7150	END OF HWY 7150 (MIGHTON COURT)		9999					
7151	HWY 144 (S JCT)	2.4	2010	UNCL	N/A			
7151			2011	UNCL	N/A			
7151			2012	UNCL	N/A			
7151			2013	UNCL	N/A			
7151			2014	UNCL	N/A			
7151			2015	UNCL	N/A			
7151			2016	UNCL	N/A			
7151			2017	UNCL	N/A			
7151			2018	UNCL	N/A			
7151			2019	LT	30	40	40	30
7151	2.420 KM N OF HWY 144 (S JCT)	2.5	2010	UNCL	N/A			
7151			2011	UNCL	N/A			
7151			2012	UNCL	N/A			
7151			2013	UNCL	N/A			
7151			2014	UNCL	N/A			
7151			2015	UNCL	N/A			
7151			2016	UNCL	N/A			
7151			2017	UNCL	N/A			
7151			2018	UNCL	N/A			
7151			2019	LT	20	30	30	20
7151	HWY 144 (N JCT) END OF HWY		9999					
7152	S JCT HWY 112	1.0	2014	UNCL	N/A			
7152			2015	UNCL	N/A			
7152			2016	UNCL	N/A			
7152			2017	UNCL	N/A			
7152			2018	IT	20	30	30	20
7152			2019	IT	20	30	30	20
7152	N JCT HWY 112 END OF HWY		9999					
7162	HWY 520 ONTARIO ST	0.9	2009	UNCL	N/A			
7162			2010	UNCL	N/A			
7162			2011	UNCL	N/A			
7162			2012	UNCL	N/A			
7162			2013	UNCL	N/A			
7162			2014	UNCL	N/A			
7162			2015	UNCL	N/A			
7162			2016	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7162			2017	UNCL	N/A			
7162			2018	HT	1450	2250	2250	920
7162			2019	HT	1500	2350	2350	960
7162	END OF HWY 7162		9999					
7169	E JCT HWY 11 / 17 SUNSHINE LOOP RD .2 K N OF HWY 102	2.6	2010	UNCL	N/A			
7169			2011	UNCL	N/A			
7169			2012	UNCL	N/A			
7169			2013	UNCL	N/A			
7169			2014	UNCL	N/A			
7169			2015	UNCL	N/A			
7169			2016	UNCL	N/A			
7169			2017	UNCL	N/A			
7169			2019	UNCL	N/A			
7169	W JCT HWY 11 / 17		9999					
7171	S JCT 17 RAITH RD LOOP 25 K N HWY 11	1.0	2010	UNCL	N/A			
7171			2011	UNCL	N/A			
7171			2012	UNCL	N/A			
7171			2013	UNCL	N/A			
7171			2014	UNCL	N/A			
7171			2015	UNCL	N/A			
7171			2016	UNCL	N/A			
7171			2017	UNCL	N/A			
7171			2018	UNCL	N/A			
7171			2019	UNCL	N/A			
7171	N JCT HWY 17 RAITH RD GOLDIE TWP END OF HWY		9999					
7172	ST HWY 7172 (YOUNG ST)	0.7	2012	UNCL	N/A			
7172			2013	UNCL	N/A			
7172			2014	UNCL	N/A			
7172			2015	UNCL	N/A			
7172			2016	UNCL	N/A			
7172			2017	UNCL	N/A			
7172			2018	UNCL	N/A			
7172			2019	UNCL	N/A			
7172	END HWY 7172 (YOUNG ST)		9999					
7182	SEC HWY 559	8.9	1988	T	100	180	180	60
7182			1989	T	100	180	180	60
7182			1990	T	100	180	170	60
7182			1991	CTR	150	190	190	130
7182			1992	CTR	150	180	180	130
7182			1993	CTR	150	190	180	130
7182			1994	IT	140	180	170	120
7182			1995	IT	140	180	170	120
7182			1996	IT	150	200	190	120
7182			1997	IT	150	200	190	120
7182			1998	IT	160	210	200	130

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7182			1999	IT	170	220	220	140
7182			2000	LT	150	210	200	110
7182			2001	LT	180	250	250	130
7182			2002	LT	190	270	260	140
7182			2003	LT	220	300	300	160
7182			2004	LT	210	290	290	150
7182			2005	LT	220	300	290	160
7182			2006	LT	230	310	310	170
7182			2007	LT	240	330	340	180
7182			2008	LT	250	340	330	180
7182			2009	IC	270	300	300	240
7182			2010	IC	270	300	300	240
7182			2011	IC	270	300	310	240
7182			2012	IC	280	310	300	250
7182			2013	CTR	290	350	360	250
7182			2014	CTR	300	370	370	260
7182			2015	CTR	310	380	380	260
7182			2016	CTR	320	390	390	270
7182			2017	CTR	330	440	440	270
7182			2018	CTR	340	450	450	280
7182			2019	CTR	350	470	460	280
7182	WOODS RD CARLING TWP	9.9	1988	T	100	180	180	60
7182			1989	T	100	180	180	60
7182			1990	T	100	180	170	60
7182			1991	CTR	150	190	190	130
7182			1992	CTR	150	180	180	130
7182			1993	CTR	150	190	180	130
7182			1994	IT	140	180	170	120
7182			1995	IT	140	180	170	120
7182			1996	IT	150	200	190	120
7182			1997	IT	150	200	190	120
7182			1998	IT	160	210	200	130
7182			1999	IT	170	220	220	140
7182			2000	LT	150	210	200	110
7182			2001	LT	180	250	250	130
7182			2002	LT	190	270	260	140
7182			2003	LT	220	300	300	160
7182			2004	LT	210	290	290	150
7182			2005	LT	220	300	290	160
7182			2006	LT	230	310	310	170
7182			2007	LT	240	330	340	180
7182			2008	LT	250	340	330	180
7182			2009	IC	270	300	300	240
7182			2010	IC	270	300	300	240
7182			2011	IC	270	300	310	240

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7182			2012	IC	280	310	300	250
7182			2013	CTR	290	350	360	250
7182			2014	CTR	300	370	370	260
7182			2015	CTR	310	380	380	260
7182			2016	CTR	320	390	390	270
7182			2017	CTR	330	440	440	270
7182			2018	CTR	340	450	450	280
7182			2019	CTR	350	470	460	280
7182	HWY 69 HWY END		9999					
7186	NIAGARA RD 70	0.8	1988	UC	12000	12600	13600	11300
7186			1989	UC	12500	13100	14100	11900
7186			1990	UC	12900	13800	15000	12300
7186			1991	UC	13200	14000	15200	12800
7186			1992	UC	13400	14200	15400	12900
7186			1993	UC	13400	14100	15200	12600
7186			1994	UC	14300	15200	16300	13300
7186			1995	UC	14700	15500	16800	13700
7186			1996	UC	15200	16100	17800	14500
7186			1997	UC	15600	16400	18300	14700
7186			1998	UC	16000	17000	18700	15200
7186			1999	UC	16100	17100	18800	15300
7186			2000	UC	16500	17500	19500	15500
7186			2001	UC	16800	18000	19800	15800
7186			2002	UC	17100	18200	20100	16000
7186			2003	UC	17400	18400	20400	16400
7186			2004	UC	17700	19000	20800	16600
7186			2005	UC	21500	22800	25100	20200
7186			2006	UC	18300	19400	21400	17200
7186			2007	UC	21000	22300	24300	19700
7186			2008	UC	20400	21500	20200	19100
7186			2009	UC	19900	21100	23300	18700
7186			2010	UC	20300	21500	23600	19100
7186			2011	UC	21300	21400	22100	20200
7186			2012	UC	21800	21900	23300	20700
7186			2013	UC	22400	22500	22500	21300
7186			2014	UC	22700	22800	21800	21500
7186			2015	UC	23100	23200	22200	21900
7186			2016	UC	23500	23600	22600	22300
7186			2017	UC	23900	23700	24000	22900
7186			2018	UC	24300	24100	24500	23300
7186			2019	UC	24800	24400	24800	23900
7186	HWY 58 DAVIS DR THOROLD HWY END		9999					
7188	OLD HWY 11 SUNSET PASS DR.	3.0	2010	UNCL	N/A			
7188			2011	UNCL	N/A			
7188			2012	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7188			2013	UNCL	N/A			
7188			2014	UNCL	N/A			
7188			2015	UNCL	N/A			
7188			2016	UNCL	N/A			
7188			2017	UNCL	N/A			
7188			2018	CR	400	460	470	360
7188			2019	CR	420	490	490	380
7188	HWY 11 UP	4.8	2012	UNCL	N/A			
7188			2013	UNCL	N/A			
7188			2014	UNCL	N/A			
7188			2015	UNCL	N/A			
7188			2016	UNCL	N/A			
7188			2017	UNCL	N/A			
7188			2018	UNCL	N/A			
7188			2019	UNCL	N/A			
7188	S JCT HWY 520 END OF HWY		9999					
7189	QEW OFF RAMP TO EASTPORT	2.1	2009	UNCL	N/A			
7189			2010	UNCL	N/A			
7189			2011	UNCL	N/A			
7189			2012	UNCL	N/A			
7189			2013	CTR	8400	10200	10600	7150
7189			2014	CTR	6700	8150	8250	5700
7189			2015	CTR	10200	12400	12500	8650
7189			2016	CTR	11100	13500	13700	9450
7189			2017	CTR	12000	16000	16000	9800
7189			2018	CTR	13200	17600	17600	10800
7189			2019	CTR	14300	19100	19000	11600
7189	HWY 2 RAMPS 72 & 83 END OF HWY		9999					
7190	SERVICE RD (OFF HURONTARIO ST)	0.8	2010	UNCL	N/A			
7190			2011	UNCL	N/A			
7190			2012	UNCL	N/A			
7190			2013	UNCL	N/A			
7190			2014	UNCL	N/A			
7190			2015	UNCL	N/A			
7190			2016	UNCL	N/A			
7190			2017	UNCL	N/A			
7190			2018	UNCL	N/A			
7190			2019	UNCL	N/A			
7190	END OF SERVICE RD (BRAMPTON CHRISTIAN SCHOOL) END OF HWY		9999					
7191	S JCT HWY 6 HALDIMAND START OF NA	3.0	9999					
7191	3.004 KM N OF S JCT HWY 6 HALDIMAND	0.3	2014	UNCL	N/A			
7191			2015	UNCL	N/A			
7191			2016	UNCL	N/A			
7191			2017	UNCL	N/A			
7191			2018	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7191			2019	UNCL	N/A			
7191	1.4 KM N OF HADDINGTON ST (E) START OF NA	1.9	9999					
7191	N JCT HWY 6 GREENS RD (W) REG RD 66 (E) END OF NA END OF HWY		9999					
7195	YORK RD 53 DUFFERIN ST	0.7	2014	UNCL	N/A			
7195			2015	UNCL	N/A			
7195			2016	UNCL	N/A			
7195			2017	UNCL	N/A			
7195			2018	UNCL	N/A			
7195			2019	UNCL	N/A			
7195	HWY 7 NORTH RIVERMEDDE RD END OF HWY		9999					
7202	PEEL RD 5 DERRY RD	3.1	2014	UNCL	N/A			
7202			2015	UNCL	N/A			
7202			2016	UNCL	N/A			
7202			2017	UNCL	N/A			
7202			2018	UNCL	N/A			
7202			2019	UNCL	N/A			
7202	PEEL RD 15 STEELE AV START OF NA	6.1	9999					
7202	BOVAIRD DR HEART LAKE RD END OF NA END OF HWY		9999					
7236	HWY 406	0.6	1993	UC	14000	14700	15900	13100
7236			1994	UC	14000	14800	16000	13000
7236			1995	UC	14000	14800	16000	13100
7236			1996	UC	14000	14800	16400	13300
7236			1997	UC	14000	14700	16400	13200
7236			1998	UC	14000	14800	16400	13300
7236			1999	UC	14000	14800	16400	13300
7236			2000	UC	14000	14800	16500	13200
7236			2001	UC	14000	15000	16500	13200
7236			2002	UC	14000	14900	16500	13100
7236			2003	UC	14000	14800	16400	13200
7236			2004	UC	14000	15000	16500	13200
7236			2005	UC	14000	14800	16400	13100
7236			2006	UC	14000	14800	16400	13200
7236			2007	UC	14000	14800	16200	13100
7236			2008	UC	14000	14800	13900	13100
7236			2009	UC	14000	14800	16400	13200
7236			2010	UC	14000	14800	16300	13200
7236			2011	UC	14000	14000	14500	13300
7236			2012	UC	14000	14100	15000	13300
7236			2013	UC	14000	14000	14100	13300
7236			2014	UC	14000	14000	13500	13300
7236			2015	UC	14000	14000	13500	13300
7236			2016	UC	14000	14000	13500	13300
7236			2017	UC	14000	13900	14000	13400
7236			2018	UC	14000	13900	14100	13400
7236			2019	UC	14000	13800	14000	13500

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7236	NIAGARA REGION START OF NA	1.5	9999					
7236	SEAWAY MALL DR END OF NA HWY END		9999					
7237	HWY 48 (N & S)YORK RD 14 (W)	1.0	2013	UNCL	N/A			
7237			2014	UNCL	N/A			
7237			2015	UNCL	N/A			
7237			2016	UNCL	N/A			
7237			2017	UNCL	N/A			
7237			2018	UNCL	N/A			
7237			2019	UNCL	N/A			
7237	END OF HIGHWAY 7237		9999					
7242	HWY 11/17 (LAKESHORE DRIVE EAST CONNECTION)	0.4	2010	UNCL	N/A			
7242			2011	UNCL	N/A			
7242			2012	UNCL	N/A			
7242			2013	UNCL	N/A			
7242			2014	IT	450	560	550	370
7242			2015	IT	900	1150	1100	740
7242			2016	IT	1350	1700	1650	1100
7242			2017	IT	1800	2400	2400	1500
7242			2018	IT	2250	2950	2950	1900
7242			2019	IT	2700	3600	3600	2300
7242	BIRCH BEACH RD	8.4	2013	UNCL	N/A			
7242			2014	IT	450	560	550	370
7242			2015	IT	360	450	440	300
7242			2016	IT	450	560	550	370
7242			2017	IT	450	590	600	380
7242			2018	IT	450	590	590	380
7242			2019	IT	460	610	610	390
7242	NEW MACKENZIE STATION RD END OF HWY		9999					
7274	HWY 6 AIRPORT RD CONNECTION (HWY 7274)	0.6	2004	SC	2600	2750	3050	2300
7274			2005	SC	2600	2750	3050	2300
7274			2006	SC	2600	2750	3050	2300
7274			2007	SC	2600	2750	3000	2300
7274			2008	SC	2600	2750	2550	2300
7274			2009	SC	2600	2750	3050	2300
7274			2010	SC	2600	2750	3050	2300
7274			2011	C	2700	3000	3000	2450
7274			2012	C	2750	3050	2950	2500
7274			2013	C	2800	3100	3050	2500
7274			2014	C	2750	3050	2950	2500
7274			2015	C	2650	2900	2850	2400
7274			2016	C	2750	3050	2950	2500
7274			2017	C	2750	3000	3000	2500
7274			2018	C	2800	3050	3050	2550
7274			2019	C	2800	3050	3050	2550
7274	AIRPORT RD END OF HWY		9999					

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7276			2014	UNCL	N/A			
7276			2015	UNCL	N/A			
7276			2016	UNCL	N/A			
7276			2017	UNCL	N/A			
7276			2018	UNCL	N/A			
7276			2019	UNCL	N/A			
7276	**MAYFIELD RD IC**	**4.32**	**2019**	**UNCL**	**N/A**			
7276	HWY 10 SNELGROVE END OF HWY		9999					
7277	HWY 11B/17B ARTHUR ST (E) HWY 61 (S) START OF NA	8.6	9999					
7277	HWY 130 TWIN CITY CROSSROADS END OF NA END OF HWY		9999					
7278	PUSLINCH TOWNLINE RD (E) MORRISTON BYPASS	5.8	2009	UNCL	N/A			
7278			2010	UNCL	N/A			
7278			2011	UNCL	N/A			
7278			2012	UNCL	N/A			
7278			2013	UNCL	N/A			
7278			2014	UNCL	N/A			
7278			2015	UNCL	N/A			
7278			2016	UNCL	N/A			
7278			2017	UNCL	N/A			
7278			2018	UNCL	N/A			
7278			2019	UNCL	N/A			
7278	HWY 6 & HWY 401 END OF HWY 7278		9999					
7279	JCT HWY 69 HWY 7279	2.3	2010	LT	6950	9350	9150	5150
7279			2011	LT	7000	8950	9150	5750
7279			2012	LT	7050	9200	8750	5350
7279			2013	LT	9400	12300	12300	7100
7279			2014	LT	12900	16800	17100	9750
7279			2015	LT	16400	21400	21800	12400
7279			2016	LT	19900	26000	26400	15000
7279			2017	LT	290	410	400	220
7279			2018	LT	12600	17600	17500	9700
7279			2019	LT	13200	18500	18300	10200
7279	NEPEWASSI LAKE RD (E) BURWASH TWP	6.8	1988	CR	5300	6800	6350	4400
7279			1989	IR	5650	7300	6250	4650
7279			1990	IR	5800	7350	6450	4750
7279			1991	IR	5950	7500	6600	4950
7279			1992	LR	6050	9750	7800	4000
7279			1993	LR	6050	9750	7800	3950
7279			1994	LR	6050	9950	8000	3950
7279			1995	LT	6050	8700	8450	4450
7279			1996	LT	6050	8550	8350	4450
7279			1997	CR	6100	7550	7200	5200
7279			1998	CR	6200	7650	7250	5250
7279			1999	CR	6250	7700	7300	5300
7279			2000	CR	6350	7800	7450	5400

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7279			2001	CR	6400	7850	7500	5400
7279			2002	LT	6450	9000	8800	4750
7279			2003	LT	6500	8950	8750	4800
7279			2004	LT	6350	8900	8650	4650
7279			2005	LT	6650	9100	8900	4900
7279			2006	LT	6900	9450	9200	5100
7279			2007	LT	6750	9250	9500	4950
7279			2008	LT	6800	9300	8900	5000
7279			2009	LT	6850	9250	9050	5050
7279			2010	LT	6950	9350	9150	5150
7279			2011	LT	7000	8950	9150	5750
7279			2012	LT	7050	9200	8750	5350
7279			2013	LT	7100	9250	9250	5350
7279			2014	LT	7150	9350	9500	5400
7279			2015	LT	7250	9450	9650	5450
7279			2016	LT	7300	9550	9700	5500
7279			2017	LT	7350	10300	10200	5650
7279			2018	LT	7400	10400	10300	5700
7279			2019	LT	7450	10400	10300	5750
7279	SEC HWY 537 (E) SECORD RD (W)	8.5	1988	CR	5600	7150	6700	4650
7279			1989	IR	6000	7750	6650	4900
7279			1990	IR	6150	7800	6850	5050
7279			1991	IR	6300	7950	7000	5250
7279			1992	LR	6100	9800	7850	4050
7279			1993	LR	6100	9800	7850	4000
7279			1994	LR	6350	10400	8400	4150
7279			1995	LR	6500	10900	8850	4250
7279			1996	LR	6700	11200	9000	4450
7279			1997	LT	6850	9650	9450	5050
7279			1998	LT	7000	9800	9600	5100
7279			1999	LT	7000	9750	9500	5100
7279			2000	LT	7050	9800	9600	5150
7279			2001	LT	8250	11500	11200	6050
7279			2002	LT	7200	10100	9800	5300
7279			2003	LT	7300	10000	9850	5400
7279			2004	LT	6850	9600	9350	5000
7279			2005	LT	7450	10200	10000	5500
7279			2006	IR	7300	8800	8000	6200
7279			2007	IR	7600	9200	9200	6450
7279			2008	IR	7700	9350	9150	6600
7279			2009	IR	7750	9300	8450	6600
7279			2010	IR	7850	9350	8550	6700
7279			2011	IR	7900	9400	9250	6750
7279			2012	IR	8000	9500	9250	6850
7279			2013	IR	8050	9600	10300	6850

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7279			2014	IR	8150	9700	9700	6950
7279			2015	IR	8200	9750	9800	7000
7279			2016	IR	8300	9900	9900	7050
7279			2017	IR	8050	9100	9150	6950
7279			2018	IR	8400	9500	9600	7250
7279			2019	IR	8450	9550	9650	7350
7279	GLADU RD	1.1	1997	IR	11500	14400	12900	9800
7279			1998	IR	11800	14600	13200	9900
7279			1999	IR	11700	14500	13000	9850
7279			2000	IR	11700	14300	13000	9900
7279			2001	IR	11700	14500	13000	9900
7279			2002	IR	11800	14600	13100	10000
7279			2003	IR	11800	14300	13000	10000
7279			2004	IR	11800	14600	13100	10000
7279			2005	IR	11900	14400	13000	10100
7279			2006	IR	11900	14400	13000	10100
7279			2007	IR	11900	14400	14400	10100
7279			2008	IR	12000	14500	14300	10300
7279			2009	IC	12000	13300	13400	10700
7279			2010	IC	12000	13300	13400	10600
7279			2011	IC	12100	13300	13800	10900
7279			2012	IC	12100	13400	13000	10700
7279			2013	IC	12100	13400	13300	10700
7279			2014	IC	12100	13400	13300	10700
7279			2015	IC	12200	13500	13400	10800
7279			2016	IC	12200	13500	13400	10800
7279			2017	IC	12200	13400	13500	11100
7279			2018	IC	12300	13500	13600	11100
7279			2019	IC	12300	13500	13600	11100
7279	HWY END		9999					
7280	407 FLOW EASTERN SECTION HWY 35/115	16.8	2010	UNCL	N/A			
7280			2011	UNCL	N/A			
7280			2012	UNCL	N/A			
7280			2013	UNCL	N/A			
7280			2014	UNCL	N/A			
7280			2015	UNCL	N/A			
7280			2016	UNCL	N/A			
7280			2017	UNCL	N/A			
7280			2018	UNCL	N/A			
7280			2019	UNCL	N/A			
7280	407 FLOW EASTERN SECTION COURTICE RD END OF HWY		9999					
7281	407 FLOW CENTRAL SECTION COURTICE RD	14.9	2010	UNCL	N/A			
7281			2011	UNCL	N/A			
7281			2012	UNCL	N/A			
7281			2013	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7281			2014	UNCL	N/A			
7281			2015	UNCL	N/A			
7281			2016	UNCL	N/A			
7281			2017	UNCL	N/A			
7281			2018	UNCL	N/A			
7281			2019	UNCL	N/A			
7281	407 FLOW CENTRAL SECTION ASHBURN RD END OF HWY		9999					
7282	407 FLOW WESTERN SECTION ASHBURN RD	13.4	2010	UNCL	N/A			
7282			2011	UNCL	N/A			
7282			2012	UNCL	N/A			
7282			2013	UNCL	N/A			
7282			2014	UNCL	N/A			
7282			2015	UNCL	N/A			
7282			2016	UNCL	N/A			
7282			2017	UNCL	N/A			
7282			2018	UNCL	N/A			
7282			2019	UNCL	N/A			
7282	407 FLOW WESTER SECTION W OF BROCK RD END OF HWY		9999					
7283	407 FLOW EAST DURHAM LINK HWY 401/OSBOURNE RD	10.4	2010	UNCL	N/A			
7283			2011	UNCL	N/A			
7283			2012	UNCL	N/A			
7283			2013	UNCL	N/A			
7283			2014	UNCL	N/A			
7283			2015	UNCL	N/A			
7283			2016	UNCL	N/A			
7283			2017	UNCL	N/A			
7283			2018	UNCL	N/A			
7283			2019	UNCL	N/A			
7283	407 FLOW EAST DURHAM LINK HWY 401/RUNDLE RD END OF HWY		9999					
7284	407 FLOW WEST DURHAM LINK E OF LAKE RIDGE RD S	10.3	2010	UNCL	N/A			
7284			2011	UNCL	N/A			
7284			2012	UNCL	N/A			
7284			2013	UNCL	N/A			
7284			2014	UNCL	N/A			
7284			2015	UNCL	N/A			
7284			2016	UNCL	N/A			
7284			2017	UNCL	N/A			
7284			2018	UNCL	N/A			
7284			2019	UNCL	N/A			
7284	407 FLOW WEST DURHAM LINK E OF HALLS RD N END OF HWY		9999					
7285	SECORD RD S INTERSECTION WITH HWY 7279 ESTARIE RD	1.0	2010	UNCL	N/A			
7285			2011	UNCL	N/A			
7285			2012	UNCL	N/A			
7285			2013	UNCL	N/A			
7285			2014	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7285			2015	UNCL	N/A			
7285			2016	UNCL	N/A			
7285			2017	UNCL	N/A			
7285			2018	CR	680	790	800	610
7285			2019	CR	700	810	820	630
7285	NELSON RD AND OLD HWY 69 HWY END		9999					
7286	GLANDU RD	0.7	2010	UNCL	N/A			
7286			2011	UNCL	N/A			
7286			2012	UNCL	N/A			
7286			2013	UNCL	N/A			
7286			2014	UNCL	N/A			
7286			2015	UNCL	N/A			
7286			2016	UNCL	N/A			
7286			2017	UNCL	N/A			
7286			2018	UNCL	N/A			
7286			2019	UNCL	N/A			
7286	N JCT 69/7279 END OF HWY		9999					
7287			1988	T	1400	2550	2450	850
7287			1989	T	1500	2700	2600	940
7287			1990	T	1600	2900	2800	990
7287			1991	T	1750	3150	3050	1100
7287			1992	T	1750	3150	3100	1100
7287			1993	T	1700	3100	3000	1050
7287			1994	T	1750	3150	3100	1100
7287			1995	T	1800	3150	3050	1100
7287			1996	T	1850	3200	3150	1150
7287			1997	LR	1850	3100	2500	1250
7287			1998	LR	1850	3050	2450	1200
7287			1999	LR	2000	3300	2650	1300
7287			2000	LR	2100	3400	2750	1400
7287			2001	LR	2100	3450	2750	1400
7287			2002	LR	2150	3500	2800	1450
7287			2003	LR	2200	3500	2800	1500
7287			2004	LR	2250	3700	2950	1500
7287			2005	LR	2300	3600	2900	1550
7287			2006	LR	2350	3650	2950	1600
7287			2007	LR	2400	3750	3600	1600
7287			2008	LR	2450	3800	3700	1700
7287			2009	LR	2500	3800	3100	1700
7287			2010	LR	2550	3800	3100	1750
7287			2011	LR	2600	4000	3750	1800
7287			2012	LR	2650	3950	3850	1800
7287			2013	LR	2700	4050	4600	1850
7287			2014	LR	2750	4100	4200	1850
7287			2015	LR	2800	4200	4250	1900

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7287			2016	LR	2850	4250	4350	1950
7287			2017	LR	2900	4850	4700	2000
7287			2018	LR	2950	4900	4750	2050
7287			2019	LR	3000	5000	4900	2050
7287	**HWY 69**	**2.31**	**2019**	**LR**	**3000**	**5000**	**4900**	**2050**
7287	END OF OLD 559 JCT HWY 7182 END OF HWY		9999					
7288	JCT HWY 125 NUNGESSER SERVICE RD	96.5	2012	UNCL	N/A			
7288			2013	UNCL	N/A			
7288			2014	UNCL	N/A			
7288			2015	UNCL	N/A			
7288			2016	UNCL	N/A			
7288			2017	UNCL	N/A			
7288			2018	UNCL	N/A			
7288			2019	UNCL	N/A			
7288	NUNGESSER SERVICE RD END OF HWY		9999					
7289			2014	UNCL	N/A			
7289			2015	UNCL	N/A			
7289			2016	CTR	2700	3300	3300	2300
7289			2017	CTR	2750	3700	3650	2250
7289			2018	CTR	2900	3850	3850	2350
7289			2019	CTR	3000	4000	4000	2450
7289	**HWY 400/7289 (F HWY 69) IC-189**	**6.13**	**2019**	**CTR**	**3000**	**4000**	**4000**	**2450**
7289	HWY 169 (E) S JCT BUCKEYE RD (W)	5.2	2014	UNCL	N/A			
7289			2015	UNCL	N/A			
7289			2016	UNCL	N/A			
7289			2017	UNCL	N/A			
7289			2018	CTR	1850	2450	2450	1500
7289			2019	CTR	2000	2650	2650	1650
7289	MURPHY RD (E) HUMPHREY TWP	3.9	2014	UNCL	N/A			
7289			2015	UNCL	N/A			
7289			2016	UNCL	N/A			
7289			2017	UNCL	N/A			
7289			2018	CTR	1700	2250	2250	1400
7289			2019	CTR	2000	2650	2650	1650
7289	SEC HWY 612 (W) HUMPHREY TWP	6.7	2014	UNCL	N/A			
7289			2015	UNCL	N/A			
7289			2016	CTR	2250	2750	2750	1900
7289			2017	CTR	2300	3050	3050	1850
7289			2018	CTR	2400	3200	3200	1950
7289			2019	CTR	2500	3350	3300	2050
7289	HWY 7289/HWY 141 S JCT END OF HWY		9999					
7290	HWY 7290 (F HWY 69)/141 N JCT	2.6	2014	UNCL	N/A			
7290			2015	UNCL	N/A			
7290			2016	CTR	1850	2250	2300	1550
7290			2017	CTR	1900	2550	2550	1550

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7290			2018	CTR	1950	2600	2600	1600
7290			2019	CTR	2000	2650	2650	1650
7290	HWY 7290 N JCT HWY 400 END OF HWY		9999					
7291	ST HWY 7291 (MUSKOKA RD)/HWY 11	2.3	2014	UNCL	N/A			
7291			2015	UNCL	N/A			
7291			2016	UNCL	N/A			
7291			2017	UNCL	N/A			
7291			2018	CR	250	290	290	220
7291			2019	CR	250	290	290	220
7291	JCT HWY 7291 (MUSKOKA RD)/SINCLAIR LN (F HWY 124)	0.4	2014	UNCL	N/A			
7291			2015	UNCL	N/A			
7291			2016	UNCL	N/A			
7291			2017	UNCL	N/A			
7291			2018	IR	300	370	370	260
7291			2019	IR	300	370	370	260
7291	JCT HWY 7291 (MUSKOKA RD)/HWY 124 END OF HWY		9999					
7292	JCT HWY 7292 (SINCLAIR LN F HWY 124)/MUSKOKA RD	0.6	2014	UNCL	N/A			
7292			2015	UNCL	N/A			
7292			2016	UNCL	N/A			
7292			2017	UNCL	N/A			
7292			2018	CR	1550	1800	1800	1400
7292			2019	CR	1600	1850	1850	1450
7292	SINCLAIR LN FORMERLY HWY 124 END OF HWY		9999					
7293	JCT HWY 7293 (GREEN RD F HWY 124)/SUNNY RIDGE RD	0.2	2014	UNCL	N/A			
7293			2015	UNCL	N/A			
7293			2016	UNCL	N/A			
7293			2017	UNCL	N/A			
7293			2018	UNCL	N/A			
7293			2019	UNCL	N/A			
7293	GREEN RD FORMERLY HWY 124 END OF HWY		9999					
7294	ST HWY 7294 (SUNNY RIDGE RD)/HWY 124	0.4	2014	UNCL	N/A			
7294			2015	UNCL	N/A			
7294			2016	UNCL	N/A			
7294			2017	UNCL	N/A			
7294			2018	T	30	40	40	20
7294			2019	T	50	70	70	40
7294	JCT HWY 7294 (F HWY 11)/HWY 7293 (GREEN RD)	0.5	2014	UNCL	N/A			
7294			2015	UNCL	N/A			
7294			2016	UNCL	N/A			
7294			2017	UNCL	N/A			
7294			2018	HT	120	190	190	80
7294			2019	HT	150	230	230	100
7294	END OF HWY 7294		9999					
7295	ST HWY 7295 (NORTH HORN LAKE RD)	1.1	2014	UNCL	N/A			
7295			2015	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7295			2016	UNCL	N/A			
7295			2017	UNCL	N/A			
7295			2018	LT	150	210	210	120
7295			2019	LT	150	210	210	120
7295	END OF HWY 7295		9999					
7296	ST HWY 7296 (VALLEY VIEW RD)	2.6	2014	UNCL	N/A			
7296			2015	UNCL	N/A			
7296			2016	UNCL	N/A			
7296			2017	UNCL	N/A			
7296			2018	IR	90	110	110	80
7296			2019	IR	90	110	110	80
7296	END OF HWY 7296		9999					
7297	JCT HWY 7297 (SOUTH SERVICE RD)/OKE DR	0.9	2014	UNCL	N/A			
7297			2015	UNCL	N/A			
7297			2016	UNCL	N/A			
7297			2017	UNCL	N/A			
7297			2018	UNCL	N/A			
7297			2019	UNCL	N/A			
7297	END OF HWY 7297		9999					
7298	ST HWY 7298 ONTARIO ST IC	2.0	2014	UNCL	N/A			
7298			2015	UNCL	N/A			
7298			2016	UNCL	N/A			
7298			2017	UNCL	N/A			
7298			2018	CTR	990	1300	1300	810
7298			2019	CTR	1000	1350	1350	810
7298	END OF HWY 7298		9999					
7299	START OF HWY 7299 – 75M S OF LOVERING LAKE RD	2.0	2017	UNCL	N/A			
7299			2018	UNCL	N/A			
7299			2019	UNCL	N/A			
7299	INTERSECTION OF HWY 637 AND HWY 7299	5.3	2017	UNCL	N/A			
7299			2018	UNCL	N/A			
7299			2019	UNCL	N/A			
7299	BURWASH CORRECT RD END OF HWY		9999					
7300	GOVERNMENT RD AT NORTH END OF BRIDGE OVER SPANISH RIVER	5.1	2017	UNCL	N/A			
7300			2018	UNCL	N/A			
7300			2019	UNCL	N/A			
7300	SAGAMOC FIRST NATION BOUNDARY END OF HWY		9999					
7303	WINSTON CHURCHILL BLVD AT UNITY DR	2.0	2017	UNCL	N/A			
7303			2018	UNCL	N/A			
7303			2019	UNCL	N/A			
7303	JCT HWY 11 AND FLANDERS RD END OF HWY		9999					
7304	JCT HWY 11 AND FLANDERS RD START OF NA	52.7	2017	UNCL	N/A			
7304			2018	UNCL	N/A			
7304			2019	UNCL	N/A			
7304	NAMAKIN R. BAILEY BR. SITE 45 265 START OF NA	0.1	2017	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7304			2018	UNCL	N/A			
7304			2019	UNCL	N/A			
7304	NAMAKAN R BR. START OF NA	0.1	2017	UNCL	N/A			
7304			2018	UNCL	N/A			
7304			2019	UNCL	N/A			
7304	NAMAKAN RIVER ACROW BRIDGE END OF NA	0.1	2017	UNCL	N/A			
7304			2018	UNCL	N/A			
7304			2019	UNCL	N/A			
7304	NAMAKAN RIVER START OF NA	25.0	2017	UNCL	N/A			
7304			2018	UNCL	N/A			
7304			2019	UNCL	N/A			
7304	250 M IN ON GRAVEL RD AT 46055 0.5 END OF HWY		9999					
7901	END OF WINDSOR ESSEX PKWY END OF HWY 7901		9999					
7902	OJIBWAY PKWY/RR18 START OF NA	2.2	9999					
7902	1M N OF ESSEX TERMINAL RAILWAY XING START OF NA	1.0	9999					
7902	1M N OF BROADWAY ST END OF NA	1.0	2015	UNCL	N/A			
7902			2016	UNCL	N/A			
7902			2017	UNCL	N/A			
7902			2018	UNCL	N/A			
7902			2019	UNCL	N/A			
7902	SANDWICH ST END OF OJIBWAY PKWY END OF NA END OF HWY		9999					
7905	BIG TROUT LAKE AIRPORT END OF HWY 7905		9999					
7906	SACHIGO LAKE AIRPORT END OF HWY 7906		9999					
7907	WUNNUMIN LAKE AIRPORT END OF HWY 7907		9999					
7908	START HOWARD AVE DIVERSION AT SOUTH TALBOT RD	0.4	2009	UNCL	N/A			
7908			2010	UNCL	N/A			
7908			2011	UNCL	N/A			
7908			2012	UNCL	N/A			
7908			2013	UNCL	N/A			
7908			2014	UNCL	N/A			
7908			2015	UNCL	N/A			
7908			2016	UNCL	N/A			
7908			2017	UNCL	N/A			
7908			2018	UNCL	N/A			
7908			2019	UNCL	N/A			
7908	HOWARD AVE CONNECTOR	0.5	2015	UNCL	N/A			
7908			2016	UNCL	N/A			
7908			2017	UNCL	N/A			
7908			2018	UNCL	N/A			
7908			2019	UNCL	N/A			
7908	HWY 3/HWY 401 ROUNDABOUT END OF HWY 7908		9999					
7909	START OF HWY 7909	3.5	2010	UNCL	N/A			
7909			2011	UNCL	N/A			
7909			2012	UNCL	N/A			
7909			2013	UNCL	N/A			

Highway	Location Description	Dist (KM)	Year	Pattern Type	AADT	SADT	SAWDT	WADT
7909			2014	UNCL	N/A			
7909			2015	UNCL	N/A			
7909			2016	LT	1750	2300	2300	1300
7909			2017	LT	1800	2300	2300	1500
7909			2018	LT	1850	2350	2350	1550
7909			2019	LT	1900	2400	2400	1600
7909	HWY 7910 AVRO ARROW RD/69 IC	2.6	2016	LT	850	1100	1150	640
7909			2017	LT	880	1100	1100	740
7909			2018	LT	900	1150	1150	750
7909			2019	LT	920	1150	1150	770
7909	END OF HWY 7909 HWY 69 END OF HWY		9999					
7910	START OF HWY 7910 AVRO ARROW RD/69 IC	1.6	2010	UNCL	N/A			
7910			2011	UNCL	N/A			
7910			2012	UNCL	N/A			
7910			2013	UNCL	N/A			
7910			2014	UNCL	N/A			
7910			2015	UNCL	N/A			
7910			2016	CTR	390	480	480	330
7910			2017	CTR	410	550	550	330
7910			2018	CTR	420	560	560	340
7910			2019	CTR	440	590	580	360
7910	END OF HWY 7910/SEC HWY 7909 END OF HWY		9999					